

CITATION REPORT

List of articles citing

Prefrontal cortex dysfunction during working memory performance in schizophrenia: reconciling discrepant findings

DOI: 10.1016/s0920-9964(02)00294-3
Schizophrenia Research, 2003, 60, 285-98.

Source: <https://exaly.com/paper-pdf/35390212/citation-report.pdf>

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
567	Emerging insights on the neuroanatomy of schizophrenia. 2003 , 1, 28-34		
566	Altered effective connectivity in drug free schizophrenic patients. 2003 , 14, 2233-7		74
565	Topographic abnormality of slow cortical potentials in schizophrenia. 2004 , 37, 97-109		4
564	Changes in neuronal activation in patients with bipolar disorder during performance of a working memory task. 2004 , 6, 540-9		162
563	A functional MRI study of working memory task in euthymic bipolar disorder: evidence for task-specific dysfunction. 2004 , 6, 550-64		147
562	Hypofrontality in schizophrenia: a meta-analysis of functional imaging studies. 2004 , 110, 243-56		253
561	Using saccade tasks as a tool to analyze executive dysfunctions in schizophrenia. 2004 , 115, 255-69		88
560	Prefrontal cortical thickness in first-episode psychosis: a magnetic resonance imaging study. 2004 , 55, 131-40		64
559	Functional magnetic resonance imaging during auditory verbal working memory in nonpsychotic relatives of persons with schizophrenia: a pilot study. 2004 , 55, 490-500		90
558	Abnormalities in the dopamine system in schizophrenia may lie in altered levels of dopamine receptor-interacting proteins. 2004 , 56, 427-40		68
557	Cortical effects of quetiapine in first-episode schizophrenia: a preliminary functional magnetic resonance imaging study. 2004 , 56, 938-42		47
556	A failure of sleep-dependent procedural learning in chronic, medicated schizophrenia. 2004 , 56, 951-6		95
555	Widespread electrical cortical dysfunction in schizophrenia. <i>Schizophrenia Research</i> , 2004 , 69, 255-66	3.6	7
554	Do schizophrenia patients make more perseverative than non-perseverative errors on the Wisconsin Card Sorting Test? A meta-analytic study. 2004 , 129, 179-90		50
553	In vivo and in vitro effects of homocysteine on Na ⁺ , K ⁺ -ATPase activity in parietal, prefrontal and cingulate cortex of young rats. 2004 , 22, 185-90		35
552	Prefrontal lesion reverses abnormal mesoaccumbens response in an animal model of schizophrenia. 2004 , 55, 172-6		45
551	Semantic organization and verbal memory efficiency in patients with schizophrenia. <i>Neuropsychology</i> , 2004 , 18, 378-383	3.8	65

550	Dopamine Modulation of Prefrontal Cortical Neural Ensembles and Synaptic Plasticity. 2004 , 61-84	
549	Changes in distributed neural circuitry function in patients with first-episode schizophrenia. 2004 , 185, 205-14	61
548	Frontal lobe. 2005 , 70-101	
547	Modafinil modulates anterior cingulate function in chronic schizophrenia. 2005 , 187, 55-61	90
546	Dopamine D1-like receptor modulates layer- and frequency-specific short-term synaptic plasticity in rat prefrontal cortical neurons. 2005 , 21, 3310-20	24
545	Catechol-O-methyl transferase Val158Met gene polymorphism in schizophrenia: working memory, frontal lobe MRI morphology and frontal cerebral blood flow. 2005 , 10, 229, 287-98	158
544	Sleep-dependent memory consolidation. 2005 , 437, 1272-8	1234
543	Evaluation of a novel event-related parametric fMRI paradigm investigating prefrontal function. 2005 , 140, 73-83	31
542	Functional activation imaging in aging and dementia. 2005 , 140, 97-113	75
541	Beyond hypofrontality: a quantitative meta-analysis of functional neuroimaging studies of working memory in schizophrenia. 2005 , 25, 60-9	493
540	[One decade of functional imaging in schizophrenia research. From visualisation of basic information processing steps to molecular-genetic oriented imaging]. 2005 , 45, 113-8, 120-3	6
539	[Working memory in healthy subjects and schizophrenics: studies using BOLD fMRT]. 2005 , 45, 144-52	2
538	Cognitive deficits caused by late gestational disruption of neurogenesis in rats: a preclinical model of schizophrenia. <i>Neuropsychopharmacology</i> , 2005 , 30, 250-60	8.7 93
537	Neural correlates of enhanced genetic risk for schizophrenia. 2005 , 11, 238-49	17
536	An in vivo MRI study of prefrontal cortical complexity in first-episode psychosis. 2005 , 162, 65-70	37
535	The BOLD onset transient: identification of novel functional differences in schizophrenia. 2005 , 25, 771-82	38
534	Feature uncertainty: a novel test to probe prefrontal dysfunction in unaffected siblings of schizophrenia patients. 2005 , 375, 33-6	4
533	Brain activity in cigarette smokers performing a working memory task: effect of smoking abstinence. 2005 , 58, 143-50	105

532	The effect of working memory performance on functional MRI in schizophrenia. <i>Schizophrenia Research</i> , 2005 , 74, 179-94	3.6	82
531	Prefrontal functioning during context processing in schizophrenia and major depression: an event-related fMRI study. <i>Schizophrenia Research</i> , 2005 , 76, 199-206	3.6	119
530	Prefrontal cognitive functions in stabilized first-episode patients with schizophrenia spectrum disorders: a dissociation between dorsolateral and orbitofrontal functioning. <i>Schizophrenia Research</i> , 2005 , 77, 279-88	3.6	68
529	Intact hemispheric specialization for spatial and shape working memory in schizophrenia. <i>Schizophrenia Research</i> , 2005 , 78, 1-12	3.6	11
528	Functional brain imaging of symptoms and cognition in schizophrenia. 2005 , 150, 299-308		32
527	Functional imaging research in schizophrenia. 2005 , 67, 95-118		13
526	A visual joke fMRI investigation into Theory of Mind and enhanced risk of schizophrenia. 2006 , 31, 1850-8		134
525	Exploring the temporal dynamics of the spatial working memory n-back task using steady state visual evoked potentials (SSVEP). 2006 , 31, 1741-51		44
524	Impaired recruitment of the dorsolateral prefrontal cortex and hippocampus during encoding in bipolar disorder. 2006 , 59, 138-46		58
523	Abnormal object recall and anterior cingulate overactivation correlate with formal thought disorder in schizophrenia. 2006 , 59, 452-9		59
522	Decreased encoding efficiency in schizophrenia. 2006 , 59, 740-6		35
521	Cortical inefficiency in patients with unipolar depression: an event-related FMRI study with the Stroop task. 2006 , 59, 958-65		217
520	A functional magnetic resonance imaging study of working memory abnormalities in schizophrenia. 2006 , 60, 11-21		109
519	Altered prefrontal cortical metabolic response to mesocortical activation in adult animals with a neonatal ventral hippocampal lesion. 2006 , 60, 585-90		38
518	Fronto-hippocampal function during temporal context monitoring in schizophrenia. 2006 , 60, 1268-77		30
517	Early-onset schizophrenia is associated with impaired adolescent development of attentional capacity using the identical pairs continuous performance test. <i>Schizophrenia Research</i> , 2006 , 81, 157-66	3.6	18
516	Neural activation during successful and unsuccessful verbal learning in schizophrenia. <i>Schizophrenia Research</i> , 2006 , 83, 121-30	3.6	7
515	Neural dysfunction and violence in schizophrenia: an fMRI investigation. <i>Schizophrenia Research</i> , 2006 , 84, 144-64	3.6	65

514	Do you hear what I hear? Neural correlates of thought disorder during listening to speech in schizophrenia. <i>Schizophrenia Research</i> , 2006 , 86, 130-7	3.6	32
513	Investigating principles of human brain function underlying working memory: what insights from schizophrenia?. 2006 , 139, 59-71		50
512	Dopaminergic control of working memory and its relevance to schizophrenia: a circuit dynamics perspective. 2006 , 139, 153-71		64
511	Intra-individual variability in behavior: links to brain structure, neurotransmission and neuronal activity. 2006 , 29, 474-80		442
510	Functional magnetic resonance imaging studies in bipolar disorder. 2006 , 11, 287-97		38
509	Neuropsychological and sensory gating deficits related to remote alcohol abuse history in schizophrenia. 2006 , 12, 34-44		21
508	Temporal changes in neural activation during practice of information retrieval from short-term memory: an fMRI study. 2006 , 1107, 140-50		58
507	Using small numbers of subjects in fMRI-based research. 2006 , 25, 52-9		10
506	Identification of protein biomarkers for schizophrenia and bipolar disorder in the postmortem prefrontal cortex using SELDI-TOF-MS ProteinChip profiling combined with MALDI-TOF-PSD-MS analysis. 2006 , 23, 61-76		68
505	Dysfunction of dorsolateral prefrontal cortex in antipsychotic-naïve schizophreniform psychosis. 2006 , 148, 23-31		27
504	Prefrontal dysfunction in schizophrenia controlling for COMT Val158Met genotype and working memory performance. 2006 , 147, 221-6		50
503	The International Society for Developmental Psychobiology annual meeting symposium: Impact of early life experiences on brain and behavioral development. 2006 , 48, 583-602		71
502	Prefrontal modulation of working memory performance in brain injury and disease. 2006 , 27, 837-47		87
501	Use of magnetic resonance imaging in tracking the course and treatment of schizophrenia. 2006 , 6, 1005-16		11
500	Methodological and conceptual issues in functional magnetic resonance imaging: applications to schizophrenia research. 2006 , 2, 51-81		22
499	Impairments in frontal cortical gamma synchrony and cognitive control in schizophrenia. 2006 , 103, 19878-83		429
498	Action selection and refinement in subcortical loops through basal ganglia and cerebellum. 2007 , 362, 1573-83		139
497	Dysfunctional and compensatory prefrontal cortical systems, genes and the pathogenesis of schizophrenia. 2007 , 17 Suppl 1, i171-81		195

496	The neurobiological underpinnings of risk and conversion in relatives of patients with schizophrenia. 2007 , 19, 383-97		31
495	Ketamine, at a dose that disrupts motor behavior and latent inhibition, enhances prefrontal cortex synaptic efficacy and glutamate release in the nucleus accumbens. <i>Neuropsychopharmacology</i> , 2007 , 32, 719-27	8.7	86
494	The temporal structure of intentionality and its disturbance in schizophrenia. 2007 , 40, 229-35		107
493	Influence of vigilance and learning on prefrontal activation in schizophrenia. 2007 , 55, 194-202		2
492	The effect of long-acting risperidone on working memory in schizophrenia: a functional magnetic resonance imaging study. 2007 , 27, 560-70		21
491	The Yin and Yang of dopamine release: a new perspective. 2007 , 53, 583-7		464
490	Temporal modeling demonstrates preserved overlearning processes in schizophrenia: an fMRI study. 2007 , 146, 1474-83		33
489	Exaggerated leftward bias in the mental number line of patients with schizophrenia. 2007 , 63, 85-90		21
488	Schizophrenic patients exhibit hyper-reflexivity in a semantic categorical priming task. 2007 , 20, 197-220		3
487	Influence of catechol-O-methyltransferase Val158Met polymorphism on neuropsychological and functional outcomes of classical rehabilitation and cognitive remediation in schizophrenia. 2007 , 417, 271-4		74
486	Increased NoGo-anteriorisation in first-episode schizophrenia patients during Continuous Performance Test. 2007 , 118, 2683-91		16
485	Working memory dysfunction in schizophrenia compared to healthy controls and patients with depression: evidence from event-related fMRI. 2007 , 35, 1551-61		76
484	The dopamine system and the pathophysiology of schizophrenia: a basic science perspective. 2007 , 78, 41-68		69
483	Memantine normalizes brain activity in the inferior frontal gyrus: a controlled pilot fMRI study. <i>Schizophrenia Research</i> , 2007 , 97, 294-6	3.6	14
482	Neural correlates of working memory dysfunction in first-episode schizophrenia patients: an fMRI multi-center study. <i>Schizophrenia Research</i> , 2007 , 89, 198-210	3.6	130
481	The relationship between performance and fMRI signal during working memory in patients with schizophrenia, unaffected co-twins, and control subjects. <i>Schizophrenia Research</i> , 2007 , 89, 191-7	3.6	110
480	White matter abnormalities and brain activation in schizophrenia: a combined DTI and fMRI study. <i>Schizophrenia Research</i> , 2007 , 89, 1-11	3.6	137
479	Changes over time in frontotemporal activation during a working memory task in patients with schizophrenia. <i>Schizophrenia Research</i> , 2007 , 91, 141-50	3.6	22

478	Working memory in siblings of schizophrenia patients. <i>Schizophrenia Research</i> , 2007 , 95, 70-5	3.6	48
477	Impaired multisensory processing in schizophrenia: deficits in the visual enhancement of speech comprehension under noisy environmental conditions. <i>Schizophrenia Research</i> , 2007 , 97, 173-83	3.6	137
476	Post-pubertal disruption of medial prefrontal cortical dopamine-glutamate interactions in a developmental animal model of schizophrenia. 2007 , 62, 730-8		134
475	Intentionality as a link between the neuropsychology and the symptoms of schizophrenia. 2007 , 40, 221-8		13
474	Neuroimaging of cognitive disability in schizophrenia: search for a pathophysiological mechanism. 2007 , 19, 417-27		121
473	Executive function in schizophrenia: what impact do antipsychotics have?. 2007 , 22, 397-406		37
472	Tyrosine depletion alters cortical and limbic blood flow but does not modulate spatial working memory performance or task-related blood flow in humans. 2007 , 28, 1136-49		11
471	Neurofunctional correlates of vulnerability to psychosis: a systematic review and meta-analysis. 2007 , 31, 465-84		244
470	Prefrontal hyperactivation during working memory task in untreated individuals with major depressive disorder. 2007 , 12, 158-66		179
469	Differentiating allocation of resources and conflict detection within attentional control processing. 2007 , 25, 594-602		31
468	Characterizing anterior cingulate activation in chronic schizophrenia: a group and single-subject fMRI study. 2007 , 116, 271-9		20
467	Cortical activation during two verbal fluency tasks in schizophrenic patients and healthy controls as assessed by multi-channel near-infrared spectroscopy. 2007 , 156, 1-13		101
466	Impaired action control in schizophrenia: the role of volitional saccade initiation. 2007 , 45, 1840-8		44
465	The neural correlates of non-spatial working memory in velocardiofacial syndrome (22q11.2 deletion syndrome). 2007 , 45, 2863-73		56
464	Cognitive impairment and in vivo metabolites in first-episode neuroleptic-naive and chronic medicated schizophrenic patients: a proton magnetic resonance spectroscopy study. <i>Journal of Psychiatric Research</i> , 2007 , 41, 625-34	5.2	87
463	[Executive functions in patients with depression. The role of prefrontal activation]. 2007 , 78, 628, 630-2, 634-6 passim		21
462	[Working memory dysfunctions in psychiatric disorders]. 2007 , 78, 991-6		2
461	Cognitive symptoms facilitatory for diagnoses in neuropsychiatric disorders: executive functions and locus of control. 2008 , 14, 205-25		9

460	Cell and receptor type-specific alterations in markers of GABA neurotransmission in the prefrontal cortex of subjects with schizophrenia. 2008 , 14, 237-48	71
459	Pro-cognitive effects of 5-HT ₆ receptor antagonists in the social recognition procedure in rats: implication of the frontal cortex. 2008 , 196, 93-104	78
458	Differential effects of erythropoietin on neural and cognitive measures of executive function 3 and 7 days post-administration. 2008 , 184, 313-21	44
457	Hirnstrukturelle Konsequenzen perinataler Stress- und Deprivationserfahrungen. 2008 , 156, 629-634	5
456	[Functional imaging of cognitive processes in Huntington's disease and its presymptomatic mutation carriers]. 2008 , 79, 408-20	12
455	Impaired associative learning in schizophrenia: behavioral and computational studies. 2008 , 2, 207-19	33
454	Functional magnetic resonance imaging (fMRI) of attention processes in presumed obligate carriers of schizophrenia: preliminary findings. 2008 , 7, 18	17
453	Interactive memory systems and category learning in schizophrenia. 2008 , 32, 206-18	17
452	Automated MRI parcellation study of regional volume and thickness of prefrontal cortex (PFC) in antipsychotic-naïve schizophrenia. 2008 , 117, 420-31	84
451	Schizoaffective disorder: diagnostic issues and future recommendations. 2008 , 10, 215-30	120
450	Dysfunctional GABAergic inhibition in the prefrontal cortex leading to "psychotic" hyperactivation. 2008 , 9, 41	18
449	Hypofrontality in subjects at high genetic risk of schizophrenia with depressive symptoms. 2008 , 109, 99-106	14
448	Neuropsychological function-brain structure relationships and stage of illness: an investigation into chronic and first-episode schizophrenia. 2008 , 162, 195-204	23
447	Inefficient executive cognitive control in schizophrenia is preceded by altered functional activation during information encoding: an fMRI study. 2008 , 46, 336-47	76
446	Neural correlates of working memory performance in adolescents and young adults with dyslexia. 2008 , 46, 640-8	35
445	Neural bases of different cognitive strategies for facial affect processing in schizophrenia. <i>Schizophrenia Research</i> , 2008 , 100, 191-205	3.6 113
444	Abnormally high EEG alpha synchrony during working memory maintenance in twins discordant for schizophrenia. <i>Schizophrenia Research</i> , 2008 , 103, 293-7	3.6 34
443	Abnormal expression of glutamate transporter and transporter interacting molecules in prefrontal cortex in elderly patients with schizophrenia. <i>Schizophrenia Research</i> , 2008 , 104, 108-20	3.6 88

442	Prefrontal cortex function in nonpsychotic siblings of individuals with schizophrenia. 2008 , 63, 490-7	78
441	Genetic variation in the DAOA (G72) gene modulates hippocampal function in subjects at high risk of schizophrenia. 2008 , 64, 428-33	46
440	Functional magnetic resonance imaging reveals neuroanatomical dissociations during semantic integration in schizophrenia. 2008 , 64, 407-18	43
439	Impairment of working memory maintenance and response in schizophrenia: functional magnetic resonance imaging evidence. 2008 , 64, 1026-34	97
438	Dysfunctional modulation of emotional interference in the medial prefrontal cortex in patients with schizophrenia. 2008 , 440, 119-24	45
437	Fronto-striatal hypoactivation during correct information retrieval in patients with schizophrenia: an fMRI study. 2008 , 153, 54-62	50
436	The Discovery and Development of Pharmacotherapy for Psychiatric Disorders: A Critical Survey of Animal and Translational Models and Perspectives for Their Improvement. 2008 , 1-57	3
435	[Working memory in schizophrenia: a review]. 2008 , 34, 289-98	8
434	Comparing surface-based and volume-based analyses of functional neuroimaging data in patients with schizophrenia. 2008 , 41, 835-48	87
433	Genetic variation in the schizophrenia-risk gene neuregulin1 correlates with differences in frontal brain activation in a working memory task in healthy individuals. 2008 , 42, 1569-76	44
432	Switching schizophrenia patients from typical neuroleptics to olanzapine: effects on BOLD response during attention and working memory. 2008 , 18, 589-99	46
431	Glutamatergic dysfunction in schizophrenia: from basic neuroscience to clinical psychopharmacology. 2008 , 18, 773-86	93
430	Volumetric abnormalities associated with cognitive deficits in patients with schizophrenia. 2008 , 23, 541-8	65
429	Functional MRI investigation of verbal selection mechanisms in lateral prefrontal cortex. 2008 , 43, 801-7	68
428	Cerebral dysfunctions of emotion-cognition interactions in adolescent-onset schizophrenia. 2008 , 47, 1299-310	48
427	A neonatal ventral hippocampal lesion causes functional deficits in adult prefrontal cortical interneurons. 2008 , 28, 12691-9	118
426	Schizophrenia: a computational reinforcement learning perspective. 2008 , 34, 1008-11	30
425	Subunit-selective modulation of GABA type A receptor neurotransmission and cognition in schizophrenia. 2008 , 165, 1585-93	234

424	Increased response-time variability is associated with reduced inferior parietal activation during episodic recognition in aging. 2008 , 20, 779-86		44
423	Prefrontal dysfunction in first-degree relatives of schizophrenia patients during a Stroop task. <i>Neuropsychopharmacology</i> , 2008 , 33, 2619-25	8.7	45
422	MTHFR 677C --> T genotype disrupts prefrontal function in schizophrenia through an interaction with COMT 158Val --> Met. 2008 , 105, 17573-8		79
421	Failure to deactivate in the prefrontal cortex in schizophrenia: dysfunction of the default mode network?. 2008 , 38, 1185-93		251
420	Cognitive impairment in schizophrenia: a review of developmental and genetic models, and pro-cognitive profile of the optimised D(3) > D(2) antagonist, S33138. 2008 , 63, 187-229		39
419	Multivariate analyses suggest genetic impacts on neurocircuitry in schizophrenia. 2008 , 19, 603-7		21
418	Origins of spatial working memory deficits in schizophrenia: an event-related fMRI and near-infrared spectroscopy study. <i>PLoS ONE</i> , 2008 , 3, e1760	3.7	84
417	Practice induces function-specific changes in brain activity. <i>PLoS ONE</i> , 2008 , 3, e3270	3.7	16
416	Cognitive Deficits in Schizophrenia. 2009 , 1101-1109		0
415	Does abnormal sleep impair memory consolidation in schizophrenia?. 2009 , 3, 21		63
414	Convergent approaches for defining functional imaging endophenotypes in schizophrenia. 2009 , 3, 37		30
413	Cognitive Dysfunction in Psychiatric Disorders. 2009 , 1111-1116		
412	The Role of Prefrontal Abnormalities in Schizophrenia. 2009 , 383-401		
411	Examining the effects of two factors on working memory maintenance of bound information in schizophrenia. 2009 , 15, 597-605		8
410	Functional integration between the posterior hippocampus and prefrontal cortex is impaired in both first episode schizophrenia and the at risk mental state. 2009 , 132, 2426-36		147
409	Auditory oddball deficits in schizophrenia: an independent component analysis of the fMRI multisite function BIRN study. 2009 , 35, 67-81		123
408	Brain-performance correlates of working memory retrieval in schizophrenia: a cognitive modeling approach. 2009 , 35, 32-46		20
407	Imaging genetic liability to schizophrenia: systematic review of fMRI studies of patientsO nonpsychotic relatives. 2009 , 35, 1142-62		115

406	A genome-wide association study of schizophrenia using brain activation as a quantitative phenotype. 2009 , 35, 96-108	179
405	Working memory and DLPFC inefficiency in schizophrenia: the fBIRN study. 2009 , 35, 19-31	258
404	Autism is characterized by dorsal anterior cingulate hyperactivation during social target detection. 2009 , 4, 215-26	108
403	Extrastriatal dopamine D2 receptor binding modulates intraindividual variability in episodic recognition and executive functioning. 2009 , 47, 2299-304	77
402	Altered error-related activity in patients with schizophrenia. 2009 , 47, 2843-9	6
401	Prefrontal cortex dysfunction during cognitive tests evidenced by functional near-infrared spectroscopy. 2009 , 171, 252-7	19
400	Symptomatic and functional correlates of regional brain physiology during working memory processing in patients with recent onset schizophrenia. 2009 , 173, 177-82	12
399	Brain activation during executive processes in schizophrenia. 2009 , 173, 170-6	28
398	Working memory and long-term memory deficits in schizophrenia: is there a common substrate?. 2009 , 174, 89-96	28
397	Efficiency of working memory encoding in twins discordant for schizophrenia. 2009 , 174, 97-104	12
396	Topographic analysis of individual activation patterns in medial frontal cortex in schizophrenia. 2009 , 30, 2146-56	14
395	Dysregulation of working memory and default-mode networks in schizophrenia using independent component analysis, an fBIRN and MCIC study. 2009 , 30, 3795-811	202
394	Alterations in functional activation in euthymic bipolar disorder and schizophrenia during a working memory task. 2009 , 30, 3958-69	58
393	Impact of schizophrenia-risk gene dysbindin 1 on brain activation in bilateral middle frontal gyrus during a working memory task in healthy individuals. 2010 , 31, 266-75	35
392	Abnormal medial temporal activity for bound information during working memory maintenance in patients with schizophrenia. 2010 , 20, 936-48	19
391	Interdependence of theoretical concepts and neuroimaging data. 2009 , 6, 203-217	2
390	The thalamus and schizophrenia: current status of research. 2009 , 117, 347-68	158
389	Neuregulin 1 ICE-single nucleotide polymorphism in first episode schizophrenia correlates with cerebral activation in fronto-temporal areas. 2009 , 259, 72-9	27

388	Gene discovery through imaging genetics: identification of two novel genes associated with schizophrenia. 2009 , 14, 416-28		84
387	A systematic fMRI investigation of the brain systems subserving different working memory components in schizophrenia. 2009 , 30, 693-702		54
386	Dysbindin modulates prefrontal cortical glutamatergic circuits and working memory function in mice. <i>Neuropsychopharmacology</i> , 2009 , 34, 2601-8	8.7	90
385	The neonatal ventral hippocampal lesion as a heuristic neurodevelopmental model of schizophrenia. 2009 , 204, 295-305		264
384	The genetics of schizophrenia. 2009 , 164, 288-99		48
383	fMRI indices of auditory attention in schizophrenia. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2009 , 33, 25-32	5.5	7
382	Correlation between prepulse inhibition and cortical perfusion during an attentional test in schizophrenia. A pilot study. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2009 , 33, 53-61	5.5	12
381	Does hypofrontality expand to global brain area in progression of schizophrenia?: a cross-sectional study between first-episode and chronic schizophrenia. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2009 , 33, 410-5	5.5	14
380	Temporally anticorrelated brain networks during working memory performance reveal aberrant prefrontal and hippocampal connectivity in patients with schizophrenia. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2009 , 33, 1464-73	5.5	75
379	Dorsolateral prefrontal cortex activity predicts responsiveness to cognitive-behavioral therapy in schizophrenia. 2009 , 66, 594-602		91
378	Impaired regional hemodynamic response in schizophrenia during multiple prefrontal activation tasks: a two-channel near-infrared spectroscopy study. <i>Schizophrenia Research</i> , 2009 , 108, 93-103	3.6	45
377	Re-evaluating dorsolateral prefrontal cortex activation during working memory in schizophrenia. <i>Schizophrenia Research</i> , 2009 , 108, 143-50	3.6	82
376	Prefrontal cognitive systems in schizophrenia: towards human genetic brain mechanisms. 2009 , 14, 277-98		76
375	Schizophrenia: from the brain to peripheral markers. A consensus paper of the WFSBP task force on biological markers. 2009 , 10, 127-55		54
374	Insights from the examination of verbal and spatial memory errors in relation to clinical symptoms of patients with recent-onset schizophrenia. 2009 , 14, 542-58		2
373	Blockade of dopamine D(3) receptors in frontal cortex, but not in sub-cortical structures, enhances social recognition in rats: similar actions of D(1) receptor agonists, but not of D(2) antagonists. 2009 , 19, 23-33		62
372	Neurocognitive abnormalities during comprehension of real-world goal-directed behaviors in schizophrenia. <i>Journal of Abnormal Psychology</i> , 2009 , 118, 256-77	7	23
371	What can spontaneous fluctuations of the blood oxygenation-level-dependent signal tell us about psychiatric disorders?. 2010 , 23, 239-49		111

370	Prefrontal cortical circuits in schizophrenia. 2010 , 4, 485-508		78
369	Qualifying brain functional MRI parameters as endophenotypes in schizophrenia. 2010 , 5, 817-838		4
368	Reduced capacity but spared precision and maintenance of working memory representations in schizophrenia. 2010 , 67, 570-7		111
367	[Functional MRI in schizophrenia. Diagnostics and therapy monitoring of cognitive deficits of schizophrenic patients by functional MRI]. 2010 , 50, 131-5		
366	Effect of D-amphetamine on inhibition and motor planning as a function of baseline performance. 2010 , 211, 423-33		19
365	Identification of imaging biomarkers in schizophrenia: a coefficient-constrained independent component analysis of the mind multi-site schizophrenia study. 2010 , 8, 213-29		38
364	Cortical network analysis in patients affected by schizophrenia. 2010 , 23, 214-20		38
363	Reduced overnight consolidation of procedural learning in chronic medicated schizophrenia is related to specific sleep stages. <i>Journal of Psychiatric Research</i> , 2010 , 44, 112-20	5.2	113
362	Emotion-cognition interactions in schizophrenia: Implicit and explicit effects of facial expression. 2010 , 48, 997-1002		45
361	Subcortical and cortical gray matter differences between Kraepelinian and non-Kraepelinian schizophrenia patients identified using voxel-based morphometry. 2010 , 184, 16-22		33
360	Dopamine and psychosis: theory, pathomechanisms and intermediate phenotypes. 2010 , 34, 689-700		94
359	Medial prefrontal cortex pathology in schizophrenia as revealed by convergent findings from multimodal imaging. 2010 , 15, 823-30		142
358	Functional imaging of schizophrenia. 30-47		
357	Improving prefrontal cortex function in schizophrenia through focused training of cognitive control. 2010 , 4, 32		89
356	Genetically determined measures of striatal D2 signaling predict prefrontal activity during working memory performance. <i>PLoS ONE</i> , 2010 , 5, e9348	3.7	71
355	Nonlinear response of the anterior cingulate and prefrontal cortex in schizophrenia as a function of variable attentional control. 2010 , 20, 837-45		27
354	Association between learning capabilities and practice-related activation changes in schizophrenia. 2010 , 36, 486-95		11
353	Salience of working-memory maintenance and manipulation deficits in schizophrenia. 2010 , 40, 1979-86		13

352	Functional brain imaging in schizophrenia: selected results and methods. 2010 , 4, 181-214		50
351	Neural changes associated with relational learning in schizophrenia. 2010 , 36, 496-503		21
350	fMRI tracks reductions in repetitive behaviors in autism: two case studies. 2010 , 16, 307-16		7
349	Executive function, neural circuitry, and genetic mechanisms in schizophrenia. <i>Neuropsychopharmacology</i> , 2010 , 35, 258-77	8.7	172
348	Update on the use of MR for assessment and diagnosis of psychiatric diseases. 2010 , 255, 23-41		73
347	Inhibition of fatty-acid amide hydrolase and CB1 receptor antagonism differentially affect behavioural responses in normal and PCP-treated rats. 2010 , 13, 373-86		75
346	Working memory circuitry in schizophrenia shows widespread cortical inefficiency and compensation. <i>Schizophrenia Research</i> , 2010 , 117, 42-51	3.6	53
345	Attention deficits in schizophrenia--preliminary evidence of dissociable transient and sustained deficits. <i>Schizophrenia Research</i> , 2010 , 122, 104-12	3.6	44
344	Left dorsolateral prefrontal cortex dysfunction in medication-naive schizophrenia. <i>Schizophrenia Research</i> , 2010 , 123, 22-9	3.6	54
343	Neurocognitive mechanisms of conceptual processing in healthy adults and patients with schizophrenia. 2010 , 75, 86-99		8
342	Prefrontal, parietal and basal activation associated with the reordering of a two-element list held in working memory. 2010 , 85, 143-8		10
341	Selective deficits in spatial working memory in the neonatal ventral hippocampal lesion rat model of schizophrenia. 2010 , 59, 605-11		44
340	Working memory abnormalities in chronic interictal epileptic psychosis and schizophrenia revealed by magnetoencephalography. 2010 , 17, 109-19		17
339	The effect of Neuregulin 1 on neural correlates of episodic memory encoding and retrieval. 2010 , 53, 985-91		31
338	Effect of CACNA1C rs1006737 on neural correlates of verbal fluency in healthy individuals. 2010 , 49, 1831-6		113
337	Altered activation in association with reward-related trial-and-error learning in patients with schizophrenia. 2010 , 50, 223-32		78
336	Working memory deficit in dyslexia: behavioral and fMRI evidence. 2010 , 120, 51-9		69
335	The prefrontal-limbic system: development, neuroanatomy, function, and implications for socioemotional development. 2011 , 38, 685-702		36

334	Resonancia magnética funcional en pacientes adultos euthípicos con trastorno bipolar tipo I: una visión neuropsicológica y neurofuncional. 2011 , 40, 183S-197S		3
333	Impulsivity and neural correlates of response inhibition in schizophrenia. 2011 , 41, 291-9		58
332	Gestational MAM (Methylazoxymethanol) Administration: A Promising Animal Model for Psychosis Onset. 2011 , 25-77		1
331	DISC1 is associated with cortical thickness and neural efficiency. 2011 , 57, 1591-600		44
330	Fronto-parietal hypo-activation during working memory independent of structural abnormalities: conjoint fMRI and sMRI analyses in adolescent offspring of schizophrenia patients. 2011 , 58, 234-41		21
329	Thalamus abnormalities during working memory in schizophrenia. An fMRI study. <i>Schizophrenia Research</i> , 2011 , 125, 49-53	3.6	28
328	Modulation of the default mode network is task-dependant in chronic schizophrenia patients. <i>Schizophrenia Research</i> , 2011 , 125, 110-7	3.6	37
327	Increased anterior cingulate and temporal lobe activity during visuospatial working memory in children and adolescents with schizophrenia. <i>Schizophrenia Research</i> , 2011 , 125, 118-28	3.6	17
326	Intact and impaired cognitive-control processes in schizophrenia. <i>Schizophrenia Research</i> , 2011 , 126, 132-37		27
325	Intra-individual variability across neuropsychological tasks in schizophrenia: a comparison of patients, their siblings, and healthy controls. <i>Schizophrenia Research</i> , 2011 , 129, 91-3	3.6	25
324	Different hemodynamic response patterns in the prefrontal cortical sub-regions according to the clinical stages of psychosis. <i>Schizophrenia Research</i> , 2011 , 132, 54-61	3.6	46
323	Developmental changes between ages 13 and 21 years in the extent and magnitude of the BOLD response during decision making. 2011 , 54, 1442-54		16
322	Association between severe dorsolateral prefrontal dysfunction during random number generation and earlier onset in schizophrenia. 2011 , 122, 1533-40		25
321	Trait anxiety modulates the neural efficiency of inhibitory control. 2011 , 23, 3132-45		136
320	Discovery and development of integrative biological markers for schizophrenia. 2011 , 95, 686-702		25
319	Schneiderian first rank symptoms and inferior parietal lobule cortical thickness in antipsychotic-naïve schizophrenia. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2011 , 35, 40-6	5.5	26
318	[Schizophrenia, cognition and neuroimaging]. 2011 , 37 Suppl 2, S123-6		
317	Neural activation and radial diffusivity in schizophrenia: combined fMRI and diffusion tensor imaging study. 2011 , 198, 223-9		29

316	A Data-Driven Investigation of Gray Matter-Function Correlations in Schizophrenia during a Working Memory Task. 2011 , 5, 71		20
315	An fMRI study of prefrontal dysfunction and symptomatic recovery in schizophrenia. 2011 , 123, 440-50		4
314	Investigating the neural correlates of psychopathy: a critical review. 2011 , 16, 792-9		97
313	Higher intraindividual variability is associated with more forgetting and dedifferentiated memory functions in old age. 2011 , 49, 1879-88		20
312	Inefficiently increased anterior cingulate modulation of cortical systems during working memory in young offspring of schizophrenia patients. <i>Journal of Psychiatric Research</i> , 2011 , 45, 1067-76	5.2	35
311	Hypo-activation in the executive core of the sustained attention network in adolescent offspring of schizophrenia patients mediated by premorbid functional deficits. 2011 , 192, 91-9		21
310	Aberrant visual circuitry associated with normal spatial match-to-sample accuracy in schizophrenia. 2011 , 193, 138-43		7
309	Prefrontal hyperactivation during a working memory task in early-onset schizophrenia spectrum disorders: an fMRI study. 2011 , 194, 257-262		22
308	fMRI working memory hypo-activations in schizophrenia come with a coupling deficit between arousal and cognition. 2011 , 194, 21-9		5
307	Altered transfer of visual motion information to parietal association cortex in untreated first-episode psychosis: implications for pursuit eye tracking. 2011 , 194, 30-8		29
306	Variability of plasma homovanillic acid over 13 months in patients with schizophrenia; relationship with the clinical response and the Wisconsin card sort test. 2011 , 36, 1336-43		5
305	Functional magnetic resonance imaging of a parametric working memory task in schizophrenia: relationship with performance and effects of antipsychotic treatment. 2011 , 216, 17-27		34
304	The impact of perinatal stress on the functional maturation of prefronto-cortical synaptic circuits: implications for the pathophysiology of ADHD?. 2011 , 189, 155-69		26
303	The effects of sertindole on sensory gating, sensorimotor gating, and cognition in healthy volunteers. 2011 , 25, 1600-13		24
302	Impaired temporoparietal deactivation with working memory load in antipsychotic-naïve patients with first-episode schizophrenia. 2011 , 12, 271-81		26
301	Brain activity supporting working memory accuracy in patients with paranoid schizophrenia: a functional magnetic resonance imaging study. 2011 , 64, 93-101		9
300	Executive functioning-related brain abnormalities associated with the genetic liability for schizophrenia: an activation likelihood estimation meta-analysis. 2011 , 41, 1239-52		26
299	WITHDRAWN: Stability of cerebral activation patterns in patients with first-episode schizophrenia and a healthy control group using functional MRI. 2011 ,		

298	Global functional connectivity deficits in schizophrenia depend on behavioral state. 2011 , 31, 12972-81		50
297	Visuospatial processing in schizophrenia: does it share common mechanisms with pseudoneglect?. 2011 , 16, 433-61		8
296	Disrupted functional brain connectivity during verbal working memory in children and adolescents with schizophrenia. 2011 , 21, 510-8		34
295	The effects of CACNA1C gene polymorphism on spatial working memory in both healthy controls and patients with schizophrenia or bipolar disorder. <i>Neuropsychopharmacology</i> , 2012 , 37, 677-84	8.7	76
294	Neuroimaging studies in schizophrenia: an overview of research from Asia. 2012 , 24, 405-16		2
293	Phase-specific brain change of spatial working memory processing in genetic and ultra-high risk groups of schizophrenia. 2012 , 38, 1189-99		54
292	Prefrontal and striatal volumes in monozygotic twins concordant and discordant for schizophrenia. 2012 , 38, 192-203		29
291	Reduced prefrontal-parietal effective connectivity and working memory deficits in schizophrenia. 2012 , 32, 12-20		176
290	Frontopolar cortical inefficiency may underpin reward and working memory dysfunction in bipolar disorder. 2012 , 13, 605-15		32
289	Striatal function in relation to negative symptoms in schizophrenia. 2012 , 42, 267-82		31
288	CNTRICS imaging biomarkers selection: Working memory. 2012 , 38, 43-52		56
287	Brain connectivity studies in schizophrenia: unravelling the effects of antipsychotics. 2012 , 10, 219-30		30
286	Prefrontal deviations in function but not volume are putative endophenotypes for schizophrenia. 2012 , 135, 2231-44		28
285	Brain imaging correlates of emerging schizophrenia. 2012 , 2, 147-154		1
284	CNTRICS final biomarker selection: Control of attention. 2012 , 38, 53-61		39
283	Dorsolateral prefrontal cortex volume in patients with deficit or nondeficit schizophrenia. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2012 , 37, 264-9	5.5	29
282	Elevated noise power in gamma band related to negative symptoms and memory deficit in schizophrenia. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2012 , 38, 270-5	5.5	21
281	White matter alterations in the corpus callosum of adolescents with first-admission schizophrenia. 2012 , 513, 178-82		36

280	Common and differential pathophysiological features accompany comparable cognitive impairments in medication-free patients with schizophrenia and in healthy aging subjects. 2012 , 71, 890-7		24
279	Effects of Δ^9 -tetrahydrocannabinol on human working memory function. 2012 , 71, 693-9		62
278	A functional neuroimaging study assessing gender differences in the neural mechanisms underlying the ability to resist impulsive desires. 2012 , 1473, 63-77		40
277	Brain activation patterns during visual episodic memory processing among first-degree relatives of schizophrenia subjects. 2012 , 63, 1154-61		17
276	Multimodal analyses identify linked functional and white matter abnormalities within the working memory network in schizophrenia. <i>Schizophrenia Research</i> , 2012 , 138, 136-42	3.6	48
275	The effects of perceptual encoding on the magnitude of object working memory impairment in schizophrenia. <i>Schizophrenia Research</i> , 2012 , 139, 60-5	3.6	7
274	Abnormal functional activation and connectivity in the working memory network in early-onset schizophrenia. 2012 , 51, 911-20.e2		49
273	Altered small-world brain networks in schizophrenia patients during working memory performance. <i>PLoS ONE</i> , 2012 , 7, e38195	3.7	59
272	Functional alterations in neural substrates of geometric reasoning in adults with high-functioning autism. <i>PLoS ONE</i> , 2012 , 7, e43220	3.7	15
271	Neocortical-hippocampal dynamics of working memory in healthy and diseased brain states based on functional connectivity. 2012 , 6, 36		21
270	Hippocampal temporal-parietal junction interaction in the production of psychotic symptoms: a framework for understanding the schizophrenic syndrome. 2012 , 6, 180		33
269	Impulsive personality and the ability to resist immediate reward: an fMRI study examining interindividual differences in the neural mechanisms underlying self-control. 2012 , 33, 2768-84		40
268	The neural correlates of performance in adolescents at risk for schizophrenia: inefficiently increased cortico-striatal responses measured with fMRI. <i>Journal of Psychiatric Research</i> , 2012 , 46, 12-21 ^{5.2}		26
267	Review of functional magnetic resonance imaging studies comparing bipolar disorder and schizophrenia. 2012 , 14, 411-31		54
266	Temporality and psychopathology. 2013 , 12, 75-104		133
265	Functional neuroimaging of social and nonsocial cognitive control in autism. 2013 , 43, 2903-13		14
264	The function of efference copy signals: implications for symptoms of schizophrenia. 2013 , 76, 124-33		70
263	State-space analysis of working memory in schizophrenia: an fBIRN study. 2013 , 78, 279-307		5

262	Towards a solution for performance related confounds: frontal, striatal and parietal activation during a continuous spatiotemporal working memory manipulation task. 2013 , 7, 85-90		4
261	Brainnetome-wide association studies in schizophrenia: the advances and future. 2013 , 37, 2818-35		20
260	Risk-taking behavior in juvenile myoclonic epilepsy. 2013 , 54, 2158-65		45
259	Cognition-emotion interactions in schizophrenia: emerging evidence on working memory load and implicit facial-affective processing. 2013 , 27, 875-99		10
258	Stable signatures of schizophrenia in the cortical-subcortical-cerebellar network using fMRI of verbal working memory. <i>Schizophrenia Research</i> , 2013 , 151, 133-40	3.6	15
257	Guided exploration of genomic risk for gray matter abnormalities in schizophrenia using parallel independent component analysis with reference. 2013 , 83, 384-96		38
256	Network dysfunction during associative learning in schizophrenia: Increased activation, but decreased connectivity: an fMRI study. <i>Schizophrenia Research</i> , 2013 , 148, 38-49	3.6	28
255	Limbic hyperactivity associated to verbal memory deficit in schizophrenia. <i>Journal of Psychiatric Research</i> , 2013 , 47, 843-50	5.2	7
254	Effects of eight weeks of atypical antipsychotic treatment on middle frontal thickness in drug-naïve first-episode psychosis patients. <i>Schizophrenia Research</i> , 2013 , 149, 149-55	3.6	43
253	Hyperfrontality and hypoconnectivity during refreshing in schizophrenia. 2013 , 211, 226-33		13
252	Reduced dorso-lateral prefrontal cortex in treatment resistant schizophrenia. <i>Schizophrenia Research</i> , 2013 , 148, 81-6	3.6	31
251	Developmental disruption of gamma-aminobutyric acid function in the medial prefrontal cortex by noncontingent cocaine exposure during early adolescence. 2013 , 74, 490-501		47
250	Inferior frontal and insular cortical thinning is related to dysfunctional brain activation/deactivation during working memory task in schizophrenic patients. 2013 , 214, 94-101		19
249	Intra-individual variability in information processing speed reflects white matter microstructure in multiple sclerosis. 2013 , 2, 894-902		21
248	Task-related fronto-striatal functional connectivity during working memory performance in schizophrenia. <i>Schizophrenia Research</i> , 2013 , 150, 468-75	3.6	61
247	Brain effects of cognitive remediation therapy in schizophrenia: a structural and functional neuroimaging study. 2013 , 73, 1015-23		135
246	Altered fronto-limbic activity in children and adolescents with familial high risk for schizophrenia. 2013 , 212, 19-27		17
245	Anomalous use of context during task preparation in schizophrenia: a magnetoencephalography study. 2013 , 73, 967-75		8

244	Endophenotypes in psychopathology research: where do we stand?. 2013 , 9, 177-213		118
243	Working memory in schizotypal personality disorder: fMRI activation and deactivation differences. <i>Schizophrenia Research</i> , 2013 , 151, 113-23	3.6	14
242	Memory deficits in schizophrenia: a selective review of functional magnetic resonance imaging (fMRI) studies. 2013 , 3, 330-47		41
241	Toward the neural mechanisms of reduced working memory capacity in schizophrenia. 2013 , 23, 1582-92		58
240	A proposal for reframing schizophrenia research. 2013 , 201, 744-52		8
239	Opposing alterations in excitation and inhibition of layer 5 medial prefrontal cortex pyramidal neurons following neonatal ventral hippocampal lesion. 2013 , 23, 1198-207		17
238	ZNF804A genotype modulates neural activity during working memory for faces. 2013 , 67, 84-92		15
237	Inefficient cerebral recruitment as a vulnerability marker for schizophrenia. 2013 , 43, 169-82		16
236	Hippocampal physiology, structure and function and the neuroscience of schizophrenia: a unified account of declarative memory deficits, working memory deficits and schizophrenic symptoms. 2013 , 3, 298-315		25
235	An fMRI investigation of delay discounting in patients with schizophrenia. 2013 , 3, 384-401		28
234	Spatial distribution and cognitive correlates of gamma noise power in schizophrenia. 2013 , 43, 1175-85		24
233	Reduced prefrontal cortex activation using the Trail Making Test in schizophrenia. <i>Neuropsychiatric Disease and Treatment</i> , 2013 , 9, 675-85	3.1	16
232	Intra-individual reaction time variability in mild cognitive impairment and Alzheimer® disease: gender, processing load and speed factors. <i>PLoS ONE</i> , 2013 , 8, e65712	3.7	46
231	Deficient Suppression of Default Mode Regions during Working Memory in Individuals with Early Psychosis and at Clinical High-Risk for Psychosis. 2013 , 4, 92		47
230	Dysconnectivity in the frontoparietal attention network in schizophrenia. 2013 , 4, 176		45
229	Genetic influences on cognition in schizophrenia. 161-175		
228	Translational cognitive neuroscience of schizophrenia: bridging neurocognitive and computational approaches toward understanding cognitive deficits. 193-230		1
227	Single event-related changes in cerebral oxygenated hemoglobin using word game in schizophrenia. <i>Neuropsychiatric Disease and Treatment</i> , 2014 , 10, 2353-60	3.1	6

226	Gamma power and cognition in patients with schizophrenia and their first-degree relatives. 2014 , 69, 120-8	15
225	Aberrant neural responses to social rejection in patients with schizophrenia. 2014 , 9, 412-23	19
224	Neurobiology of cognitive remediation therapy for schizophrenia: a systematic review. 2014 , 5, 103	33
223	Voluntary wheel running ameliorates symptoms of MK-801-induced schizophrenia in mice. 2014 , 10, 2924-30	18
222	Subsequent memory effects in schizophrenia. 2014 , 224, 211-7	2
221	Frequency-specific alternations in the amplitude of low-frequency fluctuations in schizophrenia. 2014 , 35, 627-37	160
220	Structural correlates of cognitive deficit and elevated gamma noise power in schizophrenia. 2014 , 68, 206-15	8
219	Association of rs1006737 in CACNA1C with alterations in prefrontal activation and fronto-hippocampal connectivity. 2014 , 35, 1190-200	63
218	Neural correlates of executive dysfunction in schizophrenia: failure to modulate brain activity with task demands. 2014 , 25, 1308-15	8
217	COMT and 5-HT1A-receptor genotypes potentially affect executive functions improvement after cognitive remediation in schizophrenia. 2014 , 2, 509-516	15
216	WORKING MEMORY IMPAIRMENT AS AN ENDOPHENOTYPIC MARKER OF A SCHIZOPHRENIA DIATHESIS. 2014 , 1, 127-136	75
215	Episodic memory impairments in bipolar disorder are associated with functional and structural brain changes. 2014 , 16, 830-45	23
214	Frontal gamma noise power and cognitive domains in schizophrenia. 2014 , 221, 104-13	18
213	Phenotypic characterization of C57BL/6J mice carrying the Disc1 gene from the 129S6/SvEv strain. 2014 , 219, 1417-31	23
212	Treating working memory deficits in schizophrenia: a review of the neurobiology. 2014 , 75, 361-70	158
211	Role of the endocannabinoid system in brain functions relevant for schizophrenia: an overview of human challenge studies with cannabis or Δ^9 -tetrahydrocannabinol (THC). <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2014 , 52, 53-69	5.5 45
210	Neural substrates of behavioral variability in attention deficit hyperactivity disorder: based on ex-Gaussian reaction time distribution and diffusion spectrum imaging tractography. 2014 , 44, 1751-64	35
209	The effects of psychotherapy on brain function: a systematic and critical review. 2014 , 114, 1-14	110

208	Abnormal default-mode network homogeneity in first-episode, drug-naive schizophrenia at rest. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2014 , 49, 16-20	5.5	74
207	Task-evoked substantia nigra hyperactivity associated with prefrontal hypofunction, prefrontonigral disconnectivity and nigrostriatal connectivity predicting psychosis severity in medication naïve first episode schizophrenia. <i>Schizophrenia Research</i> , 2014 , 159, 521-6	3.6	20
206	Lateral prefrontal cortex activity during cognitive control of emotion predicts response to social stress in schizophrenia. 2014 , 6, 43-53		25
205	Hyper-coupling between working memory task-evoked activations and amplitude of spontaneous fluctuations in first-episode schizophrenia. <i>Schizophrenia Research</i> , 2014 , 159, 80-9	3.6	16
204	Targeted deletion of the C-terminus of the mouse adenomatous polyposis coli tumor suppressor results in neurologic phenotypes related to schizophrenia. 2014 , 7, 21		22
203	EEG theta phase coupling during executive control of visual working memory investigated in individuals with schizophrenia and in healthy controls. 2014 , 14, 1340-55		46
202	Altered relationships between age and functional brain activation in adolescents at clinical high risk for psychosis. 2014 , 221, 21-9		16
201	Delay discounting and task performance consistency in patients with schizophrenia. 2014 , 215, 286-93		30
200	Preservation and compensation: the functional neuroanatomy of insight and working memory in schizophrenia. <i>Schizophrenia Research</i> , 2014 , 152, 201-9	3.6	16
199	Computational neuropsychiatry - schizophrenia as a cognitive brain network disorder. 2014 , 5, 30		24
198	Attention and the Cholinergic System: Relevance to Schizophrenia. 2016 , 28, 327-62		18
197	Dynamic shifts in brain network activation during supracapacity working memory task performance. 2015 , 36, 1245-64		34
196	Dysfunctional Activation and Brain Network Profiles in Youth with Obsessive-Compulsive Disorder: A Focus on the Dorsal Anterior Cingulate during Working Memory. 2015 , 9, 149		19
195	No difference in frontal cortical activity during an executive functioning task after acute doses of aripiprazole and haloperidol. 2015 , 9, 296		7
194	The When and Where of Working Memory Dysfunction in Early-Onset Schizophrenia-A Functional Magnetic Resonance Imaging Study. 2015 , 25, 2494-506		34
193	Effect of DISC1 polymorphisms on the long-term course of neurocognitive deficits in non-affective psychosis. 2015 , 30, 861-7		4
192	Impact of cross-disorder polygenic risk on frontal brain activation with specific effect of schizophrenia risk. <i>Schizophrenia Research</i> , 2015 , 161, 484-9	3.6	25
191	Variation in Dopamine D2 and Serotonin 5-HT2A Receptor Genes is Associated with Working Memory Processing and Response to Treatment with Antipsychotics. <i>Neuropsychopharmacology</i> , 2015 , 40, 1600-8	8.7	38

190	Associations between DNA methylation and schizophrenia-related intermediate phenotypes - a gene set enrichment analysis. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2015 , 59, 31-39	5.5	24
189	Anomalous consistency in Mild Cognitive Impairment: A complex networks approach. 2015 , 70, 144-155		4
188	. 2015 ,		1
187	Working Memory. 2015 , 319-326		3
186	fMRI hypoactivation during verbal learning and memory in former high school football players with multiple concussions. 2015 , 30, 341-55		13
185	Very Late Treatment-Related Alterations in Brain Function of Breast Cancer Survivors. 2015 , 21, 50-61		24
184	Translational Medicine in Psychiatry: Challenges and Imaging Biomarkers. 2015 , 195-213		
183	Reward-dependent modulation of working memory is associated with negative symptoms in schizophrenia. <i>Schizophrenia Research</i> , 2015 , 168, 238-44	3.6	21
182	Hyperresponsivity and impaired prefrontal control of the mesolimbic reward system in schizophrenia. <i>Journal of Psychiatric Research</i> , 2015 , 71, 8-15	5.2	12
181	Modulation of hippocampus-prefrontal cortex synaptic transmission and disruption of executive cognitive functions by MK-801. 2015 , 25, 1348-61		41
180	Neural correlates during working memory processing in major depressive disorder. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2015 , 56, 101-8	5.5	39
179	Correlation Between Brain Activation Changes and Cognitive Improvement Following Cognitive Remediation Therapy in Schizophrenia: An Activation Likelihood Estimation Meta-analysis. 2016 , 129, 578-85		11
178	Symptoms and Neurobiological Models of Language in Schizophrenia. 2016 , 887-897		
177	Methamphetamine-Induced Behavioral Abnormalities and Neuronal Apoptosis. 2016 , 137-146		
176	Frontal lobe alterations in schizophrenia: a review. 2016 , 38, 198-206		28
175	A Detailed Data-Driven Network Model of Prefrontal Cortex Reproduces Key Features of In Vivo Activity. 2016 , 12, e1004930		11
174	Animal Models of Maladaptive Traits: Disorders in Sensorimotor Gating and Attentional Quantifiable Responses as Possible Endophenotypes. 2016 , 7, 206		9
173	Preserved Intention Maintenance and Impaired Execution of Prospective Memory Responses in Schizophrenia: Evidence from an Event-based Prospective Memory Study. 2016 , 7, 593		3

172	Brain Oscillatory Correlates of Altered Executive Functioning in Positive and Negative Symptomatic Schizophrenia Patients and Healthy Controls. 2016 , 7, 705		15
171	Developmental Neuroimaging in Pediatric Obsessive-Compulsive Disorder. 2016 , 3, 193-203		3
170	Spectral EEG abnormalities during vibrotactile encoding and quantitative working memory processing in schizophrenia. 2016 , 11, 578-587		5
169	Disrupted Working Memory Circuitry in Schizophrenia: Disentangling fMRI Markers of Core Pathology vs Other Aspects of Impaired Performance. <i>Neuropsychopharmacology</i> , 2016 , 41, 2411-20	8.7	29
168	Elevated midline-parietal gamma band noise power in schizophrenia but not in bipolar patients. 2016 , 266, 743-753		6
167	Revisiting the Inverted-U Hypothesis of Working Memory Activation in Schizophrenia. 2016 , 80, e67-8		1
166	Inefficient DMN Suppression in Schizophrenia Patients with Impaired Cognitive Function but not Patients with Preserved Cognitive Function. 2016 , 6, 21657		31
165	Transdiagnostic neural markers of emotion-cognition interaction in psychotic disorders. <i>Journal of Abnormal Psychology</i> , 2016 , 125, 907-922	7	7
164	Visual working memory deterioration preceding relapse in psychosis. 2016 , 46, 2435-44		10
163	Noise power associated with decreased task-induced variability of brain electrical activity in schizophrenia. 2016 , 266, 55-61		10
162	Regional cerebral blood flow in late-onset schizophrenia: a SPECT study using 99mTc-ECD. 2016 , 266, 3-12		11
161	Mechanisms of Working Memory Impairment in Schizophrenia. 2016 , 80, 617-26		64
160	Cognition and resting-state functional connectivity in schizophrenia. 2016 , 61, 108-20		169
159	Potentiation of M1 Muscarinic Receptor Reverses Plasticity Deficits and Negative and Cognitive Symptoms in a Schizophrenia Mouse Model. <i>Neuropsychopharmacology</i> , 2016 , 41, 598-610	8.7	60
158	Using human brain imaging studies as a guide toward animal models of schizophrenia. 2016 , 321, 77-98		21
157	DRD2 co-expression network and a related polygenic index predict imaging, behavioral and clinical phenotypes linked to schizophrenia. 2017 , 7, e1006		30
156	Load-dependent hyperdeactivation of the default mode network in people with schizophrenia. <i>Schizophrenia Research</i> , 2017 , 185, 190-196	3.6	16
155	Reality monitoring impairment in schizophrenia reflects specific prefrontal cortex dysfunction. 2017 , 14, 260-268		22

154	Mechanisms contributing to cognitive deficits in cannabis users. 2017 , 124, 84-88	16
153	Motor system dysfunction in the schizophrenia diathesis: Neural systems to neurotransmitters. 2017 , 44, 125-133	23
152	Neuropsychological correlates of schizotypy: a systematic review and meta-analysis of cross-sectional studies. 2017 , 22, 186-212	32
151	The Study of the Antisaccade Performance and Contingent Negative Variation Characteristics in First-Episode and Chronic Schizophrenia Patients. 2017 , 20, E55	1
150	Effects of chronic forced-swim stress on behavioral properties in rats with neonatal repeated MK-801 treatment. 2017 , 159, 48-54	8
149	Modeling Schizophrenia: Focus on Developmental Models. 2017 , 369-388	2
148	Research Domain Criteria versus DSM V: How does this debate affect attempts to model corticostriatal dysfunction in animals?. 2017 , 76, 301-316	15
147	A dimensional approach to modeling symptoms of neuropsychiatric disorders in the marmoset monkey. 2017 , 77, 328-353	33
146	Pupillometer-based neurofeedback cognitive training to improve processing speed and social functioning in individuals at clinical high risk for psychosis. 2017 , 40, 33-42	34
145	Task Performance Modulates Functional Connectivity Involving the Dorsolateral Prefrontal Cortex in Patients with Schizophrenia. 2017 , 8, 56	5
144	Functional Connectivity of Cognitive Brain Networks in Schizophrenia during a Working Memory Task. 2017 , 8, 294	21
143	Disrupted Working Memory Circuitry in Adolescent Psychosis. 2017 , 11, 394	1
142	Modified Mediterranean Diet for Enrichment of Short Chain Fatty Acids: Potential Adjunctive Therapeutic to Target Immune and Metabolic Dysfunction in Schizophrenia?. 2017 , 11, 155	38
141	Cognitive Deficits in Schizophrenia. 2017 ,	1
140	COMT and GAD1 gene polymorphisms are associated with impaired antisaccade task performance in schizophrenic patients. 2018 , 268, 571-584	8
139	Adults With Childhood-Onset Schizophrenia and Their Siblings: Do Age of Onset and Familiarity Affect Performance on and the Neural Signature of Working Memory Tasks?. 2018 , 57, 143-145	
138	Deficits of entropy modulation in schizophrenia are predicted by functional connectivity strength in the theta band and structural clustering. 2018 , 18, 382-389	12
137	Polygenic risk for schizophrenia affects working memory and its neural correlates in healthy subjects. <i>Schizophrenia Research</i> , 2018 , 197, 315-320	3.6 6

136	Brain, blood, cerebrospinal fluid, and serum biomarkers in schizophrenia. 2018 , 265, 25-38		42
135	Neural correlates of working memory in first episode and recurrent depression: An fMRI study. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2018 , 84, 39-49	5.5	19
134	Reduced Functional Brain Activation and Connectivity During a Working Memory Task in Childhood-Onset Schizophrenia. 2018 , 57, 166-174		9
133	Deconstructing Schizophrenia: Advances in Preclinical Models for Biomarker Identification. 2018 , 40, 295-323		10
132	A Schizophrenia-Related Deletion Leads to KCNQ2-Dependent Abnormal Dopaminergic Modulation of Prefrontal Cortical Interneuron Activity. 2018 , 28, 2175-2191		13
131	Working memory predicts presence of auditory verbal hallucinations in schizophrenia and bipolar disorder with psychosis. 2018 , 40, 84-94		25
130	Neural correlates of working memory deficits and associations to response inhibition in obsessive compulsive disorder. 2018 , 17, 426-434		24
129	Spatial learning and flexibility in 129S2/SvHsd and C57BL/6J mouse strains using different variants of the Barnes maze. 2018 , 29, 688-700		4
128	Multidimensional Connectomics and Treatment-Resistant Schizophrenia: Linking Phenotypic Circuits to Targeted Therapeutics. 2018 , 9, 537		9
127	The acute effects of cannabis on human executive function. 2018 , 29, 605-616		16
126	Near-Infrared Spectroscopy as a New Tool for Neurofeedback Training: Applications in Psychiatry and Methodological Considerations. 2018 , 60, 225-241		21
125	Improving working memory in schizophrenia: Effects of 1 mA and 2 mA transcranial direct current stimulation to the left DLPFC. <i>Schizophrenia Research</i> , 2018 , 202, 203-209	3.6	20
124	Functional Dissociation of Confident and Not-Confident Errors in the Spatial Delayed Response Task Demonstrates Impairments in Working Memory Encoding and Maintenance in Schizophrenia. 2018 , 9, 202		6
123	Structural and functional alterations in the brain during working memory in medication-naïve patients at clinical high-risk for psychosis. <i>PLoS ONE</i> , 2018 , 13, e0196289	3.7	7
122	Modelling reaction time distribution of fast decision tasks in schizophrenia: Evidence for novel candidate endophenotypes. 2018 , 269, 212-220		7
121	Posterior Parietal Cortex Dysfunction Is Central to Working Memory Storage and Broad Cognitive Deficits in Schizophrenia. 2018 , 38, 8378-8387		27
120	Effect of age onset on schizophrenia-like phenotypes and underlying mechanisms in model mice. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2019 , 89, 465-474	5.5	4
119	Frontal lobe functioning during a simple response conflict task in first-episode psychosis and its relationship to treatment response. 2019 , 13, 541-553		9

118	Mechanisms Underlying Visuospatial Working Memory Impairments in Schizophrenia. 2019 , 41, 345-367	3
117	The Hyperfocusing Hypothesis: A New Account of Cognitive Dysfunction in Schizophrenia. 2019 , 45, 991-1000	29
116	Visuospatial task-related prefrontal activity is correlated with negative symptoms in schizophrenia. 2019 , 9, 9575	6
115	Individual differences in level of wisdom are associated with brain activation during a moral decision-making task. 2019 , 9, e01302	7
114	Delta-9-tetrahydrocannabinol intoxication is associated with increased prefrontal activation as assessed with functional near-infrared spectroscopy: A report of a potential biomarker of intoxication. 2019 , 197, 575-585	3
113	Effects of early postnatal MK-801 treatment on behavioral properties in rats: Differences according to treatment schedule. 2019 , 370, 111926	2
112	Effects of High-Frequency Transcranial Magnetic Stimulation for Cognitive Deficit in Schizophrenia: A Meta-Analysis. 2019 , 10, 135	28
111	Functional Neuroimaging Correlates of Aggression in Psychosis: A Systematic Review With Recommendations for Future Research. 2018 , 9, 777	4
110	The association between slow cortical potentials preceding antisaccades and disturbances of consciousness in persons with paraphilic sexual behaviour. 2019 , 31, 149-158	
109	Brain Abnormalities in Different Phases of Working Memory in Schizophrenia: An Integrative Multi-Modal MRI Study. 2019 , 207, 760-767	3
108	Altered Expression of a Unique Set of Genes Reveals Complex Etiology of Schizophrenia. 2019 , 10, 906	2
107	Cognition and Related Neural Findings on Methamphetamine Use Disorder: Insights and Treatment Implications From Schizophrenia Research. 2019 , 10, 880	16
106	Alteration of functional brain architecture in 22q11.2 deletion syndrome - Insights into susceptibility for psychosis. 2019 , 190, 154-171	9
105	Clinical utility of the dual n-back task in schizophrenia: A functional imaging approach. 2019 , 284, 37-44	9
104	Disrupted modulation of thalamus activation and thalamocortical connectivity during dual task performance in schizophrenia. <i>Schizophrenia Research</i> , 2019 , 210, 270-277	3.6 17
103	Genetic Variation of a DRD2 Co-expression Network is Associated with Changes in Prefrontal Function After D2 Receptors Stimulation. 2019 , 29, 1162-1173	11
102	Being a body and having a body. The twofold temporality of embodied intentionality. 2020 , 19, 499-521	17
101	Schizophrenia-related abnormalities in the triple network: a meta-analysis of working memory studies. 2020 , 14, 971-980	6

100	Cognitive performance of the MAM-E17 schizophrenia model rats in different age-periods. 2020 , 379, 112345		1
99	Altered resting-state functional connectivity within the developing social brain after pediatric traumatic brain injury. 2020 , 41, 561-576		7
98	Effective connectivity of the right anterior insula in schizophrenia: The salience network and task-negative to task-positive transition. 2020 , 28, 102377		5
97	Representations of On-Going Behavior and Future Actions During a Spatial Working Memory Task by a High Firing-Rate Population of Medial Prefrontal Cortex Neurons. 2020 , 14, 151		6
96	Functional neural network configuration in late childhood varies by age and cognitive state. 2020 , 45, 100862		6
95	SPECT cerebral y anomalías fónicas menores en un adolescente con esquizofrenia de inicio muy temprano. 2020 , 27, 78-81		
94	16p11 Duplication Disrupts Hippocampal-Orbitofrontal-Amygdala Connectivity, Revealing a Neural Circuit Endophenotype for Schizophrenia. 2020 , 31, 107536		10
93	Key role for lipids in cognitive symptoms of schizophrenia. 2020 , 10, 399		1
92	Cortical activation abnormalities in bipolar and schizophrenia patients in a combined oddball-incongruence paradigm. 2021 , 271, 1487-1499		0
91	Catechol-O-methyltransferase genotype differentially contributes to the flexibility and stability of cognitive sets in patients with psychotic disorders and their first-degree relatives. <i>Schizophrenia Research</i> , 2020 , 223, 236-241	3.6	1
90	ΔTetrahydrocannabinol (THC) impairs visual working memory performance: a randomized crossover trial. <i>Neuropsychopharmacology</i> , 2020 , 45, 1807-1816	8.7	12
89	Cortical hyperactivation at low working memory load: A primary processing abnormality in people with schizophrenia?. 2020 , 26, 102270		1
88	Connectomic signatures of working memory deficits in depression, mania, and euthymic states of bipolar disorder. 2020 , 274, 190-198		11
87	Toward a transdiagnostic neurocircuitry-based biomarker model for pro-cognitive effects: challenges, opportunities, and next steps. 2021 , 26, 333-337		6
86	Neurochemical models of psychosis risk and onset. 2020 , 229-247		
85	Neural Mechanisms of Social and Nonsocial Reward Prediction Errors in Adolescents with Autism Spectrum Disorder. 2020 , 13, 715-728		9
84	Connectomic Underpinnings of Working Memory Deficits in Schizophrenia: Evidence From a replication fMRI study. 2020 , 46, 916-926		13
83	Alterations of White Matter Microstructure in Subcortical Vascular Mild Cognitive Impairment with and without Depressive Symptoms. 2020 , 73, 1565-1573		3

82	Assessing the information content of ERP signals in schizophrenia using multivariate decoding methods. 2020 , 25, 102179	4
81	Working memory load-dependent changes in cortical network connectivity estimated by machine learning. 2020 , 217, 116895	3
80	Impact of non-CNS childhood cancer on resting-state connectivity and its association with cognition. 2021 , 11, e01931	2
79	The impact of video gaming on cognitive functioning of people with schizophrenia (GAME-S): study protocol of a randomised controlled trial. 2021 , 21, 46	2
78	Improved correspondence of fMRI visual field localizer data after macroanatomical alignment.	
77	Prefrontal cortex activation during working memory task in schizophrenia: A fNIRS study. 2021 , 56, 102507	2
76	Working memory in schizophrenia: The role of the locus coeruleus and its relation to functional brain networks. 2021 , 11, e02130	2
75	The effects of disease activity on neuronal and behavioural cognitive processes in systemic lupus erythematosus. 2021 ,	1
74	Detecting the Inverted-U in fMRI Studies of Schizophrenia: A Comparison of Three Analysis Methods. 2021 , 1-12	0
73	Proof-of-Mechanism Study of the Phosphodiesterase 10 Inhibitor RG7203 in Patients With Schizophrenia and Negative Symptoms. 2021 , 1, 70-77	1
72	Adverse Childhood Experiences and Neurocognition in Schizophrenia Spectrum Disorders: Age at First Exposure and Multiplicity Matter. 2021 , 12, 684099	2
71	Functional Delineation of Prefrontal Networks Underlying Working Memory in Schizophrenia: A Cross-data-set Examination. 2021 , 33, 1880-1908	2
70	Relationship between Dynamic Blood-Oxygen-Level-Dependent Activity and Functional Network Connectivity: Characterization of Schizophrenia Subgroups. 2021 , 11, 430-446	
69	Editorial: New Developments With Magneto-electrical Techniques in Schizophrenia. 2021 , 12, 733033	
68	Impaired Filtering and Hyperfocusing: Neural Evidence for Distinct Selective Attention Abnormalities in People with Schizophrenia. 2021 ,	0
67	Neural basis of the visual working memory deficit in schizophrenia: Merging evidence from fMRI and EEG. <i>Schizophrenia Research</i> , 2021 , 236, 61-68	3.6 0
66	Translational medicine in psychiatry: challenges and imaging biomarkers. 2021 , 203-223	
65	Functional Brain Imaging in Schizophrenia. 353-371	5

64	Stable and Unstable Activation of the Prefrontal Cortex with Dopaminergic Modulation. 2007 , 235-246		1
63	Negativsymptomatik I Bildung. 2008 , 539-559		0
62	Neuroimaging Studies of Psychopathy. 2014 , 657-674		2
61	Phenomenology and Psychopathology. 2010 , 546-573		25
60	Psychosis and Schizophrenia. 2008 , 371-389		1
59	Functional neuroimaging of working memory in schizophrenia: task performance as a moderating variable. <i>Neuropsychology</i> , 2006 , 20, 497-510	3.8	126
58	Δ-Tetrahydrocannabinol (THC) impairs visual working memory performance: A randomized crossover trial.		1
57	Treadmill exercise enhances NMDA receptor expression in schizophrenia mice. <i>Journal of Exercise Rehabilitation</i> , 2014 , 10, 15-21	1.8	22
56	An event-related fMRI study of phonological verbal working memory in schizophrenia. <i>PLoS ONE</i> , 2010 , 5, e12068	3.7	14
55	Improved working memory performance through self-regulation of dorsal lateral prefrontal cortex activation using real-time fMRI. <i>PLoS ONE</i> , 2013 , 8, e73735	3.7	53
54	The impact of genome-wide supported schizophrenia risk variants in the neurogranin gene on brain structure and function. <i>PLoS ONE</i> , 2013 , 8, e76815	3.7	21
53	Increased intra-individual variability of cognitive processing in subjects at risk mental state and schizophrenia patients. <i>PLoS ONE</i> , 2013 , 8, e78354	3.7	23
52	Reduced parietofrontal effective connectivity during a working-memory task in people with high delusional ideation. <i>Journal of Psychiatry and Neuroscience</i> , 2019 , 44, 195-204	4.5	3
51	Patterns of anterior cingulate activation in schizophrenia: a selective review. <i>Neuropsychiatric Disease and Treatment</i> , 2007 , 3, 87-101	3.1	42
50	Striatal dopamine, reward, and decision making in schizophrenia. <i>Dialogues in Clinical Neuroscience</i> , 2016 , 18, 77-89	5.7	23
49	Study of childhood onset schizophrenia (COS) using SPECT and neuropsychological assessment. <i>Indian Journal of Psychiatry</i> , 2006 , 48, 215-22	2.2	12
48	Cognitive Remediation of Working Memory Deficits in Patients with Schizophrenic Disorder. <i>Eastern Journal of Psychiatry</i> , 2021 , 14, 32-37		
47	Untersuchungen der Pathophysiologie von kognitiven Funktionen der Schizophrenie mittels fMRT (funktioneller Magnetresonanztomographie). 2004 , 131-135		

46 Prefrontal Cortical Synaptic Plasticity: The Roles of Dopamine and Implication for Schizophrenia. **2007**, 165-174 1

45 Monoamine-Based Treatments in Schizophrenia: Time to Change the Paradigm?. **2007**, 299-312

44 Neuroimaging Biomarkers in Schizophrenia. **2008**, 235-271

43 Magnetic Resonance Imaging Biomarkers in Schizophrenia Research. **2009**, 123-144

42 Towards a Functional Neuroanatomy of Symptoms and Cognitive Deficits of Schizophrenia. **2009**, 55-66

41 Animal Models of Schizophrenia: Focus on Hippocampal Disruption of Dopamine System Regulation. **2010**, 175-191

40 Genetic Dissection of Dopamine-Mediated Prefrontal-Striatal Mechanisms and Its Relationship to Schizophrenia. **2009**, 187-200

39 Dopamine Dysfunction in Schizophrenia: From Genetic Susceptibility to Cognitive Impairment. **2009**, 558-571

38 Enjeux et perspectives. **2012**, 287-304

37 Neuroimaging in Bipolar Disorder and Schizophrenia. **2012**, 147-167

36 Schizophrenia. **2016**, 91-120 2

35 3.0 T fMRI in Psychiatry. **2017**, 357-372

34 Altered expression of a unique set of genes reveals complex etiology of Schizophrenia.

33 Rethinking schizophrenia through the lens of evolution: shedding light on the enigma. *Research Ideas and Outcomes*, 4, 2.5 0

32 Processing Speed as an Endophenotypic Marker of Paranoid Schizophrenia. *Journal of Biomedical and Clinical Research*, **2019**, 12, 131-138 0 0

31 Neuroimaging Studies of Psychopathy. **2021**, 861-886

30 Schizophrenia. **2020**, 165-199

29 Increased influence of a previously attended feature in people with schizophrenia. *Journal of Abnormal Psychology*, **2020**, 129, 305-311 7 3

28 Schizophrenien. **2007**, 511-527

27 Arbeitsgedächtnis I Bildung. **2008**, 242-251

26 Soziale Kognition I Bildung. **2008**, 357-366

25 Compensatory hyperactivations as markers of latent working memory dysfunctions in patients with obsessive-compulsive disorder: an fMRI study. *Journal of Psychiatry and Neuroscience*, **2008**, 33, 209-15 4.5 39

24 Identification of Δ^9 -tetrahydrocannabinol (THC) impairment using functional brain imaging.. *Neuropsychopharmacology*, **2022**, 8.7 1

23 Chimeric Structures in Mental Illnesses-"Magic" Molecules Specified for Complex Disorders.. *International Journal of Molecular Sciences*, **2022**, 23, 6.3 1

22 Sleep Deprivation Induces Acute Dissociation via Altered EEG Rhythms Expression and Connectivity.

21 Neuroimaging in bipolar disorder and schizophrenia. **2022**, 171-191

20 Relation between EEG resting-state power and modulation of P300 task-related activity in theta band in schizophrenia.. *Progress in Neuro-Psychopharmacology and Biological Psychiatry*, **2022**, 110541 5.5

19 Data_Sheet_1.docx. **2018**,

18 Table_1.DOCX. **2019**,

17 Image_1.tif. **2019**,

16 Table_1.docx. **2019**,

15 Table_2.docx. **2019**,

14 Load-dependent functional connectivity deficits during visual working memory in first-episode psychosis. *Journal of Psychiatric Research*, **2022**, 153, 174-181 5.2 0

13 Spectral perturbations of cortical dipoles during a dynamic visuo-spatial working memory task in schizophrenia. **2022**, 111530

12 Improved correspondence of fMRI visual field localizer data after cortex-based macroanatomical alignment. **2022**, 12, 0

11 Network hub centrality and working memory performance in schizophrenia. **2022**, 8, 0

- 10 Neurohemodynamic correlates of BDNF gene expression in schizophrenia patients with working memory deficits: A functional MRI study. **2022**, 77, 103261
- 9 Medial Prefrontal Cortex Dysfunction Mediates Working Memory Deficits in Patients with Schizophrenia. **2022**,
- 8 Identification of hub genes and construction of diagnostic nomogram model in schizophrenia. 14,
- 7 Inefficient white matter activity in Schizophrenia evoked during intra and inter-hemispheric communication. **2022**, 12,
- 6 Axonal transport deficits in neuropsychiatric disorders. **2022**, 123, 103786
- 5 A failure of sleep-dependent consolidation of visuoperceptual procedural learning in young adults with ADHD. **2022**, 12,
- 4 The SIK1/CRTC2/CREB1 and TWIST1/PI3K/Akt/GSK3 β signaling pathways mediated by microRNA-25-3p are altered in the schizophrenic rat brain. 17,
- 3 A Study of Fractional Amplitude of Low Frequency Fluctuation in Schizophrenia Patients with Persistent Verbal Auditory Hallucinations. **2022**, 7,
- 2 Dual orexin/hypocretin receptor antagonism attenuates attentional impairments in an NMDA receptor hypofunction model of schizophrenia.
- 1 Sustained activation in basal ganglia and cerebellum after repetitive movement in a non-task-specific dystonia.