

CITATION REPORT

List of articles citing

Effects of stress hyperglycemia on acute myocardial infarction: role of inflammatory immune process in functional cardiac outcome

DOI: 10.2337/diacare.26.11.3129
Diabetes Care, 2003, 26, 3129-35.

Source: <https://exaly.com/paper-pdf/35412670/citation-report.pdf>

Version: 2024-04-27

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
142	Insulin, glycemic control, and C-reactive protein during myocardial infarction. <i>Diabetes Care</i> , 2004 , 27, 3017-8	14.6	2
141	Inpatient management of diabetes and hyperglycemia. 2004 , 50, 438-79		2
140	Current World Literature. 2004 , 15, 595-605		
139	Bibliography Current World Literature. 2004 , 19, 638-670		
138	Persistent endothelial dysfunction is related to elevated C-reactive protein (CRP) levels in Type II diabetic patients after acute myocardial infarction. 2005 , 108, 121-8		22
137	Prognostic value of erythrocyte sedimentation rate in ST segment elevation myocardial infarction: interaction with hyperglycaemia. 2005 , 257, 423-9		13
136	Statin comparisons in controlled clinical trials. <i>American Journal of Cardiology</i> , 2005 , 96, 1467-8	3	
135	Myocardial infarction and hyperglycemia. <i>American Journal of Cardiology</i> , 2005 , 96, 1468	3	3
134	The acute reperfusion management of STEMI in patients with impaired glucose tolerance and type 2 diabetes. 2005 , 2, 136-43		32
133	Glucose, insulin and potassium applied as perioperative hyperinsulinaemic normoglycaemic clamp: effects on inflammatory response during coronary artery surgery. 2005 , 95, 448-57		71
132	Hyperglycemia in the hospital setting: the case for improved control among non-diabetics. 2005 , 39, 492-501		23
131	Acute hyperglycaemia: a 'new' risk factor during myocardial infarction. 2005 , 26, 328-31		101
130	The difficult task of glycaemic control in diabetics with acute coronary syndromes: finding the way to normoglycaemia avoiding both hyper- and hypoglycaemia. 2005 , 26, 1245-8		7
129	¿Debe equipararse el abordaje preventivo del riesgo cardiovascular en la diabetes mellitus tipo 2 a la prevención secundaria? (II). 2005 , 12, 236-245		1
128	Transient expression of hypoxia-inducible factor-1 alpha and target genes in peripheral nerves from diabetic rats. 2005 , 374, 179-82		38
127	Hyperglycemia is an important predictor of impaired coronary flow before reperfusion therapy in ST-segment elevation myocardial infarction. 2005 , 45, 999-1002		103
126	Glycemia in acute coronary syndromes. 2006 , 32 Spec No2, 2S42-7		2

125	Influence of Admission Glucose Level on Long-Term Prognosis in Patients With Acute Coronary Syndrome. 2006 , 59, 1268-1275		
124	Influencia de la concentraci3n de glucemia en el momento del ingreso en la evoluci3n a largo plazo de los pacientes con s3ndrome coronario agudo. 2006 , 59, 1268-1275	3	
123	What does minor elevation of C-reactive protein signify?. 2006 , 119, 166.e17-28		244
122	Admission blood glucose and adverse outcomes in non-diabetic patients with myocardial infarction in the reperfusion era. 2006 , 113, 229-35		60
121	The influence of admission glucose on epicardial and microvascular flow after primary angioplasty. 2006 , 119, 95-102		7
120	Prognostic value of blood glucose in patients with cardiogenic shock. 2006 , 70, 1064-9		4
119	Glucose, insulin and myocardial ischaemia. 2006 , 9, 131-9		34
118	Anti-inflammatory effect of high-dose insulin treatment after urgent coronary revascularization surgery. 2006 , 50, 962-9		37
117	Effect of moderate red wine intake on cardiac prognosis after recent acute myocardial infarction of subjects with Type 2 diabetes mellitus. 2006 , 23, 974-81		73
116	Usefulness of biomarkers for predicting long-term mortality in patients with diabetes mellitus and non-ST-elevation acute coronary syndromes (a GUSTO IV substudy). <i>American Journal of Cardiology</i> , 2006 , 97, 167-72	3	31
115	Acute insulin resistance in myocardial ischemia: causes and consequences. 2006 , 10, 215-9		15
114	Prognostic value of admission glucose and glycosylated haemoglobin levels in acute coronary syndromes. 2006 , 99, 237-43		36
113	Insulin infusion therapy for myocardial infarction. 2006 , 7, 2495-503		3
112	Glucose-insulin-potassium techniques in cardiac surgery: historical overview and future perspectives. 2006 , 10, 224-7		4
111	Hyperglycemia and outcome after myocardial infarction and cardiac surgery: so what?. 2006 , 10, 220-3		5
110	Impact of fasting glycemia on short-term prognosis after acute myocardial infarction. 2007 , 92, 2136-40		28
109	Strict control of blood glucose concentrations in critically ill children utilizing adequately explicit methodologies to improve outcomes. 2007 , 1, 241-258		2
108	Modulation of the glycemic response using insulin attenuates the pulmonary response in an animal trauma model. 2007 , 63, 351-7		12

107	Admission hyperglycemia and abnormal glucose tolerance at discharge in patients with acute myocardial infarction and no previous history of diabetes mellitus. 2007 , 43, 935		1
106	Stress hyperglycemia and enhanced sensitivity to myocardial infarction. 2008 , 10, 78-84		15
105	Screening for undiagnosed diabetes in patients with acute myocardial infarction. 2008 , 97, 753-9		40
104	Utility of Cardiac Magnetic Resonance to assess association between admission hyperglycemia and myocardial damage in patients with reperfused ST-segment elevation myocardial infarction. 2008 , 10, 2		7
103	Glucose control during acute myocardial infarction. 2008 , 38, 345-8		7
102	Acute hyperglycaemia prevents the protective effect of pre-infarction angina on microvascular function after primary angioplasty for acute myocardial infarction. 2008 , 94, 1402-6		11
101	Hyperglycemia during acute myocardial infarction in patients who are treated by primary percutaneous coronary intervention: impact on long-term prognosis. 2008 , 123, 117-22		23
100	Intensive insulin therapy and mortality in critically ill patients. 2008 , 12, R29		109
99	Hyperosmotic stress enhances cytokine production and decreases phagocytosis in vitro. 2008 , 12, R107		36
98	Prevalence, incidence, and clinical resolution of insulin resistance in critically ill patients: an observational study. 2008 , 32, 227-35		49
97	Interleukin-18 is a strong predictor of cardiovascular events in elderly men with the metabolic syndrome: synergistic effect of inflammation and hyperglycemia. <i>Diabetes Care</i> , 2009 , 32, 486-92	14.6	67
96	Glycemia at admission: the metabolic echocardiography in acute coronary syndrome patients. 2009 , 16, 164-8		5
95	Acute hyperglycemia enhances oxidative stress and exacerbates myocardial infarction by activating nicotinamide adenine dinucleotide phosphate oxidase during reperfusion. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2009 , 137, 723-9	1.5	45
94	Myocardial lipid accumulation in patients with pressure-overloaded heart and metabolic syndrome. 2009 , 50, 2314-23		98
93	The ubiquitin-proteasome system contributes to the inflammatory injury in ischemic diabetic myocardium: the role of glycemic control. 2009 , 18, 332-45		37
92	Exenatide reduces infarct size and improves cardiac function in a porcine model of ischemia and reperfusion injury. 2009 , 53, 501-10		377
91	Tight glycemic control reduces heart inflammation and remodeling during acute myocardial infarction in hyperglycemic patients. 2009 , 53, 1425-36		86
90	Influence of abnormal glucose metabolism on coronary microvascular function after a recent myocardial infarction. 2009 , 2, 1159-66		19

89	The magnitude of the variation in glycemia: a new parameter for risk assessment in acute coronary syndrome?. 2009 , 62, 1099-108		2
88	Magnitud de la variaci3n de la glucemia: ¿un nuevo instrumento para la evaluaci3n del riesgo en el s3ndrome coronario agudo?. 2009 , 62, 1099-1108		11
87	Effect of Combined Treatment Methods on Quality of Life in Patients With Pancreatic Cancer. 2009 , Publish Ahead of Print,		
86	Hyperglycemia and acute coronary syndrome: a systematic review of hyperglycemia's impact on ACS. 2010 , 17, e48-51		10
85	Hyperglycemia inhibits anesthetic-induced postconditioning in the rabbit heart via modulation of phosphatidylinositol-3-kinase/Akt and endothelial nitric oxide synthase signaling. 2010 , 55, 348-57		44
84	Hyperglycaemia at admission in acute coronary syndrome patients: prognostic value in diabetics and non-diabetics. 2010 , 17, 155-9		20
83	Myocardial fatty acid metabolism in health and disease. 2010 , 90, 207-58		1285
82	A no-reflow prediction model in patients with ST-elevation acute myocardial infarction and primary drug-eluting stenting. 2011 , 45, 98-104		6
81	Left ventricular structure and function in prediabetic adults: Relationship with insulin resistance. 2011 , 2, 23-8		6
80	Correlates of acute insulin resistance in the early phase of non-diabetic ST-elevation myocardial infarction. 2011 , 8, 35-42		28
79	Admission hyperglycemia and acute myocardial infarction: outcomes and potential therapies for diabetics and nondiabetics. 2012 , 2012, 704314		6
78	The role of hyperosmotic stress in inflammation and disease. 2012 , 3, 345-364		161
77	Hyperglycemia and perioperative glucose management. 2012 , 18, 6195-203		70
76	Recent advances in preoperative cardiac evaluation. 2012 , 18, 6182-94		3
75	Hyperglycemia in nondiabetic patients presenting with acute myocardial infarction. <i>American Journal of the Medical Sciences</i> , 2012 , 343, 321-6	2.2	15
74	Early improvement in carotid plaque echogenicity by acarbose in patients with acute coronary syndromes. 2012 , 76, 1452-60		18
73	Influence on prognosis and prevalence of stress hyperglycemia in a cohort of patients with acute coronary syndrome. 2012 , 24, 352-6		6
72	Niveles gluc3micos en m3dicos-docentes. 2012 , 58, 107-116		

71	Predictive value of plasma glucose level on admission for short and long term mortality in patients with ST-elevation myocardial infarction treated with primary percutaneous coronary intervention. <i>American Journal of Cardiology</i> , 2012 , 109, 53-9	3	45
70	Serum resistin in acute myocardial infarction patients with and without diabetes mellitus. 2012 , 64, 27-33		1
69	The glucose dysmetabolism in the acute phase of non-diabetic ST-elevation myocardial infarction: from insulin resistance to hyperglycemia. 2013 , 50, 293-300		6
68	Le dosage de la glycémie capillaire a-t-il un intérêt en préhospitalier pour le diagnostic d'infarctus du myocarde ?. 2013 , 3, 3-8		
67	Insulin Glargine in the intensive care unit: A model-based clinical trial design. 2013 , 8, 120-129		1
66	Diabetes alters activation and repression of pro- and anti-inflammatory signaling pathways in the vasculature. 2013 , 4, 68		30
65	Prognostic value of admission blood glucose level in patients with and without diabetes mellitus who sustain ST segment elevation myocardial infarction complicated by cardiogenic shock. 2013 , 17, R218		29
64	Acute hyperglycemia abolishes ischemic preconditioning by inhibiting Akt phosphorylation: normalizing blood glucose before ischemia restores ischemic preconditioning. 2013 , 2013, 329183		19
63	Ventricular Arrhythmia Risk in Noncardiac Diseases. 2014 ,		2
62	Stress hyperglycemia in acute myocardial infarction. 2014 , 71, 858-869		7
61	Suv39h1 protects from myocardial ischemia-reperfusion injury in diabetic rats. 2014 , 33, 1176-85		21
60	EphA2-receptor deficiency exacerbates myocardial infarction and reduces survival in hyperglycemic mice. <i>Cardiovascular Diabetology</i> , 2014 , 13, 114	8.7	11
59	Naringin inhibits ROS-activated MAPK pathway in high glucose-induced injuries in H9c2 cardiac cells. 2014 , 114, 293-304		52
58	Meta-analysis of admission hyperglycaemia in acute myocardial infarction patients treated with primary angioplasty: a cause or a marker of mortality?. 2015 , 1, 220-8		21
57	Is Stress Hyperglycemia a Predicting Factor of Developing Diabetes in Future?. 2015 , 123, 614-6		8
56	Standardized Glycemic Management with a Computerized Workflow and Decision Support System for Hospitalized Patients with Type 2 Diabetes on Different Wards. 2015 , 17, 685-92		27
55	Activation of Adenosine Triphosphate-regulated Potassium Channels during Reperfusion Restores Isoflurane Postconditioning-induced Cardiac Protection in Acutely Hyperglycemic Rabbits. 2015 , 122, 1299-311		7
54	Glycemic control and acute coronary syndrome: the debate continues. 2015 , 1, 229-31		3

53	Relationship between admission blood glucose level and prognosis in elderly patients without previously known diabetes who undergo emergency non-cardiac surgery. 2015 , 10, 561-6		4
52	Effects of liraglutide on left ventricular function in patients with ST-segment elevation myocardial infarction undergoing primary percutaneous coronary intervention. 2015 , 170, 845-54		76
51	Splenic leukocytes mediate the hyperglycemic exacerbation of myocardial infarct size in mice. 2015 , 110, 39		15
50	Stress hyperglycemia and microvascular obstruction after acute myocardial infarction. 2015 , 65, 270-1		1
49	Naringin protects cardiomyocytes against hyperglycemia-induced injuries in vitro and in vivo. 2016 , 230, 197-214		35
48	Effects of liraglutide on left ventricular function in patients with non-ST-segment elevation myocardial infarction. 2016 , 52, 516-26		48
47	Prevention of Surgical Site Infection in Spine Surgery. 2017 , 80, S114-S123		88
46	Protective effect of glucagon-like peptide-1 agents on reperfusion injury for acute myocardial infarction: a meta-analysis of randomized controlled trials. 2017 , 49, 552-561		14
45	Admission Glucose and In-hospital Mortality after Acute Myocardial Infarction in Patients with or without Diabetes: A Cross-sectional Study. 2017 , 130, 767-775		13
44	Thrombus aspiration in hyperglycemic ST-elevation myocardial infarction (STEMI) patients: clinical outcomes at 1-year follow-up. <i>Cardiovascular Diabetology</i> , 2018 , 17, 152	8.7	36
43	Role of Tight Glycemic Control during Acute Coronary Syndrome on CV Outcome in Type 2 Diabetes. 2018 , 2018, 3106056		40
42	Hyperglycemia and risk of ventricular tachycardia among patients hospitalized with acute myocardial infarction. <i>Cardiovascular Diabetology</i> , 2018 , 17, 136	8.7	16
41	T cell activation and cardiovascular risk in type 2 diabetes mellitus: a protocol for a systematic review and meta-analysis. <i>Systematic Reviews</i> , 2018 , 7, 167	3	6
40	Role of plasma glucose level on myocardial perfusion in ST-segment elevation myocardial infarction patients. <i>Journal of Diabetes and Its Complications</i> , 2018 , 32, 764-769	3.2	7
39	Preventable Diabetic Complications After a Cancer Diagnosis in Patients With Diabetes: A Population-Based Cohort Study. <i>JNCI Cancer Spectrum</i> , 2018 , 2, pky008	4.6	10
38	Putting Together the Pieces: A Metabolic Model of Viral Infection and the Subsequent Development of Asthma. <i>Viral Immunology</i> , 2019 , 32, 239-243	1.7	
37	Effect of stress hyperglycaemia on monocyte chemoattractant protein-1 levels and the short-term prognosis of patients with acute ST-segment elevation myocardial infarction undergoing primary percutaneous coronary intervention. <i>Experimental and Therapeutic Medicine</i> , 2019 , 17, 3823-3829	2.1	1
36	The prognostic value of postoperative blood glucose in non-diabetic patients with rheumatic heart disease. <i>BMC Cardiovascular Disorders</i> , 2019 , 19, 297	2.3	

35	MicroRNA-33 and SIRT1 influence the coronary thrombus burden in hyperglycemic STEMI patients. <i>Journal of Cellular Physiology</i> , 2020 , 235, 1438-1452	7	35
34	Impact of Hyperglycemia on Long-Term Outcome in Patients With ST-Segment Elevation Myocardial Infarction. <i>American Journal of Cardiology</i> , 2020 , 125, 851-859	3	14
33	[Prognostic value of HbA1c and plasma glucose on one-year mortality in non-diabetic patients after myocardial infarction]. <i>Annales De Cardiologie Et D'Angiologie</i> , 2020 , 69, 180-191	0.5	1
32	Impact of stress hyperglycemia on myocardial salvage in patients with ST-Elevation myocardial infarction: Cardiac magnetic resonance study. <i>Indian Heart Journal</i> , 2020 , 72, 462-465	1.6	1
31	The association between glucose-related variables and plaque morphology in patients with ST-segment elevated myocardial infarction. <i>Cardiovascular Diabetology</i> , 2020 , 19, 109	8.7	9
30	Pulsed ultrasound attenuates the hyperglycemic exacerbation of myocardial ischemia-reperfusion injury. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2021 , 161, e297-e306	1.5	6
29	Stress hyperglycemia, cardiac glucotoxicity, and critically ill patient outcomes current clinical and pathophysiological evidence. <i>Physiological Reports</i> , 2021 , 9, e14713	2.6	1
28	Hyperglycemia, inflammatory response and infarct size in obstructive acute myocardial infarction and MINOCA. <i>Cardiovascular Diabetology</i> , 2021 , 20, 33	8.7	22
27	The Stress Hyperglycemia Ratio is Associated with Hemorrhagic Transformation in Patients with Acute Ischemic Stroke. <i>Clinical Interventions in Aging</i> , 2021 , 16, 431-442	4	9
26	Cardioprotective Effect of Glycyrrhizin on Myocardial Remodeling in Diabetic Rats. <i>Biomolecules</i> , 2021 , 11,	5.9	7
25	Admission glucose level and short-term mortality in older patients with acute myocardial infarction: results from the KORA Myocardial Infarction Registry. <i>BMJ Open</i> , 2021 , 11, e046641	3	2
24	Association Between Stress Hyperglycemia Ratio and In-hospital Outcomes in Elderly Patients With Acute Myocardial Infarction. <i>Frontiers in Cardiovascular Medicine</i> , 2021 , 8, 698725	5.4	4
23	Pharmacological inhibition of GLUT1 as a new immunotherapeutic approach after myocardial infarction. <i>Biochemical Pharmacology</i> , 2021 , 190, 114597	6	4
22	Cardioprotective Action of Glycyrrhizin on Diabetic Rats with Myocardial Remodeling. <i>Journal of Healthcare Engineering</i> , 2021 , 2021, 6343677	3.7	0
21	Effects of Naringin on Cardiomyocytes From a Rodent Model of Type 2 Diabetes. <i>Frontiers in Pharmacology</i> , 2021 , 12, 719268	5.6	2
20	Does a strict glycemic control during acute coronary syndrome play a cardioprotective effect? Pathophysiology and clinical evidence. <i>Diabetes Research and Clinical Practice</i> , 2021 , 178, 108959	7.4	10
19	St-Elevation Myocardial Infarction Patients with Hyperglycemia: Effects of Intravenous Adenosine. <i>American Journal of the Medical Sciences</i> , 2021 ,	2.2	2
18	Admission glucose and risk of early death in non-diabetic patients with ST-segment elevation myocardial infarction: a meta-analysis. <i>Medical Science Monitor</i> , 2015 , 21, 1387-94	3.2	7

17	Metabolic Syndrome is Associated With Higher Wall Motion Score and Larger Infarct Size After Acute Myocardial Infarction. <i>Research in Cardiovascular Medicine</i> , 2015 , 4, e25018	0.4	3
16	Diabetes mellitus and glucose as predictors of mortality in primary coronary percutaneous intervention. <i>Arquivos Brasileiros De Cardiologia</i> , 2014 , 103, 323-30	1.2	7
15	Hyperglycemia and Thrombocytopenia - Combinatorially Increase the Risk of Mortality in Patients With Acute Myocardial Infarction Undergoing Veno-Arterial Extracorporeal Membrane Oxygenation.. <i>Circulation Reports</i> , 2021 , 3, 707-715	0.7	1
14	Hypoglycemia in Non-diabetics During Development of Acute Coronary Ischemia. <i>Medicinski Arhiv = Medical Archives = Archives De Médecine</i> , 2015 , 69, 226-8	1.2	
13	Intensive Insulin Therapy Versus Conventional Glucose Control In Traumatic Brain Injury Patients Who Are On Parenteral Nutrition. <i>International Journal of Scientific Research in Science and Technology</i> , 2020 , 176-185	0.1	
12	The impact of plasma glucose levels on in-hospital and long-term mortality in non-diabetic patients with ST-segment elevation myocardial infarction patients. <i>Konuralp Tip Dergisi</i> , 55-60		
11	Unique role of admission hyperglycemia on myocardial infarction size and area at risk following an acute ST-elevation myocardial infarction. <i>The Egyptian Journal of Internal Medicine</i> , 2020 , 32,	0.5	
10	Elective percutaneous coronary intervention: the relationship between preprocedural blood glucose levels and periprocedural myocardial injury. <i>Texas Heart Institute Journal</i> , 2013 , 40, 410-7	0.8	6
9	Impact of Admission Glucose on Non-Diabetic Patients with ST-Segment Elevation Myocardial Infarction Treated with Percutaneous Coronary Intervention: A Meta-Analysis. <i>Acta Cardiologica Sinica</i> , 2016 , 32, 194-204	1.1	1
8	Admission hyperglycemia is associated with reperfusion failure in patients with ST-elevation myocardial infarction undergoing primary percutaneous coronary intervention: a systematic review and meta-analysis. <i>American Journal of Cardiovascular Disease</i> , 2021 , 11, 348-359	0.9	
7	Insulin Therapy for Hyperglycemia Management in Critically Ill Patients. <i>Journal of Diabetes Mellitus</i> , 2021 , 11, 317-327	0.5	0
6	Assessment of medical management in Coronary Type 2 Diabetic patients with previous percutaneous coronary intervention in Spain: A retrospective analysis of electronic health records using Natural Language Processing.. <i>PLoS ONE</i> , 2022 , 17, e0263277	3.7	0
5	The impact of autophagy modulation on phenotype and survival of cardiac stromal cells under metabolic stress.. <i>Cell Death Discovery</i> , 2022 , 8, 149	6.9	0
4	Association of Stress hyperglycemia and adverse cardiac events in acute myocardial infarction - A cohort study.. <i>Cardiovascular & Hematological Disorders Drug Targets</i> , 2021 ,	1.1	0
3	Infarct size, inflammatory burden, and admission hyperglycemia in diabetic patients with acute myocardial infarction treated with SGLT2-inhibitors: a multicenter international registry.. <i>Cardiovascular Diabetology</i> , 2022 , 21, 77	8.7	4
2	Influence of Short and Long Hyperglycemia on Cardioprotection by Remote Ischemic Preconditioning: A Translational Approach. 2022 , 23, 14557		0
1	Neutrophil-to-Lymphocyte Ratio (NLR) Useful as a Cost-Effective Preliminary Prognostic Marker in ST-Elevation Myocardial Infarction (STEMI): An Observational Study From a Tertiary Care Hospital in Northeast India. 2023 ,		0