

CITATION REPORT

List of articles citing

Markers of inflammation and cardiovascular disease: application to clinical and public health practice: A statement for healthcare professionals from the Centers for Disease Control and Prevention and the American Heart Association

DOI: 10.1161/01.cir.0000052939.59093.45
Circulation, 2003, 107, 499-511.

Source: <https://exaly.com/paper-pdf/35470008/citation-report.pdf>

Version: 2024-04-24

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
2325	C-reactive protein and risk of cardiovascular disease: evidence and clinical application. 2003 , 5, 341-9		80
2324	Evidence-based management of dyslipidemias in women. 2003 , 5, 379-85		4
2323	Physical activity and the prevention of cardiovascular disease. 2003 , 5, 299-307		100
2322	Cardiovascular Complications in Patients with HIV Infection. 2003 , 5, 513-520		17
2321	Coronary heart disease: the female heart is vulnerable. 2003 , 46, 199-229		105
2320	Epidemiology of cardiovascular risk factors in Greece: aims, design and baseline characteristics of the ATTICA study. 2003 , 3, 32		194
2319	Relation of dietary fat and fiber to elevation of C-reactive protein. 2003 , 92, 1335-9		224
2318	Effect of coadministration of ezetimibe and simvastatin on high-sensitivity C-reactive protein. 2003 , 92, 1414-8		107
2317	A practical approach to risk assessment to prevent coronary artery disease and its complications. 2003 , 92, 19i-26i		62
2316	High-sensitivity C-reactive protein levels in players on a major league baseball team. 2003 , 92, 467-8		3
2315	High-sensitivity C-reactive protein and cardiovascular risk: rationale for screening and primary prevention. 2003 , 92, 17K-22K		174
2314	Clinical biomarkers in drug discovery and development. 2003 , 2, 566-80		583
2313	C-reactive protein, inflammation, and coronary risk: an update. 2003 , 21, 327-31		11
2312	Chronic infection and coronary artery disease. 2003 , 21, 333-62		52
2311	Novel risk markers and clinical practice. 2003 , 349, 1587-9		158
2310	Adhesion molecules and atherosclerosis. 2003 , 170, 191-203		823
2309	Explaining how "high-grade" systemic inflammation accelerates vascular risk in rheumatoid arthritis. <i>Circulation</i> , 2003 , 108, 2957-63	16.7	696

2308	Endothelial function, inflammation, and prognosis in cardiovascular disease. 2003 , 115 Suppl 8A, 99S-106S	189
2307	Should C-reactive protein be measured routinely during acute myocardial infarction?. 2003 , 115, 735-7	9
2306	Assessing risk for coronary heart disease: beyond Framingham. 2003 , 146, 572-80	18
2305	Restenosis after coronary intervention: narrowing C-reactive protein's prognostic potential?. 2003 , 115, 147-9	4
2304	Endothelial function testing as a biomarker of vascular disease. <i>Circulation</i> , 2003 , 108, 2054-9	16.7 427
2303	C-reactive protein: a guideline for its application. 2003 , 6, 70	1
2302	Metabolic syndrome with and without C-reactive protein as a predictor of coronary heart disease and diabetes in the West of Scotland Coronary Prevention Study. <i>Circulation</i> , 2003 , 108, 414-9	16.7 1175
2301	Old and new cardiovascular risk factors: from unresolved issues to new opportunities. 2003 , 4, 5-17	27
2300	Rosuvastatin in the primary prevention of cardiovascular disease among patients with low levels of low-density lipoprotein cholesterol and elevated high-sensitivity C-reactive protein: rationale and design of the JUPITER trial. <i>Circulation</i> , 2003 , 108, 2292-7	16.7 355
2299	Síndrome metabóico, resistencia a la insulina y metabolismo tisular. 2003 , 50, 324-333	6
2298	Testing endothelial vasomotor function: nitric oxide, a multipotent molecule. <i>Circulation</i> , 2003 , 108, 2049-53	16.7 197
2297	Prognostic value of myeloperoxidase in patients with chest pain. 2003 , 349, 1595-604	862
2296	New markers of inflammation and endothelial cell activation: Part I. <i>Circulation</i> , 2003 , 108, 1917-23	16.7 547
2295	Potential usefulness of inflammatory markers to monitor respiratory functional impairment in sarcoidosis. 2003 , 49, 1510-7	110
2294	Population distributions of C-reactive protein in apparently healthy men and women in the United States: implication for clinical interpretation. 2003 , 49, 666-9	149
2293	Blood pressure, C-reactive protein, and risk of future cardiovascular events. <i>Circulation</i> , 2003 , 108, 2993- 96 .7	259
2292	Inflammatory markers in coronary heart disease: coronary vascular versus myocardial origin?. <i>Circulation</i> , 2003 , 108, e4; author reply e4	16.7 14
2291	Interleukin-18 and the risk of coronary heart disease in European men: the Prospective Epidemiological Study of Myocardial Infarction (PRIME). <i>Circulation</i> , 2003 , 108, 2453-9	16.7 273

2290	Prevention of cardiovascular ischemic events: high-risk and secondary prevention. <i>Circulation</i> , 2003 , 107, 2059-65	16.7	40
2289	Cardiology Patient Page. C-reactive protein: a simple test to help predict risk of heart attack and stroke. <i>Circulation</i> , 2003 , 108, e81-5	16.7	261
2288	Coronary artery calcium and cardiac events. <i>Circulation</i> , 2003 , 108, E167-8; author reply E167-8	16.7	2
2287	The increasing impact of laboratory medicine on clinical cardiology. 2003 , 41, 871-83		16
2286	The metabolic syndrome: more than the sum of its parts?. <i>Circulation</i> , 2003 , 108, 1546-51	16.7	361
2285	C-reactive protein concentration distribution among US children and young adults: findings from the National Health and Nutrition Examination Survey, 1999-2000. 2003 , 49, 1353-7		113
2284	Cardiac troponin T and C-reactive protein for predicting prognosis, coronary atherosclerosis, and cardiomyopathy in patients undergoing long-term hemodialysis. 2003 , 290, 353-9		279
2283	Determination of C-reactive protein: comparison of three high-sensitivity immunoassays. 2003 , 49, 1691-5		28
2282	Preanalytic and analytic sources of variations in C-reactive protein measurement: implications for cardiovascular disease risk assessment. 2003 , 49, 1258-71		165
2281	C-reactive protein, the metabolic syndrome, and risk of incident cardiovascular events. 2003 , 8, 147-8		
2280	Inflammation, metabolic syndrome, and diet responsiveness. <i>Circulation</i> , 2003 , 108, 126-8	16.7	42
2279	Strikingly low circulating CRP concentrations in ultramarathon runners independent of markers of adiposity: how low can you go?. 2003 , 23, 1640-4		69
2278	Obesity, glucose intolerance and diabetes and their links to cardiovascular disease. Implications for laboratory medicine. 2003 , 41, 1266-78		27
2277	Clinical practice. Selecting asymptomatic patients for coronary computed tomography or electrocardiographic exercise testing. 2003 , 349, 465-73		105
2276	C-reactive protein and cardiovascular disease: new insights from an old molecule. 2003 , 96, 793-807		173
2275	C-reactive protein correlates with macrophage accumulation in coronary arteries of hypercholesterolemic pigs. 2003 , 95, 1301-4		41
2274	Editorial comment--C-reactive protein and vascular risk in stroke patients: potential use for the future. 2003 , 34, 2468-70		3
2273	C-reactive protein and other inflammatory biomarkers as predictors of outcome following acute coronary syndromes. 2003 , 3, 375-84		24

2272	Advances in antiplatelet therapy. 2003 , 8, 349-63	17
2271	C-reactive protein: a novel marker of cardiovascular risk. 2003 , 11, 169-79	43
2270	Increased C-reactive protein concentrations in never-treated hypertension: the role of systolic and pulse pressures. 2003 , 21, 1841-6	106
2269	Emerging role of myeloperoxidase and oxidant stress markers in cardiovascular risk assessment. 2003 , 14, 353-9	112
2268	Clinical use of high sensitivity C-reactive protein for the prediction of adverse cardiovascular events. 2003 , 18, 471-8	68
2267	Novel cardiovascular risk factors. 2003 , 18, 131-8	11
2266	Inflammatory biomarkers of the patient with myocardial insufficiency. 2003 , 9, 369-74	8
2265	C-reactive protein and interleukin-6 in vascular disease: culprits or passive bystanders?. 2003 , 21, 1787-803	133
2264	Novel Serum Cardiac Risk Biomarkers: Risk Assessment for Primary Prevention. 2003 , 6, 121-128	
2263	Innate Immunity, Inflammation, and Atherogenesis. 2003 , 75-88	1
2262	Facts and ideas from anywhere. 2003 , 16, 363-72	
2261	C-reactive protein: a surrogate risk marker or mediator of atherothrombosis?. 2003 , 285, R1250-2	29
2260	Correlation between turbidimetric and nephelometric methods of measuring C-reactive protein in patients with unstable angina or non-ST elevation acute myocardial infarction. 2003 , 81, 133-6, 129-32	8
2259	Effects of Statins on C-Reactive Protein: Are All Statins Similar?. 2004 , 189-201	
2258	Plasma C-reactive protein is not elevated in physically active postmenopausal women taking hormone replacement therapy. 2004 , 96, 143-8	27
2257	The levels of hs-CRP in patients with coronary heart disease. 2004 , 13, 102	
2256	Predictors of atherosclerosis. 2004 , 11, 265-70	51
2255	HMG-CoA reductase inhibitors for lowering elevated levels of C-reactive protein. 2004 , 61, 1676-81	38

2254	C-Reactive Protein as a Marker for Cardiovascular Disease. 2004 , 39, 735-744		1
2253	Periodontal disease, but not edentulism, is independently associated with increased plasma fibrinogen levels. Results from a population-based study. 2004 , 92, 244-52		40
2252	Relationship between C-reactive protein and progression of early carotid atherosclerosis in hypertensive subjects. 2004 , 35, 1625-30		44
2251	Relation between C reactive protein concentrations and coronary microvascular endothelial function. 2004 , 90, 750-4		63
2250	C-reactive protein and coronary heart disease. 2004 , 351, 295-8; author reply 295-8		63
2249	[Emerging risk factors for cardiovascular disease]. 2004 , 129, 204-9		0
2248	Associations of postmenopausal hormone therapy with markers of hemostasis and inflammation and lipid profiles in diabetic and nondiabetic american Indian women: the strong heart study. 2004 , 13, 155-63		16
2247	C-reactive protein, cardiovascular disease and stroke: new roles for an old biomarker. 2004 , 4, 507-18		7
2246	Polyunsaturated Fatty acids, insulin resistance, and atherosclerosis: is inflammation the connecting link?. 2004 , 2, 124-8		6
2245	Clinical management of metabolic syndrome: report of the American Heart Association/National Heart, Lung, and Blood Institute/American Diabetes Association conference on scientific issues related to management. 2004 , 24, e19-24		118
2244	Atherosclerotic Vascular Disease Conference: Writing Group II: risk factors. <i>Circulation</i> , 2004 , 109, 2613-66.7		62
2243	Letter regarding article by Ridker et al, "Should C-reactive protein be added to metabolic syndrome and to assessment of global cardiovascular risk?". <i>Circulation</i> , 2004 , 110, e532	16.7	2
2242	New risk factors for atherosclerosis and patient risk assessment. <i>Circulation</i> , 2004 , 109, III15-9	16.7	181
2241	Brachial artery vasodilator function and systemic inflammation in the Framingham Offspring Study. <i>Circulation</i> , 2004 , 110, 3604-9	16.7	174
2240	Role of C-reactive protein in cardiovascular disease. 2004 , 38, 110-8		50
2239	Dietary lipids and vascular function: UK Food Standards Agency workshop report. 2004 , 91, 491-500		23
2238	Homozygous familial hyperlipidaemia presenting as severe aortic stenosis and unstable angina. 2004 , 90, 1285		2
2237	Biomarkers and Parkinson's disease. 2004 , 127, 1693-705		122

2236	Role of inflammation in stroke and atherothrombosis. 2004 , 17 Suppl 3, 1-5		107
2235	C-reactive protein accelerates the progression of atherosclerosis in apolipoprotein E-deficient mice. <i>Circulation</i> , 2004 , 109, 647-55	16.7	328
2234	Should C-reactive protein be added to metabolic syndrome and to assessment of global cardiovascular risk?. <i>Circulation</i> , 2004 , 109, 2818-25	16.7	508
2233	Effects of fluticasone on systemic markers of inflammation in chronic obstructive pulmonary disease. 2004 , 170, 760-5		277
2232	Impact of prolonged cyclooxygenase-2 inhibition on inflammatory markers and endothelial function in patients with ischemic heart disease and raised C-reactive protein: a randomized placebo-controlled study. <i>Circulation</i> , 2004 , 110, 934-9	16.7	80
2231	Poor predictive value of high-sensitivity C-reactive protein indicates need for reassessment. 2004 , 50, 1733-5		22
2230	Low grade inflammation is notably suppressed by conventional anti-inflammatory treatment: a randomised crossover trial. 2004 , 90, 804-5		3
2229	Clinical importance of obesity versus the metabolic syndrome in cardiovascular risk in women: a report from the Women's Ischemia Syndrome Evaluation (WISE) study. <i>Circulation</i> , 2004 , 109, 706-13	16.7	302
2228	Serum amyloid A as a predictor of coronary artery disease and cardiovascular outcome in women: the National Heart, Lung, and Blood Institute-Sponsored Women's Ischemia Syndrome Evaluation (WISE). <i>Circulation</i> , 2004 , 109, 726-32	16.7	319
2227	Implications of recent clinical trials for the National Cholesterol Education Program Adult Treatment Panel III guidelines. <i>Circulation</i> , 2004 , 110, 227-39	16.7	445 ⁰
2226	Prevalence and trends of a metabolic syndrome phenotype among u.s. Adolescents, 1999-2000. 2004 , 27, 2438-43		342
2225	C-reactive protein modulates risk prediction based on the Framingham Score: implications for future risk assessment: results from a large cohort study in southern Germany. <i>Circulation</i> , 2004 , 109, 1349-53	16.7	343
2224	C-reactive protein and features of the metabolic syndrome in a population-based sample of children and adolescents. 2004 , 50, 1762-8		124
2223	Exploring inflammation in hemodialysis patients: persistent and superimposed inflammation. A longitudinal study. 2004 , 27, 63-70		25
2222	Distribution and correlates of C-reactive protein concentrations among adult US women. 2004 , 50, 574-81		155
2221	Prevalence of high C-reactive protein in persons with serum lipid concentrations within recommended values. 2004 , 50, 1618-22		18
2220	Variability of serum soluble intercellular adhesion molecule-1 measurements attributable to a common polymorphism. 2004 , 50, 2185-7		33
2219	C-reactive protein: structure affects function. <i>Circulation</i> , 2004 , 109, 1914-7	16.7	85

2218	A particle-enhanced turbidimetric immunoassay for quantitative determination of orosomucoid in urine: development, validation and reference values. 2004 , 42, 1168-77		16
2217	Addressing cardiovascular disease in women: focus on dyslipidemia. 2004 , 17, 424-37		32
2216	The variability and accurate assessment of microinflammation in haemodialysis patients. 2004 , 19, 150-7		60
2215	Improving outcomes through statin therapy ? a review of ongoing trials. 2004 , 6, A28-A31		8
2214	Inverse association between birth weight and C-reactive protein concentrations in the MIDSPAN Family Study. 2004 , 24, 583-7		81
2213	Clinical usefulness of very high and very low levels of C-reactive protein across the full range of Framingham Risk Scores. <i>Circulation</i> , 2004 , 109, 1955-9	16.7	378
2212	CDC/AHA Workshop on Markers of Inflammation and Cardiovascular Disease: Application to Clinical and Public Health Practice: overview. <i>Circulation</i> , 2004 , 110, e543-4	16.7	102
2211	Monocyte count, but not C-reactive protein or interleukin-6, is an independent risk marker for subclinical carotid atherosclerosis. 2004 , 35, 1619-24		165
2210	In search of the grail: the never-ending story of biomarkers for coronary risk prediction. 2004 , 25, 1271-3		1
2209	Transferrin enzyme immunoassay for quantitative monitoring of blood contamination in saliva. 2004 , 50, 654-6		56
2208	Established and emerging plasma biomarkers in the prediction of first atherothrombotic events. <i>Circulation</i> , 2004 , 109, IV6-19	16.7	246
2207	Biomarkers of cancer risk and therapeutic benefit: new technologies, new opportunities, and some challenges. 2004 , 32 Suppl 1, 99-105		8
2206	Inflammation, abdominal obesity, and smoking as predictors of hypertension. 2004 , 44, 859-65		248
2205	C-reactive protein: risk marker or mediator in atherothrombosis?. 2004 , 44, 6-11		442
2204	Prognostic relations between inflammatory markers and mortality in diabetic patients with non-ST elevation acute coronary syndrome. 2004 , 90, 264-9		33
2203	Periodontal disease and biomarkers related to cardiovascular disease. 2004 , 83, 151-5		153
2202	Lipoprotein-associated phospholipase A2 adds to risk prediction of incident coronary events by C-reactive protein in apparently healthy middle-aged men from the general population: results from the 14-year follow-up of a large cohort from southern Germany. <i>Circulation</i> , 2004 , 110, 1903-8	16.7	269
2201	Lipoprotein-associated phospholipase A2, high-sensitivity C-reactive protein, and risk for incident coronary heart disease in middle-aged men and women in the Atherosclerosis Risk in Communities (ARIC) study. <i>Circulation</i> , 2004 , 109, 837-42	16.7	525

2200	Adiponectin in patients with obstructive sleep apnea syndrome: course and physiological relevance. 2004 , 71, 580-6		54
2199	Antiinflammatory effects of angiotensin II subtype 1 receptor blockade in hypertensive patients with microinflammation. <i>Circulation</i> , 2004 , 110, 1103-7	16.7	353
2198	CDC/AHA Workshop on Markers of Inflammation and Cardiovascular Disease: Application to Clinical and Public Health Practice: report from the laboratory science discussion group. <i>Circulation</i> , 2004 , 110, e545-9	16.7	186
2197	Implications of recent clinical trials for the National Cholesterol Education Program Adult Treatment Panel III guidelines. 2004 , 24, e149-61		181
2196	Circulating tissue kallikrein levels correlate with severity of carotid atherosclerosis. 2004 , 24, 1104-10		15
2195	IL-8 plasma concentrations and the risk of future coronary artery disease in apparently healthy men and women: the EPIC-Norfolk prospective population study. 2004 , 24, 1503-8		150
2194	Increased high sensitivity C reactive protein concentrations and increased arterial stiffness in children with a history of Kawasaki disease. 2004 , 90, 1281-5		54
2193	High-sensitivity enzyme immunoassay for C-reactive protein in dried blood spots. 2004 , 50, 652-4		180
2192	Elevations in markers of liver injury and risk of type 2 diabetes: the insulin resistance atherosclerosis study. 2004 , 53, 2623-32		277
2191	Highly sensitive determination of C-reactive protein on the Innotracs Aio! immunoanalyzer. 2004 , 64, 677-85		11
2190	Postprandial blood glucose excursions and low-grade inflammation. 2004 , 58, 25-28		
2189	Statins: potent vascular anti-inflammatory agents. 2004 , 58, 41-8		17
2188	C-reactive protein, its role in inflammation, Type 2 diabetes and cardiovascular disease, and the effects of insulin-sensitizing treatment with thiazolidinediones. 2004 , 21, 810-7		104
2187	Low-intensity warfarin reduces thrombin generation and fibrin turnover, but not low-grade inflammation, in men at risk of myocardial infarction. 2004 , 127, 448-50		11
2186	Low-grade systemic inflammation impairs arterial stiffness in newly diagnosed hypercholesterolaemia. 2004 , 34, 335-41		50
2185	The utility of C-reactive protein in the detection of atherothrombotic vascular disease: ready for prime time?. 2004 , 2, 1238-9		3
2184	Factors influencing serum cystatin C levels other than renal function and the impact on renal function measurement. 2004 , 65, 1416-21		662
2183	Microinflammation versus inflammation in chronic renal failure patients. 2004 , 66, 2093-4		10

2182	How does the periapical inflammatory process compromise general health?. 2004 , 8, 3-14	7
2181	Life-saving medical advances: help for a healthier 2004. 2004 , 2, 93-5	
2180	C-reactive protein and end-stage renal disease. 2004 , 17, 438-48	47
2179	Obesity is the major determinant of elevated C-reactive protein in subjects with the metabolic syndrome. 2004 , 28, 674-9	194
2178	Use of portion-controlled entrees enhances weight loss in women. 2004 , 12, 538-46	68
2177	C-reactive protein as a marker for inflammatory bowel disease. 2004 , 10, 661-5	319
2176	C-reactive protein, cardiovascular disease, and periodontal disease. 2004 , 2, 139-41	3
2175	C-reactive protein in young individuals: problems and implications for Asian Indians. 2004 , 20, 478-81	37
2174	Epidemiology of coronary heart disease in women. 2004 , 46, 287-95	127
2173	C-reactive protein levels and common polymorphisms of the interleukin-1 gene cluster and interleukin-6 gene in patients with coronary heart disease. 2004 , 31, 207-13	71
2172	High-sensitivity C-reactive protein: Clinical importance. 2004 , 29, 439-493	14
2171	Miscellany. 2004 , 93, 124-8	2
2170	Effect of simvastatin on serum C-reactive protein during hormone replacement therapy. 2004 , 93, 217-8	3
2169	Association of ferritin and lipids with C-reactive protein. 2004 , 93, 559-62	52
2168	Frequency of elevation of C-reactive protein in atrial fibrillation. 2004 , 94, 1255-9	117
2167	Vascular disease and inflammation. 2004 , 22, 183-97, v	1
2166	Evidence for C-reactive protein's role in (CRP) vascular disease: atherothrombosis, immuno-regulation and CRP. 2004 , 17, 95-105	47
2165	Cardiovascular toxicity with highly active antiretroviral therapy: review of clinical studies. 2004 , 4, 243-60	29

2164	Assessing coronary heart disease risk with traditional and novel risk factors. 2004 , 27, III7-11	33
2163	Reference material needs in clinical laboratory science. 2004 , 9, 239-241	
2162	C-reactive protein and the development of the metabolic syndrome and diabetes in middle-aged men. 2004 , 47, 1403-10	191
2161	Marked decrease in the levels of two inflammatory markers, hs-C-reactive protein and fibrinogen in patients with severe carotid atherosclerosis after eversion carotid endarterectomy. 2004 , 53, 631-5	16
2160	[Acute coronary syndrome and inflammation. Biomarkers for diagnostics and risk stratification]. 2004 , 29, 769-76	8
2159	Inflammatory and oxidative markers in atherosclerosis: relationship to outcome. 2004 , 6, 243-50	58
2158	Omega-6 fatty acids and coronary artery disease: the pros and cons. 2004 , 6, 441-6	13
2157	Inflammation and atherosclerosis. 2004 , 6, 131-9	47
2156	No association between pre-diagnostic plasma C-reactive protein concentration and subsequent prostate cancer. 2004 , 59, 393-400	38
2155	Measurement of C-reactive protein: two high sensitivity methods compared. 2004 , 18, 280-4	53
2154	Endothelial cell adhesion molecules in healthy adults during acute hyperhomocysteinemia and mild hypertriglyceridemia. 2004 , 37, 408-14	28
2153	Effectiveness of simvastatin therapy in raising HDL-C in patients with type 2 diabetes and low HDL-C. 2004 , 20, 1087-94	11
2152	Periodontitis and systemic inflammation: control of the local infection is associated with a reduction in serum inflammatory markers. 2004 , 83, 156-60	482
2151	Dental disease, coronary heart disease and stroke, and inflammatory markers: what are the associations, and what do they mean?. <i>Circulation</i> , 2004 , 109, 1076-8	16.7 13
2150	Clinical management of metabolic syndrome: report of the American Heart Association/National Heart, Lung, and Blood Institute/American Diabetes Association conference on scientific issues related to management. <i>Circulation</i> , 2004 , 109, 551-6	16.7 639
2149	C-reactive protein and incident cardiovascular events among men with diabetes. 2004 , 27, 889-94	148
2148	The truth about quality: medical usefulness and analytical reliability of laboratory tests. 2004 , 346, 3-3	
2147	Secondary prevention strategies in ischemic stroke: identification and optimal management of modifiable risk factors. 2004 , 79, 1330-40	30

2146	C-reactive protein reassessed. 2004 , 350, 1450-2	120
2145	Introduction to risk assessment and serum risk markers for the prevention of coronary heart disease and other potential conditions that impact men's health, part II: what do I tell my patients?. 2004 , 31, 199-205	
2144	Depression and Frailty: The Need for Multidisciplinary Research. 2004 , 12, 1-5	36
2143	Efficacy and safety of ezetimibe coadministered with simvastatin in patients with primary hypercholesterolemia: a randomized, double-blind, placebo-controlled trial. 2004 , 79, 620-9	172
2142	Enfermedad cardiovascular aterosclerótica: la utilidad de la proteína C reactiva en la identificación de la placa «vulnerable» y del paciente «vulnerable». 2004 , 57, 375-378	2
2141	Association of obesity with inflammation in chronic kidney disease: A cross-sectional study. 2004 , 14, 201-207	12
2140	Test result variation and the quality of evidence-based clinical guidelines. 2004 ,	
2139	What's new in acute coronary syndrome?. 2004 , 39, 815-28	
2138	Atherosclerotic Coronary Artery Disease: Usefulness of C-Reactive Protein for the Identification of the Vulnerable Plaque and the Vulnerable Patient. 2004 , 57, 375-378	
2137	Relationship of C-Reactive Protein Levels With Angiographic Findings and Markers of Necrosis in Non-ST-Segment Elevation Acute Coronary Syndrome. 2004 , 57, 382-387	0
2136	Echolucent carotid plaques predict future coronary events in patients with coronary artery disease. 2004 , 43, 1177-84	158
2135	Cyclooxygenase inhibition in patients with coronary artery disease. 2004 , 43, 532-3	4
2134	The distribution of 10-Year risk for coronary heart disease among US adults: findings from the National Health and Nutrition Examination Survey III. 2004 , 43, 1791-6	256
2133	Prognostic value of the metabolic syndrome in essential hypertension. 2004 , 43, 1817-22	255
2132	Heritability and correlates of intercellular adhesion molecule-1 in the Framingham Offspring Study. 2004 , 44, 168-73	44
2131	The Yin and Yang of arterial inflammation. 2004 , 44, 50-2	37
2130	The year in atherothrombosis. 2004 , 44, 2099-110	36
2129	Leukocyte count and coronary heart disease: implications for risk assessment. 2004 , 44, 1945-56	447

2128	Neurohormones and heart failure. 2004 , 39, 845-61	4
2127	Medical lipid-regulating therapy: current evidence, ongoing trials and future developments. 2004 , 64, 1181-96	61
2126	Role and importance of biochemical markers in clinical cardiology. 2004 , 25, 1187-96	98
2125	Cardiovascular disease: different strategies for primary and secondary prevention?. 2004 , 90, 1217-23	59
2124	Inflammatory markers and the risk of coronary heart disease in men and women. 2004 , 351, 2599-610	899
2123	C-reactive protein and other circulating markers of inflammation in the prediction of coronary heart disease. 2004 , 350, 1387-97	2317
2122	Hypolipidemic treatment of heterozygous familial hypercholesterolemia: a lifelong challenge. 2004 , 2, 405-15	6
2121	Relaci3n de los valores de prote3na C reactiva con los hallazgos angiogr3ficos y los marcadores de necrosis en el s3ndrome coronario agudo sin elevaci3n del segmento ST. 2004 , 57, 382-387	1
2120	Test result variation and the quality of evidence-based clinical guidelines. 2004 , 346, 19-24	47
2119	The truth about quality: medical usefulness and analytical reliability of laboratory tests. 2004 , 346, 3-11	36
2118	Quality specifications and the assessment of the biochemical risk of atherosclerosis. 2004 , 346, 55-64	11
2117	Analytical performance of the Synchron LX20 Pro, BN trade mark II and IMMAGE high sensitivity C-reactive protein assays and concordance in cardiovascular risk stratification. 2004 , 347, 71-9	10
2116	C-reactive protein concentrations are lower in Singaporeans: implications for risk classification in Asians. 2004 , 350, 241-2	1
2115	A multicenter, randomized, double-blind, placebo-controlled, factorial design study to evaluate the lipid-altering efficacy and safety profile of the ezetimibe/simvastatin tablet compared with ezetimibe and simvastatin monotherapy in patients with primary hypercholesterolemia. 2004 , 26, 1758-73	157
2114	Cohort study finds that combined elevated C-reactive protein and erythrocyte sedimentation rate predicts 6 month outcome in people with chest pain, but non diagnostic electrocardiogram and troponin T. 2004 , 8, 105-6; discussion 107-8, 109-10	
2113	C-reactive protein impairs angiogenic functions and decreases the secretion of arteriogenic chemo-cytokines in human endothelial progenitor cells. 2004 , 321, 65-71	69
2112	Estrogen, inflammation and cardiovascular risk in women: a critical appraisal. 2004 , 15, 66-72	46
2111	Body fat is the main predictor of fibrinogen levels in healthy non-obese men. 2004 , 53, 984-8	18

2110	Adiponectin and C-reactive protein in obesity, type 2 diabetes, and monodrug therapy. 2004 , 53, 1454-61	54
2109	High-sensitivity C-reactive protein, inflammation, and cardiovascular risk: from concept to clinical practice to clinical benefit. 2004 , 148, S19-26	188
2108	Toll-like receptor 4 gene Asp299Gly polymorphism is associated with reductions in vascular inflammation, angiographic coronary artery disease, and clinical diabetes. 2004 , 148, 1034-40	100
2107	Association between prehypertension status and inflammatory markers related to atherosclerotic disease: The ATTICA Study. 2004 , 17, 568-73	162
2106	Examining the dyslipidemia constellation: an interactive forum on new treatment advances. Introduction. 2004 , 116 Suppl 6A, 1S-2S	268
2105	Past, present, and future standards for management of dyslipidemia. 2004 , 116 Suppl 6A, 3S-8S	164
2104	Inflammation and atherosclerosis: role of C-reactive protein in risk assessment. 2004 , 116 Suppl 6A, 9S-16S	428
2103	C-reactive protein: from innocent bystander to pivotal mediator of atherosclerosis. 2004 , 117, 499-507	122
2102	Macrophage migration inhibitory factor and the risk of myocardial infarction or death due to coronary artery disease in adults without prior myocardial infarction or stroke: the EPIC-Norfolk Prospective Population study. 2004 , 117, 390-7	73
2101	Sex- and age-related differences in the prognostic value of C-reactive protein in patients with angiographic coronary artery disease. 2004 , 117, 657-64	22
2100	Elevation of C-reactive protein in people with prehypertension. 2004 , 6, 562-8	76
2099	Implications of recent clinical trials for the National Cholesterol Education Program Adult Treatment Panel III Guidelines. 2004 , 44, 720-32	1070
2098	Role of oxidative modifications in atherosclerosis. 2004 , 84, 1381-478	1918
2097	C-Reactive protein is inversely related to physical fitness in middle-aged subjects. 2004 , 176, 173-9	79
2096	Association between leisure time physical activity and markers of chronic inflammation related to coronary heart disease. 2004 , 176, 303-10	66
2095	Atorvastatin reduces proinflammatory markers in hypercholesterolemic patients. 2004 , 177, 161-6	139
2094	New and confirmatory evidence of an association between APOE genotype and baseline C-reactive protein in dyslipidemic individuals. 2004 , 177, 345-51	58
2093	Dietary fiber and C-reactive protein: findings from national health and nutrition examination survey data. 2004 , 134, 1181-5	203

2092	New clinical markers predictive of cardiovascular disease: the role of inflammatory mediators. 2004 , 12, 151-7	13
2091	Focusing on inflammation in the treatment of atherosclerosis. 2004 , 12, 194-200	15
2090	High-density lipoprotein metabolism and progression of atherosclerosis: new insights from the HDL Atherosclerosis Treatment Study. 2004 , 19, 385-91	34
2089	C-reactive protein is associated with psychological risk factors of cardiovascular disease in apparently healthy adults. 2004 , 66, 684-91	116
2088	C-reactive protein for the prediction of cardiovascular risk: ready for prime-time?. 2004 , 170, 1563-5	6
2087	High-sensitivity C-reactive protein affects central haemodynamics and augmentation index in apparently healthy persons. 2004 , 22, 1133-9	47
2086	Current World Literature. 2004 , 13, 243-274	
2085	Inflammation and cardiovascular diseases: lessons that can be learned for the patient with cardiogenic shock in the intensive care unit. 2004 , 10, 347-53	9
2084	Bibliography. Current world literature. Imaging and echocardiography. 2004 , 19, 524-35	
2083	CE Test: Predicting CAD Events. 2004 , 29, 27-29	2
2082	Practical strategies for cardiac disease prevention. Basic steps to ensure better heart health. 2004 , 115, 41-4	1
2081	Predicting CAD events: C-reactive protein a marker for atherosclerotic risk. 2004 , 29, 14-5, 19-27; quiz 27-9	1
2080	New blood test to measure heart attack risk: C-reactive protein. 2004 , 19, 425-9	5
2079	Development of a High-Sensitivity Immunoassay for C-Reactive Protein on the Cholestech LDX, a Point-of-Care Analyzer. 2004 , 3, 191-194	1
2078	C-reactive protein as a risk factor versus risk marker. 2004 , 15, 651-7	36
2077	Association of white blood cell count and clustered components of metabolic syndrome in Japanese men. 2004 , 68, 892-7	72
2076	High-sensitivity C-reactive protein: Clinical importance. 2004 , 29, 439-493	30
2075	High prevalence of C-reactive protein elevation with normal triglycerides (100-149 mg/dL): are triglyceride levels below 100 mg/dL more optimal in coronary heart disease risk assessment?. 2005 , 329, 173-7	7

2074	Addressing the global cardiovascular risk of hypertension, dyslipidemia, and insulin resistance in the southeastern United States. 2005 , 329, 276-91	39
2073	Early signs of cardiovascular disease in youth with obesity and type 2 diabetes. 2005 , 28, 1219-21	110
2072	Reduction in cardiovascular events with atorvastatin in 2,532 patients with type 2 diabetes: Anglo-Scandinavian Cardiac Outcomes Trial-Lipid-Lowering Arm (ASCOT-LLA): response to Server et al. 2005 , 28, 2595; author reply 2595-6	5
2071	Effects of candesartan cilexetil and enalapril on inflammatory markers of atherosclerosis in hypertensive patients with non-insulin-dependent diabetes mellitus. 2005 , 23, 435-44	53
2070	Effects of an angiotensin-converting enzyme inhibitor (ramipril) on inflammatory markers in secondary prevention patients: RAICES Study. 2005 , 16, 423-9	14
2069	Production of modified C-reactive protein in U937-derived macrophages. 2005 , 230, 762-70	48
2068	Atherosclerotic cardiovascular disease risk in the HAART-treated HIV-1 population. 2005 , 6, 5-24	23
2067	Effect of C-reactive protein on vascular cells: evidence for a proinflammatory, proatherogenic role. 2005 , 14, 33-7	110
2066	Cardiac rehabilitation is associated with an improvement in C-reactive protein levels in both men and women with cardiovascular disease. 2005 , 25, 332-6; quiz 337-8	32
2065	C-reactive protein and statins: IL-8 as a molecular link?. 2005 , 108, 493-5	4
2064	Reference value for C-reactive protein and its distribution pattern in thai adults. 2005 , 69, 339-44	11
2063	Elevated preprocedural high-sensitivity C-reactive protein levels are associated with neointimal hyperplasia and restenosis development after successful coronary artery stenting. 2005 , 69, 1477-83	30
2062	Comparative study of two automated high-sensitivity C-reactive protein methods in a large population. 2005 , 38, 31-5	20
2061	Influence of leisure-time physical activity on the relationship between C-reactive protein and hypertension in a community-based elderly population of Japan: the Tsurugaya project. 2005 , 28, 747-54	18
2060	High-sensitivity C-reactive protein as a risk assessment tool for cardiovascular disease. 2005 , 28, 408-12	59
2059	The effect of weight loss on a stable biomarker of inflammation, C-reactive protein. 2005 , 63, 22-8	80
2058	GP1Ib-IIIa antagonists reduce thromboinflammatory processes in patients with acute coronary syndromes undergoing percutaneous coronary intervention. 2005 , 3, 312-20	48
2057	Circulating inflammatory markers and risks of cardiovascular and non-cardiovascular disease. 2005 , 3, 1618-27	149

2056	C-reactive protein and albumin as predictors of all-cause and cardiovascular mortality in chronic kidney disease. 2005 , 68, 766-72	277
2055	Vitamin D and its analogues: do they protect against cardiovascular disease in patients with kidney disease?. 2005 , 68, 1973-81	118
2054	Efficacy and safety of ezetimibe co-administered with simvastatin in thiazolidinedione-treated type 2 diabetic patients. 2005 , 7, 88-97	58
2053	Association of C-reactive protein with body fat, diabetes and coronary artery disease in Asian Indians: the Chennai Urban Rural Epidemiology Study (CURES-6). 2005 , 22, 863-70	47
2052	Effects of Porphyromonas gingivalis antigens and proinflammatory cytokines on human coronary artery endothelial cells. 2005 , 20, 82-8	26
2051	Diagnosis and management of the metabolic syndrome in obesity. 2005 , 6, 283-96	98
2050	Prognostic role of C-reactive protein in very old patients with acute ischaemic stroke. 2005 , 258, 145-52	39
2049	Distribution and determinants of serum high-sensitive C-reactive protein in a population of young adults: The Cardiovascular Risk in Young Finns Study. 2005 , 258, 428-34	60
2048	Growth hormone replacement reduces C-reactive protein and large-artery stiffness but does not alter endothelial function in patients with adult growth hormone deficiency. 2005 , 62, 473-9	29
2047	Are thyroid peroxidase antibodies associated with cardiovascular disease risk in patients with subclinical hypothyroidism?. 2005 , 62, 580-4	20
2046	Prognostic impact of low-shear whole blood viscosity in hypertensive men. 2005 , 35, 93-8	33
2045	Direct comparison of dietary portfolio vs statin on C-reactive protein. 2005 , 59, 851-60	56
2044	Central obesity as a major determinant of increased high-sensitivity C-reactive protein in metabolic syndrome. 2005 , 29, 1452-6	105
2043	Inflammatory bowel diseases and atherosclerosis: do we need more studies?. 2005 , 11, 705	2
2042	Effect of periodontal treatment on the C-reactive protein and proinflammatory cytokine levels in Japanese periodontitis patients. 2005 , 40, 53-8	131
2041	Periodontal health improves systemic inflammatory and haemostatic status in subjects with coronary heart disease. 2005 , 32, 188-92	95
2040	Serum antibodies to periodontal pathogens and markers of systemic inflammation. 2005 , 32, 1189-99	71
2039	Comprehensive endovascular therapy for femoropopliteal arterial atherosclerotic occlusive disease. 2005 , 201, 275-96	32

2038	Comparison of differing C-reactive protein assay methods and their impact on cardiovascular risk assessment. 2005 , 95, 155-8	35
2037	Relation of depressive symptoms to C-reactive protein and pathogen burden (cytomegalovirus, herpes simplex virus, Epstein-Barr virus) in patients with earlier acute coronary syndromes. 2005 , 95, 317-21	104
2036	Utility of C-reactive protein measurement in risk stratification during primary cardiovascular disease prevention. 2005 , 95, 1378-9	8
2035	Relation of left ventricular concentric remodeling to levels of C-reactive protein and serum amyloid A in patients with essential hypertension. 2005 , 96, 252-6	32
2034	Impact of C-reactive protein on the likelihood of peripheral arterial disease in United States adults with the metabolic syndrome, diabetes mellitus, and preexisting cardiovascular disease. 2005 , 96, 655-8	51
2033	Relation of microalbuminuria to adiponectin and augmented C-reactive protein levels in men with essential hypertension. 2005 , 96, 946-51	107
2032	Role of depression and inflammation in incident coronary heart disease events. 2005 , 96, 1016-21	82
2031	Comparison of usefulness of inflammatory markers in patients with versus without peripheral arterial disease in predicting adverse cardiovascular outcomes (myocardial infarction, stroke, and death). 2005 , 96, 1374-8	89
2030	Fisiopatología y marcadores del síndrome coronario agudo sin elevación del segmento ST. 2005 , 5, 8C-14C	
2029	Keynote review: the adipocyte as a drug discovery target. 2005 , 10, 1219-30	129
2028	Pleiotropic effects of 3-hydroxy-3-methylglutaryl coenzyme a reductase inhibitors on renal function. 2005 , 45, 2-14	89
2027	Advanced oxidation protein products as risk factors for atherosclerotic cardiovascular events in nondiabetic predialysis patients. 2005 , 45, 39-47	136
2026	C-reactive protein: "cutoff" point and clinical applicability. 2005 , 46, 368; author reply 369	4
2025	Associations of metabolic syndrome with inflammation in CKD: results From the Third National Health and Nutrition Examination Survey (NHANES III). 2005 , 46, 577-86	74
2024	Effect of influenza vaccine on markers of inflammation and lipid profile. 2005 , 145, 323-7	68
2023	Retinopathy and hypertension affect serum high-sensitivity C-reactive protein levels in Type 2 diabetic patients. 2005 , 19, 123-7	13
2022	C-reactive protein decreases expression of thrombomodulin and endothelial protein C receptor in human endothelial cells. 2005 , 138, 212-22	29
2021	Association between dietary arginine and C-reactive protein. 2005 , 21, 125-30	61

2020	Effect of 3-hydroxy-3-methylglutaryl coenzyme A reductase inhibitors on high-sensitivity C-reactive protein levels. 2005 , 25, 1365-77	7
2019	Effects of atorvastatin on low-density lipoprotein cholesterol phenotype and C-reactive protein levels in patients undergoing long-term dialysis. 2005 , 25, 335-44	18
2018	Dietary fiber, inflammation, and cardiovascular disease. 2005 , 49, 594-600	104
2017	Imaging of unstable atherosclerotic lesions. 2005 , 32, 1-5	20
2016	Single-nucleotide polymorphisms in the C-reactive protein (CRP) gene promoter that affect transcription factor binding, alter transcriptional activity, and associate with differences in baseline serum CRP level. 2005 , 83, 440-7	135
2015	The metabolic syndrome: time for a critical appraisal. Joint statement from the American Diabetes Association and the European Association for the Study of Diabetes. 2005 , 48, 1684-99	307
2014	Chronic kidney disease and inflammation in pediatric patients: from bench to playground. 2005 , 20, 714-20	37
2013	Platelets and atherothrombosis: An essential role for inflammation in vascular disease [A review]. 2005 , 14, 211-217	2
2012	Atherosclerosis as inflammation. 2005 , 19, 130-8	71
2011	Current Treatment Options for the Metabolic Syndrome. 2005 , 7, 61-74	31
2010	Utility of statin therapy using high-sensitivity C-reactive protein as an indicator of coronary heart disease risk. 2005 , 7, 22-8	7
2009	Rationale and methods of the integrated biomarker and imaging study (IBIS): combining invasive and non-invasive imaging with biomarkers to detect subclinical atherosclerosis and assess coronary lesion biology. 2005 , 21, 425-41	28
2008	Analysis of Trigger Mechanisms for Inflammation in Cardiovascular Disease: Application to Shock and Multiorgan Failure. 2005 , 193-202	
2007	Lack of effect of dietary conjugated linoleic acids naturally incorporated into butter on the lipid profile and body composition of overweight and obese men. 2005 , 82, 309-319	70
2006	Lack of effect of dietary conjugated linoleic acids naturally incorporated into butter on the lipid profile and body composition of overweight and obese men. 2005 , 82, 309-19	73
2005	[Management of carotid disease in acute phase of stroke: national opinion]. 2005 , 63, 709-12	3
2004	The Relationship between Cardiovascular Risk Factors and the Serum Ferritin Level in Relation to C-Reactive Protein in Korean. 2005 , 35, 37	1
2003	The adaptive immune system and long-term outcome in patients with stable coronary disease. Predictive value of routine laboratory measurements. 2005 , 93, 257-60	2

2002	Effect of Exercise on Serum C-Reactive Protein. 2005 , 35, 533		2
2001	Preprocedural hs-CRP Level Serves as a Marker for Procedure-Related Myocardial Injury During Coronary Stenting. 2005 , 35, 140		4
2000	Serum C-Reactive Protein Level and its Association with Atrial Fibrillation in Korean Adults. 2005 , 35, 309		2
1999	Evidence-based Medicine and Clinical Guidelines in Cardiology. Promoting Science, Practice, or Bureaucracy?. 2005 , 45-60		
1998	Systemic inflammation and reperfusion injury in patients with acute myocardial infarction. 2005 , 2005, 385-9		40
1997	Relative elevation in baseline leukocyte count predicts first cerebral infarction. 2005 , 64, 2121-5		65
1996	Besteht Bedarf an neuen kardiovaskulären Risikofaktoren? Is there a need for new cardiovascular risk factors?. 2005 , 29, 146-151		
1995	Type 2 diabetes as an inflammatory cardiovascular disorder. 2005 , 5, 309-22		71
1994	Relation of C-reactive protein to insulin resistance and cardiovascular risk factors in youth. 2005 , 28, 1763-8		71
1993	Glial cell line-derived neurotrophic factor in the vitreous of patients with proliferative diabetic retinopathy. 2005 , 28, 2588		46
1992	C-reactive protein does not relax vascular smooth muscle: effects mediated by sodium azide in commercially available preparations. 2005 , 288, H1786-95		44
1991	Assessment of hemostatic risk factors in predicting arterial thrombotic events. 2005 , 25, 2043-53		92
1990	Isolated bibrachial plexopathy in a patient with type 2 diabetes. 2005 , 28, 2591-2		2
1989	CRP is or is not a reliable marker of ischaemic heart disease?. 2005 , 14, 752-5		1
1988	Markers of hemostasis and systemic inflammation in heart disease and atherosclerosis in smokers. 2005 , 2, 34-43		34
1987	Cytokines, interleukin-18, and the genetic determinants of vascular inflammation. <i>Circulation</i> , 2005 , 112, 620-3	16.7	15
1986	Relation of body mass index and insulin resistance to cardiovascular risk factors, inflammatory factors, and oxidative stress during adolescence. <i>Circulation</i> , 2005 , 111, 1985-91	16.7	182
1985	C-reactive protein and the 10-year incidence of coronary heart disease in older men and women: the cardiovascular health study. <i>Circulation</i> , 2005 , 112, 25-31	16.7	289

1984	C-reactive protein for cardiovascular risk assessment in the metabolic syndrome: response to Kholeif et al. 2005 , 28, 2598-9		3
1983	Sex differences of age-dependent changes of insulin sensitivity in Japanese nondiabetic subjects. 2005 , 28, 2590-1		14
1982	Infancy-onset cystic fibrosis-related diabetes. 2005 , 28, 2593-4		9
1981	Association of lipoprotein-associated phospholipase A2 mass and activity with calcified coronary plaque in young adults: the CARDIA study. 2005 , 25, 216-21		98
1980	Review: Cardiovascular risk assessment in the metabolic syndrome, screening for subclinical disease, and implications for treatment. 2005 , 5, 305-313		3
1979	Inflammation, atherosclerosis, and aspects of insulin action. 2005 , 28, 2312-9		43
1978	Long driving time is associated with haematological markers of increased cardiovascular risk in taxi drivers. 2005 , 62, 890-4		30
1977	C-reactive protein as a predictor of cardiovascular risk in a population with a high prevalence of diabetes: the Strong Heart Study. <i>Circulation</i> , 2005 , 112, 1289-95	16.7	82
1976	C-reactive protein, interleukin-6, and soluble adhesion molecules as predictors of progressive peripheral atherosclerosis in the general population: Edinburgh Artery Study. <i>Circulation</i> , 2005 , 112, 976-83	16.7	328
1975	High-sensitivity C-reactive protein: potential adjunct for risk stratification in patients with stable congestive heart failure. 2005 , 26, 2245-50		64
1974	Self-Monitoring of Blood Glucose in Patients With Type 2 Diabetes Who Are Not Using Insulin: Response to Kleefstra et al. and Davidson. 2005 , 28, 2597a-2598a		
1973	Concordance between the 2005 International Diabetes Federation definition for diagnosing metabolic syndrome with the National Cholesterol Education Program Adult Treatment Panel III and the World Health Organization definitions. 2005 , 28, 2588-9		41
1972	Elevated interleukin-18 levels are associated with the metabolic syndrome independent of obesity and insulin resistance. 2005 , 25, 1268-73		176
1971	Thematic review series: The immune system and atherogenesis. Lipoprotein-associated inflammatory proteins: markers or mediators of cardiovascular disease?. 2005 , 46, 389-403		172
1970	The role of inflammation in atherothrombosis: implications for clinical practice. 2005 , 10, 45-53		35
1969	Circulating acute phase mediators and skeletal muscle performance in hospitalized geriatric patients. 2005 , 60, 361-7		94
1968	Fractional flow reserve: can it predict adverse events accurately after coronary stenting?. 2005 , 2, 282-3		
1967	[Lipid metabolism and risk of myocardial infarction -- new findings and implications for treatment]. 2005 , 130, 2220-5		

1966	Serological markers of persistent <i>C. trachomatis</i> infections in women with tubal factor subfertility. 2005 , 20, 986-90	54
1965	Analysis of N-terminal-pro-brain natriuretic peptide and C-reactive protein for risk stratification in stable and unstable coronary artery disease: results from the AtheroGene study. 2005 , 26, 241-9	81
1964	Childhood obesity, inflammation, and apnea: what is the future for our children?. 2005 , 171, 202-3	32
1963	C-reactive protein in end-stage renal disease: are there reasons to measure it?. 2005 , 23, 72-8	49
1962	Insulin resistance syndrome, body mass index and the risk of ischemic heart disease. 2005 , 172, 1301-5	108
1961	Cost implications of new evidence on prevention of cardiovascular disease. 2005 , 5, 183-92	1
1960	Effects of weight loss and pharmacotherapy on inflammatory markers of cardiovascular disease. 2005 , 3, 743-59	8
1959	Clinical implications and mechanisms of plaque rupture in the acute coronary syndromes. 2005 , 3, 249-55	4
1958	Use of insulin glargine during pregnancy in seven type 1 diabetic women. 2005 , 28, 2594-5	29
1957	Influence of cardiorespiratory fitness on the association between C-reactive protein and metabolic syndrome prevalence in racially diverse women. 2005 , 14, 233-9	20
1956	Serum C-reactive protein in elderly men and women: association with mortality, morbidity and various biochemical values. 2005 , 65, 23-31	17
1955	Behavioural treatments for chronic systemic inflammation: effects of dietary weight loss and exercise training. 2005 , 172, 1199-209	154
1954	CRP or not CRP? That is the question. 2005 , 25, 1091-4	83
1953	Complications of Type 2 Diabetes Among Aboriginal Canadians: prevalence and associated risk factors. 2005 , 28, 2054-7	61
1952	High-sensitivity C-reactive protein: a useful marker for cardiovascular disease risk prediction and the metabolic syndrome. 2005 , 51, 504-5	26
1951	Elevated C-reactive protein augments increased arterial stiffness in subjects with the metabolic syndrome. 2005 , 45, 997-1003	75
1950	Self-monitoring of blood glucose in patients with type 2 diabetes who are not using insulin: response to Welschen et al. and Kleefstra et al. 2005 , 28, 2597; author reply 2597-8	6
1949	Determinants of response to insulin therapy following failure of oral agents in type 2 diabetes. 2005 , 28, 2589-90	4

1948	Elevated C-reactive protein is a predictor of the development of diabetes in a general Japanese population: the Hisayama Study. 2005 , 28, 2497-500		117
1947	Cardiovascular disease in U.S. patients with metabolic syndrome, diabetes, and elevated C-reactive protein. 2005 , 28, 690-3		138
1946	C-reactive protein in patients with COPD, control smokers and non-smokers. 2006 , 61, 23-8		274
1945	Dietary magnesium and C-reactive protein levels. 2005 , 24, 166-71		189
1944	Endothelial t-PA release is impaired in overweight and obese adults but can be improved with regular aerobic exercise. 2005 , 289, E807-13		66
1943	Inflammatory markers and cardiovascular health in older adults. 2005 , 66, 265-75		148
1942	Arterial calcium on mammograms is not associated with inflammatory markers for heart disease risk. 2006 , 92, 541-2		7
1941	Variation of C-reactive protein levels in adolescents: association with sleep-disordered breathing and sleep duration. <i>Circulation</i> , 2005 , 111, 1978-84	16.7	208
1940	Leukocyte count in vascular risk prediction. 2005 , 165, 487-8		4
1939	Kremezin (AST-120) delays the progression of diabetic nephropathy in Japanese type 2 diabetic patients. 2005 , 28, 2590		21
1938	Proposal for the reconsideration of the definition of gestational diabetes. 2005 , 28, 2592-3		42
1937	Reduction in Cardiovascular Events With Atorvastatin in 2,532 Patients With Type 2 Diabetes: Anglo-Scandinavian Cardiac Outcomes Trial-Lipid-Lowering Arm (ASCOT-LLA). 2005 , 28, 2595a-2596a		4
1936	Self-monitoring of blood glucose in patients with type 2 diabetes who are not using insulin: response to Welschen et al. 2005 , 28, 2596; author reply 2597-8		4
1935	Fiber and C-reactive protein in diabetes, hypertension, and obesity. 2005 , 28, 1487-9		37
1934	Inflammation in atherosclerosis and other conditions: a response to danger. 2005 , 28, 211-7		9
1933	Factor analysis of clustered cardiovascular risks in adolescence: obesity is the predominant correlate of risk among youth. <i>Circulation</i> , 2005 , 111, 1970-7	16.7	162
1932	Evaluation of C-reactive protein measurement for assessing the risk and prognosis in ischemic stroke: a statement for health care professionals from the CRP Pooling Project members. 2005 , 36, 1316-29		226
1931	Prediction of myocardial infarction by N-terminal-pro-B-type natriuretic peptide, C-reactive protein, and renin in subjects with cerebrovascular disease. <i>Circulation</i> , 2005 , 112, 110-6	16.7	65

1930	Prediction of type 2 diabetes mellitus with alternative definitions of the metabolic syndrome: the Insulin Resistance Atherosclerosis Study. <i>Circulation</i> , 2005 , 112, 3713-21	16.7	213
1929	[Assessment of cardiovascular risk--PROCAM and new algorithms]. 2005 , 50, 227-32		2
1928	Risk factors for cardiovascular disease in homeless adults. <i>Circulation</i> , 2005 , 111, 2629-35	16.7	119
1927	Clinical use and pathogenetic basis of laboratory tests for the evaluation of primary arterial hypertension. 2005 , 42, 393-452		4
1926	Elevated serum C-reactive protein levels and advanced atherosclerosis in youth. 2005 , 25, 1237-43		52
1925	Defects in regulation of local immune responses resulting in atherosclerosis. 2005 , 12, 225-34		13
1924	Relationship among pregnancy associated plasma protein-A levels, clinical characteristics, and coronary artery disease extent in patients with chronic stable angina pectoris. 2005 , 26, 2093-8		71
1923	The pattern of inflammation and a potential new clinical meaning and usefulness of C-reactive protein in end-stage renal failure patients. 2005 , 28, 55-61		22
1922	Levels of, and factors associated with, C-reactive protein in employees attending a company-sponsored cardiac screening program. 2005 , 103, 180-4		5
1921	Inflammation in end-stage renal disease--a fire that burns within. 2005 , 149, 185-199		65
1920	Binding and internalization of C-reactive protein by Fcγ receptors on human aortic endothelial cells mediates biological effects. 2005 , 25, 1359-63		143
1919	Prediction of heart failure by amino terminal-pro-B-type natriuretic peptide and C-reactive protein in subjects with cerebrovascular disease. 2005 , 45, 69-74		38
1918	Early carotid atherosclerosis in subjects with periodontal diseases. 2005 , 36, 1195-200		88
1917	An evolving story of lipoprotein-associated phospholipase A2 in atherosclerosis and cardiovascular risk prediction. 2005 , 26, 107-9		12
1916	C-reactive protein in the prediction of cardiovascular and overall mortality in middle-aged men: a population-based cohort study. 2005 , 26, 1783-9		69
1915	Effect of exercise training on plasma levels of C-reactive protein in healthy adults: the HERITAGE Family Study. 2005 , 26, 2018-25		145
1914	Exercise training: only if needed?. 2005 , 26, 1939-41		1
1913	C-reactive protein, depressed mood, and the prediction of coronary heart disease in initially healthy men: results from the MONICA-KORA Augsburg Cohort Study 1984-1998. 2005 , 26, 2537-42		59

1912	Evolution of C-Reactive Protein as a Cardiac Risk Factor. 2005 , 36, 234-238		3
1911	Increased cardiovascular disease risk indices in HIV-infected women. 2005 , 39, 44-54		140
1910	Enfermedad arterial periférica desconocida en pacientes con síndrome coronario agudo: prevalencia y patrón diferencial de los factores de riesgo cardiovascular tradicionales y emergentes. 2005 , 58, 1403-1410		24
1909	The metabolic syndrome. 2005 , 365, 1415-28		4380
1908	C-reactive protein and its role in metabolic syndrome: mendelian randomisation study. 2005 , 366, 1954-9		266
1907	Factores de riesgo cardiovascular. 2005 , 9, 2506-2513		
1906	Evaluación del riesgo cardiovascular y nuevos factores de riesgo de aterosclerosis. 2005 , 22, 195-203		2
1905	Association between elevated liver enzymes and C-reactive protein: possible hepatic contribution to systemic inflammation in the metabolic syndrome. 2005 , 25, 193-7		179
1904	Diagnosis and management of the metabolic syndrome: an American Heart Association/National Heart, Lung, and Blood Institute Scientific Statement. <i>Circulation</i> , 2005 , 112, 2735-52	16.7	8005
1903	Non-HDL cholesterol, apolipoproteins A-I and B100, standard lipid measures, lipid ratios, and CRP as risk factors for cardiovascular disease in women. 2005 , 294, 326-33		540
1902	Associations of soluble intercellular adhesion molecule-1 with carotid atherosclerosis progression. 2005 , 179, 155-60		30
1901	Effects of ezetimibe coadministered with simvastatin on C-reactive protein in a large cohort of hypercholesterolemic patients. 2005 , 179, 361-7		62
1900	C-reactive protein (+1444C>T) polymorphism influences CRP response following a moderate inflammatory stimulus. 2005 , 179, 413-7		59
1899	Fcγ3 receptor IIIA polymorphism as a risk-factor for coronary artery disease. 2005 , 180, 277-82		29
1898	Genome scan of systemic biomarkers of vascular inflammation in the Framingham Heart Study: evidence for susceptibility loci on 1q. 2005 , 182, 307-14		91
1897	The relationship between soluble CD40 ligand levels and Framingham coronary heart disease risk score in healthy volunteers. 2005 , 182, 361-5		18
1896	Inflammatory markers predict late cardiac events in patients who are exhausted after percutaneous coronary intervention. 2005 , 182, 341-8		28
1895	Markers of inflammation and their clinical significance. 2005 , 6, 21-9		108

1894	Drug-induced vascular injury--a quest for biomarkers. 2005 , 203, 62-87	69
1893	Relation of C-reactive protein to stroke, cognitive disorders, and depression in the general population: systematic review and meta-analysis. 2005 , 4, 371-80	281
1892	Polymorphisms within the C-reactive protein (CRP) promoter region are associated with plasma CRP levels. 2005 , 77, 64-77	258
1891	Association of neutrophils and future cardiovascular events in patients with peripheral artery disease. 2005 , 41, 610-7	70
1890	Traditional and emerging risk factors for cardiovascular disease. 2005 , 32, 963-76, vii	13
1889	Valoraci3n de la prote3n C reactiva en pacientes con arteriopat3a perif3rica. Modificaciones con tratamiento antiagregante. 2005 , 57, 5-18	2
1888	A community-based, randomized trial of ezetimibe added to statin therapy to attain NCEP ATP III goals for LDL cholesterol in hypercholesterolemic patients: the ezetimibe add-on to statin for effectiveness (EASE) trial. 2005 , 80, 587-95	212
1887	Advances in cardiac biomarkers. 2005 , 23, 959-75	3
1886	Conditional risk factors for atherosclerosis. 2005 , 80, 219-30	71
1885	Evaluaci3n del riesgo cardiovascular y nuevos factores de riesgo de aterosclerosis. 2005 , 22, 195-203	
1884	Therapeutic potential of nitric oxide donors in the prevention and treatment of atherosclerosis. 2005 , 26, 1945-55	124
1883	Effective management of dyslipidaemia among patients with cardiovascular risk: updated recommendations on identification and follow-up. 2005 , 11, 68-75	5
1882	Short-term effects of intensive periodontal therapy on serum inflammatory markers and cholesterol. 2005 , 84, 269-73	289
1881	Heart rate characteristics: novel physiomarkers to predict neonatal infection and death. 2005 , 116, 1070-4	157
1880	Associations between cigarette smoking, pipe/cigar smoking, and smoking cessation, and haemostatic and inflammatory markers for cardiovascular disease. 2005 , 26, 1765-73	307
1879	Plasma C-reactive protein in early pregnancy and preterm delivery. 2005 , 162, 1108-13	143
1878	Effectiveness of weight loss in the elderly with type 2 diabetes mellitus. 2005 , 28, 973-7	14
1877	Inflammatory markers in women with a recent history of gestational diabetes mellitus. 2005 , 28, 34-8	86

1876	Detection of C-reactive protein utilizing magnetic permeability detection based immunoassays. 2005 , 77, 5920-4	66
1875	Inflammation and triglycerides partially mediate the effect of prepregnancy body mass index on the risk of preeclampsia. 2005 , 162, 1198-206	100
1874	C-reactive protein comes of age. 2005 , 2, 29-36; quiz 58	150
1873	Intensified screening and treatment of the metabolic syndrome for cardiovascular risk reduction. 2005 , 8, 47-52; quiz 53-4	13
1872	Exercise training is not associated with improved levels of C-reactive protein or adiponectin. 2005 , 54, 533-41	167
1871	High-sensitivity C-reactive protein is associated with insulin resistance and cardiovascular autonomic dysfunction in type 2 diabetic patients. 2005 , 54, 552-8	46
1870	Targeting vascular risk in patients with metabolic syndrome but without diabetes. 2005 , 54, 1065-74	56
1869	Modest lifestyle intervention attenuates the inflammatory state in children. 2005 , 146, 308-9	3
1868	Predicting risk and treatment benefit in atherosclerosis: the role of C-reactive protein. 2005 , 98, 199-206	61
1867	Exercise training modulates cytokines activity in coronary heart disease patients. 2005 , 100, 93-9	248
1866	Role of hs-CRP measurements in the current cardiovascular risk assessment. 2005 , 356, 225-6	1
1865	Role of hs-CRP measurements in the current cardiovascular risk assessment. 2005 , 355, 215-8	5
1864	Long-term safety and, tolerability profiles and lipid-modifying efficacy of ezetimibe coadministered with ongoing simvastatin treatment: a multicenter, randomized, double-blind, placebo-controlled, 48-week extension study. 2005 , 27, 174-84	55
1863	T helper cell related interleukins and the angiographic morphology in unstable angina. 2005 , 30, 303-10	10
1862	Orlistat for obesity: benefits beyond weight loss. 2005 , 67, 78-83	47
1861	C-reactive protein and atherogenesis: new insights from established animal models. 2005 , 167, 923-5	28
1860	Macrophage conditioned medium induces the expression of C-reactive protein in human aortic endothelial cells: potential for paracrine/autocrine effects. 2005 , 166, 1265-71	120
1859	Implications of emerging risk factors for therapeutic intervention. 2005 , 15, 373-81	25

1858	C-reactive protein is a risk indicator for atrial fibrillation after myocardial revascularization. 2005 , 79, 1530-5	114
1857	Metabolic syndrome: evaluation of pathological and therapeutic outcomes. 2005 , 149, 20-32	43
1856	Atorvastatin has an important acute anti-inflammatory effect in patients with acute coronary syndrome: results of a randomized, double-blind, placebo-controlled study. 2005 , 149, 451-7	77
1855	Impact of vitamin E and C supplementation on serum adhesion molecules in chronic degenerative aortic stenosis: a randomized controlled trial. 2005 , 150, 302-6	15
1854	The biology, utilization, and attenuation of C-reactive protein in cardiovascular disease: part II. 2005 , 149, 977-83	20
1853	Correlation of exercise capacity with high-sensitive C-reactive protein in patients with stable coronary artery disease. 2005 , 150, 1282-9	29
1852	Screening for coronary artery disease in patients with diabetes: a Bayesian strategy of clinical risk evaluation and exercise echocardiography. 2005 , 150, 1074-80	11
1851	Global inflammation predicts cardiovascular risk in women: a report from the Women's Ischemia Syndrome Evaluation (WISE) study. 2005 , 150, 900-6	51
1850	Marcadores de inflamaci3n y de antiinflamaci3n en el s3ndrome coronario agudo: ¿listos para usarlos en la pr3ctica cl3nica?. 2005 , 58, 615-617	9
1849	[C-reactive protein changes with antihypertensive and statin treatment]. 2005 , 125, 561-4	3
1848	Inflammatory and Anti-Inflammatory Markers in Acute Coronary Syndromes. Ready for Use in the Clinical Setting?. 2005 , 58, 615-617	3
1847	Underrecognized Peripheral Arterial Disease in Patients With Acute Coronary Syndrome: Prevalence of Traditional and Emergent Cardiovascular Risk Factors. 2005 , 58, 1403-1410	
1846	Effectiveness of the addition of ezetimibe to ongoing statin therapy in modifying lipid profiles and attaining low-density lipoprotein cholesterol goals in older and elderly patients: Subanalyses of data from a randomized, double-blind, placebo-controlled trial. 2005 , 3, 218-228	19
1845	The effects of physical activity on serum C-reactive protein and inflammatory markers: a systematic review. 2005 , 45, 1563-9	726
1844	Which white blood cell subtypes predict increased cardiovascular risk?. 2005 , 45, 1638-43	616
1843	C-reactive protein and electrocardiographic ST-segment depression additively predict mortality: the Strong Heart Study. 2005 , 45, 1787-93	13
1842	Race and gender differences in C-reactive protein levels. 2005 , 46, 464-9	514
1841	Prospects for personalized cardiovascular medicine: the impact of genomics. 2005 , 46, 1615-27	56

1840	The metabolic syndrome: the whole is more than the sum of its parts. 2005 , 2, 170-178	1
1839	Risk factors for atherosclerotic vascular disease. 2005 , 71-105	18
1838	C-reactive protein in peripheral arterial disease: relation to severity of the disease and to future cardiovascular events. 2005 , 42, 243-51	93
1837	Markers of cardiac ischemia and inflammation. 2005 , 23, 491-501, vi	4
1836	The association between burnout, depression, anxiety, and inflammation biomarkers: C-reactive protein and fibrinogen in men and women. 2005 , 10, 344-62	208
1835	Atherosclerosis: Diet and Drugs. 2005 ,	2
1834	The metabolic syndrome: time for a critical appraisal: joint statement from the American Diabetes Association and the European Association for the Study of Diabetes. 2005 , 28, 2289-304	1574
1833	Novel Digital-Style Rapid Test Simultaneously Detecting Heart Attack and Predicting Cardiovascular Disease Risk. 2005 , 38, 423-439	23
1832	Dynamic strength training improves insulin sensitivity without altering plasma levels and gene expression of adipokines in subcutaneous adipose tissue in obese men. 2006 , 91, 5107-12	111
1831	Cardiovascular Biomarkers. 2006 ,	2
1830	Biomarkers of cardiovascular disease: molecular basis and practical considerations. <i>Circulation</i> , 2006 , 113, 2335-62	16.7 862
1829	Uric acid and inflammatory markers. 2006 , 27, 1174-81	361
1828	Inflammatory markers and type 2 diabetes. 2006 , 8, 1-6	12
1827	Combining serum biomarkers: the association of C-reactive protein, insulin sensitivity, and homocysteine with cardiovascular disease history in the general US population. 2006 , 13, 180-5	23
1826	Endothelial nitric oxide synthase gene polymorphisms and cardiovascular disease: a HuGE review. 2006 , 164, 921-35	169
1825	Systemic markers of inflammation--are they useful predictive tools in coronary artery disease?. 2006 , 40, 262-6	3
1824	C-reactive protein levels, variation in the C-reactive protein gene, and cancer risk: the Rotterdam Study. 2006 , 24, 5216-22	288
1823	Biomarkers to assess the utility of potential reduced exposure tobacco products. 2006 , 8, 169-91	48

1822	Cellular adhesion molecules and peripheral arterial disease. 2006 , 11, 39-47	33
1821	The role of erythrocytes phosphatidylserine exposure in anemia in peritoneal dialysis patients. 2006 , 28, 573-6	2
1820	Screening and risk stratification of patients with the metabolic syndrome and diabetes. 2006 , 4, 181-90	6
1819	Proteína C reactiva y fibrilaci3n auricular. Un viejo marcador en busca de un nuevo sitio. 2006 , 59, 94-98	2
1818	Utilidad de los marcadores de inflamaci3n en el diagn3stico del riesgo cardiovascular. 2006 , 18, 56-71	
1817	Controversies in stable coronary artery disease. 2006 , 367, 69-78	48
1816	Periodontal infections and atherosclerotic vascular disease: an update. 2006 , 56, 256-62	29
1815	Plasma levels of oxidized-low-density lipoproteins are higher in patients with unstable angina and correlated with angiographic coronary complex plaques. 2006 , 185, 114-20	50
1814	The effects of hormone therapy on the markers of inflammation and endothelial function and plasma matrix metalloproteinase-9 level in postmenopausal women: the postmenopausal estrogen progestin intervention (PEPI) trial. 2006 , 185, 347-52	58
1813	Associations of leisure time physical activity, self-rated physical fitness, and estimated aerobic fitness with serum C-reactive protein among 3,803 adults. 2006 , 185, 381-7	56
1812	C-reactive protein levels and coronary artery disease incidence and mortality in apparently healthy men and women: the EPIC-Norfolk prospective population study 1993-2003. 2006 , 187, 415-22	134
1811	Interleukin-18 levels are not associated with subclinical carotid atherosclerosis in a community population. The Perth Carotid Ultrasound Disease Assessment Study (CUDAS). 2006 , 189, 414-9	26
1810	Epidemiological evidence for an association between habitual tea consumption and markers of chronic inflammation. 2006 , 189, 428-35	58
1809	Soluble Fas, a mediator of apoptosis, C-reactive protein, and coronary and extracoronary atherosclerosis. The Rotterdam Coronary Calcification Study. 2006 , 189, 464-9	12
1808	Serum markers of vascular inflammation in dyslipemia. 2006 , 369, 1-16	44
1807	Lipoprotein-associated phospholipase A2. 2006 , 26, 679-97, vii	43
1806	Inflammatory and long-term risk markers. 2006 , 26, 553-70, v	8
1805	Poststroke C-reactive protein is a powerful prognostic tool among candidates for thrombolysis. 2006 , 37, 1205-10	78

1804	C-Reactive Protein and Atrial Fibrillation. An Old Marker Looking for of a New Target. 2006 , 59, 94-98	2
1803	Inflammation, Atherosclerosis, and Cardiovascular Disease Risk: PAPP-A, Lp-PLA2, and Cystatin C. New Insights or Redundant Information?. 2006 , 59, 247-258	4
1802	Inflamaci3n, aterosclerosis y riesgo cardiovascular: PAPP-A, Lp-PLA2 y cistatina C. ¿Nuevas aportaciones o informaci3n redundante?. 2006 , 59, 247-258	19
1801	[Impact of metabolic syndrome on CRP levels]. 2006 , 206, 363-8	2
1800	C-reactive protein and B-type natriuretic peptides in never-treated white coat hypertensives. 2006 , 29, 411-5	10
1799	Metabolic syndrome, C-reactive protein and increased arterial stiffness in Japanese subjects. 2006 , 29, 589-96	26
1798	Multiple biomarkers for the prediction of first major cardiovascular events and death. 2006 , 355, 2631-9	978
1797	Distribution of C-reactive protein and its relation to arterial hypertension in a country representing a high-risk region for cardiovascular diseases. 2006 , 15, 20-6	4
1796	High-sensitivity C-reactive protein as cardiovascular risk marker in patients with diabetes mellitus. 2006 , 8, 28-36	134
1795	Physical activity and high-sensitivity C-reactive protein. 2006 , 36, 443-58	161
1794	Insights from the NHLBI-Sponsored Women's Ischemia Syndrome Evaluation (WISE) Study: Part I: gender differences in traditional and novel risk factors, symptom evaluation, and gender-optimized diagnostic strategies. 2006 , 47, S4-S20	516
1793	The relationship between plasma levels of oxidized and reduced thiols and early atherosclerosis in healthy adults. 2006 , 47, 1005-11	180
1792	C-reactive protein and other emerging blood biomarkers to optimize risk stratification of vulnerable patients. 2006 , 47, C19-31	249
1791	C-reactive protein induces matrix metalloproteinase-1 and -10 in human endothelial cells: implications for clinical and subclinical atherosclerosis. 2006 , 47, 1369-78	147
1790	Biomarkers in acute cardiac disease: the present and the future. 2006 , 48, 1-11	1092
1789	Improvement of early vascular changes and cardiovascular risk factors in obese children after a six-month exercise program. 2006 , 48, 1865-70	302
1788	Inflammation and Atherothrombosis. 2006 , 48, A33-A46	129
1787	Apolipoprotein E genotype and circulating interleukin-10 levels in patients with stable and unstable coronary artery disease. 2006 , 48, 2471-81	35

1786	The association between C-reactive protein levels and depression: Results from the northern Finland 1966 birth cohort study. 2006 , 60, 825-30	121
1785	High-sensitivity C-reactive protein and parameters of left ventricular dysfunction. 2006 , 12, 61-5	58
1784	Temporal increases in subclinical levels of inflammation are associated with adverse clinical outcomes in patients with left ventricular dysfunction. 2006 , 12, 353-9	11
1783	The prevalence and occurrence of diabetic foot ulcer pain and its impact on health-related quality of life. 2006 , 7, 290-9	44
1782	High serum high-sensitivity C-reactive protein concentrations are associated with relative cardiac sympathetic overactivity during the early morning period in type 2 diabetic patients with metabolic syndrome. 2006 , 55, 1014-21	30
1781	Effects of aerobic exercise on C-reactive protein, body composition, and maximum oxygen consumption in adults: a meta-analysis of randomized controlled trials. 2006 , 55, 1500-7	91
1780	Effect of periodontal treatment on serum C-reactive protein levels: a systematic review and meta-analysis. 2006 , 77, 1635-42	82
1779	High-sensitivity C-reactive protein and coronary heart disease mortality in patients with type 2 diabetes: a 7-year follow-up study. 2006 , 29, 329-33	120
1778	Examination of lower targets for low-density lipoprotein cholesterol and blood pressure in diabetes--the Stop Atherosclerosis in Native Diabetics Study (SANDS). 2006 , 152, 867-75	23
1777	What does minor elevation of C-reactive protein signify?. 2006 , 119, 166.e17-28	244
1776	Social integration and concentrations of C-reactive protein among US adults. 2006 , 16, 78-84	121
1775	C-reactive protein levels and atrial fibrillation after cardiac surgery in women. 2006 , 82, 97-102	29
1774	Left atrial diameter as an independent predictor of first clinical cardiovascular events in middle-aged and elderly adults: the Strong Heart Study (SHS). 2006 , 151, 412-8	284
1773	Gender and C-reactive protein: data from the Multiethnic Study of Atherosclerosis (MESA) cohort. 2006 , 152, 593-8	225
1772	C-reactive protein and risk of heart failure. The Rotterdam Study. 2006 , 152, 514-20	82
1771	Response of high-sensitivity C-reactive protein to exercise training in an at-risk population. 2006 , 152, 793-800	49
1770	C-reactive protein inhibits in vitro oxidation of low-density lipoprotein. 2006 , 580, 5155-60	15
1769	Distinctiveness of secretory phospholipase A2 group IIA and V suggesting unique roles in atherosclerosis. 2006 , 1761, 1301-8	46

1768	Socioeconomic status and C-reactive protein levels in the US population: NHANES IV. 2006 , 20, 498-504	146
1767	Hostility and pain are related to inflammation in older adults. 2006 , 20, 389-400	105
1766	Effects of transdermal and oral contraceptives on estrogen-sensitive hepatic proteins. 2006 , 74, 293-6	51
1765	C-reactive protein is elevated in obese patients with the metabolic syndrome. 2006 , 71, 92-100	93
1764	The association of total and differential white blood cell count with metabolic syndrome in type 2 diabetic patients. 2006 , 73, 284-91	82
1763	Metabolic syndrome and prediabetes. 2006 , 52, 55-144	15
1762	Lipoprotein-associated phospholipase A2: review and recommendation of a clinical cut point for adults. 2006 , 9, 138-43	36
1761	The effect of extended-release metoprolol succinate on C-reactive protein levels in persons with hypertension. 2006 , 8, 257-60	6
1760	Risk indicators of metabolic syndrome in young adults: a preliminary investigation on the influence of tobacco smoke exposure and gender. 2006 , 35, 119-29	14
1759	The novel role of C-reactive protein in cardiovascular disease: risk marker or pathogen. 2006 , 106, 291-7	150
1758	Seasonal variation of C-reactive protein in apparently healthy Koreans. 2006 , 107, 338-42	55
1757	Prevalence of conventional risk factors in Jordanians with coronary heart disease: the Jordan Hyperlipidemia and Related Targets Study (JoHARTS). 2006 , 110, 179-83	33
1756	Carotid atherosclerotic plaque instability in patients with acute myocardial infarction. 2006 , 111, 263-6	28
1755	Acute phase reactants predict mitral regurgitation following mitral valvuloplasty. 2006 , 112, 127-9	4
1754	CRP ultrasensible, deux approches. 2006 , 21, 168-171	
1753	Magnesium supplement intake and C-reactive protein levels in adults. 2006 , 26, 193-196	18
1752	Reduction of C-reactive protein with surgical treatment of obstructive sleep apnea hypopnea syndrome. 2006 , 135, 900-5	24
1751	[Menstrual cycle irregularity as a marker of cardiovascular risk factors at postmenopausal years]. 2006 , 50, 876-83	13

1750	New frontiers for cardiac risk assessment: C-reactive protein. 2006 , 21, 188-91, 195-6, 205-6	1
1749	Forecasting cholesterol management--end of the statin gold rush?. 2006 , 12, 479-85	
1748	Integrating Soluble Biomarkers and Imaging Technologies in the Identification of Vulnerable Atherosclerotic Patients. 2006 , 1, 117727190600100	1
1747	[Analysis on the association of physical activity with metabolic syndrome in a population-based study of Japanese-Brazilians]. 2006 , 50, 1066-74	9
1746	[Relationships among Oxidative Stress Markers, Life Style Factors and Biochemical Findings.]. 2006 , 26, 343-50	1
1745	Risk factor analysis for development of asymptomatic carotid stenosis in Koreans. 2006 , 21, 15-9	6
1744	Article Commentary: Serum C-Reactive Protein (CRP), Target for Therapy or Trouble?. 2006 , 1, 117727190600100	
1743	Inflammation. 2006 , 37-71	
1742	C-reactive protein and vulnerability to mental stress-induced myocardial ischemia. 2006 , 12, 269-74	17
1741	Limited dynamic range of immune response gene expression observed in healthy blood donors using RT-PCR. 2006 , 12, 185-95	28
1740	Baseline plasma C-reactive protein concentrations influence lipid and lipoprotein responses to low-fat and high monounsaturated fatty acid diets in healthy men. 2006 , 136, 1005-11	14
1739	Efficacy of glimepiride on insulin resistance, adipocytokines, and atherosclerosis. 2006 , 53, 87-94	35
1738	Association between dietary fiber and serum C-reactive protein. 2006 , 83, 760-6	255
1737	Dietary intakes of fat and antioxidant vitamins are predictors of subclinical inflammation in overweight Swiss children. 2006 , 84, 748-55	91
1736	Acute-phase serum amyloid A: an inflammatory adipokine and potential link between obesity and its metabolic complications. 2006 , 3, e287	249
1735	Quantitative trait locus on chromosome 20q13 for plasma levels of C-reactive protein in healthy whites: the HERITAGE Family Study. 2006 , 27, 103-7	11
1734	Serial measurements of C-reactive protein after acute myocardial infarction in predicting one-year outcome. 2006 , 47, 833-42	30
1733	The developmental environment and its role in the metabolic syndrome. 265-274	

1732	Measuring immune function: markers of cell-mediated immunity and inflammation in dried blood spots. 181-208	2
1731	Inflammation and Extracellular Volume Expansion are Related to Sodium and Water Removal in Patients on Peritoneal Dialysis. 2006 , 26, 574-580	56
1730	[The Relationship between High Sensitivity C-Reactive Protein and Metabolic Syndrome according to the Fasting Glucose Level at Medical Checkups.]. 2006 , 26, 454-9	1
1729	The optimal cut-off point of C-reactive protein as an optional component of metabolic syndrome in Japan. 2006 , 70, 384-8	59
1728	Prediction of mortality by high-sensitivity C-reactive protein and brain natriuretic peptide in patients with dilated cardiomyopathy. 2006 , 70, 857-63	57
1727	Association of C-reactive protein with early-stage carotid atherosclerosis in Japanese patients with early-stage type 2 diabetes mellitus. 2006 , 53, 693-8	21
1726	The effect of including C-reactive protein in cardiovascular risk prediction models for women. 2006 , 145, 21-9	364
1725	Narrative review: Assessment of C-reactive protein in risk prediction for cardiovascular disease. 2006 , 145, 35-42	180
1724	Dietary long-chain n-3 fatty acids of marine origin and serum C-reactive protein concentrations are associated in a population with a diet rich in marine products. 2006 , 84, 223-9	76
1723	Interleukin 1 genetics, inflammatory mechanisms, and nutrigenetic opportunities to modulate diseases of aging. 2006 , 83, 475S-483S	88
1722	Predictive value of C-reactive protein and left ventricular diastolic filling pattern after a non-ST elevation myocardial infarction. 2006 , 331, 113-8	5
1721	Corrections to Effects of Riboflavin and Folic Acid Supplementation on Plasma Homocysteine Levels in Healthy Subjects [Cherng Zee Chuang, PhD, Adrienne Boyles, BA, Barbara LeGardeur, MPH, Joseph Su, PhD, Shanker Japa, PhD, Alfredo Lopez-S, MD, PhD Am J Med Sci 2006 , 331(2), 157-1, 2006 , 331, 248	
1720	C-reactive protein levels in subjects with Prader-Willi syndrome and obesity. 2006 , 8, 243-8	17
1719	C-reactive protein in predicting coronary artery disease in subjects with aortic valve sclerosis before diagnostic coronary angiography. 2006 , 331, 264-9	7
1718	High Attributable Risk of Elevated C-Reactive Protein Level to Conventional Coronary Heart Disease Risk Factors: The Third National Health and Nutrition Examination Survey. 2006 , 2006, 97-98	1
1717	Exercise Training Modulates Cytokines Activity in Coronary Heart Disease Patients. 2006 , 2006, 211-213	
1716	Update on Cardiac Biomarkers. 2006 , 37, 597-605	3
1715	Interleukin 6 is associated with subclinical atherosclerosis: a link with soluble intercellular adhesion molecule 1. 2006 , 24, 1083-8	52

1714	Preexisting cognitive impairment in women before cardiac surgery and its relationship with C-reactive protein concentrations. 2006 , 102, 1602-8; table of contents	62
1713	C-reactive protein and cardiovascular disease in people with diabetes: high-sensitivity CRP testing can help assess risk for future cardiovascular disease events in this population. 2006 , 106, 66-72	10
1712	Cardiovascular disease: strategies for risk assessment and modification. 2006 , 21, S20-42; quiz S43-5	7
1711	Concentration of circulating oxidized LDL in HIV-infected patients treated with antiretroviral agents: relation to HIV-related lipodystrophy. 2006 , 7, 41-7	34
1710	The metabolic syndrome: risk factors and management. 2006 , 21, 306-13	18
1709	C-Reactive Protein Levels and Outcomes After Statin Therapy. 2006 , 2006, 95-97	
1708	Identification of the metabolic syndrome and imaging of subclinical coronary artery disease: early markers of cardiovascular risk. 2006 , 21, 291-7	5
1707	C-reactive protein as a predictor of incident ischemic stroke among patients with preexisting cardiovascular disease. 2006 , 37, 1720-4	42
1706	C-reactive protein and risk of first-ever ischemic and hemorrhagic stroke in a general Japanese population: the Hisayama Study. 2006 , 37, 27-32	89
1705	Inflammation in hypertension. 2006 , 15, 152-8	139
1704	Gender differences in associations of C-reactive protein with atherosclerotic risk factors and psychosocial characteristics in Japanese civil servants. 2006 , 68, 58-63	8
1703	C-reactive protein and cerebral small-vessel disease. 2006 , 1, 9-11	
1702	Biomarkers of outcome from cardiovascular disease. 2006 , 12, 412-9	32
1701	Acute Coronary Syndromes Clinical Practice Guidelines. 2006 , 5, 69-102	3
1700	Contemporary scientific insights: role of biomarkers of inflammation in cardiovascular disease/atherosclerosis. 2006 , 5, 191-210	3
1699	Statins: are any questions unanswered?. 2006 , 17, 418-25	9
1698	Inflammation, atherosclerosis, and stroke. 2006 , 12, 140-8	83
1697	The clinical implications and management of concomitant hypertension and dyslipidemia. 2006 , 119, 37-45	4

1696	Association of C-reactive protein with the presence and extent of angiographically verified coronary artery disease. 2006 , 209, 197-206	20
1695	Elevated C-reactive protein in Native Canadian children: an ominous early complication of childhood obesity. 2006 , 8, 483-91	37
1694	Traditional risk factor assessment does not capture the extent of cardiovascular risk in systemic lupus erythematosus. 2006 , 36, 237-43	36
1693	Quantitative analysis of carotid atherosclerotic lesions and high-sensitivity C-reactive protein in community-dwelling elderly 80 years or older. 2006 , 6, 186-193	0
1692	Effects of older age on fibrin D-dimer, C-reactive protein, and other hemostatic and inflammatory variables in men aged 60-79 years. 2006 , 4, 982-7	72
1691	The potential role of antiplatelet agents in modulating inflammatory markers in atherothrombosis. 2006 , 4, 2308-16	19
1690	Low ankle-brachial index predicts an adverse 1-year outcome after acute coronary and cerebrovascular events. 2006 , 4, 2599-606	97
1689	Inflammatory biomarkers and cardiovascular risk: association or cause and effect?. 2006 , 19, 129-35	24
1688	C-reactive protein may be increased in migraine patients who present with complex clinical features. 2006 , 46, 197-9	52
1687	The influences of hyperprolactinemia and obesity on cardiovascular risk markers: effects of cabergoline therapy. 2006 , 64, 366-70	60
1686	Cognitive-behavioural stress management does not improve biological cardiovascular risk indicators in women with ischaemic heart disease: a randomized-controlled trial. 2006 , 260, 320-31	24
1685	C-reactive protein, heart rate variability and prognosis in community subjects with no apparent heart disease. 2006 , 260, 377-87	34
1684	Metabolic syndrome, insulin resistance and the inflammation markers C-reactive protein and ferritin. 2006 , 60, 802-9	110
1683	C-reactive protein and echocardiography have little impact on risk stratification in never-treated hypertensive patients. 2006 , 20, 587-92	3
1682	Gingivitis, dental caries and tooth loss: risk factors for cardiovascular diseases or indicators of elevated health risks. 2006 , 33, 92-101	42
1681	Salivary matrix metalloproteinase-8 in patients with and without coronary heart disease may indicate an increased susceptibility to periodontal disease. 2006 , 41, 486-9	18
1680	Indices of low-grade inflammation in polycystic ovary syndrome. 2006 , 1092, 175-86	79
1679	Inflammatory process in type 2 diabetes: The role of cytokines. 2006 , 1084, 89-117	209

1678	C-reactive protein promotes platelet adhesion to endothelial cells: a potential pathway in atherothrombosis. 2006 , 134, 426-31	42
1677	Polymorphism of the C-reactive protein (CRP) gene is related to serum CRP Level and arterial pulse wave velocity in healthy elderly Japanese. 2006 , 29, 323-31	34
1676	Acute coronary artery injury in dogs following administration of CI-1034, an endothelin A receptor antagonist. 2006 , 6, 25-38	3
1675	Association between C-reactive protein and QTc interval in middle-aged men and women. 2006 , 21, 653-9	22
1674	Stress, age, and immune function: toward a lifespan approach. 2006 , 29, 389-400	219
1673	Periodontal disease and systemic conditions: a bidirectional relationship. 2006 , 94, 10-21	339
1672	Evidence for an association between type 1 diabetes and premature carotid atherosclerosis in childhood. 2006 , 27, 428-33	25
1671	YKL-40, a biomarker of inflammation, is elevated in patients with type 2 diabetes and is related to insulin resistance. 2006 , 55, 53-9	149
1670	Role of FLAP and PDE4D in myocardial infarction and stroke: target discovery and future treatment options. 2006 , 8, 183-92	17
1669	Lipoprotein-associated phospholipase A2: pathogenic mechanisms and clinical utility for predicting cardiovascular events. 2006 , 8, 374-81	13
1668	C-reactive protein and cardiovascular disease: weighing the evidence. 2006 , 8, 421-8	69
1667	Clinical trials report. 2006 , 8, 7-12	1
1666	Serum amyloid A: the "other" inflammatory protein. 2006 , 8, 62-8	79
1665	Inflammation and the metabolic syndrome: role of angiotensin II and oxidative stress. 2006 , 8, 191-8	77
1664	The TNF-alpha G-308A polymorphism is associated with C-reactive protein levels: the HERITAGE Family Study. 2006 , 44, 377-83	22
1663	Inflammation markers predicting frailty and mortality in the elderly. 2006 , 80, 219-27	266
1662	Carotid artery stiffness in obese children with the metabolic syndrome. 2006 , 97, 528-31	100
1661	Effects of rosiglitazone alone and in combination with atorvastatin on nontraditional markers of cardiovascular disease in patients with type 2 diabetes mellitus. 2006 , 97, 646-50	62

1660	Justification for the Use of Statins in Primary Prevention: an Intervention Trial Evaluating Rosuvastatin (JUPITER)--can C-reactive protein be used to target statin therapy in primary prevention?. 2006 , 97, 33A-41A	156
1659	Usefulness of clinical evaluation, troponins, and C-reactive protein in predicting mortality among stable hemodialysis patients. 2006 , 98, 1283-7	17
1658	Competing impact of excess weight versus cardiorespiratory fitness on cardiovascular risk. 2006 , 98, 1468-71	23
1657	Inflammatory biomarkers in stable atherosclerosis. 2006 , 98, 2P-8P	59
1656	Plaque stabilization: Can we turn theory into evidence?. 2006 , 98, 26P-33P	48
1655	Association of elevated fibrinogen and C-reactive protein levels with carotid lesions in patients with newly diagnosed hypertension or type II diabetes. 2006 , 37, 1004-9	32
1654	Managing cardiovascular risk in patients with metabolic syndrome. 2006 , 8 Suppl 1, S7-14	6
1653	Serum albumin, C-reactive protein, interleukin 6, and fetuin a as predictors of malnutrition, cardiovascular disease, and mortality in patients with ESRD. 2006 , 47, 139-48	371
1652	C-reactive protein: a family of proteins to regulate cardiovascular function. 2006 , 47, 212-22	53
1651	Cardiovascular biomarkers in CKD: pathophysiology and implications for clinical management of cardiac disease. 2006 , 48, 341-60	62
1650	C-reactive protein and the metabolic syndrome: useful addition to the cardiovascular risk profile?. 2006 , 1, 66-9; quiz 70-1	10
1649	Heart rate characteristics monitoring for neonatal sepsis. 2006 , 53, 126-32	81
1648	Effects of systemic inflammation on endothelium-dependent vasodilation. 2006 , 16, 15-20	88
1647	Association between circulating monocyte chemoattractant protein-1 and urinary albumin excretion in nonobese Type 2 diabetic patients. 2006 , 20, 98-104	33
1646	Efficacy of methylsulfonylmethane (MSM) in osteoarthritis pain of the knee: a pilot clinical trial. 2006 , 14, 286-94	117
1645	C-reactive protein and dietary nutrients in urban Asian Indian adolescents and young adults. 2006 , 22, 865-71	41
1644	Estrogen therapy and thrombotic risk. 2006 , 111, 792-807	17
1643	Levels of acute phase proteins remain stable after ischemic stroke. 2006 , 6, 37	22

- 1642 New and emerging strategies for reducing cardiometabolic risk factors. **2006**, 26, 13S-31S; quiz 43S-45S 9
- 1641 Evaluating and treating cardiometabolic risk factors: a case discussion. **2006**, 26, 32S-41S
- 1640 The metabolic syndrome and cardiometabolic risk: scope of the problem and current standard of care. **2006**, 26, 3S-12S 13
- 1639 Multiplexed flow cytometric analyses of pro- and anti-inflammatory cytokines in the culture media of oxysterol-treated human monocytic cells and in the sera of atherosclerotic patients. **2006**, 69, 359-73 83
- 1638 Insulin resistance and endothelial dysfunction: the road map to cardiovascular diseases. **2006**, 22, 423-36 301
- 1637 High-sensitivity C-reactive protein, adiposity, and blood pressure in the Yakut of Siberia. **2006**, 18, 766-75 15
- 1636 Soluble CD40L versus myocyte enhancer factor: predicting a prominent marker for cardiovascular disease. **2006**, 2006, 1698-701 2
- 1635 Effects of caloric restriction and exercise on age-related, chronic inflammation assessed by C-reactive protein and interleukin-6. **2006**, 61, 211-7 65
- 1634 High-sensitivity C-reactive protein and cognitive function in older women. **2006**, 17, 183-9 54
- 1633 Novel anti-inflammatory drugs in hypertension. **2006**, 21, 859-64 8
- 1632 C-reactive protein's place on the cardiovascular stage: prima ballerina or chorus girl?. **2006**, 24, 627-32 6
- 1631 Lipoprotein-associated phospholipase A2 and prognosis after myocardial infarction in the community. **2006**, 26, 2517-22 74
- 1630 Markers of inflammation and infection influence the outcome of patients with baseline asymptomatic carotid lesions: a 5-year follow-up study. **2006**, 37, 482-6 92
- 1629 Peripheral blood CD34+KDR+ endothelial progenitor cells are determinants of subclinical atherosclerosis in a middle-aged general population. **2006**, 37, 2277-82 182
- 1628 Admission C-reactive protein as a predictor for stroke outcome among candidates for thrombolysis: decision adjourned. **2006**, 37, 2454; author reply 2455-6 3
- 1627 Point: high-sensitivity C-reactive protein and cardiac C-reactive protein assays: is there a need to differentiate?. **2006**, 52, 1254-6 8
- 1626 Ankle brachial index, C-reactive protein, and central augmentation index to identify individuals with severe atherosclerosis. **2006**, 27, 316-22 37
- 1625 Oxidative stress, inflammation and cardiovascular mortality in haemodialysis--role of seniority and intravenous ferrotherapy: analysis at 4 years of follow-up. **2006**, 21, 984-90 42

1624	Inverse association between pulmonary function and C-reactive protein in apparently healthy subjects. 2006 , 174, 626-32	100
1623	C-reactive protein is a strong independent predictor of death in type 2 diabetes: association with multiple facets of the metabolic syndrome. 2006 , 114, 127-34	38
1622	The association between elevated levels of inflammation biomarkers and coronary artery disease and death. 2006 , 174, 479-80	2
1621	How and when do we alter inflammatory mechanisms in stroke? Will it help?. 2006 , 26, 75-87	1
1620	The natural history of chronic obstructive pulmonary disease. 2006 , 27, 627-43	174
1619	High sensitivity C-reactive protein in cardiovascular disease and type 2 diabetes: evidence for a clinical role?. 2006 , 6, 5-8	1
1618	Comparison of metabolic syndrome prevalence using six different definitions in overweight pre-pubertal children enrolled in a weight management study. 2006 , 30, 853-60	80
1617	Preventive Cardiology. 2006 ,	
1616	Biomarkers of diseases: An evidence-based approach. 2006 , 25, 227-233	1
1615	C-reactive protein, adiposity and cardiovascular risk factors in a Mediterranean population. 2006 , 30, 468-74	27
1614	Chlamydia trachomatis-associated tubal factor subfertility: Immunogenetic aspects and serological screening. 2006 , 12, 719-30	66
1613	Increased C reactive protein and cardiac enzyme levels after coronary stent implantation. Is there protection by remote ischaemic preconditioning?. 2006 , 92, 1821-6	80
1612	Smoking combined with overweight or obesity markedly elevates cardiovascular risk factors. 2006 , 13, 938-46	22
1611	Cardiac biomarkers for the prediction and diagnosis of atherosclerotic disease and its complications. 2006 , 6, 557-69	2
1610	Relationship between inflammation, insulin resistance and type 2 diabetes: 'cause or effect'?. 2006 , 2, 195-211	92
1609	Exposures to airborne particulate matter and adverse perinatal outcomes: a biologically plausible mechanistic framework for exploring potential effect modification by nutrition. 2006 , 114, 1636-42	302
1608	Irbesartan treatment reduces biomarkers of inflammatory activity in patients with type 2 diabetes and microalbuminuria: an IRMA 2 substudy. 2006 , 55, 3550-5	66
1607	Primary prevention of ischemic stroke: a guideline from the American Heart Association/American Stroke Association Stroke Council: cosponsored by the Atherosclerotic Peripheral Vascular Disease Interdisciplinary Working Group; Cardiovascular Nursing Council; Clinical Cardiology Council; Nutrition, Physical Activity, and Metabolism Council; and the Quality of Care and Outcomes Research Interdisciplinary Working Group: the American Academy of Neurology affirms the value of this guideline. 2006 , 37, 1583-633	869

1606	Progression of plasminogen activator inhibitor-1 and fibrinogen levels in relation to incident type 2 diabetes. <i>Circulation</i> , 2006 , 113, 1753-9	16.7	111
1605	Laboratory markers in IBD: useful, magic, or unnecessary toys?. 2006 , 55, 426-31		583
1604	Distribution of lifestyle and emerging risk factors by 10-year risk for coronary heart disease. 2006 , 13, 745-52		11
1603	Biomarkers to assess the utility of potential reduced exposure tobacco products. 2006 , 8, 600-22		66
1602	Risk Factor Analysis of Plasma Cytokines in Patients With Coronary Artery Disease by a Multiplexed Fluorescent Immunoassay. 2006 , 125, 906-913		40
1601	C-reactive protein as a risk predictor: do race/ethnicity and gender make a difference?. <i>Circulation</i> , 2006 , 114, e67-74	16.7	59
1600	Endothelial lipase is associated with inflammation in humans. 2006 , 47, 2808-13		49
1599	Adiponectin: a promising marker for cardiovascular disease. 2006 , 52, 797-9		19
1598	Lipoprotein-associated phospholipase A2 and measures of extracoronary atherosclerosis: the Rotterdam Study. 2006 , 26, 631-6		55
1597	Analytical performance and clinical efficacy for cardiovascular risk estimation of an Olympus immunoturbidimetric high-sensitivity C-reactive protein assay. 2006 , 44, 228-31		2
1596	C-Reactive Protein as a Tool for Risk Assessment in Primary Prevention. 2006 , 237-260		
1595	Clinical relevance of C-reactive protein during follow-up of patients with acute coronary syndromes in the Aggrastat-to-Zocor Trial. <i>Circulation</i> , 2006 , 114, 281-8	16.7	239
1594	Association between high-sensitive measurement of C-reactive protein and metabolic syndrome as defined by International Diabetes Federation, National Cholesterol Education Program, and World Health Organization criteria in a population-based cohort of 55-year-old Finnish individuals. 2006 , 29, 2177-8		5
1593	Systemic versus coronary levels of inflammation in acute coronary syndromes. 2006 , 57, 459-63		17
1592	Comparison of circulating adiponectin and proinflammatory markers regarding their association with metabolic syndrome in Japanese men. 2006 , 26, 871-6		147
1591	Altered fibrin architecture is associated with hypofibrinolysis and premature coronary atherothrombosis. 2006 , 26, 2567-73		261
1590	Determinants of arterial wall remodeling during lipid-lowering therapy: serial intravascular ultrasound observations from the Reversal of Atherosclerosis with Aggressive Lipid Lowering Therapy (REVERSAL) trial. <i>Circulation</i> , 2006 , 113, 2826-34	16.7	124
1589	Risk factors for progression of peripheral arterial disease in large and small vessels. <i>Circulation</i> , 2006 , 113, 2623-9	16.7	190

1588	Is C-reactive protein an innocent bystander or proatherogenic culprit? The verdict is still out. <i>Circulation</i> , 2006 , 113, 2128-34; discussion 2151	16.7	153
1587	Lipoprotein-associated phospholipase A2 and its association with cardiovascular outcomes in patients with acute coronary syndromes in the PROVE IT-TIMI 22 (PRavastatin Or atorVastatin Evaluation and Infection Therapy-Thrombolysis In Myocardial Infarction) trial. <i>Circulation</i> , 2006 , 113, 1745-52	16.7	192
1586	Insight into the nature of the CRP-coronary event association using Mendelian randomization. 2006 , 35, 922-31		137
1585	Circulating leukocyte-derived microparticles predict subclinical atherosclerosis burden in asymptomatic subjects. 2006 , 26, 2775-80		142
1584	High serum C-reactive protein level is not an independent predictor for stroke: the Rotterdam Study. <i>Circulation</i> , 2006 , 114, 1591-8	16.7	78
1583	Dyslipidemia in older adults. 2006 , 15, 239-44		2
1582	Additive value of immunoassay-measured fibrinogen and high-sensitivity C-reactive protein levels for predicting incident cardiovascular events. <i>Circulation</i> , 2006 , 114, 381-7	16.7	65
1581	C-reactive protein is a strong predictor of mortality in hemodialysis patients. 2006 , 28, 427-33		29
1580	Cross-sectional association between markers of inflammation and serum sex steroid levels in the postmenopausal estrogen/progestin interventions trial. 2006 , 15, 14-23		36
1579	Methods of detecting atherosclerosis in non-cardiac surgical patients; the role of biochemical markers. 2006 , 97, 758-69		40
1578	C-reactive protein and metabolic syndrome in elderly women: a 12-year follow-up study. 2006 , 29, 931-2		22
1577	Inflammation and changes in metabolic syndrome abnormalities in US adolescents: findings from the 1988-1994 and 1999-2000 National Health and Nutrition Examination Surveys. 2006 , 52, 1325-30		113
1576	Childhood C-reactive protein in predicting CRP and carotid intima-media thickness in adulthood: the Cardiovascular Risk in Young Finns Study. 2006 , 26, 1883-8		136
1575	Are C-reactive protein levels before thrombolysis of prognostic value?. 2006 , 2, 588-9		1
1574	Valsartan, blood pressure reduction, and C-reactive protein: primary report of the Val-MARC trial. 2006 , 48, 73-9		121
1573	Dyslipidemia. 2006 ,		
1572	Recent changes in cardiovascular risk factors among women and men. 2006 , 15, 734-46		56
1571	Non-low-density lipoprotein cholesterol-associated actions of ezetimibe: an overview. 2006 , 10, 851-66		24

1570	An overview of inflammatory markers in type 2 diabetes from the perspective of the clinical chemist. 2006 , 8, 37-44	7
1569	Individuals homozygous for the age-related macular degeneration risk-conferring variant of complement factor H have elevated levels of CRP in the choroid. 2006 , 103, 17456-61	181
1568	National Academy of Clinical Biochemistry Laboratory Medicine Practice Guidelines: clinical characteristics and utilization of biochemical markers in acute coronary syndromes. 2007 , 53, 552-74	326
1567	Relationship between a systemic inflammatory marker, plaque inflammation, and plaque characteristics determined by intravascular optical coherence tomography. 2007 , 27, 1820-7	92
1566	Assessing inflammatory status in cardiovascular disease. 2007 , 93, 1001-7	54
1565	Establishment of a high sensitivity plasma assay for human pentraxin3 as a marker for unstable angina pectoris. 2007 , 27, 161-7	197
1564	C-reactive protein downregulates endothelial NO synthase and attenuates reendothelialization in vivo in mice. 2007 , 100, 1452-9	59
1563	Gestational diabetes after delivery. Short-term management and long-term risks. 2007 , 30 Suppl 2, S225-35	105
1562	Risk of type 2 diabetes attributable to C-reactive protein and other risk factors. 2007 , 30, 2695-9	54
1561	Lipoprotein-associated phospholipase A2 predicts 5-year cardiac mortality independently of established risk factors and adds prognostic information in patients with low and medium high-sensitivity C-reactive protein (the Ludwigshafen risk and cardiovascular health study). 2007 , 53, 1440-7	52
1560	Cardiovascular biomarkers: added value with an integrated approach?. <i>Circulation</i> , 2007 , 116, 3-5	16.7 33
1559	Methods for evaluating endothelial function in humans. 2007 , 49, 748-60	103
1558	Comparison of interleukin-6 and C-reactive protein for the risk of developing hypertension in women. 2007 , 49, 304-10	115
1557	C-reactive protein and risk of breast cancer. 2007 , 99, 890-4	72
1556	Middle-aged and elderly outpatients show lower body temperature responses than the young, even with the same C-reactive protein levels. 2007 , 35, 329-37	1
1555	Risk assessment in the patient with established peripheral arterial disease. 2007 , 12, 343-50	24
1554	Primer: the practical use of biological markers of rheumatic and systemic inflammatory diseases. 2007 , 3, 512-20	31
1553	No causal link. 2007 , 203, 175-6	

1552	Change in cardiovascular risk status after dental clearance. 2007 , 202, 543-4	12
1551	Metabolic syndrome: pathogenesis, medical care and dental implications. 2007 , 138, 179-87; quiz 248	27
1550	Atherogenic vascular and lipid phenotypes in young patients with Type 1 diabetes are associated with diabetes high-risk HLA genotype. 2007 , 293, H3175-9	9
1549	Circulating chemokines accurately identify individuals with clinically significant atherosclerotic heart disease. 2007 , 31, 402-9	50
1548	Glycated haemoglobin levels are related to chronic subclinical inflammation in renal transplant recipients without pre-existing or new onset diabetes. 2007 , 22, 1994-9	10
1547	Exercise decreases oxidative stress and inflammation and restores renal dopamine D1 receptor function in old rats. 2007 , 293, F914-9	82
1546	Impact of C-reactive protein on treatment of patients with cardiovascular disease. 2007 , 64, 2009-16	10
1545	Air pollution and inflammatory response in myocardial infarction survivors: gene-environment interactions in a high-risk group. 2007 , 19 Suppl 1, 161-75	33
1544	Circulating secretory phospholipase A2 activity and risk of incident coronary events in healthy men and women: the EPIC-Norfolk study. 2007 , 27, 1177-83	89
1543	Alanine aminotransferase and directly measured insulin sensitivity in a multiethnic cohort: the Insulin Resistance Atherosclerosis Study. 2007 , 30, 1819-27	74
1542	The prevention of cardiovascular disease: have we really made progress?. 2007 , 26, 49-60	20
1541	High C-reactive protein levels are associated with oral hormonal menopausal therapy but not with intrauterine levonorgestrel and transdermal estradiol. 2007 , 67, 257-63	13
1540	Obesity, metabolic syndrome, and cardiovascular disease. 2007 , 61, 653-9	75
1539	C-reactive protein causes downregulation of vascular angiotensin subtype 2 receptors and systolic hypertension in mice. <i>Circulation</i> , 2007 , 115, 1020-8	16.7 65
1538	Aortic pathophysiology by cardiovascular magnetic resonance in patients with clinical suspicion of coronary artery disease. 2007 , 9, 43-8	4
1537	Serum chitotriosidase activity, a marker of activated macrophages, predicts new cardiovascular events independently of C-reactive protein. 2007 , 108, 297-306	28
1536	C-reactive protein and asymmetric dimethylarginine: markers or mediators in cardiovascular disorders?. 2007 , 13, 1619-29	12
1535	Clinical application of C-reactive protein across the spectrum of acute coronary syndromes. 2007 , 53, 1800-7	63

1534	C-reactive protein concentrations and subsequent ovarian cancer risk. 2007 , 109, 933-41	70
1533	Elevated inflammation markers in pheochromocytoma compared to other forms of hypertension. 2007 , 14, 57-64	30
1532	C-reactive protein distribution and correlates among men and women with chronic coronary heart disease. 2007 , 107, 345-53	11
1531	Tonsillectomy in children: indications, diagnosis and complications. 2007 , 69, 336-9	15
1530	Acute versus chronic myocardial ischemia: a differential biological profile study. 2008 , 36, 91-7	4
1529	Hormonal and nutritional effects on cardiovascular risk markers in young women. 2007 , 92, 3089-94	17
1528	Specific serotonin reuptake inhibition in major depressive disorder adversely affects novel markers of cardiac risk. 2007 , 30, 285-93	60
1527	C-reactive protein, left ventricular mass index, and risk of cardiovascular disease in essential hypertension. 2007 , 30, 1177-85	29
1526	Imaging and molecular biomarkers of vulnerable atheromatous plaques. 2007 , 1, 23-35	
1525	Chapter 1: Introduction. 2007 , 14, S2-S113	
1524	Low-grade inflammation is a risk factor for clinical stroke events in addition to silent cerebral infarcts in Japanese older hypertensives: the Jichi Medical School ABPM Study, wave 1. 2007 , 38, 911-7	58
1523	Childhood maltreatment predicts adult inflammation in a life-course study. 2007 , 104, 1319-24	855
1522	Recent development in pharmacogenomics: from candidate genes to genome-wide association studies. 2007 , 7, 371-93	31
1521	Strawberry intake, lipids, C-reactive protein, and the risk of cardiovascular disease in women. 2007 , 26, 303-10	56
1520	The combination of B-type natriuretic peptide and C-reactive protein provides incremental prognostic value among older patients referred for cardiac catheterization. 2007 , 16, 229-35	4
1519	Evaluation of the high-sensitivity, full-range Olympus CRP OSR6199 application on the Olympus AU640. 2007 , 45, 402-6	1
1518	Biomarkers in the prevention and treatment of atherosclerosis: need, validation, and future. 2007 , 59, 40-53	53
1517	Levels of adiponectin, C-reactive protein and interleukin-1 receptor antagonist are associated with the relative change in body mass index between childhood and adulthood. 2007 , 4, 328-31	14

1516	Prognostic significance of the Centers for Disease Control/American Heart Association high-sensitivity C-reactive protein cut points for cardiovascular and other outcomes in patients with stable coronary artery disease. <i>Circulation</i> , 2007 , 115, 1528-36	16.7	262
1515	C-reactive protein in elderly patients with suspected and confirmed pulmonary embolism. 2007 , 13, 221-3		2
1514	Direct evidence of endothelial oxidative stress with aging in humans: relation to impaired endothelium-dependent dilation and upregulation of nuclear factor-kappaB. 2007 , 100, 1659-66		403
1513	Inflammation biomarkers and near-term death in older men. 2007 , 165, 684-95		82
1512	Implications of cardiac risk and low-density lipoprotein cholesterol distributions in the United States for the diagnosis and treatment of dyslipidemia: data from National Health and Nutrition Examination Survey 1999 to 2002. <i>Circulation</i> , 2007 , 115, 1363-70	16.7	58
1511	The Anti-Inflammatory Actions of Exercise Training. 2007 , 1, 220-235		72
1510	Systemic inflammation and lung function in young adults. 2007 , 62, 1064-8		91
1509	Evaluation of the association between the first observation and the longitudinal change in C-reactive protein, and all-cause mortality. 2008 , 94, 457-62		34
1508	C-Reactive Protein and Cardiovascular Risk in the Metabolic Syndrome and Type 2 Diabetes: Controversy and Challenge. 2007 , 25, 16-22		8
1507	Clinical significance of high-sensitivity C-reactive protein in cardiovascular disease. 2007 , 1, 229-41		11
1506	Role of novel biomarkers of inflammation in patients with stable coronary heart disease. 2007 , 58, 148-55		16
1505	C-reactive protein and prediction of coronary heart disease and global vascular events in the Prospective Study of Pravastatin in the Elderly at Risk (PROSPER). <i>Circulation</i> , 2007 , 115, 981-9	16.7	100
1504	The effects of cigarette smoking on C-reactive protein concentrations in men and women and its modification by exogenous oral hormones in women. 2007 , 14, 694-700		23
1503	Asymptomatic Carotid Artery Stenosis. 2007 ,		13
1502	Application of leukocyte transcriptomes to assess systemic consequences of risk factors for cardiovascular disease. 2007 , 45, 1109-20		14
1501	Serum high sensitivity C-reactive protein and cognitive function in elderly women. 2007 , 36, 443-8		65
1500	Association of classical and related inflammatory markers with high-sensitivity C-reactive protein in healthy individuals: results from the Stanislas cohort. 2007 , 45, 1339-46		11
1499	A polymorphism in the resistin gene promoter is related to increased C-reactive protein levels in patients with coronary artery disease. 2007 , 45, 1471-5		10

1498	Leukocyte count and vascular risk in symptomatic intracranial atherosclerosis. 2007 , 24, 283-8	20
1497	Anthropometric correlates of C-reactive protein among indigenous Siberians. 2007 , 26, 241-6	14
1496	Hyperglycemia promotes microinflammation as evaluated by C-reactive protein in the very elderly. 2007 , 46, 207-12	17
1495	Anti-Saccharomyces cerevisiae antibodies in acute myocardial infarction. 2007 , 55, 444-9	5
1494	Plasma cytokines, metabolic syndrome, and atherosclerosis in humans. 2007 , 55, 26-35	32
1493	High-sensitivity C-reactive protein, other markers of inflammation, and the incidence of macular degeneration in women. 2007 , 125, 300-5	66
1492	Comparison of C-reactive protein levels between serum and plasma samples on long-term frozen storage after a 13.8 year interval: the JMS Cohort Study. 2007 , 17, 120-4	22
1491	Considerable disagreement among definitions of metabolic syndrome for Japanese. 2007 , 71, 1239-43	18
1490	Coronary spasm is associated with chronic low-grade inflammation. 2007 , 71, 1074-8	61
1489	We are on the Way to Finding the Cutoff Point for High-Sensitivity C-Reactive Protein in Japanese. 2007 , 71, 1502	1
1488	Association of high levels of plasma free dopamine with future coronary events in patients with coronary artery disease. 2007 , 71, 688-92	12
1487	High-sensitivity C-reactive protein is quite low in Japanese men at high coronary risk. 2007 , 71, 820-5	32
1486	Association between serum values of C-reactive protein and cytokine production in whole blood of patients with type 2 diabetes. 2007 , 113, 103-8	23
1485	C-reactive protein: a marker or a player?. 2007 , 113, 79-81	24
1484	Diabetes, hypertension, and cardiovascular events in survivors of hematopoietic cell transplantation: a report from the bone marrow transplantation survivor study. 2007 , 109, 1765-72	278
1483	Evaluation of C-reactive protein in primary and secondary prevention. 2007 , 55, 430-8	8
1482	The potential anti-inflammatory benefits of improving physical fitness in hypertension. 2007 , 25, 1533-42	26
1481	Ghrelin, glucose homeostasis, and carotid intima media thickness in kidney transplantation. 2007 , 84, 1248-54	16

1480	C-reactive protein levels and sleep disturbances: observations based on the Northern Finland 1966 Birth Cohort study. 2007 , 69, 756-61	51
1479	Polycystic ovarian syndrome: an evidence-based approach to evaluation and management of diabetes and cardiovascular risks for today's clinician. 2007 , 50, 226-43	30
1478	The influence of exercise training on inflammatory cytokines and C-reactive protein. 2007 , 39, 1714-9	183
1477	Augmentation index and carotid intima-media thickness are differently related to age, C-reactive protein and oxidized low-density lipoprotein. 2007 , 25, 819-25	34
1476	Inflammation and ischaemic stroke. 2007 , 20, 334-42	192
1475	Role of heart failure etiology on arterial wave reflection in heart transplant recipients: relation with C-reactive protein. 2007 , 25, 2273-9	5
1474	Using automated clinical data for risk adjustment: development and validation of six disease-specific mortality predictive models for pay-for-performance. 2007 , 45, 789-805	90
1473	Effect of a high-fiber diet vs a fiber-supplemented diet on C-reactive protein level. 2007 , 167, 502-6	165
1472	The role of low grade inflammation as measured by C-reactive protein levels in the explanation of socioeconomic differences in carotid atherosclerosis. 2007 , 17, 340-7	12
1471	Lifestyle-related determinants of inflammation in adolescence. 2007 , 98 Suppl 1, S116-20	49
1470	The association between C-reactive protein concentration and depression in later life is due to poor physical health: results from the Health in Men Study (HIMS). 2007 , 37, 1775-86	41
1469	Comparison of a dietary portfolio diet of cholesterol-lowering foods and a statin on LDL particle size phenotype in hypercholesterolaemic participants. 2007 , 98, 1229-36	18
1468	Serum omega-3 fatty acids are associated with variation in mood, personality and behavior in hypercholesterolemic community volunteers. 2007 , 152, 1-10	61
1467	Aging influences the level and functions of fasting plasma ghrelin levels: the POWIRS-Study. 2007 , 139, 65-71	23
1466	The relative influences of fitness and fatness on inflammatory factors. 2007 , 44, 3-11	108
1465	The levels of circulating markers of atherosclerosis and inflammation in subjects with different degrees of body mass index: Soluble CD40 ligand and high-sensitivity C-reactive protein. 2007 , 119, 79-84	45
1464	Atherothrombosis at a distance: contributing role of existing large-burden vascular disease, circulating biosignals and modulating extravascular tissues. 2007 , 119, 761-8	1
1463	Beneficial effects of angiotensin II type 1 receptor blocker antihypertensive treatment on inflammation indices: the effect of smoking. 2007 , 9, 21-7	6

1462	Amlodipine added to quinapril vs quinapril alone for the treatment of hypertension in diabetes: the Amlodipine in Diabetes (ANDI) trial. 2007 , 9, 120-7	10
1461	Cardiovascular morbidity and mortality in high-risk populations: epidemiology and opportunities for risk reduction. 2007 , 9, 11-5	19
1460	Asymmetric dimethylarginine, cortisol/cortisone ratio, and C-peptide: markers for diabetes and cardiovascular risk?. 2007 , 153, 67-73	32
1459	Preoperative neutrophil-lymphocyte ratio and outcome from coronary artery bypass grafting. 2007 , 154, 995-1002	227
1458	Dietary carbohydrate intake and high-sensitivity C-reactive protein in at-risk women and men. 2007 , 154, 962-8	17
1457	Use of statins and blood pressure. 2007 , 20, 937-41	15
1456	C-reactive protein, inflammatory conditions, and cardiovascular disease risk. 2007 , 120, 1054-62	75
1455	Statins for the primary prevention of cardiovascular events in older adults: a review of the evidence. 2007 , 5, 52-63	27
1454	Framework for use of toxicity screening tools in context-based decision-making. 2007 , 45, 759-96	20
1453	Circulating small dense LDL, endothelial injuring factors and fibronectin in healthy postmenopausal women. 2007 , 381, 157-63	18
1452	Effects of IL-6, adiponectin, CRP and metabolic syndrome on subclinical atherosclerosis. 2007 , 384, 99-104	65
1451	Both cyclooxygenase- and cytokine-mediated inflammation are associated with carotid intima-media thickness. 2007 , 38, 130-6	35
1450	Cardiovascular disease: is C-reactive protein the bad guy?. 2007 , 76, 472-3	
1449	C-reactive protein: a nontraditional serum marker of cardiovascular risk. 2007 , 16, 14-21	122
1448	Systemic inflammation and metabolic syndrome in cardiac allograft vasculopathy. 2007 , 26, 826-33	42
1447	Widespread vascular production of C-reactive protein (CRP) and a relationship between serum CRP, plaque CRP and intimal hypertrophy. 2007 , 191, 175-81	33
1446	Lipoprotein-associated phospholipase A2 and coronary calcification. The Rotterdam Coronary Calcification Study. 2007 , 191, 377-83	25
1445	Implications of C-reactive protein or coronary artery calcium score as an adjunct to global risk assessment for primary prevention of CHD. 2007 , 193, 401-7	18

1444	A low level of C-reactive protein in Japanese adults and its association with cardiovascular risk factors: the Japan NCV-Collaborative Inflammation Cohort (JNIC) study. 2007 , 194, 238-44	45
1443	c-Reactive protein and the metabolic syndrome in older Chinese: Guangzhou Biobank Cohort Study. 2007 , 194, 483-9	21
1442	Leukocyte count is an independent predictor for risk of acute myocardial infarction in middle-aged Japanese men. 2007 , 195, 147-52	17
1441	Macrovascular disease in a Japanese-Brazilian population of high prevalence of metabolic syndrome: associations with classical and non-classical risk factors. 2007 , 195, 160-6	6
1440	C-reactive protein and atherogenesis: from fatty streak to clinical event. 2007 , 195, e10-8	68
1439	C-reactive protein is related to extent and progression of coronary and extra-coronary atherosclerosis; results from the Rotterdam study. 2007 , 195, e195-202	54
1438	European guidelines on cardiovascular disease prevention in clinical practice: executive summary. 2007 , 194, 1-45	190
1437	National Academy of Clinical Biochemistry Laboratory Medicine Practice Guidelines: Clinical characteristics and utilization of biochemical markers in acute coronary syndromes. <i>Circulation</i> , 2007 , 115, e356-75	16.7 255
1436	Clinical evidence for anti-inflammatory effects of antiplatelet therapy in patients with atherothrombotic disease. 2007 , 12, 113-22	108
1435	Molecular Basis of Lipoprotein Disorders, Atherogenesis, and Thrombosis. 2007 , 211-260	0
1434	Neuroendocrine and inflammatory factors associated with positive affect in healthy men and women: the Whitehall II study. 2008 , 167, 96-102	157
1433	Relationship of circulating total homocysteine and C-reactive protein to trabecular bone in postmenopausal women. 2007 , 10, 395-403	20
1432	Handbook of Nutrition and Ophthalmology. 2007 ,	1
1431	European guidelines on cardiovascular disease prevention in clinical practice: executive summary. Fourth Joint Task Force of the European Society of Cardiology and other societies on cardiovascular disease prevention in clinical practice (constituted by representatives of nine societies and by invited experts). 2007 , 14 Suppl 2, E1-46	309
1430	Can electrons act as antioxidants? A review and commentary. 2007 , 13, 955-67	30
1429	Metabolic syndrome in youth: current issues and challenges. 2007 , 32, 13-22	45
1428	Effects of simvastatin and metformin on inflammation and insulin resistance in individuals with mild metabolic syndrome. 2007 , 7, 219-24	45
1427	Metabolic syndrome: cardiovascular risk assessment and management. 2007 , 7, 259-72	43

1426	Predicting the risk of cardiovascular disease: where does lipoprotein-associated phospholipase A(2) fit in?. 2007 , 11, 203-17	15
1425	Cardiac biomarkers: myths, facts and future horizons. 2007 , 7, 693-7	2
1424	An evaluation of the association between systemic inflammation--as measured by C-reactive protein--and hospital resource use. 2007 , 23, 2785-92	4
1423	The importance of treating multiple cardiometabolic risk factors in patients with Type 2 diabetes. 2007 , 8, 3009-20	6
1422	Re: effect of periodontal treatment on serum C-reactive protein levels: a systematic review and meta-analysis. Ioannidou E, Malekzadeh T, Dongari-Bagtzoglou A. (2006;77:1635-1642). 2007 , 78, 1184-5; author reply 1186-7	
1421	Influence of periodontal therapy on the regulation of soluble cell adhesion molecule expression in aggressive periodontitis patients. 2007 , 78, 683-90	27
1420	Evaluation of gingival crevicular fluid and serum levels of high-sensitivity C-reactive protein in chronic periodontitis patients with or without coronary artery disease. 2007 , 78, 2319-24	53
1419	C-reactive protein is elevated in the offspring of parents with essential hypertension. 2007 , 92, 304-8	12
1418	Associations of resistin with inflammation and insulin resistance in patients with type 2 diabetes mellitus. 2007 , 67, 215-25	54
1417	The nature of the problem: an overview of acute coronary syndromes and myocardial infarction. 2007 , 38, 143-153	1
1416	Elevated C-reactive protein levels are associated with postoperative events in patients undergoing lower extremity vein bypass surgery. 2007 , 45, 2-9; discussion 9	117
1415	Improved insulin sensitivity by the angiotensin II-receptor blocker losartan is not explained by adipokines, inflammatory markers, or whole blood viscosity. 2007 , 56, 1470-7	22
1414	Treatment of hypertension and other cardiovascular risk factors in patients with metabolic syndrome. 2007 , 91, 1211-23, x	6
1413	Intraplaque hemorrhage assessed by high-resolution magnetic resonance imaging and C-reactive protein in carotid atherosclerosis. 2007 , 46, 1130-7	29
1412	The adiponectin-to-leptin ratio in women with polycystic ovary syndrome: relation to insulin resistance and proinflammatory markers. 2007 , 56, 766-71	35
1411	C-reactive protein, metabolic syndrome, and end organ damage. 2007 , 56, 1620-2	10
1410	[New perspectives in the measurement of cardiovascular risk: explorations to detect subclinical atherosclerosis and inflammation markers]. 2007 , 128, 344-51	5
1409	Proteína C reactiva en el servicio de urgencias: ¿ha encontrado una aplicación clínica?. 2007 , 60, 797-800	3

1408	[Relationship between plasma C-reactive protein level and neointimal hyperplasia volume in patients with zotarolimus-eluting stents. Volumetric analysis by three-dimensional intracoronary ultrasound]. 2007 , 60, 923-31	3
1407	[Relationship of C-reactive protein to adiposity, cardiovascular risk factors and subclinical atherosclerosis in healthy children]. 2007 , 60, 1051-8	17
1406	Elevaciones de la troponina I cardiaca tras la cirugía torácica. Incidencia y correlaciones con las características clínicas basales, la proteína C reactiva y los parámetros perioperatorios. 2007 , 60, 1159-1166	3
1405	HCV infection facilitates asymptomatic carotid atherosclerosis: preliminary report of HCV RNA localization in human carotid plaques. 2007 , 39 Suppl 1, S55-60	58
1404	C-Reactive Protein in the Emergency Department: Has It Found a Clinical Application?. 2007 , 60, 797-800	
1403	Cardiac Troponin-I Elevations After Thoracic Surgery. Incidence and Correlations With Baseline Clinical Characteristics, C-Reactive Protein, and Perioperative Parameters. 2007 , 60, 1159-1166	1
1402	C-reactive protein, obesity, and insulin resistance in postmenopausal women in urban slums of North India. 2007 , 1, 83-89	16
1401	Distributions of C-reactive protein and its association with metabolic syndrome in middle-aged and older Chinese people. 2007 , 49, 1798-805	154
1400	Atrial fibrillation and C-reactive protein: searching for local inflammation. 2007 , 49, 1649-1650	12
1399	C-reactive protein and the prediction of cardiovascular events among those at intermediate risk: moving an inflammatory hypothesis toward consensus. 2007 , 49, 2129-38	453
1398	Serum myeloperoxidase levels are associated with the future risk of coronary artery disease in apparently healthy individuals: the EPIC-Norfolk Prospective Population Study. 2007 , 50, 159-65	483
1397	Serial measurement of monocyte chemoattractant protein-1 after acute coronary syndromes: results from the A to Z trial. 2007 , 50, 2117-24	122
1396	Free oxygen radicals in whole blood correlate strongly with high-sensitivity C-reactive protein. 2007 , 1, 593-8	14
1395	Depression and inflammation in patients with coronary heart disease: findings from the Heart and Soul Study. 2007 , 62, 314-20	134
1394	The Age-Related Proinflammatory State and Eye Disease. 2007 , 391-414	
1393	The effect of n-3 fatty acids on C-reactive protein levels in patients with chronic renal failure. 2007 , 17, 258-63	29
1392	Clinical Integration of C-Reactive Protein for Primary and Secondary Risk Factor Stratification. 207-216	
1391	Establishment of external quality control program for hs-CRP and three-year follow-up of the performance for precision and accuracy. 2007 , 14, 287-93	11

1390 Cardiovascular Overview. **2007**, 693-704

1389 Associations between healthy eating patterns and immune function or inflammation in overweight or obese postmenopausal women. **2007**, 86, 1445-55 44

1388 [Analysis of factors associated with extremity ulceration in diabetic subjects with peripheral neuropathy]. **2007**, 51, 1134-42 10

1387 [Pharmacogenetics and anti-inflammatory effect of HMG-CoA reductase inhibitors]. **2007**, 51, 520-5 0

1386 Proteína C reativa e instabilidade clíica na doenã obstrutiva de artãas cardãdas. **2007**, 6, 124-129

1385 Are the beneficial cardiovascular effects of simvastatin and metformin also associated with a hormone-dependent mechanism improving insulin sensitivity?. **2007**, 40, 229-235 10

1384 Pre- and postoperative C-reactive protein levels in patients with cataract and age-related macular degeneration. **2007**, 17, 919-27 5

1383 . **2007**,

1382 Inflammation markers as mediators of vasculo-endothelial dysfunction and atherosclerosis in the metabolic syndrome and type 2 diabetes. **2007**, 120, 1918-1924 6

1381 Comparison and evaluation of two C-reactive protein assays based on particle-enhanced immunoturbidimetry. **2007**, 21, 71-6 21

1380 Adaptation and evaluation of the Randox full-range CRP assay on the Olympus AU2700. **2007**, 21, 34-9 1

1379 Association of peripheral total and differential leukocyte counts with metabolic syndrome and risk of ischemic cardiovascular diseases in patients with type 2 diabetes mellitus. **2007**, 23, 111-8 73

1378 Raised C-reactive protein levels in patients with recent onset type 1 diabetes. **2007**, 23, 211-4 10

1377 Correlation of oxidative stress parameters and inflammatory markers in coronary artery disease patients. **2007**, 40, 181-7 99

1376 Sandwich-type, antibody microarrays for the detection and quantification of cardiovascular risk markers. **2007**, 125, 581-588 25

1375 Handgrip performance in relation to self-perceived fatigue, physical functioning and circulating IL-6 in elderly persons without inflammation. **2007**, 7, 5 95

1374 Relationship of periodontal infection to serum antibody levels to periodontopathic bacteria and inflammatory markers in periodontitis patients with coronary heart disease. **2007**, 149, 445-52 51

1373 C-reactive protein associated with periodontitis in a Thai population. **2008**, 35, 120-5 46

1372	Heritability of serum hs-CRP concentration and 5-year changes in the Stanislas family study: association with apolipoprotein E alleles. 2007 , 8, 352-9	10
1371	Differential association of C-reactive protein with adiposity in men and women in an Aboriginal community in northeast Arnhem Land of Australia. 2007 , 31, 103-8	33
1370	Reducing cardiovascular risk and managing dyslipidemia in women. 2007 , 11, 586-99	
1369	The usage of a simplified self-titration dosing guideline (303 Algorithm) for insulin detemir in patients with type 2 diabetes--results of the randomized, controlled PREDICTIVE 303 study. 2007 , 9, 902-13	100
1368	Biochemical and bioimaging markers for risk assessment and diagnosis in major cardiovascular diseases: a road to integration of complementary diagnostic tools. 2007 , 261, 214-34	27
1367	Circulating visfatin level is correlated with inflammation, but not with insulin resistance. 2007 , 67, 796-800	97
1366	Independent relationship between heart rate recovery and C-reactive protein in older adults. 2007 , 55, 747-51	20
1365	Three-year change in inflammatory markers in elderly people and mortality: the Invecchiare in Chianti study. 2007 , 55, 1801-7	48
1364	Inflammation and hemostasis biomarkers and cardiovascular risk in the elderly: the Cardiovascular Health Study. 2007 , 5, 1128-35	84
1363	Atherothrombosis risk factors: too many and too little. 2007 , 5, 1793-4	1
1362	Increased C-reactive protein in young adult patients with migraine. 2007 , 27, 843-6	81
1361	Interactions between chronic renal disease and periodontal disease. 2008 , 14, 1-7	62
1360	C-reactive protein predicts further ischemic events in transient ischemic attack patients. 2007 , 115, 60-6	35
1359	Self-reported gingivitis and tooth loss poorly predict C-reactive protein levels: a study among Finnish young adults. 2008 , 35, 114-9	7
1358	A multi-centre, randomised, double-blind 14-week extension study examining the long-term safety and efficacy profile of the ezetimibe/simvastatin combination tablet. 2007 , 61, 1469-80	9
1357	Left atrial volume is associated with inflammation and atherosclerosis in patients with kidney disease. 2008 , 25, 264-9	20
1356	C-reactive protein is associated with heart rate variability. 2007 , 12, 216-22	27
1355	Clinical implications of C-reactive protein as a predictor of vascular risk. 2007 , 19, 335-40	8

1354	C-reactive protein (CRP) as a marker in peripheral vascular disease. 2007 , 34, 18-22	24
1353	Circulating blood leukocyte gene expression profiles: effects of the Ames dwarf mutation on pathways related to immunity and inflammation. 2007 , 42, 772-88	19
1352	Relation of C-reactive protein to coronary collaterals in patients with stable angina pectoris and coronary artery disease. 2007 , 99, 509-12	34
1351	Efficacy and safety of rosuvastatin 40 mg alone or in combination with ezetimibe in patients at high risk of cardiovascular disease (results from the EXPLORER study). 2007 , 99, 673-80	138
1350	Role of C-reactive protein in coronary risk reduction: focus on primary prevention. 2007 , 99, 718-25	35
1349	Biological surrogates for enhancing cardiovascular risk prediction in type 2 diabetes mellitus. 2007 , 99, 80B-88B	41
1348	Association of multiple inflammatory markers with carotid intimal medial thickness and stenosis (from the Framingham Heart Study). 2007 , 99, 1598-602	101
1347	Usefulness of uric acid to predict changes in C-reactive protein and interleukin-6 in 3-year period in Italians aged 21 to 98 years. 2007 , 100, 115-21	62
1346	Rationale for targeted rather than population based screening with C-reactive protein using the National Health and Nutrition Examination Survey (1999 to 2002). 2007 , 100, 1130-3	3
1345	Baseline characteristics of participants in the JUPITER trial, a randomized placebo-controlled primary prevention trial of statin therapy among individuals with low low-density lipoprotein cholesterol and elevated high-sensitivity C-reactive protein. 2007 , 100, 1659-64	100
1344	Relationship of cardiovascular risk factors and serum ferritin with C-reactive protein. 2007 , 38, 121-5	12
1343	Metabolic syndrome and C-reactive protein among cardiology patients. 2007 , 38, 783-8	5
1342	[Inflammatory state in patients with atrial fibrillation before and after electrical cardioversion]. 2007 , 31, 126-32	3
1341	Healthy endothelium: the scientific basis for cardiovascular health promotion and chronic disease prevention. 2007 , 46, 310-4	30
1340	Vascular endothelium summary statement II: Cardiovascular disease prevention and control. 2007 , 46, 318-20	17
1339	C-reactive protein in cardiovascular risk assessment: a review of the evidence. 2007 , 2, 119-23	18
1338	Health-related quality of life among patients with diabetes and foot ulcers: association with demographic and clinical characteristics. 2007 , 21, 227-36	49
1337	Interpretation of serum C-reactive protein (CRP) levels for cardiovascular disease risk is complicated by race, pulmonary disease, body mass index, gender, and osteoarthritis. 2007 , 15, 966-71	46

1336	Are patients with Kawasaki disease at risk for premature atherosclerosis?. 2007 , 151, 225-8	16
1335	Platelet Fcγ ₂ RIIA receptor surface expression is increased in patients with ESRD and is associated with atherosclerotic cardiovascular events. 2007 , 49, 127-34	6
1334	Inflammatory markers and incident fracture risk in older men and women: the Health Aging and Body Composition Study. 2007 , 22, 1088-95	175
1333	Abdominal aortic calcification detected on lateral spine images from a bone densitometer predicts incident myocardial infarction or stroke in older women. 2008 , 23, 409-16	84
1332	Clinical characteristics, cardiac events and coronary angiographic findings in the prospective PREVENT cohort: an observational study. 2007 , 15, 133-41	5
1331	Inflammation--a lifelong companion. Attempt at a non-analytical holistic view. 2007 , 52, 159-73	14
1330	Statins and biomarkers of inflammation. 2007 , 9, 33-41	52
1329	CIRSE 2007. Abstracts of the annual meeting of the Cardiovascular and Interventional Radiology Society of Europe. Athens, Greece. September 8-12, 2007. 2007 , 30 Suppl 1, 1-260	
1328	A comparison of the health-related quality of life in patients with diabetic foot ulcers, with a diabetes group and a nondiabetes group from the general population. 2007 , 16, 179-89	130
1327	Association among C-reactive protein, Fatty liver disease, and cardiovascular risk. 2007 , 52, 2375-9	25
1326	Early-life and adult socioeconomic status and inflammatory risk markers in adulthood. 2007 , 22, 55-66	160
1325	Comparison of relative and attributable risk of myocardial infarction and stroke according to C-reactive protein and low-density lipoprotein cholesterol levels. 2007 , 22, 429-38	15
1324	Design and testing of a disposable microfluidic chemiluminescent immunoassay for disease biomarkers in human serum samples. 2007 , 9, 245-51	92
1323	Plaque burden, plaque morphology, and HDL: can atherosclerosis imaging provide insights into the complex, multifactorial etiology of atherosclerosis progression and vulnerability?. 2007 , 23, 343-5	
1322	The malnutrition and inflammation axis in pediatric patients with chronic kidney disease. 2007 , 22, 864-73	43
1321	A prospective study on C-reactive protein as a prognostic factor for survival time of terminally ill cancer patients. 2007 , 15, 613	26
1320	C-reactive protein and n-3 fatty acids in patients with a previous myocardial infarction: a placebo-controlled randomized study. 2007 , 46, 428-30	31
1319	Treatment-related differences in cardiovascular risk factors in long-term survivors of testicular cancer. 2007 , 1, 8-16	44

1318	Leitliniengerechte Diagnostik der koronaren Herzerkrankung (KHK) in der Klinik: Grundlagen und Anwendung. 2007 , 2, V3-V9	2
1317	Carotid plaque, stroke pathogenesis, and CRP: treatment of ischemic stroke. 2007 , 9, 229-35	7
1316	Clinical Trials Report. 2007 , 1, 55-57	
1315	Lipoprotein-associated phospholipase A2: Risk marker or target of therapy?. 2007 , 1, 66-71	
1314	C-reactive protein and cardiovascular disease: Weighing the evidence. 2007 , 1, 72-79	1
1313	Estimating the impact of adding C-reactive protein as a criterion for lipid lowering treatment in the United States. 2007 , 22, 197-204	4
1312	Plasma adhesion and inflammation markers: asymmetrical dimethyl-L-arginine and secretory phospholipase A2 concentrations before and after laparoscopic gastric banding in morbidly obese patients. 2007 , 17, 672-8	27
1311	Elevated C-reactive protein in acute coronary syndrome presentation is an independent predictor of long-term mortality and heart failure. 2007 , 40, 326-9	42
1310	Lipid and inflammatory markers for the prediction of coronary artery disease: a multi-marker approach. 2007 , 40, 1000-6	19
1309	Cost-effectiveness analysis in diagnosis of coronary artery disease: choice of laboratory markers. 2007 , 40, 1180-7	3
1308	Development and validation of a high-performance liquid chromatography-electrospray mass spectrometry method for the simultaneous determination of 23 eicosanoids. 2008 , 46, 653-62	45
1307	C-reactive protein and colorectal adenoma in the CLUE II cohort. 2008 , 19, 559-67	26
1306	Exercise reduces C-reactive protein and improves physical function in automotive workers with low back pain. 2008 , 18, 218-22	9
1305	Collaborative pooled analysis of data on C-reactive protein gene variants and coronary disease: judging causality by Mendelian randomisation. 2008 , 23, 531-40	43
1304	C-reactive protein is linked to lower cognitive performance in overweight and obese women. 2008 , 31, 198-207	82
1303	Inflammation markers in individuals with history of mental health crisis. 2008 , 31, 254-9	2
1302	High immunoglobulin A seropositivity for combined Chlamydia pneumoniae, Helicobacter pylori infection, and high-sensitivity C-reactive protein in coronary artery disease patients in India can serve as atherosclerotic marker. 2008 , 23, 390-6	33
1301	Effects of dietary protein restriction on albumin and fibrinogen synthesis in macroalbuminuric type 2 diabetic patients. 2008 , 51, 21-8	18

1300	Statins in the spectrum of neurologic disease. 2008 , 10, 11-8	18
1299	Novel markers of inflammation in atherosclerosis. 2008 , 10, 164-70	35
1298	Another inconvenient truth: combining the risks from obesity and metabolic syndrome with global warming. 2008 , 10, 273-6	5
1297	Carotid plaque, stroke pathogenesis, and CRP: treatment of ischemic stroke. 2008 , 10, 25-30	3
1296	Biomarkers of atherosclerosis: clinical applications. 2008 , 10, 497-504	23
1295	Metabolic syndrome and stroke. 2008 , 8, 37-41	23
1294	Periodontal disease and coronary heart disease incidence: a systematic review and meta-analysis. 2008 , 23, 2079-86	447
1293	New approaches to the concept of primary prevention of atherosclerosis. 2008 , 10, 73-82	3
1292	Use of biomarkers to develop treatment strategies for atherosclerosis. 2008 , 10, 304-15	9
1291	Inflammation, insulin resistance, and cardiovascular disease: Cause or correlate?. 2008 , 2, 53-59	
1290	High sensitivity C-reactive protein and endothelial function in Chilean patients with history of Kawasaki disease. 2008 , 27, 845-50	18
1289	Laparoscopic treatment of metabolic syndrome in patients with type 2 diabetes mellitus. 2008 , 22, 2670-8	60
1288	A high sensitivity assay for the inflammatory marker C-Reactive protein employing acoustic biosensing. 2008 , 6, 5	33
1287	The effects of a graduated aerobic exercise programme on cardiovascular disease risk factors in the NHS workplace: a randomised controlled trial. 2008 , 3, 7	18
1286	Impact of apoE genotype on oxidative stress, inflammation and disease risk. 2008 , 52, 131-45	214
1285	C-reactive protein across the menstrual cycle. 2008 , 136, 138-46	75
1284	Prooxidant-antioxidant balance as a new risk factor in patients with angiographically defined coronary artery disease. 2008 , 41, 375-80	92
1283	Association of high sensitivity C-reactive protein (hsCRP) and tumour necrosis factor-alpha (TNF-alpha) with carotid intimal medial thickness in subjects with different grades of glucose intolerance--the Chennai Urban Rural Epidemiology Study (CURES-31). 2008 , 41, 480-5	22

1282	Elevated levels of myeloperoxidase, white blood cell count and 3-chlorotyrosine in Taiwanese patients with acute myocardial infarction. 2008 , 41, 554-60	29
1281	PON1 status is influenced by oxidative stress and inflammation in coronary heart disease patients. 2008 , 41, 1067-73	47
1280	Racial differences in C-reactive protein levels during normal pregnancy. 2008 , 199, 523.e1-6	45
1279	Association between body weight and periodontal infection. 2008 , 35, 297-304	98
1278	Persistently raised C-reactive protein levels are associated with advanced periodontal disease. 2008 , 35, 741-7	78
1277	Inflammatory factors, physical activity, and physical fitness in young people. 2008 , 18, 543-56	47
1276	The link between periodontal disease and cardiovascular disease is probably inflammation. 2008 , 14, 95-101	63
1275	High sensitivity CRP levels predict atrial tachyarrhythmias in rheumatic mitral stenosis. 2008 , 13, 31-8	6
1274	Determinants of C-reactive protein in chronic hemodialysis patients: relevance of dialysis catheter utilization. 2008 , 12, 236-43	38
1273	Inflammatory response to a high-fat, low-carbohydrate weight loss diet: effect of antioxidants. 2008 , 16, 1573-8	28
1272	Raised CRP levels in obese patients: symptoms of depression have an independent positive association. 2008 , 16, 2010-5	27
1271	Obesity and C-reactive protein levels among white, black, and hispanic US adults. 2008 , 16, 875-80	79
1270	Current coronary heart disease risk assessment tools may underestimate risk in community-dwelling persons with chronic spinal cord injury. 2008 , 46, 608-15	24
1269	C-Reactive protein in adults with chronic spinal cord injury: increased chronic inflammation in tetraplegia vs paraplegia. 2008 , 46, 616-21	61
1268	Association between the intake of vitamins and trace elements from supplements and C-reactive protein: results of the MONICA/KORA Augsburg study. 2008 , 62, 127-37	40
1267	Effects of sea buckthorn berries on infections and inflammation: a double-blind, randomized, placebo-controlled trial. 2008 , 62, 1123-30	45
1266	Genetic determinants of basal C-reactive protein expression in Filipino systemic lupus erythematosus families. 2008 , 9, 153-60	12
1265	Surrogate endpoints and emerging surrogate endpoints for risk reduction of cardiovascular disease. 2008 , 66, 76-81	9

1264	Inflammatory biomarkers and risks of myocardial infarction, stroke, diabetes, and total mortality: implications for longevity. 2007 , 65, S253-9	105
1263	The mediating role of C-reactive protein and handgrip strength between obesity and walking limitation. 2008 , 56, 462-9	85
1262	Elevated C-reactive protein is related to cognitive decline in older adults with cardiovascular disease. 2008 , 56, 1898-903	48
1261	Quantification of the genetic component of basal C-reactive protein expression in SLE nuclear families. 2008 , 72, 611-20	8
1260	Arterial stiffness, metabolic syndrome and inflammation amongst Asian ischaemic stroke patients. 2008 , 15, 872-5	10
1259	C-reactive protein binds to alpha1bbeta3. 2008 , 6, 1239-41	12
1258	High-sensitivity C-reactive protein: a predicative marker in severe asthma. 2008 , 13, 664-9	47
1257	Increased serum high-sensitivity C-reactive protein is related to hypoxia and brain natriuretic peptide in congenital heart disease. 2008 , 50, 436-40	10
1256	How to identify patients with vulnerable plaques. 2008 , 10, 824-33	5
1255	Effect of raisin consumption on oxidative stress and inflammation in obesity. 2008 , 10, 1086-96	47
1254	Effects of etanercept on C-reactive protein levels in psoriasis and psoriatic arthritis. 2008 , 159, 322-30	155
1253	C-reactive protein and coronary heart disease: a critical review. 2008 , 264, 295-314	269
1252	EPOC y acontecimientos cardiovasculares. 2008 , 44, 152-159	1
1251	C-reactive protein, established risk factors and social inequalities in cardiovascular disease - the significance of absolute versus relative measures of disease. 2008 , 8, 189	6
1250	The association between C-reactive protein and the likelihood of progression to joint replacement in people with rheumatoid arthritis: a retrospective observational study. 2008 , 9, 146	10
1249	Prevalence and risk factor correlates of elevated C-reactive protein in an adult Australian population. 2008 , 101, 193-8	34
1248	Association of C-reactive protein and microalbuminuria (from the National Health and Nutrition Examination Surveys, 1999 to 2004). 2008 , 101, 401-6	67
1247	Usefulness of C-reactive protein and interleukin-6 as predictors of outcomes in patients with chronic obstructive pulmonary disease receiving pravastatin. 2008 , 101, 530-5	106

1246	Lipoprotein-associated phospholipase A2: a risk marker or a risk factor?. 2008 , 101, 11F-22F	46
1245	Lipoprotein-associated phospholipase A2: an independent predictor of coronary artery disease events in primary and secondary prevention. 2008 , 101, 23F-33F	65
1244	Review of the evidence for the clinical utility of lipoprotein-associated phospholipase A2 as a cardiovascular risk marker. 2008 , 101, 41F-50F	82
1243	Consensus panel recommendation for incorporating lipoprotein-associated phospholipase A2 testing into cardiovascular disease risk assessment guidelines. 2008 , 101, 51F-57F	110
1242	Epidemiology, heritability, and genetic linkage of C-reactive protein in African Americans (from the Jackson Heart Study). 2008 , 102, 835-41	44
1241	Usefulness of self-reported periodontal disease to identify individuals with elevated inflammatory markers at risk of cardiovascular disease. 2008 , 102, 1509-13	7
1240	Serum C-reactive protein on the prognosis of oncology patients with acute renal failure: an observational cohort study. 2008 , 39, 326-31	7
1239	Omega-3 polyunsaturated fatty acid in peripheral arterial disease: effect on lipid pattern, disease severity, inflammation profile, and endothelial function. 2008 , 27, 241-7	74
1238	Effects of angiotensin-converting enzyme inhibitor therapy on levels of inflammatory markers in response to exercise-induced stress: studies in the metabolic syndrome. 2008 , 3, 12-7	3
1237	Abdominal obesity is associated with potassium depletion and changes in glucose homeostasis during diuretic therapy. 2008 , 10, 443-9	22
1236	High-sensitivity C-reactive protein as an associate of clinical subsets and organ damage in systemic lupus erythematosus. 2008 , 38, 41-54	53
1235	Risk factors associated with different stages of atherosclerosis in Colombian patients with rheumatoid arthritis. 2008 , 38, 71-82	36
1234	Combination of biomarkers to predict mortality in elderly patients with myocardial infarction. 2008 , 129, 231-7	6
1233	Levels of oxidized low-density lipoproteins are increased in patients with severe sepsis. 2008 , 23, 537-41	13
1232	Socioeconomic status and health: the role of subjective social status. 2008 , 67, 330-40	418
1231	Relationship of socioeconomic status to C-reactive protein and arterial stiffness in urban Japanese civil servants. 2008 , 67, 971-81	12
1230	Association between dietary glycemic index, glycemic load, and high-sensitivity C-reactive protein. 2008 , 24, 401-6	30
1229	Association between dietary fiber and markers of systemic inflammation in the Women's Health Initiative Observational Study. 2008 , 24, 941-9	219

1228	Disruption in the leptin-NPY link underlies the pandemic of diabetes and metabolic syndrome: new therapeutic approaches. 2008 , 24, 820-6	34
1227	Association of anemia and erythropoiesis stimulating agents with inflammatory biomarkers in chronic kidney disease. 2008 , 74, 782-90	39
1226	Ganoderma lucidum for the treatment of cardiovascular risk factors. 2008 ,	1
1225	Cerebral small vessel disease and C-reactive protein: results of a cross-sectional study in community-based Japanese elderly. 2008 , 264, 43-9	35
1224	A prospective evaluation of C-reactive protein in the progression of carotid artery stenosis. 2008 , 47, 744-50; discussion 751	25
1223	Early remodeling of lower extremity vein grafts: inflammation influences biomechanical adaptation. 2008 , 47, 1235-42	44
1222	High-sensitivity C-reactive protein level is a significant risk factor for silent cerebral infarction in patients on hemodialysis. 2008 , 57, 66-70	19
1221	Serum C-reactive protein is an independent risk factor predicting cardiometabolic risk. 2008 , 57, 207-14	52
1220	Baseline inflammatory markers do not modulate the lipid response to weight loss. 2008 , 57, 598-604	5
1219	C-reactive protein and the metabolic syndrome correlate differently with carotid atherosclerosis between men and women in a Taiwanese community. 2008 , 57, 1023-8	11
1218	High-sensitivity C-reactive protein and silent myocardial ischemia in Chinese with type 2 diabetes mellitus. 2008 , 57, 1533-8	9
1217	Coagulation and inflammation markers during atypical or typical antipsychotic treatment in schizophrenia patients and drug-free first-degree relatives. 2008 , 103, 83-93	60
1216	Guías de práctica clínica sobre prevención de la enfermedad cardiovascular: versión resumida. 2008 , 61, 82.e1-82.e49	14
1215	Association between serum levels of C-reactive protein and personality traits in women. 2008 , 4, 16	19
1214	Silane-dextran chemistry on lateral flow polymer chips for immunoassays. 2008 , 8, 1191-7	105
1213	Pramlintide in the treatment of diabetes mellitus. 2008 , 22, 375-86	44
1212	Gender and Cardiovascular Diseases in Aging. 2008 , 307-338	
1211	The future of RIP2/RICK/CARDIAK as a biomarker of the inflammatory response to infection. 2008 , 8, 257-61	7

1210	Chronic Obstructive Pulmonary Disease and Cardiovascular Events. 2008 , 44, 152-159	2
1209	A functional genomic fingerprint of chronic stress in humans: blunted glucocorticoid and increased NF-kappaB signaling. 2008 , 64, 266-72	412
1208	Inflammation versus glucocorticoids as purveyors of pathology during stress: have we reached the tipping point?. 2008 , 64, 263-5	29
1207	Task force 10: training in preventive cardiovascular medicine. 2008 , 51, 393-8	8
1206	Lipoprotein management in patients with cardiometabolic risk: consensus conference report from the American Diabetes Association and the American College of Cardiology Foundation. 2008 , 51, 1512-24	387
1205	Leptin resistance: a possible interface of inflammation and metabolism in obesity-related cardiovascular disease. 2008 , 52, 1201-10	354
1204	Acute coronary syndromes: to CRP or not to CRP?. 2008 , 52, 1500; author reply 1500-1	1
1203	Reply. 2008 , 52, 1500-1	
1202	Psychological distress as a risk factor for cardiovascular events: pathophysiological and behavioral mechanisms. 2008 , 52, 2156-62	199
1201	Effect of ezetimibe/simvastatin vs atorvastatin on lowering levels of LDL-C and non-HDL-C, ApoB, and hs-CRP in patients with type 2 diabetes. 2008 , 2, 25-35	8
1200	C-reactive protein and interleukin-18 levels in relation to coronary heart disease: prospective cohort study from Busselton Western Australia. 2008 , 17, 90-5	14
1199	Cardiology. 2008 , 95-126	
1198	Ferritin concentrations, metabolic syndrome, and type 2 diabetes in middle-aged and elderly chinese. 2008 , 93, 4690-6	149
1197	Hyperlipidemia Management for Primary Care. 2008 ,	3
1196	Further inflammatory information on metabolic syndrome by adiponectin evaluation. 2008 , 124, 339-44	14
1195	Association of plasma leptin levels and complexity of the culprit lesion in patients with unstable angina. 2008 , 126, 183-9	14
1194	The risk of metabolic syndrome according to the high-sensitivity C-reactive protein in apparently healthy Koreans. 2008 , 129, 266-71	7
1193	Inflammatory markers in stable heart failure and their relationship with functional class. 2008 , 129, 388-93	24

1192	Inflammation and hemostasis biomarkers for predicting stroke in postmenopausal women: the Women's Health Initiative Observational Study. 2008 , 17, 344-55	43
1191	Interleukin-1beta stimulates acute phase response and C-reactive protein synthesis by inducing an NFkappaB- and C/EBPbeta-dependent autocrine interleukin-6 loop. 2008 , 45, 2678-89	62
1190	Elevated C-reactive protein associated with decreased high-density lipoprotein cholesterol in men with spinal cord injury. 2008 , 89, 36-41	38
1189	Association between mobility mode and C-reactive protein levels in men with chronic spinal cord injury. 2008 , 89, 726-31	39
1188	Genetic variation at the 9p21 locus predicts angiographic coronary artery disease prevalence but not extent and has clinical utility. 2008 , 156, 1155-1162.e2	58
1187	Why does C-reactive protein predict coronary events?. 2008 , 121, e11	4
1186	Serum total bilirubin level, prevalent stroke, and stroke outcomes: NHANES 1999-2004. 2008 , 121, 781-788.e1	126
1185	Role of inflammation in atherosclerosis associated with rheumatoid arthritis. 2008 , 121, S21-31	293
1184	C-reactive protein is directly related to plasminogen activator inhibitor type 1 (PAI-1) levels in diabetic subjects with the 4G allele at position -675 of the PAI-1 gene. 2008 , 18, 220-6	9
1183	Body iron stores in relation to the metabolic syndrome, glycemic control and complications in female patients with type 2 diabetes. 2008 , 18, 559-66	27
1182	Hyperuricaemia is associated with increased C-reactive protein concentrations in a large cohort of unselected outpatients. 2008 , 18, e41-2	3
1181	Variation in L-arginine intake follow demographics and lifestyle factors that may impact cardiovascular disease risk. 2008 , 28, 21-4	37
1180	Total n-3 polyunsaturated fatty acid intake is inversely associated with serum C-reactive protein in young Japanese women. 2008 , 28, 309-14	37
1179	Increased leptin expression selectively in the hypothalamus suppresses inflammatory markers CRP and IL-6 in leptin-deficient diabetic obese mice. 2008 , 29, 593-8	28
1178	Inflammation as an intermediate pathway in the association between psychosocial stress and obesity. 2008 , 94, 536-9	42
1177	Chronic stress and regulation of cellular markers of inflammation in rheumatoid arthritis: implications for fatigue. 2008 , 22, 24-32	111
1176	The accumulative effects of modifiable risk factors on inflammation and haemostasis. 2008 , 22, 1041-1043	22
1175	Inflammation and exercise (INFLAME): study rationale, design, and methods. 2008 , 29, 418-27	11

1174	Comparative effects of 10-mg versus 80-mg Atorvastatin on high-sensitivity C-reactive protein in patients with stable coronary artery disease: results of the CAP (Comparative Atorvastatin Pleiotropic effects) study. 2008 , 30, 2298-313	70
1173	Prevalence of metabolic syndrome in Japanese type 2 diabetic patients and its significance for chronic vascular complications. 2008 , 79, 310-7	20
1172	Prevalence of the impaired glucose metabolism and its association with risk factors for coronary artery disease in women with gestational diabetes. 2008 , 79, 433-7	15
1171	Association of abnormal glucose tolerance with self-reported sleep apnea among a 57-year-old urban population in Northern Finland. 2008 , 80, 477-82	9
1170	Analysis of traditional and nontraditional risk factors for peripheral arterial disease in elderly type 2 diabetic patients in Taiwan. 2008 , 81, 331-7	13
1169	C-reactive protein in schoolchildren and its relation to adiposity, physical activity, aerobic fitness and habitual diet. 2008 , 42, 357-60	31
1168	C-reactive protein and angiographic characteristics of stable and unstable coronary artery disease: data from the prospective PREVEND cohort. 2008 , 196, 372-382	28
1167	Sex related cardiovascular risk stratification based on quantification of atherosclerosis and inflammation. 2008 , 197, 662-72	55
1166	Inflammation, the metabolic syndrome, and risk of coronary heart disease in women and men. 2008 , 197, 392-9	87
1165	Endothelial dysfunction: a key to the pathophysiology and natural history of peripheral arterial disease?. 2008 , 197, 1-11	107
1164	Inflammation and descending thoracic aortic calcification as detected by computed tomography: the Multi-Ethnic Study of Atherosclerosis. 2008 , 199, 201-6	26
1163	Factor analysis of risk variables associated with low-grade inflammation. 2008 , 200, 206-12	19
1162	Association of circulating leukocyte count with coronary atherosclerosis regression after pravastatin treatment. 2008 , 198, 360-5	19
1161	Do we need to consider inflammatory markers when we treat atherosclerotic disease?. 2008 , 200, 1-12	63
1160	Children and adolescents with obesity-associated high blood pressure. 2008 , 2, 267-74	15
1159	La hipertensi3n arterial, ¿un estado de hipercoagulabilidad latente?. 2008 , 25, 1-3	
1158	SERRS immunoassay for quantitative human CRP analysis. 2008 , 133, 1355-7	27
1157	Metabolic syndrome and inflammatory responses to long-term particulate air pollutants. 2008 , 116, 612-7	122

1156	Prevalence of cardiometabolic risk factors by weight status in a population-based sample of Quebec children and adolescents. 2008 , 24, 575-83	65
1155	La hipertensi3n arterial, ¿un estado de hipercoagulabilidad latente?. 2008 , 25, 1-3	
1154	Effects of antidiabetic and antihyperlipidemic agents on C-reactive protein. 2008 , 83, 333-42	37
1153	Effect of intensive lifestyle intervention on C-reactive protein in subjects with impaired glucose tolerance and obesity. Results from a randomized controlled trial with 5-year follow-up. 2008 , 13, 671-9	8
1152	Ezetimibe: cholesterol lowering and beyond. 2008 , 6, 447-70	107
1151	Tailor-made therapy for the prevention of acute coronary syndromes: future role of biomarkers in risk stratification and disease management. 2008 , 6, 435-7	1
1150	Genistein inhibits the development of atherosclerosis via inhibiting NF-kappaB and VCAM-1 expression in LDLR knockout mice. 2008 , 86, 777-84	23
1149	Improving glycemic control with insulin detemir using the 303 Algorithm in insulin naïve patients with type 2 diabetes: a subgroup analysis of the US PREDICTIVE 303 study. 2008 , 24, 11-20	35
1148	Inflammation and oxidative stress are associated differently with endothelial function and arterial stiffness in healthy subjects and in patients with atherosclerosis. 2008 , 68, 594-601	37
1147	Body weight and oral contraceptives are the most important modulators of serum CRP levels. 2008 , 68, 140-4	16
1146	New cardiovascular biomarkers: clinical implications in patients with valvular heart disease. 2008 , 6, 945-54	8
1145	Insulin, hs-CRP, leptin, and adiponectin. An analysis of their relationship to the metabolic syndrome in an obese population with an elevated waist circumference. 2008 , 6, 64-73	18
1144	Inflammation in atherosclerosis: from vascular biology to biomarker discovery and risk prediction. 2008 , 54, 24-38	682
1143	Effect of pramlintide as an adjunct to basal insulin on markers of cardiovascular risk in patients with type 2 diabetes. 2008 , 24, 79-85	26
1142	The relationship of hepatitis antibodies and elevated liver enzymes with impaired fasting glucose and undiagnosed diabetes. 2008 , 21, 497-503	14
1141	Multiplexed immunoassay: quantitation and profiling of serum biomarkers using magnetic nanoprobe and MALDI-TOF MS. 2008 , 80, 6159-67	66
1140	Molecular pincers: antibody-based homogeneous protein sensors. 2008 , 80, 5152-9	50
1139	Plasma cytokines in obese women with polycystic ovary syndrome, before and after metformin treatment. 2008 , 24, 378-84	49

1138	Acute hyperglycaemia induces an inflammatory response in young patients with type 1 diabetes. 2008 , 40, 627-33		36
1137	Influence of birth weight on white blood cell count in biracial (black-white) children, adolescents, and young adults: the Bogalusa Heart Study. 2009 , 169, 214-8		19
1136	Cardiovascular biomarkers: increasing impact of laboratory medicine in cardiology practice. 2008 , 46, 748-63		35
1135	Association of insulin resistance and inflammation with peripheral arterial disease: the National Health and Nutrition Examination Survey, 1999 to 2004. <i>Circulation</i> , 2008 , 118, 33-41	16.7	57
1134	Can both EDTA and citrate plasma samples be used in measurements of fibrinogen and C-reactive protein concentrations?. 2008 , 46, 1175-9		16
1133	Association of common C-reactive protein (CRP) gene polymorphisms with baseline plasma CRP levels and fenofibrate response: the GOLDN study. 2008 , 31, 910-5		39
1132	Growth hormone deficiency by growth hormone releasing hormone-arginine testing criteria predicts increased cardiovascular risk markers in normal young overweight and obese women. 2008 , 93, 2507-14		48
1131	Dietary cod protein reduces plasma C-reactive protein in insulin-resistant men and women. 2008 , 138, 2386-91		75
1130	C-reactive protein (CRP) induces chemokine secretion via CD11b/ICAM-1 interaction in human adherent monocytes. 2008 , 84, 1109-19		44
1129	C-reactive protein enhances macrophage lipoprotein lipase expression. 2008 , 49, 1926-35		10
1128	Adiposity and pathogen exposure predict C-reactive protein in Filipino women. 2008 , 138, 2442-7		41
1127	Plasma homocysteine and vascular disease in elderly patients with mental illness. 2008 , 46, 1556-61		6
1126	Aggregation of lipoprotein and inflammatory parameters in families with a history of premature myocardial infarction: the Tallinn myocardial infarction study. 2008 , 46, 1602-8		3
1125	Effects of an expanded cardiac rehabilitation programme in patients treated for an acute myocardial infarction or a coronary artery by-pass graft operation. 2008 , 22, 306-18		23
1124	C-reactive protein: vascular risk marker in elderly patients with mental illness. 2008 , 26, 251-6		10
1123	C-reactive protein: a poor marker of cardiovascular disease risk in HIV+ populations with a high prevalence of elevated serum transaminases. 2008 , 19, 410-3		2
1122	Reduction of C-reactive protein with isoflavone supplement reverses endothelial dysfunction in patients with ischaemic stroke. 2008 , 29, 2800-7		66
1121	Association of HIV infection and HIV/HCV coinfection with C-reactive protein levels: the fat redistribution and metabolic change in HIV infection (FRAM) study. 2008 , 48, 142-8		94

1120	Clinical evidence for biological activity of fruit and vegetable phytochemicals. 2008 , 279-297		
1119	The perfect storm: obesity, adipocyte dysfunction, and metabolic consequences. 2008 , 54, 945-55		515
1118	Inflammation, C-reactive protein, and atherothrombosis. 2008 , 79, 1544-51		177
1117	Relationships between leptin and C-reactive protein with cardiovascular disease in the adult general population. 2008 , 5, 418-25		49
1116	The use of high-sensitivity assays for C-reactive protein in clinical practice. 2008 , 5, 621-35		95
1115	Cumulative life course and adult socioeconomic status and markers of inflammation in adulthood. 2008 , 62, 484-91		94
1114	Lipoprotein management in patients with cardiometabolic risk: consensus statement from the American Diabetes Association and the American College of Cardiology Foundation. 2008 , 31, 811-22		439
1113	Screening and assessment of coronary heart disease in HIV-infected patients. <i>Circulation</i> , 2008 , 118, e41-7	16.7	32
1112	Markers of endothelial dysfunction and inflammation in type 1 diabetic patients with or without diabetic nephropathy followed for 10 years: association with mortality and decline of glomerular filtration rate. 2008 , 31, 1170-6		93
1111	High-sensitivity C-reactive protein as a predictor of all-cause mortality: implications for research and patient care. 2008 , 54, 234-7		36
1110	Metabolic syndrome, inflammation, and incident heart failure in the elderly: the cardiovascular health study. 2008 , 1, 242-8		59
1109	Cardiometabolic risk factors assessed by a finger stick dried blood spot method. 2008 , 2, 236-41		29
1108	Prospective study of high-sensitivity C-reactive protein as a determinant of mortality: results from the MONICA/KORA Augsburg Cohort Study, 1984-1998. 2008 , 54, 335-42		113
1107	C-reactive protein and all-cause mortality in a large hospital-based cohort. 2008 , 54, 343-9		79
1106	Disturbed circadian blood pressure rhythm and C-reactive protein in essential hypertension. 2008 , 22, 501-8		29
1105	C-reactive protein, diastolic dysfunction, and risk of heart failure in patients with coronary disease: Heart and Soul Study. 2008 , 10, 63-9		50
1104	Cardiac disease in chronic obstructive pulmonary disease. 2008 , 5, 543-8		112
1103	Prognostic value of cardiac biomarkers for death in a non-dialysis chronic kidney disease population. 2008 , 23, 3546-53		38

1102	Long-term interleukin-6 levels and subsequent risk of coronary heart disease: two new prospective studies and a systematic review. 2008 , 5, e78		480
1101	[Correlation between C-reactive protein levels with leading risk factors for cardiovascular disease in men]. 2008 , 61, 164-8		1
1100	Association of C-reactive protein with reduced forced vital capacity in a nonsmoking U.S. population with metabolic syndrome and diabetes. 2008 , 31, 2000-2		20
1099	Effect of psyllium fiber supplementation on C-reactive protein: the trial to reduce inflammatory markers (TRIM). 2008 , 6, 100-6		42
1098	C-reactive protein isoforms differ in their effects on thrombus growth. 2008 , 28, 2239-46		90
1097	State of the science conference: Initiative to decrease cardiovascular risk and increase quality of care for patients living with HIV/AIDS: executive summary. <i>Circulation</i> , 2008 , 118, 198-210	16.7	168
1096	Effects of GH treatment in GH-deficient adults on adiponectin, leptin and pregnancy-associated plasma protein-A. 2008 , 158, 483-90		34
1095	Handbook of Pediatric Cardiovascular Drugs. 2008 ,		6
1094	Principles of Clinical Medicine for Space Flight. 2008 ,		59
1093	Cardiovascular Disorders. 2008 , 317-359		11
1092	C-reactive protein predicts future arterial and cardiovascular events in patients with symptomatic peripheral arterial disease. 2008 , 42, 341-7		10
1091	Epidemiology of cytokines: the Women On the Move through Activity and Nutrition (WOMAN) Study. 2008 , 168, 443-53		26
1090	Ethnic differences in C-reactive protein concentrations. 2008 , 54, 1027-37		172
1089	Predictors of high sensitivity C-reactive protein levels in patients with systemic lupus erythematosus. 2008 , 17, 114-23		21
1088	Elevated inflammation levels in depressed adults with a history of childhood maltreatment. 2008 , 65, 409-15		483
1087	Recent advances in atherosclerosis-based proteomics: new biomarkers and a future perspective. 2008 , 5, 679-91		32
1086	An evaluation of the association between C-reactive protein, the change in C-reactive protein over one year, and all-cause mortality in chronic immune-mediated inflammatory disease managed in UK general practice. 2009 , 48, 78-82		21
1085	Limited utilities of N-terminal pro B-type natriuretic peptide and other newer risk markers compared with traditional risk factors for prediction of significant angiographic lesions in stable coronary artery disease. 2009 , 95, 297-303		19

1084	High-sensitivity C-reactive protein and coronary heart disease in a general population of Japanese: the Hisayama study. 2008 , 28, 1385-91	149
1083	Candidate genes of the 5-lipoxygenase pathway in acute coronary syndrome: a pilot study. 2008 , 9, 280-92	3
1082	Periodontal infection is associated with endothelial dysfunction in healthy subjects and hypertensive patients. 2008 , 51, 446-53	165
1081	Potential role of adipocytokine leptin in acute coronary syndrome. 2008 , 16, 124-8	7
1080	Positive association between high-sensitivity C-reactive protein level and diabetes mellitus among US non-Hispanic black adults. 2008 , 116, 455-60	10
1079	Fitness ist Trumpf!. 2008 , 33, S18-S22	
1078	Expanding the orbit of primary prevention--moving beyond JUPITER. 2008 , 359, 2280-2	55
1077	White blood cell count, especially neutrophil count, as a predictor of hypertension in a Japanese population. 2008 , 31, 1391-7	45
1076	Biomarkers of inflammation predict both vascular and non-vascular mortality in older men. 2008 , 29, 800-9	38
1075	High levels of inflammatory biomarkers are associated with increased allele-specific apolipoprotein(a) levels in African-Americans. 2008 , 93, 1482-8	31
1074	Diabetes mellitus Typ 2 und obstruktives Schlafapnoesyndrom. 2008 , 3, 241-249	
1073	Growth hormone decreases visceral fat and improves cardiovascular risk markers in women with hypopituitarism: a randomized, placebo-controlled study. 2008 , 93, 2063-71	79
1072	C-reactive protein and reclassification of cardiovascular risk in the Framingham Heart Study. 2008 , 1, 92-7	189
1071	Association between arterial elasticity, C-reactive protein and maximal oxygen consumption in well-trained cadets during three days extreme physical load: a pilot study. 2008 , 29, 429-37	12
1070	Do high-sensitivity C-reactive protein levels help predict risk of cardiovascular disease in patients with osteoarthritis?. 2008 , 4, 122-3	
1069	The time for cardiovascular inflammation reduction trials has arrived: how low to go for hsCRP?. 2008 , 28, 1222-4	20
1068	Biochemical Markers of Atherosclerosis. 2008 , 27, 148-153	2
1067	Inflammatory and Apoptotic Markers in Ischemic Heart Disease Patients. 2008 , 27, 154-160	

1066	Correlation between two markers of inflammation, serum C-reactive protein and interleukin 6, and indices of oxidative stress in patients with high risk of cardiovascular disease. 2008 , 13, 41-51	38
1065	Aging and inflammation in two epidemiological worlds. 2008 , 63, 196-9	94
1064	Cardiovascular risk evaluated by C-reactive protein levels in diabetic and obese Mexican subjects. 2008 , 72, 1170-4	8
1063	Metabolic syndrome is strongly associated with chronic subclinical inflammation in patients achieving optimal low-density lipoprotein-cholesterol levels in secondary prevention of cardiovascular disease. 2008 , 72, 2046-50	23
1062	Elevated high sensitivity C-reactive protein is associated with type 2 diabetes mellitus: the Persian Gulf Healthy Heart Study. 2008 , 55, 717-22	13
1061	C-Reactive Protein. 159-180	
1060	Relationship between birthweight and arterial elasticity in childhood. 2008 , 115, 317-26	23
1059	Association between ankle-brachial index and risk factor profile in patients newly diagnosed with intermittent claudication. 2008 , 72, 441-8	37
1058	Prediction of cerebrovascular and cardiovascular events in patients with subclinical carotid atherosclerosis: the role of C-reactive protein. 2008 , 56, 32-40	16
1057	Practical management of dyslipidemia with elevated lipoprotein(a). 2008 , 48, 803-7	2
1056	Does the yardstick of cardiovascular risk assessment really measure up?. 2008 , 15, 212-4	
1055	Editorial [Inflammation and Atherosclerosis: Recent Insights and Future Perspectives]. 2008 , 7, 150-151	1
1054	A more accurate approach to molecular genetics analysis in vascular disease. 2008 , 8, 212-27	
1053	An Evaluation of the Clinical Evidence on the Role of Inflammation and Oxidative Stress in Smoking-Mediated Cardiovascular Disease. 2008 , 3, 127-139	23
1052	Biomarkers in Acute Coronary Syndrome. 2008 , 3, 453-468	9
1051	Study of the effect of trans fatty acids from ruminants on blood lipids and other risk factors for cardiovascular disease. 2008 , 87, 593-9	150
1050	Visceral adipose tissue and the ratio of visceral to subcutaneous adipose tissue are greater in adults with than in those without spinal cord injury, despite matching waist circumferences. 2008 , 87, 600-7	116
1049	Biomarkers in acute cardiovascular disease. 2008 , 23, 124-31	28

1048	Physical activity as a potential mechanism through which social support may reduce cardiovascular disease risk. 2008 , 23, 90-6	40
1047	Women and peripheral arterial disease: same disease, different issues. 2008 , 9, 382-8	38
1046	Fibrate therapy: an update. 2008 , 16, 129-41	65
1045	Major depression, C-reactive protein, and incident ischemic heart disease in healthy men and women. 2008 , 70, 850-5	25
1044	C-Reactive Protein and Atherosclerosis: An Update. 2008 , 5, 178-182	
1043	CD93 and related family members: their role in innate immunity. 2008 , 9, 130-8	46
1042	Effects of third-generation oral contraceptives on high-sensitivity C-reactive protein and homocysteine in young women. 2008 , 111, 857-64	47
1041	The Emerging Role of Systemic Inflammation in Chronic Obstructive Pulmonary Disease. 2008 , 15, 55-62	2
1040	Older age and markers of inflammation are strong predictors of clinical events in women with asymptomatic carotid lesions. 2008 , 15, 240-7	13
1039	Depressive symptoms moderate the influence of hostility on serum interleukin-6 and C-reactive protein. 2008 , 70, 197-204	35
1038	Lipoprotein-associated phospholipase A2 predicts progression of cardiac allograft vasculopathy and increased risk of cardiovascular events in heart transplant patients. 2008 , 85, 963-8	13
1037	. 2008 ,	1
1036	Marcadores de riesgo cardiovascular en escolares de cinco departamentos de la regi3n oriental en Colombia. 2008 , 28, 38	3
1035	[Inflammation biomarkers capacity in predicting the metabolic syndrome]. 2008 , 52, 537-49	45
1034	[Role of diet on chronic inflammation prevention and control - current evidences]. 2008 , 52, 951-67	15
1033	Dietary patterns and C-reactive protein in Japanese men and women. 2008 , 87, 1488-96	92
1032	Association of C-reactive protein and insulin resistance in patients with chronic spinal cord injury. 2008 , 40, 819-22	10
1031	Correlates of high serum C-reactive protein levels in a socioeconomically disadvantaged population. 2008 , 24, 351-9	17

1030	New evidences for C-reactive protein (CRP) deposits in the arterial intima as a cardiovascular risk factor. 2008 , 3, 341-9	25
1029	Intermittent doses of statin in hemodialysis patients with spontaneous low LDL cholesterol levels. 2008 , 90, 104-11	2
1028	Hypolipidemic and antihypertensive drugs for prevention of cardiovascular complications in patients with rheumatoid arthritis. 2008 ,	
1027	Correlates of C-reactive protein levels in young adults: a population-based cohort study of 3827 subjects in Brazil. 2008 , 41, 357-67	28
1026	Correlation between myocardial enzyme serum levels and markers of inflammation with severity of coronary artery disease and Gensini score: a hospital-based, prospective study in Greek patients. 2008 , 3, 699-710	23
1025	New paradigm of treatment with statins in cardiovascular prevention. 2009 , 72,	
1024	Lipid-Modifying and Antiatherosclerotic Drugs. 2009 , 341-372	2
1023	Overview of General Approach to Management of Elevated Low-Density Lipoprotein Cholesterol and Mixed Dyslipidemia, High Triglycerides, and Low High-Density Lipoprotein Cholesterol. 2009 , 199-201	1
1022	Determinants of Insulin Resistance in Patients with Rheumatoid Arthritis. 2009 , 16, 100	1
1021	The repeatability of interleukin-6, tumor necrosis factor-alpha, and C-reactive protein in COPD patients over one year. 2009 , 4, 149-56	34
1020	Randomized Controlled Trial on the Effects of Resistance Training with or without Nutritional Supplementation of Soy Peptide for the Frail Elderly. 2009 , 67, 76-83	2
1019	[Risk factors in atherosclerotic coronary heart disease]. 2009 , 66, 253-9	3
1018	C-reactive protein and its role in coronary artery disease. 2009 , 4, 108-113	
1017	Levels of C-reactive protein associated with high and very high cardiovascular risk are prevalent in patients with rheumatoid arthritis. 2009 , 4, e6242	58
1016	Ageing and DNA Methylation. 2009 , 3, 1-9	4
1015	Therapeutic Approaches for Reducing C-Reactive Protein (CRP) Levels and the Associated Cardiovascular Risk. 2009 , 3, 60-64	
1014	Combination Therapy for Dyslipidemia. 2009 , 352-362	1
1013	JUPITER: major implications for vascular risk assessment. 2009 , 25, 133-7	5

1012	Carotid intima-media thickness, systemic inflammation, and incidence of heart failure hospitalizations. 2009 , 29, 1691-5		22
1011	C-reactive protein concentrations are very high and more stable over time than the traditional vascular risk factors total cholesterol and systolic blood pressure in an Australian aboriginal cohort. 2009 , 55, 336-41		13
1010	Lipoprotein-associated phospholipase A(2) and risk of congestive heart failure in older adults: the Cardiovascular Health Study. 2009 , 2, 429-36		15
1009	Relationship between baseline inflammatory markers, antiplatelet therapy, and adverse cardiac events after percutaneous coronary intervention: an analysis from the clopidogrel for the reduction of events during observation trial. 2009 , 2, 503-12		21
1008	Green tea consumption is associated with depressive symptoms in the elderly. 2009 , 90, 1615-22		85
1007	Metabolic syndrome, cardiovascular risk and screening for subclinical atherosclerosis. 2009 , 7, 273-80		24
1006	Rationale and methodological options for assessing infectious disease and related measures in social science surveys. 2009 , 55, 159-77		9
1005	Standardization of high-sensitivity immunoassays for measurement of C-reactive protein; II: Two approaches for assessing commutability of a reference material. 2009 , 55, 342-50		16
1004	C-reactive protein: eighty years from discovery to emergence as a major risk marker for cardiovascular disease. 2009 , 55, 209-15		128
1003	Lipoprotein-associated phospholipase A2 activity and risk of recurrent stroke. 2009 , 27, 42-50		62
1002	ACCF/AHA/ACP 2009 competence and training statement: a curriculum on prevention of cardiovascular disease: a report of the American College of Cardiology Foundation/American Heart Association/American College of Physicians Task Force on Competence and Training (Writing Committee to Develop a Competence and Training Statement on Prevention of Cardiovascular Disease). 2009 , 38, 1049-59	16.7	21
1001	Polymorphisms of the CRP gene inhibit inflammatory response and increase susceptibility to depression: the Health in Men Study. 2009 , 38, 1049-59		56
1000	Determination of physiological plasma pentraxin 3 (PTX3) levels in healthy populations. 2009 , 47, 471-7		111
999	Gender difference and determinants of C-reactive protein level in Korean adults. 2009 , 47, 863-9		17
998	Sex differences in inflammatory markers: what is the contribution of visceral adiposity?. 2009 , 89, 1307-14		136
997	Baseline serum C-reactive protein is associated with lipid responses to low-fat and high-polyunsaturated fat diets. 2009 , 139, 680-3		13
996	C-reactive protein and coronary disease: is there a causal link?. <i>Circulation</i> , 2009 , 120, 2036-9	16.7	43
995	Critical appraisal of CRP measurement for the prediction of coronary heart disease events: new data and systematic review of 31 prospective cohorts. 2009 , 38, 217-31		171

994	Determinants of the acute-phase protein C-reactive protein in myocardial infarction survivors: the role of comorbidities and environmental factors. 2009 , 55, 322-35	17
993	Verification of the analytical range of a new reagent for full-range C-reactive protein determination. 2009 , 47, 109-11	2
992	Commentary: C-reactive protein and risk prediction--moving beyond associations to assessing predictive utility and clinical usefulness. 2009 , 38, 231-4	5
991	The association between inflammatory markers and carotid atherosclerosis is sex dependent: the Tromsø Study. 2009 , 27, 392-7	35
990	Human C-reactive protein does not promote atherosclerosis in transgenic rabbits. <i>Circulation</i> , 2009 , 120, 2088-94	16.7 86
989	The Jupiter study, CRP screening, and aggressive statin therapy-implications for the primary prevention of cardiovascular disease. 2009 , 3, 309-15	20
988	C-reactive protein and coronary heart disease: predictive test or therapeutic target?. 2009 , 55, 239-55	55
987	Implications of increased C-reactive protein for cardiovascular risk stratification in black and white men and women in the US. 2009 , 55, 1627-36	72
986	Neopterin and cardiovascular disease: growing evidence for a role in patient risk stratification. 2009 , 55, 1056-7	15
985	Inflammation in renal transplantation. 2009 , 4, 1246-54	81
984	Middle-aged men with increased waist circumference and elevated C-reactive protein level are at higher risk for postoperative atrial fibrillation following coronary artery bypass grafting surgery. 2009 , 30, 1270-8	57
983	Baseline apnoea/hypopnoea index and high-sensitivity C-reactive protein for the risk of recurrence of atrial fibrillation after successful electrical cardioversion: a predictive model based upon the multiple effects of significant variables. 2009 , 11, 902-9	30
982	Effects of maternal surgical weight loss in mothers on intergenerational transmission of obesity. 2009 , 94, 4275-83	247
981	Lipoprotein-associated phospholipase A2 and high-sensitivity C-reactive protein improve the stratification of ischemic stroke risk in the Atherosclerosis Risk in Communities (ARIC) study. 2009 , 40, 376-81	68
980	Association of asymptomatic peripheral arterial disease with vascular events in patients with stroke or transient ischemic attack. 2009 , 40, 3472-7	52
979	Inflammatory biomarkers of vascular risk as correlates of leukoariorosis. 2009 , 40, 3466-71	74
978	Intensive lowering of low-density lipoprotein cholesterol levels for primary prevention of coronary artery disease. 2009 , 84, 345-52	32
977	Clinical utility of a fingerstick technology to identify individuals with abnormal blood lipids and high-sensitivity C-reactive protein levels. 2009 , 23, 279-82	49

976	Pre-procedural C-reactive protein levels and clinical outcomes after percutaneous coronary interventions with and without abciximab: pooled analysis of four ISAR trials. 2009 , 95, 107-12	20
975	Die JUPITER-Studie: Antworten und Fragen?. 2009 , 5, 206-212	
974	An emerging paradigm in atherosclerosis: focus on subclinical disease. 2009 , 121, 49-59	7
973	C-reactive protein: how conformational changes influence inflammatory properties. 2009 , 8, 3885-92	102
972	Adverse childhood experiences and adult risk factors for age-related disease: depression, inflammation, and clustering of metabolic risk markers. 2009 , 163, 1135-43	757
971	High-sensitivity C-reactive protein and lipoprotein-associated phospholipase A2 stability before and after stroke and myocardial infarction. 2009 , 40, 3233-7	42
970	Association of serum C-reactive protein level with sex-specific type 2 diabetes risk: a prospective finnish study. 2009 , 94, 2099-105	40
969	High-sensitivity C-reactive protein levels and type 2 diabetes in urban North Indians. 2009 , 94, 2123-7	49
968	Cardiovascular disease risk biomarkers and liver and kidney function are not altered in postmenopausal women after ingesting an elderberry extract rich in anthocyanins for 12 weeks. 2009 , 139, 2266-71	102
967	C-reactive protein levels, haplotypes, and the risk of incident chronic obstructive pulmonary disease. 2009 , 179, 375-82	42
966	Risk factors of atrial fibrillation following off-pump coronary artery bypass graft surgery: predictive value of C-reactive protein and transfusion requirement. 2009 , 36, 838-43	26
965	Racial differences in paraoxonase-1 (PON1): a factor in the health of southerners?. 2009 , 117, 1226-31	22
964	Spirolactone and chlorthalidone in uncontrolled elderly hypertensive patients treated with calcium antagonists and angiotensin II receptor-blocker: effects on endothelial function, inflammation, and oxidative stress. 2009 , 31, 585-94	18
963	Assessment of cardiovascular risk in paediatric peritoneal dialysis patients: a Turkish Pediatric Peritoneal Dialysis Study Group (TUPEPD) report. 2009 , 24, 3525-32	53
962	Long-term effects of a very-low-carbohydrate weight loss diet compared with an isocaloric low-fat diet after 12 mo. 2009 , 90, 23-32	183
961	Seasonal and sex variation of high-sensitivity C-reactive protein in healthy adults: a longitudinal study. 2009 , 55, 313-21	29
960	Obstructive sleep apnoea syndrome is associated with enhanced sub-clinical inflammation and asymmetric dimethyl-arginine levels in hypertensives. 2009 , 23, 65-7	24
959	Evaluating the causal relevance of diverse risk markers: horizontal systematic review. 2009 , 339, b4265	37

958	A new role for vitamin D receptor activation in chronic kidney disease. 2009 , 297, F1502-9		26
957	Myocardial infarction in a 72-year-old woman with low LDL-C and increased hsCRP: implications for statin therapy. 2009 , 55, 369-74; discussion 374-5		3
956	Progress and challenges in metabolic syndrome in children and adolescents: a scientific statement from the American Heart Association Atherosclerosis, Hypertension, and Obesity in the Young Committee of the Council on Cardiovascular Disease in the Young; Council on Cardiovascular Nursing; and Council on Nutrition, Physical Activity, and Metabolism. <i>Circulation</i> , 2009 , 119, 628-47	16.7	525
955	Variability and correlates of high sensitivity C-reactive protein in systemic lupus erythematosus. 2009 , 18, 966-73		18
954	High-sensitivity C-reactive protein predicts mortality but not stroke: the Northern Manhattan Study. 2009 , 73, 1300-7		63
953	The value of C-reactive protein in screening for future coronary heart disease events. 2009 , 16, 212-4		6
952	Continuously-infused human C-reactive protein is neither proatherosclerotic nor proinflammatory in apolipoprotein E-deficient mice. 2009 , 234, 624-31		20
951	Simple and Reproducible ELISA for C-Reactive Protein. 2009 , 55, 376-377		2
950	Prospective study of physical fitness, adiposity, and inflammatory markers in healthy middle-aged men and women. 2009 , 89, 85-9		34
949	Tocotrienol suppresses adipocyte differentiation and Akt phosphorylation in 3T3-L1 preadipocytes. 2009 , 139, 51-7		62
948	Increased risk of chronic kidney disease in elderly with metabolic syndrome and high levels of C-reactive protein: Kahrizak Elderly Study. 2009 , 32, 457-63		19
947	Associations between C-reactive protein and benign prostatic hyperplasia/lower urinary tract symptom outcomes in a population-based cohort. 2009 , 169, 1281-90		56
946	Dietary intake of fruits and vegetables improves microvascular function in hypertensive subjects in a dose-dependent manner. <i>Circulation</i> , 2009 , 119, 2153-60	16.7	113
945	Systemic inflammation and disease progression in Alzheimer disease. 2009 , 73, 768-74		742
944	Criteria for evaluation of novel markers of cardiovascular risk: a scientific statement from the American Heart Association. <i>Circulation</i> , 2009 , 119, 2408-16	16.7	834
943	Impact of adding a single allele in the 9p21 locus to traditional risk factors on reclassification of coronary heart disease risk and implications for lipid-modifying therapy in the Atherosclerosis Risk in Communities study. 2009 , 2, 279-85		77
942	CCR5 deletion protects against inflammation-associated mortality in dialysis patients. 2009 , 20, 1641-9		59
941	Nuclear factor- κ B activation contributes to vascular endothelial dysfunction via oxidative stress in overweight/obese middle-aged and older humans. <i>Circulation</i> , 2009 , 119, 1284-92	16.7	181

940	Inflammatory biomarkers and the prediction of coronary events among people at intermediate risk: the EPIC-Norfolk prospective population study. 2009 , 95, 1682-7	34
939	Mineral metabolism and inflammation in chronic kidney disease patients: a cross-sectional study. 2009 , 4, 1646-54	63
938	Sex-specific effect of body weight gain on systemic inflammation in subjects with COPD: results from the SAPALDIA cohort study 2. 2009 , 34, 332-9	16
937	Effects of G994T in the Lp-PLA2 gene on the plasma oxidized LDL level and carotid intima-media thickness in Japanese: the Shimane study. 2009 , 22, 742-7	19
936	C-reactive protein, metabolic syndrome and incidence of severe hip and knee osteoarthritis. A population-based cohort study. 2009 , 17, 168-73	132
935	Leisure time physical activity, risk of depressive symptoms, and inflammatory mediators: the English Longitudinal Study of Ageing. 2009 , 34, 1050-5	104
934	Lipid profiles in patients with rheumatoid arthritis: mechanisms and the impact of treatment. 2009 , 38, 372-81	107
933	Association of socioeconomic status with inflammation markers in black and white men and women in the Coronary Artery Risk Development in Young Adults (CARDIA) study. 2009 , 69, 451-9	138
932	Inflammatory biomarkers in coronary artery disease. 2009 , 53, 317-33	229
931	C-reactive protein predicts non-target lesion revascularization and cardiac events following percutaneous coronary intervention in patients with angina pectoris. 2009 , 53, 388-95	5
930	Unemployment and ill health: a connection through inflammation?. 2009 , 9, 410	26
929	Patients with hypertension and the cardiometabolic syndrome: the potential impact of inflammatory biomarkers. 2009 , 11, 690-3	
928	Waist circumference, body mass index, and their association with cardiometabolic and global risk. 2009 , 4, 12-9	34
927	Highly elevated C-reactive protein levels in obese patients with COPD: a fat chance?. 2009 , 28, 642-7	33
926	Relation of serum ferritin level to cardiovascular fitness among young men. 2009 , 103, 115-8	17
925	Pooled analyses of effects on C-reactive protein and low density lipoprotein cholesterol in placebo-controlled trials of ezetimibe monotherapy or ezetimibe added to baseline statin therapy. 2009 , 103, 369-74	72
924	Relation of inflammation to depression and incident coronary heart disease (from the Canadian Nova Scotia Health Survey [NSHS95] Prospective Population Study). 2009 , 103, 755-61	56
923	Serum C-reactive protein and risk of cardiovascular events in middle-aged and older chinese population. 2009 , 103, 1727-31	20

922	Association of leukocyte subtype counts with coronary atherosclerotic regression following pravastatin treatment. 2009 , 104, 464-9	35
921	Utility of C-reactive protein for cardiovascular risk stratification across three age groups in subjects without existing cardiovascular diseases. 2009 , 104, 538-42	10
920	Lipid-altering efficacy and safety of ezetimibe/simvastatin versus atorvastatin in patients with hypercholesterolemia and the metabolic syndrome (from the VYMET study). 2009 , 103, 1694-702	55
919	Vitamin C treatment reduces elevated C-reactive protein. 2009 , 46, 70-7	68
918	The prevalence of polyvascular disease in patients referred for peripheral arterial disease. 2009 , 38, 435-40	14
917	JUPITER and the world of stroke medicine. 2009 , 8, 129-31	6
916	Life course weight gain and C-reactive protein levels in young adults: findings from a Brazilian birth cohort. 2009 , 21, 192-9	28
915	Increased C-reactive protein is not associated with apathy: the Leiden 85-Plus Study. 2009 , 24, 1177-84	13
914	Biomarkers of inflammation and development of rheumatoid arthritis in women from two prospective cohort studies. 2009 , 60, 641-52	100
913	Autonomic tone and C-reactive protein: a prospective population-based study. 2009 , 19, 367-74	21
912	The therapeutic modulation of atherogenic dyslipidemia and inflammatory markers in the metabolic syndrome: what is the clinical relevance?. 2009 , 46, 1-11	22
911	Effect of a low dose of sea buckthorn berries on circulating concentrations of cholesterol, triacylglycerols, and flavonols in healthy adults. 2009 , 48, 277-82	34
910	Predictors for cardiovascular morbidity and overall mortality in Tunisian ESRD patients: a six year prospective study. 2009 , 42, 648-53	4
909	Association of oxidative stress and paraoxonase status with PROCAM risk score. 2009 , 42, 617-23	10
908	Correlation among soluble markers and severity of disease in non-diabetic subjects with pre-mature coronary artery disease. 2009 , 330, 201-9	19
907	C-reactive protein, interleukin-6, and prostate cancer risk in men aged 65 years and older. 2009 , 20, 1193-203	49
906	C-reactive protein and ovarian cancer: a prospective study nested in three cohorts (Sweden, USA, Italy). 2009 , 20, 1151-9	42
905	Increased folate intake with no changes in serum homocysteine and decreased levels of C-reactive protein in patients with inflammatory bowel diseases. 2009 , 54, 627-33	18

904	Biomarkers of atherosclerosis: Clinical applications. 2009 , 3, 23-30	2
903	Die JUPITER-Studie: Primärprävention bei erhöhtem C-reaktivem Protein. 2009 , 3, 35-36	
902	Statin therapy, inflammation, and risk for cardiovascular events: The light from JUPITER is illuminating. 2009 , 11, 323-325	
901	Inflammatory markers and stroke. 2009 , 11, 12-20	27
900	Epidemiology of atherosclerosis in systemic lupus erythematosus. 2009 , 11, 248-54	32
899	Metabolic syndrome and risk factors for cardiovascular disease: are nonagenarians protected?. 2009 , 31, 67-75	3
898	Association of C-reactive protein and muscle strength in the English Longitudinal Study of Ageing. 2009 , 31, 171-7	46
897	Appraisal of the prognosis in patients with acute myocardial infarction treated with primary percutaneous coronary intervention. 2009 , 15, 236-40	5
896	Inhibition of C-reactive protein in morbidly obese patients after laparoscopic sleeve gastrectomy. 2009 , 19, 456-60	40
895	Cardiovascular risk reduction: what do recent trials with rosuvastatin tell us?. 2009 , 26, 469-87	13
894	Riboflavin supplementation and biomarkers of cardiovascular disease in the elderly. 2009 , 13, 441-6	14
893	Sarcopenic-obesity and cardiovascular disease risk in the elderly. 2009 , 13, 460-6	185
892	C-reactive protein and lipid parameters in older persons aged 80 years and older. 2009 , 13, 587-93	16
891	Association of C-reactive protein with type 2 diabetes: prospective analysis and meta-analysis. 2009 , 52, 1040-7	149
890	CRP and the risk of atherosclerotic events. 2009 , 31, 79-94	80
889	Update on statin-mediated anti-inflammatory activities in atherosclerosis. 2009 , 31, 127-42	64
888	C-reactive protein and colorectal adenomas: Self Defense Forces Health Study. 2009 , 100, 709-14	16
887	Serum C-reactive protein (CRP) and microalbuminuria in relation to fasting and 2-h postload plasma glucose in a Chinese population. 2009 , 70, 691-7	13

886	A meta-analysis of the utility of C-reactive protein in predicting early, intermediate-term and long term mortality and major adverse cardiac events in vascular surgical patients. 2009 , 64, 416-24	30
885	An inverse relationship between plasma n-3 fatty acids and C-reactive protein in healthy individuals. 2009 , 63, 1154-6	80
884	The association of fruits, vegetables, antioxidant vitamins and fibre intake with high-sensitivity C-reactive protein: sex and body mass index interactions. 2009 , 63, 1345-52	58
883	The effects of dietary fibre on C-reactive protein, an inflammation marker predicting cardiovascular disease. 2009 , 63, 921-33	101
882	Abdominal obesity and the spectrum of global cardiometabolic risks in US adults. 2009 , 33, 239-48	55
881	Effect of diet-induced energy deficit and body fat reduction on high-sensitive CRP and other inflammatory markers in obese subjects. 2009 , 33, 456-64	45
880	Association of the FTO rs9939609 single nucleotide polymorphism with C-reactive protein levels. 2009 , 17, 330-4	31
879	Insulin sensitivity in African-American and white women: association with inflammation. 2009 , 17, 276-82	52
878	Lowering body mass index cutoffs better identifies obese persons with spinal cord injury. 2009 , 47, 757-62	142
877	Causes and consequences of inflammation on anemia management in hemodialysis patients. 2009 , 13, 222-34	22
876	Is there a prognostic role for C-reactive protein in ischemic stroke?. 2010 , 122, 209-16	6
875	Effects of pravastatin on the function of dendritic cells in patients with coronary heart disease. 2009 , 104, 101-6	6
874	Non-alcoholic fatty liver disease is associated with cardiovascular disease risk markers. 2009 , 10, 412-9	59
873	The influence of chronic periodontitis on serum TNF-alpha, IL-6 and hs-CRP concentrations, and function of graft and survival of kidney transplant recipients. 2009 , 23, 213-9	15
872	What is the best biomarker for diagnosis of rejection in heart transplantation?. 2009 , 23, 672-80	21
871	Altered plasma adipokines and markers of oxidative stress suggest increased risk of cardiovascular disease in First Nation youth with obesity or type 2 diabetes mellitus. 2009 , 10, 269-77	39
870	Nutrition, inflammation, and cognitive function. 2009 , 1153, 164-75	71
869	Cytokines and glucocorticoid receptor signaling. Relevance to major depression. 2009 , 1179, 86-105	233

868	Aspirin reduces the prothrombotic activity of C-reactive protein. 2009 , 7, 1393-400	18
867	Omega-3 fatty acid supplementation effects on weight and appetite in patients with Alzheimer's disease: the omega-3 Alzheimer's disease study. 2009 , 57, 11-7	52
866	High oxidative stress is correlated with frailty in elderly chinese. 2009 , 57, 1666-71	87
865	Evaluation of DNA damage and metabolic syndrome parameters in diabetic rabbits supplemented with antioxidants. 2009 , 23, 197-205	16
864	Flow mediated vasodilation and circulating concentrations of high sensitive C-reactive protein, interleukin-6 and tumor necrosis factor-alpha in normal pregnancy--The Cardiovascular Risk in Young Finns Study. 2009 , 29, 347-52	18
863	Reduction in circulating markers of endothelial dysfunction in HIV-infected patients during antiretroviral therapy. 2009 , 10, 79-87	41
862	Weight change and clinical markers of cardiovascular disease risk during preventive treatment of migraine. 2009 , 29, 1188-96	15
861	Cardiovascular disease testing on the Dimension Vista system: biomarkers of acute coronary syndromes. 2009 , 42, 1444-51	16
860	Electrochemical investigations of the interaction of C-reactive protein (CRP) with a CRP antibody chemically immobilized on a gold surface. 2009 , 643, 45-53	57
859	Serial analyses of C-reactive protein and myeloperoxidase in acute coronary syndrome. 2009 , 32, E58-62	12
858	Reference measurement procedure development for C-reactive protein in human serum. 2009 , 81, 8610-6	26
857	Temporal association of elevated C-reactive protein and periodontal disease in men. 2009 , 80, 734-9	19
856	Physical activity and mortality in chronic kidney disease (NHANES III). 2009 , 4, 1901-6	169
855	Population differences in associations between C-reactive protein concentration and adiposity: comparison of young adults in the Philippines and the United States. 2009 , 89, 1237-45	57
854	The use of dried blood spot sampling in the national social life, health, and aging project. 2009 , 64 Suppl 1, i131-6	79
853	High sensitivity C-reactive protein is associated with the metabolic syndrome independent to viral and bacterial pathogen burden. 2009 , 84, 296-302	12
852	Vascular disease in rheumatoid arthritis: from subclinical lesions to cardiovascular risk. 2009 , 20, 348-54	32
851	Serum levels of soluble vascular cell adhesion molecule-1, tumor necrosis factor-alpha, and interleukin-6 in in vitro fertilization cycles. 2009 , 91, 2012-9	11

850	Effects of nonoral estradiol-micronized progesterone or low-dose oral estradiol-drospirenone therapy on metabolic variables and markers of endothelial function in early postmenopause. 2009 , 92, 605-12	18
849	BDNF Val66Met polymorphism is associated with unstable angina. 2009 , 400, 3-7	31
848	Degree of gingivitis correlates to systemic inflammation parameters. 2009 , 401, 105-9	17
847	Association of peripheral inflammatory markers with chronic fatigue in a population-based sample. 2009 , 23, 327-37	88
846	Sex differences in the relationship between obesity, C-reactive protein, physical activity, depression, sleep quality and fatigue in older adults. 2009 , 23, 643-8	46
845	Parental education is related to C-reactive protein among female middle-aged community volunteers. 2009 , 23, 677-83	39
844	Reduction in trunk fat predicts cardiovascular exercise training-related reductions in C-reactive protein. 2009 , 23, 485-91	36
843	Daily family assistance and inflammation among adolescents from Latin American and European backgrounds. 2009 , 23, 803-9	66
842	To assess, to control, to exclude: effects of biobehavioral factors on circulating inflammatory markers. 2009 , 23, 887-97	331
841	A prospective evaluation of the directionality of the depression-inflammation relationship. 2009 , 23, 936-44	280
840	Is high-sensitive C-reactive protein a biomarker for functional somatic symptoms? A population-based study. 2009 , 23, 1014-9	13
839	Leukocyte count is associated with increased platelet reactivity and diminished response to aspirin in healthy individuals with a family history of coronary artery disease. 2009 , 124, 311-7	17
838	The prevalence of carotid artery calcifications detected on panoramic radiographs in patients with metabolic syndrome. 2009 , 108, e57-62	20
837	The effect of a 12 week walking intervention on markers of insulin resistance and systemic inflammation. 2009 , 48, 39-44	39
836	Stress and body mass index each contributes independently to tumor necrosis factor-alpha production in prepubescent Latino children. 2009 , 24, 378-88	21
835	Evaluation of clinical activity and safety of Daflon 500 mg in type 2 diabetic female patients. 2009 , 17, 199-207	8
834	C-reactive protein in risk prediction of cardiovascular outcomes: Tehran Lipid and Glucose Study. 2009 , 132, 369-74	15
833	Progestogens and target tissues: vascular systems. 2009 , 62, 356-61	6

832	Assessing coronary heart disease in women. 2009 , 62, 243-7	12
831	Use of dydrogesterone in hormone replacement therapy. 2009 , 65 Suppl 1, S51-60	10
830	Biomarkers of premature atherosclerosis. 2009 , 15, 323-32	69
829	C-reactive protein predicts long-term mortality independently of low-density lipoprotein cholesterol in patients undergoing percutaneous coronary intervention. 2009 , 158, 277-83	28
828	Long-term C-reactive protein variability and prediction of metabolic risk. 2009 , 122, 53-61	19
827	[Comments on methodological problems related to the use of biomarkers in clinical practice and research]. 2009 , 28, 473-81	3
826	Molecular inflammation: underpinnings of aging and age-related diseases. 2009 , 8, 18-30	821
825	Sleep disturbance and the long-term impact of early adversity. 2021 , 126, 304-313	4
824	Postoperative Neutrophil-to-Lymphocyte Ratio Is Associated with Mortality in Adult Patients After Cardiopulmonary Bypass Surgery: A Cohort Study. 2021 , 27, e932954	1
823	Serum C-Reactive Protein and Periodontitis: A Systematic Review and Meta-Analysis. 2021 , 12, 706432	7
822	Accelerometer-Measured Physical Activity and Cardiometabolic Risk Factors by Race-Ethnicity: 2003-2006 NHANES. 2021 , 1	0
821	C-reactive protein and temperament: An instrumental variable analysis. 2021 , 14, 100241	
820	Association between Cardiorespiratory Fitness and Circulating Proteins in 50-Year-Old Swedish Men and Women: a Cross-Sectional Study. 2021 , 7, 52	1
819	Effects of the Great Recession on Educational Disparities in Cardiometabolic Health. 2021 ,	
818	Predictive value of inflammation-based Glasgow prognostic score, platelet-lymphocyte ratio, and global registry of acute coronary events score for major cardiovascular and cerebrovascular events during hospitalization in patients with acute myocardial infarction. 2021 , 13, 18274-18286	3
817	Inflammatory markers and risk of cardiovascular mortality in relation to diabetes status in the HUNT study. 2021 , 11, 15644	3
816	Mind-Body Connection: Cardiovascular Sequelae of Psychiatric Illness. 2021 , 100959	0
815	Assessment of Cardiovascular Risk in Women with Periodontal Diseases According to C-reactive Protein Levels. 2021 , 11,	1

814	Age, sex, and inflammatory markers predict chronic conditions, cardiac disease, and mortality among captive western lowland gorillas (<i>Gorilla gorilla gorilla</i>). 2021 , 62, 931-943	1
813	Inflammation and its associations with aortic stiffness, coronary artery disease and peripheral artery disease in different ethnic groups: The HELIUS Study. 2021 , 38, 101012	1
812	The interactive association of adverse childhood experiences and polygenic susceptibility with depressive symptoms and chronic inflammation in older adults: a prospective cohort study. 1-11	0
811	Psychological resilience predicting cardiometabolic conditions in adulthood in the Midlife in the United States Study. 2021 , 118,	1
810	Association between high-sensitivity C-reactive protein levels and depression: Moderation by age, sex, obesity, and aerobic physical activity. 2021 , 291, 375-383	1
809	Relationship Between the Aldosterone-to-Renin Ratio and Blood Pressure in Young Adults: A Longitudinal Study. 2021 , 78, 387-396	0
808	Unusual Finding of Rare Exuberant Xanthomatosis in Hyperlipidemia. 2021 , 117, 407-410	
807	The Association of Stress, Metabolic Syndrome and Systemic Inflammation with Neurocognitive Function in the Hispanic Community Health Study/Study of Latinos and its Sociocultural Ancillary Study. 2021 ,	0
806	Lack of Associations Between C-Reactive Protein and Mood and Anxiety Symptoms in Adolescents. 2021 , 31, 404-410	1
805	Inflammation Alters Relationship Between High-Density Lipoprotein Cholesterol and Cardiovascular Risk in Patients With Chronic Kidney Disease: Results From KNOW-CKD. 2021 , 10, e021731	1
804	Muscle weakness is a prognostic indicator of disability and chronic disease multimorbidity. 2021 , 152, 111462	0
803	Endothelial connexin-integrin crosstalk in vascular inflammation. 2021 , 1867, 166168	1
802	Usefulness of red cell distribution width to predict mortality in patients undergoing endovascular repair of abdominal aortic aneurysms. 2021 , 40, 497-503	
801	Resolving early obesity leads to a cardiometabolic profile within normal ranges at 23 years old in a two-decade prospective follow-up study. 2021 , 11, 18927	1
800	Inflammation-Immunity-Nutrition Score: A Novel Prognostic Score for Patients with Resectable Colorectal Cancer. 2021 , 14, 4577-4588	3
799	How biomarker patterns can be utilized to identify individuals with a high disease burden: a bioinformatics approach towards predictive, preventive, and personalized (3P) medicine.. 2021 , 12, 507-516	3
798	Metabolic syndrome and hidradenitis suppurativa: epidemiological, molecular, and therapeutic aspects. 2021 ,	3
797	Childhood Socioeconomic Status and Cardiometabolic Health: A Test of the John Henryism Hypothesis in African American Elders. 2021 ,	2

796	Exploring potential serum levels of Homocysteine, interleukin-1 beta, and apolipoprotein B 48 as new biomarkers for patients with ischemic stroke. 2021 , e23996	1
795	Prognostic implication of systemic inflammatory state on antiplatelet effect in patients after percutaneous coronary intervention for ST-elevation myocardial infarction: A retrospective cohort study. 2021 , 100, e27214	0
794	Patterns of multimorbidity and risk of severe SARS-CoV-2 infection: an observational study in the U.K. 2021 , 21, 908	6
793	Nets of biotin-derived gold nanoparticles as a label for the C-reactive protein immunoassay. 2021 , 413, 6867-6875	0
792	C-Reaction Protein and the Severity of Intracerebral Hemorrhage: A Study from Chinese Stroke Center Alliance. 2021 , 1-6	0
791	Associations Among Plant-Based Dietary Indexes, the Dietary Inflammatory Index, and Inflammatory Potential in Female College Students In Saudi Arabia: A Cross-Sectional Study. 2021 ,	0
790	Living alone and cardiovascular outcomes: a meta-analysis of 11 cohort studies. 2021 , 1-13	0
789	C-reactive protein and hypertension among Ghanaian migrants and their homeland counterparts: the Research on Obesity and Diabetes among African Migrants study. 2021 ,	0
788	Cardiovascular Health Trajectories and Elevated C-Reactive Protein: The CARDIA Study. 2021 , 10, e019725	1
787	Association of hypertension with infection and inflammation in a setting of disadvantage in rural India. 2021 ,	1
786	Pharmacodynamic substances in <i>Salvia miltiorrhiza</i> for prevention and treatment of hyperlipidemia and coronary heart disease based on lipidomics technology and network pharmacology analysis. 2021 , 141, 111846	8
785	Sex-Related Differences in Cardiovascular Disease Risk Profile in Children and Adolescents with Type 1 Diabetes. 2021 , 22,	1
784	Evidence of dysregulated iron homeostasis in newly diagnosed diabetics, but not in pre-diabetics. 2021 , 35, 107977	2
783	Adequate intake of plant protein foods and moderate intake of animal protein foods are inversely associated with C-reactive protein in US adults with diabetes: A cross-sectional study with National Health and Nutrition Examination Survey. 2021 , 89, 111276	
782	Residual Inflammatory Risk Predicts Poor Prognosis in Acute Ischemic Stroke or Transient Ischemic Attack Patients. 2021 , 52, 2827-2836	7
781	Advances in aptamer-based sensing assays for C-reactive protein. 2021 , 1	2
780	Social media use and systemic inflammation: The moderating role of self-esteem. 2021 , 16, 100300	2
779	Adiponectin Concentration and Chronic Stroke Individuals, Associations with Body Composition, Physical Activity Levels and Lipid Profile: A Cross-Sectional Explorative Study. 2021 , 30, 105993	1

778	Linking stressful life events and chronic inflammation using suPAR (soluble urokinase plasminogen activator receptor). 2021 , 97, 79-88	8
777	Elevated C-reactive protein levels across diagnoses: The first comparison among inpatients with major depressive disorder, bipolar disorder, or obsessive-compulsive disorder. 2021 , 150, 110604	1
776	Clinical phenotypes of depressed patients with evidence of inflammation and somatic symptoms. 2021 , 8, 100079	1
775	Dysconnectivity of a brain functional network was associated with blood inflammatory markers in depression. 2021 , 98, 299-309	5
774	Associations between childhood victimization, inflammatory biomarkers and psychotic phenomena in adolescence: A longitudinal cohort study. 2021 , 98, 74-85	5
773	Childhood sexual abuse history amplifies the link between disease burden and inflammation among older adults with HIV. 2021 , 17, 100342	0
772	No evidence for clinical efficacy of adjunctive celecoxib with vortioxetine in the treatment of depression: A 6-week double-blind placebo controlled randomized trial. 2021 , 53, 34-46	4
771	Recent advances on the development of plasmon-assisted biosensors for detection of C-reactive protein. 2021 , 1246, 131178	2
770	Physiology of Sleep From Infancy to Old Age. 2022 , 3-21	
769	Prognosis After Stroke. 2022 , 207-220.e11	
768	Analysis of retinal blood vessel diameters in patients with COPD undergoing a pulmonary rehabilitation program. 2022 , 139, 104238	0
767	Preventive Cardiology. 2022 , 341-375	
766	Early age at menarche and metabolic cardiovascular risk factors: mediation by body composition in adulthood. 2021 , 11, 148	4
765	Increased Omega-3 Fatty Acid Intake Is Inversely Associated with Subclinical Inflammation in Healthy Elderly Men, Based on the 2015-2018 Korean National Health and Nutrition Examination Survey. 2021 , 13,	1
764	Association among daily fish intake, white blood cell count, and healthy lifestyle behaviors in an apparently healthy Japanese population: implication for the anti-atherosclerotic effect of fish consumption. 2021 , 36, 924-933	3
763	Dysbiosis, Small Intestinal Bacterial Overgrowth, and Chronic Diseases. 2021 , 334-362	0
762	Association between dietary flavonoid intakes and C-reactive protein levels: a cross-sectional study in Taiwan. 2021 , 10, e15	4
761	Depressive symptoms and allostatic load have a bidirectional association among Puerto Rican older adults. 2021 , 1-13	1

760	Circulating inflammatory biomarkers in adolescents: evidence of interactions between chronic pain and obesity. 2021 , 6, e916	1
759	The effect of the relationship between post-cardiotomy neutrophil/lymphocyte ratio and platelet counts on early major adverse events after isolated coronary artery bypass grafting. 2021 , 29, 36-44	6
758	Adaptive response triggered by the repeated SCUBA diving is reflected in cardiovascular, muscular, and immune biomarkers. 2021 , 9, e14691	2
757	Biomarkers. 1	1
756	A highly sensitive multiplex immunoassay for inflammatory cytokines in dried blood spots. 2021 , 33, e23558	4
755	Inflammation is a crucial feature of atherosclerosis and a potential target to reduce cardiovascular events. 2005 , 697-722	11
754	The Relationship Between Periodontal Disease and Systemic Disease in the Elderly. 2008 , 247-271	2
753	The Metabolic Syndrome. 2011 , 1-26	2
752	Inflammation Through a Psychoneuroimmunological Lens. 2013 , 279-299	11
751	C-Reactive Protein and Diet Quality in Children. 2013 , 75-86	1
750	Cardiovascular Disease in Women. 2007 , 349-368	2
749	C-Reactive Protein and Other Inflammatory Markers in Cardiovascular Disease. 2007 , 69-112	1
748	Dietary Mg Intake and Biomarkers of Inflammation and Endothelial Dysfunction. 2013 , 35-50	2
747	Inflammation, C-Reactive Protein, and Vulnerable Plaques. 2007 , 611-620	2
746	Cardiometabolic Syndrome. 2020 , 801-822	1
745	Depression and Cardiovascular Disease in Women: Behavioral and Biological Mechanisms Involved in this Association. 2015 , 41-61	1
744	Cardiovascular Effects of Cancer Therapy. 2015 , 167-199	1
743	Physiological Consequences: Early Hardship and Health Across the Life Span. 2015 , 151-176	3

742	Conditions That Can Promote Alzheimer's. 2016 , 99-150	1
741	Pentraxins: The L-Type Lectins and the C-Reactive Protein as a Cardiovascular Risk. 2012 , 163-188	4
740	Fetal Origins of Variables Related to Cardio-Metabolic Risk. 2011 , 9-20	2
739	Vascular Pharmacology. 2006 , 71-100	4
738	DYSLIPIDEMIAS. 2009 , 303-320	1
737	The Metabolic Syndrome. 2010 , 822-839	2
736	Lipids, Lipoproteins, Apolipoproteins, and Other Cardiovascular Risk Factors. 2012 , 731-805	4
735	Cardiac Injury, Atherosclerosis, and Thrombotic Disease. 2011 , 249-258	1
734	Basic Examination of Blood and Bone Marrow. 2011 , 509-535	19
733	Recent advances of electrochemical and optical biosensors for detection of C-reactive protein as a major inflammatory biomarker. 2020 , 158, 105287	32
732	The association between dietary inflammatory index and risk of central obesity in adults: An updated systematic review and meta-analysis. 2020 , 90, 535-552	13
731	Severe affective and behavioral dysregulation in youths is associated with a proinflammatory state. 2013 , 41, 393-9	10
730	Resilience and biomarkers of health risk in Black smokers and nonsmokers. 2017 , 36, 1047-1058	8
729	Psychosocial stress and C-reactive protein from mid-adolescence to young adulthood. 2019 , 38, 259-267	10
728	Independent and joint association of obesity and metabolic syndrome with depression and inflammation. 2019 , 38, 586-595	15
727	Life course biopsychosocial effects of retrospective childhood social support and later-life cognition. 2019 , 34, 867-883	8
726	Discordant Risk: Overweight and Cardiometabolic Risk in Chinese Adults. 2013 , 21, E166-74	25
725	Matriliney reverses gender disparities in inflammation and hypertension among the Mosuo of China. 2020 , 117, 30324-30327	8

724	The Effect of Inflammation and Insulin Resistance on Lipid and Lipoprotein Responsiveness to Dietary Intervention. 2020 , 4, nzaa160	4
723	Is high-sensitivity C-reactive protein associated with carotid atherosclerosis in healthy Koreans?. 2005 , 12, 548-54	11
722	Clinical use of C-reactive protein for cardiovascular disease. 2004 , 97, 985-8	9
721	Correlation of high-sensitivity C-reactive protein and plasma fibrinogen with individual complications in patients with type 2 diabetes. 2006 , 99, 23-7	14
720	C-reactive protein and cold-pressor tolerance in the general population: the Tromsø Study. 2017 , 158, 1280-1288	26
719	HCV coinfection possibly promotes left ventricular dysfunction development: analysis of brain natriuretic peptide serum levels in HCV/HIV-coinfected and HIV-monoinfected patients. 2012 , 24, 1308-12	5
718	The pleiotropic effects of antihypertensive agents: do they account for additional cardiovascular benefit beyond BP reduction?. 2008 , 101, 818-23	6
717	Patterns of Multimorbidity and Risk of Severe SARS-CoV-2 Infection: an observational study in the U.K.	2
716	Association between C reactive protein and depression in a population of healthy adults: the Cooper Center Longitudinal Study. 2020 , 68, 1019-1023	5
715	Hard-hearted CRP. 2004 , 113, 1244-5	4
714	High sensitivity C-reactive protein and cardiac resynchronization therapy in patients with advanced heart failure. 2014 , 11, 296-302	7
713	The prognostic role of high-sensitivity C-reactive protein in patients with acute myocardial infarction. 2020 , 17, 379-383	1
712	Associations of Sedentary Patterns with Cardiometabolic Biomarkers in Physically Active Young Males. 2021 , 53, 838-844	5
711	Prognostic value of low and moderately elevated C-reactive protein in acute coronary syndrome: a 2-year follow-up study. 2013 , 19, 777-86	7
710	Levels of Neopterin and other Inflammatory Markers in Obese and Non-Obese Patients with Polycystic Ovary Syndrome. 2015 , 21, 2446-55	19
709	Evaluation of Early Atherosclerosis Markers in Patients with Inflammatory Bowel Disease. 2016 , 22, 3943-3950	6
708	Risk factor analysis of plasma cytokines in patients with coronary artery disease by a multiplexed fluorescent immunoassay. 2006 , 125, 906-13	17
707	Nonfasting Lipemia and Inflammation as Cardiovascular Disease Risks After SCI. 2009 , 14, 15-31	5

706	Suppression of Proatherogenic Inflammatory Cytokines as a Therapeutic Countermeasure to CVD Risks Accompanying SCI. 2011 , 16, 14-32	6
705	Effects of a Functional Electrical Stimulation-Assisted Cycling Program on Immune and Cardiovascular Health in Persons with Spinal Cord Injury. 2016 , 22, 71-78	4
704	Identification and Management of Cardiometabolic Risk after Spinal Cord Injury: Clinical Practice Guideline for Health Care Providers. 2018 , 24, 379-423	41
703	Inflammation and infection do not promote arterial aging and cardiovascular disease risk factors among lean horticulturalists. 2009 , 4, e6590	76
702	Sedentary behaviour and biomarkers for cardiovascular disease and diabetes in mid-life: the role of television-viewing and sitting at work. 2012 , 7, e31132	106
701	Gender, obesity and repeated elevation of C-reactive protein: data from the CARDIA cohort. 2012 , 7, e36062	68
700	Elevated C-reactive protein in children from risky neighborhoods: evidence for a stress pathway linking neighborhoods and inflammation in children. 2012 , 7, e45419	64
699	Non-alcoholic fatty liver disease is closely associated with sub-clinical inflammation: a case-control study on Asian Indians in North India. 2013 , 8, e49286	43
698	Integrative bioinformatics analysis of genomic and proteomic approaches to understand the transcriptional regulatory program in coronary artery disease pathways. 2013 , 8, e57193	9
697	Multiple inflammatory biomarker detection in a prospective cohort study: a cross-validation between well-established single-biomarker techniques and an electrochemiluminescence-based multi-array platform. 2013 , 8, e58576	22
696	Increased risk of ischemic heart disease in young patients with newly diagnosed ankylosing spondylitis--a population-based longitudinal follow-up study. 2013 , 8, e64155	32
695	Periatrial epicardial fat is associated with markers of endothelial dysfunction in patients with atrial fibrillation. 2013 , 8, e77167	18
694	Serum copeptin and cortisol do not accurately predict sickle cell anaemia vaso-occlusive crisis as C-reactive protein. 2013 , 8, e77913	6
693	Serum immunoglobulin M concentration is positively related to metabolic syndrome in an adult population: Tianjin Chronic Low-Grade Systemic Inflammation and Health (TCLSIH) Cohort Study. 2014 , 9, e88701	26
692	Allopurinol is an independent determinant of improved arterial stiffness in chronic kidney disease: a cross-sectional study. 2014 , 9, e91961	20
691	Association between sleep quality and C-reactive protein: results from national health and nutrition examination survey, 2005-2008. 2014 , 9, e92607	22
690	Trends in prevalence of dyslipidaemias and the risk of mortality in Lithuanian urban population aged 45-64 in relation to the presence of the dyslipidaemias and the other cardiovascular risk factors. 2014 , 9, e100158	7
689	Abundant genetic overlap between blood lipids and immune-mediated diseases indicates shared molecular genetic mechanisms. 2015 , 10, e0123057	30

688	Sex-Specific Mediating Role of Insulin Resistance and Inflammation in the Effect of Adiposity on Blood Pressure of Prepubertal Children. 2015 , 10, e0132097	7
687	Frequency and Circadian Timing of Eating May Influence Biomarkers of Inflammation and Insulin Resistance Associated with Breast Cancer Risk. 2015 , 10, e0136240	59
686	Phenotype, Body Composition, and Prediction Equations (Indian Fatty Liver Index) for Non-Alcoholic Fatty Liver Disease in Non-Diabetic Asian Indians: A Case-Control Study. 2015 , 10, e0142260	11
685	Lower Methylation of the ANGPTL2 Gene in Leukocytes from Post-Acute Coronary Syndrome Patients. 2016 , 11, e0153920	17
684	Risk of Diabetes in Older Adults with Co-Occurring Depressive Symptoms and Cardiometabolic Abnormalities: Prospective Analysis from the English Longitudinal Study of Ageing. 2016 , 11, e0155741	8
683	Red Blood Cells from Individuals with Abdominal Obesity or Metabolic Abnormalities Exhibit Less Deformability upon Entering a Constriction. 2016 , 11, e0156070	25
682	Low-moderate urine arsenic and biomarkers of thrombosis and inflammation in the Strong Heart Study. 2017 , 12, e0182435	10
681	Cardiorespiratory fitness and the metabolic syndrome: Roles of inflammation and abdominal obesity. 2018 , 13, e0194991	46
680	Urbanization and health: The effects of the built environment on chronic disease risk factors among women in Tanzania. 2020 , 15, e0241810	8
679	Underlying mechanisms of oxygen uptake kinetics in chronic post-stroke individuals: A correlational, cross-sectional pilot study. 2020 , 15, e0241872	3
678	Ultrasound Biomicroscopic Imaging for Interleukin-1 Receptor Antagonist-Inhibiting Atherosclerosis and Markers of Inflammation in Atherosclerotic Development in Apolipoprotein-E Knockout Mice. 2015 , 42, 319-26	4
677	Role of microcirculatory function and plasma biomarkers in determining the development of cardiovascular adverse events in patients with peripheral arterial disease: A 5-year follow-up. 2018 , 20, 220-228	4
676	Association between caspase recruitment domain-containing protein 8 rs2043211 polymorphism and cardiovascular disease susceptibility: A systematic review and meta-analysis. 2018 , 20, 70-76	6
675	Small intestinal permeability in older adults. 2014 , 2, e00281	32
674	High-sensitivity C-reactive protein is associated with 24-hour ambulatory blood pressure variability in type 2 diabetes and control subjects. 2016 , 24, 65-74	2
673	Correlation of Serum Levels of Vitronectin, Malondialdehyde and Hs- CRP With Disease Severity in Coronary Artery Disease. 2015 , 7, 113-7	26
672	Association between C-reactive protein and blood pressure in a cohort of elderly Muscovites: epidemiological study data. 2012 , 11, 65-69	1
671	Estudo Longitudinal EpiFloripa Idoso [Rotinas de organizaç e protocolos referentes à coleta, análise e armazenamento de material biológico, exames de imagem e capacidade físico-funcional. 2019 , 27, 210-224	6

670	Amount of physical activity necessary for a normal level of high-sensitivity C-reactive protein in ELSA-Brasil: a cross-sectional study. 2020 , 138, 19-26	1
669	Exposures to airborne particulate matter and adverse perinatal outcomes: a biologically plausible mechanistic framework for exploring potential. 2007 , 12, 1591-602	32
668	Noninvasive detection of coronary artery disease -- challenges for prevention of disease and clinical events. 2005 , 60, 415-28	6
667	C-Reactive protein predicts acute myocardial infarction during high-risk noncardiac and vascular surgery. 2011 , 66, 773-6	9
666	The Effects of Regular Physical Activity on Social-Psychological and Physiological Factors in Workers with Disability. 2010 , 18, 33-51	1
665	Effect of grape polyphenols on selected inflammatory mediators: A systematic review and meta-analysis randomized clinical trials. 2020 , 19, 251-267	4
664	Hsp 70, hsCRP and oxidative stress in patients with acute coronary syndromes. 2012 , 12, 102-7	12
663	Effect of Aerobic Exercise in Water on Serum Estrogen and C - Reactive Protein and Body Mass Index Level in Obese and Normal Weight Postmenopausal Women. 2015 , 2,	3
662	Biomarkers of acute myocardial infarction: diagnostic and prognostic value. Part 2 (Literature review). 2020 , 11, 70-82	5
661	Sarcopenia-related traits and coronary artery disease: a bi-directional Mendelian randomization study. 2020 , 12, 3340-3353	4
660	Dietary inflammatory index and risk of upper aerodigestive tract cancer in Japanese adults. 2018 , 9, 24028-24040	19
659	Association between dietary inflammatory index and serum C-reactive protein concentrations in the Japan Collaborative Cohort Study. 2020 , 82, 237-249	4
658	Critical appraisal of C-reactive protein throughout the spectrum of cardiovascular disease. 2006 , 2, 221-37	55
657	Prediction of calculated future cardiovascular disease by monocyte count in an asymptomatic population. 2008 , 4, 177-87	23
656	Predictive Value of Neutrophil-Lymphocyte Ratio for Long-Term Cardiovascular Event Following Coronary Artery Bypass Grafting. 2020 , 35, 274-284	13
655	A Review on the Most Important Medicinal Plants Effective in Cardiac Ischemia-Reperfusion Injury. 2019 , 25, 352-358	8
654	Therapeutic Strategies for Treatment of Inflammation-related Depression. 2018 , 16, 176-209	56
653	Infectious burden: a new risk factor and treatment target for atherosclerosis. 2010 , 10, 84-90	40

652	Expanded Network of Inflammatory Markers of Atherogenesis: Where Are We Now?. 2010 , 4, 38-44	3
651	Expanded network of inflammatory markers of atherogenesis: where are we now?. 2010 , 4, 38-44	5
650	High Sensitivity C - Reactive Protein is Associated with Diastolic Dysfunction in Young African Americans without Clinically Evident Cardiac Disease. 2011 , 5, 188-95	5
649	Evaluation of Effect of Surgical and Nonsurgical Periodontal Therapy on Serum C-Reactive Protein, Triglyceride, Cholesterol, Serum Lipoproteins and Fasting Blood Sugar in Patients with Severe Chronic Periodontitis. 2019 , 13, 15-21	2
648	Longitudinal Validity and Reliability of Brief Smartphone Self-Monitoring of Diet, Stress, and Physical Activity in a Diverse Sample of Mothers. 2018 , 6, e176	10
647	[The influence of age and the beginning of menopause on the lipid status, LDL oxidation, and CRP in healthy women]. 2007 , 135, 280-5	4
646	Effects of physical exercise on inflammatory parameters and risk for repeated acute coronary syndrome in patients with ischemic heart disease. 2009 , 66, 44-8	30
645	[Gender difference in lipopemic and anti-inflammatory effects of statins in diabetics with coronary artery disease]. 2009 , 66, 966-72	3
644	Femoral Intima-media Thickness, Risk Factors, and Markers of Inflammation in Cardiovascular Disease. 2018 , 3, 141-151	2
643	Association between Helicobacter pylori-infection, C-reactive protein and status of B vitamins. 2008 , 53, 205-13	16
642	The Effects of Antiplatelet, Antithrombotic, and Thrombolytic Agents on Inflammation and Circulating Inflammatory Biomarkers. 2009 , 67-98	1
641	Using nationwide Big data[From linked electronic health records to help improve outcomes in cardiovascular diseases: 33 studies using methods from epidemiology, informatics, economics and social science in the Clinical disease research using Linked Bespoke studies and Electronic health Research (CLIMBER)]. 2017 , 5, 1-22	10
640	The effect of the Winter Fuel Payment on household temperature and health: a regression discontinuity design study. 2019 , 7, 1-60	2
639	The labile iron pool in monocytes reflects the activity of the atherosclerotic process in men with chronic cardiovascular disease. 2017 , 66, 49-61	9
638	Plasmonic Optical Biosensors for Detecting C-Reactive Protein: A Review. 2020 , 11,	6
637	Combination and transformation of toxin and blood stasis in etiopatho-genesis of thrombotic cerebrocardiovascular diseases. 2008 , 6, 1105-1108	9
636	Serologic and laboratory markers in prediction of the disease course in inflammatory bowel disease. 2010 , 16, 2604-8	16
635	Increased risk of atrial fibrillation in patients with inflammatory bowel disease: A nationwide population-based study. 2019 , 25, 2788-2798	23

634	Atherosclerosis Prediction with High Sensitivity C-Reactive Protein (hs-CRP) and Related Risk Factor in Patient with Dyslipidemia. 2019 , 7, 3887-3890	8
633	Elevated hs-CRP in Patients with Stable Angina Pectoris. 2012 , 82, 45	2
632	Effects of Omega-3 Fatty Acids on Serum Lipids and High Sensitivity C Reactive Protein in Cigarette Smokers. 2007 , 7, 1368-1374	3
631	Are Mood and Anxiety Disorders Inflammatory Diseases?. 2015 , 45, 240-248	5
630	Jupiter to earth: a statin helps people with normal LDL-C and high hs-CRP, but what does it mean?. 2009 , 76, 37-44	7
629	Interaction of Vitamin D and Smoking on Inflammatory Markers in the Urban Elderly. 2015 , 48, 249-56	9
628	[C-reactive protein and carotid intima-media thickness in a population of middle-aged Koreans]. 2009 , 42, 29-34	5
627	Regular Physical Exercise Reduces Cardiovascular Risks. 2006 , 15, 99-102	2
626	[Inflammation and C-reactive protein in cardiovascular disease]. 2009 , 129, 1221-4	4
625	CRP Induces NETosis in Heart Failure Patients with or without Diabetes. 2019 , 3, 378-388	17
624	The Evaluation of the Impact of Age, Skin Tags, Metabolic Syndrome, Body Mass Index, and Smoking on Homocysteine, Endothelin-1, High-sensitive C-reactive Protein, and on the Heart. 2013 , 58, 326	6
623	Metabolic syndrome. 2006 , 60, 72-81	32
622	Independent Prognostic Value of High-sensitivity C-reactive Protein in Patients with Coronary Artery Ectasia. 2016 , 129, 2582-2588	6
621	Role of Vitamin C and E supplementation in reduction of serum level of renal injury marker following shock wave lithotripsy: Prospective single centre experience. 2015 , 7, 350-4	5
620	Comparative evaluation of serum C-reactive protein levels in chronic and aggressive periodontitis patients and association with periodontal disease severity. 2014 , 5, 484-8	10
619	Role of systemic markers in periodontal diseases: a possible inflammatory burden and risk factor for cardiovascular diseases?. 2014 , 4, 388-92	23
618	Serum levels of hypersensitive-C-reactive protein in moderate and severe acne. 2015 , 6, 253-7	9
617	Effects of non-surgical periodontal therapy on serum lipids and C-reactive protein among hyperlipidemic patients with chronic periodontitis. 2015 , 5, S49-56	5

616	Serum levels of high-sensitivity C-reactive protein in acute ischemic stroke and its subtypes: a prospective case-control study. 2018 , 3, 128	7
615	Association of Elevated C-Reactive Protein with Severe Periodontitis in Hypertensive Patients in Lagos, Nigeria: A Pilot Study. 2018 , 9, S95-S99	1
614	Effect of Nonsurgical Periodontal Therapy on Serum Highly Sensitive Capsule Reactive Protein and Homocysteine Levels in Chronic Periodontitis: A Pilot Study. 2017 , 8, 279-285	7
613	Comparative evaluation of role of hs C -reactive protein as a diagnostic marker in chronic periodontitis patients. 2020 , 9, 1340-1347	4
612	Discrimination and stratification tests of cardiovascular disease risk assessment models against ultrasound detection of carotid plaques in type 2 diabetics. 2013 , 05, 1-10	1
611	Associations between C-Reactive Protein and Apolipoproteins, Lipoprotein (a) and Conventional Serum Lipids in Outpatients: Correlations and Time Trends. 2015 , 05, 33-40	1
610	ELECTROCARDIOGRAPHIC ABNORMALITIES AMONG MEXICAN AMERICANS: CORRELATIONS WITH DIABETES, OBESITY, AND THE METABOLIC SYNDROME. 2012 , 2, 50-56	11
609	Public health perspectives on noise and cardiovascular disease. 2014 , 04, 23-34	2
608	Clinical Implications of Tumor Necrosis Factor-Alpha, Interleukin-6 and Resistin in Coronary Artery Disease. 2014 , 04, 416-421	2
607	Domino effect of hypomagnesemia on the innate immunity of Crohn's disease patients. 2014 , 5, 527-35	11
606	High-sensitivity C-reactive protein predicts 10-year cardiovascular outcome after percutaneous coronary intervention. 2016 , 12, 345-51	14
605	A Survey of Game Theory in Wireless Sensor Networks Security. 2011 , 6,	37
604	Inflammation and reactive oxygen species in cardiovascular disease. 2010 , 2, 408-10	23
603	Percutaneous panvascular intervention in an unusual case of extensive atherosclerotic disease. 2012 , 4, 48-53	2
602	Implications of Klotho in vascular health and disease. 2014 , 6, 1262-9	36
601	Adipose tissue and vascular inflammation in coronary artery disease. 2014 , 6, 539-54	32
600	Effect of long work hours and shift work on high-sensitivity C-reactive protein levels among Korean workers. 2021 , 47, 200-207	6
599	Relationship between periodontitis and cardiovascular diseases: A literature review. 2014 , 3, 1	2

598	Acute phase reactants as novel predictors of cardiovascular disease. 2012 , 2012, 953461	49
597	Subclinical hypothyroidism in atopic South Italian children. 2016 , 5, 306-10	2
596	von Willebrand factor, C-reactive protein, nitric oxide, and vascular endothelial growth factor in a dietary reversal model of hypercholesterolemia in rabbit. 2008 , 152, 91-5	15
595	Prognostic influences of cardiac rehabilitation in korean acute myocardial infarction patients. 2011 , 35, 375-80	16
594	Derivatives of reactive oxygen metabolites correlates with high-sensitivity C-reactive protein. 2008 , 15, 206-12	38
593	Simple platelet markers: Mean platelet volume and congestive heart failure coexistent with periodontal disease. Pilot studies. 2019 , 26, 253-259	3
592	Prognostic significance of red cell distribution width and its relation to increased pulmonary pressure and inflammation in acute heart failure. 2020 , 27, 394-403	3
591	Insulin-related biomarkers to predict the risk of metabolic syndrome. 2013 , 11, e10418	6
590	Different lipid profiles according to ethnicity in the Heart of Soweto study cohort of de novo presentations of heart disease. 2012 , 23, 389-95	28
589	Elevated salivary C-reactive protein predicted by low cardio-respiratory fitness and being overweight in African children. 2012 , 23, 501-6	35
588	Understanding the rise in cardiovascular diseases in Africa: harmonising H3Africa genomic epidemiological teams and tools. 2014 , 25, 134-6	35
587	Comparison of neutrophil:lymphocyte ratios following coronary artery bypass surgery with or without cardiopulmonary bypass. 2015 , 26, 159-64	4
586	Hypercoagulation testing in ischemic stroke. 2007 , 131, 890-901	38
585	Correlation between C-reactive protein in peripheral vein and coronary sinus in stable and unstable angina. 2015 , 104, 202-8	3
584	Persistent Depressive Symptoms are Independent Predictors of Low-Grade Inflammation Onset Among Healthy Individuals. 2017 , 0	3
583	Changes in body weight, C-reactive protein, and total adiponectin in non-obese women after 12 months of a small-volume, home-based exercise program. 2013 , 68, 1121-7	5
582	Clustering and determinants of cardiometabolic risk factors among Filipino young adults. 2014 , 23, 148-58	7
581	Assessment of the relationship between insulin resistance, atherogenic index of plasma and white blood cell count: A data mining study. 2017 , 39, 479-486	1

580	Factors associated with elevated blood pressure or hypertension in Afro-Caribbean youth: a cross-sectional study. 2018 , 6, e4385	12
579	Gender Differences in Biological Function in Young Adulthood: An Intragenerational Perspective. 2018 , 4, 98-119	2
578	Associations of psoriatic arthritis and cardiovascular conditions in a large population. 2008 , 12, 4-8	11
577	Factors Affecting Doses of Roxadustat Versus Darbepoetin Alfa for Anemia in Nondialysis Patients. 2021 , 52, 702-713	1
576	Deep-learning model for screening sepsis using electrocardiography. 2021 , 29, 145	4
575	Inflammatory, oxidative and DNA damage status in vegetarians: is the future of human diet green?. 2021 , 1-33	1
574	The Association of Psychological Well-Being With Sensory and Cognitive Function and Neuronal Health in Aging Adults. 2021 , 8982643211046820	2
573	Inflammation predicts sexual arousability in healthy women. 2021 , 8, 100086	0
572	Association Between Systemic Inflammation and Individual Symptoms of Depression: A Pooled Analysis of 15 Population-Based Cohort Studies. 2021 , 178, 1107-1118	5
571	Epicardial adipose tissue volume is greater in men with severe psoriasis, implying an increased cardiovascular disease risk: A cross-sectional study. 2021 ,	1
570	The association between urinary metabolites of polycyclic aromatic hydrocarbons (PAHs) and cardiovascular diseases and blood pressure: a systematic review and meta-analysis of observational studies. 2021 , 1	1
569	Daily Stressors, Emotion Dynamics, and Inflammation in the MIDUS Cohort. 2021 , 1	0
568	HDL subgroups and their paraoxonase-1 activity in the obese, overweight and normal weight subjects. 2021 , 75, e14969	0
567	Vitamin D status is favorably associated with the cardiovascular risk factors in adults with obesity. 2021 , 46, 232-239	0
566	Relationship between Handgrip Strength and Low-grade Inflammation in Older Adults with Depression. 2021 , 19, 721-730	
565	Endothelial function and concentrations of high-sensitivity C-reactive protein, interleukin-6, and tumor necrosis factor-alpha during a long agonist IVF protocol. 2021 , 148, 103434	0
564	Unresolved inflammation during hospitalization is associated with post-discharge institutionalization and mortality in geriatric rehabilitation inpatients: The RESORT cohort. 2021 , 156, 111597	1
563	Vitamin K: A vital micronutrient with the cardioprotective potential against diabetes-associated complications. 2021 , 286, 120068	1

562 The use of biochemical markers for diagnosis of the acute coronary syndromes. **2003**, 22, 289-301

561 Role of secretory phospholipase A2 Isozymes (Lp-PLA2). **2003**, 219-229

560 Serum Biomarkers in Prediction of Stroke Risk and Outcome. **2004**, 257-278

559 B-Type Natriuretic Peptides in Acute Coronary Syndromes. **2004**, 323-338

558 Risk Factors and Prevention, Including Hyperlipidemias. **2005**, 419-437

557 Arteriosclerosis. **2005**, 620-629

556 The influence of antibiotics and statins on inflammation in coronary disease. **2005**, 62, 661-70

555 [Relationship between C-reactive protein and features of the metabolic syndrome in military pilots in the Serbia and Montenegro]. **2005**, 62, 811-9

554 Determination of high sensitivity C-reactive protein: Clinical and analytical quality. **2005**, 24, 85-93

1

553 Coagulation, thrombosis, and coronary heart disease. **2005**, 466-479

552 Immunovospalitel'nye markery ateroskleroza u patsientov s narushennoy tolerantnost'yu k glyukoze i sakharnym diabetom 2 tipa. **2005**, 8, 54-58

551 Pravastatin???????????????????????????????????? : ??????????, ??????????(1. ??????????????????, ?69?????????????). **2005**, 13, 213-220

550 Antihypertensive Drugs. **2005**, 165-200

549 The role of inflammation in diabetes and its complications. **2006**, 99, 8-9

548 High-Sensitivity C-Reactive Protein for Risk Assessment in Acute Coronary Syndromes. **2006**, 261-275

547 Anormalidades lipídicas y reducci3n de factores de riesgo. **2006**, 620-627

546 Analytic Issues for Clinical Use of C-Reactive Protein. **2006**, 223-235

545 The Metabolic Syndrome: Time for a Critical Appraisal. **2006**, 12, 99-116

3

544 Women and Coronary Heart Disease. **2006**, 689-720

543 Epidemiology and Cardiovascular Disease Risk Assessment in the Metabolic Syndrome. **2006**, 17-39

542 Metabolic Syndrome and Type 2 Diabetes Mellitus. **2006**, 41-78

541 Detection of Early Cardiovascular Disease. **2007**, 1615-1622

2

540 EFFECT OF EXERCISE TRAINING ON SERUM HIGH-SENSITIVITY C-REACTIVE PROTEIN CONCENTRATION IN HEALTHY MIDDLE-AGED AND ELDERLY SUBJECTS. **2007**, 56, 179-190

539 C-reactive protein and HDL-cholesterol level in the patients with suspected acute myocardial infarction immediately after reception at the Internal Medicine surgery. **2007**, 38, 65-70

538 Management of Cholesterol Disorders. **2007**, 2667-2691

537 Risk Factors for Cardiovascular Disease and Arterial Thrombosis. **2007**, 371-378

536 New Issues in the Screening and Prevention of Cardiovascular Disease. **2008**, 185-191

535 High-Sensitivity C-Reactive Protein and the Metabolic Syndrome. **2008**, 167-188

534 Drug Therapy for Hypercholesterolemia and Dyslipidemia. **2008**, 318-333

533 Obesity and C-reactive Protein Levels Among White, Black, and Hispanic US Adults.

532 The effect of 12 week combined exercise on cardiovascular risk factors and inflammation markers in obese middle school girls. **2008**, 17, 173-182

2

531 Pragmatic Aspect of C-Reactive Protein Alone and in Combination with Lipid Profile in Patients with Coronary Artery Disease. **2008**, 8, 743-746

530 Inflammation and Aortic Function. **2008**, 130-135

529 The Effect of Weight Reduction Diet on C-Reactive Protein Level in Obese-Adult Subjects. **2008**, 9, 17-23

3

528 Modulation of Biomarkers of Inflammation. **2009**, 396-409

527 [The relationship between C-reactive protein and subclinical carotid arteriosclerosis in military pilots]. **2009**, 66, 465-71

1

526	Metabolic syndrome in children and adolescents. 2009 , 52, 737	4
525	Non-invasive Methods for Cardiovascular Risk Assessment in Asymptomatic Type 2 Diabetes Mellitus. 2009 , 33, 267	1
524	3.???CRP?????????? ????????????????????(N Engl J Med 2006)?????????. 2009 , 40, 171S-172S	
523	The Metabolic Syndrome. 2009 , 69-81	1
522	Endothelium: Dysfunction and Repair. 2009 , 187-210	
521	Effects of the hapkido-pilates exercise on the health related physical fitness, serum lipid, immune globulin and cytokine concentrations in middle-aged women. 2009 , 18, 193-202	1
520	Role of Exercise and Weight Loss in Reducing Inflammation. 2009 , 255-284	
519	Functional Assessment Tools and Co-morbidity Scoring in Hematopoietic Progenitor Cell Transplantation. 2010 , 687-694	
518	Near Term Prospects for Ameliorating Cardiovascular Aging. 2010 , 279-306	1
517	Treatment of Lipid Abnormalities. 2010 , 619-625	
516	Atherosclerotic Risk Factors. 2010 , 394-408	2
515	[Chronic low-grade inflammation, lipid risk factors and mortality in functionally dependent elderly]. 2010 , 67, 562-8	
514	The Role of Unknown Risk Factors in Myocardial Infarction. 2010 , 1, 15-19	3
513	Employment and Health Trajectories. 2010 , 129-141	1
512	Ezetimibe in the Treatment of Patients with Metabolic Diseases. 2013 , 9, 55-60	
511	Chapter 13 Cardiovascular Disease. 2010 ,	0
510	New Blood Biomarkers of Inflammation and Atherosclerosis. 2011 , 119-133	
509	[Factors associated with low cardiometabolic risk in obese women]. 2010 , 54, 68-77	0

508 Circulating Endothelial Progenitor Cells: Mechanisms and Measurements. **2011**, 151-167

507 Inflammatory Markers and Novel Risk Factors. **2011**, 107-123

506 Cardiovascular Epidemiology and Characterization of Atherosclerotic Disease Risk Factors. **2011**, 3-24

505 Relationship and Clinical Usefulness between Preoperative Levels of Brain Natriuretic Peptide, Other Cardiac Markers and Perioperative Parameters in Patients with Coronary Artery Disease. **2010**, 20, 1299-1305

504 Diabetes and Acute Metabolic Complications, Infections, and Inflammation. **2010**, 95-110

503 Advanced Lipid Testing. **2011**, 77-103

502 Novel biomarkers in evaluation of acute coronary syndrome. **2011**, 131-138

501 Collagen Vascular and Infectious Diseases. **2011**, 687-702

500 Prediction of Cardiovascular Disease. **2011**, 33-45

499 Concepts of Screening for Cardiovascular Risk Factors and Disease. **2011**, 433-442

498 Ultra-Sensitive C-Reactive Protein (US-CRP) in Patients With Periodontal Disease and Risk of Acute Myocardial Infarction. **2011**, 2, 27-35 2

497 Comparison of Serum Insulin, Leptin, Adiponectin and High Sensitivity C-Reactive Protein Levels according to Body Mass Index and their Associations in Adult Women. **2011**, 16, 126 4

496 Lipoprotein-associated phospholipase A2 (Lp-PLA2) as a marker of atherosclerotic activity and a potential therapeutic target. **2011**, 53, 234-238

495 Atherogenesis and Inflammation. 10-29

494 Correlation between hsCRP and Anti-beta2GPI Antibody in Metabolic Syndrome. **2011**, 3, 122

493 Inflammatory Biomarkers. **2012**, 481-495

492 Randomised study of ezetimibe, start doses of original statins, and their combination in patients with coronary heart disease and hyperlipidemia Part 2. Therapy effects on the levels of C-reactive protein and proinflammatory cytokines. **2011**, 10, 81-88

491 C-reactive protein and sociodemographic parameters in Moscow residents aged 55 years and older. **2011**, 10, 64-69 2

490 Nutritional Genomics of Vitamin D on Cardiovascular Disease. **2011**, 215-230

489 REVISIÓN DE LOS EFECTOS ADVERSOS CARDIOVASCULARES GRAVES EN LA TERAPIA BIOLÓGICA PARA LA PSORIASIS. **2012**, 93-110

488 PENTRAXIN 3 : A NEW BIOMARKER OF INFLAMMATION IN ACUTE CORONARY SYNDROMES-FROM BENCH TO BEDSIDE. **2012**, 58, 293-302

487 Overview of Clinical Research Design Architecture. **2012**, 31-87

486 Risk Markers for Atherothrombotic Disease. **2012**, 914-934

4

485 Cardiac Function. **2012**, 1457-1522

1

484 Childhood Obesity. **2012**, 863-888

483 The Relationship Between Atherosclerosis and the Intima Media Thickness of Carotid Arteries With Serum C-Reactive Protein Levels in Patients With Systemic Lupus Erythematosus. **2012**, 1, 57-60

2

482 Inflammatory Biomarkers in Asian Indian Women with Metabolic Syndrome. **2013**, 04, 1021-1027

1

481 Preventive Cardiology. **2013**, 767-780

480 Expression of proinflammatory cytokines in stable angina. **2013**, 4, 20-23

479 Exercise, Inflammation and Respiratory Infection. **2013**, 597-604

478 Endless Night [poems by doctors. **2013**, 203, 17-17

477 Correlation of Progranulin, Granulin, Adiponectin and Vaspin with Metaflammation (hs-CRP) in Indonesian Obese Men. **2013**, 5, 107

476 Effects Unripe and Ripe Rubus coreanus Miquel on Peritoneal Macrophage Gene Expression Using cDNA Microarray Analysis. **2013**, 42, 1552-1559

2

475 ASSOCIATION OF MENOPAUSE WITH INFLAMMATION-SENSITIVE PROTEIN THE C-REACTIVE PROTEIN AMONG THE INDIAN WOMEN. **2013**, 2, 10144-10153

0

474 Role of novel cardiac biomarkers in prediction of cardiovascular risk in predialysis CKD patients by their correlations with left ventricular mass index. **2014**, 1, 4

473 Drug Therapy for Hypercholesterolemia and Dyslipidemia. **2014**, 543-566

- 472 Comparing the effectiveness of neutrophil-lymphocyte ratio as a mortality predictor on middle and advanced age coronary artery bypass graft patients. **2014**, 1, 95-100 1
- 471 The Relationship between Oxidative Stress and Oxidative Markers. **2014**, 46, 31-37 1
- 470 HIGH SENSITIVITY C - REACTIVE PROTEIN AS A PROGNOSTIC MARKER IN ACUTE STROKE. **2014**, 3, 2675-2679 5
- 469 New Biomarkers of Cardiovascular Disease in Diabetes. 30-57
- 468 TO STUDY THE RELATIONSHIP OF SERUM HIGH SENSITIVE C REACTIVE PROTEIN AND ITS SHORT TERM PROGNOSTIC SIGNIFICANCE IN ACUTE ISCHEMIC STROKE. **2014**, 3, 4424-4427
- 467 Basic Principles of the Princeton Recommendations. **2015**, 213-229
- 466 Non-alcoholic Fatty Liver Disease. **2015**, 1-21
- 465 Cardiovascular Disease. **2015**, 25-53
- 464 A New Risk Score to Predict 1-Year Mortality in Acute Non-ST Elevation Myocardial Infarction. **2015**, 88, 168
- 463 Inflammasome Proteins as Biomarkers of Injury and Disease. **2015**, 1207-1228
- 462 Inflammation Biomarkers and Cardiometabolic Risk. **2015**, 1-24
- 461 C-Reactive Protein and its Pathophysiological Roles in Atherosclerosis. 247-256
- 460 Enhanced External Counterpulsation Is an Effective Treatment for Depression in Patients With Refractory Angina Pectoris. **2015**, 17, 1 1
- 459 15. Cardiovascular Disease. **2016**,
- 458 EVALUATION OF CARDIOVASCULAR RISK AND MYOCARDIAL PERFUSION IN PATIENTS WITH RADICALLY TREATED DIFFERENTIATED THYROID CARCINOMA AND REPEATED EPISODES OF IATROGENIC HYPOTHYROIDISM. **2016**, 12, 30-34
- 457 Sulforaphane and Atherosclerosis. **2016**, 1-19
- 456 CORRELATION BETWEEN SERUM hs-CRP AND LDL CHOLESTEROL AS A PREDICTOR OF CARDIOVASCULAR DISEASES. **2016**, 5, 1725-1728
- 455 Lifestyle Factors that can Induce an Independent and Persistent Low-Grade Systemic Inflammatory Response: A Wholistic Approach. **2016**, 3, 34-48 0

- 454 Do vitamin D and high-sensitivity-C reactive protein levels differ in patients with hyperemesis gravidarum? A preliminary study. **2016**, 13, 123-126 0
- 453 Prevalence of Overweight and Obesity in Adolescents and Their Association with Cardiometabolic Risk Factors and Life-style. **2016**, 61, 100-107 1
- 452 Role of C-Reactive Protein in Cancer. **2017**, 235-251
- 451 Analysis of Dietary Inflammatory Index of Metabolic Syndrome in Korean : Data from the Health Examinee Cohort (2012-2014). **2016**, 25, 823 8
- 450 Relationship Quality: Implications for Sleep Quality and Sleep Disorders. **2017**, 53-84 3
- 449 Sulforaphane and Atherosclerosis. **2017**, 319-337
- 448 Acute Coronary Syndrome. **2017**, 140-184
- 447 Periodontal parameters and tooth loss were associated with Creactive protein and leukocyte counts in adult population aged 50 or older. **2017**, 41, 15-22
- 446 Laboratory tests and biopsychosocial approach in the examination of patients with brachiocephalic arteries atherosclerosis. **2017**, 16, 4-16 0
- 445 Development and Validation of Korean Inflammatory Index(K-DII) for Metabolic Disease Patients: by Using the Health Examinee Cohort (2012-2014). **2017**, 26, 369-381 2
- 444 16. The role of dietary saturated fatty acids in cardiovascular disease. **2017**, 321-356
- 443 23. The gut microbiota in heart health Do probiotics and prebiotics have a role?. **2017**, 489-509
- 442 Cardiovascular Risk in Xavante Indigenous Population. **2018**, 110, 542-550 4
- 441 Study of Serum High-sensitivity C-reactive Protein in Subclinical Hypothyroidism. **2018**, 22, 66-70
- 440 Predictive Value of Neutrophil-to-Lymphocyte Ratio in Outcomes of Patients with Acute Coronary Syndrome. **2018**, 08, 265-275
- 439 The abnormal iron homeostasis among Egyptian obese children and adolescents: relation to inflammation of obesity. **2018**, 43, 97
- 438 Biological Embedding of Child Maltreatment Through Inflammation. **2018**, 1-14 1
- 437 Activity of non-specific inflammatory process in arterial hypertension in patients with type 2 diabetes. **2018**, 55-57

- 436 Comparison of ChitoHem Powder and Sand Bag for Controlling Bleeding After Femoral Angiography. **2018**, 7, 1
- 435 High-sensitivity C-reactive protein/adiponectin ratio and risk factors of atherosclerosis in patients with lichen planus. **2018**, 15, 62-67
- 434 [CME Laboratory 54: Inflammation Markers]. **2018**, 107, 571-572
- 433 The association between CVD-related biomarkers and mortality in the Health and Retirement Survey. 38, 1933-2002
- 432 Usefulness of the neutrophil-to-lymphocyte ratio to prediction of complications in type 2 diabetes mellitus.
- 431 Serum oreksin seviyelerinin obezite ile iliřisi: kesitsel iliřilendirme iliřhası
- 430 HIGH-SENSITIVITY C-REACTIVE PROTEIN, POSSIBLE BIOMARKER FOR DEPRESSION IN ELDERLY POPULATION. **2019**, 15, 215-220
- 429 CHAPTER 4:Egg Consumption and Cardiometabolic Health. **2019**, 60-82
- 428 Clinical Significance of Platelet Volume and Other Platelet Parameters in Acute Myocardial Infarction and Stable Coronary Artery Disease. **2019**, 112, 715-719 2
- 427 TO STUDY THE COMPLICATIONS AND OUTCOMES OF SERUM HIGH SENSITIVITY C-REACTIVE PROTEIN LEVELS & RISK CATEGORIES IN PATIENTS WITH ATRIAL FIBRILLATION. **2019**, 8, 472-477
- 426 AĖk Serum Grelin Dēeyleri Vēut Kitle İndeksi, Kolesterol, Trigliserit ve C- Reaktif Protein ile Negatif İliřilidir.
- 425 Epidemiology and Risk Factors for Esophageal Cancer. **2020**, 1-32
- 424 Predictive value of three Inflammation-based Glasgow Prognostic Scores for major cardiovascular adverse events in patients with acute myocardial infarction during hospitalization: a retrospective study. **2020**, 8, e9068 4
- 423 The Relationship Between Antioxidants and Inflammation in Children With Attention Deficit Hyperactivity Disorder. **2020**, 11, 313-321 2
- 422 Prenatal maternal C-reactive protein prospectively predicts child executive functioning at ages 4-6 years. **2020**, 62, 1111-1123 2
- 421 Monomeric C-reactive protein in coronary artery disease. **2020**, 9, 45-52 0
- 420 Monocytes as amajor population of peripheral blood cells expressing C-reactive protein. **2020**, 32-37
- 419 C-reactive protein and cardiovascular disease: From animal studies to the clinic (Review). **2020**, 20, 1211-1219 3

418	Valid cardiac biomarkers. Part I. 2020 , 19, 2573	3
417	Systemic Inflammation and Cognitive Decrements in Patients with Stage B Heart Failure. 2021 ,	0
416	Extra virgin olive oil high in polyphenols improves antioxidant status in adults: a double-blind, randomized, controlled, cross-over study (OLIVAUS). 2021 , 1	5
415	Effect of Anagliptin versus Sitagliptin on Inflammatory Markers: Sub-Analysis from the REASON Trial. 2020 , 13, 4993-5001	2
414	Is depression associated with the risk of cardiovascular disease or vice versa?.	
413	Obesity, dyslipidemia, and high blood pressure are associated with cardiovascular risk, determined using high-sensitivity C-reactive protein concentration, in young adults. 2020 , 48, 300060520980596	2
412	Inflammation and Atherosclerotic Cardiovascular Disease. 2021 , 289-333	
411	Organic food consumption is associated with inflammatory biomarkers among older adults. 2021 , 24, 4603-4613	1
410	Metabolic Groups Related to Blood Vitamin Levels and Inflammatory Biomarkers in Brazilian Children and Adolescents. 2020 , 66, 515-525	0
409	Homocysteine and C-reactive Protein Levels in Women with Polycystic Ovary Syndrome.. 2021 , 10, 210-214	0
408	Relationship between CRP and depression: A genetically sensitive study in Sri Lanka. 2022 , 297, 112-117	0
407	Influence of lithium chloride on the apoptosis of endotheliocytes in systemic inflammatory response syndrome in patients with severe multiple injury. A retrospective study. 2020 , 115-121	0
406	Potential involvement of adiponectin in obesity-associated erosive esophagitis. 2020 , 67, 206-213	2
405	Salivary Bioscience Research Related to Prenatal Adversity. 2020 , 611-639	
404	Evidence for the use of the Alere Afinion [®] AS100 for measuring the levels of C-reactive protein in an elderly South African population. 2020 , 2, 71-76	
403	[Associations between consumption of dairy products, C-reactive protein, and lipid profile in adults: results of the ELSA-Brasil study]. 2019 , 36, e00028019	1
402	Insulin resistance in non diabetic individuals with acute myocardial infarction and its relationship with acute phase reactants. 2020 , 6, 22	
401	The Effects of 8 Weeks Yoga and Cardiac Rehabilitation Training on Interlukin-6 and High Sensitivity C-Reaction Proteins After Coronary Artery Bypass Surgery: A Randomized Controlled Trial. 2020 , 9,	0

400	Koroner Arter Baypas Greft (KABG) Ameliyat-Olan Hastalarda Aterosklerozun Terleesi ile Hematolojik Parametreler Arasndaki İli.	0
399	Psychosocial, Behavioral and Clinical correlates of children with overweight and obesity.	
398	Metabolically Healthy Obesity (MHO) vs. Metabolically Unhealthy Obesity (MUO) Phenotypes in PCOS: Association with Endocrine-Metabolic Profile, Adherence to the Mediterranean Diet, and Body Composition. 2021 , 13,	2
397	Newly Diagnosed Infection After Admission for Acute Heart Failure: From the KCHF Registry. 2021 , 10, e023256	0
396	Disturbances in branched-chain amino acid profile and poor daily functioning in mildly depressed chronic obstructive pulmonary disease patients. 2021 , 21, 351	
395	Intake of ultra-processed foods is associated with inflammatory markers in Brazilian adolescents. 2021 , 1-9	2
394	Protective Effect of Lithium Chloride on Endothelial Cells in Septic Shock. 2020 , 16, 94-105	1
393	Genomics and Genetics in Cardiovascular Disease. 213-239	
392	Exercise Testing and Other Tools for Risk Stratification in Asymptomatic Patients. 2009 , 203-216	
391	Preventive Cardiology. 2005 , 789-806	
390	Subclinical Atherosclerosis. 2006 , 239-264	
389	Lipoproteins in Diabetes: Risk and Opportunity. 2008 , 265-288	
388	Imaging in Carotid Artery Stenosis: Prospects to the Future. 263-272	
387	Dietary inflammatory index significantly affects lipids profile among adults: An updated systematic review and meta-analysis. 2020 , 1-17	0
386	Muscle damage and inflammatory status biomarkers after a 3-stage trail running race. 2020 , 60, 1486-1492	2
385	New Zealand cardiovascular guidelines: best practice evidence-based guideline: the assessment and management of cardiovascular risk December 2003. 2007 , 28, 19-29	7
384	Serial changes in plasma levels of cytokines in patients with coronary artery disease. 2005 , 1, 245-50	16
383	Postprandial insulin resistance as an early predictor of cardiovascular risk. 2007 , 3, 761-70	24

382	C-reactive protein as a prognostic tool in cardiovascular practices: should CRP testing be ordered along with lipid profiles?. 2003 , 11, 265-267	2
381	Differences in coronary heart disease risk markers among apparently healthy individuals of African ancestry. 2007 , 99, 658-64	13
380	Relationship of C-reactive protein, metabolic syndrome and diabetes mellitus: potential role of statins. 2005 , 97, 1600-7	8
379	Serum C-Reactive Protein (CRP), Target for Therapy or Trouble?. 2007 , 1, 77-80	7
378	Integrating soluble biomarkers and imaging technologies in the identification of vulnerable atherosclerotic patients. 2007 , 1, 165-73	3
377	Variation in high-sensitivity C-reactive protein levels over 24 hours in patients with stable coronary artery disease. 2010 , 37, 42-8	20
376	Personality and inflammation: the protective effect of openness to experience. 2010 , 20, 11-4	19
375	Lack of Correlation between Periodontitis and Renal Dysfunction in Systemically Healthy Patients. 2011 , 5, 8-18	8
374	Micro-ultrasonographic imaging of atherosclerotic progression and correlation with inflammatory markers in apolipoprotein-E knockout mice. 2011 , 38, 364-70	7
373	Relationship Between Carotid Intima-Media Thickness with some Inflammatory Biomarkers, Ghrelin and Adiponectin in Iranians with and without Metabolic Syndrome in Isfahan Cohort Study. 2010 , 6, 56-61	5
372	Effect of CRP on Some of the in vitro Physicochemical Properties of LDL. 2010 , 6, 85-9	6
371	Association of cardiac rehabilitation with improvement in high sensitive C-reactive protein post-myocardial infarction. 2012 , 14, 49-50	2
370	White Blood Cells, Neutrophils, and Reactive Oxygen Metabolites among Asymptomatic Subjects. 2012 , 3, 428-31	11
369	Association between Periodontopathogens and CRP Levels in Patients with Periodontitis in Serbia. 2011 , 5, 10-6	5
368	Cluster analysis reveals important determinants of cardiometabolic risk patterns in Filipino women. 2012 , 21, 271-81	14
367	Association of Periodontal Diseases with Elevation of Serum C-reactive Protein and Body Mass Index. 2008 , 2, 9-14	8
366	Plasma Nitric Oxide and Acute Phase Proteins after Moderate and Prolonged exercises. 2012 , 15, 602-7	9
365	Chronic Low-grade Inflammation after Exercise: Controversies. 2012 , 15, 1008-9	5

364	Cardioprotective role of insulin: Advantage analogues. 2012 , 17, 642-8	1
363	The Effects of Panax Ginseng on Lipid Profile, Pro-oxidant: Antioxidant Status and High-sensitivity C Reactive Protein Levels in Hyperlipidemic Patients in Iran. 2013 , 4, 1045-51	12
362	High sensitivity C-reactive protein levels in Acute Ischemic Stroke and subtypes: A study from a tertiary care center. 2013 , 12, 92-7	13
361	Investigation and management of childhood sleep apnoea. 2013 , 17, 196-202	9
360	Is there any association of anxiety-depressive symptoms with vascular endothelial function or systemic inflammation?. 2013 , 18, 979-83	9
359	What is the clinical benefit of neutrophil-lymphocyte ratio in cardiovascular patients?. 2014 , 6, 131-2	1
358	Genotyping of Endocervical Chlamydia trachomatis Strains and Detection of Serological Markers of Acute and Chronic Inflammation in Their Host. 2012 , 6, 101-6	5
357	High-sensitive factor I and C-reactive protein based biomarkers for coronary artery disease. 2014 , 7, 5158-69	1
356	Comparison of Biomedical Variables in PCOS Patients with Normal Iranian Women. 2015 , 9, 5-11	5
355	High sensitivity C-reactive protein associated with different health predictors in middle-aged and oldest old Chinese. 2012 , 25, 257-66	5
354	Using biomarkers to improve the preoperative prediction of death in coronary artery bypass graft patients. 2010 , 42, 293-300	9
353	Plasma High-Sensitivity C-Reactive Protein Level is Associated with Impaired Estimated Glomerular Filtration Rate in Hypertensives. 2015 , 31, 91-7	5
352	High Sensitivity C Reactive Protein (hs-CRP) in Adolescent and Young Adult Patients with History of Kawasaki Disease. 2015 , 31, 473-7	6
351	HbA1c in Patients with Polycystic Ovary Syndrome: A Potential Marker of Inflammation. 2015 , 16, 203-6	2
350	Is Sudden Hearing Loss Associated with Atherosclerosis?. 2016 , 28, 189-95	9
349	C-Reactive Protein and The Risk of Atrial Fibrillation: A Systematic Review and Meta-Analysis. 2010 , 2, 225	1
348	Study of atherogenic lipid profile, high sensitive C-reactive protein neurological deficit and short-term outcome in stroke subtypes. 2016 , 15, 146-52	3
347	Extra Atrial Disease in Patients with "Lone" Atrial Fibrillation. 2008 , 1, 107	

346	Lycopene attenuates LPS-induced liver injury by inactivation of NF- κ B/COX-2 signaling. 2019 , 12, 817-825	4
345	An umbrella review of systematic reviews of the evidence of a causal relationship between periodontal disease and cardiovascular diseases: Position paper from the Canadian Dental Hygienists Association. 2020 , 54, 32-41	3
344	THE COMPARATIVE ANALYSIS OF THE VEGETATIVE STATUS IN PATIENTS WITH DIFFERENT FORMS OF ACUTE ISCHEMIC BRAIN DAMAGE ASSOCIATED WITH CARDIAC FIBRILLATION. 2018 , 42-50	
343	Deconstructing sex differences in C-reactive protein trends over time. 2021 , e23705	
342	Natural Compound Resveratrol Attenuates TNF-Alpha-Induced Vascular Dysfunction in Mice and Human Endothelial Cells: The Involvement of the NF- κ B Signaling Pathway. 2021 , 22,	1
341	Identification of Condition-Specific Biomarker Systems in Uterine Cancer. 2021 ,	
340	Cardiovascular risk profile and osteoarthritis - considering sex and multisite joint involvement: a CLSA population-based study. 2021 ,	0
339	Carotid Artery Pathology in Inflammatory Diseases. 2021 ,	
338	Evolution of Metabolic Phenotypes of Obesity in Coronary Patients after 5 Years of Dietary Intervention: From the CORDIOPREV Study. 2021 , 13,	
337	A Systematic Review of the Cardiometabolic Benefits of Plant Products Containing Mixed Phenolics and Polyphenols in Postmenopausal Women: Insufficient Evidence for Recommendations to This Specific Population.. 2021 , 13,	1
336	Assessing the roles of demographic, social, economic, environmental, health-related, and political factors on risk of osteoporosis diagnosis among older adults. 2021 , 16, 177	3
335	Early life, life course and gender influences on levels of C-reactive protein among migrant Bangladeshis in the UK.. 2022 , 10, 21-35	0
334	Determining Plasma Protein Variation Parameters as a Prerequisite for Biomarker Studies-A TMT-Based LC-MS/MS Proteome Investigation.. 2021 , 9,	1
333	Clinical and laboratory markers of calcifying atherosclerosis. 2021 , 1, 43-47	
332	Soluble Urokinase Plasminogen Activator Receptor (suPAR) as a Biomarker of Systemic Chronic Inflammation.. 2021 , 12, 780641	9
331	Hepatitis B virus infection and the risk of gastrointestinal cancers among Chinese population: a prospective cohort study. 2021 ,	1
330	Relationship between Physical Activity and Physiological Indicators, Hand Grip Strength, Stress, and Health-related Quality of Life among Cancer Survivors: Based on the Korea National Health and Nutrition Examination Survey (2016~2019). 2021 , 21, 199	0
329	The Association Between Loneliness and Inflammation: Findings From an Older Adult Sample.. 2021 , 15, 801746	0

328	Clinical and biological risk factors associated with inflammation in patients with type 2 diabetes mellitus.. 2022 , 22, 16	1
327	Cardiovascular Burden Is High in Pediatric Lung Transplant Recipients.. 2022 ,	0
326	Association of diet quality with serum high-sensitivity C-reactive protein level and the adherence to the Saudi dietary guidelines among female college students. 2022 , 34, 101765	
325	Neurocognitive Performance in Depressed Patients with low-grade inflammation and somatic symptoms.. 2022 , 19, 100409	2
324	Doping of MXenes enhances the electrochemical response of peptide-imprinted conductive polymers for the recognition of C-Reactive protein.. 2021 , 200, 113930	3
323	Diagnostic and Prognostic Blood Biomarkers in Transient Ischemic Attack and Minor Ischemic Stroke: An Up-To-Date Narrative Review.. 2022 , 31, 106292	1
322	A Prognostic Merit of Statins in Patients with Chronic Hemodialysis after Percutaneous Coronary Intervention-A 10-Year Follow-Up Study.. 2022 , 11,	
321	Social Media Use and Its Link to Physical Health Indicators.. 2022 ,	0
320	Anti-inflammatory strategies for atherosclerotic artery disease.. 2022 ,	1
319	Exploring the association of fibrinogen and CRP with the clinical spectrum of CAD and periprocedural outcomes in patients undergoing percutaneous coronary interventions.. 2022 , 25, 34-40	
318	Brick by Brick: Building a Transdiagnostic Understanding of Inflammation in Psychiatry.. 2022 , 30, 40-53	2
317	Characterization of Circulating and Urinary Biomarkers in the Fontan Circulation and Their Correlation With Cardiac Imaging.. 2022 , 162, 177-183	0
316	High-sensitivity C-reactive protein levels and pregnancy outcomes in women with unexplained infertility after ovarian stimulation with intrauterine insemination in a multicenter trial.. 2022 , 3, 57-62	0
315	Cardiac biomarkers: definition, detection, diagnostic use, and efficiency. 2022 , 113-130	
314	A systematic review of cardiovascular risk factors in patients with traumatic spinal cord injury. 2021 ,	0
313	Cardiometabolic risk profile in non-obese children with obstructive sleep apnea syndrome.. 2022 , 1	2
312	Dietary Sodium, Potassium, and Sodium to Potassium Ratio in Patients With Systemic Lupus Erythematosus.. 2022 , 10998004211065491	0
311	Associations of fermented and non-fermented dairy consumption with serum C-reactive protein concentrations - A cross-sectional analysis.. 2022 , 48, 401-407	0

310	Effect of Elevated C-Reactive Protein on Outcomes After Complex Percutaneous Coronary Intervention for Angina Pectoris.. 2022,	
309	Association of Anxiety and Depression in Patients Undergoing Cardiac Catheterization With Number of Major Coronary Artery Stenosis: A Cross-Sectional Study.. 2022, 14, e21630	1
308	The role of inflammation as a preponderant risk factor in cardiovascular diseases.. 2022,	0
307	Egg-Phosphatidylcholine Attenuates T-Cell Dysfunction in High-Fat Diet Fed Male Wistar Rats.. 2022, 9, 811469	0
306	Inflammation and Conception in a Prospective Time-to-Pregnancy Cohort.. 2022, 33, 269-277	0
305	The effects of raloxifene on endothelial function in women: A Meta-analysis of randomized controlled trials.. 2021, 159, 111682	0
304	Association of urinary polycyclic aromatic hydrocarbon metabolites and cardiovascular disease among US population: National Health and Nutrition Examination Surveys (NHANES): A cross-sectional study.. 2022, 112775	3
303	IL-6, IL-1 β and MDA correlate with Thrombolysis in Myocardial Infarction (TIMI) risk score in patients with Acute Coronary Syndrome.. 2022,	
302	Associations Between High-Sensitivity C-Reactive Protein and All-Cause Mortality Among Oldest-Old in Chinese Longevity Areas: A Community-Based Cohort Study.. 2022, 10, 824783	0
301	Biomarker Development in Cardiology: Reviewing the Past to Inform the Future.. 2022, 11,	0
300	Adiposity and Smoking Mediate the Relationship Between Depression History and Inflammation Among Young Adults.. 2022, 1	
299	Prognostic Value of Baseline Inflammation in Diabetic and Nondiabetic Patients Undergoing PCI.. 2022,	0
298	Association between Phytochemical Index and Inflammation in Korean Adults.. 2022, 11,	2
297	Correlates of Elevated C-Reactive Protein among Black Older Adults: Evidence from the Health and Retirement Study.. 2022,	0
296	CAIDE dementia risk score relates to severity and progression of cerebral small vessel disease in healthy midlife adults: the PREVENT-Dementia study.. 2022,	0
295	Association between C-reactive protein levels and antipsychotic treatment during 12 months follow-up period after acute psychosis.. 2022, 241, 174-183	
294	Interaction between CETP Taq1B polymorphism and HEI, DQI and DPI on metabolic biomarkers in patients with type 2 diabetes.. 2021,	0
293	The Interaction of High Sensitivity C-Reactive Protein and Uric Acid on Obesity in Koreans: Based on the Seventh Korea National Health and Nutrition Examination Survey (KNHANES VII, 2016-2018). 2021, 53, 342-352	

292	Relationship Between Polycyclic Aromatic Hydrocarbons and Cardiovascular Diseases: A Systematic Review.. 2021 , 9, 763706	3
291	Aggressive low-density lipoprotein cholesterol lowering in secondary prevention of coronary heart disease. 2006 , 8, 7-8	
290	Challenges and Future Directions for LncRNAs and Inflammation.. 2022 , 1363, 179-183	0
289	Aspirin resistance and blood biomarkers in predicting ischemic stroke recurrence: An exploratory study.. 2022 , 8, 31-37	0
288	Association between C-Reactive Protein Levels and Functional Disability in the General Older-Population: The Takashima Study.. 2022 ,	0
287	C-reactive protein levels in patients with amyotrophic lateral sclerosis: A systematic review.. 2022 , e2532	3
286	Age, breed, sex and diet influence serum metabolite profiles of 2000 pet dogs.. 2022 , 9, 211642	1
285	Development of cellulosic material-based microchannel device capable of fluorescence immunoassay of microsamples.. 2022 , 1	0
284	Association of IL-10 and CRP with Pulse Wave Velocity in Patients with Abdominal Aortic Aneurysm.. 2022 , 11,	
283	Systemic Inflammation Contributes to the Association Between Childhood Socioeconomic Disadvantage and Midlife Cardiometabolic Risk.. 2022 ,	
282	The Prescription Characteristics, Efficacy and Safety of Spironolactone in Real-World Patients With Acute Heart Failure Syndrome: A Prospective Nationwide Cohort Study.. 2022 , 9, 791446	2
281	Sexual Dimorphism in Cardiovascular Biomarkers: Clinical and Research Implications.. 2022 , 130, 578-592	0
280	Association of High-Sensitivity C-Reactive Protein and Alcohol Consumption on Metabolic Syndrome in Korean Men.. 2022 , 19,	
279	High-sensitivity C-reactive protein is related to age and gender in an acute psychiatric inpatient population.. 2022 , 8, e08992	
278	Levels of angiogenesis markers in patients with different heart failure phenotypes. 2022 , 21, 3230	
277	Analysis of the Influence of Abdominal Obesity on Systemic Arterial Hypertension and on the Lipid Profile on Cardiometabolic Risk Stratification in Adult Women. 2022 ,	
276	Comprehensive Metabolic Profiling of Inflammation Indicated Key Roles of Glycerophospholipid and Arginine Metabolism in Coronary Artery Disease.. 2022 , 13, 829425	0
275	Cardiac Glycosides Lower C-Reactive Protein Plasma Levels in Patients with Decompensated Heart Failure: Results from the Single-Center C-Reactive Protein-Digoxin Observational Study (C-DOS).. 2022 , 11,	0

274	Evaluation of antibiotic appropriateness at an outpatient oncology centre.. 2022 , 10781552221087604	
273	Plant-based dietary patterns in relation to mortality among older adults in China. 2022 , 2, 224-230	3
272	Abnormal High-sensitivity C-reactive Protein is Associated with an Increased Risk of Cardiovascular Disease and Renal Dysfunction among Patients Diagnosed with Type 2 Diabetes Mellitus in Palestine.. 2022 , 18, 27-33	
271	Association between risk of obstructive sleep apnea, inflammation and cognition after 45 years old in the Canadian Longitudinal Study on Aging.. 2022 , 91, 21-30	1
270	High-sensitivity C-reactive protein is not independently associated with self-reported infertility in National Health and Nutrition Examination Survey 2015-2018 data.. 2022 , 3, 63-70	
269	Changes in Specific Biomarkers Indicate Cardiac Adaptive and Anti-inflammatory Response of Repeated Recreational SCUBA Diving.. 2022 , 9, 855682	0
268	The association of high-sensitivity C-reactive protein with future weight gain in adults.. 2022 ,	0
267	CRP Serum Levels Are Associated with High Cardiometabolic Risk and Clinical Disease Activity in Systemic Lupus Erythematosus Patients.. 2022 , 11,	1
266	A portrait of obstructive sleep apnea risk factors in 27,210 middle-aged and older adults in the Canadian Longitudinal Study on Aging.. 2022 , 12, 5127	0
265	Effects of periodontitis and periodontal treatment on systemic inflammatory markers and metabolic profile in obese and non-obese rats.. 2022 ,	1
264	Effect of Secukinumab on Traditional Cardiovascular Risk Factors and Inflammatory Biomarkers: Post Hoc Analyses of Pooled Data Across Three Indications.. 2022 , 1	0
263	Prognostic Value of Creatine Phosphate and Inflammatory Markers for Mitral Valve Replacement: A Systematic Review and Meta-Analysis.. 2022 , 2022, 1132452	
262	C-reactive protein and atrial fibrillation: Insights from epidemiological and Mendelian randomization studies.. 2022 ,	0
261	ALB-dNLR Score Predicts Mortality in Coronary Artery Disease Patients After Percutaneous Coronary Intervention.. 2022 , 9, 709868	0
260	Biosensors as diagnostic tools in clinical applications.. 2022 , 188726	0
259	Probiotic Intake and Inflammation in Patients With Chronic Kidney Disease: An Analysis of the CKD-REIN Cohort.. 2022 , 9, 772596	1
258	Does psychological treatment of major depression reduce cardiac risk biomarkers? An exploratory randomized controlled trial.. 2022 , 1-15	1
257	Osteoarthritis endotype discovery via clustering of biochemical marker data.. 2022 ,	4

256	Association between bleeding periodontal pockets and eczemas - Results of the Northern Finland Birth Cohort 1966.. 2022 ,	0
255	Long or Irregular Menstrual Cycles and Risk of Prevalent and Incident Nonalcoholic Fatty Liver Disease.. 2022 ,	2
254	High-Sensitivity C-Reactive Protein and Ischemic Stroke in Patients with Nonalcoholic Fatty Liver Disease: A Prospective Study.. 2022 , 2022, 9711712	0
253	High C-Reactive Protein-to-Lymphocyte Ratio Is Predictive of Unfavorable Prognosis in HBV-Associated Decompensated Cirrhosis.. 2022 ,	
252	Household air pollution from wood-burning cookstoves and C-reactive protein among women in rural Honduras.. 2022 , 241, 113949	1
251	Associations between fibrinogen levels and the risk of cardiovascular disease and all-cause death: a cohort study from the Chin-Shan community in Taiwan.. 2022 , 12, e054638	
250	Short-term and residential exposure to air pollution: Associations with inflammatory biomarker levels in adults living in northern France.. 2022 , 154985	0
249	Development of an Electrodeposited Graphene Quantum Dot Electrode for the Electrochemical Detection of C-Reactive Protein (CRP) Biomarker. 2022 , 7,	0
248	Clinical interpretation of serum hepcidin-25 in inflammation and renal dysfunction.. 2022 , 24, 43-49	1
247	Discrimination is associated with C-reactive protein among young sexual minority men.. 2022 , 1	1
246	The long-term impact of elevated C-reactive protein levels during pregnancy on brain morphology in late childhood.. 2022 ,	0
245	Biochemical clusters predict mortality and reported inability to work 10' years later.. 2022 , 21, 100432	
244	Obesity in early adulthood and physical functioning in mid-life: investigating the mediating role of c-reactive protein.. 2022 ,	0
243	Individuals with both higher recent negative affect and physical pain have higher levels of C-reactive protein.. 2022 , 21, 100431	
242	Vitamin D sufficiency and cardiovascular risk factors in adolescence and young adulthood. 2021 , 271-276	
241	Cardiotoxicity in pediatric lymphoma survivors.. 2021 , 19, 957-974	0
240	Systemic inflammation and emotional responses during the COVID-19 pandemic. 2021 , 11, 626	2
239	Effect of on Blood Pressure, Hs-CRP, and Lipid Profile of Hypertensive Subjects: A Pilot Study.. 2021 , 2021, 2858235	

238	C-Reactive Protein Levels in relation to Incidence of Hypertension in Chinese Adults: Longitudinal Analyses from the China Health and Nutrition Survey.. 2021 , 2021, 3326349	0
237	Relationship Among Homocysteine, Inflammation and Cognitive Impairment in Patients with Acute Ischemic Stroke and Transient Ischemic Attack.. 2021 , 17, 3607-3616	1
236	Dried Blood Spot Biomarkers of Oxidative Stress and Inflammation Associated with Blood Pressure in Rural Senegalese Women with Incident Hypertension.. 2021 , 10,	0
235	Low-Grade Systemic Inflammation Interferes with Anabolic and Catabolic Characteristics of the Aged Human Skeletal Muscle.. 2021 , 2021, 8376915	2
234	Harshness and unpredictability: Childhood environmental links with immune and asthma outcomes.. 2021 , 1-10	
233	Blood pressure variability, endothelial dysfunction, and C-reactive protein levels in arterial hypertension in combination with coronary artery disease. 2021 , 18, 165-168	
232	Independent and joint effects of high-sensitivity c-reactive protein and hypoalbuminemia on long-term all-cause mortality among coronary artery disease: a prospective and multicenter cohort study.. 2021 , 21, 613	0
231	Targeting C-Reactive Protein by Selective Apheresis in Humans: Pros and Cons.. 2022 , 11,	0
230	A bidirectional study of the association between insomnia, high-sensitivity C-reactive protein, and comorbid low back pain and lower limb pain.. 2022 ,	0
229	The Effects of High Fiber Rye, Compared to Refined Wheat, on Gut Microbiota Composition, Plasma Short Chain Fatty Acids, and Implications for Weight Loss and Metabolic Risk Factors (the RyeWeight Study).. 2022 , 14,	1
228	Sleep disturbance, neuro-immune markers, and depressive symptoms in older age: Conditional process analysis from the English Longitudinal Study of Aging (ELSA).. 2022 , 142, 105770	0
227	Effects of mango and mint pod-based e-cigarette aerosol inhalation on inflammatory states of the brain, lung, heart, and colon in mice.. 2022 , 11,	2
226	Dietary inflammatory index and prostate cancer risk: MCC-Spain study.. 2022 ,	0
225	Residual Inflammatory Risk and its Association With Events in East Asian Patients After Coronary Intervention. 2022 ,	0
224	Nurse-led vascular risk assessment in a regional Victorian Indigenous primary care diabetes clinic: An integrated Diabetes Education and Eye disease Screening [iDEES] study.. 2022 ,	1
223	Increased Serum Soluble Transferrin Receptor Levels Were Associated With High Prevalence of Cardiovascular Diseases: Insights From the National Health and Nutrition Examination Survey 2017-2018.. 2022 , 10, 874846	0
222	Data_Sheet_1.docx. 2020 ,	
221	Table_1.XLSX. 2018 ,	

220	Inflammation in the long arc of history. 2022 , 1-37	
219	Non-melancholic depressive symptoms are associated with above average fat mass index in the Helsinki birth cohort study.. 2022 , 12, 6987	
218	Relationship between a Self-Reported History of Depression and Persistent Elevation in C-Reactive Protein after Myocardial Infarction.. 2022 , 11,	
217	Development and validation of dietary atherogenic index using common carotid artery-intima-media thickness: A food frequency questionnaire-based longitudinal study in Korean adults. 2022 ,	1
216	Increased vitamin B6 turnover is associated with greater mortality risk in the general US population: A prospective biomarker study.. 2022 , 41, 1343-1356	0
215	Subclinical Atherosclerosis in Adolescents and Young Adults and the Risk of Cardiovascular Disease: The Strong Heart Family Study (SHFS). 2022 ,	0
214	Dose-response Association of the Dietary Inflammatory Potential With All-Cause and Cause-Specific Mortality.. 2022 ,	0
213	Anti-inflammatory effect of SGLT-2 inhibitors via uric acid and insulin.. 2022 , 79, 273	2
212	Association of depression and obesity with C-reactive protein in Germany: a large nationally representative study.. 2022 ,	0
211	Systematic Reviews of Prognostic Factor Studies. 2022 , 324-346	
210	Lipid-modifying and antiatherosclerotic drugs. 2013 , 398-435	3
209	Nutritional Care of the Spinal Cord Injured Patient. 2017 , 1754-1764.e2	
208	Systematic inflammation in sarcopenia alter functional capacity in Thai community-dwelling older people: A preliminary observational study.. 2022 ,	1
207	Cardiovascular Profile of South African Adults with Low-Level Viremia during Antiretroviral Therapy. 2022 , 11, 2812	
206	Associations of body mass index and weight change with circulating levels of high-sensitivity C-reactive protein, proinflammatory cytokines, and adiponectin among breast cancer survivors.. 2022 ,	
205	High-Sensitivity C-Reactive Protein. 2022 , 347-375	
204	Primary Prevention and Cardiovascular Risk Assessment in Women. 2022 , 177-197	
203	High-sensitivity C-reactive protein and low-density lipoprotein cholesterol association with incident of cardiovascular events: Isfahan cohort study. 2022 , 22,	1

- 202 Prognostic value of a novel dNLR-PNI score in patients with acute coronary syndrome undergoing percutaneous coronary intervention. 026765912210906
- 201 Insulin-Like Growth Factor, Inflammation, and MRI Markers of Alzheimer's Disease in Predominantly Middle-Aged Adults. **2022**, 1-12
- 200 Relation between periodontitis and risk of cardiovascular disease: Insights from The Tromsø Study. 0
- 199 Abdominal obesity, chronic inflammation and the risk of non-alcoholic fatty liver disease. **2022**, 100726 0
- 198 Sepsis Related Mortality Associated with an Inflammatory Burst in Patients Admitting to the Department of Internal Medicine with Apparently Normal C-Reactive Protein Concentration. **2022**, 11, 3151 0
- 197 Short-term exposure to six air pollutants and cause-specific cardiovascular mortality of nine counties or districts in Anhui Province, China.
- 196 Vitamin E reduces inflammation and improves cognitive disorder and vascular endothelial functions in patients with leukoaraiosis. 1-9 1
- 195 Cellular and immunometabolic mechanisms of inflammation in depression: Preliminary findings from single cell RNA sequencing and a tribute to Bruce McEwen. **2022**, 19, 100462 0
- 194 The Dietary Inflammatory Index. **2022**, 1-14
- 193 Does Pentraxin-3 contribute to the reduction of low-density lipoprotein levels by statin therapy?. **2022**, 72, 247-259
- 192 Effect of Antiretroviral Therapy on Cardiac Risk Markers in People Living with HIV/AIDS. **2022**, 43, 52 0
- 191 Avocado consumption for 12 weeks and cardio-metabolic risk factors: a randomized controlled trial in adults with overweight or obesity and insulin resistance. 1
- 190 Levels of blood pressure, cardiovascular biomarkers and their correlations in women with previous pre-eclamptic pregnancy within 7 years postpartum: a cross-sectional study in Thailand. **2022**, 12, e055534
- 189 The combination of metabolic syndrome and inflammation increased the risk of colorectal cancer. 0
- 188 Habitual exercise, chronic exposure to fine particulate matter and high-sensitivity C reactive protein in Asian adults. oemed-2022-108328
- 187 Biological Aging in Maltreated Children Followed up into Middle Adulthood. **2022**, 105848 0
- 186 Low-dose colchicine and high-sensitivity C-reactive protein after myocardial infarction: A combined analysis using individual patient data from the COLCOT and LoDoCo-MI studies. **2022**, 0
- 185 THE ROLE OF INFLAMMATION AND THE POSSIBILITIES OF INFLAMMATION REDUCTION TO PREVENT CARDIOVASCULAR EVENTS. 2

- 184 Vitamin D is associated with body composition and fat intake, but not with cardiometabolic parameters in adults with obesity. **2022**,
- 183 Repetitive thought, cognition, and systemic inflammation in the midlife in the United States study. 1-19
- 182 Dietary inflammation score is associated with perceived stress, depression, and cardiometabolic health risk factors among a young adult cohort of women. **2022**,
- 181 Risk assessment with gut microbiome and metabolite markers in NAFLD development. **2022**, 14, ○
- 180 Vitamin D status in relation to inflammatory risk and albuminuria associated with polycyclic aromatic hydrocarbon exposure in the US population. 1-10
- 179 Association Between High-Sensitivity C-Reactive Protein and Prognosis in Different Periods After Ischemic Stroke or Transient Ischemic Attack. **2022**, 11,
- 178 C-reactive protein and telomerase reverse transcriptase (TERT) associate with chronic disease markers in a sample from low-income neighborhoods in Detroit, Michigan. **2022**,
- 177 Aptamer-Based Biosensors for the Colorimetric Detection of Blood Biomarkers: Paving the Way to Clinical Laboratory Testing. **2022**, 10, 1606 ○
- 176 Psychiatric symptoms are not associated with circulating CRP concentrations after controlling for medical, social, and demographic factors. **2022**, 12,
- 175 Association of Dietary Pattern with Cardiovascular Risk Factors among Postmenopausal Women in Taiwan: A Cross-Sectional Study from 2001 to 2015. **2022**, 14, 2911
- 174 Systemic vascular health is compromised in both confirmed and unconfirmed asthma. **2022**, 106932 ○
- 173 Effects of Ramipril on Biomarkers of Endothelial Dysfunction and Inflammation in Hypertensive Children on Maintenance Hemodialysis: the SEARCH Randomized Placebo-Controlled Trial. **2022**, 79, 1856-1865 1
- 172 Neutrophil-to-lymphocyte ratio as a predictor for cardiovascular diseases: a cohort study in Tianjin, China. ○
- 171 Insulin Infusion Decreases Medium-Sized Extracellular Vesicles in Adults with Metabolic Syndrome. 1
- 170 Associations between non-alcoholic fatty liver disease and cognitive impairment and the effect modification of inflammation. **2022**, 12, 1
- 169 Association between baseline C-reactive protein and the risk of lung cancer: a prospective population-based cohort study. ○
- 168 The effect of various types and doses of statins on C-reactive protein levels in patients with dyslipidemia or coronary heart disease: A systematic review and network meta-analysis. 9,
- 167 Evaluation of the Relationship between Hematological Indices and Cardiovascular Events in Isfahan Cohort Study. **2021**, 28, 151-157

- 166 Pain is associated with depressive symptoms, inflammation, and poorer physical function in older adults with HIV. Publish Ahead of Print,
- 165 Firefighters with higher cardiorespiratory fitness demonstrate lower markers of cardiovascular disease risk. Publish Ahead of Print, 1
- 164 Adequate 25(OH)D moderates the relationship between dietary inflammatory potential and cardiovascular health risk during the second trimester of pregnancy. 9, 0
- 163 Association of Body Mass Index and Plant-Based Diet with Cognitive Impairment among Older Chinese Adults: A Prospective, Nationwide Cohort Study. **2022**, 14, 3132 0
- 162 Obesity and cardiovascular disease: mechanistic insights and management strategies. A joint position paper by the World Heart Federation and World Obesity Federation. 5
- 161 The longitudinal relation of inflammation to incidence of vasomotor symptoms. **2022**, 29, 894-904 0
- 160 Impact of a probiotic diet on well-being of healthy senior: THE PROBIOSENIOR PROJECT. 1
- 159 Treatment of Periodontitis and C-Reactive Protein: A Systematic Review and Meta-Analysis of Randomized Clinical Trials. 0
- 158 Prognosis of systemic inflammation at an early stage of cirrhosis using the monocyte-to-lymphocyte ratio during malnutrition risk screening: a prospective cohort study.
- 157 The relationship between dyslipidemia and inflammation among adults in east coast China: A cross-sectional study. 13, 1
- 156 Aquatic Aerobic and Combined Training in Management of Type 2 Diabetes: The Diabetes and Aquatic Training Study (DATS): A Randomized Clinical Trial. **2022**, 19, 578-587
- 155 Molekulare Biomarker der Atherosklerose.
- 154 Hemispheric lateralization, endothelial function, and arterial compliance in chronic post-stroke individuals: a cross-sectional exploratory study. 1-16
- 153 Evaluation of curcumin effect on Il6, Sirt1, TNF α and NF κ B expression of liver tissues in diabetic mice with STZ.
- 152 Association between metabolic syndrome, C-reactive protein, and the risk of primary liver cancer: a large prospective study. **2022**, 22,
- 151 Joint effect of cognitive function and C-reactive protein on all-cause mortality risk: 1999-2002 NHANES. **2022**, 74, 111-117
- 150 Allostatic load and risk of hearing impairment. **2022**, 25, 100496
- 149 Associations of somatic depressive symptoms with body mass index, systemic inflammation, and insulin resistance in primary care patients with depression. 0

- 148 Association of Duration of Smoking Cessation or Cumulative Smoking Amount with Serum hs-CRP Level in Korean Adults: A Nationwide Population-Based Cross-Sectional Study. **2022**, 10, 533 ○
- 147 Long-Term Effects of Ambient Particulate and Gaseous Pollutants on Serum High-Sensitivity C-Reactive Protein Levels: A Cross-Sectional Study Using KoGES-HEXA Data. **2022**, 19, 11585 ○
- 146 Long-term prognostic value of inflammatory biomarkers for patients with acute heart failure: Construction of an inflammatory prognostic scoring system. 13, ○
- 145 Systemic inflammation accelerates the adverse effects of air pollution on metabolic syndrome: Findings from the China health and Retirement Longitudinal Study (CHARLS). **2022**, 215, 114340 ○
- 144 Urinary Stone, Bone, and Cardiovascular Disease in Children. **2022**, 207-231 ○
- 143 Cohort study of long working hours and increase in blood high-sensitivity C-reactive protein (hsCRP) concentration: Mechanisms of overwork and cardiovascular disease. **2022**, 64, ○
- 142 Elevated hs-CRP and Symptomatic Intracranial/Extracranial Artery Stenosis Predict Stroke Recurrence after Acute Ischemic Stroke or TIA. **2022**, ○
- 141 The Role of Biomarkers in Chest Pain Evaluation. **2022**, 77-91 ○
- 140 Novel biomarkers of inflammation for endothelial dysfunction in chronic kidney disease patients. **2022**, 42, 177-180 ○
- 139 A systematic review and meta-analysis of the stability of peripheral immune markers in healthy adults. **2023**, 107, 32-46 ○
- 138 A Physiological Approach to Inflammatory Markers in Obesity. **2022**, 626-654 ○
- 137 Racial/ethnic variations in inflammatory markers: exploring the role of sleep duration and sleep efficiency. ○
- 136 Identification of potential biomarker candidates of drug-induced vascular injury (DIVI) in rats using gene expression and histopathology data. ○
- 135 Evidence for Anti-inflammatory Effects of Adalimumab in Treatment of Patients With Major Depressive Disorder: A Pilot, Randomized, Controlled Trial. **2022**, 45, 128-134 ○
- 134 Outcomes Following Acute Coronary Syndrome in Patients With and Without Rheumatic Immune-Mediated Inflammatory Diseases. **2022**, 11, ○
- 133 Relationship between systemic inflammation and cognitive performance in adolescents with overweight and obesity. ○
- 132 C-reactive protein and cancer risk: a pan-cancer study of prospective cohort and Mendelian randomization analysis. **2022**, 20, 1
- 131 Low-density lipoprotein cholesterol in oldest old with acute myocardial infarction: Is lower the better?. **2022**, 51, ○

- 130 Soluble programmed cell death-ligand 1 as a new potential biomarker associated with acute coronary syndrome. 9, ○
- 129 On-Chip Self-Referenced Micro-Resonators Enhanced by Digital Optical Frequency Comb for Ultra-Sensitive C-Reactive Protein Detection. **2022**, 40, 6303-6309 ○
- 128 Association of the inflammatory balance of diet and lifestyle with colorectal cancer among Korean adults: a case-control study. e2022084 ○
- 127 Comparison of High-Sensitivity C-Reactive Protein vs C-reactive Protein for Cardiovascular Risk Prediction in Chronic Cardiac Disease. ○
- 126 Impact of semaglutide on high-sensitivity C-reactive protein: exploratory patient-level analyses of SUSTAIN and PIONEER randomized clinical trials. **2022**, 21, ○
- 125 Synergetic Effect of Lupeol and Naringin Against Bile Duct Ligation Induced Cardiac Injury in Rats via Modulating Nitrite Level (eNos) and NF-κB /p65 Expression. ○
- 124 Adolescent overeating and binge eating behavior in relation to subsequent cardiometabolic risk outcomes: a prospective cohort study. **2022**, 10, ○
- 123 Demographic, behavioral, dietary, and clinical predictors of high-sensitivity C-reactive protein: The National Health and Nutrition Examination Surveys (NHANES). **2022**, 21, 100196 ○
- 122 Clinical relevance of multiple confirmed preserved ratio impaired spirometry cases in adults. **2022**, ○
- 121 Greater Adherence to Cardioprotective Diet Can Reduce Inflammatory Bowel Disease Risk: A Longitudinal Cohort Study. **2022**, 14, 4058 ○
- 120 Everyday co-presence with a romantic partner is associated with lower C-reactive protein. **2022**, ○
- 119 Elevated C-Reactive Protein and Subsequent Patient-Reported Cognitive Problems in Older Breast Cancer Survivors: The Thinking and Living With Cancer Study. 1
- 118 Compositional Analysis of Movement Behaviors Association on High-Sensitivity C-Reactive Protein: The Jackson Heart Study. **2022**, ○
- 117 The efficacy of Zingiber officinale on dyslipidaemia, blood pressure, and inflammation as cardiovascular risk factors: A systematic review. **2022**, 51, 72-82 ○
- 116 Plasma Cell-Free DNA Predicts Survival and Maps Specific Sources of Injury in Pulmonary Arterial Hypertension. **2022**, 146, 1033-1045 ○
- 115 The relationship of adverse childhood experiences, hair cortisol, C-reactive protein, and polygenic susceptibility with older adults' psychological distress during the COVID-19 pandemic. ○
- 114 Socioeconomic Disadvantage, Chronic Stress, and Pro-Inflammatory Phenotype: An Integrative Data Analysis Across the Lifecourse. 1
- 113 Medical treatment of weight loss in children and adolescents with obesity. **2022**, 185, 106471 2

112	Systemic inflammation after spinal cord injury: A review of biological evidence, related health risks, and potential therapies. 2022 , 67, 102303	2
111	Comparison of direct and sandwich type immunoassays on electrospun nanofibers using of metal organic frameworks as a fluorescence probe. 2022 , 372, 132621	1
110	Stress and the Development of Atherosclerotic Cardiovascular Disease. 2022 , 571-591	0
109	The Dietary Inflammatory Index. 2022 , 787-799	0
108	Inflammation, Atherosclerosis, and Psychological Factors. 2022 , 833-860	0
107	Metabolic disorders in patients with impaired glucose tolerance, with or without underlying ischaemic heart disease. 2022 , 53, 175-185	0
106	Sialic acid: an attractive biomarker with promising biomedical applications. 2022 , 16, 153-167	0
105	Is Abdominal Obesity a Risk Factor for the Incidence of Vitamin D Insufficiency and Deficiency in Older Adults? Evidence from the ELSA Study. 2022 , 14, 4164	0
104	Cardiac markers: Role in the pathogenesis of arterial hypertension. 10, 1-14	0
103	Extra Virgin Olive Oil and Cardiovascular Protection in Chronic Kidney Disease. 2022 , 14, 4265	1
102	C-Reactive Protein as a Potential Peripheral Biomarker for High-Lethality Suicide Attempts. 2022 , 12, 1557	0
101	Risk factors for cardiometabolic disease in professional firefighters. Publish Ahead of Print,	0
100	Cardiovascular Complications Related to Lower Limb Revascularization and Drug-Delivering Technology in Peripheral Arterial Disease.	0
99	Relationship between Depression with Physical Activity and Obesity in Older Diabetes Patients: Inflammation as a Mediator. 2022 , 14, 4200	0
98	Immunosenescence in Aging-Related Vascular Dysfunction. 2022 , 23, 13269	0
97	Kidney-Function Trajectories From Young Adulthood to Midlife: Identifying Risk Strata and Opportunities for Intervention. 2022 ,	0
96	Systemic neuroimmune responses in people with non-specific neck pain and cervical radiculopathy, and associations with clinical, psychological, and lifestyle factors. 15,	0
95	The influence of inflammation on cardiovascular disease in women. 3,	1

- 94 Myeloperoxidase as a Potential Biomarker of Acute-Myocardial-Infarction-Induced Depression and Suppression of the Innate Immune System. **2022**, 11, 2083 ○
- 93 Role of High-Sensitivity C-reactive Protein (Hs-CRP) in Non-communicable Diseases: A Review. **2022**, , ○
- 92 The association between inflammatory biomarkers and carotid artery plaque in normal-weight and metabolically healthy Chinese adults: a cross-sectional study. ○
- 91 Immune markers and microbial factors are related with periodontitis severity in people with HIV. ○
- 90 Inflammation mediates approximately one quarter of excess relative all-cause mortality in persons with rheumatoid arthritis: the Trøndelag Health Study. **2022**, 12, ○
- 89 Non-fasting changes of Hs-CRP level in Chinese patients with coronary heart disease after a daily meal. **2022**, 12, ○
- 88 Attractive and healthy-looking male faces do not show higher immunoreactivity. **2022**, 12, ○
- 87 Markers of inflammation in obese pregnant women: Adenosine deaminase and high sensitive C reactive protein. **2022**, 16, 100167 ○
- 86 Lipids profile in children and adolescents with ß-thalassemia major. **2022**, ○
- 85 Association of T17 A > G (rs2794521) CRP polymorphism with high cardiovascular risk by C-reactive protein in systemic lupus erythematosus patients. ○
- 84 Rational choice of the biochemical marker in a cohort study. **2022**, 25, 68 ○
- 83 Are serum hsCRP and IL-6 prognostic markers in somatic symptom disorder and related disorders? An exploratory analysis in a prospective cohort study. **2023**, 157, 88-95 ○
- 82 Prognostic impacts of Lipoxin A4 in patients with acute myocardial infarction: A prospective cohort study. **2023**, 187, 106618 ○
- 81 Peripheral high levels of CRP predict progression from normal cognition to dementia: A systematic review and meta-analysis. **2023**, 107, 54-63 ○
- 80 Association between serum MFG-E8 levels and coronary severity index in patients with acute coronary syndrome. ○
- 79 Relationship between the Dietary Inflammatory Index and Cardiovascular Health among Children. **2022**, 19, 15706 ○
- 78 Effects of inflammation and oxidative stress on postoperative delirium in cardiac surgery. 9, ○
- 77 Impact of Lactiplantibacillus plantarum Inducia on metabolic and antioxidative response in cholesterol and BMI variable indices: randomised, double-blind, placebo-controlled trials. 1-16 ○

76	Effect of weekend catch-up sleep on high-sensitivity C-reactive protein levels according to bedtime inconsistency: a population-based cross-sectional study. 2022 , 12,	0
75	Childhood sexual abuse and pervasive problems across multiple life domains: Findings from a five-decade study. 1-17	0
74	Association of leukocyte mitochondrial DNA copy number with longitudinal C-reactive protein levels and survival in older adults: a cohort study. 2022 , 19,	0
73	Immunity: Psoriasis comorbid with atherosclerosis. 13,	0
72	Interrelationships among platelet-activating factor and lipoprotein-associated phospholipase A 2 activity and traditional cardiovascular risk factors.	0
71	Efficacy of eicosapentaenoic acid in inflammatory depression: study protocol for a match-mismatch trial. 2022 , 22,	0
70	Integrative perspective of the healthy aging process considering the metabolome, cardiac autonomic modulation and cardiorespiratory fitness evaluated in age groups. 2022 , 12,	1
69	Visceral adipose tissue quantity and dysfunction and the occurrence of major bleeding in patients with established cardiovascular disease. 2022 ,	0
68	The predictive value of four serum biomarkers for major adverse events in patients with small abdominal aortic aneurysm. 2022 ,	0
67	Non-Valvüler Atrial Fibrilasyonlu Hastalarda ATRIA Skoru ile CRP/Albumin Arasındaki İli. 570-575	0
66	Current Trends in Diagnostic Biomarkers of Acute Coronary Syndrome. 2010 , 39, 210-215	2
65	Effect of Diets Varying in Iron and Saturated Fat on the Gut Microbiota and Intestinal Inflammation: A Crossover Feeding Study among Older Females with Obesity. 1-14	0
64	A stronger association of depression with rheumatoid arthritis in presence of obesity and hypertriglyceridemia.	0
63	Assessment of Biomarkers of Myocardial injury, Inflammation, and Renal Function in Heart Failure with Reduced Ejection Fraction: The VICTORIA Biomarker Substudy. 2023 ,	0
62	Effect of Resistance Exercise Order on Cardiovascular Disease Risk Factors in Older Women: A Randomized Controlled Trial. 2023 , 20, 1165	0
61	Association of meal timing of energy, macronutrients and foods with hypercholesterolaemia in the US adults. 1-8	0
60	Is inconsistent reporting of self-assessed health persistent and systematic? Evidence from the UKHLS. 2023 , 49, 101219	0
59	Effect of a diet based on the dietary guidelines for americans on inflammation markers in women at risk for cardiometabolic disease: results of a randomized, controlled trial. 2022 , 8,	0

- 58 The Long Arm of childhood hypothesis and systematic low-grade inflammation: Evidence from parental education of older European adults. **2022**, 101334 ○
- 57 QUALITY OF LIFE IN PATIENTS WITH CORONARY HEART DISEASE AND BRONCHIAL ASTHMA. **2022**, 30-37 ○
- 56 Interpretation of Laboratory Test Results in the Elderly. **2022**, 23, 73-81 ○
- 55 Dietary Patterns and Non-Communicable Disease Biomarkers: A Network Meta-Analysis and Nutritional Geometry Approach. **2023**, 15, 76 ○
- 54 Hue-Recognition Strategy-Based Immunoassay Using Functionalized Dendritic Silica Colloids and Gold Nanoclusters for Point-of-Care Testing of C-Reactive Proteins. **2023**, 6, 86-95 ○
- 53 What may be the best menopausal hormone treatment?. ○
- 52 Is It Feasible to Predict Cardiovascular Risk among Healthy Vegans, Lacto-/Ovo-Vegetarians, Pescatarians, and Omnivores under Forty?. **2023**, 20, 2237 ○
- 51 Serum C-reactive protein levels are associated with clinical pregnancy rate after in vitro fertilization among normal-weight women. 14, ○
- 50 Associations among cardiorespiratory fitness, C-reactive protein, and all-cause mortality in men and women. 108155892211491 ○
- 49 Monomeric C-Reactive Protein in Atherosclerotic Cardiovascular Disease: Advances and Perspectives. **2023**, 24, 2079 ○
- 48 Cardiovascular risk assessment in periodontitis patients and controls using the European Systematic COronary Risk Evaluation (SCORE) model. A pilot study.. 13, ○
- 47 Destructive Periodontal Diseases, Systemic Inflammation and Atherosclerotic Complications: The Emerging Role of the Dental Profession. **2009**, 37, 773-777 ○
- 46 Associations of the Healthy Eating Index-2010 with risk of all-cause and heart disease mortality among adults with hypertension: Results from the National Health and Nutrition Examination Survey 2007-2014. 10, ○
- 45 Multifaceted role of cardiovascular biomarkers. **2023**, 75, 91-97 ○
- 44 Nonlinear Relationship Between C-Reactive Protein and Depression Among Obese Middle-Aged Adults. Publish Ahead of Print, ○
- 43 Effects of Metabolic Syndrome on Cardiovascular Outcomes of Psoriatic Patients with Coronary Artery Disease: A Single Center Retrospective Cohort Study. Volume 16, 1003-1012 ○
- 42 The phytochemicals and health benefits of Cyclocarya paliurus (Batalin) Iljinskaja. 10, ○
- 41 A Systematic Review of Associations Between Emotion Regulation Characteristics and Inflammation. **2023**, 105162 ○

- 40 Patterns of adolescent perceived social support and inflammation in adulthood within major racial groups: Findings from a longitudinal, nationally representative sample. **2023**, 110, 95-106 ○
- 39 Associations between indices of 24-hour heart rate variability and inflammation in individuals with major depressive disorder. **2023**, 188, 72-78 ○
- 38 Associations between individual depressive symptoms and immunometabolic characteristics in major depression. **2023**, 71, 25-40 ○
- 37 Human vasculature-on-a-chip with macrophage-mediated endothelial activation: The biological effect of aerosol from heated tobacco products on monocyte adhesion. **2023**, 89, 105582 ○
- 36 An inflamed subtype of difficult-to-treat depression. **2023**, 125, 110763 ○
- 35 Mean affect and affect variability may interact to predict inflammation. **2023**, 109, 168-174 ○
- 34 Lower intensity of physical activity strengthens the effect of dietary inflammatory index on the risk of all-cause and cause-specific mortality. **2023**, 211, 111777 ○
- 33 Plasma fibrinogen levels and all-cause and cause-specific mortality in an Italian adult population: results from the Moli-sani study. **2023**, 2, ○
- 32 Circulating lipoprotein (a) and all-cause and cause-specific mortality: a systematic review and dose-response meta-analysis. ○
- 31 Associations between sleep-related symptoms, obesity, cardiometabolic conditions, brain structural alterations and cognition in the UK biobank. **2023**, 103, 41-50 ○
- 30 Relationships Between Stress-Responsive Biomarkers, ART Adherence, and Viral Suppression Among Adolescent Girls and Young Women Living With HIV in South Africa: An HPTN 068 Analysis. **2023**, 92, 349-358 ○
- 29 Adiposity and physical activity are among the main determinants of serum vitamin D concentrations in older adults: the EpiFloripa Aging Cohort Study. **2023**, 111, 59-72 ○
- 28 Plasma levels of GlycA, a pro-inflammatory glycoprotein biomarker, associate with an increased risk of microvascular complications in patients with type 2 diabetes (Zodiac-62). ○
- 27 The Impact of Early and Recent Life Stress on Trajectories of Inflammatory Biomarkers in a Diverse Sample of Adolescents. ○
- 26 Frontiers and hotspots evolution in anti-inflammatory studies for coronary heart disease: A bibliometric analysis of 1990-2022. 10, ○
- 25 Very low-calorie ketogenic diet (VLCKD): an antihypertensive nutritional approach. **2023**, 21, ○
- 24 Interaction between hypertension and periodontitis. ○
- 23 Saliva as a diagnostic tool to measure polycyclic aromatic hydrocarbon exposure in dental patients exposed to intimate partner violence (IPV). **2023**, ○

- 22 Exploring Associations between C-Reactive Protein and Self-Reported Interoception in Major Depressive Disorder: A Bayesian Analysis. **2023**, 13, 353 ○
- 21 Association between obesity and high-sensitivity C-reactive protein in Korean adults without cardiovascular disease. **2023**, 25, 32-42 ○
- 20 Pericoronary Adipose Tissue as a Marker of Cardiovascular Risk. **2023**, 81, 913-923 ○
- 19 HEART REMODELING AT THE PATIENTS, SUFFERING FROM ARTERIAL HYPERTENSION. **2009**, 55-60 ○
- 18 The joint association of diabetes status and NT-ProBNP with adverse cardiac outcomes in patients with non-ST-segment elevation acute coronary syndrome: a prospective cohort study. **2023**, 22, ○
- 17 High-Sensitivity C-Reactive Protein Modifies P-Wave Terminal Force in Lead V1-Associated Prognosis in Acute Ischemic Stroke or TIA Patients. **2023**, 12, 2031 ○
- 16 Interactive Effects of Dietary Inflammatory Index with BMI for the Risk of Stroke among Adults in the United States: Insight from NHANES 2011-2018. ○
- 15 C-Reactive Protein (CRP): A Potent Inflammation Biomarker in Psychiatric Disorders. **2023**, 135-160 ○
- 14 Applicability of the low-grade inflammation score in predicting 90-day functional outcomes after acute ischemic stroke. ○
- 13 Association of High sensitivity C-reactive protein (Hs-CRP) with poor Glycaemic control and Coronary Heart Disease in Type 2 Diabetes Mellitus. **2023**, 193-199 ○
- 12 Acoustofluidic separation of proteins from platelets in human blood plasma using aptamer-functionalized microparticles. **2023**, 17, 024105 ○
- 11 Current trends and future perspectives for enhanced drug delivery to central nervous system in treatment of stroke. **2023**, 14, 61-85 ○
- 10 A tryptophan metabolite prevents depletion of circulating endothelial progenitor cells in systemic low-grade inflammation. 14, ○
- 9 The Association between Plant-Based Diets and Dietary Patterns with Cardiometabolic Risk in a Sample of Commercial Taxi Drivers in South Africa. **2023**, 15, 1789 ○
- 8 Influence of Body Fat on Inflammatory Markers and Cardiometabolic Risk Factors in Female Adolescents. ○
- 7 The Relationship of Body Mass Index with Insulin Resistance, hs-CRP, and Lp(a) Levels in Female Gender. **2023**, 9, 3-8 ○
- 6 Administration of an LXR agonist promotes atherosclerotic lesion remodelling in murine inflammatory arthritis. **2023**, 12, ○
- 5 The prognostic value of pre-operative systemic inflammation-based scoring in patients undergoing endovascular repair of AAA. **2023**, ○

- 4 Increasing systemic chronic inflammation mediated the association between poor sleep during pregnancy and gestational cardiovascular health. **2023**, ○
- 3 Immune signature of patients with cardiovascular disease ¶n-depth immunophenotyping predicts increased risk for a severe course of COVID-19. ○
- 2 C-Reactive Protein and Risk of Cardiovascular Events and Mortality in Patients with Various Cardiovascular Disease Locations. **2023**, 197, 13-23 ○
- 1 Associations of technostressors at work with burnout symptoms and chronic low-grade inflammation: a cross-sectional analysis in hospital employees. ○