

# CITATION REPORT

List of articles citing

Primary angioplasty versus intravenous thrombolytic therapy for acute myocardial infarction: a quantitative review of 23 randomised trials

DOI: 10.1016/s0140-6736(03)12113-7  
Lancet, The, 2003, 361, 13-20.

**Source:** <https://exaly.com/paper-pdf/35484519/citation-report.pdf>

**Version:** 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
2293	Clinical use of novel antithrombotic agents in the management of acute coronary syndromes. <b>2002</b> , 32, 282-8		
2292	What's new in acute ischaemic heart disease and MI. <b>2002</b> , 30, 1-4		
2291	Observer variability in ECG interpretation for thrombolysis eligibility: experience and context matter. <b>2003</b> , 15, 131-40		12
2290	The prognostic value of serum creatinine on admission in fibrinolytic-eligible patients with acute myocardial infarction. <b>2003</b> , 16, 167-74		18
2289	Distinct features of recombinant rat vanilloid receptor-1 expressed in various expression systems. <b>2003</b> , 60, 2228-40		18
2288	[Acute coronary syndrome: ST-segment elevation infarct]. <b>2003</b> , 153, 434-49		1
2287	Coronary heart disease: the female heart is vulnerable. <b>2003</b> , 46, 199-229		105
2286	Outcomes of bail-out stenting for suboptimal balloon angioplasty during primary intervention in acute myocardial infarction (The CADILLAC trial). <b>2003</b> , 92, 1095-8		1
2285	Percutaneous coronary intervention versus fibrinolytic therapy in acute myocardial infarction: is timing (almost) everything?. <b>2003</b> , 92, 824-6		299
2284	Evaluation of the PercuSurge Guardwire Plus Temporary Occlusion and Aspiration System during primary angioplasty in acute myocardial infarction. <b>2003</b> , 60, 443-51		21
2283	Comparaci3n de la angioplastia primaria en centros de referencia con la fibrinolis en el infarto agudo de miocardio. <b>2003</b> , 27, 635-638		
2282	Factores asociados al uso de la reperfusi3n en pacientes con infarto agudo de miocardio y elevaci3n del segmento ST en Espa1a: Proyecto de Registro del Infarto Agudo de Miocardio en Hospitales (PRIAMHO II). <b>2003</b> , 27, 653-661		2
2281	Comparaci3n de trombolisis prehospitalaria y angioplastia primaria en el infarto agudo de miocardio. <b>2003</b> , 27, 639-641		
2280	Evolving strategies in the treatment of acute myocardial infarction in the community hospital setting. <b>2003</b> , 42, 642-5		6
2279	The incidence, predictors, and outcomes of early reinfarction after primary angioplasty for acute myocardial infarction. <b>2003</b> , 42, 1173-7		63
2278	Intracoronary thrombectomy improves myocardial reperfusion in patients undergoing direct angioplasty for acute myocardial infarction. <b>2003</b> , 42, 1395-402		158
2277	Cardiogenic shock: is there light at the end of the tunnel?. <b>2003</b> , 42, 1387-8		3

2276	Danish multicenter randomized study on fibrinolytic therapy versus acute coronary angioplasty in acute myocardial infarction: rationale and design of the DANish trial in Acute Myocardial Infarction-2 (DANAMI-2). <b>2003</b> , 146, 234-41		81
2275	Primary percutaneous transluminal coronary angioplasty accelerates early myocardial reperfusion compared to thrombolytic therapy in patients with acute myocardial infarction. <b>2003</b> , 146, 686-91		33
2274	Acute myocardial infarction. <i>Lancet, The</i> , <b>2003</b> , 361, 847-58	40	246
2273	Primary angioplasty or thrombolysis for acute myocardial infarction?. <i>Lancet, The</i> , <b>2003</b> , 361, 965-6; author reply 967-8	40	4
2272	Primary angioplasty or thrombolysis for acute myocardial infarction?. <i>Lancet, The</i> , <b>2003</b> , 361, 966; author reply 967-8	40	8
2271	Primary angioplasty or thrombolysis for acute myocardial infarction?. <i>Lancet, The</i> , <b>2003</b> , 361, 966-7; author reply 967-8	40	5
2270	Primary angioplasty or thrombolysis for acute myocardial infarction?. <i>Lancet, The</i> , <b>2003</b> , 361, 967; author reply 967-8	40	2
2269	Cytosolic beta-amyloid deposition and supranuclear cataracts in lenses from people with Alzheimer's disease. <i>Lancet, The</i> , <b>2003</b> , 361, 1258-65	40	276
2268	Introducing the most wanted Lancet articles. <i>Lancet, The</i> , <b>2003</b> , 361, 1265	40	1
2267	Primary coronary angioplasty versus thrombolysis for acute myocardial infarction. <i>Lancet, The</i> , <b>2003</b> , 361, 1303; author reply 1304-5	40	1
2266	Primary coronary angioplasty versus thrombolysis for acute myocardial infarction. <i>Lancet, The</i> , <b>2003</b> , 361, 1303-4; author reply 1304-5	40	3
2265	Primary coronary angioplasty versus thrombolysis for acute myocardial infarction. <i>Lancet, The</i> , <b>2003</b> , 361, 1304; author reply 1304-5	40	
2264	A Model Incorporating Some of the Mechanical and Biochemical Factors Underlying Clot Formation and Dissolution in Flowing Blood. <b>2003</b> , 5, 183-218		93
2263	A comparison of coronary angioplasty with fibrinolytic therapy in acute myocardial infarction. <b>2003</b> , 349, 733-42		1005
2262	Primary PTCA superior to thrombolytic therapy for acute MI. <b>2003</b> , &NA;, 14		
2261	Prospective evaluation of clinical outcomes after acute ST-elevation myocardial infarction in patients who are ineligible for reperfusion therapy: preliminary results from the TETAMI registry and randomized trial. <b>2003</b> , 108, III14-21		29
2260	Transfer for primary angioplasty versus immediate thrombolysis in acute myocardial infarction: a meta-analysis. <b>2003</b> , 108, 1809-14		321
2259	Fibrinolytic therapy: is it a treatment of the past?. <b>2003</b> , 107, 2538-42		44

2258	Selecting the best reperfusion strategy in ST-elevation myocardial infarction: it's all a matter of time. <b>2003</b> , 108, 2828-30	63
2257	Fibrinolysis for acute myocardial infarction: the future is here and now. <b>2003</b> , 107, 2533-7	57
2256	All hospitals are not equal for treatment of patients with acute myocardial infarction. <b>2003</b> , 108, 1768-71	23
2255	Acute coronary syndrome: ST segment elevation myocardial infarction. <b>2003</b> , 326, 1379-81	13
2254	Mortality benefit of immediate revascularization of acute ST-segment elevation myocardial infarction in patients with contraindications to thrombolytic therapy: a propensity analysis. <b>2003</b> , 290, 1891-8	81
2253	Thrombolytic therapy is indicated for patients over 75 years of age with st-elevation acute myocardial infarction: antagonist viewpoint. <b>2003</b> , 12, 348-50	2
2252	The obsession with primary angioplasty. <b>2003</b> , 108, e162	12
2251	Hospitalization costs of primary stenting versus thrombolysis in acute myocardial infarction: cost analysis of the Canadian STAT Study. <b>2003</b> , 108, 2624-30	32
2250	Impact of time to treatment on mortality after prehospital fibrinolysis or primary angioplasty: data from the CAPTIM randomized clinical trial. <b>2003</b> , 108, 2851-6	390
2249	Results from clinical trials on ST-elevation myocardial infarction in a historic perspective with some pathophysiological aspects. <b>2003</b> , 37, 316-23	6
2248	Prehospital thrombolysis. <b>2003</b> , 327, 1-2	17
2247	Current status and future prospects for acute myocardial infarction therapy. <b>2003</b> , 108, III6-13	24
2246	Primary angioplasty for acute myocardial infarction--is it worth the wait?. <b>2003</b> , 349, 798-800	43
2245	Bibliography. Current world literature. Hematostasis/thrombosis. <b>2003</b> , 10, 380-402	
2244	Changing times in the treatment of myocardial infarction. <b>2003</b> , 178, 367-8	1
2243	Bivalirudin in percutaneous coronary intervention. <b>2003</b> , 60, 1841-9	8
2242	A comparison of rescue and primary percutaneous coronary interventions for acute myocardial infarction: a multicenter registry report of 9,371 patients. <b>2004</b> , 82, 440-4, 434-9	3
2241	Primary angioplasty should be first line treatment for acute myocardial infarction: FOR. <b>2004</b> , 328, 1254-6	7

2240	[Acute myocardial infarction -- acute coronary syndrome with ST-segment elevation]. <b>2004</b> , 50, 214-20	5
2239	Primary angioplasty and thrombolysis are both reasonable options in acute myocardial infarction. <b>2004</b> , 141, 292-7	8
2238	ACC/AHA Guidelines for the Management of Patients With ST-Elevation Myocardial Infarction. <b>2004</b> , 110,	59
2237	Primary angioplasty or thrombolysis? A topical parable. <b>2004</b> , 328, 1257-8	1
2236	Prä-hospitale Thrombolyse beim akuten Myokardinfarkt - Ergebnisse im Bundesland Salzburg. <b>2004</b> , 20, 10-13	
2235	[Guideline-conforming interventional treatment of acute ST-segment elevation myocardial infarction in rural areas using network collaboration]. <b>2004</b> , 129, 2162-6	3
2234	Should all patients with an acute myocardial infarction be referred for direct PTCA?. <b>2004</b> , 90, 1352-7	2
2233	Early administration of reteplase plus abciximab vs abciximab alone in patients with acute myocardial infarction referred for percutaneous coronary intervention: a randomized controlled trial. <b>2004</b> , 291, 947-54	114
2232	Prevention of cardiac complications of non-cardiac surgery: stenosis and thrombosis. <b>2004</b> , 92, 628-32	6
2231	Outcome in elderly patients undergoing primary coronary intervention for acute myocardial infarction: results from the Controlled Abciximab and Device Investigation to Lower Late Angioplasty Complications (CADILLAC) trial. <b>2004</b> , 110, 1598-604	107
2230	Is onsite surgery backup necessary for percutaneous coronary interventions?. <b>2004</b> , 292, 2014-6	11
2229	Impaired myocardial perfusion is a major explanation of the poor outcome observed in patients undergoing primary angioplasty for ST-segment-elevation myocardial infarction and signs of heart failure. <b>2004</b> , 109, 958-61	43
2228	Coronary artery disease in the elderly patient. <b>2004</b> , 14, 105-118	
2227	ACC/AHA guidelines for the management of patients with ST-elevation myocardial infarction--executive summary: a report of the American College of Cardiology/American Heart Association Task Force on Practice Guidelines (Writing Committee to Revise the 1999 Guidelines for the Management of Patients With Acute Myocardial Infarction). <b>2004</b> , 110, 588-636	1550
2226	Management of acute coronary syndromes: an update. <b>2004</b> , 90, 698-706	25
2225	Primary coronary intervention for acute myocardial infarction. <b>2004</b> , 291, 736-9	38
2224	Tirofiban for catheter intervention in acute myocardial infarction?. <b>2004</b> , 25, 807-9	2
2223	Primary angioplasty should be first line treatment for acute myocardial infarction: AGAINST. <b>2004</b> , 328, 1256-7	1

2222	Reflections on the Danish Revolution. <b>2004</b> , 25, 540-2	1
2221	Severity of heart failure, treatments, and outcomes after fibrinolysis in patients with ST-elevation myocardial infarction. <b>2004</b> , 25, 1702-10	24
2220	Association of revascularisation with low mortality in non-ST elevation acute coronary syndrome, a report from GUSTO IV-ACS. <b>2004</b> , 25, 1494-501	30
2219	Zero tolerance for physical restraints: difficult but not impossible. <b>2004</b> , 59, M919-20	13
2218	Should patients with acute ST elevation MI be transferred for primary PCI?. <b>2004</b> , 90, 1358-63	6
2217	Acute coronary syndromes. <b>2004</b> , 4, 175-180	
2216	Early vs late administration of glycoprotein IIb/IIIa inhibitors in primary percutaneous coronary intervention of acute ST-segment elevation myocardial infarction: a meta-analysis. <b>2004</b> , 292, 362-6	202
2215	Long-term mortality of patients with acute myocardial infarction in the United States and Canada: comparison of patients enrolled in Global Utilization of Streptokinase and t-PA for Occluded Coronary Arteries (GUSTO)-I. <b>2004</b> , 110, 1754-60	59
2214	Local thrombolysis or rapid transfer for primary angioplasty for patients presenting with ST segment elevation myocardial infarction to hospitals without angioplasty facilities. <b>2004</b> , 34, 373-7	3
2213	Diagnostic and Prognostic Impact of Nuclear Cardiology in the Management of Acute Coronary Syndromes and Acute Myocardial Infarction. <b>2004</b> , 8, 9-16	3
2212	Age-related changes in treatment strategies for acute myocardial infarction: a population-based study. <b>2004</b> , 52, 1355-60	21
2211	How to use ECG for decision support in the catheterization laboratory. Cases with inferior ST elevation myocardial infarction. <b>2004</b> , 37, 257-66	11
2210	Impact of gender on mortality following primary angioplasty for acute myocardial infarction. <b>2004</b> , 46, 297-304	4
2209	Reperfusion treatment of ST-elevation acute myocardial infarction. <b>2004</b> , 47, 131-57	15
2208	Comparison of reperfusion regimens with or without tirofiban in ST-elevation acute myocardial infarction. <b>2004</b> , 93, 280-7	28
2207	The effects of off-normal hours, age, and gender for coronary angioplasty on hospital mortality in patients undergoing coronary angioplasty for acute myocardial infarction. <b>2004</b> , 93, 763-4	35
2206	Magnitude and impact of treatment delays on weeknights and weekends in patients undergoing primary angioplasty for acute myocardial infarction (the cadillac trial). <b>2004</b> , 94, 637-40, A9	48
2205	Primary percutaneous coronary intervention versus fibrinolytic therapy in acute myocardial infarction: does the choice of fibrinolytic agent impact on the importance of time-to-treatment?. <b>2004</b> , 94, 772-4	61

2204	Mechanism of coronary artery restenosis after stenting for acute myocardial infarction. <b>2004</b> , 94, 1037-40	5
2203	Effect of glucose-insulin-potassium infusion on plasma free fatty acid concentrations in patients undergoing primary percutaneous coronary intervention for ST-elevation myocardial infarction. <b>2004</b> , 94, 1288-9	7
2202	Mechanical recanalization for acute ischemic stroke. <b>2004</b> , 1, 379-83	3
2201	Problem prähospitaler Logistik beim akuten ST-Streckenhebungsinfarkt (STEMI) und akuten Koronarsyndrom oder Nicht-ST-Streckenhebungsinfarkt (AKS/NSTEMI). <b>2004</b> , 41, 221-226	
2200	Einsatz der Intraortalen Ballongegenpulsation (IABP) beim kardialen Schock in Deutschland: Erfordernis und Wirklichkeit. <b>2004</b> , 41, 517-523	1
2199	[Treatment of acute myocardial infarction-state of the art]. <b>2004</b> , 93 Suppl 1, 17-9	2
2198	Primaire angioplastiek of trombolysie bij het hartinfarct?. <b>2004</b> , 42, 81-81	
2197	Heeft PTCA bij een vers hartinfarct meer effect dan trombolysie?. <b>2004</b> , 42, 280-281	
2196	[Thrombolysis in ST-elevation myocardial infarction. Current role in the light of recent studies]. <b>2004</b> , 53, 445-54	1
2195	[Right ventricular involvement in acute myocardial infarction]. <b>2004</b> , 45, 1117-24	1
2194	Management of acute coronary syndrome in diabetes mellitus. <b>2004</b> , 29, 532-41	6
2193	Low molecular weight heparin and atherosclerosis. <b>2004</b> , 6, 140-7	
2192	Angioplasty or pharmacologic thrombolysis or both for ST-elevation myocardial infarction: the current debate. <b>2004</b> , 6, 1-2	
2191	Acute coronary syndromes in women: is treatment different? Should it be?. <b>2004</b> , 6, 243-52	21
2190	Transport and centralization of acute coronary syndrome care. <b>2004</b> , 6, 292-9	
2189	Acute Myocardial Infarction: Fibrinolytic Therapy. <b>2004</b> , 6, 15-28	2
2188	Door-to-Balloon Delays with PCI in Acute Myocardial Infarction. <b>2004</b> , 6, 69-77	4
2187	Early and long-term outcome of elective stenting of the infarct-related artery in patients with viability in the infarct-area: Rationale and design of the Viability-guided Angioplasty after acute Myocardial Infarction-trial (The VIAMI-trial). <b>2004</b> , 5, 11	6

2186	Role of nuclear cardiac imaging in myocardial infarction: postinfarction risk stratification. <b>2004</b> , 11, 186-209	8
2185	Adenosine sestamibi SPECT post-infarction evaluation (INSPIRE) trial: A randomized, prospective multicenter trial evaluating the role of adenosine Tc-99m sestamibi SPECT for assessing risk and therapeutic outcomes in survivors of acute myocardial infarction. <b>2004</b> , 11, 458-69	33
2184	Arrhythmias and haemodynamic effects associated with early versus late prehospital thrombolysis for acute myocardial infarction. <b>2004</b> , 62, 175-80	1
2183	Long-term prognosis after out-of-hospital cardiac arrest and primary percutaneous coronary intervention. <b>2004</b> , 63, 49-53	112
2182	Medicine or surgery for myocardial infarction: could facilitated angioplasty offer the best of both worlds?. <b>2004</b> , 2, 793-7	
2181	Survival benefits of CABG and PCI - facts and speculations. <b>2004</b> , 38, 3-6	2
2180	El sistema hemostático en los síndromes coronarios agudos: implicaciones fisiopatológicas y terapéuticas. <b>2004</b> , 204, 221-227	1
2179	Nursing care of the client requiring percutaneous coronary intervention. <b>2004</b> , 39, 829-44	2
2178	Revisión sistemática: comparación del tratamiento del infarto agudo de miocardio con stent o con angioplastia coronaria transluminal percutánea. <b>2004</b> , 28, 336-338	
2177	Traslado para angioplastia primaria desde un hospital sin hemodinámica. Intervalos hasta la apertura del vaso y seguridad en el traslado. <b>2004</b> , 28, 11-17	2
2176	Percutaneous coronary intervention for ST-segment and non-ST-segment elevation myocardial infarction at hospitals with and without on-site cardiac surgical capability. <b>2004</b> , 79, 738-44	6
2175	Transradial Approach for Primary Angioplasty. Necessity or Tightrope Walking?. <b>2004</b> , 57, 720-721	
2174	Highlights of the 2003 Transcatheter Cardiovascular Therapeutics annual meeting: clinical implications. <b>2004</b> , 43, 684-90	2
2173	The year in interventional cardiology. <b>2004</b> , 43, 875-90	24
2172	Rationale and strategies for implementing community-based transfer protocols for primary percutaneous coronary intervention for acute ST-segment elevation myocardial infarction. <b>2004</b> , 43, 2153-9	45
2171	Stroke after percutaneous coronary interventions. <b>2004</b> , 43, 1168-9	4
2170	Myocardial wall thickness predicts recovery of contractile function after primary coronary intervention for acute myocardial infarction. <b>2004</b> , 43, 1489-93	20
2169	Primary angioplasty in acute myocardial infarction at hospitals with no surgery on-site (the PAMI-No SOS study) versus transfer to surgical centers for primary angioplasty. <b>2004</b> , 43, 1943-50	65



2168	Primary percutaneous coronary intervention at hospitals without on-site cardiac surgery: expanding the use of mechanical reperfusion for acute myocardial infarction. <b>2004</b> , 43, 1951-3	9
2167	Platelet disaggregation: putting time on your side in acute myocardial infarction. <b>2004</b> , 44, 324-6	1
2166	Rescue angioplasty: does the concept need to be rescued?. <b>2004</b> , 44, 297-9	11
2165	ACC/AHA guidelines for the management of patients with ST-elevation myocardial infarction; A report of the American College of Cardiology/American Heart Association Task Force on Practice Guidelines (Committee to Revise the 1999 Guidelines for the Management of patients with acute myocardial infarction). <b>2004</b> , 44, E1-E211	830
2164	Contrast-induced nephropathy in patients undergoing primary angioplasty for acute myocardial infarction. <b>2004</b> , 44, 1780-5	530
2163	Abordaje transradial para la angioplastia primaria. ¿Necesidad o funambulismo?. <b>2004</b> , 57, 720-721	1
2162	Trial finds adding abciximab to stent reperfusion improves survival in acute myocardial infarction. <b>2004</b> , 8, 147-8; discussion 149-50	
2161	Facilitated percutaneous coronary intervention versus primary percutaneous coronary intervention: design and rationale of the Facilitated Intervention with Enhanced Reperfusion Speed to Stop Events (FINESSE) trial. <b>2004</b> , 147, E16	67
2160	Which elderly patients with cardiogenic shock should be treated with percutaneous coronary intervention?. <b>2004</b> , 147, 950-2	1
2159	To transfer or not to transfer: acute myocardial infarction reperfusion. <b>2004</b> , 147, 573-4	1
2158	Coronary revascularization and quality of life. <b>2004</b> , 148, 5-6	11
2157	Combined Abciximab REteplase Stent Study in acute myocardial infarction (CARESS in AMI). <b>2004</b> , 148, 378-85	30
2156	The continuing importance of prior stroke in STEMI patients. <b>2004</b> , 148, 931-6	1
2155	Challenges in the conduct of large simple trials of important generic questions in resource-poor settings: the CREATE and ECLA trial program evaluating GIK (glucose, insulin and potassium) and low-molecular-weight heparin in acute myocardial infarction. <b>2004</b> , 148, 1068-78	33
2154	The evolution of thrombolytic therapy and adjunctive antithrombotic regimens in acute ST-segment elevation myocardial infarction. <b>2004</b> , 22, 14-23	7
2153	Clinical outcomes of primary stenting versus balloon angioplasty in patients with myocardial infarction: a meta-analysis of randomized controlled trials. <b>2004</b> , 116, 253-62	83
2152	ACC/AHA guidelines for the management of patients with ST-elevation myocardial infarction--executive summary. A report of the American College of Cardiology/American Heart Association Task Force on Practice Guidelines (Writing Committee to revise the 1999 guidelines for the management of patients with acute myocardial infarction). <b>2004</b> , 44, 671-719	940
2151	Single vs multivessel treatment during primary angioplasty: results of the multicentre randomised HEpacoat for cuLPrit or multivessel stenting for Acute Myocardial Infarction (HELP AMI) Study. <b>2004</b> , 6, 128-33	192

2150	Prolonged hospital stay after acute myocardial infarction: assessing the evidence. <i>Lancet, The</i> , <b>2004</b> , 363, 502-3	40	3
2149	Intracoronary autologous bone-marrow cell transfer after myocardial infarction: the BOOST randomised controlled clinical trial. <i>Lancet, The</i> , <b>2004</b> , 364, 141-8	40	1803
2148	Routine invasive strategy within 24 hours of thrombolysis versus ischaemia-guided conservative approach for acute myocardial infarction with ST-segment elevation (GRACIA-1): a randomised controlled trial. <i>Lancet, The</i> , <b>2004</b> , 364, 1045-53	40	283
2147	Lyse now, stent later: the grace of GRACIA. <i>Lancet, The</i> , <b>2004</b> , 364, 1014-5	40	14
2146	Testing a Roy Model with Productivity Spillovers: Evidence from the Treatment of Heart Attacks. <b>2004</b> ,		4
2145	Intra-arterial thrombolysis in the carotid territory. <b>2004</b> , 104, 42-3		1
2144	Variations in pre-hospital fibrinolysis process of care: insights from the Assessment of the Safety and Efficacy of a New Thrombolytic 3 Plus international acute myocardial infarction pre-hospital care survey. <b>2004</b> , 11, 134-40		15
2143	Implications of the mechanical (PCI) vs thrombolytic controversy for ST segment elevation myocardial infarction on the organization of emergency medical services: the Boston EMS experience. <b>2004</b> , 3, 53-61		45
2142	Impact of prehospital thrombolysis for acute myocardial infarction on 1-year outcome: results from the French Nationwide USIC 2000 Registry. <b>2004</b> , 110, 1909-15		138
2141	Act in time to heart attack signs: update on the National Heart Attack Alert Program's campaign to reduce patient delay. <b>2004</b> , 3, 128-33		4
2140	Percutaneous Coronary Intervention for ST-Segment and Non-ST-Segment Elevation Myocardial Infarction at Hospitals With and Without On-site Cardiac Surgical Capability. <b>2004</b> , 79, 738-744		18
2139	Thrombolysis and adjunctive therapy in acute myocardial infarction: the Seventh ACCP Conference on Antithrombotic and Thrombolytic Therapy. <b>2004</b> , 126, 549S-575S		72
2138	Reducing call-to-needle times: the critical role of pre-hospital thrombolysis. <b>2004</b> , 97, 655-61		
2137	CE Test: Gender Bias in Acute Myocardial Infarction. <b>2004</b> , 29, 55-57		
2136	Gender bias in acute myocardial infarction. <b>2004</b> , 29, 42-55; quiz 56-7		5
2135	Myocardial perfusion imaging with 99mTc sestamibi early after reperfusion reliably reflects infarct size reduction by ischaemic preconditioning in an experimental porcine model. <b>2004</b> , 25, 495-500		12
2134	Relationship between the generation and the facilitated percutaneous coronary intervention in patients with acute myocardial infarction--analysis based on the fibrinolysis and subsequent transluminal trial-. <b>2004</b> , 68, 1117-22		7
2133	Long-term outcomes of regional variations in intensity of invasive vs medical management of Medicare Patients with acute myocardial infarction. <b>2005</b> , 293, 1329-37		97

2132 New Strategies for Treating Myocardial Infarctions. **2005**, 17-21

2131 Coronary revascularization in women. **2005**, 13, 184-9

4

2130 Update on acute coronary syndromes and ST-elevation myocardial infarction. **2005**, 11, 401-5

1

2129 Percutaneous coronary intervention and beyond for ST-elevation acute myocardial infarction. **2005**, 7, K26-K30

2128 Preinfarction Angina Limits Myocardial Infarction Size in Nondiabetic Patients Treated With Primary Coronary Angioplasty. **2005**, 127, 1116-1121

1

2127 Feasibility and safety of regional myocardial hypothermia during myocardial ischemia and infarction in pigs. **2005**, 16, 125-9

7

2126 Quality of care of international and Canadian medical graduates in acute myocardial infarction. **2005**, 165, 458-63

29

2125 Are the MADIT II criteria for ICD implantation appropriate for Japanese patients?. **2005**, 69, 19-22

54

2124 2005 International Consensus on Cardiopulmonary Resuscitation and Emergency Cardiovascular Care Science with Treatment Recommendations. Part 5: Acute coronary syndromes. **2005**, 67, 249-69

34

2123 European Resuscitation Council guidelines for resuscitation 2005. Section 5. Initial management of acute coronary syndromes. **2005**, 67 Suppl 1, S87-96

28

2122 2004 American College of Cardiology/American Heart Association guidelines for the management of patients with ST-elevation myocardial infarction: implications for emergency department practice. **2005**, 45, 363-76

35

2121 Addition of Clopidogrel to Aspirin and Fibrinolytic Therapy for Myocardial Infarction With ST-Segment Elevation. **2005**, 46, 388

2120 Basic progress and future therapeutic perspectives of relaxin in ischemic heart disease. **2005**, 1041, 423-30

3

2119 Human recombinant relaxin reduces heart injury and improves ventricular performance in a swine model of acute myocardial infarction. **2005**, 1041, 431-3

17

2118 Implementation of acute myocardial infarction guidelines in community hospitals. **2005**, 12, 522-7

8

2117 The definition and management of acute coronary syndromes. **2005**, 16, 305-312

2116 Impact of stenting and abciximab in patients with diabetes mellitus undergoing primary angioplasty in acute myocardial infarction (the CADILLAC trial). **2005**, 95, 1-7

37

2115 Comparison of mortality rates in acute myocardial infarction treated by percutaneous coronary intervention versus fibrinolysis. **2005**, 95, 100-1

65

2114	Relation of interhospital delay and mortality in patients with ST-segment elevation myocardial infarction transferred for primary coronary angioplasty. <b>2005</b> , 95, 1361-3	25
2113	Regression analysis of percutaneous coronary intervention treatment-related time delay. <b>2005</b> , 96, 322	5
2112	Impact and determinants of left ventricular function in patients undergoing primary percutaneous coronary intervention in acute myocardial infarction. <b>2005</b> , 96, 325-31	65
2111	Impact of beta-blocker therapy at discharge on long-term mortality after primary angioplasty for ST-segment elevation myocardial infarction. <b>2005</b> , 96, 806-9	16
2110	Does diabetes mellitus abolish the beneficial effect of primary coronary angioplasty on long-term risk of reinfarction after acute ST-segment elevation myocardial infarction compared with fibrinolysis? (A DANAMI-2 substudy). <b>2005</b> , 96, 1469-75	31
2109	Explanation for the survival benefit of primary angioplasty over thrombolytic therapy in patients with ST-elevation acute myocardial infarction. <b>2005</b> , 96, 1503-5	23
2108	Outcomes of patients consented but not randomized in a trial of primary percutaneous coronary intervention in acute myocardial infarction (the CADILLAC registry). <b>2005</b> , 96, 1649-55	13
2107	[Mortality prognostic factors of cardiogenic shock complicating an acute myocardial infarction and treated by percutaneous coronary intervention]. <b>2005</b> , 54, 74-9	8
2106	[Prehospital management of acute myocardial infarction. Data from a consecutive cohort of 115 patients in a French region in 2002]. <b>2005</b> , 54, 257-62	
2105	[Variations in the management of patients with acute myocardial infarction in alpine hospitals compared to other French hospitals. Secondary analysis of the USIC 2000 study data]. <b>2005</b> , 54, 310-6	4
2104	[Acute myocardial infarction: what is new?]. <b>2005</b> , 54, 344-52	
2103	Actualizaci3n en cardiopat3a isqu3mica 2004. <b>2005</b> , 5, 3A-12A	
2102	Modern morphologic electrocardiographic interpretation--a valuable tool for rapid clinical decision making in acute ischemic coronary syndromes. <b>2005</b> , 38, 4-6	2
2101	Designing prehospital ECG systems for acute coronary syndromes. Lessons learned from clinical trials involving 12-lead ST-segment monitoring. <b>2005</b> , 38, 180-5	32
2100	Primary angioplasty should be performed in hospitals without on-site surgery. <b>2005</b> , 65, 1-7	4
2099	Why we should not do percutaneous coronary intervention at sites without surgical backup. <b>2005</b> , 65, 8-9	3
2098	[Acute coronary syndrome in the prehospital phase]. <b>2005</b> , 54, 957-74	2
2097	Evidence for a novel racemization process of an asparaginy1 residue in mouse lysozyme under physiological conditions. <b>2005</b> , 62, 199-205	7

2096	[The Essen myocardial infarction network as a model of integrated medical care in the realization of the therapy of acute ST segment elevation myocardial infarction corresponding to guidelines]. <b>2005</b> , 30, 715-20	1
2095	[Prehospital care of patients with acute ST elevation myocardial infarction]. <b>2005</b> , 30, 695-9	0
2094	[Treatment of ST segment elevation myocardial infarctions according to the guidelines]. <b>2005</b> , 30, 685-94	2
2093	[Interventional therapy of acute ST-elevation myocardial infarction in a regional network]. <b>2005</b> , 94 Suppl 4, IV/85-89	1
2092	Facilitated percutaneous coronary intervention: is this strategy ready for implementation?. <b>2005</b> , 7, 235-41	2
2091	Direct thrombin inhibitors. <b>2005</b> , 7, 255-9	4
2090	Age and Mortality and Morbidity in ST-Segment Elevation Myocardial Infarction. <b>2005</b> , 121-140	
2089	Utility of Intravenous $\beta$ Blocker Administration in Patients with Acute Myocardial Infarction Undergoing Primary Percutaneous Intervention. <b>2005</b> , 5, 168-174	
2088	Primary Sirolimus-Eluting Stent Implantation for Patients with Acute ST-Segment Elevation Myocardial Infarction. <b>2005</b> , 35, 672	4
2087	Tissue factor pathway inhibitor on circulating microparticles in acute myocardial infarction. <b>2005</b> , 93, 35-9	76
2086	The Effect of Primary Percutaneous Coronary Intervention after the Administration of Tirofiban Alone or Tirofiban Combined with Low dose Alteplase in Patients with Acute Myocardial Infarction on ST Elevation Resolution, TIMI Flow and Short-Term Clinical Outcomes. <b>2005</b> , 35, 362	
2085	Long-Term Clinical Outcomes after Primary Percutaneous Coronary Intervention in Patients with Acute Myocardial Infarction Older than 75 Years. <b>2005</b> , 35, 613	11
2084	Should primary angioplasty be available for all patients with an ST elevation myocardial infarction?. <b>2005</b> , 91, 1509-11	3
2083	Reduction of treatment delay in patients with ST-elevation myocardial infarction: impact of pre-hospital diagnosis and direct referral to primary percutaneous coronary intervention. <b>2005</b> , 26, 770-7	195
2082	Comparison of pre-hospital combination-fibrinolysis plus conventional care with pre-hospital combination-fibrinolysis plus facilitated percutaneous coronary intervention in acute myocardial infarction. <b>2005</b> , 26, 1956-63	69
2081	Images in cardiology: Diabetic keto-acidosis and hyperkalaemia induced pseudo-myocardial infarction. <b>2005</b> , 91, 1180	2
2080	Pre-hospital reperfusion therapy: a strategy to improve therapeutic outcome in patients with ST-elevation myocardial infarction. <b>2005</b> , 26, 2063-74	57
2079	Bridging the treatment gap: the secondary care perspective. <b>2005</b> , 91 Suppl 2, ii32-4, discussion ii43-8	3

2078	One year clinical follow up of paclitaxel eluting stents for acute myocardial infarction compared with sirolimus eluting stents. <b>2005</b> , 91, 1176-80	32
2077	Images in cardiology: an unusual cause of syncope. <b>2005</b> , 91, 1511	
2076	Myocardial infarction centres: the way forward. <b>2005</b> , 91 Suppl 3, iii12-5	5
2075	Images in cardiology: siblings with supraaortic stenosis. <b>2005</b> , 91, 1529	
2074	Underuse of revascularisation in acute coronary syndromes. <b>2007</b> , 93, 147-8	0
2073	Cardiomyopathy induced by performance enhancing drugs in a competitive bodybuilder. <b>2005</b> , 91, 888	15
2072	The acute reperfusion management of STEMI in patients with impaired glucose tolerance and type 2 diabetes. <b>2005</b> , 2, 136-43	32
2071	Images in cardiology: echinococcal cyst mimicking myocardial infarction. <b>2005</b> , 91, 1536	
2070	Trends in reperfusion therapy of ST segment elevation myocardial infarction in Switzerland: six year results from a nationwide registry. <b>2005</b> , 91, 882-8	15
2069	Distal embolic protection in patients with acute myocardial infarction: attractive concept but no evidence of benefit. <b>2005</b> , 293, 1116-8	12
2068	Part 8: Stabilization of the Patient With Acute Coronary Syndromes. <b>2005</b> , 112, IV-89-IV-110	6
2067	Simple risk stratification at admission to identify patients with reduced mortality from primary angioplasty. <b>2005</b> , 112, 2017-21	97
2066	Should patients with acute myocardial infarction be transferred to a tertiary center for primary angioplasty or receive it at qualified hospitals in community? The case for community hospital angioplasty. <b>2005</b> , 112, 3509-20; discussion 3534	26
2065	Percutaneous coronary intervention: recommendations for good practice and training. <b>2005</b> , 91 Suppl 6, vi1-27	30
2064	ST-segment elevation acute myocardial infarction: reperfusion at any cost?. <b>2005</b> , 26, 1813-5	3
2063	2004 ACC/AHA guideline for the management of patients with STEMI: the implications for clinicians. <b>2005</b> , 2, 114-5	10
2062	Percutaneous coronary intervention in diabetic patients: a problem?. <b>2005</b> , 37 Suppl 1, 83-9	2
2061	Das akute Koronarsyndrom. <b>2005</b> , 1, 145-162	

2060 The evolving role of rescue therapy for acute myocardial infarction. **2005**, 1, 473-8

2059 Reperfusion in acute myocardial infarction. **2005**, 43, 49-53

1

2058 Early reperfusion strategies after acute ST-segment elevation myocardial infarction: the importance of timing. **2005**, 2, 22-8

13

2057 Is rescue reperfusion beneficial after failed thrombolysis in patients with acute myocardial infarction?. **2005**, 2, 184-5

2056 Simultaneous comparison of multiple treatments: combining direct and indirect evidence. **2005**, 331, 897-900

1096

2055 Stent thrombosis following bare-metal stent implantation: success of emergency percutaneous coronary intervention and predictors of adverse outcome. **2005**, 26, 1180-7

153

2054 Recommendations for the structure, organization, and operation of intensive cardiac care units. **2005**, 26, 1676-82

76

2053 Trends in management and outcomes of patients with acute myocardial infarction complicated by cardiogenic shock. **2005**, 294, 448-54

470

2052 Overview of contemporary reperfusion strategies in acute ST-elevation myocardial infarction. **2005**, 3, 667-80

2051 Diagnose und Therapie des akuten Koronarsyndroms. **2005**, 1, 245-260

2050 Times to treatment of transfer patients undergoing primary percutaneous coronary intervention in the United States. **2005**, 14, 203-4

1

2049 Outcomes of regional variation in invasive vs. medical management of patients with acute myocardial infarction. **2005**, 14, 152-3

2048 Low-molecular-weight heparin in patients with acute ST-segment elevation myocardial infarction. **2005**, 3, 82-7

1

2047 The Groningen ambulance study. **2005**,

1

2046 Novel drug development opportunity for relaxin in acute myocardial infarction: evidences from a swine model. **2005**, 19, 1525-7

75

2045 Complete resolution of a large intracardiac mass with medical treatment: an echocardiographic follow up. **2005**, 91, 1046

3

2044 Primary percutaneous coronary intervention in acute myocardial infarction: time, time, and time!. **2005**, 91, 993-4

10

2043 Regionalization of care for acute coronary syndromes: more evidence is needed. **2005**, 293, 1383-7

26

2042	Times to treatment in transfer patients undergoing primary percutaneous coronary intervention in the United States: National Registry of Myocardial Infarction (NRM1)-3/4 analysis. <b>2005</b> , 111, 761-7	386
2041	Transfer for primary angioplasty: the importance of time. <b>2005</b> , 111, 718-20	21
2040	In-hospital time to treatment of patients with acute ST elevation myocardial infarction treated with primary angioplasty: determinants and outcome. Results from the registry of percutaneous coronary interventions in acute myocardial infarction of the Arbeitsgemeinschaft Leitender Kardiologischer Krankenhausärzte. <b>2005</b> , 91, 1041-6	46
2039	Facilitated percutaneous coronary intervention. <b>2005</b> , 91, 1527-9	3
2038	Percutaneous coronary intervention in patients with end-stage renal disease. <b>2005</b> , 28, 275-9	16
2037	Guidelines for percutaneous coronary interventions. The Task Force for Percutaneous Coronary Interventions of the European Society of Cardiology. <b>2005</b> , 26, 804-47	1159
2036	Heart failure post-myocardial infarction: a review of the issues. <b>2005</b> , 91 Suppl 2, ii3-6; discussion ii31, ii43-8	28
2035	Recent advances in primary percutaneous intervention for acute myocardial infarction. <b>2005</b> , 91, 1533-6	6
2034	The use of GP IIb/IIIa inhibitors into new perspectives: pre-catheterization laboratory administration. <b>2005</b> , 7, 110-114	5
2033	Reducing mortality in myocardial infarction. <b>2005</b> , 330, 856-7	6
2032	Benefits of early invasive treatment for acute coronary syndromes: lost in translation?. <b>2005</b> , 330, E351-2	1
2031	Access to catheterisation facilities in patients admitted with acute coronary syndrome: multinational registry study. <b>2005</b> , 330, 441	78
2030	Mortality rates in patients with ST-elevation vs. non-ST-elevation acute myocardial infarction: observations from an unselected cohort. <b>2005</b> , 26, 18-26	213
2029	Percutaneous coronary intervention following intravenous fibrinolytic therapy: should it be a must?. <b>2005</b> , 26, 529-31	4
2028	Recovery of left ventricular function after primary angioplasty for acute myocardial infarction. <b>2005</b> , 26, 1070-7	82
2027	Early eptifibatide improves TIMI 3 patency before primary percutaneous coronary intervention for acute ST elevation myocardial infarction: results of the randomized integrilin in acute myocardial infarction (INTAMI) pilot trial. <b>2005</b> , 26, 1971-7	77
2026	Heart failure on admission and the risk of stroke following acute myocardial infarction: the VALIANT registry. <b>2005</b> , 26, 2114-9	24
2025	Free wall rupture in the elderly: deleterious effect of fibrinolytic therapy on the ageing heart. <b>2005</b> , 26, 1693-4	16



2024	Moving proximally through the intersection between the process and the content of care in ST-elevation myocardial infarction. <b>2005</b> , 26, 1937-8	
2023	Hotline sessions of the 27th European congress of cardiology. <b>2005</b> , 26, 2596-9	2
2022	Implementation of reperfusion therapy in acute myocardial infarction. A policy statement from the European Society of Cardiology. <b>2005</b> , 26, 2733-41	116
2021	A quantitative analysis of the benefits of pre-hospital infarct angioplasty triage on outcome in patients undergoing primary angioplasty for acute myocardial infarction. <b>2005</b> , 7, K36-K40	2
2020	Percutaneous coronary intervention and 1 year survival in patients treated with fibrinolytic therapy for acute ST-elevation myocardial infarction. <b>2005</b> , 26, 544-8	12
2019	Immediate versus delayed facilitated percutaneous coronary intervention: a pilot study. <b>2005</b> , 46, 83-8	4
2018	Patient selection bias in primary percutaneous coronary intervention trials: a critical issue. <b>2005</b> , 7, I21-I26	1
2017	¿Necesitamos un estudio (TRIANA) aleatorizado sobre reperfusi3n en pacientes mayores de 75 a5s?. <b>2005</b> , 58, 1488-1489	
2016	GRACIA: implications for clinical practice. <i>Lancet, The</i> , <b>2005</b> , 365, 382	40
2015	Tratamiento invasivo del infarto. Criterios de seguimiento y de respuesta. Rehabilitaci3n card?aca. <b>2005</b> , 9, 2662-2670	
2014	Prediction of mortality after primary percutaneous coronary intervention for acute myocardial infarction: the CADILLAC risk score. <b>2005</b> , 45, 1397-405	367
2013	New anticoagulants in ischemic heart disease. <b>2005</b> , 34, 1325-9	2
2012	Thrombolytic therapy: current clinical practice. <b>2005</b> , 19, 147-81, vii	7
2011	Assessment of early administration of abciximab in acute ST-segment elevation myocardial infarction in the emergency department. <b>2005</b> , 18, 193-198	
2010	Preoperative cardiac evaluation: mechanisms, assessment, and reduction of risk. <b>2005</b> , 15, 263-75	10
2009	Acute coronary syndromes: risk stratification and initial management. <b>2005</b> , 23, 401-9, v	11
2008	Actualit3 sur les syndromes coronaires: La prise en charge th?apeutique des syndromes coronaires aigus repose sur une classification quâ il faut d5ormais voir comme prospective et non r?trospective. <b>2005</b> , 2005, 43-47	
2007	Place de l'angioplastie transluminale des coronaires dans le traitement l'infarctus du myocarde 3 la phase aigu3. <b>2005</b> , 14, 210-215	

2006	What is the evidence for percutaneous coronary intervention or coronary artery bypass graft in ischemic cardiomyopathy?. <b>2005</b> , 3, 175-81	3
2005	Cost-effectiveness of primary percutaneous coronary intervention versus thrombolytic therapy for acute myocardial infarction. <b>2005</b> , 39, 276-85	25
2004	Oxidative stress and inflammatory response during and following coronary interventions for acute myocardial infarction. <b>2005</b> , 39, 629-36	41
2003	Percutaneous recanalization of chronically occluded coronary arteries: a consensus document: part I. <b>2005</b> , 112, 2364-72	417
2002	Adding clopidogrel to aspirin improves outcome in ST-elevation myocardial infarction patients receiving fibrinolytic therapy. <b>2005</b> , 5, 751-61	3
2001	Therapy insight: heart disease and the insulin-resistant patient. <b>2005</b> , 2, 252-60	9
2000	Rescue angioplasty after failed thrombolytic therapy for acute myocardial infarction. <b>2005</b> , 353, 2758-68	355
1999	Primary PCI for ST elevation AMI save lives and money--what more do we want?. <b>2005</b> , 39, 264-6	1
1998	Primary angioplasty for acute myocardial infarction in a patient with a solitary coronary ostium and a "superdominant" right coronary artery. <b>2005</b> , 99, 473-6	2
1997	Initial thrombosuction with subsequent angioplasty in primary coronary intervention--comparison with conventional strategy. <b>2005</b> , 102, 121-6	7
1996	Early post-thrombolysis catheterisation may be preferable to a conservative strategy for people with ST-elevation myocardial infarction. Commentary 1. <b>2005</b> , 9, 55-8	
1995	Tenecteplase followed by immediate angioplasty is more effective than tenecteplase alone for people with STEMI. Commentary. <b>2005</b> , 9, 284-7	
1994	Thrombectomy prior to PCI may improve ST-segment resolution in acute myocardial infarction. Commentary. <b>2005</b> , 9, 314-7	
1993	Reduced dose tenecteplase plus tirofiban achieves similar TIMI 3 flow to full dose tenecteplase alone in acute myocardial infarction. Commentary. <b>2005</b> , 9, 271-5	
1992	Acute hyperglycemia is associated with adverse outcome after acute myocardial infarction in the coronary intervention era. <b>2005</b> , 150, 814-20	138
1991	Admission glucose concentrations independently predict early and late mortality in patients with acute myocardial infarction treated by primary or rescue percutaneous coronary intervention. <b>2005</b> , 150, 1000-6	44
1990	Design of a standardized system for transfer of patients with ST-elevation myocardial infarction for percutaneous coronary intervention. <b>2005</b> , 150, 373-84	121
1989	A pilot study: the Noninvasive Surface Cooling Thermoregulatory System for Mild Hypothermia Induction in Acute Myocardial Infarction (the NICAMI Study). <b>2005</b> , 150, 933	64

1988	Primary angioplasty in acute myocardial infarction: Hypothetical estimate of superiority over aspirin or untreated controls. <b>2005</b> , 118, 113-22	1
1987	The benefit of an invasive approach in thrombolysis-ineligible patients with acute myocardial infarction. <b>2005</b> , 118, 123-5	0
1986	Tratamiento de reperfusi3n en pacientes de m3s de 75 a3os con infarto de miocardio. ¿Necesitamos un estudio controlado y aleatorizado?. <b>2005</b> , 58, 333-337	2
1985	Características y mortalidad del infarto agudo de miocardio tratado con intervencionismo coronario percut3neo primario en Espa3a. Resultados del Registro TRIANA 1 (TRatamiento del Infarto Agudo de miocardio eN Ancianos). <b>2005</b> , 58, 341-350	11
1984	Tratamiento y evoluci3n a corto plazo de los ancianos con infarto agudo de miocardio ingresados en hospitales con disponibilidad de angioplastia primaria. El Registro TRIANA (TRatamiento del Infarto Agudo de miocardio eN Ancianos). <b>2005</b> , 58, 351-358	16
1983	Intervencionismo en el contexto del infarto de miocardio. Conceptos actuales. <b>2005</b> , 58, 567-584	7
1982	Utilidad de la ecocardiograf3a de contraste mioc3rdico con cuantificaci3n basada en imagen param3trica para la predicci3n de la recuperaci3n funcional de segmentos acinticos en pacientes con infarto agudo de miocardio sometidos a angioplastia primaria. <b>2005</b> , 58, 649-656	0
1981	[Guidelines for percutaneous coronary interventions]. <b>2005</b> , 58, 679-728	19
1980	Angioplastia facilitada: ni blanco ni negro. <b>2005</b> , 58, 111-118	6
1979	Usefulness of Parametric Imaging-Based Quantitative Myocardial Contrast Echocardiography in Predicting the Functional Recovery of Akinetic Segments Following Primary Angioplasty in Acute Myocardial Infarction Patients. <b>2005</b> , 58, 649-656	
1978	Facilitated Angioplasty: Neither Black Nor White. <b>2005</b> , 58, 111-118	
1977	Reperfusion Treatment in an Acute Myocardial Infarction in Patients Older Than 75 Years. Do We Need a Randomized Controlled Trial?. <b>2005</b> , 58, 333-337	
1976	Characteristics and Mortality Following Primary Percutaneous Coronary Intervention for Acute Myocardial Infarction in Spain. Results From the TRIANA 1 (TRatamiento del Infarto Agudo de miocardio eN Ancianos) Registry. <b>2005</b> , 58, 341-350	
1975	Type of Treatment and Short-Term Outcome in Elderly Patients With Acute Myocardial Infarction Admitted to Hospitals With a Primary Coronary Angioplasty Facility. The TRIANA (TRatamiento del Infarto Agudo de miocardio eN Ancianos) Registry. <b>2005</b> , 58, 351-358	
1974	Percutaneous Coronary Intervention in Myocardial Infarction. Current Concepts. <b>2005</b> , 58, 567-584	1
1973	Do We Need a Randomized Trial (TRIANA) on Reperfusion in Patients Aged Over 75 Years?. <b>2005</b> , 58, 1488-1489	
1972	Reperfusion strategies for acute myocardial infarction in the elderly: benefits and risks. <b>2005</b> , 45, 471-8	55
1971	Primary angioplasty is cost-minimizing compared with pre-hospital thrombolysis for patients within 60 min of a percutaneous coronary intervention center: the Comparison of Angioplasty and Pre-hospital Thrombolysis in Acute Myocardial Infarction (CAPTIM) cost-efficacy sub-study. <b>2005</b> , 45, 515-21	21

1970	Sustained benefit 20 years after reperfusion therapy in acute myocardial infarction. <b>2005</b> , 46, 15-20	39
1969	X-sizer for thrombectomy in acute myocardial infarction improves ST-segment resolution: results of the X-sizer in AMI for negligible embolization and optimal ST resolution (X AMINE ST) trial. <b>2005</b> , 46, 246-52	158
1968	Duration of ischemia is a major determinant of transmural and severe microvascular obstruction after primary angioplasty: a study performed with contrast-enhanced magnetic resonance. <b>2005</b> , 46, 1229-35	167
1967	Reducing the risk of emergency bypass surgery for failed percutaneous coronary interventions. <b>2005</b> , 46, 2010-2	8
1966	Intervention in acute coronary syndromes: do patients undergo intervention on the basis of their risk characteristics? The Global Registry of Acute Coronary Events (GRACE). <b>2007</b> , 93, 177-82	209
1965	Primary stenting versus primary balloon angioplasty for treating acute myocardial infarction. <b>2005</b> , CD005313	20
1964	Pharmacological facilitation of primary percutaneous coronary intervention for acute myocardial infarction: is the slope of the curve the shape of the future?. <b>2005</b> , 293, 979-86	290
1963	Electrocardiographic diagnosis of ST-elevation myocardial infarction. <b>2006</b> , 24, 343-65, vii	15
1962	Perioperative cardiac risk: pathophysiology, assessment and management. <b>2006</b> , 4, 731-43	2
1961	Reteplase: a review of its use in the management of thrombotic occlusive disorders. <b>2006</b> , 6, 265-85	29
1960	Percutaneous Coronary Intervention (PCI): "The Ugly Duckling?". <b>2006</b> , 40, 323-4	0
1959	High mortality rates in conservatively managed patients with acute coronary syndrome. <b>2006</b> , 40, 137-44	6
1958	Moderated Poster session 1. <b>2006</b> , 8, 6-9	
1957	Outcome of primary percutaneous coronary intervention in octogenarians with acute myocardial infarction. <b>2006</b> , 105, 451-8	12
1956	Clinical prognosis, pre-existing conditions and the use of reperfusion therapy for patients with ST segment elevation acute myocardial infarction. <b>2006</b> , 22, 131-9	12
1955	Timing, setting and incidence of cardiovascular complications in patients with acute myocardial infarction submitted to primary percutaneous coronary intervention. <b>2006</b> , 22, 1047-52	19
1954	Delivery of primary percutaneous coronary intervention for the management of acute ST segment elevation myocardial infarction: summary of the Cardiac Care Network of Ontario Consensus Report. <b>2006</b> , 22, 243-50	19
1953	Transfer for urgent percutaneous coronary intervention early after thrombolysis for ST-elevation myocardial infarction: the TRANSFER-AMI pilot feasibility study. <b>2006</b> , 22, 1121-6	14

1952	Primary versus tenecteplase-facilitated percutaneous coronary intervention in patients with ST-segment elevation acute myocardial infarction (ASSENT-4 PCI): randomised trial. <i>Lancet, The</i> , <b>2006</b> , 367, 569-78	40	527
1951	Facilitated angioplasty: paradise lost. <i>Lancet, The</i> , <b>2006</b> , 367, 543-6	40	32
1950	Q waves to guide treatment of myocardial infarction. <i>Lancet, The</i> , <b>2006</b> , 367, 2035-7	40	3
1949	Percutaneous coronary intervention. <b>2006</b> , 34, 197-202		1
1948	Impact of statin therapy at discharge on 1-year mortality in patients with ST-segment elevation myocardial infarction treated with primary angioplasty. <b>2006</b> , 189, 186-92		9
1947	Assessment of early administration of abciximab in acute ST-segment elevation myocardial infarction in the emergency room. <b>2006</b> , 35, 45-50		3
1946	Improving systems of care in primary angioplasty. <b>2006</b> , 24, 79-85		1
1945	Early management of ST-segment elevation myocardial infarction. <b>2006</b> , 24, 37-51		5
1944	Conduite à tenir devant un patient porteur d'une endoprothèse coronaire devant être anesthésié et opéré. <b>2006</b> , 10, 202-212		
1943	Effect of Sex on Revascularization Strategy. <b>2006</b> , 59, 487-501		
1942	Direct Stent Implantation in Acute Myocardial Infarction. The DISCO 3 Study. <b>2006</b> , 59, 217-224		
1941	Coronary Angiography: Beyond Coronary Anatomy. <b>2006</b> , 59, 596-608		1
1940	Higher Mortality in Women Undergoing Primary Angioplasty. Another Gender Enigma?. <b>2006</b> , 59, 1096-1098		
1939	In-Hospital and Long-Term Mortality in Women With Acute Myocardial Infarction Treated by Primary Angioplasty. <b>2006</b> , 59, 1113-1122		1
1938	Implante directo del stent en el infarto agudo de miocardio. Estudio DISCO 3. <b>2006</b> , 59, 217-224		11
1937	Estrategias de revascularización: importancia del sexo. <b>2006</b> , 59, 487-501		1
1936	Coronariografía: más allá de la anatomía coronaria. <b>2006</b> , 59, 596-608		3
1935	Mayor mortalidad en la angioplastia primaria en la mujer. ¿Sigue el enigma del sexo?. <b>2006</b> , 59, 1096-1098		1

1934	Mortalidad a corto y largo plazo en mujeres con infarto de miocardio tratado con angioplastia primaria. <b>2006</b> , 59, 1113-1122	13
1933	ST-segment elevation myocardial infarction: recommendations on triage of patients to heart attack centers: is it time for a national policy for the treatment of ST-segment elevation myocardial infarction?. <b>2006</b> , 47, 1339-45	79
1932	Door-to-balloon time with primary percutaneous coronary intervention for acute myocardial infarction impacts late cardiac mortality in high-risk patients and patients presenting early after the onset of symptoms. <b>2006</b> , 47, 289-95	188
1931	Effects of primary angioplasty for acute myocardial infarction on early and late infarct size and left ventricular wall characteristics. <b>2006</b> , 47, 40-4	148
1930	ACC/AHA/SCAI 2005 Guideline Update for Percutaneous Coronary Intervention-Summary Article: A Report of the American College of Cardiology/American Heart Association Task Force on Practice Guidelines (ACC/AHA/SCAI Writing Committee to Update the 2001 Guidelines for Percutaneous Coronary Intervention). <b>2006</b> , 47, 216-35	327
1929	Regionalization of ST-segment elevation acute coronary syndromes care: putting a national policy in proper perspective. <b>2006</b> , 47, 1346-9	34
1928	ACC/AHA/SCAI 2005 guideline update for percutaneous coronary intervention: a report of the American College of Cardiology/American Heart Association Task Force on Practice Guidelines (ACC/AHA/SCAI Writing Committee to Update the 2001 Guidelines for Percutaneous Coronary Intervention). <b>2006</b> , 47, e1-121	372
1927	Prognostic implications of creatine kinase elevation after primary percutaneous coronary intervention for acute myocardial infarction. <b>2006</b> , 47, 951-61	49
1926	The future of an illusion. <b>2006</b> , 47, 2380-3	3
1925	Facilitated percutaneous coronary intervention. <b>2006</b> , 48, 1120-8	8
1924	Percutaneous coronary intervention after fibrinolysis: a multiple meta-analyses approach according to the type of strategy. <b>2006</b> , 48, 1326-35	102
1923	Thrombus aspiration before primary angioplasty improves myocardial reperfusion in acute myocardial infarction: the DEAR-MI (Dethrombosis to Enhance Acute Reperfusion in Myocardial Infarction) study. <b>2006</b> , 48, 1552-9	199
1922	Commentary on Clinical Guidelines and Practice: In Search of the Truth by Dean J. Kereiakes and Elliott M. Antman. <b>2006</b> , 48, 1136-1138	
1921	After fibrinolysis: is cardiac catheterization the answer?. <b>2006</b> , 48, 1336-8	2
1920	President's page: GAP-D2B: an alliance for quality. <b>2006</b> , 48, 1911-2	30
1919	Temporal trends in the utilization of diagnostic testing and treatments for cardiovascular disease in the United States, 1993-2001. <b>2006</b> , 113, 374-9	237
1918	Rationale for establishing regional ST-elevation myocardial infarction receiving center (SRC) networks. <b>2006</b> , 152, 661-7	90
1917	Early initiation of eptifibatide in the emergency department before primary percutaneous coronary intervention for ST-segment elevation myocardial infarction: results of the Time to Integrilin Therapy in Acute Myocardial Infarction (TITAN)-TIMI 34 trial. <b>2006</b> , 152, 668-75	83

1916	Implantable defibrillator early after primary percutaneous intervention for ST-elevation myocardial infarction: rationale and design of the Defibrillator After Primary Angioplasty (DAPA) trial. <b>2006</b> , 152, 636-40	9
1915	Feasibility and applicability of paramedic-based prehospital fibrinolysis in a large North American center. <b>2006</b> , 152, 1007-14	43
1914	Reperfusion of acute myocardial infarction in North Carolina emergency departments (RACE): study design. <b>2006</b> , 152, 851.e1-11	43
1913	External validation of a percutaneous coronary intervention mortality prediction model in patients with acute coronary syndromes. <b>2006</b> , 151, 308-15	9
1912	Predictors and clinical implications of early reinfarction after primary angioplasty for ST-segment elevation myocardial infarction. <b>2006</b> , 151, 1256-9	68
1911	Comparison of very early treatment with either fibrinolysis or percutaneous coronary intervention facilitated with abciximab with respect to ST recovery and infarct-related artery epicardial flow in patients with acute ST-segment elevation myocardial infarction: the Swedish Early Decision (SWEDES) reperfusion trial. <b>2006</b> , 151, 788.e1-7	27
1910	Thrombus Aspiration during Percutaneous coronary intervention in Acute myocardial infarction Study (TAPAS)--study design. <b>2006</b> , 151, 597.e1-597.e7	32
1909	Rescue percutaneous coronary intervention after failed fibrinolytic therapy: have expectations been met?. <b>2006</b> , 151, 779-85	4
1908	Effects of peripheral blood stem cell mobilization with granulocyte-colony stimulating factor and their transc coronary transplantation after primary stent implantation for acute myocardial infarction. <b>2006</b> , 151, 1296.e7-13	24
1907	Feasibility and benefit of prehospital diagnosis, triage, and therapy by paramedics only in patients who are candidates for primary angioplasty for acute myocardial infarction. <b>2006</b> , 151, 1255.e1-5	40
1906	Broken bodies, broken hearts? Limitations of the trauma system as a model for regionalizing care for ST-elevation myocardial infarction in the United States. <b>2006</b> , 152, 613-8	13
1905	Role of fibrinolytic therapy in the current era of ST-segment elevation myocardial infarction management. <b>2006</b> , 151, S17-23	4
1904	Door-to-balloon delays with percutaneous coronary intervention in ST-elevation myocardial infarction. <b>2006</b> , 151, S24-9	9
1903	Acute Coronary Syndromes. <b>2006</b> , 1-36	
1902	Narrative review: reperfusion strategies for ST-segment elevation myocardial infarction. <b>2006</b> , 145, 610-7	20
1901	Assessing myocardial perfusion after myocardial infarction. <b>2006</b> , 3, e131	3
1900	Primary percutaneous coronary intervention in elderly patients with ST-elevation acute myocardial infarction. <b>2006</b> , 119, 1147-1150	1
1899	Guidelines for the management of acute coronary syndromes 2006. <b>2006</b> , 184, S1-S32	110

1898 Les syndromes coronariens aigus chez le sujet  $\bar{u}$ . **2006**, 190, 807-816

1897 Incidence and predictors of subacute thrombosis in patients undergoing primary angioplasty for an acute myocardial infarction. **2006**, 96, 190-195 29

1896 Acute Coronary Syndromes. **2006**, 301-318

1895 Impact of Chinese guidelines for management of patients with acute myocardial infarction on outcomes of hospitalized patients. **2006**, 119, 26-31 3

1894 The distal protection during primary percutaneous coronary intervention alleviates the adverse effects of large thrombus burden on myocardial reperfusion. **2006**, 70, 232-8 12

1893 Angiographic and clinical outcome in ST-segment elevation myocardial infarction patients receiving an adjunctive double bolus regimen of tirofiban for primary percutaneous coronary intervention. **2006**, 70, 536-41 7

1892 Treatment strategy for patients with acute myocardial infarction. **2006**, 45, 807-8

1891 Intensive care and emergency medicine: progress over the past 25 years. **2006**, 129, 1061-7 17

1890 Full Length Article. **2006**, 48, 1552-1559 164

1889 Thrombolysis for ST-elevation myocardial infarction in the emergency department. **2006**, 5, 141-6 1

1888 Reanalysis of systematic reviews: the case of invasive strategies for acute coronary syndromes. **2006**, 22, 484-96 2

1887 Treatment of acute myocardial infarction in Scottish emergency departments: survey of current practice. **2006**, 13, 43-5 2

1886 Which strategy should be used for acute ST-elevation myocardial infarction in patients aged more than 75 years?. **2006**, 7, 388-96

1885 Elective percutaneous coronary intervention without on-site cardiac surgery: clinical and economic implications. **2006**, 44, 406-13 9

1884 Impact of myocardial perfusion on left atrial remodeling following primary angioplasty for acute myocardial infarction. **2006**, 17, 597-603 9

1883 Regional transfer programs for primary percutaneous coronary intervention. **2006**, 5, 147-52

1882 Cardiogenic shock: giving the heart a break. **2006**, 34, 1248-9

1881 Contrast-induced nephropathy in urgent coronary interventions. **2006**, 7, 737-41 14



1880	Operator volume and outcomes of primary angioplasty for acute myocardial infarction in a single high-volume centre. <b>2006</b> , 7, 761-7	12
1879	Acute Coronary Syndromes Clinical Practice Guidelines. <b>2006</b> , 5, 69-102	3
1878	Primary angioplasty in acute myocardial infarction - the preferred option, but time is of the essence. <b>2006</b> , 60, 379	
1877	Cardiac Imaging in Acute Coronary Syndromes and Acute Myocardial Infarction – An Update. <b>2006</b> , 10, 21-31	1
1876	Clinical policy: indications for reperfusion therapy in emergency department patients with suspected acute myocardial infarction. American College of Emergency Physicians Clinical Policies Subcommittee (Writing Committee) on Reperfusion Therapy in Emergency Department Patients with Suspected Acute Myocardial Infarction. <b>2006</b> , 48, 358-83	20
1875	Influence of medical direction on the management of prehospital myocardial infarction. <b>2006</b> , 70, 207-14	5
1874	Primary percutaneous coronary intervention versus thrombolytic treatment: long term follow up according to infarct location. <b>2006</b> , 92, 75-9	36
1873	Safety and efficacy with drug-eluting stent in ST-segment elevation and non-ST-segment elevation myocardial infarction. <b>2006</b> , 29, 199-203	2
1872	Prehospital 12-lead electrocardiography impact on acute myocardial infarction treatment times and mortality: a systematic review. <b>2006</b> , 13, 84-9	60
1871	Does time matter? A pooled analysis of randomized clinical trials comparing primary percutaneous coronary intervention and in-hospital fibrinolysis in acute myocardial infarction patients. <b>2006</b> , 27, 779-88	467
1870	Imaging microvascular obstruction and its clinical significance following acute myocardial infarction. <b>2006</b> , 11, 305-12	19
1869	Poor outcomes after fibrinolytic therapy for ST-segment elevation myocardial infarction: impact of age (a meta-analysis of a decade of trials). <b>2006</b> , 21, 119-29	26
1868	Is delayed facilitated percutaneous coronary intervention better than immediate in reperfused myocardial infarction? Six months follow up findings. <b>2006</b> , 21, 147-57	12
1867	Transport for abciximab facilitated primary angioplasty versus on-site thrombolysis with a liberal rescue policy: the randomised Holland Infarction Study (HIS). <b>2006</b> , 22, 39-45	16
1866	Specific types of activated Factor XII increase following thrombolytic therapy with tenecteplase. <b>2006</b> , 22, 199-203	6
1865	Ausgedehnte transmurale Vernarbung bei einem Patienten mit akutem Myokardinfarkt trotz zeitgerechter Rekanalisation des Infarktgefäßs. <b>2006</b> , 43, 414-419	
1864	Hypothermia during reperfusion does not reduce myocardial infarct size in pigs. <b>2006</b> , 101, 61-8	65
1863	The no-reflow phenomenon: A basic mechanism of myocardial ischemia and reperfusion. <b>2006</b> , 101, 359-72	165

1862	Initiales Management von Patienten mit akutem Koronarsyndrom. <b>2006</b> , 9, 81-89	5
1861	[Acute coronary syndrome with and without ST elevation]. <b>2006</b> , 31, 820-6	3
1860	[The new 2005 resuscitation guidelines of the European Resuscitation Council: comments and supplements]. <b>2006</b> , 55, 958-66, 968-72, 974-9	19
1859	[Clinical pathway "Acute Coronary Syndrome"]. <b>2006</b> , 47, 699-700, 702-6	2
1858	[Therapy of chronic coronary artery disease: medical treatment vs. bypass surgery vs. coronary intervention]. <b>2006</b> , 47, 1251-4, 1255-7	
1857	Appropriate invasive and conservative treatment approaches for patients with ST-elevation MI. <b>2006</b> , 8, 3-11	1
1856	Special issues when caring for the older person with acute coronary syndromes. <b>2006</b> , 8, 289-95	1
1855	Angioplastia facilitada con dosis completa de tenecteplasa en el infarto agudo de miocardio con elevaci3n del segmento ST. <b>2006</b> , 30, 187-190	
1854	Angioplastia de rescate tras fracaso de fibrin3lisis en el infarto agudo de miocardio con elevaci3n del segmento-ST. <b>2006</b> , 30, 243-246	
1853	[Results of the performance of percutaneous coronary revascularization procedures without the presence of heart surgery]. <b>2006</b> , 30, 331-6	
1852	Comparison between contrast echocardiography and magnetic resonance imaging to predict improvement of myocardial function after primary coronary intervention. <b>2006</b> , 97, 361-6	17
1851	Primary and rescue percutaneous coronary intervention with paclitaxel-eluting stent implantation in ST-elevation myocardial infarction. <b>2006</b> , 97, 1308-10	11
1850	Comparative early and late outcomes after primary percutaneous coronary intervention in ST-segment elevation and non-ST-segment elevation acute myocardial infarction (from the CADILLAC trial). <b>2006</b> , 98, 331-7	44
1849	Effect of impaired myocardial reperfusion on left ventricular remodeling in patients with anterior wall acute myocardial infarction treated with primary coronary intervention. <b>2006</b> , 98, 725-8	37
1848	Resting left ventricular function, however measured, is poorly related to exercise capacity in chronic heart failure. <b>2006</b> , 98, 709-10	5
1847	Should thrombolytic therapy be superior to percutaneous coronary intervention in patients with acute ST-elevation myocardial infarction and impaired renal function?. <b>2006</b> , 98, 710	
1846	Comparison of 30-day outcomes in patients or=75 years of age with acute myocardial infarction treated by primary coronary angioplasty. <b>2006</b> , 98, 1018-21	13
1845	Impact of multivessel coronary disease on long-term mortality in patients with ST-elevation myocardial infarction is due to the presence of a chronic total occlusion. <b>2006</b> , 98, 1165-9	104

1844	Gender-age interaction in early mortality following primary angioplasty for acute myocardial infarction. <b>2006</b> , 98, 1140-3	37
1843	[Long-term outcome of acute myocardial infarction treated with primary angioplasty. Experience of a public center in Alsatia-France]. <b>2006</b> , 55, 346-51	
1842	Modern management of acute myocardial infarction. <b>2006</b> , 31, 769-817	11
1841	Tratamiento coadyuvante en el intervencionismo coronario percutáneo del infarto agudo de miocardio. <b>2006</b> , 6, 39H-48H	
1840	Electrocardiographic presentations of left main or severe triple vessel disease in acute coronary syndromes--an overview. <b>2006</b> , 39, S68-72	2
1839	Denying reperfusion or falsely declaring emergency: the dilemma posed by ST-segment elevation. <b>2006</b> , 39, S73-4	6
1838	Acute ischemic heart disease and interventional cardiology: a time for pause. <b>2006</b> , 4, 25	3
1837	ST-segment-elevation myocardial infarction: guidelines and the challenge of real-world patient care. <b>2006</b> , 26, 115S-122S	
1836	Prehospital administration of enoxaparin before primary angioplasty for ST-elevation acute myocardial infarction. <b>2006</b> , 67, 207-13	13
1835	ACC/AHA/SCAI 2005 guideline update for percutaneous coronary intervention--summary article: a report of the American College of Cardiology/American Heart Association Task Force on Practice Guidelines (ACC/AHA/SCAI Writing Committee to update the 2001 Guidelines for Percutaneous Coronary Intervention). <b>2006</b> , 67, 87-112	34
1834	The impact of circadian variation on outcomes in emergency acute anterior myocardial infarction percutaneous coronary intervention. <b>2006</b> , 67, 221-6	36
1833	A pilot study with a new, rapid-exchange, thrombus-aspirating device in patients with thrombus-containing lesions: the Diver C.E. study. <b>2006</b> , 67, 887-93	23
1832	Long-term prognostic implications of nonoptimal primary angioplasty for acute myocardial infarction. <b>2006</b> , 68, 50-5	20
1831	More is not better in the early care of acute myocardial infarction: a prospective cohort analysis on administrative databases. <b>2006</b> , 27, 2649-54	10
1830	Acute ST-elevation myocardial infarction. <b>2006</b> , 61, 271-4	1
1829	Which factors are associated with the application of reperfusion therapy in ST-elevation acute coronary syndromes?. Lessons from the Euro Heart Survey on Acute Coronary Syndromes I. <b>2006</b> , 106, 137-46	3
1828	Relation between hospital specialization with primary percutaneous coronary intervention and clinical outcomes in ST-segment elevation myocardial infarction: National Registry of Myocardial Infarction-4 analysis. <b>2006</b> , 113, 222-9	78
1827	Potential significance of spontaneous and interventional ST-changes in patients transferred for primary percutaneous coronary intervention: observations from the ST-MONitoring in Acute Myocardial Infarction study (The MONAMI study). <b>2006</b> , 27, 267-75	57

1826	Should intravenous thrombolysis keep a place in the treatment of acute ST-elevation myocardial infarction?. <b>2006</b> , 27, 1131-3	3
1825	Selection of the optimal reperfusion strategy for STEMI: does time matter?. <b>2006</b> , 27, 761-3	37
1824	Clinical impact of direct referral to primary percutaneous coronary intervention following pre-hospital diagnosis of ST-elevation myocardial infarction. <b>2006</b> , 27, 1550-7	79
1823	WEST: new data on the integration of early thrombolysis and mechanical intervention in the early management of STEMI. <b>2006</b> , 27, 1511-2	4
1822	Late myocardial salvage: time to recognize its reality in the reperfusion therapy of acute myocardial infarction. <b>2006</b> , 27, 1900-7	46
1821	Results of the first clinical study of adjunctive CALdaret (MCC-135) in patients undergoing primary percutaneous coronary intervention for ST-Elevation Myocardial Infarction: the randomized multicentre CASTEMI study. <b>2006</b> , 27, 2516-23	55
1820	Does abciximab provide long-term benefit for patients with acute myocardial infarction treated with stents?. <b>2006</b> , 3, 190-1	
1819	Akutes Koronarsyndrom. <b>2006</b> , 1, 57-70	
1818	Zeit ist Myokard - Frhbehandlung des akuten Koronarsyndroms von besonderer Bedeutung. <b>2006</b> , 35, 288-294	
1817	Rescue angioplasty after thrombolysis. <b>2006</b> , 354, 1639-41; author reply 1639-41	
1816	Drug-eluting stents in acute myocardial infarction. <b>2006</b> , 355, 1169-70	23
1815	Paclitaxel-eluting versus uncoated stents in primary percutaneous coronary intervention. <b>2006</b> , 355, 1105-13	352
1814	N-acetylcysteine and contrast-induced nephropathy. <b>2006</b> , 355, 1497-8; author reply 1499-500	1
1813	Reducing the door-to-balloon time for myocardial infarction with ST-segment elevation. <b>2006</b> , 355, 2364-5	14
1812	Endothelin-1 and acute myocardial infarction: a no-reflow mediator after successful percutaneous myocardial revascularization. <b>2006</b> , 27, 1793-8	90
1811	Aspiration thrombectomy and primary percutaneous coronary intervention. <b>2006</b> , 92, 867-9	15
1810	Primary percutaneous coronary intervention for patients with acute ST elevation myocardial infarction with and without diabetes mellitus. <b>2006</b> , 92, 117-8	13
1809	Recommendation to develop strategies to increase the number of ST-segment-elevation myocardial infarction patients with timely access to primary percutaneous coronary intervention. <b>2006</b> , 113, 2152-63	135

1808	Using simulation to estimate the cost effectiveness of improving ambulance and thrombolysis response times after myocardial infarction. <b>2006</b> , 23, 67-72	14
1807	Urgent in-patient coronary angiography: a comparison of centres with and without cardiac catheter facilities. <b>2006</b> , 51, 24-6	6
1806	Progressive epicardial coronary blood flow reduction fails to produce ST-segment depression at normal heart rates. <b>2006</b> , 291, H2889-96	5
1805	Images in cardiology. Myocardial ischaemia in a patient with anomalous left coronary artery from the pulmonary artery. <b>2006</b> , 92, 118	
1804	The cardiovascular disease continuum validated: clinical evidence of improved patient outcomes: part II: Clinical trial evidence (acute coronary syndromes through renal disease) and future directions. <b>2006</b> , 114, 2871-91	93
1803	Driving times and distances to hospitals with percutaneous coronary intervention in the United States: implications for prehospital triage of patients with ST-elevation myocardial infarction. <b>2006</b> , 113, 1189-95	183
1802	Regionalized care for patients with ST-elevation myocardial infarction: it's closer than you think. <b>2006</b> , 113, 1159-61	62
1801	Heart failure and left ventricular remodeling after reperfused acute myocardial infarction in patients with hypertension. <b>2006</b> , 47, 706-10	27
1800	Coronary revascularisation in women. <b>2006</b> , 92 Suppl 3, iii19-23	24
1799	Images in cardiology. Aneurysm arising from the left sinus of Valsalva and rupturing into the left ventricle: a rare entity. <b>2006</b> , 92, 26	
1798	Images in cardiology. Unusual neurological manifestation of acute mitral valve endocarditis. <b>2006</b> , 92, 79	
1797	Navigating the crossroads of coronary artery disease and heart failure. <b>2006</b> , 114, 1202-13	255
1796	ACC/AHA/SCAI 2005 Guideline Update for Percutaneous Coronary Intervention--summary article: a report of the American College of Cardiology/American Heart Association Task Force on Practice Guidelines (ACC/AHA/SCAI Writing Committee to Update the 2001 Guidelines for Percutaneous Coronary Intervention). <b>2006</b> , 113, 156-75	413
1795	Factors explaining the under-use of reperfusion therapy among ideal patients with ST-segment elevation myocardial infarction. <b>2006</b> , 27, 1539-49	21
1794	Long-term outcome of primary percutaneous coronary intervention vs prehospital and in-hospital thrombolysis for patients with ST-elevation myocardial infarction. <b>2006</b> , 296, 1749-56	184
1793	Effects of fondaparinux on mortality and reinfarction in patients with acute ST-segment elevation myocardial infarction: the OASIS-6 randomized trial. <b>2006</b> , 295, 1519-30	685
1792	Mortality after myocardial infarction in patients with diabetes mellitus. <b>2007</b> , 93, 1504-6	13
1791	The British Cardiac Society Working Group definition of myocardial infarction: implications for practice. <b>2006</b> , 92, 21-6	25

1790	A comparison of pharmacologic therapy with/without timely coronary intervention vs. primary percutaneous intervention early after ST-elevation myocardial infarction: the WEST (Which Early ST-elevation myocardial infarction Therapy) study. <b>2006</b> , 27, 1530-8	212
1789	Influence of time elapsed between myocardial infarction and coronary artery bypass grafting surgery on operative mortality. <b>2006</b> , 29, 319-23	34
1788	Rising rates of cardiac procedures in the United States and Canada: too much of a good thing?. <b>2006</b> , 113, 333-5	27
1787	ACC/AHA/SCAI 2005 guideline update for percutaneous coronary intervention: a report of the American College of Cardiology/American Heart Association Task Force on Practice Guidelines (ACC/AHA/SCAI Writing Committee to Update 2001 Guidelines for Percutaneous Coronary Intervention). <b>2006</b> , 113, 1662-1701	468
1786	Influences of electrocardiographic ischaemia grades and symptom duration on outcomes in patients with acute myocardial infarction treated with thrombolysis versus primary percutaneous coronary intervention: results from the DANAMI-2 trial. <b>2006</b> , 92, 1577-82	32
1785	Thrombolysis: past, present, and future. <b>2006</b> , 82, 372-5	3
1784	Incidence and prevention of ischemic stroke following myocardial infarction: review of current literature. <b>2006</b> , 22, 331-9	22
1783	The cardiovascular disease continuum validated: clinical evidence of improved patient outcomes: part I: Pathophysiology and clinical trial evidence (risk factors through stable coronary artery disease). <b>2006</b> , 114, 2850-70	286
1782	What is the optimal reperfusion strategy for elderly patients with acute MI?. <b>2006</b> , 15, 14-8	
1781	Age and comorbidity in acute myocardial infarction: a report from the AMI-Florence Italian registry. <b>2006</b> , 15, 35-41	4
1780	Synergism of rheolytic thrombectomy and embolic distal protection using the percusurge guard wire for fresh thrombus removal: an in vitro study. <b>2006</b> , 8, 31-4	1
1779	The importance of total cardiovascular risk assessment in clinical practice. <b>2006</b> , 12, 148-55	18
1778	Primary percutaneous coronary intervention vs. fibrinolytic therapy for acute ST-elevation myocardial infarction in the elderly. <b>2006</b> , 15, 19-21	4
1777	Third Annual World Congress on the Insulin Resistance Syndrome: Atherothrombotic disease. <b>2006</b> , 29, 1973-80	5
1776	Abstracts of the 5th International Meeting on Intensive Cardiac Care, October 14-16, 2007, Tel Aviv, Israel. <b>2007</b> , 9, 134-74	
1775	Time delay in primary angioplasty: how relevant is it?. <b>2007</b> , 93, 1164-6	5
1774	The electrocardiographic window of opportunity to treat vs. the different evolving stages of ST-elevation myocardial infarction: correlation with therapeutic approach, coronary anatomy, and outcome in the DANAMI-2 trial. <b>2007</b> , 28, 2985-91	29
1773	Use of the electrocardiogram in optimizing reperfusion for ST-elevation myocardial infarction: a new role for an old tool?. <b>2007</b> , 28, 2957-9	

1772	A quantitative estimate of bare-metal stenting compared with balloon angioplasty in patients with acute myocardial infarction: angiographic measures in relation to clinical outcome. <b>2007</b> , 93, 792-800	7
1771	Remote ischaemic postconditioning protects the heart during acute myocardial infarction in pigs. <b>2007</b> , 93, 749-52	147
1770	Assessing the effectiveness of primary angioplasty compared with thrombolysis and its relationship to time delay: a Bayesian evidence synthesis. <b>2007</b> , 93, 1244-50	26
1769	Regional systems of care to optimize timeliness of reperfusion therapy for ST-elevation myocardial infarction: the Mayo Clinic STEMI Protocol. <b>2007</b> , 116, 729-36	260
1768	Facilitated percutaneous coronary intervention: current concepts, promises, and pitfalls. <b>2007</b> , 28, 1545-53	20
1767	Impact of multivessel disease on reperfusion success and clinical outcomes in patients undergoing primary percutaneous coronary intervention for acute myocardial infarction. <b>2007</b> , 28, 1709-16	311
1766	The Danish multicentre randomized study of fibrinolytic therapy vs. primary angioplasty in acute myocardial infarction (the DANAMI-2 trial): outcome after 3 years follow-up. <b>2008</b> , 29, 1259-66	58
1765	Primary PCI for myocardial infarction with ST-segment elevation. <b>2007</b> , 356, 47-54	134
1764	Expedited transfer for primary percutaneous coronary intervention: a program evaluation. <b>2007</b> , 176, 1833-8	37
1763	Prevalence and prognostic implications of non-sustained ventricular tachycardia in ST-segment elevation myocardial infarction after revascularization with either fibrinolysis or primary angioplasty. <b>2007</b> , 28, 407-14	20
1762	Meta-analysis of randomized trials on drug-eluting stents vs. bare-metal stents in patients with acute myocardial infarction. <b>2007</b> , 28, 2706-13	273
1761	Is primary angioplasty cost effective in the UK? Results of a comprehensive decision analysis. <b>2007</b> , 93, 1238-43	31
1760	Has thrombolysis lost its mojo?. <b>2007</b> , 93, 1167-9	3
1759	The ST-segment-elevation myocardial infarction chain of survival. <b>2007</b> , 116, 6-9	20
1758	Beyond epicardial reperfusion. <b>2007</b> , 356, 1880-2	10
1757	Benefits of transfer primary angioplasty are durable, so why are we waiting?. <b>2007</b> , 28, 655-6	0
1756	The timely coupling of mechanical revascularization following thrombolysis for myocardial infarction. <b>2007</b> , 107, 337-9	
1755	Thrombolysis followed by early revascularization: an effective reperfusion strategy in real world patients with ST-elevation myocardial infarction. <b>2007</b> , 107, 329-36	7

1754	Comment on the 'pilot' GRACIA-2 randomized trial. <b>2007</b> , 28, 2417-8; author reply 2418-9	
1753	Drug-eluting coronary stents: faith and hope, but no charity. <b>2007</b> , 176, 195-6	2
1752	Long-term outcomes of patients with acute myocardial infarction presenting to hospitals without catheterization laboratory and randomized to immediate thrombolysis or interhospital transport for primary percutaneous coronary intervention. Five years' follow-up of the PRAGUE-2 Trial. <b>2007</b> , 28, 679-84	74
1751	Primary percutaneous coronary intervention. <b>2007</b> , 356, 1588; author reply 1589-90	
1750	Future strategies for improving outcomes in patients with diabetes and acute coronary syndromes. <b>2007</b> , 3, 115-21	
1749	[Emergency therapy and intensive care of patients with acute coronary syndromes]. <b>2007</b> , 132, 1515-24	0
1748	Mortality of patients with acute coronary syndromes still remains high: a follow-up study of 1188 consecutive patients admitted to a university hospital. <b>2007</b> , 39, 63-71	34
1747	Acute coronary care in the elderly, part II: ST-segment-elevation myocardial infarction: a scientific statement for healthcare professionals from the American Heart Association Council on Clinical Cardiology: in collaboration with the Society of Geriatric Cardiology. <b>2007</b> , 115, 2570-89	398
1746	Time to treatment in primary percutaneous coronary intervention. <b>2007</b> , 357, 1631-8	212
1745	The value of coronary heart disease care for the elderly: 1987-2002. <b>2007</b> , 26, 111-23	13
1744	Primary angioplasty vs. early routine post-fibrinolysis angioplasty for acute myocardial infarction with ST-segment elevation: the GRACIA-2 non-inferiority, randomized, controlled trial. <b>2007</b> , 28, 949-60	106
1743	The optimum reperfusion pathway for ST elevation acute myocardial infarction: development of a decision framework. <b>2007</b> , 24, 52-6	13
1742	The relationship between distance to hospital and patient mortality in emergencies: an observational study. <b>2007</b> , 24, 665-8	140
1741	Analysis of observational studies in the presence of treatment selection bias: effects of invasive cardiac management on AMI survival using propensity score and instrumental variable methods. <b>2007</b> , 297, 278-85	523
1740	Non-invasive treatment of ST elevation myocardial infarction. <b>2007</b> , 83, 725-30	1
1739	The impact of percutaneous coronary interventions on outcomes for acute myocardial infarction in Pennsylvania. <b>2007</b> , 22, 85-94	
1738	Outcomes of primary percutaneous coronary intervention in acute myocardial infarction at Tehran Heart Center. <b>2007</b> , 16, 333-8	8
1737	A comprehensive view of sex-specific issues related to cardiovascular disease. <b>2007</b> , 176, S1-44	280



1736	The evolving story of "conditioning" to protect against acute myocardial ischaemia-reperfusion injury. <b>2007</b> , 93, 649-51	21
1735	Preemptive, but not reactive, spinal cord stimulation mitigates transient ischemia-induced myocardial infarction via cardiac adrenergic neurons. <b>2007</b> , 292, H311-7	81
1734	Acute ST-Segment-Elevation Myocardial Infarction. 205-231	
1733	PRODUCTIVITY SPILLOVERS IN HEALTHCARE: EVIDENCE FROM THE TREATMENT OF HEART ATTACKS. <b>2007</b> , 115, 103-140	183
1732	Current issues in coronary artery stenting in the elderly. <b>2007</b> , 3, 105-114	2
1731	In-hospital outcomes of primary percutaneous coronary interventions performed at hospitals with and without on-site coronary artery bypass graft surgery. <b>2007</b> , 71, 1208-12	20
1730	Effect of coronary percutaneous revascularization on interferon-gamma and interleukin-10 producing CD4+ T cells during acute myocardial infarction. <b>2007</b> , 20, 791-9	6
1729	Coronary revascularization: new evidence, new challenges. <b>2007</b> , 147, 732-4	5
1728	Outcomes of myocardial infarction in hospitals with percutaneous coronary intervention facilities. <b>2007</b> , 167, 913-20	21
1727	Beyond intravenous thrombolysis. <b>2007</b> , 12, 609-14	2
1726	The Lifetime Costs and Benefits of Medical Technology. <b>2007</b> ,	1
1725	The role of clopidogrel in the management of ischemic heart disease. <b>2007</b> , 22, 273-9	12
1724	Fluorescence spectroscopy to assess apoptosis in myocardium. <b>2007</b> ,	
1723	The recent evolution of coronary care units into intensive cardiac care units: the experience of a tertiary center in Florence. <b>2007</b> , 8, 181-7	13
1722	Anaesthesia for oesophagectomy. <b>2007</b> , 20, 15-20	10
1721	Current trends in coronary artery disease in women. <b>2007</b> , 20, 75-82	7
1720	Summary of evidence regarding hospital strategies to reduce door-to-balloon times for patients with ST-segment elevation myocardial infarction undergoing primary percutaneous coronary intervention. <b>2007</b> , 6, 91-7	49
1719	Every minute counts. <b>2007</b> , 2, 26-34	

1718	Prognostic value of blood pressure measured during hospitalization after acute myocardial infarction: an insight from survival trials. <b>2007</b> , 25, 307-13	14
1717	Transfer with GP IIb/IIIa inhibitor tirofiban for primary percutaneous coronary intervention vs. on-site thrombolysis in patients with ST-elevation myocardial infarction (STEMI): a randomized open-label study for patients admitted to community hospitals. <b>2007</b> , 28, 2438-48	23
1716	Strategies for Reducing the Door-to-Balloon Time in Acute Myocardial Infarction. <b>2007</b> , 2007, 341-343	
1715	Early Revascularization and Long-term Survival in Cardiogenic Shock Complicating Acute Myocardial Infarction. <b>2007</b> , 2007, 61-63	
1714	Traitement des syndromes coronaires aigus avec et sans sus-ST. <b>2007</b> , 2, 1-19	
1713	Comment on the 'pilot' GRACIA-2 randomized trial: reply. <b>2007</b> , 28, 2418-2418	
1712	Adjunctive mechanical devices to prevent distal embolization in patients undergoing mechanical revascularization for acute myocardial infarction: a meta-analysis of randomized trials. <b>2007</b> , 153, 343-53	117
1711	Early abciximab administration before primary percutaneous coronary intervention improves infarct-related artery patency and left ventricular function in high-risk patients with anterior wall myocardial infarction: a randomized study. <b>2007</b> , 153, 360-5	49
1710	The efficacy and safety of combination glycoprotein IIb/IIIa inhibitors and reduced-dose thrombolytic therapy-facilitated percutaneous coronary intervention for ST-elevation myocardial infarction: a meta-analysis of randomized clinical trials. <b>2007</b> , 153, 579-86	21
1709	Effects of balloon-based distal protection during primary percutaneous coronary intervention on early and late infarct size and left ventricular remodeling: a pilot study using serial contrast-enhanced magnetic resonance imaging. <b>2007</b> , 153, 665.e1-8	13
1708	Impact of cardiac and renal dysfunction on in-hospital morbidity and mortality of patients with acute myocardial infarction undergoing primary angioplasty. <b>2007</b> , 153, 755-62	60
1707	Early invasive versus conservative treatment in patients with failed fibrinolysis--no late survival benefit: the final analysis of the Middlesbrough Early Revascularisation to Limit Infarction (MERLIN) randomized trial. <b>2007</b> , 153, 763-71	17
1706	Global outcomes of ST-elevation myocardial infarction: comparisons of the Enoxaparin and Thrombolysis Reperfusion for Acute Myocardial Infarction Treatment-Thrombolysis In Myocardial Infarction study 25 (EXTRACT-TIMI 25) registry and trial. <b>2007</b> , 154, 54-61	14
1705	Sirolimus-eluting stents compared with standard stents in the treatment of patients with primary angioplasty. <b>2007</b> , 154, 164.e1-6	46
1704	Clinical comparison of "normal-hours" vs "off-hours" percutaneous coronary interventions for ST-elevation myocardial infarction. <b>2007</b> , 154, 366-72	35
1703	Ethnicity and socioeconomic status influence use of primary angioplasty in patients presenting with acute myocardial infarction. <b>2007</b> , 154, 989-93	30
1702	Challenging coronary artery revascularization paradigms. <b>2007</b> , 154, 1005-7	1
1701	Reperfusion strategies in the emergency treatment of ST-segment elevation myocardial infarction. <b>2007</b> , 25, 353-66	18

1700	Trends in management, hospital and long-term outcomes of elderly patients with acute myocardial infarction. <b>2007</b> , 120, 90-7	11
1699	Acute reperfusion therapy in ST-elevation myocardial infarction from 1994-2003. <b>2007</b> , 120, 693-9	23
1698	Effect of reperfusion on left ventricular regional remodeling strains after myocardial infarction. <b>2007</b> , 84, 1528-36	8
1697	The lifetime costs and benefits of medical technology. <b>2007</b> , 26, 1081-100	89
1696	Use and efficacy of abciximab in an unselected population with acute myocardial infarction treated with primary angioplasty: data from AMI-Florence registry. <b>2007</b> , 195, 116-21	
1695	Infarto de miocardio con elevaci3n del ST. <b>2007</b> , 9, 5745-5751	
1694	Myocardial reperfusion injury. <b>2007</b> , 357, 1121-35	2601
1693	Treatment delays in patients undergoing primary percutaneous coronary intervention for ST elevation myocardial infarction at the Quebec Heart and Lung Institute. <b>2007</b> , 23 Suppl B, 53B-57B	12
1692	The truth and consequences of the COURAGE trial. <b>2007</b> , 50, 1598-603	84
1691	Thrombolysis in acute myocardial infarction: current status. <b>2007</b> , 91, 617-37; x	10
1690	Acute ST-segment elevation myocardial infarction: critical care perspective. <b>2007</b> , 23, 685-707, v	0
1689	The NORwegian study on DIstrict treatment of ST-elevation myocardial infarction (NORDISTEMI). <b>2007</b> , 41, 32-8	13
1688	Regional systems of care for patients with ST-elevation myocardial infarction: being at the right place at the right time. <b>2007</b> , 116, 689-92	56
1687	A regional system to provide timely access to percutaneous coronary intervention for ST-elevation myocardial infarction. <b>2007</b> , 116, 721-8	373
1686	Development of systems of care for ST-elevation myocardial infarction patients: executive summary. <b>2007</b> , 116, 217-30	200
1685	Optimal medical therapy with or without PCI for stable coronary disease. <b>2007</b> , 356, 1503-16	3073
1684	Evidence-based medical therapy of patients with acute coronary syndromes. <b>2007</b> , 7, 95-116	11
1683	Revascularization in the acute coronary syndromes. <b>2007</b> , 38, 259-268	

1682	Early management of ST elevation myocardial infarction: a review of practice. <b>2007</b> , 8, 401-13	1
1681	Surgery for myocardial salvage in acute myocardial infarction and acute coronary syndromes. <b>2007</b> , 3, 181-210	8
1680	Acute coronary syndromes in the elderly. <b>2007</b> , 23, 425-40, viii	10
1679	Primary percutaneous coronary intervention in acute myocardial infarction. <b>2007</b> , 91, 639-55; x-xi	5
1678	New trials and therapies for acute myocardial infarction. <b>2007</b> , 91, 729-49; xii	3
1677	Importancia del factor tiempo en la elecci3n de la terapia de reperfusi3n. <b>2007</b> , 60, 791-793	0
1676	Tratamiento del infarto agudo de miocardio con angioplastia primaria in situ frente a transferencia interhospitalaria para su realizaci3n: resultados cl3nicos a corto y largo plazo. <b>2007</b> , 60, 801-810	12
1675	Importance of Time Delay in Selecting Reperfusion Therapy. <b>2007</b> , 60, 791-793	
1674	Treatment of Acute Myocardial Infarction by Primary Angioplasty On-Site Compared With Treatment Following Interhospital Transfer: Shortand Long-Term Clinical Outcomes. <b>2007</b> , 60, 801-810	
1673	The vascular therapist. <b>2007</b> , 16, 193-9	9
1672	Thrombosis and thrombolysis: platelet membrane glycoproteins. <b>2007</b> , 16, 176-9	6
1671	Baseline systemic inflammatory status and no-reflow phenomenon after percutaneous coronary angioplasty for acute myocardial infarction. <b>2007</b> , 117, 306-11	39
1670	Rescue angioplasty or repeat fibrinolysis after failed fibrinolytic therapy for ST-segment myocardial infarction: a meta-analysis of randomized trials. <b>2007</b> , 49, 422-30	153
1669	Percutaneous coronary intervention in patients receiving enoxaparin or unfractionated heparin after fibrinolytic therapy for ST-segment elevation myocardial infarction in the ExTRACT-TIMI 25 trial. <b>2007</b> , 49, 2238-46	100
1668	Angiographic stent thrombosis after routine use of drug-eluting stents in ST-segment elevation myocardial infarction: the importance of thrombus burden. <b>2007</b> , 50, 573-83	360
1667	Reperfusion strategies in acute ST-segment elevation myocardial infarction: a comprehensive review of contemporary management options. <b>2007</b> , 50, 917-29	109
1666	Diabetes and Acute Coronary Syndromes. 69-92	
1665	Setting up a primary percutaneous coronary intervention service. <b>2007</b> , 2, 441-446	1

1664 Primary angioplasty for myocardial infarction. **2007**, 18, 68-72

1663 Acute Coronary Syndromes. **2007**, 257-277

1

1662 Opening of specialty cardiac hospitals and use of coronary revascularization in medicare beneficiaries. **2007**, 297, 962-8

72

1661 The Open Artery Hypothesis. **2007**, 37, 235

1660 Primary PCI and the role of the thrombolysis nurse—Threat or opportunity?. **2007**, 2, 580-587

1

1659 Percutaneous coronary intervention (PCI) after successful reestablishment of spontaneous circulation and during cardiopulmonary resuscitation. 764-771

1658 Selective intracoronary administration of nitroprusside before balloon dilatation prevents slow reflow during percutaneous coronary intervention in patients with acute myocardial infarction. **2007**, 48, 423-33

28

1657 Prothrombotic markers and early spontaneous recanalization in ST-segment elevation myocardial infarction. **2007**, 98, 420-426

32

1656 Effect of intracoronary administration of anisodamine on slow reflow phenomenon following primary percutaneous coronary intervention in patients with acute myocardial infarction. **2007**, 120, 1226-1231

14

1655 . **2007**,

1

1654 Feasibility of the PCI through 6F diagnostic catheters. **2007**, 69, 410-5

5

1653 Comparison of drug-eluting stents with bare metal stents in unselected patients with acute myocardial infarction. **2007**, 70, 1-8

12

1652 The current status and future direction of percutaneous coronary intervention without on-site surgical backup: an expert consensus document from the Society for Cardiovascular Angiography and Interventions. **2007**, 69, 471-8

41

1651 Outcome of elderly patients undergoing primary percutaneous coronary intervention for acute ST-elevation myocardial infarction. **2007**, 70, 485-90

20

1650 Clinical outcomes of dexamethasone-eluting stent implantation in ST-elevation acute myocardial infarction. **2007**, 70, 492-7

15

1649 The impact of emergency physician-initiated primary percutaneous coronary intervention on mean door-to-balloon time in patients with ST-segment-elevation myocardial infarction. **2007**, 50, 527-34

29

1648 Emergency department activation of an interventional cardiology team reduces door-to-balloon times in ST-segment-elevation myocardial infarction. **2007**, 50, 538-44

30

1647 Correction. **2007**, 50, 534

1646	Acute ST-elevation myocardial infarction after successful cardiopulmonary resuscitation. <b>2007</b> , 72, 379-85	115
1645	Implementation of a standardised treatment protocol for post resuscitation care after out-of-hospital cardiac arrest. <b>2007</b> , 73, 29-39	741
1644	Primary percutaneous coronary intervention and mild induced hypothermia in comatose survivors of ventricular fibrillation with ST-elevation acute myocardial infarction. <b>2007</b> , 74, 227-34	228
1643	Potential generation of geographical inequities by the introduction of primary percutaneous coronary intervention for the management of ST segment elevation myocardial infarction. <b>2007</b> , 6, 43	5
1642	Determining geographic areas and populations with timely access to cardiac catheterization facilities for acute myocardial infarction care in Alberta, Canada. <b>2007</b> , 6, 47	19
1641	Results of primary percutaneous coronary intervention in a consecutive group of patients with acute ST elevation myocardial infarction at a tertiary Australian centre. <b>2007</b> , 37, 464-71	5
1640	Improvement in door-to-balloon times in management of acute ST-segment elevation myocardial infarction STEMI through the initiation of 'Code AMI'. <b>2008</b> , 38, 714-8	7
1639	Myocardial infarction: contemporary management strategies. <b>2007</b> , 262, 59-77	12
1638	Detection of left ventricular dysfunction by Doppler tissue imaging in patients with complete recovery of visual wall motion abnormalities 6 months after a first ST-elevation myocardial infarction. <b>2007</b> , 27, 305-8	1
1637	Acute myocardial infarction in young patients: the culprit is not always a ruptured atherosclerotic plaque. <b>2007</b> , 61, 1580-2	3
1636	Time-dependent benefit of initial thrombosuction on myocardial reperfusion in primary percutaneous coronary intervention. <b>2008</b> , 62, 555-61	42
1635	Thrombus aspiration with export catheter in ST elevation myocardial infarction. <b>2007</b> , 20, 38-43	10
1634	Intracoronary thrombectomy with the export aspiration catheter before angioplasty in patients with ST-segment elevation myocardial infarction. <b>2007</b> , 20, 136-42	5
1633	Are patients with non-ST elevation myocardial infarction undertreated?. <b>2007</b> , 7, 8	5
1632	Frequency of percutaneous coronary interventions at facilities without on-site cardiac surgical backup--a report from the American College of Cardiology-National Cardiovascular Data Registry (ACC-NCDR). <b>2007</b> , 99, 329-32	23
1631	Effect of no-reflow during primary percutaneous coronary intervention for acute myocardial infarction on six-month mortality. <b>2007</b> , 99, 442-5	161
1630	Clinical impact of metabolic syndrome and its additive effect with smoking on subsequent cardiac events after acute myocardial infarction. <b>2007</b> , 99, 885-9	24
1629	Comparison of three-year clinical outcome of sirolimus- and paclitaxel-eluting stents versus bare metal stents in patients with ST-segment elevation myocardial infarction (from the RESEARCH and T-SEARCH Registries). <b>2007</b> , 99, 1027-32	117

1628	An approach to shorten time to infarct artery patency in patients with ST-segment elevation myocardial infarction. <b>2007</b> , 99, 1360-3	46
1627	Usefulness of preprocedural N-terminal pro-brain natriuretic peptide in predicting angiographic no-reflow phenomenon during stent implantation in patients with ST-segment elevation acute myocardial infarction. <b>2007</b> , 100, 631-4	22
1626	Mortality in patients with left ventricular ejection fraction . <b>2007</b> , 100, 793-7	40
1625	Percutaneous coronary intervention with off-site cardiac surgery backup for acute myocardial infarction as a strategy to reduce door-to-balloon time. <b>2007</b> , 100, 1353-8	29
1624	Predictors of infarct size after primary coronary angioplasty in acute myocardial infarction from pooled analysis from four contemporary trials. <b>2007</b> , 100, 1370-5	105
1623	Prevalence, predictors, time course, and long-term clinical implications of left ventricular functional recovery after mechanical reperfusion for acute myocardial infarction. <b>2007</b> , 100, 1718-22	47
1622	[Intracoronary thrombectomy with the Export Aspiration Catheter before angioplasty in patients with ST-segment elevation myocardial infarction]. <b>2007</b> , 56, 48-53	3
1621	Paramedic transtelephonic communication to cardiologist of clinical and electrocardiographic assessment for rapid reperfusion of ST-elevation myocardial infarction. <b>2007</b> , 40, 265-70	31
1620	Time to reperfusion in acute myocardial infarction. It is time to reduce it!. <b>2007</b> , 40, 257-64	18
1619	Primary Percutaneous Coronary Intervention. <b>2007</b> , 4, 197-201	
1618	Factors affecting cardiac catheterization rates in elders with acute coronary syndromes. <b>2007</b> , 14, 228-33	9
1617	Reperfusion strategies for ST-elevation myocardial infarction. <b>2007</b> , 9, 281-8	6
1616	[Treatment of acute ST Elevation myocardial infarction in a regional network ("Drip & Ship Network Rostock")]. <b>2007</b> , 32, 635-40	10
1615	[New health care delivery model in cardiology -- Myocardial Infarction Network Essen]. <b>2007</b> , 32, 630-4	2
1614	Prehospital fibrinolysis with dual antiplatelet therapy in ST-elevation acute myocardial infarction: a substudy of the randomized double blind CLARITY-TIMI 28 trial. <b>2007</b> , 23, 173-9	24
1613	Relationship between therapeutic time intervals and intermediate term left ventricular systolic function in patients treated with facilitated percutaneous coronary intervention for acute myocardial infarction. <b>2007</b> , 96, 94-102	12
1612	Versorgungsforschung bei akutem Herzinfarkt. <b>2007</b> , 2, IV1-IV3	1
1611	The COURAGE Trial: establishing the therapeutic legitimacy of aggressive risk factor management in patients with stable coronary artery disease as an alternative to percutaneous coronary intervention. <b>2007</b> , 9, 345-6	2

1610	Utility of drug-eluting stents in complex lesions and high-risk patients. <b>2007</b> , 9, 11-28	4
1609	3.0 T cardiovascular magnetic resonance in patients treated with coronary stenting for myocardial infarction: evaluation of short term safety and image quality. <b>2008</b> , 24, 283-91	8
1608	The influence of acute-phase levels of haemostatic factors on reperfusion and mortality in patients with acute myocardial infarction treated with streptokinase. <b>2008</b> , 26, 188-95	7
1607	[STEMI network Essen--results after 1 year]. <b>2008</b> , 33, 153-7	4
1606	[Primary Coronary Intervention (PCI) within the myocardial infarction network system in a German city (Essen)]. <b>2008</b> , 33, 110-4	6
1605	Prognostic impact of contrast-enhanced CMR early after acute ST segment elevation myocardial infarction (STEMI) in a regional STEMI network: results of the "Herzinfarktverbund Essen". <b>2008</b> , 33, 136-42	35
1604	[Facilitated PCI: did the concept fail?]. <b>2008</b> , 33, 143-7	1
1603	[STEMI network Essen-in-hospital results]. <b>2008</b> , 33, 148-52	4
1602	[Optimizing systems of care for patients with acute myocardial infarction. STEMI networks, telemetry ECG, and standardized quality improvement with systematic data feedback]. <b>2008</b> , 33, 102-9	18
1601	Estimate of myocardial salvage in late presentation acute myocardial infarction by comparing functional and perfusion abnormalities in predischARGE gated SPECT. <b>2008</b> , 35, 906-11	8
1600	[Therapy of acute myocardial infarction in the prehospital setting]. <b>2008</b> , 49, 1023-30	
1599	[Interventional therapy of acute myocardial infarction]. <b>2008</b> , 49, 1038-46	1
1598	Versorgungsforschung in der Herz-Kreislauf-Medizin. <b>2008</b> , 3, 14-16	
1597	The evolving role of medical therapy for chronic stable angina. <b>2008</b> , 10, 263-71	5
1596	New data on early management of patients with ST-elevation myocardial infarction. <b>2008</b> , 10, 291-8	
1595	Early intervention: which patients and how early?. <b>2008</b> , 10, 303-11	2
1594	The risks and benefits of drug-eluting stents in the setting of STEMI. <b>2008</b> , 10, 402-6	4
1593	Percutaneous coronary intervention without onsite surgical backup. <b>2008</b> , 10, 407-14	2



1592	Management of acute myocardial infarction in the real world: a summary report from The Ami-Florence Italian Registry. <b>2008</b> , 3, 109-15	18
1591	Prognostischer Wert einer perkutanen Koronarintervention bei Patienten mit stabiler Angina pectoris. <b>2008</b> , 2, 479-487	
1590	Vorgehen bei STEMI/NSTEMI nach Reanimation. <b>2008</b> , 11, 447-452	
1589	Effect of statin therapy on reperfusion arrhythmia in patients who underwent successful primary angioplasty. <b>2008</b> , 97, 147-51	5
1588	[Percutaneous coronary interventions (PCI)]. <b>2008</b> , 97, 513-47	47
1587	Feasibility of primary clot extraction prior to percutaneous coronary intervention in acute myocardial infarction. <b>2008</b> , 71, 870-6	2
1586	Prospective randomized comparison of sirolimus- versus paclitaxel-eluting stents for the treatment of acute ST-elevation myocardial infarction: pROSIT trial. <b>2008</b> , 72, 25-32	27
1585	What anti-thrombotic therapy is best with primary PCI for acute ST elevation myocardial infarction: how should the HORIZONS trial change current practice?. <b>2008</b> , 71, 816-21	3
1584	The COURAGE trial in perspective. <b>2008</b> , 72, 54-9	7
1583	Adjunctive use of the Rinspiration system for fluidic thrombectomy during primary angioplasty: the Rinspiration international registry. <b>2008</b> , 72, 196-203	10
1582	Variations in hospitalisation costs for acute myocardial infarction - a comparison across Europe. <b>2008</b> , 17, S33-45	45
1581	Percutaneous coronary intervention for chronic stable angina: a reassessment. <b>2008</b> , 1, 34-43	35
1580	A campaign to improve the timeliness of primary percutaneous coronary intervention: Door-to-Balloon: An Alliance for Quality. <b>2008</b> , 1, 97-104	196
1579	Utility of cardiac biomarkers in predicting infarct size, left ventricular function, and clinical outcome after primary percutaneous coronary intervention for ST-segment elevation myocardial infarction. <b>2008</b> , 1, 415-23	164
1578	Should percutaneous revascularization for stable coronary artery disease be performed sooner or later?. <b>2008</b> , 1, 480-2	1
1577	Factors associated with poorer prognosis for patients undergoing primary percutaneous coronary intervention during off-hours: biology or systems failure?. <b>2008</b> , 1, 681-8	57
1576	Reperfusion strategies in ST-elevation myocardial infarction--current status and perspectives for early and pre-hospital treatment. <b>2008</b> , 77, 296-305	6
1575	2007 focused update to the ACC/AHA guidelines for the management of patients with ST-segment elevation myocardial infarction: implications for emergency department practice. <b>2008</b> , 52, 344-355.e1	39

1574	Regionalization of care for ST-segment elevation myocardial infarction: is it too soon?. <b>2008</b> , 52, 677-685	19
1573	Transferring patients with ST-segment elevation myocardial infarction for mechanical reperfusion: a meta-regression analysis of randomized trials. <b>2008</b> , 52, 665-76	96
1572	Post resuscitation care--time for a care bundle?. <b>2008</b> , 76, 161-2	42
1571	Primary PCI: false positives versus false negatives. <b>2008</b> , 16, 323-4	2
1570	On-call specialists and higher level of care transfers in California emergency departments. <b>2008</b> , 15, 329-36	59
1569	Body mass index and effectiveness of reperfusion strategies: implications for the management of patients with ST-elevation myocardial infarction. <b>2008</b> , 21, 8-14	6
1568	Vascular endothelial growth factor-165 gene therapy promotes cardiomyogenesis in reperfused myocardial infarction. <b>2008</b> , 21, 242-51	14
1567	Management of multivessel coronary disease: let us not shortchange drug-eluting stents. <b>2008</b> , 21, 213-7	
1566	Direct stenting after thrombus removal before primary angioplasty in acute myocardial infarction. <b>2008</b> , 21, 300-6	12
1565	Shortening of median door-to-balloon time in primary percutaneous coronary intervention in Singapore by simple and inexpensive operational measures: clinical practice improvement program. <b>2008</b> , 21, 414-23	17
1564	A Bayesian meta-analysis comparing AngioJet thrombectomy to percutaneous coronary intervention alone in acute myocardial infarction. <b>2008</b> , 21, 459-82	14
1563	Explaining Anomalous High Performance in a Health Care Supply Chain*. <b>2008</b> , 39, 759-789	70
1562	20-year trends in clinical characteristics, therapy and short-term prognosis in acute myocardial infarction according to presenting electrocardiogram: the MONICA/KORA AMI Registry (1985-2004). <b>2008</b> , 264, 254-64	40
1561	Utilization of evidence-based therapy for the secondary prevention of acute coronary syndromes in Australian practice. <b>2008</b> , 33, 591-601	20
1560	The importance of left ventricular function for long-term outcome after primary percutaneous coronary intervention. <b>2008</b> , 8, 4	32
1559	Rapid short-duration hypothermia with cold saline and endovascular cooling before reperfusion reduces microvascular obstruction and myocardial infarct size. <b>2008</b> , 8, 7	88
1558	Effectiveness of primary percutaneous coronary intervention for acute ST-elevation myocardial infarction from a 5-year single-center experience. <b>2008</b> , 101, 162-8	15
1557	Comparison of left ventricular ejection fraction and inducible ventricular tachycardia in ST-elevation myocardial infarction treated by primary angioplasty versus thrombolysis. <b>2008</b> , 101, 153-7	12

1556	Adjunct thrombus aspiration reduces mortality in patients undergoing percutaneous coronary intervention for ST-elevation myocardial infarction with high-risk angiographic characteristics. <b>2008</b> , 101, 452-6	20
1555	A percutaneous coronary intervention-thrombolytic predictive instrument to assist choosing between immediate thrombolytic therapy versus delayed primary percutaneous coronary intervention for acute myocardial infarction. <b>2008</b> , 101, 790-5	8
1554	Management of chronic coronary disease: is the pendulum returning to equipoise?. <b>2008</b> , 101, 69D-74D	9
1553	Comparison of the predictive value of four different risk scores for outcomes of patients with ST-elevation acute myocardial infarction undergoing primary percutaneous coronary intervention. <b>2008</b> , 102, 6-11	96
1552	Disparities in use of same-day percutaneous coronary intervention for patients with ST-elevation myocardial infarction in Florida, 2001-2005. <b>2008</b> , 102, 802-8	14
1551	Percutaneous coronary intervention for myocardial infarction with left ventricular dysfunction. <b>2008</b> , 102, 38G-41G	5
1550	Thrombus aspiration during primary percutaneous coronary intervention in acute ST-elevation myocardial infarction. <b>2008</b> , 9, 140-3	2
1549	Renal impairment is an independent predictor of adverse events post coronary intervention in patients with and without drug-eluting stents. <b>2008</b> , 9, 218-23	23
1548	Optimal timing of coronary artery bypass after acute myocardial infarction: a review of California discharge data. <b>2008</b> , 135, 503-11, 511.e1-3	87
1547	Reperfusion strategies in acute ST-elevation myocardial infarction: an overview of current status. <b>2008</b> , 50, 352-82	69
1546	Trends in gender difference in mortality after acute myocardial infarction. <b>2008</b> , 52, 232-8	4
1545	Assessment and management of acute coronary syndrome. <b>2008</b> , 4, 99-105	
1544	Relaxin induces mast cell inhibition and reduces ventricular arrhythmias in a swine model of acute myocardial infarction. <b>2008</b> , 57, 43-8	46
1543	Antithrombotic therapies in primary angioplasty: rationale, results and future directions. <b>2008</b> , 68, 2325-44	6
1542	Novel recombinant thrombolytic and antithrombotic staphylokinase variants with an RGD motif at their N-termini. <b>2008</b> , 50, 17-23	4
1541	Estrategias de reperfusi3n en el infarto agudo. <b>2008</b> , 61, 6-9	1
1540	Menor vasoconstricci3n precoz dependiente del endotelio en la arteria que causa el infarto tras angioplastia primaria en comparaci3n con trombolisis despu3s de un infarto agudo de miocardio. <b>2008</b> , 61, 817-824	3
1539	Medium-term survival after primary angioplasty for myocardial infarction complicated by cardiogenic shock after the age of 75 years. <b>2008</b> , 101, 175-80	6

- 1538 Reperfusion Strategies in Acute Infarction. **2008**, 61, 6-9
- 1537 Endothelial-Dependent Vasoconstriction in the Infarct-Related Artery Early After Myocardial Infarction Is Smaller Following Primary Angioplasty Than Thrombolytic Therapy. **2008**, 61, 817-824
- 1536 Randomized comparison of distal protection versus conventional treatment in primary percutaneous coronary intervention: the drug elution and distal protection in ST-elevation myocardial infarction (DEDICATION) trial. **2008**, 51, 899-905 117
- 1535 Revascularization of the infarct-related artery: never too late to do well. **2008**, 51, 965-7 6
- 1534 A meta-analysis of 17 randomized trials of a percutaneous coronary intervention-based strategy in patients with stable coronary artery disease. **2008**, 52, 894-904 141
- 1533 Is there any time left for primary percutaneous coronary intervention according to the 2007 updated American College of Cardiology/American Heart Association ST-segment elevation myocardial infarction guidelines and the D2B alliance?. **2008**, 52, 1211-5 24
- 1532 Optimal medical therapy is a proven option for chronic stable angina. **2008**, 52, 905-7 16
- 1531 Time is muscle: translation into practice. **2008**, 52, 1216-21 88
- 1530 Evaluation of networks of randomized trials. **2008**, 17, 279-301 771
- 1529 Thrombus aspiration during primary percutaneous coronary intervention. **2008**, 358, 557-67 796
- 1528 Trends in acute reperfusion therapy for ST-segment elevation myocardial infarction from 1999 to 2006: we are getting better but we have got a long way to go. **2008**, 29, 609-17 195
- 1527 Diagnosis and Treatment of ST-Segment Elevation Myocardial Infarction. **2008**, 48-59
- 1526 Adjunctive devices in primary or rescue PCI: a meta-analysis of randomized trials. **2008**, 123, 313-21 61
- 1525 Patency of infarct related artery after pharmacological reperfusion during transfer to primary percutaneous coronary intervention influences left ventricular function and one-year clinical outcome. **2008**, 124, 326-31 13
- 1524 Coronary stenting versus balloon angioplasty for acute myocardial infarction: a meta-regression analysis of randomized trials. **2008**, 126, 37-44 94
- 1523 Left ventricular shape and function in primary coronary angioplasty. **2008**, 125, 364-75 2
- 1522 Change to a primary PCI program increases number of patients offered reperfusion therapy and significantly reduces mortality: a real life experience evaluating the initiation of a primary PCI service at a single center without on site heart surgery in Western Norway. **2008**, 127, 208-13 5
- 1521 Epidemiology of acute myocardial infarction with the emphasis on patients who did not reach the coronary care unit and non-AMI admissions. **2008**, 128, 342-9 15

1520	Emergency percutaneous coronary interventions for acute myocardial infarction with ST-segment elevation in a regional hospital: a quality control study. <b>2008</b> , 129, 100-4	2
1519	How many cath labs do we need to perform primary percutaneous coronary interventions in a particular population?. <b>2008</b> , 129, 292-3	3
1518	The role of fibrinolytics in the prehospital treatment of ST-elevation myocardial infarction (STEMI). <b>2008</b> , 34, 405-16	3
1517	Rationale and design of the Trial of Routine ANgioplasty and Stenting After Fibrinolysis to Enhance Reperfusion in Acute Myocardial Infarction (TRANSFER-AMI). <b>2008</b> , 155, 19-25	34
1516	Guideline adjudicated fibrinolytic failure: incidence, findings, and management in a contemporary clinical trial. <b>2008</b> , 155, 121-7	5
1515	Use of endothelial progenitor cell capture stent (Genous Bio-Engineered R Stent) during primary percutaneous coronary intervention in acute myocardial infarction: intermediate- to long-term clinical follow-up. <b>2008</b> , 155, 128-32	109
1514	Establishing the effectiveness of coronary intervention for acute myocardial infarction. <b>2008</b> , 155, 6-8	
1513	Contemporary outcomes of rescue percutaneous coronary intervention for acute myocardial infarction: comparison with primary angioplasty and the role of distal protection devices (EMERALD trial). <b>2008</b> , 155, 1090-6	13
1512	Achieving rapid reperfusion with primary percutaneous coronary intervention remains a challenge: insights from American Heart Association's Get With the Guidelines program. <b>2008</b> , 155, 1059-67	69
1511	Direct ambulance admission to the cardiac catheterization laboratory significantly reduces door-to-balloon times in primary percutaneous coronary intervention. <b>2008</b> , 155, 1054-8	64
1510	Primary percutaneous coronary intervention without cardiac surgery on-site: coming to a hospital near you?. <b>2008</b> , 155, 585-8	7
1509	The Harmonizing Outcomes with RevasculariZatiON and Stents in Acute Myocardial Infarction (HORIZONS-AMI) Trial: study design and rationale. <b>2008</b> , 156, 44-56	144
1508	An early invasive strategy versus ischemia-guided management after fibrinolytic therapy for ST-segment elevation myocardial infarction: a meta-analysis of contemporary randomized controlled trials. <b>2008</b> , 156, 564-572, 572.e1-2	30
1507	Percutaneous coronary implantation of sirolimus-eluting stents in unselected patients and lesions: clinical results and multiple outcome predictors. <b>2008</b> , 156, 871-8	5
1506	Trends in reperfusion strategies, door-to-needle and door-to-balloon times, and in-hospital mortality among patients with ST-segment elevation myocardial infarction enrolled in the National Registry of Myocardial Infarction from 1990 to 2006. <b>2008</b> , 156, 1035-44	199
1505	Management of ST-segment elevation myocardial infarction in EDs. <b>2008</b> , 26, 91-100	9
1504	COURAGE: in the eye of the beholder. <b>2008</b> , 11, 5-7	1
1503	C-terminal proavopressin (copeptin) is associated with left ventricular dysfunction, remodeling, and clinical heart failure in survivors of myocardial infarction. <b>2008</b> , 14, 739-45	87

1502	Inhalation of hydrogen gas reduces infarct size in the rat model of myocardial ischemia-reperfusion injury. <b>2008</b> , 373, 30-5		377
1501	Long-term outcome of primary angioplasty compared with fibrinolysis across age groups: a Danish Multicenter Randomized Study on Fibrinolytic Therapy Versus Acute Coronary Angioplasty in Acute Myocardial Infarction (DANAMI-2) substudy. <b>2008</b> , 156, 391-6		9
1500	Immediate angioplasty versus standard therapy with rescue angioplasty after thrombolysis in the Combined Abciximab REteplase Stent Study in Acute Myocardial Infarction (CARESS-in-AMI): an open, prospective, randomised, multicentre trial. <i>Lancet, The</i> , <b>2008</b> , 371, 559-68	40	289
1499	Acute myocardial infarction. <i>Lancet, The</i> , <b>2008</b> , 372, 570-84	40	466
1498	A survey of primary percutaneous coronary intervention for patients with ST segment elevation myocardial infarction in Canadian hospitals. <b>2008</b> , 24, 839-43		9
1497	Evidence-based performance and quality improvement in the acute cardiac care setting. <b>2008</b> , 24, 201-29, x		8
1496	Quelles indications de la revascularisation dans l'angor stable : les retentissements de l'étude COURAGE. <b>2008</b> , 2, 248-251		1
1495	Relationship between systolic pulsed wave tissue Doppler parameters and both invasive and noninvasive reperfusion criteria in patients with acute anterior myocardial infarction undergoing primary percutaneous coronary intervention. <b>2008</b> , 21, 47-52		3
1494	Management of ST-elevation myocardial infarction: an update on pharmacoinvasive recanalization. <b>2008</b> , 8, 187-97		2
1493	Transfer for primary angioplasty in elderly patients with acute myocardial infarction. <b>2008</b> , 10, 152-8		0
1492	Optimisation of therapeutic strategies for ST-segment elevation acute myocardial infarction: the impact of a territorial network on reperfusion therapy and mortality. <b>2009</b> , 95, 370-6		35
1491	Primary percutaneous coronary intervention with drug-eluting stents: another chapter in the stent controversy. <b>2008</b> , 1, 87-9		2
1490	Clinical results of drug eluting stents compared to bare metal stents for patients with ST elevation acute myocardial infarction. <b>2008</b> , 10, 167-72		2
1489	The impact of pre-hospital thrombolytic treatment on re-infarction rates: analysis of the Myocardial Infarction National Audit Project (MINAP). <b>2009</b> , 95, 559-63		13
1488	Angioplasty strategies in ST-segment-elevation myocardial infarction: part I: primary percutaneous coronary intervention. <b>2008</b> , 118, 538-51		37
1487	Primary Percutaneous Coronary Intervention. <b>2008</b> , 91-117		
1486	Myocyte Protection by Device Therapy. <b>2008</b> , 248-264		
1485	PCI after lytic therapy: when and how?. <b>2008</b> , 10, J15-J20		1

1484	Adjunctive antithrombotic therapy during primary percutaneous coronary intervention. <b>2008</b> , 10, J2-J14	
1483	Acute reperfusion strategies for ST-segment elevation myocardial infarction. <b>2008</b> , 29, 571-2	2
1482	Adverse outcomes in fibrinolytic-based facilitated percutaneous coronary intervention: insights from the ASSENT-4 PCI electrocardiographic substudy. <b>2008</b> , 29, 871-9	25
1481	Pre-hospital thrombolysis in perspective. <b>2008</b> , 29, 2835-42	25
1480	Randomized comparison between tirofiban and abciximab to promote complete ST-resolution in primary angioplasty: results of the facilitated angioplasty with tirofiban or abciximab (FATA) in ST-elevation myocardial infarction trial. <b>2008</b> , 29, 2972-80	35
1479	Long-term effectiveness of early administration of glycoprotein IIb/IIIa agents to real-world patients undergoing primary percutaneous interventions: results of a registry study in an ST-elevation myocardial infarction network. <b>2009</b> , 30, 33-43	41
1478	Reperfusion ventricular arrhythmia 'bursts' predict larger infarct size despite TIMI 3 flow restoration with primary angioplasty for anterior ST-elevation myocardial infarction. <b>2009</b> , 30, 757-64	33
1477	Repeat thrombolysis or conservative therapy vs. rescue percutaneous coronary intervention for failed thrombolysis: systematic review and meta-analysis. <b>2008</b> , 101, 387-95	5
1476	Early glycoprotein IIb-IIIa inhibitors in primary angioplasty (EGYPT) cooperation: an individual patient data meta-analysis. <b>2008</b> , 94, 1548-58	107
1475	Facilitated PCI: rationale, current evidence, open questions, and future directions. <b>2008</b> , 51, 3-10	11
1474	Optimal reperfusion strategy for acute myocardial infarction. <b>2008</b> , 69, 18-23	1
1473	7,528 patients treated with PCI—a Scandinavian real-life scenario. <b>2008</b> , 110, 96-105	1
1472	Percutaneous coronary intervention for acute MI does not prevent in-hospital development of cardiogenic shock compared to fibrinolysis. <b>2008</b> , 10, 668-74	14
1471	In-hospital arrhythmias in patients with acute myocardial infarction - the relation to the reperfusion strategy and their prognostic impact. <b>2008</b> , 10, 15-25	10
1470	Management of acute myocardial infarction in patients presenting with persistent ST-segment elevation: the Task Force on the Management of ST-Segment Elevation Acute Myocardial Infarction of the European Society of Cardiology. <b>2008</b> , 29, 2909-45	1774
1469	Primary PCI as the preferred reperfusion therapy in STEMI: it is a matter of time. <b>2009</b> , 95, 362-9	51
1468	Commentary: the role of percutaneous coronary intervention in ST-segment-elevation myocardial infarction. <b>2008</b> , 118, 567-73	22
1467	Sudden cardiac death and left ventricular ejection fraction during long-term follow-up after acute myocardial infarction in the primary percutaneous coronary intervention era: results from the HIJAMI-II registry. <b>2009</b> , 95, 216-20	73

1466	Gender differences following percutaneous coronary intervention. <b>2008</b> , 2, 109-13	4
1465	Implementation of guidelines for the treatment of acute ST-elevation myocardial infarction: the Cologne Infarction Model Registry. <b>2008</b> , 1, 95-102	10
1464	Beyond the randomized clinical trial: the role of effectiveness studies in evaluating cardiovascular therapies. <b>2008</b> , 118, 1294-303	191
1463	Primary percutaneous coronary intervention for acute ST elevation myocardial infarction--first year's experience of a tertiary referral centre in the UK. <b>2008</b> , 8, 259-63	4
1462	Improving long-term outcomes following coronary artery bypass graft or percutaneous coronary revascularisation: results from a large, population-based cohort with first intervention 1995-2004. <b>2009</b> , 95, 304-11	28
1461	Clinical Guide to the Use of Antithrombotic Drugs in Coronary Artery Disease. <b>2008</b> ,	
1460	The impact of gender on outcomes of patients with ST elevation myocardial infarction transported for percutaneous coronary intervention: analysis of the PRAGUE-1 and 2 studies. <b>2008</b> , 94, e5	26
1459	Acute Coronary Syndrome. <b>2008</b> ,	
1458	Primary percutaneous coronary intervention for acute myocardial infarction: long-term outcome after bare metal and drug-eluting stent implantation. <b>2008</b> , 1, 103-10	36
1457	Impact of pretreatment with clopidogrel on initial patency and outcome in patients treated with primary percutaneous coronary intervention for ST-segment elevation myocardial infarction: a systematic review. <b>2008</b> , 118, 1828-36	64
1456	A citywide protocol for primary PCI in ST-segment elevation myocardial infarction. <b>2008</b> , 358, 231-40	323
1455	Bivalirudin during primary PCI in acute myocardial infarction. <b>2008</b> , 358, 2218-30	1457
1454	Simple microwire and microcatheter mechanical thrombolysis with adjuvant intraarterial urokinase for treatment of hyperacute ischemic stroke patients. <b>2008</b> , 49, 351-7	13
1453	Effects of fondaparinux in patients with ST-segment elevation acute myocardial infarction not receiving reperfusion treatment. <b>2008</b> , 29, 315-23	30
1452	Adjunctive manual thrombectomy improves myocardial perfusion and mortality in patients undergoing primary percutaneous coronary intervention for ST-elevation myocardial infarction: a meta-analysis of randomized trials. <b>2008</b> , 29, 3002-10	194
1451	Comparison of thrombolysis followed by broad use of percutaneous coronary intervention with primary percutaneous coronary intervention for ST-segment-elevation acute myocardial infarction: data from the french registry on acute ST-elevation myocardial infarction (FAST-MI). <b>2008</b> , 118, 268-76	211
1450	Drug-eluting versus bare metal stents in patients with st-segment-elevation myocardial infarction: eight-month follow-up in the Drug Elution and Distal Protection in Acute Myocardial Infarction (DEDICATION) trial. <b>2008</b> , 118, 1155-62	58
1449	Thrombolysis or primary angioplasty? Reperfusion therapy for myocardial infarction in the UK. <b>2008</b> , 84, 73-7	7



1448	Recent developments in acute coronary syndromes. <b>2008</b> , 8, 42-8	0
1447	When is better not good enough?: Insights from the COURAGE economic study. <b>2008</b> , 1, 4-6	3
1446	Angioplasty strategies in ST-segment-elevation myocardial infarction: part II: intervention after fibrinolytic therapy, integrated treatment recommendations, and future directions. <b>2008</b> , 118, 552-66	27
1445	Reperfused myocardial infarction: contrast-enhanced 64-Section CT in comparison to MR imaging. <b>2008</b> , 247, 49-56	175
1444	Facilitated PCI in patients with ST-elevation myocardial infarction. <b>2008</b> , 358, 2205-17	497
1443	Outcome after language mapping for glioma resection. <b>2008</b> , 358, 1750; author reply 1751	1
1442	Primary PCI in ST-segment elevation myocardial infarction. <b>2008</b> , 358, 1751; author reply 1752-3	2
1441	Quality of life with PCI versus medical therapy in stable coronary disease. <b>2008</b> , 359, 2289-90; author reply 2292	1
1440	Antithrombotic therapy to support primary PCI. <b>2008</b> , 358, 2280-2	12
1439	Drug-eluting or bare-metal stents for acute myocardial infarction. <b>2008</b> , 359, 1330-42	399
1438	Treatment of ST-elevation myocardial infarction. <b>2008</b> , 4, 391-7	
1437	Emergency medical services management of ST-elevation myocardial infarction. <b>2008</b> , 12, 395-403	10
1436	Opening of Specialty Cardiac Hospitals and Use of Coronary Revascularization in Medicare Beneficiaries. <b>2008</b> , 2008, 314-315	
1435	Early validation study of 64-slice multidetector computed tomography for the assessment of myocardial viability and the prediction of left ventricular remodelling after acute myocardial infarction. <b>2008</b> , 29, 490-8	51
1434	Acute ST-segment elevation myocardial infarction: American College of Chest Physicians Evidence-Based Clinical Practice Guidelines (8th Edition). <b>2008</b> , 133, 708S-775S	88
1433	Primary angioplasty: Treatment of choice for STEMI in England. <b>2008</b> , 3, 498-499	1
1432	Clinical and procedural predictors of no-reflow phenomenon after primary percutaneous coronary interventions: experience at a single center. <b>2008</b> , 72, 716-21	71
1431	Primary percutaneous coronary intervention vs conservative treatment for acute ST elevation myocardial infarction: short- and long-term follow-up according to disease severity. <b>2008</b> , 72, 1391-6	7

1430 2. Early Treatment of Patients Complaining of Chest Pain. **2008**, 97, 2184-2190

1429 Impacto de la trombolisis y de la angioplastia primaria en pacientes con infarto agudo del miocardio tratados en centros hospitalarios terciarios. **2008**, 136,

1428 Antiplatelet Therapy in ST-Elevation Myocardial Infarction. 164-177

1427 Outcome of emergency percutaneous coronary intervention for acute ST-elevation myocardial infarction complicated by cardiac arrest. **2008**, 19, 615-8 19

1426 Relationship Between Adherence to Evidence-Based Pharmacotherapy and Long-term Mortality After Acute Myocardial Infarction. **2008**, 2008, 315-317

1425 Endoprothèses coronaires et angioplastie transluminale des artères coronaires. **2008**, 3, 1-18

1424 Impact of prehospital diagnosis in the management of ST elevation myocardial infarction in the era of primary percutaneous coronary intervention: reduction of treatment delay and mortality. **2008**, 9, 570-5 30

1423 Get heart smart. **2008**, 3, 40-48

1422 Primary percutaneous coronary intervention in comatose survivors of cardiac arrest with ST-elevation acute myocardial infarction: a single-center experience in Florence. **2008**, 9, 1083-7 22

1421 Cardiogenic shock. **2008**, 36, S66-74 76

1420 Evidence-based practice: creating a spirit of inquiry to solve clinical nursing problems. **2008**, 27, 331-7; quiz 338-9 6

1419 New insights in preventive cardiology and cardiac rehabilitation. **2008**, 23, 477-86 6

1418 Management of acute ST-elevation myocardial infarction in the coronary care units of Piedmont in 2005: results from the PRIMA regionwide survey. **2008**, 9, 169-77 4

1417 Shifting from pharmacological to systematic mechanical reperfusion therapy for acute myocardial infarction via a cooperating network: impact on reperfusion rate and in-hospital mortality. **2008**, 9, 245-50 1

1416 Time = MUSCLE the case for STEMI care improvements. **2008**, 39, 41-5, quiz 45-6 1

1415 Mechanical intervention after thrombolysis. **2008**, 9, 15-21

1414 Coronary artery stents: II. Perioperative considerations and management. **2008**, 107, 570-90 87

1413 Long-term anticoagulation in patients with coronary disease, and future developments. **2008**, 23, 315-9 4

1412	Cardiogenic shock developing in the coronary care unit in patients with ST-elevation myocardial infarction. <b>2008</b> , 9, 1023-9	16
1411	The value of stress single-photon emission computed tomography imaging performed routinely at 6 months in asymptomatic patients for predicting angiographic restenosis after successful direct percutaneous intervention for acute ST elevation myocardial infarction. <b>2008</b> , 19, 89-97	5
1410	Predictive factors of recurrent angina after acute coronary syndrome: the global registry acute coronary events from China (Sino-GRACE). <b>2008</b> , 121, 12-16	10
1409	Antithrombotische und thrombolytische Therapie beim akuten Koronarsyndrom. <b>2008</b> , 28, 438-447	
1408	. <b>2008</b> ,	1
1407	Shortening the door-to-balloon time for transferring primary percutaneous coronary intervention: physician transfer may be a better way in China. <b>2008</b> , 121, 483-484	2
1406	Prospective multicenter randomized trial comparing physician versus patient transfer for primary percutaneous coronary intervention in acute ST-segment elevation myocardial infarction. <b>2008</b> , 121, 485-491	13
1405	Gender differences in efficacy of primary percutaneous coronary intervention in patients with ST-elevation myocardial infarction. <b>2008</b> , 121, 2374-2378	8
1404	Infarto agudo al miocardio en pacientes de 80 y más años. Evolución hospitalaria y seguimiento. <b>2008</b> , 136,	1
1403	Patient selection for percutaneous coronary intervention. <b>2008</b> , 19-27	
1402	Percutaneous coronary intervention for acute myocardial infarction. <b>2008</b> , 243-254	
1401	Acute Coronary Syndromes and Acute Myocardial Infarction. <b>2008</b> , 589-646	
1400	Comparação dos stents farmacológicos vs. stents convencionais para o tratamento do infarto agudo do miocárdio com supradesnivelamento do segmento ST: resultados do Registro EINSTEIN. <b>2008</b> , 16, 279-288	1
1399	Advances in antithrombotic therapy as adjunct to reperfusion therapies for ST-segment elevation myocardial infarction. <b>2008</b> , 100, 184-195	15
1398	Insuficiência renal aguda após intervenção coronária percutânea primária no infarto agudo do miocárdio: preditores e evolução clínica a longo prazo. <b>2008</b> , 16, 422-428	2
1397	Síndromes coronarianas agudas: tratamento e estratificação de risco. <b>2008</b> , 20, 197-204	0
1396	Time to Medical Management in Patients Presenting with Non-ST Elevation Myocardial Infarction: A Retrospective Analysis of Two Teaching Hospitals. <b>2008</b> , 2, CMC.S1056	
1395	Transferring myocardial infarction patients. <b>2008</b> , 14, 153-155	

1394	New anticoagulant strategies in ST elevation myocardial infarction: trials and clinical implications. <b>2008</b> , 4, 305-13	8
1393	Incidence of ventricular arrhythmias, brady-arrhythmias and sudden cardiac death in Sudanese Patients with acute Myocardial Infarction. <b>2009</b> , 3,	
1392	[Mortality of patients admitted to hospital with acute ST-elevation myocardial infarction, before and after the opening of primary percutaneous coronary intervention unit in Szombathely, Hungary]. <b>2009</b> , 150, 1973-7	0
1391	Acute coronary syndromes: consensus recommendations for translating knowledge into action. <b>2009</b> , 191, 334-8	26
1390	. <b>2009</b> ,	0
1389	Chest pain for 12 hours in a 75-year-old female. 79-82	
1388	Selecting the optimal antithrombotic regimen for patients with acute coronary syndromes undergoing percutaneous coronary intervention. <b>2009</b> , 5, 677-91	
1387	The role of invasive therapies in elderly patients with acute myocardial infarction. <b>2009</b> , 64, 553-60	7
1386	Review of tenecteplase (TNKase) in the treatment of acute myocardial infarction. <b>2009</b> , 5, 249-56	31
1385	Clinical Predictors of Incomplete ST-Segment Resolution in the Patients With Acute ST Segment Elevation Myocardial Infarction. <b>2009</b> , 39, 310-6	6
1384	Intracoronary catheter aspiration can be an adequate option in patients with acute myocardial infarction caused by left atrial myxoma. <b>2009</b> , 17, 145-7	8
1383	Individual patient-data meta-analysis comparing clinical outcome in patients with ST-elevation myocardial infarction treated with percutaneous coronary intervention with or without prior thrombectomy. ATTEMPT study: a pooled Analysis of Trials on ThrombEctomy in acute Myocardial Infarction. <b>2009</b> , 5, 249-56	15
1382	The inflammatory response as a target to reduce myocardial ischaemia and reperfusion injury. <b>2009</b> , 102, 240-7	107
1381	Clinical effects of hypertension on the mortality of patients with acute myocardial infarction. <b>2009</b> , 24, 800-6	19
1380	How can we prevent and treat cardiogenic shock in patients who present to non-tertiary hospitals with myocardial infarction? A systematic review. <b>2009</b> , 190, 440-5	3
1379	Impact of a rapid access protocol on decreasing door-to-balloon time in acute ST elevation myocardial infarction. <b>2009</b> , 11, 29-35	9
1378	Implementation of reperfusion therapy in ST-segment elevation myocardial infarction. A policy statement from the Belgian Society of Cardiology (BSC), the Belgian Interdisciplinary Working Group on Acute Cardiology (BIWAC) and the Belgian Working Group on Interventional Cardiology (BWGIC). <b>2009</b> , 64, 541-5	3
1377	Linking joint commission inpatient core measures and national patient safety goals with evidence. <b>2009</b> , 22, 103-11	12

1376	To divert or not to divert prehospital ST-elevation myocardial infarction: what is the question?. <b>2009</b> , 11, 423-9	1
1375	Réorienter ou ne pas réorienter les cas d'infarctus du myocarde avec sus-décalage du segment ST en préhospitalier : Quelle est la question?. <b>2009</b> , 11, 426-429	
1374	Erratum. <b>2009</b> , 11, 425	1
1373	Percutaneous coronary intervention following thrombolysis: for whom and when?. <b>2009</b> , 11, 195-203	1
1372	Do patients with ST segment elevation myocardial infarction in Killip class I need intensive cardiac care after a successful primary percutaneous intervention?. <b>2009</b> , 11, 243-6	6
1371	Risk profile and benefits from Gp IIb-IIIa inhibitors among patients with ST-segment elevation myocardial infarction treated with primary angioplasty: a meta-regression analysis of randomized trials. <b>2009</b> , 30, 2705-13	183
1370	Outcomes for patients with ST-elevation myocardial infarction in hospitals with and without onsite coronary artery bypass graft surgery: the New York State experience. <b>2009</b> , 2, 519-27	22
1369	Systems-based improvement in door-to-balloon times at a large urban teaching hospital: a follow-up study from Parkland Health and Hospital System. <b>2009</b> , 2, 116-22	22
1368	Feeling fixed and its contribution to patient satisfaction with primary angioplasty: a qualitative study. <b>2009</b> , 8, 85-90	18
1367	Potential survival gains in the treatment of myocardial infarction. <b>2009</b> , 95, 1844-50	37
1366	2009 Focused Updates: ACC/AHA Guidelines for the Management of Patients With ST-Elevation Myocardial Infarction (updating the 2004 Guideline and 2007 Focused Update) and ACC/AHA/SCAI Guidelines on Percutaneous Coronary Intervention (updating the 2005 Guideline and 2007 Focused Update): a report of the American College of Cardiology Foundation/American Heart Association Task Force on Practice Guidelines. <b>2009</b> , 120, 2271-306	820
1365	Therapeutic innovations, diminishing returns, and control rate preservation. <b>2009</b> , 302, 2254-6	15
1364	Immediate vs delayed intervention for acute coronary syndromes: a randomized clinical trial. <b>2009</b> , 302, 947-54	195
1363	Abciximab in patients with acute ST-segment-elevation myocardial infarction undergoing primary percutaneous coronary intervention after clopidogrel loading: a randomized double-blind trial. <b>2009</b> , 119, 1933-40	249
1362	Long-term prognosis in an ST-segment elevation myocardial infarction population treated with routine primary percutaneous coronary intervention: from clinical trial to real-life experience. <b>2009</b> , 2, 392-400	12
1361	Prehospital 12-lead ECG to triage ST-elevation myocardial infarction and emergency department activation of the infarct team significantly improves door-to-balloon times: ambulance Victoria and MonashHEART Acute Myocardial Infarction (MonAMI) 12-lead ECG project. <b>2009</b> , 2, 528-34	58
1360	Reperfusion therapy for ST-segment elevation myocardial infarction: trials, registries, and guidelines. <b>2009</b> , 119, 3047-9	3
1359	Computer-assisted myocardial blush quantification after percutaneous coronary angioplasty for acute myocardial infarction: a substudy from the TAPAS trial. <b>2009</b> , 30, 594-9	49

1358	Comparison of primary angioplasty and pre-hospital fibrinolysis in acute myocardial infarction (CAPTIM) trial: a 5-year follow-up. <b>2009</b> , 30, 1598-606	156
1357	Drug eluting or bare metal stent for acute myocardial infarction: an issue of safety?. <b>2009</b> , 30, 1828-30	9
1356	Incidence and prognosis of non-Q-wave vs. Q-wave myocardial infarction following catheter-based reperfusion therapy. <b>2009</b> , 102, 401-6	3
1355	New paradigms of care for STEMI focusing on mortality and attributable death analysis: what do device and drug trials teach us?. <b>2009</b> , 11, C4-C8	
1354	Acute coronary syndromes: Diagnosis and management, part II. <b>2009</b> , 84, 1021-36	29
1353	Obstructive sleep apnea in patients admitted for acute myocardial infarction. Prevalence, predictors, and effect on microvascular perfusion. <b>2009</b> , 135, 1488-1495	114
1352	Optimizing outcomes in patients with STEMI: mortality, bleeding, door-to-balloon times, and guidelines: the approach to regional systems for STEMI care: defining the ideal approach to reperfusion therapy based on recent trials. <b>2009</b> , 11, C25-C30	1
1351	Comparing and predicting the costs and outcomes of patients with major and minor stroke using the Boston Acute Stroke Imaging Scale neuroimaging classification system. <b>2009</b> , 30, 703-9	34
1350	Enoxaparin in patients with primary percutaneous coronary intervention for acute ST segment elevation myocardial infarction. <b>2009</b> , 5, 43-9	
1349	Prehospital fibrinolytic therapy followed by urgent percutaneous coronary intervention in patients with ST-elevation myocardial infarction. <b>2009</b> , 5, 403-11	
1348	Current status of distal embolization in percutaneous coronary intervention: mechanical and pharmacological strategies. <b>2009</b> , 5, 385-402	10
1347	Code STEMI: implementation of a city-wide program for rapid assessment and management of myocardial infarction. <b>2009</b> , 181, E136-7	5
1346	Leitfaden Herzkatheter. <b>2009</b> ,	2
1345	Cardiac MRI of myocardial salvage at the peri-infarct border zones after primary coronary intervention. <b>2009</b> , 297, H340-6	37
1344	Reperfusion therapy for acute ST-elevation and non ST-elevation myocardial infarction: what can be achieved in daily clinical practice in unselected patients at an interventional center?. <b>2009</b> , 11, 92-8	6
1343	Role of thrombectomy in acute myocardial infarction. <b>2009</b> , 7, 289-97	
1342	Reperfusion injury, microvascular dysfunction, and cardioprotection: the "dark side" of reperfusion. <b>2009</b> , 120, 2105-12	160
1341	Duration of symptoms is the key modulator of the choice of reperfusion for ST-elevation myocardial infarction. <b>2009</b> , 119, 1293-303	32

1340	Does percutaneous coronary intervention reduce mortality in patients with stable chronic angina: are we talking about apples and oranges?. <b>2009</b> , 2, 123-6	16
1339	ST-segment-elevation myocardial infarction treated at hospitals with and without on-site cardiac surgery: do we have the answer and what about the future?. <b>2009</b> , 2, 497-9	1
1338	Outcomes among patients with ST-segment-elevation myocardial infarction presenting to interventional hospitals with and without on-site cardiac surgery. <b>2009</b> , 2, 574-82	28
1337	Hydrogen-rich saline protects myocardium against ischemia/reperfusion injury in rats. <b>2009</b> , 234, 1212-9	125
1336	Policy research: using evidence to improve healthcare delivery systems. <b>2009</b> , 119, 891-8	6
1335	'It got right to the spot' The patient experience of primary angioplasty: a qualitative study. <b>2009</b> , 8, 216-22	16
1334	The magnitude and temporal dependence of apoptosis early after myocardial ischemia with or without reperfusion. <b>2009</b> , 23, 1177-85	16
1333	Choice of reperfusion strategy at hospitals with primary percutaneous coronary intervention: a National Registry of Myocardial Infarction analysis. <b>2009</b> , 120, 2455-61	20
1332	Duration of symptoms is not always the key modulator of the choice of reperfusion for ST-elevation myocardial infarction. <b>2009</b> , 119, 1304-10	4
1331	Consequence and factors related to not offering reperfusion therapy in STEMI. <b>2009</b> , 60, 689-97	
1330	Outcomes of early risk stratification and targeted implantable cardioverter-defibrillator implantation after ST-elevation myocardial infarction treated with primary percutaneous coronary intervention. <b>2009</b> , 120, 194-200	57
1329	Primary percutaneous coronary intervention for acute ST-segment elevation myocardial infarction: changing patterns of vascular access, radial versus femoral artery. <b>2009</b> , 95, 1612-8	82
1328	Optimizing door-to-balloon times for STEMI interventions - Results from the SINCERE database. <b>2009</b> , 21, 229-43	
1327	Research based on administrative data. <b>2009</b> , 145, 610-6	15
1326	Relationship between plaque composition and no-reflow phenomenon following primary angioplasty in patients with ST-segment elevation myocardial infarction--analysis with virtual histology intravascular ultrasound. <b>2009</b> , 54, 205-13	17
1325	Declining mortality following acute myocardial infarction in the Department of Veterans Affairs Health Care System. <b>2009</b> , 9, 44	21
1324	A role of myocardial stiffness in cell-based cardiac repair: a hypothesis. <b>2009</b> , 13, 660-3	12
1323	Combined prognostic utility of white blood cell count, plasma glucose, and glomerular filtration rate in patients undergoing primary stent placement for acute myocardial infarction. <b>2009</b> , 103, 322-7	12

1322	Requirement for emergent coronary artery bypass surgery following percutaneous coronary intervention in the stent era. <b>2009</b> , 103, 950-3	37
1321	Timing, causes, and predictors of death after three years' follow-up in the Danish Multicenter Randomized Study of Fibrinolysis versus Primary Angioplasty in Acute Myocardial Infarction (DANAMI-2) trial. <b>2009</b> , 104, 210-5	15
1320	Clinical benefit of early reperfusion therapy in patients with ST-elevation myocardial infarction usually excluded from randomized clinical trials (results from the Maximal Individual Therapy in Acute Myocardial Infarction Plus [MITRA Plus] registry). <b>2009</b> , 104, 1074-7	18
1319	Impact of an initial strategy of medical therapy without percutaneous coronary intervention in high-risk patients from the Clinical Outcomes Utilizing Revascularization and Aggressive Drug Evaluation (COURAGE) trial. <b>2009</b> , 104, 1055-62	34
1318	Comparison of the efficacy and safety of zotarolimus-, sirolimus-, and paclitaxel-eluting stents in patients with ST-elevation myocardial infarction. <b>2009</b> , 104, 1370-6	60
1317	Anaesthesia and coronary artery stents. <b>2009</b> , 20, 150-154	
1316	In-hospital complications and long-term outcomes of the paclitaxel drug-eluting stent in acute ST-elevation myocardial infarction: a real-world experience from a high-volume medical center. <b>2009</b> , 10, 151-5	6
1315	Estrategias de reperfusi3n en el infarto agudo de miocardio con elevaci3n del segmento ST. Visi3n general y descripci3n de conceptos. Situaci3n actual de la reperfusi3n farmacol3gica en Espa1a. <b>2009</b> , 9, 3-10	
1314	Estrategias para reducir el tiempo de reperfusi3n en el tratamiento con angioplastia primaria. <b>2009</b> , 9, 34-45	
1313	Angioplastia de rescate, cateterismo sistem1tico tras fibrinolisis y angioplastia primaria despu3 de 12 horas. Impacto en la estancia hospitalaria y en el pron3stico. <b>2009</b> , 9, 54-61	1
1312	Incidence, predictors, and outcome of reinfarction and stent thrombosis within one year after primary percutaneous coronary intervention for ST-elevation myocardial infarction. <b>2009</b> , 73, 627-34	10
1311	In-ambulance abciximab administration in STEMI patients prior to primary PCI is associated with smaller infarct size, improved LV function and lower incidence of heart failure: results from the Leiden MISSION! acute myocardial infarction treatment optimization program. <b>2009</b> , 74, 335-43	26
1310	Multicenter randomized trial of facilitated percutaneous coronary intervention with low-dose tenecteplase in patients with acute myocardial infarction: the Athens PCI trial. <b>2009</b> , 74, 398-405	7
1309	Clinical impact of sirolimus-eluting stent in ST-segment elevation myocardial infarction: a meta-analysis of randomized clinical trials. <b>2009</b> , 74, 323-32	16
1308	"Drip-and-ship," "Stay-and-pray," "Freight-and-wait (and possibly inflate)" or simply opening the window wider?: Decision-making regarding time delays in the treatment of ST elevation MI. <b>2009</b> , 74, 406-7	1
1307	2009 focused updates: ACC/AHA guidelines for the management of patients with ST-elevation myocardial infarction (updating the 2004 guideline and 2007 focused update) and ACC/AHA/SCAI guidelines on percutaneous coronary intervention (updating the 2005 guideline and 2007 focused update): a report of the American College of Cardiology Foundation/American Heart Association Task Force on Practice Guidelines. <b>2009</b> , 74, E35-68	46
1306	Vom kardiogenen Schock zur Hypothermie. <b>2009</b> , 12, 619-624	
1305	Der reanimierte Patient mit frischem Herzinfarkt -Thrombolyse oder Herzkatheter?. <b>2009</b> , 46, 61-67	1



1304	Angioplasty within 24 h after thrombolysis in patients with acute ST-elevation myocardial infarction: current use, predictors and outcome. Results of the MITRA plus registry. <b>2009</b> , 98, 107-13	7
1303	Efficacy of a 24-h primary percutaneous coronary intervention service on outcome in patients with ST elevation myocardial infarction in clinical practice. <b>2009</b> , 98, 171-8	23
1302	A simple MR algorithm for estimation of myocardial salvage following acute ST segment elevation myocardial infarction. <b>2009</b> , 98, 651-6	12
1301	Contrast medium induced nephropathy in patients undergoing percutaneous coronary intervention for acute coronary syndrome: differences in STEMI and NSTEMI. <b>2009</b> , 98, 765-72	39
1300	Predictors and short-term prognosis of angiographically detected distal embolization after emergency percutaneous coronary intervention for ST-elevation acute myocardial infarction. <b>2009</b> , 98, 773-9	12
1299	Evaluation of the effect of a concurrent chronic total occlusion on long-term mortality and left ventricular function in patients after primary percutaneous coronary intervention. <b>2009</b> , 2, 1128-34	170
1298	(123)I-BMIPP and (99m)Tc-TF discordance on myocardial scintigraphy and it's correlation with functional recovery following acute myocardial infarction: role of conventional echocardiography. <b>2009</b> , 25, 765-75	
1297	Upper endoscopy in patients with acute myocardial infarction and upper gastrointestinal bleeding: results of a decision analysis. <b>2009</b> , 54, 701-11	17
1296	Impact of vessel size on distal embolization, myocardial perfusion and clinical outcome in patients undergoing primary angioplasty for ST-segment elevation myocardial infarction. <b>2009</b> , 27, 198-203	11
1295	Early and long term outcome of rescue percutaneous coronary intervention (R-PCI): experience from a tertiary care center in Pakistan: outcome of rescue angioplasty in Pakistan. <b>2009</b> , 27, 287-92	1
1294	Impact of duration of clopidogrel prescription on outcome of DES as compared to BMS in primary angioplasty: a meta-regression analysis of randomized trials. <b>2009</b> , 27, 365-78	10
1293	Medical and Catheter-Based Therapies for Managing Stable Coronary Disease: Lessons From the COURAGE Trial. <b>2009</b> , 11, 45-53	2
1292	Optimales pr̃ospitales Management des ST-Strecken-Hebungsinfarktes. <b>2009</b> , 4, 142-149	
1291	Why and when PCI, why and when thrombolysis?: PCI. <b>2009</b> , 4, 7-9	2
1290	[Patients with coronary artery stents: when and how should operations be carried out?]. <b>2009</b> , 80, 515-8	
1289	[Acute myocardial infarction: acute coronary intervention at any hospital versus acute coronary intervention at specialized centers only]. <b>2009</b> , 34, 211-7	0
1288	Infarct size in primary angioplasty without on-site cardiac surgical backup versus transferal to a tertiary center: a single photon emission computed tomography study. <b>2009</b> , 36, 237-43	1
1287	Appearance of microvascular obstruction on high resolution first-pass perfusion, early and late gadolinium enhancement CMR in patients with acute myocardial infarction. <b>2009</b> , 11, 33	71

1286	Intracoronary versus intravenous abciximab in ST-segment elevation myocardial infarction: rationale and design of the CICERO trial in patients undergoing primary percutaneous coronary intervention with thrombus aspiration. <b>2009</b> , 10, 90	9
1285	Are therapeutic decisions made on the medical admissions unit any more evidence-based than they used to be?. <b>2009</b> , 15, 1180-6	5
1284	An emergency physician activated protocol, 'Code STEMI' reduces door-to-balloon time and length of stay of patients presenting with ST-segment elevation myocardial infarction. <b>2009</b> , 63, 398-406	23
1283	High-risk myocardial infarction patients appear to derive more mortality benefit from short door-to-balloon time than low-risk patients. <b>2009</b> , 63, 1693-701	10
1282	Changing strategies for managing acute myocardial infarctions. <b>2009</b> , 63, 1670-2	
1281	Safety of angioplasty and stenting without thrombolysis for the treatment of early ischemic stroke. <b>2009</b> , 19, 139-43	7
1280	Should repeat thrombolysis be considered after early ischaemic stroke recurrence?. <b>2009</b> , 4, 237-8	3
1279	The impact of fibrinolytic therapy for ST-segment-elevation acute myocardial infarction. <b>2009</b> , 7, 14-20	14
1278	The PASEO (PaclitAxel or Sirolimus-Eluting Stent Versus Bare Metal Stent in Primary Angioplasty) Randomized Trial. <b>2009</b> , 2, 515-23	64
1277	Systems of care for ST-segment elevation myocardial infarction: impact of different models on clinical outcomes. <b>2009</b> , 2, 901-8	30
1276	Benefit of facilitated percutaneous coronary intervention in high-risk ST-segment elevation myocardial infarction patients presenting to nonpercutaneous coronary intervention hospitals. <b>2009</b> , 2, 917-24	66
1275	Randomized comparison of primary percutaneous coronary intervention with combined proximal embolic protection and thrombus aspiration versus primary percutaneous coronary intervention alone in ST-segment elevation myocardial infarction: the PREPARE (PRoximal Embolic Protection in Acute myocardial infarction and Percutaneous Coronary Intervention) study. <b>2009</b> , 2, 881-93	42
1274	Acute ischemic heart disease alters ventricular fibrillation waveform characteristics in out-of-hospital cardiac arrest. <b>2009</b> , 80, 412-7	24
1273	Primary coronary intervention for ST-elevation myocardial infarction in Indonesia and the Netherlands: a comparison. <b>2009</b> , 17, 418-21	6
1272	Coronary interventions and their impact on post myocardial infarction survival. <b>2005</b> , 28, 138-44	7
1271	Early versus delayed invasive intervention in acute coronary syndromes. <b>2009</b> , 360, 2165-75	578
1270	The pharmaco-invasive approach to STEMI: when should fibrinolytic-treated patients go to the "cath lab"?. <b>2009</b> , 95, 358-61	2
1269	Mean platelet volume predicts patency of the infarct-related artery before mechanical reperfusion and short-term mortality in patients with ST-segment elevation myocardial infarction undergoing primary percutaneous coronary intervention. <b>2009</b> , 124, 536-40	42

1268	One year clinical and six month angiographic results of drug eluting stents for ST elevation acute myocardial infarction: 'real world' comparison between sirolimus- and paclitaxel-eluting stents. <b>2009</b> , 131, 350-5	5
1267	Preserved coronary endothelial function by inhibition of delta protein kinase C in a porcine acute myocardial infarction model. <b>2009</b> , 133, 256-9	7
1266	Efficacy and safety of drug-eluting stents in ST-segment elevation myocardial infarction: a meta-analysis of randomized trials. <b>2009</b> , 133, 213-22	77
1265	Primary percutaneous coronary intervention for ST-elevation myocardial infarction: from clinical trial to clinical practice. <b>2009</b> , 134, 104-9	7
1264	[III Catalan registry of ST elevation acute myocardial infarction. Comparison with former Catalan registries I and II from Catalonia, Spain]. <b>2009</b> , 133, 694-701	2
1263	Acute coronary angiographic findings in survivors of out-of-hospital cardiac arrest. <b>2009</b> , 157, 312-8	134
1262	Benefits of drug-eluting stents as compared to bare metal stent in ST-segment elevation myocardial infarction: four year results of the PaclitAxel or Sirolimus-Eluting stent vs bare metal stent in primary angioplasty (PASEO) randomized trial. <b>2009</b> , 158, e43-50	63
1261	ST-elevation myocardial infarction patients can be enrolled in randomized trials before emergent coronary intervention without sacrificing door-to-balloon time. <b>2009</b> , 158, 400-7	5
1260	Association between advanced Killip class at presentation and impaired myocardial perfusion among patients with ST-segment elevation myocardial infarction treated with primary angioplasty and adjunctive glycoprotein IIb-IIIa inhibitors. <b>2009</b> , 158, 416-21	15
1259	Achieving routine sub 30 minute door-to-balloon times in a high volume 24/7 primary angioplasty center with autonomous ambulance diagnosis and immediate catheter laboratory access. <b>2009</b> , 158, 829-35	9
1258	Hospitals with and without percutaneous coronary intervention capability: considerations for treating acute coronary syndromes. <b>2009</b> , 27, 595-606	1
1257	Percutaneous coronary intervention-related time delay, patient's risk profile, and survival benefits of primary angioplasty vs lytic therapy in ST-segment elevation myocardial infarction. <b>2009</b> , 27, 712-9	79
1256	Facilitated angioplasty with combo therapy among patients with ST-segment elevation myocardial infarction: a meta-analysis of randomized trials. <b>2009</b> , 27, 683-90	16
1255	Mild hypothermia to limit myocardial ischemia-reperfusion injury: importance of timing. <b>2009</b> , 87, 157-63	44
1254	Very mild hypothermia during ischemia and reperfusion improves postinfarction ventricular remodeling. <b>2009</b> , 87, 172-7	29
1253	Universal reperfusion therapy can be implemented: lessons from 20 years of management of patients admitted within 6 hours of symptom onset with ST-segment elevation acute myocardial infarction. <b>2009</b> , 102, 259-67	9
1252	Effect of physician volume on the relationship between hospital volume and mortality during primary angioplasty. <b>2009</b> , 53, 574-579	100
1251	Benefits from small molecule administration as compared with abciximab among patients with ST-segment elevation myocardial infarction treated with primary angioplasty: a meta-analysis. <b>2009</b> , 53, 1668-73	100

1250	The benefits of platelet glycoprotein IIb/IIIa receptor inhibition during primary percutaneous coronary intervention for ST-segment elevation myocardial infarction: drug-specific or class effect?. <b>2009</b> , 53, 1674-6	8
1249	Percutaneous coronary interventions in facilities without cardiac surgery on site: a report from the National Cardiovascular Data Registry (NCDR). <b>2009</b> , 54, 16-24	58
1248	The only better alternative to rescue percutaneous coronary intervention is primary percutaneous coronary intervention. <b>2009</b> , 54, 127-9	3
1247	Myocardial no-reflow in humans. <b>2009</b> , 54, 281-92	569
1246	Field triage reduces treatment delay and improves long-term clinical outcome in patients with acute ST-segment elevation myocardial infarction treated with primary percutaneous coronary intervention. <b>2009</b> , 54, 2296-302	52
1245	Stent overexpansion and myocardial no-reflow. <b>2009</b> , 54, 2340-1; author reply 2341	2
1244	Reply. <b>2009</b> , 54, 2341	
1243	Early assessment of myocardial viability by the use of delayed enhancement computed tomography after primary percutaneous coronary intervention. <b>2009</b> , 2, 1072-81	33
1242	Surgical versus percutaneous revascularization of coronary artery disease in diabetic patients. <b>2009</b> , 23, 317-34	3
1241	Clinical characteristics and early mortality of patients undergoing coronary artery bypass grafting compared to percutaneous coronary intervention: insights from the Australasian Society of Cardiac and Thoracic Surgeons (ASCTS) and the Melbourne Interventional Group (MIG) Registries. <b>2009</b> , 18, 184-90	32
1240	Treatment Delayed Is Treatment Denied!. <b>2009</b> , 62, 1-6	
1239	Primary Percutaneous Angioplasty. An Analysis of Reperfusion Delays, Their Determining Factors, and Their Prognostic Implications. <b>2009</b> , 62, 15-22	
1238	Drug-eluting stents versus bare-metal stents in diabetic patients with ST-segment elevation acute myocardial infarction: a pooled analysis of individual patient data from seven randomized trials. <b>2009</b> , 62, 354-64	6
1237	Safety and feasibility of returning patients early to their originating centers after transfer for primary percutaneous coronary intervention. <b>2009</b> , 62, 1356-64	2
1236	Defining the role of platelet glycoprotein receptor inhibitors in STEMI: focus on tirofiban. <b>2009</b> , 69, 85-100	19
1235	Optimizing the use of thrombolytics in ST-segment elevation myocardial infarction. <b>2009</b> , 69, 1945-66	5
1234	Routine early angioplasty after fibrinolysis for acute myocardial infarction. <b>2009</b> , 360, 2705-18	376
1233	Target populations and relevant therapeutic end points to further improve outcomes in NSTEMI patients. <b>2009</b> , 5, 27-41	

1232	Chronic coronary artery disease: diagnosis and management. <b>2009</b> , 84, 1130-46		150
1231	Impact of paramedic transport with prehospital 12-lead electrocardiography on door-to-balloon times for patients with ST-segment elevation myocardial infarction. <b>2009</b> , 13, 203-6		28
1230	The effect of statins on the no-reflow phenomenon: an observational study in patients with hyperglycemia before primary angioplasty. <b>2009</b> , 9, 81-9		15
1229	Drug-eluting stents for acute myocardial infarction. <b>2009</b> , 10, 19-34		2
1228	Systematic review of fibrinolytic-facilitated percutaneous coronary intervention: potential benefits and future challenges. <b>2009</b> , 25, 141-8		10
1227	The effect of place of residence on access to invasive cardiac services following acute myocardial infarction. <b>2009</b> , 25, 207-12		34
1226	Effectiveness of a change in reperfusion strategy to primary percutaneous coronary intervention in a nonselected population. <b>2009</b> , 25, e279-83		1
1225	Thrombolysis versus primary percutaneous coronary intervention for ST elevation myocardial infarctions at Chilliwack General Hospital. <b>2009</b> , 25, e382-4		7
1224	Creating synergy in our health system: The challenges of primary angioplasty. <b>2009</b> , 25, e387-8		
1223	Percutaneous coronary interventions for non-acute coronary artery disease: a quantitative 20-year synopsis and a network meta-analysis. <i>Lancet, The</i> , <b>2009</b> , 373, 911-8	40	181
1222	Ischaemia versus bleeding: the art of clinical decision-making. <i>Lancet, The</i> , <b>2009</b> , 373, 695-6	40	12
1221	The changing horizon of acute coronary syndrome. <i>Lancet, The</i> , <b>2009</b> , 374, 1125-7	40	2
1220	Methodologists are not qualified to write clinical guidelines. <i>Lancet, The</i> , <b>2009</b> , 374, 1326-7; author reply 1327	40	2
1219	Infarto agudo de miocardio con elevaci3n del segmento ST. Primer contacto m3dico y en Urgencias. Medidas terap3uticas inmediatas iniciales: angioplastia y fibrin3lisis. <b>2009</b> , 10, 2474-2482		
1218	Manejo general y extrahospitalario del paciente con infarto de miocardio. <b>2009</b> , 10, 2504-2509		
1217	¡Retrasar el tratamiento equivale a negarlo!. <b>2009</b> , 62, 1-6		1
1216	Angioplastia primaria en nuestro medio. An3lisis de los retrasos hasta la reperfusi3n, sus condicionantes y su implicaci3n pron3stica. <b>2009</b> , 62, 15-22		30
1215	[Not Available]. <b>2009</b> , 62, 293.e1-293.e47		5

1214	Stents liberadores de fármacos frente a stents convencionales en pacientes diabéticos con infarto agudo de miocardio con elevación del segmento ST: un análisis combinado de los datos de pacientes individuales de 7 ensayos aleatorizados. <b>2009</b> , 62, 354-364	27
1213	Seguridad y viabilidad del retorno precoz de pacientes transferidos para angioplastia primaria a sus centros de origen. <b>2009</b> , 62, 1356-1364	24
1212	2009 focused updates: ACC/AHA guidelines for the management of patients with ST-elevation myocardial infarction (updating the 2004 guideline and 2007 focused update) and ACC/AHA/SCAI guidelines on percutaneous coronary intervention (updating the 2005 guideline and 2007 focused update) a report of the American College of Cardiology Foundation/American Heart Association	1029
1211	Effect of high-dose intracoronary adenosine administration during primary percutaneous coronary intervention in acute myocardial infarction: a randomized controlled trial. <b>2009</b> , 2, 323-9	90
1210	A STEMI code protocol improves door-to-balloon time on weekdays and weekends. <b>2009</b> , 31, 35-43	8
1209	Acute Coronary Syndromes: Diagnosis and Management, Part II. <b>2009</b> , 84, 1021-1036	29
1208	Evolving concepts in selecting optimal strategies for the management of patients with stable coronary disease: pharmacologic or revascularization therapy. <b>2009</b> , 24, 591-5	1
1207	Multidecade-long trends (1986-2005) in the utilization of coronary reperfusion and revascularization treatment strategies in patients hospitalized with acute myocardial infarction: a community-wide perspective. <b>2009</b> , 20, 71-80	10
1206	In-hospital outcomes of emergent and elective percutaneous coronary intervention in octogenarians. <b>2009</b> , 20, 118-23	9
1205	Predictors of 30-day and 1-year mortality after primary percutaneous coronary intervention for ST-elevation myocardial infarction. <b>2009</b> , 20, 415-21	70
1204	Antiplatelet intervention in acute coronary syndrome. <b>2009</b> , 16, e29-40	20
1203	The acute myocardial infarction with ST segment elevation Udine registry (Come-to-Udine): predictors of 3 years mortality. <b>2009</b> , 10, 474-84	1
1202	Comparative predictive value of infarct location, peak CK, and ejection fraction after primary PCI for ST elevation myocardial infarction. <b>2009</b> , 20, 9-14	20
1201	ST-Segment-Elevation Myocardial Infarction. <b>2009</b> , 79-121	
1200	A Citywide Protocol for Primary PCI in ST-Segment Elevation Myocardial Infarction. <b>2009</b> , 2009, 41-43	1
1199	Clinical impact of thrombectomy in acute ST-elevation myocardial infarction: an individual patient-data pooled analysis of 11 trials. <b>2009</b> , 30, 2193-203	201
1198	Is prehospital thrombolysis beneficial to patients suffering acute MI?. <b>2009</b> , 1, 151-155	
1197	Contrast volume during primary percutaneous coronary intervention and subsequent contrast-induced nephropathy and mortality. <b>2009</b> , 150, 170-7	234

1196	Current status of emergency care for ST-elevation myocardial infarction in an urban setting in Japan. <b>2009</b> , 73, 484-9	14
1195	Branch segment occlusion with acute myocardial infarction is a risk for left ventricular free wall rupture. <b>2009</b> , 73, 1473-8	10
1194	Acute myocardial infarction: the enduring challenge for cardiac protection and survival. <b>2009</b> , 73, 2000-8	53
1193	The dissociation between door-to-balloon time improvement and improvements in other acute myocardial infarction care processes and patient outcomes. <b>2009</b> , 169, 1411-9	37
1192	Prehospital triage and direct transport of patients with ST-elevation myocardial infarction to primary percutaneous coronary intervention centres: a systematic review and meta-analysis. <b>2009</b> , 11, 481-92	15
1191	Emerging data and decision for optimizing STEMI management: the European perspective. <b>2009</b> , 11, C19-C24	1
1190	Bleeding management and pharmacological strategy in primary percutaneous coronary intervention. <b>2009</b> , 11, C9-C12	1
1189	Reducing door-to-balloon time in ST-segment elevation myocardial infarction: are we missing the forest for the trees?. <b>2009</b> , 1, 143-146	1
1188	Optimizing primary percutaneous coronary intervention in ST-segment elevation myocardial infarction. <b>2010</b> , 2, 449-453	
1187	Prevention of left ventricular remodelling after acute myocardial infarction: an update. <b>2010</b> , 5, 196-207	16
1186	Syndromes coronaires aigus. <b>2010</b> , 5, 1-21	
1185	Early and aggressive treatment of patients with ST-segment elevation myocardial infarction: deciphering recent clinical trials and the timing of optimal platelet inhibition. <b>2010</b> , 12, D24-D35	
1184	The promise of adult mesenchymal stem cells for acute myocardial infarction. <b>2010</b> , 2, 257-260	
1183	Association between hospital cardiac management and outcomes for acute myocardial infarction patients. <b>2010</b> , 48, 157-65	23
1182	A perspective on the development of coronary revascularization. <b>2010</b> , 21, 199-203	2
1181	Coronary revascularization in patients with type 2 diabetes and results of the BARI 2D trial. <b>2010</b> , 21, 189-98	5
1180	Percutaneous coronary intervention for ST-elevation myocardial infarction: drug-eluting stents or bare metal stents?. <b>2010</b> , 17, 516-22	
1179	Interhospital transfer of patients with ST-segment elevation myocardial infarction for percutaneous coronary intervention. <b>2010</b> , 17, e189-92	

1178	Bundle branch block during primary angioplasty: reperfusion success remains encrypted in the ECG!. <b>2010</b> , 2, 445-447	
1177	Health care insurance, financial concerns in accessing care, and delays to hospital presentation in acute myocardial infarction. <b>2010</b> , 303, 1392-400	96
1176	ISAR--a story of trials with impact on practice. <b>2010</b> , 74, 1771-8	6
1175	Comparison of long-term prognostic evaluation between pre-intervention thrombolysis and primary coronary intervention: a prospective randomized trial: five-year results of the IMPORTANT study. <b>2010</b> , 74, 1625-34	13
1174	Do we facilitate facilitated percutaneous coronary intervention and pre-intervention thrombolysis?. <b>2010</b> , 74, 1530-1	
1173	Rheolytic thrombectomy: any role left?. <b>2010</b> , 2, 57-65	2
1172	Role of coronary artery bypass grafting during the acute and subacute phase of ST-elevation myocardial infarction. <b>2010</b> , 18, 348-54	19
1171	One-year clinical follow-up of a registry evaluating a percutaneous revascularisation strategy combining a pre-specified simple selection process with the use of a new thin-strut bare cobalt-chromium stent. <b>2010</b> , 18, 486-92	2
1170	Proximal embolic protection in patients undergoing primary angioplasty for acute myocardial infarction (PREPARE): core lab adjudicated angiographic outcomes of a randomised controlled trial. <b>2010</b> , 18, 531-6	3
1169	Predictors and long-term prognosis of angiographic slow/no-reflow phenomenon during emergency percutaneous coronary intervention for ST-elevated acute myocardial infarction. <b>2010</b> , 33, E7-12	49
1168	Fibrinolysis versus primary percutaneous intervention in ST-elevation myocardial infarction with long interhospital transfer distances. <b>2010</b> , 33, 162-7	4
1167	Comparison of sirolimus- and paclitaxel-eluting stents in patients undergoing primary percutaneous coronary intervention for ST-elevation myocardial infarction: a meta-analysis of randomized trials. <b>2010</b> , 33, 583-90	3
1166	[Coronary artery bypass surgery for the treatment of acute coronary syndromes]. <b>2010</b> , 35, 70-8	1
1165	[Comments on the 2010 guidelines on cardiopulmonary resuscitation of the European Resuscitation Council]. <b>2010</b> , 59, 1105-23	21
1164	[Acute coronary syndrome. A diffuse diagnosis]. <b>2010</b> , 51, 953-4, 956-8, 960-2	8
1163	Effect of reperfusion therapy on index of myocardial performance in acute myocardial infarction: thrombolytics versus primary angioplasty. <b>2010</b> , 25, 87-91	7
1162	Manual versus nonmanual thrombectomy in primary and rescue percutaneous coronary angioplasty. <b>2010</b> , 25, 275-81	10
1161	Noninvasive assessment of myocardial damage after acute anterior myocardial infarction: myocardial blush grade in conjunction with analysis of coronary flow pattern. <b>2010</b> , 25, 299-305	3



1160	The state of periprocedural antiplatelet therapy after recent trials. <b>2010</b> , 3, 571-83	34
1159	ST-segment resolution and prognosis after facilitated versus primary percutaneous coronary intervention in acute myocardial infarction: a meta-analysis. <b>2010</b> , 99, 1-11	16
1158	Prognostic value of minimal blood flow restoration in patients with acute myocardial infarction after reperfusion therapy. <b>2010</b> , 99, 13-9	8
1157	Best way to revascularize patients with main stem and three vessel lesions: patients should undergo PCI!. <b>2010</b> , 99, 531-9	8
1156	Initiales Management des akuten Koronarsyndroms. <b>2010</b> , 13, 621-634	5
1155	Autophagy in myocardium of murine hearts subjected to ischemia followed by reperfusion. <b>2010</b> , 134, 519-26	19
1154	Primary percutaneous intervention of ST-elevation myocardial infarction in Austria: Results from the Austrian acute PCI registry 2005-2007. <b>2010</b> , 122, 220-8	14
1153	Treatment of acute myocardial infarction: beyond process measures to improve outcome. <b>2010</b> , 122, 189-91	
1152	Measuring myocardium at risk in acute myocardial infarction--a continuing challenge. <b>2010</b> , 17, 778-80	3
1151	Antithrombotische Therapie beim ST-Streckenhebungsinfarkt. <b>2010</b> , 4, 107-123	6
1150	Strategies in stable ischemic heart disease: lessons from the COURAGE and BARI-2D trials. <b>2010</b> , 12, 423-31	5
1149	What goes into a major acute coronary syndrome trial and what will future trials look like?. <b>2010</b> , 12, 348-55	2
1148	Thrombectomy during primary angioplasty: methods, devices, and clinical trial data. <b>2010</b> , 12, 422-8	6
1147	The role of revascularization versus medical therapy in patients with type 2 diabetes mellitus and coronary artery disease. <b>2010</b> , 10, 10-5	1
1146	Left ventricular remodeling in the elderly with acute anterior myocardial infarction treated with primary coronary intervention. <b>2010</b> , 5, 311-9	0
1145	Cardioprotection in the clinical setting. <b>2010</b> , 24, 281-7	12
1144	Impact of distal embolization on myocardial perfusion and survival among patients undergoing primary angioplasty with glycoprotein IIb-IIIa inhibitors: insights from the EGYPT cooperation. <b>2010</b> , 30, 23-8	11
1143	Impact of diabetes on long-term outcome in STEMI patients undergoing primary angioplasty with glycoprotein IIb-IIIa inhibitors and BMS or DES. <b>2010</b> , 30, 133-41	22

1142	Tratamiento de reperfusión en el infarto agudo de miocardio con elevación del segmento ST. <b>2010</b> , 10, 12C-20C	
1141	Indicaciones actuales del tratamiento trombolítico en el infarto agudo de miocardio. <b>2010</b> , 10, 23-28	
1140	Actualización en el tratamiento de los síndromes coronarios agudos. <b>2010</b> , 17, 257-267	
1139	Ischemic ST-segment episodes during the initial 24 hours of ST elevation myocardial infarction predict prognosis at 1 and 5 years. <b>2010</b> , 43, 224-9	2
1138	Saving muscle: evidence-based strategies for reducing door-to-balloon times for st-segment elevation myocardial infarction patients. <b>2010</b> , 36, 231-7	
1137	Efficacy of thrombectomy for acute myocardial infarction-Special focus on its efficacy according to different infarct-related arteries. <b>2010</b> , 55, 189-95	6
1136	Clinical manifestations and effects of primary percutaneous coronary intervention for patients with delayed pre-hospital time in acute myocardial infarction. <b>2010</b> , 56, 204-10	7
1135	Management of ST-elevation myocardial infarction. <b>2010</b> , 38, 431-437	
1134	Percutaneous coronary intervention. <b>2010</b> , 38, 438-445	2
1133	Six Sigma process utilization in reducing door-to-balloon time at a single academic tertiary care center. <b>2010</b> , 53, 219-26	16
1132	The role of paramedics in a primary PCI program for ST-elevation myocardial infarction. <b>2010</b> , 53, 183-7	24
1131	Primary percutaneous coronary intervention for patients presenting with ST-segment elevation myocardial infarction: process improvement in a rural ST-segment elevation myocardial infarction receiving center. <b>2010</b> , 53, 202-9	9
1130	Prolonged door-to-balloon time: is treatment delayed always treatment denied?. <b>2010</b> , 53, 195-201	1
1129	Pharmaco-invasive strategies expand access to percutaneous coronary intervention in ST-elevation myocardial infarction. <b>2010</b> , 53, 188-94	2
1128	Therapeutic advances in myocardial microvascular resistance: unravelling the enigma. <b>2010</b> , 127, 131-47	23
1127	Effect of implementing routine early invasive strategy on one-year mortality in patients with acute myocardial infarction. <b>2010</b> , 105, 36-42	10
1126	Contrast-induced nephropathy in patients undergoing emergency percutaneous coronary intervention for acute coronary syndrome. <b>2010</b> , 105, 624-8	101
1125	Prognostic implications of bundle branch block in patients undergoing primary coronary angioplasty in the stent era. <b>2010</b> , 105, 1276-83	26

1124	Results of interventional treatment of stress positive coronary artery disease. <b>2010</b> , 105, 1535-9	9
1123	Clinical and angiographic predictors of ST-segment recovery after primary percutaneous coronary intervention. <b>2010</b> , 105, 1692-7	10
1122	Three-year outcome of sirolimus-eluting versus bare-metal stents for the treatment of ST-segment elevation myocardial infarction (from the MISSION! Intervention Study). <b>2010</b> , 106, 4-12	37
1121	Predictors of reperfusion delay in patients with acute myocardial infarction undergoing primary percutaneous coronary intervention from the HORIZONS-AMI trial. <b>2010</b> , 106, 1527-33	39
1120	Risk reduction for cardiac events after primary coronary intervention compared with thrombolysis for acute ST-elevation myocardial infarction (five-year results of the Swedish early decision reperfusion strategy [SWEDES] trial). <b>2010</b> , 106, 1685-91	1
1119	Meta-analysis of studies of patients in the United Arab Emirates with ST-elevation myocardial infarction treated with thrombolytic agents. <b>2010</b> , 106, 1692-5	3
1118	[Thromboaspiration in primary angioplasty for ST elevation myocardial infarction]. <b>2010</b> , 59, 344-8	
1117	Impact of the prehospital ECG on door-to-balloon time in ST elevation myocardial infarction. <b>2010</b> , 75, 174-8	43
1116	Multicentre experience with MGuard net protective stent in ST-elevation myocardial infarction: safety, feasibility, and impact on myocardial reperfusion. <b>2010</b> , 75, 715-21	25
1115	TIMI myocardial perfusion frame count: a new method to assess myocardial perfusion and its predictive value for short-term prognosis. <b>2010</b> , 75, 722-32	28
1114	Feasibility and applicability of computer-assisted myocardial blush quantification after primary percutaneous coronary intervention for ST-segment elevation myocardial infarction. <b>2010</b> , 75, 701-6	13
1113	Use of mechanical assist during high-risk PCI and STEMI with cardiogenic shock. <b>2010</b> , 75 Suppl 1, S1-6	34
1112	Impact of 24-hr in-hospital interventional cardiology team on timeliness of reperfusion for ST-segment elevation myocardial infarction. <b>2010</b> , 75, 1015-23	14
1111	Thrombus aspiration in primary percutaneous coronary intervention in high-risk patients with ST-elevation myocardial infarction: a real-world registry. <b>2010</b> , 76, 70-6	27
1110	Improving myocardial salvage in late presentation acute ST-elevation myocardial infarction with proximal embolic protection. <b>2010</b> , 76, 461-70	12
1109	Dipyridamole versus verapamil for treatment of no-reflow during primary angioplasty. <b>2010</b> , 76, 787-93	10
1108	Pre-hospital cardiac arrest in Prague, Czech Republic--the Utstein-style report. <b>2010</b> , 81, 831-5	21
1107	Primary percutaneous coronary intervention and thrombolysis improve survival in patients with ST-elevation myocardial infarction and pre-hospital resuscitation. <b>2010</b> , 81, 1505-8	11

1106	European Resuscitation Council Guidelines for Resuscitation 2010 Section 5. Initial management of acute coronary syndromes. <b>2010</b> , 81, 1353-63	54
1105	European Resuscitation Council Guidelines for Resuscitation 2010 Section 1. Executive summary. <b>2010</b> , 81, 1219-76	984
1104	Part 9: Acute coronary syndromes: 2010 International Consensus on Cardiopulmonary Resuscitation and Emergency Cardiovascular Care Science with Treatment Recommendations. <b>2010</b> , 81 Suppl 1, e175-212	39
1103	Does enoxaparin have enough FINESSE to replace unfractionated heparin in primary percutaneous coronary intervention?. <b>2010</b> , 3, 213-4	
1102	Impact of bivalirudin therapy in high-risk patients with acute myocardial infarction: 1-year results from the HORIZONS-AMI (Harmonizing Outcomes with RevascularizatiON and Stents in Acute Myocardial Infarction) trial. <b>2010</b> , 3, 796-802	18
1101	Intracoronary thrombus a sticky problem. <b>2010</b> , 3, 947-9	3
1100	Apyrase treatment of myocardial infarction according to a clinically applicable protocol fails to reduce myocardial injury in a porcine model. <b>2010</b> , 10, 1	16
1099	Safety and efficacy of thrombectomy in patients undergoing primary percutaneous coronary intervention for acute ST elevation MI: a meta-analysis of randomized controlled trials. <b>2010</b> , 10, 10	54
1098	Checking consistency in mixed treatment comparison meta-analysis. <b>2010</b> , 29, 932-44	1157
1097	Acute and subacute stent thrombosis after primary percutaneous coronary intervention for ST-segment elevation myocardial infarction: incidence, predictors and clinical outcome. <b>2010</b> , 8, 2385-93	43
1096	Old age and outcome after primary angioplasty for acute myocardial infarction. <b>2010</b> , 58, 867-72	18
1095	Two-year clinical registry follow-up of endothelial progenitor cell capture stent versus sirolimus-eluting bioabsorbable polymer-coated stent versus bare metal stents in patients undergoing primary percutaneous coronary intervention for ST elevation myocardial infarction. <b>2010</b> , 23, 181-8	23
1094	Percutaneous coronary intervention, comorbidities, and mortality among emergency department-admitted ST-elevation myocardial infarction patients in Florida. <b>2010</b> , 23, 205-15	5
1093	ST-segment resolution prior to primary percutaneous coronary intervention is a poor indicator of coronary artery patency in patients with acute myocardial infarction. <b>2010</b> , 15, 107-15	3
1092	Normal coronary angiography and primary percutaneous coronary intervention for ST elevation myocardial infarction: a literature review and audit findings. <b>2010</b> , 64, 1245-51	8
1091	Management of acute coronary syndrome in a tertiary care general medical unit in Sri Lanka: how closely do we follow the guidelines?. <b>2010</b> , 35, 421-7	5
1090	Caring of ST-elevation myocardial infarction patients in rural community hospital settings: determinants of in-hospital mortality. <b>2010</b> , 18, 173-8	3
1089	Is primary angioplasty an acceptable alternative to thrombolysis? Quantitative and qualitative study of patient and carer satisfaction. <b>2010</b> , 13, 350-8	7

1088 Bleeding and clotting disorders. 177-184

1087 Acute coronary syndromes. 185-193

1086 THERAPY FOR ST-SEGMENT ELEVATION MYOCARDIAL INFARCTION PATIENTS WHO PRESENT LATE OR ARE INELIGIBLE FOR REPERFUSION. **2010**, 6, 888-901

1085 Conservative strategy in patients with ST-segment elevation myocardial infarction. **2010**, 3, 97-103

1084 Risk Stratification after Acute ST-Segment Elevation and Non-ST-Segment Elevation Myocardial Infarction. **2010**, 545-574

1083 Reperfusion Therapies for Acute ST Segment Elevation Myocardial Infarction. **2010**, 110-144

1082 Diagnosis and Management of Coronary Artery Disease. **2010**, 286-294

1081 Angioplastia primária no infarto agudo do miocárdio: existe diferença de resultados entre as angioplastias realizadas dentro e fora do horário de rotina?. **2010**, 18, 273-280 2

1080 Stent direto na intervenção coronária primária: avaliação de seu uso na prática clínica contemporânea. **2010**, 18, 412-418 2

1079 Reperfusion Strategies in Acute ST-segment Elevation Myocardial Infarction. **2010**, 53, 196 1

1078 Right Ventricular Infarction. **2010**, 225-232 1

1077 The utility of troponin measurement to detect myocardial infarction: review of the current findings. **2010**, 6, 691-9 103

1076 Transferring patients for primary angioplasty in eastern Melbourne (the SHIPEM registry): are we meeting the guidelines?. **2010**, 192, 702-7

1075 Noninvasive assessment of patients undergoing percutaneous intervention in myocardial infarction. **2010**, 95, 555-62 2

1074 Recurrent Ischemia after Reperfusion Therapy for Acute Myocardial Infarction. **2010**, 203-211

1073 Door-to-balloon times are reduced in ST-elevation myocardial infarction by emergency physician activation of the cardiac catheterisation laboratory and immediate patient transfer. **2010**, 193, 207-12 15

1072 Moving toward improved care for the patient with ST-elevation myocardial infarction: a mandate for systems of care. **2010**, 3, 441-3 12

1071 Part 9: Acute coronary syndromes: 2010 International Consensus on Cardiopulmonary Resuscitation and Emergency Cardiovascular Care Science With Treatment Recommendations. **2010**, 122, S422-65 74

1070	Improving primary percutaneous coronary intervention performance in an urban minority population using a quality improvement approach. <b>2010</b> , 25, 370-7	2
1069	Myocardial infarction and risk of suicide: a population-based case-control study. <b>2010</b> , 122, 2388-93	77
1068	A model for predicting mortality in acute ST-segment elevation myocardial infarction treated with primary percutaneous coronary intervention: results from the Assessment of Pexelizumab in Acute Myocardial Infarction Trial. <b>2010</b> , 3, 414-22	55
1067	Incidence, mechanisms, predictors, and clinical impact of acute and late stent malapposition after primary intervention in patients with acute myocardial infarction: an intravascular ultrasound substudy of the Harmonizing Outcomes with Revascularization and Stents in Acute Myocardial Infarction (HORIZONS-AMI) trial. <b>2010</b> , 122, 1077-84	139
1066	Primary angioplasty versus fibrinolysis in acute myocardial infarction: long-term follow-up in the Danish acute myocardial infarction 2 trial. <b>2010</b> , 121, 1484-91	70
1065	Use of drug eluting stents in ST segment elevation myocardial infarction. <b>2010</b> , 96, 1073-7	8
1064	Intracoronary versus intravenous administration of abciximab in patients with ST-segment elevation myocardial infarction undergoing primary percutaneous coronary intervention with thrombus aspiration: the comparison of intracoronary versus intravenous abciximab administration during emergency reperfusion of ST-segment elevation myocardial infarction (CICERO) trial. <b>2010</b> , 122, 2709-17	106
1063	Performance achievement award program for Get With The Guidelines--Coronary Artery Disease is associated with global and sustained improvement in cardiac care for patients hospitalized with an acute myocardial infarction. <b>2010</b> , 9, 103-12	8
1062	Role of the paclitaxel-eluting stent and tirofiban in patients with ST-elevation myocardial infarction undergoing postfibrinolysis angioplasty: the GRACIA-3 randomized clinical trial. <b>2010</b> , 3, 297-307	28
1061	Evaluation of workforce and organizational issues in establishing primary angioplasty in England. <b>2010</b> , 15, 6-13	10
1060	Strain echocardiography predicts acute coronary occlusion in patients with non-ST-segment elevation acute coronary syndrome. <b>2010</b> , 11, 501-8	52
1059	Early reperfusion treatment for ST-elevation myocardial infarction: national guidance. <b>2010</b> , 10, 215-7	
1058	Stenting of complex lesions: an overview. <b>2010</b> , 7, 485-96	37
1057	Mehran contrast-induced nephropathy risk score predicts short- and long-term clinical outcomes in patients with ST-elevation-myocardial infarction. <b>2010</b> , 3, 491-8	86
1056	Gender-based differences in long-term outcome after ST-elevation myocardial infarction in patients treated with percutaneous coronary intervention. <b>2010</b> , 19, 471-5	24
1055	Clinical Guide to Primary Angioplasty. <b>2010</b> ,	
1054	Early treatment with abciximab in patients with ST elevation myocardial infarction results in a high rate of normal or near normal blood flow in the infarct related artery. <b>2010</b> , 12, 10-7	1
1053	Vascular rhexis: loss of integrity of coronary vasculature in mice subjected to myocardial infarction. <b>2010</b> , 235, 966-73	10

1052	Utilization and determinants of in-hospital cardiac catheterization in patients with acute coronary syndrome from the Middle East. <b>2010</b> , 61, 744-50	24
1051	Thrombus aspiration in ST elevation myocardial infarction: comparative efficacy in patients treated early and late after onset of symptoms. <b>2010</b> , 96, 1287-90	21
1050	Part 10: acute coronary syndromes: 2010 American Heart Association Guidelines for Cardiopulmonary Resuscitation and Emergency Cardiovascular Care. <b>2010</b> , 122, S787-817	191
1049	No-reflow: again prevention is better than treatment. <b>2010</b> , 31, 2449-55	64
1048	[Coronary intervention - which indications are controversial?]. <b>2010</b> , 99, 843-52	
1047	Comparison of intracoronary versus intravenous administration of tirofiban in primary percutaneous coronary intervention. <b>2010</b> , 10, 340-5	8
1046	Early discharge after primary percutaneous coronary intervention. <b>2010</b> , 96, 584-7	10
1045	Use of glycoprotein IIb/IIIa inhibitors in primary percutaneous coronary intervention: insights from the APEX-AMI trial. <b>2010</b> , 31, 1708-16	51
1044	Acute coronary syndromes: assessing risk and choosing optimal pharmacological regimens for a superior outcome. <b>2010</b> , 12, D4-D13	2
1043	Acceptable reperfusion delay to prefer primary angioplasty over fibrin-specific thrombolytic therapy is affected (mainly) by the patient's mortality risk: 1 h does not fit all. <b>2010</b> , 31, 676-83	33
1042	Delay to reperfusion in patients with acute myocardial infarction presenting to acute care hospitals: an international perspective. <b>2010</b> , 31, 1328-36	39
1041	One-year outcomes after a strategy using enoxaparin vs. unfractionated heparin in patients undergoing fibrinolysis for ST-segment elevation myocardial infarction: 1-year results of the ExTRACT-TIMI 25 trial. <b>2010</b> , 31, 2097-102	5
1040	Prevalence of embolic signals in acute coronary syndromes. <b>2010</b> , 41, 261-6	6
1039	Clot retrieval for stroke: 'yes we can,' but priority for trials and registries. <b>2010</b> , 41, 196	
1038	Recanalization of a chronic total occlusion in ST-segment elevation myocardial infarction patients: why and when?. <b>2010</b> , 2, 427-433	1
1037	Recombinant peptides in thrombolysis. <b>2010</b> , 36, 529-36	9
1036	Acute coronary syndromes: Transport for PCI versus fibrinolysis--long-term data scrutinized. <b>2010</b> , 7, 419-20	1
1035	[Fibrinolysis as a therapeutic option in acute ST-elevation myocardial infarction]. <b>2010</b> , 135, 2372-4	

1034	Decision-making: stenting in acute myocardial infarction. <b>2010</b> , 6, 301-14	1
1033	Benefits of and safety concerns associated with drug-eluting coronary stents. <b>2010</b> , 8, 449-70	20
1032	La reperfusion ^ la phase aiguë des SCA ST+. <b>2010</b> , 2010, S27-S31	
1031	Adjunct therapy in STEMI intervention. <b>2010</b> , 28, 107-25	2
1030	Efficacy and safety of immediate angioplasty versus ischemia-guided management after thrombolysis in acute myocardial infarction in areas with very long transfer distances results of the NORDISTEMI (NORwegian study on District treatment of ST-elevation myocardial infarction). <b>2010</b> , 55, 102-10	170
1029	Randomized comparison of eptifibatid versus abciximab in primary percutaneous coronary intervention in patients with acute ST-segment elevation myocardial infarction: results of the EVA-AMI Trial. <b>2010</b> , 56, 463-9	62
1028	Maintenance of long-term clinical benefit with sirolimus-eluting stents in patients with ST-segment elevation myocardial infarction 3-year results of the SESAMI (sirolimus-eluting stent versus bare-metal stent in acute myocardial infarction) trial. <b>2010</b> , 55, 810-4	68
1027	Therapy for ST-segment elevation myocardial infarction patients who present late or are ineligible for reperfusion therapy. <b>2010</b> , 55, 1895-906	35
1026	Coronary stents: current status. <b>2010</b> , 56, S1-42	371
1025	Return to work after acute ST-segment elevation myocardial infarction in the modern era of reperfusion by direct percutaneous coronary intervention. <b>2010</b> , 103, 310-6	25
1024	Examining treatment of ST-elevation myocardial infarction: the importance of early intervention. <b>2010</b> , 15, 6-16	9
1023	Comparative effectiveness of ST-segment-elevation myocardial infarction regionalization strategies. <b>2010</b> , 3, 506-13	38
1022	Long-term mortality after primary percutaneous coronary intervention for high-risk myocardial infarction. <b>2010</b> , 19, 19-25	3
1021	Transportation with very long transfer delays (>90 min) for facilitated PCI with reduced-dose fibrinolysis in patients with ST-segment elevation myocardial infarction: the Krakow Network. <b>2010</b> , 139, 218-27	3
1020	Instant neointimal hyperplasia after percutaneous intervention for ST-elevation myocardial infarction and treatment with granulocyte-colony stimulating factor. Results from the stem cells in myocardial infarction (STEMMI) trial. <b>2010</b> , 139, 269-75	4
1019	Serum B-type natriuretic peptide on admission can predict the 'no-reflow' phenomenon after primary drug-eluting stent implantation for ST-segment elevation myocardial infarction. <b>2010</b> , 141, 175-81	20
1018	Clinical outcomes of drug-eluting stent use in patients with ST elevation myocardial infarction. <b>2010</b> , 143, 283-8	6
1017	[Thrombectomy in the acute myocardial infarction: A success in the fight against incomplete myocardial perfusion]. <b>2010</b> , 134, 211-7	



1016	Anti-t-PA antibodies in acute myocardial infarction after thrombolysis with rt-PA. <b>2010</b> , 21, 25-9	2
1015	A highlight of myoglobin diversity: the nitrite reductase activity during myocardial ischemia-reperfusion. <b>2010</b> , 22, 75-82	31
1014	ST-elevation myocardial infarction patients can be enrolled in randomized trials before emergent coronary intervention without sacrificing door-to-balloon time. <b>2010</b> , 159, e1	10
1013	Endothelin-1 release in acute myocardial infarction as a predictor of long-term prognosis and no-reflow assessed by contrast-enhanced magnetic resonance imaging. <b>2010</b> , 159, 882-90	53
1012	Real-world outcome from ST elevation myocardial infarction in the very elderly before and after the introduction of a 24/7 primary percutaneous coronary intervention service. <b>2010</b> , 159, 956-63	14
1011	Early ST-segment recovery after primary percutaneous coronary intervention accurately predicts long-term prognosis after acute myocardial infarction. <b>2010</b> , 159, 1005-11	5
1010	Left ventricular function in acute myocardial infarction treated with thrombolysis followed by early versus late invasive strategy. <b>2010</b> , 160, 73-9	7
1009	Cost and health outcome of primary percutaneous coronary intervention versus thrombolysis in acute ST-segment elevation myocardial infarction-Results of the Swedish Early Decision reperfusion Study (SWEDES) trial. <b>2010</b> , 160, 322-8	30
1008	Does ST resolution achieved via different reperfusion strategies (fibrinolysis vs percutaneous coronary intervention) have different prognostic meaning in ST-elevation myocardial infarction? A systematic review. <b>2010</b> , 160, 842-848.e1-2	13
1007	Thrombus aspiration followed by direct stenting: a novel strategy of primary percutaneous coronary intervention in ST-segment elevation myocardial infarction. Results of the Polish-Italian-Hungarian RAndomized ThrombEctomy Trial (PIHRATE Trial). <b>2010</b> , 160, 966-72	73
1006	Angiographic assessment of microvascular perfusion--myocardial blush in clinical practice. <b>2010</b> , 160, 1015-22	30
1005	Thrombus Aspiration in ST-Elevation myocardial infarction in Scandinavia (TASTE trial). A multicenter, prospective, randomized, controlled clinical registry trial based on the Swedish angiography and angioplasty registry (SCAAR) platform. Study design and rationale. <b>2010</b> , 160, 1042-8	111
1004	Acute hyperglycemia and contrast-induced nephropathy in primary percutaneous coronary intervention. <b>2010</b> , 160, 1170-7	74
1003	Left ventricular remodeling after primary percutaneous coronary intervention. <b>2010</b> , 160, S11-5	13
1002	Patient management and care after primary percutaneous coronary intervention: reinforcing a continuum of care after primary percutaneous coronary intervention. <b>2010</b> , 160, S42-7	4
1001	Door-to-balloon time: performance improvement in the multidisciplinary treatment of myocardial infarction. <b>2010</b> , 32, 14-23	1
1000	Coronary revascularisation in chronic kidney disease. Part II: acute coronary syndromes. <b>2010</b> , 36 Suppl 1, 118-26	5
999	[Progress in reperfusion after acute myocardial infarction. The situation in Latin America]. <b>2010</b> , 63 Suppl 2, 12-9	4

998	Double-dose versus standard-dose clopidogrel and high-dose versus low-dose aspirin in individuals undergoing percutaneous coronary intervention for acute coronary syndromes (CURRENT-OASIS 7): a randomised factorial trial. <i>Lancet, The</i> , <b>2010</b> , 376, 1233-43	40	624
997	Acute coronary syndromes: finding meaning in OASIS 7. <i>Lancet, The</i> , <b>2010</b> , 376, 1203-5	40	4
996	ST segment resolution in patients with tenecteplase-facilitated percutaneous coronary intervention versus tenecteplase alone: Insights from the Combined Angioplasty and Pharmacological Intervention versus Thrombolysis ALone in Acute Myocardial Infarction (CAPITAL AMI) trial. <b>2010</b> , 26, e7-12		6
995	Thirty-day in-hospital revascularization and mortality rates after acute myocardial infarction in seven Canadian provinces. <b>2010</b> , 26, e243-8		12
994	Guidelines on myocardial revascularization. <b>2010</b> , 31, 2501-55		2070
993	How Is Cardiogenic Shock Diagnosed and Managed in the Intensive Care Unit?. <b>2010</b> , 311-316		
992	Cardiac conditioning: a review of evolving strategies to reduce ischaemia-reperfusion injury. <b>2010</b> , 96, 1179-86		39
991	Handbook of Evidence-Based Critical Care. <b>2010</b> ,		10
990	Controversies in the use of drug-eluting stents for acute myocardial infarction: a critical appraisal of the data. <b>2010</b> , 61, 215-31		6
989	The anesthesia patient with acute coronary syndrome. <b>2010</b> , 28, 55-66		
988	Prevention and treatment of no-reflow. <b>2010</b> , 12, 81-91		12
987	Prognosis and high-risk complication identification in unselected patients with ST-segment elevation myocardial infarction treated with primary percutaneous coronary intervention. <b>2010</b> , 12, 102-8		2
986	Reperfusion therapy for ST elevation acute myocardial infarction in Europe: description of the current situation in 30 countries. <b>2010</b> , 31, 943-57		426
985	Angiographic no-reflow and six-month mortality in elderly (>= 75 years old) Asian patients undergoing primary percutaneous coronary intervention: A single center experience from 1998 to 2007. <b>2010</b> , 12, 63-9		
984	Long-term effects of invasive treatment in patients with a post-thrombolytic Q-wave myocardial infarction. <b>2010</b> , 44, 146-52		
983	An open, interoperable, and scalable prehospital information technology network architecture. <b>2011</b> , 15, 149-57		18
982	Biolimus-eluting biodegradable polymer-coated stent versus bare metal stent in acute ST-elevation and non-ST elevation myocardial infarction: Justification for biodegradable polymer-coated stent in acute coronary syndrome (JANICE) registry. <b>2011</b> , 13, 43-7		
981	Long-term prognostic impact of hyponatremia in the ST-elevation myocardial infarction. <b>2011</b> , 71, 38-44		12

980	Causes of delay and associated mortality in patients transferred with ST-segment-elevation myocardial infarction. <b>2011</b> , 124, 1636-44	95
979	Predictors and prognostic impact of recurrent myocardial infarction in patients with left ventricular dysfunction, heart failure, or both following a first myocardial infarction. <b>2011</b> , 13, 148-53	56
978	Case records of the Massachusetts General Hospital. Case 36-2011. A 93-year-old woman with shortness of breath and chest pain. <b>2011</b> , 365, 2021-8	3
977	Recent advances in preventive cardiology and lifestyle medicine: a themed series. <b>2011</b> , 123, 2274-83	51
976	Recomendações sobre revascularização do miocárdio. <b>2011</b> , 30, 951-1005	
975	Emergency department treatment of acute coronary syndromes. <b>2011</b> , 29, 699-710, v	6
974	¿Cuál es el escenario actual de la reperfusión en el tratamiento del infarto agudo de miocardio con elevación del ST?. <b>2011</b> , 46, 49-52	0
973	Door-to-balloon times under 90 min can be routinely achieved for patients transferred for ST-segment elevation myocardial infarction percutaneous coronary intervention in a rural setting. <b>2011</b> , 57, 272-9	75
972	The aging heart and post-infarction left ventricular remodeling. <b>2011</b> , 57, 9-17	151
971	Intraluminal thrombus in facilitated versus primary percutaneous coronary intervention: an angiographic substudy of the ASSENT-4 PCI (Assessment of the Safety and Efficacy of a New Treatment Strategy with Percutaneous Coronary Intervention) trial. <b>2011</b> , 57, 1867-73	24
970	Optimal therapy for ST-segment elevation myocardial infarction: the role of residual thrombus. <b>2011</b> , 57, 1874-6	4
969	2011 ACCF/AHA/SCAI Guideline for Percutaneous Coronary Intervention: Executive Summary: A Report of the American College of Cardiology Foundation/American Heart Association Task Force on Practice Guidelines and the Society for Cardiovascular Angiography and Interventions. <b>2011</b> , 58, 2550-2583	99
968	2011 ACCF/AHA/SCAI Guideline for Percutaneous Coronary Intervention. A report of the American College of Cardiology Foundation/American Heart Association Task Force on Practice Guidelines and the Society for Cardiovascular Angiography and Interventions. <b>2011</b> , 58, e44-122	1703
967	Pre-hospital treatment of STEMI patients. A scientific statement of the Working Group Acute Cardiac Care of the European Society of Cardiology. <b>2011</b> , 13, 56-67	36
966	Oxidative Stress in Cardiovascular Diseases. <b>2011</b> , 153-166	
965	Getting in and out: the RACE to primary percutaneous coronary intervention. <b>2011</b> , 4, 376-8	
964	Endocrine disorders: causes of hyponatremia not to neglect. <b>2011</b> , 43, 179-87	38
963	Drug-eluting stents in the perioperative period: what are the key aspects in management?. <b>2011</b> , 15, 44-8	0

962	Door-to-balloon times for patients with ST-segment elevation myocardial infarction requiring interhospital transfer for primary percutaneous coronary intervention: a report from the national cardiovascular data registry. <b>2011</b> , 161, 76-83.e1	57
961	Prehospital triage in the ambulance reduces infarct size and improves clinical outcome. <b>2011</b> , 161, 276-82	19
960	The influence of time from symptom onset and reperfusion strategy on 1-year survival in ST-elevation myocardial infarction: a pooled analysis of an early fibrinolytic strategy versus primary percutaneous coronary intervention from CAPTIM and WEST. <b>2011</b> , 161, 283-90	61
959	Primary percutaneous coronary intervention for acute myocardial infarction: Is it worth the wait? The risk-time relationship and the need to quantify the impact of delay. <b>2011</b> , 161, 247-53	4
958	High-risk patients with ST-elevation myocardial infarction derive greatest absolute benefit from primary percutaneous coronary intervention: results from the Primary Coronary Angioplasty Trialist versus thrombolysis (PCAT)-2 collaboration. <b>2011</b> , 161, 500-507.e1	28
957	Rescue percutaneous coronary interventions for failed fibrinolytic therapy in ST-segment elevation myocardial infarction: a population-based study. <b>2011</b> , 161, 764-770.e1	9
956	Impact of age on treatment and outcomes in ST-elevation myocardial infarction. <b>2011</b> , 161, 664-72	29
955	Quantitative Blush Evaluator accurately quantifies microvascular dysfunction in patients with ST-elevation myocardial infarction: comparison with cardiovascular magnetic resonance. <b>2011</b> , 162, 372-381.e2 <sup>16</sup>	
954	Quality of acute myocardial infarction care and outcomes in 33,997 patients aged 80 years or older: findings from Get With The Guidelines-Coronary Artery Disease (GWTG-CAD). <b>2011</b> , 162, 283-290.e2	15
953	Incidence and predictors of heart failure following percutaneous coronary intervention in ST-segment elevation myocardial infarction: the HORIZONS-AMI trial. <b>2011</b> , 162, 663-70	56
952	Effects of atorvastatin pretreatment on infarct size in patients with ST-segment elevation myocardial infarction undergoing primary percutaneous coronary intervention. <b>2011</b> , 162, 1026-33	37
951	Emergency physician-initiated cath lab activation reduces door to balloon times in ST-segment elevation myocardial infarction patients. <b>2011</b> , 29, 868-74	13
950	Helicopter scene response for a STEMI patient transported directly to the cardiac catheterization laboratory. <b>2011</b> , 30, 289-92	2
949	In-hospital outcomes of a regional ST-segment elevation myocardial infarction acute transfer and repatriation program. <b>2011</b> , 27, 664.e1-8	8
948	Effect of delayed vs immediate stent implantation on myocardial perfusion and cardiac function in patients with ST-segment elevation myocardial infarction undergoing primary percutaneous intervention with thrombus aspiration. <b>2011</b> , 27, 541-7	27
947	Assessment and management of acute coronary syndromes (ACS): a Canadian perspective on current guideline-recommended treatment--part 2: ST-segment elevation myocardial infarction. <b>2011</b> , 27 Suppl A, S402-12	31
946	Temporal associations of early patient transfers and mortality with the implementation of a regional myocardial infarction care model. <b>2011</b> , 27, 731-8	4
945	Low dose prospective ECG-gated delayed enhanced dual-source computed tomography in reperfused acute myocardial infarction comparison with cardiac magnetic resonance. <b>2011</b> , 80, 326-30	10

944	Extracellular cyclophilin A may be a potential target to protect against myocardial reperfusion injury. <b>2011</b> , 77, 734-8	5
943	Sex differences in symptom presentation in acute myocardial infarction: a systematic review and meta-analysis. <b>2011</b> , 40, 477-91	65
942	Beneficial effect of reperfusion therapy beyond the preservation of left ventricular function in patients with acute ST-segment elevation myocardial infarction. <b>2011</b> , 146, 177-80	3
941	Left ventricular contractile function after distal protection in primary percutaneous coronary intervention: results from the Drug Elution and Distal Protection in ST-Elevation Myocardial Infarction trial. <b>2011</b> , 146, 395-8	4
940	Evolution of myocardial perfusion during primary angioplasty in spontaneously reperfused infarct-related artery: impact on long-term clinical outcomes and left ventricular function recovery. <b>2011</b> , 147, 25-31	10
939	The effect of intravenous administration of erythropoietin on the infarct size in primary percutaneous coronary intervention. <b>2011</b> , 149, 216-220	40
938	Contemporary outcomes in women undergoing percutaneous coronary intervention for acute coronary syndromes. <b>2011</b> , 151, 195-9	22
937	Comparison of bivalirudin versus heparin plus glycoprotein IIb/IIIa inhibitors in patients undergoing an invasive strategy: a meta-analysis of randomized clinical trials. <b>2011</b> , 152, 369-74	34
936	Anti-inflammatory effect of hydrogen-rich saline in a rat model of regional myocardial ischemia and reperfusion. <b>2011</b> , 148, 91-5	92
935	Poor outcome after recurrent acute myocardial infarction: a plea for optimal secondary prevention. <b>2011</b> , 147, 298-300	5
934	HIV infection is not associated with echocardiographic signs of cardiomyopathy or pulmonary hypertension among pregnant Ugandan women. <b>2011</b> , 147, 300-2	6
933	Identification of targeting peptides for ischemic myocardium by in vivo phage display. <b>2011</b> , 50, 841-8	72
932	Evidence of increased platelet reactivity in the first six months after acute ST segment elevation myocardial infarction. <b>2011</b> , 128, 174-8	14
931	[Analysis of reperfusion delay in patients with acute myocardial infarction treated with primary angioplasty based on first medical contact and time of presentation]. <b>2011</b> , 64, 476-83	23
930	[Minimum salvaged myocardium after rescue percutaneous coronary intervention: quantification by cardiac magnetic resonance]. <b>2011</b> , 64, 965-71	12
929	[Reduction in 28 days and 6 months of acute myocardial infarction mortality from 1995 to 2005. Data from PRIAMHO I, II and MASCARA registries]. <b>2011</b> , 64, 972-80	50
928	[1980-2010: the three glorious decades of cardiology. A comprehensive and collective effort rewarded by outstanding clinical results]. <b>2011</b> , 64, 959-61	2
927	Remote ischemic conditioning: a clinical trial's update. <b>2011</b> , 16, 304-12	40

926	Analysis of Reperfusion Delay in Patients With Acute Myocardial Infarction Treated With Primary Angioplasty Based on First Medical Contact and Time of Presentation. <b>2011</b> , 64, 476-483		
925	Minimum Salvaged Myocardium After Rescue Percutaneous Coronary Intervention: Quantification by Cardiac Magnetic Resonance. <b>2011</b> , 64, 965-971		
924	Reduction in 28 Days and 6 Months of Acute Myocardial Infarction Mortality From 1995 to 2005. Data From PRIAMHO I, II and MASCARA Registries. <b>2011</b> , 64, 972-980		
923	1980-2010: the Three Glorious Decades of Cardiology. A Comprehensive and Collective Effort Rewarded by Outstanding Clinical Results. <b>2011</b> , 64, 959-961		1
922	Long-term safety and efficacy of drug-eluting stents in patients with acute myocardial infarction: a meta-analysis of randomized trials. <b>2011</b> , 217, 149-57		21
921	Antithrombotics and stent type for primary PCI. <i>Lancet, The</i> , <b>2011</b> , 377, 2154-6	40	2
920	Heparin plus a glycoprotein IIb/IIIa inhibitor versus bivalirudin monotherapy and paclitaxel-eluting stents versus bare-metal stents in acute myocardial infarction (HORIZONS-AMI): final 3-year results from a multicentre, randomised controlled trial. <i>Lancet, The</i> , <b>2011</b> , 377, 2193-204	40	358
919	Decreased Glomerular Filtration Rate is an Independent Predictor of In-Hospital Mortality in Patients With ST-Segment Elevation Myocardial Infarction Undergoing Primary Percutaneous Coronary Intervention. <b>2011</b> , 41, 184-90		16
918	Adjunctive thrombectomy in primary percutaneous intervention for acute myocardial infarction. <b>2011</b> , 97, e91-101		4
917	The prognostic value of atrial fibrillation on 30-day clinical outcome in patients with ST-segment elevation myocardial infarction undergoing primary percutaneous coronary intervention. <b>2011</b> , 52, 153-8		22
916	Perfil da intervenç�o coron�ria percut�nea no infarto agudo do mioc�rdio com supradesnvelamento do segmento ST no Brasil de 2006 a 2010: registro CENIC. <b>2011</b> , 19, 131-137		9
915	Improving call-to-balloon times for ST-elevation myocardial infarction. <b>2011</b> , 3, 625-631		
914	[New approaches and indications for the analysis of platelet function in cardiology]. <b>2011</b> , 31, 73-6		2
913	AToMS: A Ubiquitous Teleconsultation System for Supporting AMI Patients with Prehospital Thrombolysis. <b>2011</b> , 2011, 560209		6
912	The role of fibrinolysis in the era of primary percutaneous coronary intervention. <b>2011</b> , 105, 390-5		12
911	Early determination of clopidogrel responsiveness by platelet reactivity index identifies patients at risk for cardiovascular events after myocardial infarction. <b>2011</b> , 106, 141-8		13
910	Geographic variations in percutaneous coronary interventions and coronary artery bypass graft surgery among Tennessee elders. <b>2011</b> , 104, 389-96		4
909	Cardiogenic shock complicating acute myocardial infarction--a review. <b>2011</b> , 66, 691-9		8

908	Chronic stable angina: pathophysiology and innovations in treatment. <b>2011</b> , 12, 218-9	2
907	Synergy between pharmacological and mechanical reperfusion in ST-segment elevation myocardial infarction patients: 2011 update. <b>2011</b> , 12, 860-7	
906	Outcomes of patients with Killip class III acute myocardial infarction after primary percutaneous coronary intervention. <b>2011</b> , 39, 436-42	18
905	Early in-hospital management of out-of-hospital cardiac arrest in Scotland: a national survey. <b>2011</b> , 18, 102-4	1
904	Prognostic impact of hospital readmissions after primary percutaneous coronary intervention. <b>2011</b> , 171, 1948-9	38
903	Vasodilators in the treatment of patients with acute myocardial infarction undergoing percutaneous coronary intervention. <b>2011</b> ,	1
902	Impact of obstructive sleep apnea on myocardial tissue perfusion in patients with ST-segment elevation myocardial infarction. <b>2011</b> , 75, 890-6	24
901	Relationship between hospital volume and outcomes following primary percutaneous coronary intervention in patients with acute myocardial infarction. <b>2011</b> , 75, 1107-12	23
900	Comparison of paclitaxel-, sirolimus-, and zotarolimus-eluting stents in patients with acute ST-segment elevation myocardial infarction and metabolic syndrome. <b>2011</b> , 75, 2120-7	11
899	What can we expect in PCI in patients with chronic coronary artery disease. - Indication of PCI for angiographically significant coronary artery stenosis without objective evidence of myocardial ischemia (Con)-. <b>2011</b> , 75, 211-7; discussion 210	7
898	Out-of-hospital treatment of acute myocardial infarction. <b>2011</b> , 3, 621-624	1
897	Terapia de reperfusi3n en infarto agudo al miocardio: Comparaci3n entre trombolisis endovenosa y angioplasti3n coronaria. <b>2011</b> , 139, 1396-1402	1
896	Factors associated with delayed hospital arrival among patients with acute myocardial infarction: a cross-sectional study in Greece. <b>2011</b> , 58, 470-6	9
895	Early glycoprotein IIb/IIIa inhibitors in primary angioplasty-abciximab long-term results (EGYPT-ALT) cooperation: individual patient's data meta-analysis. <b>2011</b> , 9, 2361-70	100
894	Acute coronary syndromes: reperfusion strategy. ARC and NZRC Guideline 2011. <b>2011</b> , 23, 312-6	
893	Intracoronary compared to intravenous bolus abciximab during primary percutaneous coronary intervention in ST-segment Elevation Myocardial Infarction (STEMI) patients reduces 30-day mortality and target vessel revascularization: a randomized trial. <b>2011</b> , 24, 105-11	25
892	Integrilin in patients undergoing primary percutaneous coronary intervention for ST-elevation myocardial infarction. <b>2011</b> , 24, 351-6	9
891	Contemporary clinical outcomes of primary percutaneous coronary intervention in elderly versus younger patients presenting with acute ST-segment elevation myocardial infarction. <b>2011</b> , 24, 357-65	18

890	Drug-eluting stents during ST-segment elevation acute myocardial infarction: a critical analysis. <b>2011</b> , 24, 416-23	
889	Three-year clinical outcome with the Endeavorâzotarolimus-eluting stent in primary percutaneous coronary intervention for ST elevation myocardial infarction: the Endeavorâprimary PCI study (E-PPCI). <b>2011</b> , 24, 542-8	3
888	Optimization of the precordial leads of the 12-lead electrocardiogram may improve detection of ST-segment elevation myocardial infarction. <b>2011</b> , 44, 425-31	5
887	Cavity volume of ruptured plaque is an independent predictor for angiographic no-reflow phenomenon during primary angioplasty in patients with ST-segment elevation myocardial infarction. <b>2011</b> , 57, 36-43	9
886	Management of the no-reflow phenomenon. <b>2011</b> , 132, 72-85	21
885	La iniciativa Stent for Life en Europa. <b>2011</b> , 11, 2-5	
884	Evidencias de la revascularizaci3n en el infarto agudo de miocardio. <b>2011</b> , 11, 9-14	
883	Modelo de intervenci3n coronaria percut3nea primaria en las Islas Baleares. <b>2011</b> , 11, 35-43	
882	Scavenger receptor A index and coronary thrombus in patients with acute ST elevation myocardial infarction. <b>2011</b> , 61, 351-5	1
881	Comparison of impact of mortality risk on the survival benefit of primary percutaneous coronary intervention versus facilitated percutaneous coronary intervention. <b>2011</b> , 107, 220-4	1
880	Contemporary approaches to perioperative management of coronary stents and to preoperative coronary revascularization: a survey of 374 interventional cardiologists. <b>2011</b> , 12, 99-104	15
879	Early reperfusion strategy for acute myocardial infarction: a need for clinical implementation. <b>2011</b> , 12, 629-32	13
878	2011 ACCF/AHA/SCAI guideline for percutaneous coronary intervention: a report of the American College of Cardiology Foundation/American Heart Association Task Force on Practice Guidelines and the Society for Cardiovascular Angiography and Interventions. <b>2013</b> , 82, E266-355	81
877	Therapeutic application of ultrasound: contrast-enhanced thrombolysis in acute ST-elevation myocardial infarction; the Sonolysis study. <b>2011</b> , 19, 200-205	7
876	Assessment of acute myocardial infarction: current status and recommendations from the North American society for Cardiovascular Imaging and the European Society of Cardiac Radiology. <b>2011</b> , 27, 7-24	46
875	Impact of primary PCI volume on hospital mortality in STEMI patients: does time-to-presentation matter?. <b>2011</b> , 32, 223-31	8
874	Pr3klinische Strategien zur Optimierung der Behandlung von Patienten mit ST-Hebungsinfarkten. <b>2011</b> , 48, 130-134	
873	Direct admission versus transfer of AMI patients for primary PCI. <b>2011</b> , 100, 217-25	15



872	As time goes by?: the fallacy of thrombolysis in STEMI networks. <b>2011</b> , 100, 867-77	8
871	Herzinfarktnetzwerk Region Augsburg (HERA). <b>2011</b> , 14, 128-134	3
870	Prediction of the no-reflow phenomenon during percutaneous coronary intervention using coronary computed tomography angiography. <b>2011</b> , 26, 363-9	22
869	Long-term follow-up of patients undergoing postconditioning during ST-elevation myocardial infarction. <b>2011</b> , 4, 92-8	66
868	Bare-metal stents versus drug-eluting stents for primary angioplasty: long-term outcome. <b>2011</b> , 13, 459-64	2
867	Effects of aspiration thrombectomy on necrosis size and ejection fraction after transradial percutaneous coronary intervention in acute ST-elevation myocardial infarction. <b>2011</b> , 77, 475-82	2
866	The PREHAMI (PREsillion in high-risk acute myocardial infarction) registry: in-hospital and long-term outcomes. <b>2011</b> , 77, 608-14	3
865	Primary angioplasty in patients following coronary artery bypass surgery: trends in application and outcome. Results from the acute coronary syndrome Israeli Survey (ACSIS) 2000-2008. <b>2011</b> , 78, 532-6	5
864	Reperfusion is delayed beyond guideline recommendations in patients requiring interhospital helicopter transfer for treatment of ST-segment elevation myocardial infarction. <b>2011</b> , 57, 213-220.e1	27
863	Survival of patients undergoing rescue percutaneous coronary intervention: development and validation of a predictive tool. <b>2011</b> , 4, 42-50	10
862	Plasma high-mobility group box 1 levels predict mortality after ST-segment elevation myocardial infarction. <b>2011</b> , 4, 281-6	37
861	Aeromedical transfer to reduce delay in primary angioplasty. <b>2011</b> , 82, 947-50	7
860	Coronary revascularization: 2011. <b>2011</b> , 123, 95-103	1
859	Notfallbehandlung bei akutem Koronarsyndrom nach aktuellen Leitlinien. <b>2011</b> , 6, 65-80	
858	How to treat patients with ST-elevation acute myocardial infarction and multi-vessel disease?. <b>2011</b> , 32, 396-403	67
857	Contemporary mortality differences between primary percutaneous coronary intervention and thrombolysis in ST-segment elevation myocardial infarction. <b>2011</b> , 171, 544-9	24
856	Delayed coverage in malapposed and side-branch struts with respect to well-apposed struts in drug-eluting stents: in vivo assessment with optical coherence tomography. <b>2011</b> , 124, 612-23	104
855	Choosing methods to minimize confounding in observational studies: do the ends justify the means?. <b>2011</b> , 4, 581-3	3

854	The need for regional integrated care for ST-segment elevation myocardial infarction. <b>2011</b> , 124, 851-6	5
853	Ischemia/reperfusion injury and cardioprotective mechanisms: Role of mitochondria and reactive oxygen species. <b>2011</b> , 3, 186-200	218
852	Computationally generated cardiac biomarkers for risk stratification after acute coronary syndrome. <b>2011</b> , 3, 102ra95	15
851	High-dose tirofiban pretreatment reduces the need for bail-out study medication in patients with ST-segment elevation myocardial infarction: results of a subgroup analysis of the On-TIME 2 trial. <b>2011</b> , 97, 106-11	6
850	Age and outcomes in ST-segment elevation myocardial infarction treated with primary percutaneous coronary intervention: findings from the APEX-AMI trial. <b>2011</b> , 171, 559-67	40
849	One-year clinical outcome of interventionalist- versus patient-transfer strategies for primary percutaneous coronary intervention in patients with acute ST-segment elevation myocardial infarction: results from the REVERSE-STEMI study. <b>2011</b> , 4, 355-62	7
848	Stromal cell-derived factor-1 retention and cardioprotection for ischemic myocardium. <b>2011</b> , 4, 509-18	63
847	Changes in travel-related carbon emissions associated with modernization of services for patients with acute myocardial infarction: a case study. <b>2011</b> , 33, 272-9	14
846	Intra-aortic balloon counterpulsation and infarct size in patients with acute anterior myocardial infarction without shock: the CRISP AMI randomized trial. <b>2011</b> , 306, 1329-37	269
845	If the radial artery is the new standard of care in primary percutaneous coronary intervention, why is most intervention done by the femoral approach?. <b>2011</b> , 97, 521-2	12
844	Association between adoption of evidence-based treatment and survival for patients with ST-elevation myocardial infarction. <b>2011</b> , 305, 1677-84	271
843	2011 ACCF/AHA/SCAI Guideline for Percutaneous Coronary Intervention: executive summary: a report of the American College of Cardiology Foundation/American Heart Association Task Force on Practice Guidelines and the Society for Cardiovascular Angiography and Interventions. <b>2011</b> , 107, 2574-100	389
842	Urban and rural implementation of pre-hospital diagnosis and direct referral for primary percutaneous coronary intervention in patients with acute ST-elevation myocardial infarction. <b>2011</b> , 32, 430-6	132
841	Mortality implications of primary percutaneous coronary intervention treatment delays: insights from the Assessment of Pexelizumab in Acute Myocardial Infarction trial. <b>2011</b> , 4, 183-92	19
840	ST-segment-elevation myocardial infarction treatment and the seductive lure of observational analyses. <b>2011</b> , 124, 2477-9	3
839	Reduction of door-to-balloon time by new performance processes in patients with ST-segment elevation myocardial infarction undergoing primary percutaneous coronary intervention. <b>2011</b> , 62, 257-64	9
838	Reperfusion paradox in ST-segment elevation myocardial infarction. <b>2011</b> , 155, 389-91	31
837	Relationship between risk stratification at admission and treatment effects of early invasive management following fibrinolysis: insights from the Trial of Routine ANgioplasty and Stenting After Fibrinolysis to Enhance Reperfusion in Acute Myocardial Infarction (TRANSFER-AMI). <b>2011</b> , 32, 1894-900	26

836	Intracoronary compared to intravenous abciximab in patients with ST segment elevation myocardial infarction treated with primary percutaneous coronary intervention reduces mortality, target vessel revascularization and reinfarction after 1 year. <b>2011</b> , 120, 43-9	6
835	Outcomes of after-hours versus regular working hours primary percutaneous coronary intervention for acute myocardial infarction. <b>2011</b> , 20, 60-7	11
834	Primary percutaneous coronary intervention by magnetic navigation compared with conventional wire technique. <b>2011</b> , 32, 1472-8	8
833	High-dose intracoronary adenosine for myocardial salvage in patients with acute ST-segment elevation myocardial infarction. <b>2011</b> , 32, 867-77	111
832	Long-term follow-up of early versus delayed invasive approach after fibrinolysis in acute myocardial infarction. <b>2011</b> , 4, 342-8	7
831	Aspectos claves-tiempo dependientes que amenazan la vida en el prehospitalario. <b>2011</b> , 22, 571-584	
830	Postconditioning in acute myocardial infarction patients. <b>2011</b> , 14, 811-20	17
829	Acute coronary syndrome in pregnant women. <b>2011</b> , 9, 505-15	16
828	New strategies for the management of no-reflow after primary percutaneous coronary intervention. <b>2011</b> , 9, 615-30	9
827	Reperfusion haemorrhage as determined by cardiovascular MRI is a predictor of adverse left ventricular remodelling and markers of late arrhythmic risk. <b>2011</b> , 97, 453-9	113
826	2011 ACCF/AHA/SCAI Guideline for Percutaneous Coronary Intervention: a report of the American College of Cardiology Foundation/American Heart Association Task Force on Practice Guidelines and the Society for Cardiovascular Angiography and Interventions. <b>2011</b> , 124, e574-651	1039
825	Paramedic decision making: prehospital thrombolysis and beyond. <b>2011</b> , 28, 700-2	6
824	Clopidogrel pre-treatment is associated with reduced in-hospital mortality in primary percutaneous coronary intervention for acute ST-elevation myocardial infarction. <b>2011</b> , 32, 2954-61	69
823	Association of door-in to door-out time with reperfusion delays and outcomes among patients transferred for primary percutaneous coronary intervention. <b>2011</b> , 305, 2540-7	137
822	Three life years gained after reperfusion therapy in acute myocardial infarction: 25-30 years after a randomized controlled trial. <b>2012</b> , 19, 1316-23	3
821	Clinical Profile and Mortality of ST-Segment Elevation Myocardial Infarction Patients Receiving Thrombolytic Therapy in the Middle East. <b>2012</b> , 13, 35-41	7
820	Symptom onset-to-balloon time and mortality in the first seven years after STEMI treated with primary percutaneous coronary intervention. <b>2012</b> , 98, 1738-42	39
819	COURAGE 5 years on: the message grows stronger. <b>2012</b> , 98, 1757-60	12

818	Weighing the evidence for decision making about percutaneous coronary intervention in patients with stable coronary artery disease. <b>2012</b> , 125, 1827-31	3
817	Profile of Patients Treated with Thrombus Aspiration Catheters during Primary Percutaneous Coronary Intervention. <b>2012</b> , 20, 46-52	
816	Determinants of variations in coronary revascularization practices. <b>2012</b> , 184, 179-86	63
815	The management of acute myocardial infarction in the cardiological intensive care units in Italy: the 'BLITZ 4 Qualit' campaign for performance measurement and quality improvement. <b>2012</b> , 1, 143-52	30
814	Reconsidering transfer for percutaneous coronary intervention strategy: time is of the essence. <b>2012</b> , 172, 98-9	3
813	Early measurements of plasma matrix metalloproteinase-2 predict infarct size and ventricular dysfunction in ST-elevation myocardial infarction. <b>2012</b> , 98, 31-6	46
812	Reperfusion delay in patients treated with primary percutaneous coronary intervention: insight from a real world Danish ST-segment elevation myocardial infarction population in the era of telemedicine. <b>2012</b> , 1, 200-9	20
811	Why does primary angioplasty not work in registries? Quantifying the susceptibility of real-world comparative effectiveness data to allocation bias. <b>2012</b> , 5, 759-66	13
810	Achieving high quality in ST-segment elevation myocardial infarction care: one urban academic medical center experience. <b>2012</b> , 11, 32-9	
809	Clinical pathway: helicopter scene STEMI protocol to facilitate long-distance transfer for primary PCI. <b>2012</b> , 11, 193-8	2
808	Patients with circumflex occlusions miss out on reperfusion: how to recognize and manage them. <b>2012</b> , 27, 327-30	8
807	The impact of successful manual thrombus aspiration on in-stent restenosis after primary PCI: angiographic and clinical follow-up. <b>2012</b> , 23, 487-91	16
806	Contemporary pharmacological reperfusion in ST elevation myocardial infarction. <b>2012</b> , 27, 340-6	1
805	Reperfusion therapies reduce ischemic mitral regurgitation following inferoposterior ST-segment elevation myocardial infarction. <b>2012</b> , 23, 555-9	9
804	SYNTAX score: an independent predictor of long-term cardiac mortality in patients with acute ST-elevation myocardial infarction. <b>2012</b> , 23, 445-9	28
803	A percutaneous coronary intervention lab in every hospital?. <b>2012</b> , 5, 14-20	54
802	New-generation drug-eluting stents for patients with myocardial infarction. <b>2012</b> , 308, 814-5	4
801	The Authors' reply. <b>2012</b> , 98, 1392.2-1393	

800	Retrospective description and analysis of consecutive catheterization laboratory ST-segment elevation myocardial infarction activations with proposal, rationale, and use of a new classification scheme. <b>2012</b> , 5, 62-9	33
799	Impact of thrombus aspiration during primary percutaneous coronary intervention on mortality in ST-segment elevation myocardial infarction. <b>2012</b> , 33, 3054-61	39
798	Access site selection for primary PCI: the evidence for transradial access is strong. <b>2012</b> , 98, 1392; author reply 1392-3	6
797	Association of diabetes with increased all-cause mortality following primary percutaneous coronary intervention for ST-segment elevation myocardial infarction in the contemporary era. <b>2012</b> , 9, 3-9	22
796	[Modern treatment in acute coronary syndrome]. <b>2012</b> , 137, 722-5	1
795	Do the benefits of anti-arrhythmic drugs outweigh the associated risks? A tale of treatment goals in atrial fibrillation. <b>2012</b> , 5, 163-71	3
794	Clinical impact of intracoronary abciximab in patients undergoing primary percutaneous coronary intervention: an individual patient data pooled analysis of randomised studies. <b>2012</b> ,	4
793	Preemptive percutaneous coronary intervention for coronary artery disease: identification of the appropriate high-risk lesion. <b>2020</b> , 35, 712-719	1
792	Association of Acidemia With Short-Term Mortality of Acute Myocardial Infarction: A Retrospective Study Base on MIMIC-III Database. <b>2020</b> , 26, 1076029620950837	2
791	Fibrinolytic Strategy for ST-Segment-Elevation Myocardial Infarction: A Contemporary Review in Context of the COVID-19 Pandemic. <b>2020</b> , 13, e009622	2
790	Do age, period or cohort effects explain circulatory disease mortality trends, Scotland 1974-2015?. <b>2020</b> , 106, 584-589	0
789	Impact of Baseline Admission Serum Creatinine Level in ST Segment Elevated Myocardial Infarction (STEMI) Patient Undergoing Primary PCI: An Important Predictor of in-hospital and 12-month Survival Outcome. <b>2020</b> , 12, 135-142	
788	QRS-T-angle in Patients with ST-Segment Elevation Myocardial Infarction (STEMI) - a Comparison with Cardiac Magnetic Resonance Imaging. <b>2020</b> , 17, 2264-2268	2
787	COVID-19 Pandemic: Challenges and Solutions from the Cardiology Pharmacist's Perspective. <b>2020</b> , 3, 1138	4
786	COURAGE, ORBITA, and ISCHEMIA: Percutaneous Coronary Intervention for Stable Coronary Artery Disease. <b>2020</b> , 9, 469-482	3
785	Incidence, delays, and outcomes of STEMI during COVID-19 outbreak: Analysis from the France PCI registry. <b>2020</b> , 1, 1168	9
784	Goede prognose voor terugverwezen hartinfarctpatiënten. <b>2020</b> , 63, 56-62	
783	Severe obstructive sleep apnea is associated with coronary microvascular dysfunction and obstruction in patients with ST-elevation myocardial infarction. <b>2020</b> , 2048872620919946	1

782	The Effect of Implementation of the American Heart Association Mission Lifeline PreAct Algorithm for Prehospital Cardiac Catheterization Laboratory Activation on the Rate of "False Positive" Activations. <b>2020</b> , 35, 388-396	2
781	Patient and Cardiologist Perspectives on Shared Decision Making in the Treatment of Older Adults Hospitalized for Acute Myocardial Infarction. <b>2020</b> , 40, 279-288	2
780	Corrosion resistance of HF-treated Mg alloy stent following balloon expansion and its improvement through biodegradable polymer coating. <b>2020</b> , 17, 1023-1032	4
779	Acute hyperglycemia and contrast-induced nephropathy in patients with non-ST elevation myocardial infarction. <b>2020</b> , 9, 24-29	5
778	Complete Revascularization by Percutaneous Coronary Intervention for Patients With ST-Segment-Elevation Myocardial Infarction and Multivessel Coronary Artery Disease: An Updated Meta-Analysis of Randomized Trials. <b>2020</b> , 9, e015263	13
777	Impact of Emergency Medical System Transportation in ST-segment Elevation Myocardial Infarction: A Nationwide Retrospective Study. <b>2020</b> , 33, 390-400	1
776	SCAI position statement on optimal percutaneous coronary interventional therapy for complex coronary artery disease. <b>2020</b> , 96, 346-362	26
775	Feasibility and safety of noncontrast percutaneous coronary intervention in patients with complicated acute coronary syndrome. <b>2020</b> , 96, E666-E673	3
774	The relationship between off-hours admissions for primary percutaneous coronary intervention, door-to-balloon time and mortality for patients with ST-elevation myocardial infarction in England: a registry-based prospective national cohort study. <b>2020</b> , 29, 541-549	8
773	Improving outcomes of percutaneous coronary interventions in patients with stable ischemic heart disease. <b>2020</b> , 12, 1740-1749	1
772	Citrate pretreatment attenuates hypoxia/reoxygenation-induced cardiomyocyte injury via regulating microRNA-142-3p/Rac1 axis. <b>2020</b> , 40, 560-569	2
771	Time course of coronary flow capacity impairment in ST-segment elevation myocardial infarction. <b>2020</b> ,	0
770	Contemporary Trends and Outcomes in Patients With ST-Segment Elevation Myocardial Infarction and End-Stage Renal Disease on Dialysis: Insight from the National Inpatient Sample. <b>2020</b> , 21, 1474-1481	3
769	Does contemporary exercise-based cardiac rehabilitation improve quality of life for people with coronary artery disease? A systematic review and meta-analysis. <b>2020</b> , 10, e036089	13
768	Complete revascularization for patients with multivessel coronary artery disease and ST-segment elevation myocardial infarction after the COMPLETE trial: A meta-analysis of randomized controlled trials. <b>2020</b> , 29, 100549	0
767	Revascularization in cardiogenic shock. <b>2020</b> , 45, 537-541	1
766	[Ga]-NODAGA-RGD Positron Emission Tomography (PET) for Assessment of Post Myocardial Infarction Angiogenesis as a Predictor for Left Ventricular Remodeling in Mice after Cardiac Stem Cell Therapy. <b>2020</b> , 9,	2
765	Challenges and Controversies in the Management of ACS in Elderly Patients. <b>2020</b> , 22, 51	4

764	Comparison of Reperfusion Strategies for ST-Segment-Elevation Myocardial Infarction: A Multivariate Network Meta-analysis. <b>2020</b> , 9, e015186	14
763	Efficacy of a Novel Mitochondrial-Derived Peptide in a Porcine Model of Myocardial Ischemia/Reperfusion Injury. <b>2020</b> , 5, 699-714	7
762	Pharmaco-Invasive Strategy: The Answer to Improving ST-Elevation-Myocardial Infarction Care. <b>2020</b> , 9, e016831	1
761	Management of Structural Heart Disease and Acute Coronary Syndromes in the COVID-19 Pandemic. <b>2020</b> , 22, 29	5
760	Rationale and design of a prospective, observational study for the QUAntitative ESTimation of Thrombus burden in patients with ST-Elevation Myocardial Infarction using micro-computed tomography: the QUEST-STEMI trial. <b>2020</b> , 20, 125	6
759	How to Bail Out Patients with Severe Acute Myocardial Infarction. <b>2020</b> , 16, 177-186	1
758	Outcome of inter-hospital transfer versus direct admission for primary percutaneous coronary intervention: An observational study of 25,315 patients with ST-elevation myocardial infarction from the London Heart Attack Group. <b>2020</b> , 9, 948-957	6
757	MRI of Reperfused Acute Myocardial Infarction Edema: ADC Quantification versus T1 and T2 Mapping. <b>2020</b> , 295, 542-549	5
756	Initial Invasive or Conservative Strategy for Stable Coronary Disease. <b>2020</b> , 382, 1395-1407	642
755	Computational time series analysis of patient referrals to a primary percutaneous coronary intervention service. <b>2020</b> , 26, 2222-2236	1
754	[Narratives help disseminate medical technologies: the case of coronary interventions]. <b>2020</b> , 63, 521-526	
753	Treatment delay and reperfusion management of acute ST-segment elevation myocardial infarction: analysis of the China STEMI Care Project Phase 1. <b>2021</b> , 114, 299-305	2
752	Coronary and Structural Heart Disease Interventions During COVID-19 Pandemic: A Road Map for Clinicians and Health Care Delivery Systems. <b>2020</b> , 21, 939-945	7
751	Routine Revascularization Versus Initial Medical Therapy for Stable Ischemic Heart Disease: A Systematic Review and Meta-Analysis of Randomized Trials. <b>2020</b> , 142, 841-857	54
750	Catheterization Laboratory Activation Time in Patients Transferred With ST-Segment-Elevation Myocardial Infarction: Insights From the Mission: Lifeline STEMI Accelerator-2 Project. <b>2020</b> , 13, e006204	1
749	Left atrial volume index and pulmonary arterial pressure predicted MACE among patients with STEMI during 8-year follow-up: experience from a tertiary center. <b>2021</b> , 46, 367-374	2
748	Clinical Outcomes of Bivalirudin Versus Heparin in Elderly Patients Undergoing Percutaneous Coronary Intervention: a Systematic Review and Meta-analysis of Randomized Controlled Trials. <b>2020</b> , 34, 101-111	3
747	Ischemic Heart Disease: An Update. <b>2020</b> , 50, 195-207	11

746	Should fractional flow reserve follow angiographic visual inspection to guide preventive percutaneous coronary intervention in ST-elevation myocardial infarction?. <b>2020</b> , 6, 186-192	4
745	Impact on mortality after implementation of a network for ST-segment elevation myocardial infarction care. The IPHENAMIC study. <b>2020</b> , 73, 632-642	2
744	Effects of Percutaneous Coronary Intervention on Death and Myocardial Infarction Stratified by Stable and Unstable Coronary Artery Disease: A Meta-Analysis of Randomized Controlled Trials. <b>2020</b> , 13, e006363	43
743	Revascularization Strategies in Patients Presenting With ST-Elevation Myocardial Infarction and Multivessel Coronary Disease. <b>2020</b> , 125, 1486-1491	3
742	Analysis of situation of acute coronary syndrome based on the date of the Improving Care for Cardiovascular Disease in China-Acute Coronary Syndrome (CCC-ACS) project: single-centre observational study. <b>2020</b> , 96, 742-746	0
741	Comparison of clinical outcomes in STEMI patients treated with primary PCI according to day-time of medical attention and its relationship with circadian pattern. <b>2020</b> , 305, 35-41	0
740	How should cardiogenic shock be managed (including assist devices)?. <b>2020</b> , 359-365.e1	
739	Reverse Cardio-Oncology: Cancer Development in Patients With Cardiovascular Disease. <b>2020</b> , 9, e013754	29
738	Current Perspectives on Coronavirus Disease 2019 and Cardiovascular Disease: A White Paper by the Editors. <b>2020</b> , 9, e017013	38
737	Soluble urokinase receptor as a predictor of non-cardiac mortality in patients with percutaneous coronary intervention treated ST-segment elevation myocardial infarction. <b>2020</b> , 80, 8-13	0
736	Observed and Expected Survival in Men and Women After Suffering a STEMI. <b>2020</b> , 9,	5
735	Left Ventricular Thrombus in Myocardial Infarction After Successful Primary Percutaneous Coronary Intervention: Prevalence and Predictors-A Middle Eastern Single-Centre Experience. <b>2020</b> , 2, 104-110	1
734	Bivalirudin Versus Heparin Monotherapy in Elderly Patients With Myocardial Infarction: A Prespecified Subgroup Analysis of the VALIDATE-SWEDEHEART Trial. <b>2020</b> , 13, e008671	4
733	Management of STEMI in low- and middle-income countries. <b>2014</b> , 9, 469-510	3
732	Temporal changes in patient characteristics and outcomes in ST-segment elevation myocardial infarction 2003-2018. <b>2021</b> , 97, 1109-1117	8
731	Coronary artery disease in dialysis patients: evidence synthesis, controversies and proposed management strategies. <b>2021</b> , 34, 39-51	3
730	Transitioning from a coronary to a critical cardiovascular care unit: trends over the past three decades. <b>2020</b> , 2048872620936038	
729	Current Insights into Exercise-based Cardiac Rehabilitation in Patients with Coronary Heart Disease and Chronic Heart Failure. <b>2021</b> , 42, 19-26	9



728	Intracoronary Administration of Allogeneic Cardiosphere-Derived Cells Immediately Prior to Reperfusion in Pigs With Acute Myocardial Infarction Reduces Infarct Size and Attenuates Adverse Cardiac Remodeling. <b>2021</b> , 26, 88-99	2
727	Impact of pre-angioplasty antithrombotic therapy administration on coronary reperfusion in ST-segment elevation myocardial infarction: Does time matter?. <b>2021</b> , 325, 9-15	0
726	Risk of arrhythmias after myocardial infarction in patients with left ventricular systolic dysfunction according to mode of revascularization: a Cardiac Arrhythmias and Risk Stratification after Myocardial infArction (CARISMA) substudy. <b>2021</b> , 23, 616-623	0
725	Clinical impact of complete atrioventricular block in patients with ST-segment elevation myocardial infarction. <b>2021</b> , 44, 91-99	1
724	Rationale and methods of a randomized trial evaluating the effect of neprilysin inhibition on left ventricular remodelling. <b>2021</b> , 8, 129-138	6
723	Management of STEMI during the COVID-19 pandemic: Lessons learned in 2020 to prepare for 2021. <b>2021</b> , 31, 135-140	7
722	The importance of organizational variables in treatment time for patients with ST-elevation acute myocardial infarction improve delays in STEMI. <b>2021</b> , 24, 141-146	
721	Clinical decision-making: Challenging traditional assumptions. <b>2021</b> , 326, 6-11	0
720	Merchants of Death: The Effect of Credit Supply Shocks on Hospital Outcomes.	
719	Cardiology emergency management and telecardiology within territorial hospital network. Four years activity results. <b>2021</b> , 48, 347-350	0
718	Thrombocytopenia in a Patient Undergoing Primary Percutaneous Coronary Intervention. <b>2021</b> , 55, 68	
717	The feasibility of Kimny guiding catheter for ST-segment elevation myocardial infarction.. <b>2022</b> , 34, 102-106	
716	Lack of Accuracy of the GRACE score to Predict Coronary Anatomy in Acute Coronary Syndromes.	
715	Prognostic role of neutrophil-to-lymphocyte ratio in patients with ST-elevation myocardial infarction undergoing to pharmaco-invasive strategy. <b>2021</b> , 34, 99-99	1
714	Nuclear Imaging in Acute Coronary Syndromes. <b>2021</b> , 291-329	
713	Clinical and echocardiographic predictors of left ventricular remodeling following anterior acute myocardial infarction. <b>2021</b> , 76, e2732	
712	COVID-19 and Acute Coronary Syndromes: Current Data and Future Implications. <b>2020</b> , 7, 593496	11
711	A meta-analysis of randomized controlled trials comparing percutaneous coronary intervention with optimal medical therapy in stable obstructive coronary artery disease. <b>2021</b> , 32, 618-624	1

710	THROMBOLYTIC THERAPY FOR ACUTE MYOCARDIAL INFARCTION AT THE PREHOSPITAL STAGE: CLINICAL GUIDELINES AND REAL PRACTICE. <b>2021</b> , 21, 70-76	
709	Searching myocardial rescue through intermittent upper arm occlusion and lizard saliva. <b>2021</b> , 116, 5	2
708	Drugs in Myocardial Infarction. <b>2021</b> , 115-124	
707	Cardiovascular event risk estimated after coronary revascularization and optimal medical therapy: J-ACCESS4 prognostic study. <b>2021</b> , 35, 241-252	0
706	Safety and Efficacy of Intracoronary Thrombolysis as Adjunctive Therapy to Primary PCI in STEMI: A Systematic Review and Meta-analysis. <b>2021</b> , 37, 339-346	6
705	Cell type-specific microRNA therapies for myocardial infarction. <b>2021</b> , 13,	7
704	Novel Guidewire Design and Coating for Continuous Delivery of Adenosine During Interventional Procedures. <b>2021</b> , 10, e019275	2
703	Spectrum of coronary angiographic findings in patients with ST Elevation Myocardial Infarction (STEMI) undergoing primary PCI in a tertiary care center of Nepal. <b>2021</b> ,	
702	Cardiometabolism as an Interlocking Puzzle between the Healthy and Diseased Heart: New Frontiers in Therapeutic Applications. <b>2021</b> , 10,	5
701	Role of Ischemic Preconditioning in the Cardioprotective Mechanisms of Monomeric C-Reactive Protein-Deposited Myocardium in a Rat Model. <b>2021</b> , 54, 9-16	
700	Elective Percutaneous Coronary Intervention in Ambulatory Surgery Centers: Is This a Bridge Too Far?. <b>2021</b> , 14, 301-303	0
699	Angiographic Scores in Prediction of No-Reflow, Myocardial Injury May not end with Reperfusion. <b>2021</b> , 116, 473-474	
698	Impact of the COVID-19 outbreak on hospitalizations and outcomes in patients with acute myocardial infarction in a Japanese Single Center. <b>2021</b> , 36, 1474-1483	6
697	Invasive therapy versus conservative therapy for patients with stable coronary artery disease: An updated meta-analysis. <b>2021</b> , 44, 675-682	7
696	[Fibrinólisis en el infarto agudo de miocardio, ¿una reivindicaci3n hist3rica?]. <b>2020</b> ,	
695	Association of Cardiac Care Regionalization With Access, Treatment, and Mortality Among Patients With ST-Segment Elevation Myocardial Infarction. <b>2021</b> , 14, e007195	3
694	Cost-effectiveness of percutaneous coronary intervention versus medical therapy in patients with acute myocardial infarction: real-world and lifetime-horizon data from Taiwan. <b>2021</b> , 11, 5608	
693	Transradial Versus Transfemoral Access for Percutaneous Coronary Intervention in ST-Segment-Elevation Myocardial Infarction: A Systematic Review and Meta-Analysis. <b>2021</b> , 14, e009994	6

692	Demographic description and outcomes of a metropolitan network for myocardial infarction treatment. <b>2021,</b>	0
691	The Management of Coronary Artery Disease in Ethiopia: Emphasis on Revascularization. <b>2021, 31, 439-454</b>	
690	Quantitative flow ratio as a new tool for angiography-based physiological evaluation of coronary artery disease: a review. <b>2021, 17, 1435-1452</b>	1
689	Assessment of Transportation by Air for Patients with Acute ST-Elevation Myocardial Infarction from Non-PCI Centers. <b>2021, 9,</b>	1
688	Deferred Stenting for Heavy Thrombus Burden During Percutaneous Coronary Intervention for ST-Elevation MI. <b>2021, 16, e08</b>	3
687	Association of Thrombus Aspiration With Time and Mortality Among Patients With ST-Segment Elevation Myocardial Infarction: A Post Hoc Analysis of the Randomized TOTAL Trial. <b>2021, 4, e213505</b>	1
686	Human-Computer Agreement of Electrocardiogram Interpretation for Patients Referred to and Declined for Primary Percutaneous Coronary Intervention: Retrospective Data Analysis Study. <b>2021, 9, e24188</b>	
685	Biodegradable- Versus Durable-Polymer Drug-Eluting Stents for STEMI: Final 2-Year Outcomes of the BIOSTEMI Trial. <b>2021, 14, 639-648</b>	11
684	Aspiration thrombectomy in ST-Elevation myocardial infarction: Further insights from a network meta-analysis of randomized trials. <b>2021, 73, 161-168</b>	
683	Comparison of the Efficacy and Safety of Sacubitril/Valsartan versus Ramipril in Patients With ST-Segment Elevation Myocardial Infarction. <b>2021, 143, 7-13</b>	11
682	Hydrogen Gas Therapy: From Preclinical Studies to Clinical Trials. <b>2021, 27, 650-658</b>	4
681	Association of Baseline Anemia with Mid-Term Clinical Outcomes in Patients Who Underwent Trans-Radial Primary Percutaneous Coronary Intervention. <b>2021, 62, 256-263</b>	
680	Does Australia need more catheterisation laboratories to treat heart attack?. <b>2021, 214, 307-308</b>	
679	Management of ST Elevation Myocardial Infarction (STEMI) in Different Settings. <b>2021, 30, 67-75</b>	1
678	JCS 2018 Guideline on Diagnosis of Chronic Coronary Heart Diseases. <b>2021, 85, 402-572</b>	11
677	Differential benefits of cardiac care regionalization based on driving time to percutaneous coronary intervention. <b>2021, 28, 519-529</b>	
676	6-Gingerol relieves myocardial ischaemia/reperfusion injury by regulating lncRNA H19/miR-143/ATG7 signaling axis-mediated autophagy. <b>2021, 101, 865-877</b>	4
675	COVID-19 and changes in activity and treatment of ST elevation MI from a UK cardiac centre. <b>2021, 33, 100736</b>	1

674	Fifteen-year mortality and cardiac, thrombotic, and bleeding events in survivors of ST-elevation myocardial infarction. <b>2021,</b>	
673	In Comparison to Pathological Q Waves, Selvester Score is a Superior Diagnostic Indicator of Increased Long-Term Mortality Risk in ST Elevation Myocardial Infarction Patients Treated with Primary Coronary Intervention. <b>2021, 11,</b>	
672	Performance of Primary Angioplasty for STEMI during the COVID-19 Outbreak. <b>2021, 30, 148-154</b>	1
671	Selective intracoronary hypothermia in patients with ST-elevation myocardial infarction. Rationale and design of the EURO-ICE trial. <b>2021, 16, 1444-1446</b>	5
670	Comparison of the cost in percutaneous coronary intervention between ST-segment elevation myocardial infarction vs. non-ST-segment elevation myocardial infarction. <b>2021, 1</b>	4
669	Rescue PCI in the management of STEMI: Contemporary results from the Melbourne Interventional Group registry. <b>2021, 33, 100745</b>	
668	Randomized Trial of Interleukin-6 Receptor Inhibition in Patients With Acute ST-Segment Elevation Myocardial Infarction. <b>2021, 77, 1845-1855</b>	46
667	Lavender Oil Attenuates Myocardial Ischemia/Reperfusion Injury Through Inhibition of Autophagy and Stimulation of Angiogenesis. <b>2021, 45, 1201-1209</b>	0
666	Vascular occlusion in a previously unaffected territory after treatment with intravenous plasminogen activator: illustrative case. <b>2021, 1,</b>	
665	Evidence-based arterial access site practice in patients with acute coronary syndromes: Has SAFARI-STEMI changed the landscape?. <b>2021, 97, 1417-1421</b>	
664	Minimizing Population Health Loss in Times of Scarce Surgical Capacity During the Coronavirus Disease 2019 Crisis and Beyond: A Modeling Study. <b>2021, 24, 648-657</b>	2
663	Antithrombotic therapy in the elderly and senile age: the consensus opinion of experts of the Russian Association of Gerontologists and Geriatricians and the National Society of Preventive Cardiology. <b>2021, 20, 2847</b>	1
662	Outcomes after delayed primary percutaneous coronary intervention versus pharmaco-invasive strategy in ST-segment elevation myocardial infarction in Norway. <b>2021,</b>	1
661	Prognostic implications of calculated Apo-lipoprotein B in patients with ST-segment elevation myocardial infarction undergoing primary percutaneous coronary intervention: Outcome is tied to lower cut-points. <b>2021, 44, 824-832</b>	1
660	Long term survival after acute myocardial infarction in Australia and New Zealand, 2009-2015: a population cohort study. <b>2021, 214, 519-525</b>	3
659	Clinical outcome of patients with ST-elevation myocardial infarction and angiographic evidence of coronary artery ectasia. <b>2021,</b>	2
658	Sex-stratified outcomes of primary percutaneous coronary intervention: A tertiary care experience. <b>2021, 2184923211014001</b>	0
657	A prognostic nomogram for long-term major adverse cardiovascular events in patients with acute coronary syndrome after percutaneous coronary intervention. <b>2021, 21, 253</b>	0

656	Reduction of door-to-balloon time in patients with ST-elevation myocardial infarction by single-catheter primary percutaneous coronary intervention method. <b>2021,</b>	1
655	The Relationship Between HbA1c and Contrast-Induced Nephropathy in Patients with Non-ST Elevation Myocardial Infarction and Non- Established Diabetes Mellitus.	
654	Delays in ST-Elevation Myocardial Infarction Care During the COVID-19 Lockdown: An Observational Study. <b>2020,</b>	8
653	The Mid-term Mortality and Mode of Death in Survivors with ST-elevation Myocardial Infarction. <b>2021, 60, 1665-1674</b>	3
652	Management strategies for STE-ACS. <b>2021, 46, 18-26</b>	0
651	Pre-hospital heparin use for ST-elevation myocardial infarction is safe and improves angiographic outcomes. <b>2021,</b>	1
650	In-hospital mortality among consecutive patients with ST-Elevation myocardial infarction in modern primary percutaneous intervention era ~ Insights from 15-year data of single-center hospital-based registry ~. <b>2021, 16, e0252503</b>	2
649	Meta-Analysis Comparing Same-Sitting and Staged Percutaneous Coronary Intervention of Non-Culprit Artery for ST-Elevation Myocardial Infarction with Multivessel Coronary Disease. <b>2021, 150, 24-31</b>	1
648	Coronary Reperfusion in Acute Myocardial Infarction: Trying the Optimal. Executing the Possible. <b>2021, 117, 130-131</b>	0
647	Mechanical Complications of Acute Myocardial Infarction: A Scientific Statement From the American Heart Association. <b>2021, 144, e16-e35</b>	23
646	Achieving Complete Revascularization for Multivessel Coronary Artery Disease. <b>2021, 144, 110-112</b>	
645	Regional Systems of Care in ST Elevation Myocardial Infarction. <b>2021, 10, 281-291</b>	
644	Immediate Versus Staged Multivessel PCI Strategies in Patients with ST-Segment Elevation Myocardial Infarction and Multivessel Disease: A Systematic Review and Meta-analysis. <b>2021,</b>	
643	Feasibility of Coronary Access in Patients With Acute Coronary Syndrome and Previous TAVR. <b>2021, 14, 1578-1590</b>	5
642	Investigating the implications of COVID-19 outbreak on systems of care and outcomes of STEMI patients: A systematic review and meta-analysis. <b>2021, 73, 404-412</b>	1
641	Development of ST-elevation Myocardial Infarction Programs in Developing Countries: Global Challenges and Solutions. <b>2021, 10, 401-411</b>	0
640	Primary Angioplasty: From the Artery to the Myocardium.	
639	Myocardial preservation during primary percutaneous intervention: It's time to rethink?. <b>2021, 73, 395-403</b>	

- 638 Percutaneous coronary intervention for left main coronary artery malperfusion in acute type A aortic dissection. **2021**, 1 1
- 637 Door-to-balloon Time for ST-elevation MI in the Coronavirus Disease 2019 Era. 15, 1
- 636 Current Smoking is a Risk Factor for the Irregular Surface and Calcification of Carotid Plaque in Men. **2021**, 14, 3989-3997
- 635 Clinical Ambiguity and Conflicts of Interest in Interventional Cardiology Decision Making.
- 634 Circulating LIPCAR is a potential biomarker of heart failure in patients post-acute myocardial infarction. **2021**, 246, 2589-2594 0
- 633 'Routine' versus 'Smart Phone Application Based - Intense' follow up of patients with acute coronary syndrome undergoing percutaneous coronary intervention: Impact on clinical outcomes and patient satisfaction. **2021**, 35, 100832 0
- 632 A Unique Case of COVID-19-related Acute Coronary Thrombosis Complicated by Severe Hypokalemia. **2021**, 186, e1053-e1057
- 631 Effects of Telemedicine on Obese Patients With Non-alcoholic Fatty Liver Disease: A Systematic Review and Meta-Analysis. **2021**, 8, 723790 0
- 630 ANMCO POSITION PAPER: Role of intra-aortic balloon pump in patients with acute advanced heart failure and cardiogenic shock. **2021**, 23, C204-C220 1
- 629 Pharmacoinvasive strategy: An essential tool to avoid the reperfusion paradox in STEMI networks. **2021**, 91, 542-543
- 628 Colchicine administration for percutaneous coronary intervention: A meta-analysis of randomized controlled trials. **2021**, 46, 121-125
- 627 Risks of Recurrent Cardiovascular Events and Mortality in 1-Year Survivors of Acute Myocardial Infarction Implanted with Newer-Generation Drug-Eluting Stents. **2021**, 10, 0
- 626 Is the revascularisation strategy and outcome different in patients with acute coronary syndrome in COVID-19 pandemic era: a tertiary centre experience. **2021**, 1-9 0
- 625 Robotic-assisted percutaneous coronary intervention in the COVID-19 pandemic. **2021**, 2
- 624 Clinical burden, risk factor impact and outcomes following myocardial infarction and stroke: A 25-year individual patient level linkage study. **2021**, 7, 100141 3
- 623 Protocolo de tratamiento en urgencias del paciente con síndrome coronario agudo con elevación del segmento ST. **2021**, 13, 2203-2206
- 622 Impact of Helicopter Transport on Reperfusion Times and Long-Term Outcomes in Acute Myocardial Infarction Patients in Rural Areas: A Report From the Mie Acute Coronary Syndrome Registry. **2021**, 40, 337-343 0
- 621 Infarto agudo de miocardio. SCACEST. **2021**, 13, 2177-2184

620	Manual der Arbeitsgruppe Interventionelle Kardiologie (AGIK) der Deutschen Gesellschaft für Kardiologie – Herz- und Kreislaufforschung e.V. (DGK). 1	0
619	Percutaneous Coronary Intervention Outcomes Based on Decision-Making Capacity. <b>2021</b> , 10, e020609	
618	Impact of Exercise-Based Cardiac Rehabilitation on the Mid-Term Outcomes of Patients After Acute Myocardial Infarction Treated With Current Acute-Phase Management and Optimal Medical Therapy. <b>2021</b> , 30, 1320-1328	2
617	ST-segment elevation myocardial infarction management: great strides but still room for improvement. <b>2021</b> , 42, 4550-4552	1
616	Implications of the Landmark ISCHEMIA Trial on the Initial Management of High-Risk Patients with Stable Ischemic Heart Disease. <b>2021</b> , 23, 70	1
615	Cardiac MRI to Visualize Myocardial Damage after ST-Segment Elevation Myocardial Infarction: A Review of Its Histologic Validation. <b>2021</b> , 301, 4-18	1
614	Pronóstico tras un infarto agudo de miocardio, la esperanza del superviviente. <b>2021</b> , 74, 820-822	
613	Prognosis after an acute myocardial infarction: survivor life expectancy. <b>2021</b> , 74, 820-822	
612	Predicting 30-day mortality after ST elevation myocardial infarction: Machine learning- based random forest and its external validation using two independent nationwide datasets. <b>2021</b> , 78, 439-446	4
611	Percutaneous Coronary Intervention. <b>2022</b> , 455-461	0
610	Cardiac Regeneration: New Insights Into the Frontier of Ischemic Heart Failure Therapy. <b>2020</b> , 8, 637538	4
609	Outcome of manual thrombus aspiration for patients undergoing primary PCI for acute STEMI showing large thrombus burden. <b>2021</b> , 73, 8	0
608	Evaluation of the tolerability and effectiveness of Tenecteplase in patients with ST-Segment-Elevation Myocardial Infarction in a Secondary Hospital in Malaysia: A Retrospective Case Series. <b>2021</b> , 95, 100641	1
607	Laser in Acute Myocardial Infarction. <b>2015</b> , 55-67	1
606	Regionalization of Critical Care. <b>2014</b> , 217-233	1
605	ST Segment Elevation Myocardial Infarction. <b>2005</b> , 489-520	1
604	Treatment of Acute ST-Elevation Myocardial Infarction. <b>2007</b> , 963-977	1
603	Advances in Tele-Cardiology. <b>2019</b> , 225-242	0

602	Clinical Manifestations of Atherosclerosis. <b>2012</b> , 39-58	1
601	Coronary Artery Disease: From Mechanism to Clinical Practice. <b>2020</b> , 1177, 1-36	33
600	Revascularization for Coronary Artery Disease: Principle and Challenges. <b>2020</b> , 1177, 75-100	5
599	lncRNA-NRF is a Potential Biomarker of Heart Failure After Acute Myocardial Infarction. <b>2020</b> , 13, 1008-1015	9
598	Shock âan overview. <b>2009</b> , 97-104	2
597	ST-Segment Elevation Myocardial Infarction. <b>2012</b> , 1111-1177	4
596	Bare Metal and Drug-Eluting Coronary Stents. <b>2012</b> , 171-196	3
595	Reperfusion therapy of myocardial infarction in Mexico: A challenge for modern cardiology. <b>2017</b> , 87, 144-150	3
594	[Epidemiological characteristics of ST-segment elevation myocardial infarction in Peru: Results of the PERuvian Registry of ST-segment Elevation Myocardial Infarction (PERSTEMI)]. <b>2018</b> , 88, 403-412	3
593	Routine exercise-based cardiac rehabilitation does not increase aerobic fitness: A CARE CR study. <b>2020</b> , 305, 25-34	11
592	Impacto en la mortalidad tras la implantaci3n de una red de atenci3n al infarto agudo de miocardio con elevaci3n del segmento ST. Estudio IPHENAMIC. <b>2020</b> , 73, 632-642	6
591	Impact of plaque burden and composition on coronary slow flow in ST-segment elevation myocardial infarction undergoing percutaneous coronary intervention: intravascular ultrasound and virtual histology analysis. <b>2021</b> , 76, 650-660	2
590	Acute Coronary Syndromes. <b>2009</b> , 535-596	9
589	Clinical Pathway for Management of Suspected or Positive Novel Coronavirus-19 Patients With ST-Segment Elevation Myocardial Infarction. <b>2020</b> , 19, 49-54	14
588	Calreticulin Ameliorates Hypoxia/Reoxygenation-Induced Human Microvascular Endothelial Cell Injury By Inhibiting Autophagy. <b>2018</b> , 49, 108-116	6
587	Minimizing Population Health Loss in Times of Scarce Surgical Capacity.	1
586	Predictive Value of C-Reactive Protein to Albumin Ratio in ST-Segment Elevation Myocardial Infarction Patients Treated With Primary Percutaneous Coronary Intervention. <b>2021</b> , 72, 244-251	7
585	Combination therapy reduces the incidence of no-reflow after primary per-cutaneous coronary intervention in patients with ST-segment elevation acute myocardial infarction. <b>2015</b> , 12, 135-42	22



584	Admission glucose and risk of early death in non-diabetic patients with ST-segment elevation myocardial infarction: a meta-analysis. <b>2015</b> , 21, 1387-94	7
583	Unmet goals in the treatment of Acute Myocardial Infarction: Review. <b>2017</b> , 6,	5
582	Thrombolysis in the age of Primary Percutaneous Coronary Intervention: Mini-Review and Meta-analysis of Early PCI. <b>2013</b> , 7, 91-100	7
581	Isoflurane preconditioning confers cardioprotection by activation of ALDH2. <b>2013</b> , 8, e52469	31
580	Soluble TNF receptors are associated with infarct size and ventricular dysfunction in ST-elevation myocardial infarction. <b>2013</b> , 8, e55477	41
579	Alcohol and drug use disorders among patients with myocardial infarction: associations with disparities in care and mortality. <b>2013</b> , 8, e66551	10
578	Impact of the Type of First Medical Contact within a Guideline-Conform ST-Elevation Myocardial Infarction Network: A Prospective Observational Registry Study. <b>2016</b> , 11, e0156769	7
577	A Simple Risk Stratification Model for ST-Elevation Myocardial Infarction (STEMI) from the Combination of Blood Examination Variables: Acute Myocardial Infarction-Kyoto Multi-Center Risk Study Group. <b>2016</b> , 11, e0166391	12
576	Effect of supplementation of lecithin and carnitine on growth performance and nutrient digestibility in pigs fed high-fat diet. <b>2017</b> , 10, 149-155	2
575	Deflated Balloon-Facilitated Direct Stenting in Primary Angioplasty (The DBDS Technique): A Pilot Study. <b>2018</b> , 9, 284-292	4
574	Release of mitochondrial DNA correlates with peak inflammatory cytokines in patients with acute myocardial infarction. <b>2017</b> , 17, 224-228	20
573	Association of monocyte to high-density lipoprotein ratio with bare-metal stent restenosis in STEMI patients treated with primary PCI. <b>2019</b> , 6, 393-400	1
572	Stenting in Primary Percutaneous Coronary Intervention for Acute ST-Segment Elevation Myocardial Infarction. <b>2018</b> , 14, 14-22	8
571	Preventive Percutaneous Coronary Intervention in ST-elevation Myocardial Infarction - The Primacy of Randomised Trials. <b>2015</b> , 10, 32-34	2
570	IMPLEMENTATION OF EVIDENCE-BASED CLINICAL-AND-MORPHOLOGICAL APPROPRIATE USE CRITERIA FOR CORONARY REVASCULARIZATION IN PATIENTS WITH ACUTE CORONARY SYNDROME IN RUSSIA. <b>2014</b> , 13, 24-28	2
569	2020 Clinical practice guidelines for Acute ST-segment elevation myocardial infarction. <b>2020</b> , 25, 4103	59
568	Meta-analysis of the effects of ischemic postconditioning on structural pathology in ST-segment elevation acute myocardial infarction. <b>2018</b> , 9, 8089-8099	7
567	The effectiveness of reperfusion therapy of myocardium infarction under different organization of functioning of roentgen-endovascular service: five-year observation. <b>2016</b> , 22, 291-298	1

566	Clinical Ambiguity and Conflicts of Interest in Interventional Cardiology Decision-Making.	1
565	Clinical update on the therapeutic use of clopidogrel: treatment of acute ST-segment elevation myocardial infarction (STEMI). <b>2006</b> , 2, 379-87	3
564	Pericardium-covered stent: a reality for coronary interventions of the future?. <b>2012</b> , 4, 411-418	2
563	Long-term results of coronary artery bypass graft surgery after stenting of obstructed artery with bare metal stent in patients with acute coronary syndrome and multivessel disease. <b>2019</b> , 27, 495-502	1
562	Optimal Strategies for Prehospital and Emergency Department Evaluation of Patients with STEMI. <b>2008</b> , 265-279	1
561	The REFLO-STEMI (REperfusion Facilitated by LOcal adjunctive therapy in ST-Elevation Myocardial Infarction) trial: a randomised controlled trial comparing intracoronary administration of adenosine or sodium nitroprusside with control for attenuation of microvascular obstruction during primary percutaneous coronary intervention. <b>2016</b> , 3, 1-18	7
560	Paramedic diagnosis of acute coronary syndrome in the out-of-hospital patient with acute, non-traumatic chest pain. <b>2016</b> , 13,	3
559	Diagnostika a lēba akutnēio infarktu myokardu s elevacemi ST. <b>2009</b> , 51, 724-740	5
558	Revaskularizace myokardu. Perkutānākoronārnāintervence a aortokoronārnābypass. <b>2011</b> , 53, 3-24	1
557	EURASIAN CLINICAL GUIDELINES ON DIAGNOSIS AND TREATMENT OF ACUTE CORONARY SYNDROME WITH ST SEGMENT ELEVATION (STEMI). <b>2020</b> , 4-77	9
556	Comparison of drug-eluting stents in acute myocardial infarction patients with chronic kidney disease. <b>2012</b> , 27, 397-406	3
555	Korean National Health Insurance value incentive program: achievements and future directions. <b>2012</b> , 45, 148-55	16
554	Percutaneous coronary intervention in nonagenarians: pros and cons. <b>2013</b> , 10, 82-90	8
553	Evaluation of the physical-mechanical properties of cement-lime based masonry mortars produced with mixed recycled aggregates. <b>2020</b> , 70, 210	7
552	Acute coronary syndrome in Australia: Where are we now and where are we going?. <b>2014</b> , 7, 149-56	7
551	2020 Korean Society of Myocardial Infarction Expert Consensus Document on Pharmacotherapy for Acute Myocardial Infarction. <b>2020</b> , 50, 845-866	6
550	AngioJet thrombectomy for the treatment of coronary artery aneurysm after failed thrombolysis in acute myocardial infarction. <b>2006</b> , 2, 94	2
549	Preintensive care: Thrombolytic (streptokinase or tenecteplase) in ST elevated acute myocardial infarction at peripheral hospital. <b>2019</b> , 8, 62-71	8

548	Acute ST-segment myocardial infarction—Evolution of treatment strategies. <b>2013</b> , 03, 551-560	2
547	Percutaneous coronary intervention using a combination of robotics and telecommunications by an operator in a separate physical location from the patient: an early exploration into the feasibility of telestenting (the REMOTE-PCI study). <b>2017</b> , 12, 1569-1576	37
546	Feasibility and safety of direct catheter-based thrombectomy in the treatment of acute ischaemic stroke. Cooperation among cardiologists, neurologists and radiologists. Prospective registry PRAGUE-16. <b>2017</b> , 13, 131-136	13
545	One-year rehospitalisation after percutaneous coronary intervention: a retrospective analysis. <b>2018</b> , 14, 926-934	4
544	Intracoronary tenecteplase versus abciximab as adjunctive treatment during primary percutaneous coronary intervention in patients with anterior myocardial infarction. <b>2019</b> , 14, 1668-1675	11
543	Long-term mortality after primary percutaneous coronary intervention for ST-segment elevation myocardial infarction in patients with insulin-treated versus non-insulin-treated diabetes mellitus. <b>2014</b> , 10, 90-6	17
542	Invasive coronary treatment strategies for out-of-hospital cardiac arrest: a consensus statement from the European association for percutaneous cardiovascular interventions (EAPCI)/stent for life (SFL) groups. <b>2014</b> , 10, 31-7	164
541	Safety and feasibility of a PAclitaxel-eluting balloon angioplasty in Primary Percutaneous coronary intervention in Amsterdam (PAPPA): one-year clinical outcome of a pilot study. <b>2014</b> , 10, 584-90	29
540	The national infarct angioplasty project: UK experience and subsequent developments. <b>2014</b> , 10 Suppl T, T96-T104	5
539	Percutaneous coronary interventions during ST-segment elevation myocardial infarction: current status and future perspectives. <b>2014</b> , 10 Suppl T, T13-22	4
538	Multivessel PCI in STEMI: ready to be the recommended strategy?. <b>2014</b> , 10 Suppl T, T47-54	3
537	Inter-hospital transfer for primary angioplasty: delays are often due to diagnostic uncertainty rather than systems failure and universal time metrics may not be appropriate. <b>2015</b> , 11, 511-7	7
536	A post hoc analysis of long-term prognosis after exenatide treatment in patients with ST-segment elevation myocardial infarction. <b>2016</b> , 12, 449-55	11
535	Myocardial infarction in a patient with sickle cell trait. Treatment dilemmas and imaging findings at follow-up. <b>2008</b> , 3, 627-34	1
534	Two year follow-up after primary PCI with a paclitaxel-eluting stent versus a bare-metal stent for acute ST-elevation myocardial infarction (the PASSION trial): a follow-up study. <b>2008</b> , 4, 64-70	39
533	Titanium-nitride-oxide coated stents versus paclitaxel-eluting stents in acute myocardial infarction: a 12-months follow-up report from the TITAX AMI trial. <b>2008</b> , 4, 234-41	32
532	Very late thrombosis in acute myocardial infarction: drug-eluting versus uncoated stents. <b>2008</b> , 4, 324-30	2
531	Comparison of primary angioplasty in rural and metropolitan areas within an integrated network. <b>2008</b> , 4, 365-72	1

530	Incidence, patient characteristics and predictors of aborted myocardial infarction in patients undergoing primary PCI: prospective study comparing pre- and in-hospital abciximab pretreatment. <b>2009</b> , 4, 662-8	11
529	Prognostic heterogeneity among patients with chronic stable coronary disease: determinants of long-term mortality after treatment with percutaneous intervention. <b>2009</b> , 5, 239-43	2
528	Endothelial progenitor cell capture stent implantation in patients with ST-segment elevation acute myocardial infarction: one year follow-up. <b>2010</b> , 5, 698-702	33
527	Effect of drug-eluting stents in patients with acute ST-segment elevation myocardial infarction undergoing percutaneous coronary intervention: a meta-analysis of randomised trials and an adjusted indirect comparison. <b>2010</b> , 5, 853-60	29
526	Pre-hospital administration of tirofiban in diabetic patients with ST-elevation myocardial infarction undergoing primary angioplasty: a sub-analysis of the On-Time 2 trial. <b>2010</b> , 6, 336-42	11
525	Direct transfer of ST-elevation myocardial infarction patients for primary percutaneous coronary intervention from short and long transfer distances decreases temporal delays and improves short-term prognosis: the PROGALIAM Registry. <b>2010</b> , 6, 343-9	19
524	The cost effectiveness of primary angioplasty compared to thrombolysis in the real world: one year results from West London. <b>2010</b> , 6, 596-603	3
523	Patent coronary artery and myocardial infarction in the era of primary angioplasty: assessment of an old problem in a new setting with data from the Swedish Coronary Angiography and Angioplasty Registry (SCAAR). <b>2010</b> , 6, 590-5	2
522	Abortion of myocardial infarction by primary angioplasty mainly depends on preprocedural TIMI flow. <b>2011</b> , 6, 854-9	3
521	Long-term safety and sustained left ventricular recovery: long-term results of percutaneous left ventricular support with Impella LP2.5 in ST-elevation myocardial infarction. <b>2011</b> , 6, 860-5	24
520	Female gender is an independent predictor of in-hospital mortality after STEMI in the era of primary PCI: insights from the greater Paris area PCI Registry. <b>2011</b> , 6, 1073-9	98
519	A simple nomogram for early prediction of myocardial reperfusion after pre-hospital thrombolysis. <b>2011</b> , 7, 248-55	3
518	Assessment of the safety and performance of the STENTYS self-expanding coronary stent in acute myocardial infarction: results from the APPOSITION I study. <b>2011</b> , 7, 428-36	44
517	Radial access in patients with ST-segment elevation myocardial infarction undergoing primary angioplasty in acute myocardial infarction: the HORIZONS-AMI trial. <b>2011</b> , 7, 905-16	76
516	Five-year clinical follow-up from the MISSION! Intervention Study: sirolimus-eluting stent versus bare metal stent implantation in patients with ST-segment elevation myocardial infarction, a randomised controlled trial. <b>2012</b> , 7, 1021-9	21
515	Deferred stent implantation in patients with ST-segment elevation myocardial infarction: a pilot study. <b>2013</b> , 8, 1126-33	29
514	Adverse event rates following primary PCI for STEMI at US and non-US hospitals: three-year analysis from the HORIZONS-AMI trial. <b>2013</b> , 8, 1134-42	37
513	Sex- and age-related differences in clinical outcome after primary percutaneous coronary intervention. <b>2012</b> , 8, 904-11	27

512	Procedural and in-patient outcomes in patients aged 80 years or older undergoing contemporary primary percutaneous coronary intervention. <b>2012</b> , 8, 912-9	8
511	The importance of audit to monitor applications of procedures and improve primary angioplasty results. <b>2012</b> , 8 Suppl P, P62-70	5
510	Economic evidence of interventions for acute myocardial infarction: a review of the literature. <b>2012</b> , 8 Suppl P, P71-6	4
509	Developing primary PCI as a national reperfusion strategy for patients with ST-elevation myocardial infarction: the UK experience. <b>2012</b> , 8 Suppl P, P99-107	14
508	Stent for Life Initiative--the Greek experience. <b>2012</b> , 8 Suppl P, P116-20	5
507	Primary angioplasty in Portugal: door-to-balloon time is not a good performance index. <b>2012</b> , 8 Suppl P, P121-5	10
506	STEMI guidelines: from formulation to implementation. <b>2012</b> , 8 Suppl P, P11-7	2
505	Variable penetration of primary angioplasty in Europe--what determines the implementation rate?. <b>2012</b> , 8 Suppl P, P18-26	6
504	STEMI treatment in areas remote from primary PCI centres. <b>2012</b> , 8 Suppl P, P44-50	2
503	Benefits of optimising coronary flow before stenting in primary percutaneous coronary intervention for ST-elevation myocardial infarction: insights from INFUSE-AMI. <b>2014</b> , 9, 1195-201	14
502	Development of a novel adenosine-eluting guidewire (Adenowire) for coronary vasodilation during percutaneous coronary intervention. <b>2014</b> , 9, 1323-32	2
501	Persistent geographical disparities in the use of primary percutaneous coronary intervention in 120 European regions: exploring the variation. <b>2013</b> , 9, 469-76	23
500	Optimal catchment area and primary PCI centre volume revisited: a single-centre experience in transition from high-volume centre to "mega centre" for patients with ST-segment elevation myocardial infarction. <b>2015</b> , 11, 503-10	4
499	Myocardial perfusion grade predicts final infarct size and left ventricular function in patients with ST-elevation myocardial infarction treated with a pharmaco-invasive strategy (thrombolysis and early angioplasty). <b>2015</b> , 11, 518-24	8
498	Outcome after percutaneous coronary intervention for different indications: long-term results from the Swedish Coronary Angiography and Angioplasty Registry (SCAAR). <b>2016</b> , 12, 303-11	21
497	Incidence and potential mechanism of resolved, persistent and newly acquired malapposition three days after implantation of self-expanding or balloon-expandable stents in a STEMI population: insights from optical coherence tomography in the APPOSITION II study. <b>2015</b> , 11, 885-94	11
496	Nationwide trends in the utilisation of percutaneous coronary intervention (PCI) in the United States of America based on gender and ethnicities. <b>2009</b> , 5, 343-8	9
495	Reperfusion injury components and manifestations determined by cardiovascular MR and MDCT imaging. <b>2010</b> , 2, 1-14	6

494	Myocardial ischemia is a key factor in the management of stable coronary artery disease. <b>2014</b> , 6, 130-9	17
493	Timely reperfusion for ST-segment elevation myocardial infarction: Effect of direct transfer to primary angioplasty on time delays and clinical outcomes. <b>2014</b> , 6, 424-33	14
492	Invasive strategy in patients with resuscitated cardiac arrest and ST elevation myocardial infarction. <b>2014</b> , 6, 444-8	4
491	Does manual thrombus aspiration help optimize stent implantation in ST-segment elevation myocardial infarction?. <b>2014</b> , 6, 1030-7	5
490	Preliminary experience with drug-coated balloon angioplasty in primary percutaneous coronary intervention. <b>2015</b> , 7, 311-4	17
489	Thrombosis in ST-elevation myocardial infarction: Insights from thrombi retrieved by aspiration thrombectomy. <b>2016</b> , 8, 362-7	6
488	Percutaneous Coronary Intervention for Coronary Artery Disease. <b>2004</b> , 47, 736	1
487	Comparison of Real-Life Systems of Care for ST-Segment Elevation Myocardial Infarction. <b>2020</b> , 15, 66	0
486	Experience and Outcomes of Primary Percutaneous Coronary Intervention for Patients with ST-Segment Elevation Myocardial Infarction of Tertiary Care Center in Bosnia and Herzegovina. <b>2017</b> , 71, 183-187	5
485	Safety of early discharge in low risk patients after acute ST-segment elevation myocardial infarction, treated with primary percutaneous coronary intervention. Open label, randomized trial. <b>2019</b> , 163, 61-66	3
484	Impact of Exercise-based Cardiac Rehabilitation on In-stent Restenosis with Different Generations of Drug Eluting Stent. <b>2012</b> , 36, 254-61	5
483	Impact of exercise-based cardiac rehabilitation on de novo coronary lesion in patients with drug eluting stent. <b>2014</b> , 38, 256-62	2
482	Prehospital thrombolysis followed by early angiography and percutaneous coronary intervention where appropriate - an underused strategy for the management of STEMI. <b>2010</b> , 193, 234-7	4
481	Diabetes mellitus and glucose as predictors of mortality in primary coronary percutaneous intervention. <b>2014</b> , 103, 323-30	7
480	Regional QT Interval Dispersion as an Early Predictor of Reperfusion in Patients with Acute Myocardial Infarction after Fibrinolytic Therapy. <b>2019</b> , 112, 20-29	4
479	Comparing percutaneous coronary intervention and thrombolysis in patients with return of spontaneous circulation after cardiac arrest. <b>2013</b> , 68, 523-9	3
478	Relationship between Fragmented QRS and NT-proBNP in Patients with ST Elevation Myocardial Infarction Who Underwent Primary Percutaneous Coronary Intervention. <b>2018</b> , 34, 13-22	10
477	A cross sectional study of arm venous compliance in fit healthy subjects. <b>2015</b> , 3, 5	1

- 476 Factors Contributing to Door-to-Balloon Times of  $\leq 90$  Minutes in 97% of Patients with ST-Elevation Myocardial Infarction: Our One-Year Experience with a Heart Alert Protocol. **2010**, 14, 4-11 5
- 475 Predictive model of increased mortality and bed occupancy if thrombolysis becomes the initial treatment strategy for STEMI during the SARS-CoV-2 pandemic. **2020**, 20, e170-e172 1
- 474 Reducing the total ischaemic time in ST-segment elevation myocardial infarction: Every step matters. **2021**, 50, 662-665
- 473 Defining Acute Coronary Syndrome through Metabolomics. **2021**, 11, 2
- 472 PER2 Regulates Reactive Oxygen Species Production in the Circadian Susceptibility to Ischemia/Reperfusion Injury in the Heart. **2021**, 2021, 6256399
- 471 Hyphema: A Rare Complication of Periprocedural Antiplatelets and Anticoagulants Following Percutaneous Coronary Intervention. **2021**, 13, e18609
- 470 Acute Myocardial Infarction and Percutaneous Coronary Intervention: What does the Epidemiological Data of the Last Years Indicate?. **2021**,
- 469 miR-451-3p alleviates myocardial ischemia/reperfusion injury by inhibiting MAP1LC3B-mediated autophagy. **2021**, 70, 1089-1100 3
- 468 Role of glucagon-like peptide-1 agonist in patients undergoing percutaneous coronary intervention or coronary artery bypass grafting: A meta-analysis. **2021**, 11, 100063
- 467 Hepatic Remote Ischemic Preconditioning (RIPC) Protects Heart Damages Induced by Ischemia Reperfusion Injury in Mice. **2021**, 12, 713564 2
- 466 Prognostic value of infarct-related-lead Tpeak-Tend/QT ratio in patients with ST-segment elevation myocardial infarction. **2021**, 1 1
- 465 Klinik der koronaren Herzerkrankung II: Akute Koronarsyndrome. **2004**, 497-529
- 464 Conventional Catherisation. **2004**, 25-40
- 463 Acute ST-Segment Elevation Myocardial Infarction: The Open Artery and Tissue Reperfusion. **2004**, 171-194
- 462 Diagnosis of Acute Coronary Syndromes in the Emergency Department: Evolution of Chest Pain Centers. **2004**, 247-260
- 461 Facilitated Percutaneous Coronary Intervention for Acute Myocardial Infarction. **2004**, 261-276
- 460 Stem Cell Therapy for ACS: The Possibility of Myocardial Regeneration. **2004**, 649-670
- 459 Statins and Plaque Stabilization. **2004**, 521-562

- 458 Microcirculatory Dysfunction in Acute Myocardial Infarction: Evaluation, Management, and Treatment. **2004**, 629-648
- 457 Treatment of Acute Myocardial Infarction: International and Regional Differences. **2004**, 703-718
- 456 Treatment of Vulnerable Plaques. **2004**, 164-202
- 455 Recommandations concernant la reperfusion dans lẫnfarctus myocardique aigu. **2005**, 189, 143-146
- 454 Lysetherapie. **2005**, 318-329
- 453 Neuerkrankungsrate und Vorkommen chronischer Erkrankungen. **2005**, 5-22
- 452 Reperfusion coronaire dans lẫnfarctus myocardique aigu. **2005**, 189, 227-236
- 451 Reducing mortality in myocardial infarction: primary angioplasty has strong evidence base. **2005**, 330, 1271
- 450 Bleeding risk and hemorrhage. **2005**, 77-95
- 449 Heparin for ST-segment elevation myocardial infarction.
- 448 Prehospital triage and treatment of suspected acute myocardial infarction. **2006**, 19-41
- 447 General principles of fibrinolytic therapy in acute myocardial infarction. **2006**, 43-63
- 446 Heart Attacks. **2006**, 397-431
- 445 Anticoagulants as adjunctive treatment in reperfusion therapy for acute myocardial infarction. **2006**, 97-109
- 444 Risk Stratification after Acute Coronary Syndromes. **2006**, 237-246
- 443 Primary coronary intervention for acute myocardial infarction. **2006**, 65-75
- 442 AngioJet Thrombectomy for the Treatment of Coronary Artery Aneurysm after Failed Thrombolysis in Acute Myocardial Infarction. **2006**, 2, 182618680600200
- 441 Heart failure and sudden cardiac death: an unsolved problem. **2006**, 85-96



440 Aging and the Cardiovascular System. **2007**, 2439-2451

439 Akuter Myokardinfarkt. **2007**, D8.1-D8.5

438 Percutaneous Coronary Intervention for Acute Myocardial Infarction. **2007**, 1021-1030

437 Revascularization Options for Ischemic Heart Disease: Coronary Artery Bypass Grafting and Percutaneous Coronary Intervention. **2007**, 157-177

436 [Influence of the double antiplatelet therapy on patency of the occluded artery after acute myocardial infarction with ST-segment elevation]. **2007**, 64, 117-21

435 ST-Elevation Myocardial Infarction. **2007**, 246-289

434 Genetics of Ischemic Heart Disease. **2007**, 261-262

433 Percutane behandeling van coronaire atherotrombose. **2008**, 103-114

432 Revascularization and reperfusion therapy. **2008**, 61-68

431 Quality of Life of Patients with Acute Myocardial Infarction Treated with Percutaneous Coronary Intervention: Comparison of Quality of Life at Discharge and 6 Months after Discharge. **2008**, 3, 45-48

430 THE PATIENT WITH CHEST PAIN. **2008**, 117-187

429 Akutes Koronarsyndrom, Myokardinfarkt, instabile Angina pectoris. **2008**, 407-428

1

428 Neurological Manifestations of Acquired Cardiac Disease, Arrhythmias, and Interventional Cardiology. **2008**, 75-95

427 21 Het acute myocardiinfarct met ST-elevatie op het ECG. **2008**, 183-192

426 Historical Milestones in Reperfusion Therapy for Myocardial Infarction. **2008**, 1-14

425 Rescue PCI. **2008**, 118-135

424 Interhospital Transfer for Primary PCI. **2008**, 167-175

423 Antiplatelet Agents. **2008**, 176-194

422 Myocyte Protection by Pharmacological Therapy. **2008**, 233-247

421 Treatment Opportunities with Fibrinolytic Therapy. **2008**, 71-90

420 Prehospital Fibrinolysis in concert with rapid PCI. Clinical trial shows promising results for use of clot-dissolving agents in the field. **2008**, 33, 74-88

419 Revascularization and reperfusion therapy. **2009**, 69-77

418 Comparison of Reperfusion Strategies for ST Elevation Acute Myocardial Infarction: Primary Coronary Intervention Versus Fibrinolysis. **2009**, 9-25

417 Facilitated Percutaneous Coronary Intervention. **2009**, 115-133

416 Platelet Glycoprotein IIb/IIIa Receptor Blockade in Primary Coronary Intervention. **2009**, 169-194

415 Primary Coronary Intervention in Community Hospitals with Off-Site Cardiac Surgery Backup: Rationale and Steps to Quality. **2009**, 65-83

414 Primary Coronary Intervention: The Technical Approach. **2009**, 47-63

413 Overview, Rationale, and Lexicon: Primary Percutaneous Coronary Intervention in Acute Myocardial Infarction. **2009**, 1-8 1

412 Invasive Coronary Imaging. **2009**, 25-98

411 Antithrombotic Agents: Platelet Inhibitors, Anticoagulants, and Fibrinolytics. **2009**, 293-340

410 Survival benefit of the late percutaneous coronary intervention in the patients after acute myocardial infarction who are or who are not treated with thrombolysis. **2009**, 9, 54-8

409 Different treatment options in chronic coronary artery disease: when is it the time for medical treatment, percutaneous coronary intervention or aortocoronary bypass surgery?. **2009**, 106, 253-61 7

408 Fibrinolysis for Acute Myocardial Infarction. **2009**, 651-666

407 Pathophysiology Basics of Acute Myocardial Infarction. **2009**, 1-14

406 Intracoronary delivery of stem cells in patients with acute myocardial infarction. The clinical experience obtained to date and prospects. **2009**, 51, 513-519

405 Antithrombin Therapy for Acute ST-Segment Elevation Myocardial Infarction. **2010**, 235-246

404 Fibrinolysis and Facilitated PCI. **2010**, 247-257

403 Acute hypertensive pulmonary edema after Cesarean section in a patient with an antepartum myocardial infarction -A case report-. **2010**, 59 Suppl, S146-9

402 ST Segment Elevation Myocardial Infarction. **2010**, 301-310

401 Fibrinolytika. **2010**, 801-812

400 New modality for evaluating plaque characteristics of the culprit lesion in a patient with acute coronary syndrome and no reflow phenomenon. **2010**, 51, 207-10

2

399 [Acute myocardial infarction in Mid-Norway: transportation for thrombolytic treatment or primary percutaneous coronary intervention?]. **2010**, 130, 1714-6

398 Bewegungstherapie bei Herzinsuffizienz âaktuelle Forschungsergebnisse. **2010**, 97-113

397 Acute Coronary Syndromes. 1-22

396 How to Organize Networks for Invasive Treatment of STEMI. **2010**, 41-49

395 Drug-Eluting Stent. **2010**, 114-122

394 Anticoagulation Therapy. **2010**, 94-102

393 Early Discharge After Primary PCI. **2010**, 267-273

392 Oral Antiplatelet Therapy. **2010**, 73-82

391 Pharmacological Facilitation in Primary Angioplasty. **2010**, 22-29

390 Primary Angioplasty Vs. Fibrinolysis. **2010**, 1-10

389 How to Organize Networks for Invasive Treatment of STEMI. **2010**, 56-58

388 Contrast-Induced Nephropathy in Patients Undergoing Primary Angioplasty. **2010**, 250-258

387 Distal Protection Devices. **2010**, 137-143

- 386 Which Patients Should Be Transferred for Primary PCI?. **2010**, 11-21
- 385 Mechanical Prevention of Distal Embolization. **2010**, 123-136
- 384 Systems of Care for Primary Percutaneous Coronary Intervention. **2010**, 131-142
- 383 Primary Percutaneous Coronary Intervention. **2010**, 78-90
- 382 Utilization of Facilitated and Rescue Angioplasty. **2010**, 143-152
- 381 Adjunctive Pharmacologic Therapies. **2010**, 54-64
- 380 Primary Angioplasty in Health Care Delivery. **2010**, 173-178
- 379 Optimal Reperfusion Therapy. **2010**, 47-53
- 378 Primary Angioplasty in Health Care Delivery. **2010**, 166-172
- 377 Epidemiology and Historical Perspectives. **2010**, 1-8
- 376 Primary Percutaneous Coronary Intervention. **2010**, 65-77
- 375 Primary Angioplasty. **2010**, 126-130
- 374 Percutaneous Coronary Intervention for Acute Myocardial Infarction. 356-369
- 373 ST Elevation Myocardial Infarction. **2011**, 227-241
- 372 Acute Coronary Syndromes and Myocardial Infarction. 234-255
- 371 ??????????????3????????????? : ??????????(1.????????????????????,?74?????????????). **2010**, 18, 209-215
- 370 Pharmakotherapie. **2011**, 105-141
- 369 Use of Thrombectomy Devices in Primary Percutaneous Interventions for ST-elevation Myocardial Infarction - An Update. **2014**, 9, 102-107

368 Percutaneous coronary intervention. **2011**, 434-443

367 Management of ST-elevation myocardial infarction. **2011**, 474-484

366 Akutes Koronarsyndrom, Myokardinfarkt, instabile Angina pectoris. **2011**, 411-431

365 PCI Versus Medical Therapy for Stable Angina. **2011**, 206-209

364 Acute Coronary Syndromes. **2011**, 548-558

363 Acute coronary syndromes. **2011**, 459-467

362 Bleeding complications and transfusion in acute coronary syndrome. **2011**, 633-640

361 Thrombolytics. **2011**, 1475-1482

360 Percutaneous coronary interventions for acute myocardial infarction. **2011**, 6, 883-8

359 Primary and Rescue PCI in Acute Myocardial Infarction. 242-261

358 Indirect mitral annuloplasty: a feasible or a mirage technology. **2011**, 7, 19-21

357 Acute Coronary Syndromes. **2012**, 19-50

356 Coronary Plaque Rupture in Patients with Acute. **2011**, 49-67

355 Thrombolytic Intervention. **2012**, 142-158

354 Evidence-Based Interventional Practice. **2012**, 16-29

353 9 Hartziekten. **2012**, 113-135

352 Microvascular Obstruction: The No-Reflow Phenomenon in Animal Models of Myocardial Ischemia and Reperfusion. **2012**, 29-50

351 Calcium Handling in hiPSC-Derived Cardiomyocytes. **2012**, 1-47

- 350 Percutaneous Coronary Intervention in Acute ST Segment Elevation Myocardial Infarction. **2012**, 237-262
- 349 Cardiac Catheter Laboratory. **2012**, 103-133
- 348 Krankheiten des Herzens. **2012**, 335-393
- 347 Comparison between primary angioplasty and thrombolytic therapy on erectile dysfunction after acute ST elevation myocardial infarction. **2012**, 14, 784-7 1
- 346 Treatment algorithm in patients with stable angina. **2012**, 312-330
- 345 Interventional perspectives on the management of advanced stable coronary artery disease. **2012**, 385-393
- 344 Vitamin K Antagonists. 166-179
- 343 Thrombolytic Therapy and Concomitant Antithrombotic Therapies. 189-204
- 342 Restenosis and Drug-Eluting Stents. **2013**, 168-183
- 341 Review of the two-years work of catheterization laboratory in General hospital Uzice. **2013**, 32, 214-218 1
- 340 The Role of the Transradial Approach for Complex Coronary Interventions in Patients with Acute Coronary Syndrome. **2013**, 8, 81-86 1
- 339 Assessing Safety of CABG in the Era Post Primary PCI, an Outcome Analysis of STEMI Population. **2013**, 03, 15-22
- 338 Stent Choice in Patients Undergoing Primary Percutaneous Coronary Intervention. **2013**, 313-320 1
- 337 Coronary artery bypass grafting in patient with acute myocardial infarction. **2013**, 19, 201-204
- 336 Prozedurale Komplikationen. **2013**, 21-82
- 335 Possibilities for improving primary percutaneous coronary interventions in the Health Center UĹe. **2013**, 32, 309-312
- 334 Heparin for ST-segment elevation myocardial infarction.
- 333 Genetic and Epigenetic Basis of Myocardial Ischemia and Reperfusion Injury. **2013**, 35-60

- 332 Acute Coronary Syndromes. **2014**, 15-36 1
- 331 Interventional Management of Acute Myocardial Infarction. **2014**, 207-220
- 330 Reperfusion Strategies in Sudden Cardiac Arrest. **2014**, 103-108
- 329 Interventional Management of Coronary Artery Disease: Acute Coronary Syndromes. **2014**, 1-43
- 328 Medical Practice Variations in Acute Myocardial Infarction. **2014**, 1-19
- 327 MGuard Embolic Protection Stent - The Importance of Thrombus Management in ST-elevation Myocardial Infarction Primary Percutaneous Coronary Intervention: Proceedings of STEMI symposium at EuroPCR on 20-23rd May 2014 in Paris. **2014**, 9, 168-174
- 326 Acute cardiac syndromes, investigations and interventions. **2014**, 167-190.e4
- 325 Long-term Clinical Outcomes after Primary Percutaneous Coronary Intervention in Patients with Acute Myocardial Infarction-on the basis of 65 Years. **2014**, 14, 251-261 2
- 324 Akutes Koronarsyndrom, Myokardinfarkt, instabile Angina pectoris. **2015**, 671-694
- 323 Weighting of Acute Myocardial Infarction Quality Indicators using Delphi Method. **2014**, 28, 565-573 0
- 322 Six months outcome of rescue percutaneous coronary intervention compared to conservative treatment in patients with ST-segment elevation myocardial infarction with failed fibrinolytic therapy. **2015**, 3, 4
- 321 Clinical and prognostic correlates of St-elevation myocardial infarction patients with normal coronary angiography. **2015**, 35, 135 0
- 320 The relationship between grade of ischemia, success of reperfusion, and type of thrombolytic regimen. **2015**, 21, 716-21 2
- 319 Intensivtherapie bei akutem Koronarsyndrom, Myokardinfarkt und instabiler Angina pectoris. **2015**, 1-40
- 318 Interventional Strategies in Thrombus Management for ST Elevation Myocardial Infarction. **2015**, 10, 35-38 1
- 317 'Stent for Life' initiative and 4-years experience of cath lab in Uzice. **2015**, 34, 77-81
- 316 Vascular Pathology and Interventional Treatments. **2015**, 303-325
- 315 Interventional Management of Coronary Artery Disease: Acute Coronary Syndromes. **2015**, 2071-2107

- 314 Optimal Management of Multivessel CAD: PCI Versus CABG Surgery Versus Medical Therapy Alone. **2015**, 203-219
- 313 Healthcare Exceptionalism? Performance and Allocation in the U.S. Healthcare Sector.
- 312 Ebstein anomaly in the adult: focus on pregnancy. **2015**, 3, 7
- 311 Mean platelet volume in acute myocardial infarction: a case-controlled study. **2015**, 3, 6
- 310 Tools and techniques - statistical: it's statistically significant, but is it clinically relevant?. **2015**, 10, 1368-9 1
- 309 Pilot of Prehospital Thrombolysis in ST Elevation Myocardial Infarction. **2015**, 6,
- 308 [Prehospital thrombolysis: A national perspective. Pharmaco-invasive strategy for early reperfusion of STEMI in Mexico]. **2015**, 85, 307-17
- 307 Clinical Outcome Comparison of Everolimus- and Biolimus-eluting Stents in Patients with Acute Myocardial Infarction. **2015**, 89, 418-427
- 306 Acute Coronary Syndromes. **2016**, 117-128
- 305 In-Lab Upfront Use of Tirofiban May Reduce the Occurrence of No-Reflow During Primary Percutaneous Coronary Intervention. A Pilot Randomized Study. **2016**, 107, 403-410 4
- 304 Comparison of the Signal-averaged ECG after Primary Percutaneous Coronary Intervention according to Thrombus Aspiration in ST Elevation Myocardial Infarction. **2016**, 90, 26-31
- 303 [Primary angioplasty in diabetic and non-diabetic patients with acute myocardial infarction: Predictors of mortality]. **2016**, 86, 11-7
- 302 Revascularization in cardiogenic shock and severe CHF complicating acute myocardial infarction. **2016**, 22, 175-180 1
- 301 The randomised Complete versus Lesion-only Primary percutaneous coronary Intervention Trial: Cardiovascular Magnetic Resonance imaging substudy (CvLPRIT-CMR). **2016**, 3, 1-72 1
- 300 New four patch repair [Modified Brom's] technique for supra-avalvular aortic stenosis. **2016**, 4, 1
- 299 Angioplastie coronaire, coronarographie et pontage aorto-coronarien en France : une approche gèographique. **2016**, 200, 497-513
- 298 [Primary percutaneous interventions into the coronary arteries in patients with diabetes mellitus]. **2016**, 88, 35-39
- 297 Looking Beyond Reperfusion. **2016**, 7,



296 Akute Koronarsyndrome. **2017**, 255-273

295 Cardiogenic Shock. **2017**, 163-207

294 Cardiac Rehabilitation After Acute Myocardial Infarction: The Influence of Psychosocial Disorders. **2017**, 169-179

293 Acute Coronary Syndrome. **2017**, 140-184

292 Primary PCI In St-Elevation Myocardial Infarction. **2017**, 521-533

291 Case Report of the Patient with Acute Myocardial Infarction: "from Flatline to Stent Implantation" **2017**, 34, 329-337

290 Current Indications for Stenting: Symptoms or Survival. **2018**, 14, 7-13

289 GENDER DIFFERENCES IN OUTCOME FOLLOWING PRIMARY PERCUTANEOUS CORONARY INTERVENTION. **2018**, 7, 578-584

288 Optimal Strategies for Mitigating Sudden Cardiac Death Risk in At-risk Patients with Structural Heart Disease. **2018**, 9, 3025-3032

287 Utilization of PCI After Fibrinolysis. **2018**, 53-67

286 Observational study comparing pharmacoinvasive strategy with primary percutaneous coronary intervention in patients presenting with ST elevation myocardial infarction to a tertiary care centre in India. **2018**, 64, 80-85 2

285 Qualitätssicherung im Rettungsdienst Baden-Württemberg. **2018**, 233-243 0

284 Role of Intravascular Imaging in Primary PCI. **2018**, 179-195

283 Comparison of radial vs femoral approach in patients with st-segment elevation acute myocardial infarction in a code-stemi program. **2018**, 11,

282 Association Between System Factors and Acute Myocardial Infarction Mortality. **2018**, 111, 556-564 1

281 [Deferred versus immediate stenting in patients with ST - segment elevation myocardial infarction and residual large thrombus burden reclassified in the culprit lesion]. **2018**, 88, 432-440 0

280 Contrast Induced Nephropathy after Radial or Femoral Access for Invasive Management of Acute Coronary Syndrome. **2019**, 09, 572-583

279 Comparative Analysis between Transferred and Self-Referred STEMI Patients Undergoing Primary Angioplasty. **2019**, 112, 402-407 0

- 278 Short-and Long-term Follow-up in the Elderly Patients With ST-elevation Myocardial Infarction Receiving Primary Angioplasty or Thrombolytic Therapy. **2019**, 4, 10-15
- 277 The role of vascular center in implementation of regional program of specialized medical care under acute coronary syndrome. **2019**, 60, 116-120 1
- 276 Applying WCACG modified process is beneficial on reduced door-to-balloon time of acute STEMI patients. **2019**, 9, 10 2
- 275 Infarto del miocardio: diagnosi, gestione e complicanze. **2019**, 21, 1-14
- 274 Infarto de miocardio: diagnóstico, tratamiento y complicaciones. **2019**, 23, 1-14
- 273 Pentraxin Level is the Key to Determine Primary Percutaneous Coronary Intervention (PCI) or Fibrinolysis. **2019**, 19, 160-168 1
- 272 PREDICTORS OF CORONARY SLOW FLOW OR NO REFLOW PHENOMENA AFTER PRIMARY PERCUTANEOUS CORONARY INTERVENTION. **2019**, 6, 2281-2285
- 271 An Investigation into the Relationship between N-Terminal Pro B-Type Natriuretic Peptide (NT-proBNP) and Fragmented QRS in Patients with Chronic Heart Failure. **2019**, 8, 2658-2661
- 270 The effect of coronary stent type on the long-term results of coronary artery bypass surgery after stenting clinically related artery in acute coronary syndrome in patients with multivessel coronary artery disease. **2019**, 34, 144-152
- 269 Impact of Smoking Status on Hospital Outcome of Patients with ST-Segment Elevation Myocardial Infarction Either Treated by Pharmaco-Invasive Strategy or Primary Percutaneous Coronary Intervention. **2020**, 10, 347-356
- 268 The Value of UA NLR in Predicting the Prognosis of Patients with Acute Myocardial Infarction after PCI. **2020**, 10, 2009-2016
- 267 [Coronary artery bypass grafting in non-ST-segment elevation acute myocardial infarction]. **2020**, 26, 142-149
- 266 The Utility of New Biomarker-based Predictive Model for Clinical Outcomes Among ST-elevation Myocardial Infarction Patients. **2020**, 10, 23-37
- 265 Retention in HIV/AIDS Management Services: is it Really Poor? The Case of Yaounde Central Hospital in Cameroon. **2020**, 9, 207-212
- 264 Cardioprotective effect of acupuncture for percutaneous coronary intervention-related myocardial injury in patients with coronary artery disease: A protocol for systematic review and meta-analysis. **2020**, 99, e20135
- 263 Outcome at Six Months After Primary Percutaneous Coronary Interventions Performed at a Rural Satellite Center of Sindh Province of Pakistan. **2020**, 12, e8345 0
- 262 Role of ischemic preconditioning in cardioprotective mechanisms of mCRP deposited myocardium in a rat model.
- 261 Frequency and determinants of timely arrival among patients of acute myocardial infarction at a public sector tertiary care hospital in Karachi. **2020**, 36, 914-919

260	STEMI Mimics. <b>2020</b> , 53-67	
259	Human-Computer Agreement of Electrocardiogram Interpretation for Patients Referred to and Declined for Primary Percutaneous Coronary Intervention: Retrospective Data Analysis Study (Preprint).	
258	Am I Getting the Influenza Shot Too?: Influenza Vaccination as Post-Myocardial Infarction Care for the Prevention of Cardiovascular Events and Death. <b>2021</b> , 144, 1485-1488	4
257	Transfer of Patients with ST Elevation Myocardial Infarction for Primary Percutaneous Coronary Intervention During Ordinary & Pandemic Times Position statement of the Saudi Arabian Cardiac Intervention Society. <b>2020</b> , 32, 483-489	
256	Risk factors of contrast-induced nephropathy in patients with STEMI and pump failure undergoing percutaneous coronary intervention. <b>2021</b> , 21, 140	1
255	Inferior ST-elevation myocardial infarction managed with a pharmacoinvasive strategy and conservative management of delayed atrioventricular block: classical case report. <b>2020</b> , 4, 1-7	
254	Association of culprit lesion plaque characteristics with flow restoration post-fibrinolysis in ST-segment elevation myocardial infarction: an intravascular ultrasound-virtual histology study. <b>2020</b> , 72, 86	1
253	The use of reperfusion therapy in a transition country without fully applicable pharmaco-invasive strategy. <b>2020</b> , 90-90	0
252	Desfechos clínicos de pacientes após uso de terapia fibrinolítica pré-hospitalar: revisão sistemática. <b>2020</b> , 33,	0
251	Telematic Support of Management Processes in Diagnosis and Treatment of Acute Myocardial Infarction in Poland. <b>2020</b> , 443-455	1
250	Acute Coronary Syndrome and Myocardial Infarction. <b>2020</b> , 131-140	
249	Prozedurale Komplikationen. <b>2020</b> , 25-98	
248	Extractos de los documentos de posicionamientos y recomendaciones mexicanas en enfermedades cardiovasculares y COVID-19. <b>2020</b> , 31, 271-283	
247	Management of Processes of the Diagnosis and Treatment of Acute Myocardial Infarction Using Telematics Systems. <b>2020</b> , 429-442	1
246	Acute ST Elevation Myocardial Infarction. <b>2020</b> , 111-123	
245	Ten reasons why every junior doctor should spend time working in a remote and rural hospital. <b>2020</b> , 7, 12-14	1
244	Safety of returning patients immediately to their originating hospitals after primary percutaneous coronary intervention. <b>2020</b> , 32, 2-7	1
243	Relation of Pain-to-Balloon Time and Mortality in Patients With ST-Segment Elevation Myocardial Infarction Undergoing Primary Percutaneous Coronary Intervention. <b>2021</b> ,	1

- 242 PCI post-thrombolysis. **2020**, 107-110
- 241 Development of Primary Percutaneous Coronary Intervention as a National Reperfusion Strategy for Patients with ST-Elevation Myocardial Infarction and Assessment of Its Use in Egypt. **2020**, 4, 269-278 0
- 240 Krankheiten des Herzens. **2008**, 311-373
- 239 Koronarinsuffizienz und Herzinfarkt. **2005**, 3-33
- 238 Interventionelle Kardiologie. **2005**, 272-295
- 237 Koronare Herzkrankheit âakute Verlaufsformen. **2006**, 169-201
- 236 Diagnostik und interventionelle Therapie der koronaren Herzkrankheit. **2006**, 230-249
- 235 Lyse. **2006**, 249-287
- 234 Paradigmenwechsel in der Diagnostik und Therapie des Herzinfarkts. **2007**, 127-140
- 233 Fibrinolyse. 113-121
- 232 WeChat Group of Chest Pain Center for Patients with Acute ST-segment Elevation Myocardial Infarction: Faster Treatment Speed and Better Prognosis. **2020**, 5, 97-102
- 231 Clinical Profile and Outcomes of Patients Undergoing Primary Percutaneous Coronary Intervention in Employee Scheme Insurance Beneficiaries in India. **2020**, 7, 2685-2689
- 230 FAILURE OF THROMBOLYSIS WITH STREPTOKINASE IN ACUTE MYOCARDIAL INFARCTION USING ECG CRITERIA: AN OBSERVATIONAL STUDY. **2020**, 1-3
- 229 Primary angioplasty for ST-segment elevation myocardial infarction: ready for prime time?. **2003**, 169, 32-5 5
- 228 Rising to the challenge: transforming the treatment of ST-segment elevation myocardial infarction. **2003**, 169, 35-7 6
- 227 Is transfer for primary angioplasty better than on-site fibrinolytic therapy for acute myocardial infarction?. **2003**, 169, 695
- 226 Tailoring therapy to best suit ST-segment elevation myocardial infarction: searching for the right fit. **2003**, 169, 925-7 2
- 225 The open-artery hypothesis revisited. **2006**, 33, 345-52 2

224	Recommendations on percutaneous coronary intervention for the reperfusion of acute ST elevation myocardial infarction. <b>2004</b> , 90, e37	3
223	Prothrombotic markers and early spontaneous recanalization in ST-segment elevation myocardial infarction. <b>2007</b> , 98, 420-6	14
222	Coronary care medicine: it's not your father's CCU anymore. <b>2004</b> , 115, 123-34; discussion 134-5	3
221	Reperfusion times for ST elevation myocardial infarction: a prospective audit. <b>2007</b> , 10, 75-80	2
220	Cardiologists' and emergency physicians' perspectives on and knowledge of reperfusion guidelines pertaining to ST-segment-elevation myocardial infarction. <b>2008</b> , 35, 152-61	6
219	Thrombolytic therapy for myocardial infarction facilitated by mobile coronary care. <b>2004</b> , 73, 77-84	
218	Statin therapy and mortality in patients with ST-segment elevation myocardial infarction treated with primary angioplasty. <b>2004</b> , 12, 271-278	2
217	The practicing physician's current perspective on therapeutic options in coronary artery disease. <b>2005</b> , 13, 274-279	
216	Do we need the cardiologist in the prehospital triage for STEMI?. <b>2005</b> , 13, 293-294	
215	Safety and feasibility of prehospital thrombolysis in combination with active rescue PCI strategy for acute ST-elevation myocardial infarction. <b>2005</b> , 13, 300-304	4
214	DANAMI-2: the end of the thrombolytic era. <b>2003</b> , 11, 437-439	
213	The diagnosis and treatment of the no-reflow phenomenon in patients with myocardial infarction undergoing percutaneous coronary intervention. <b>2008</b> , 13, 121-8	28
212	The use of risk scores for stratification of non-ST elevation acute coronary syndrome patients. <b>2009</b> , 14, e25-30	12
211	Factors associated with false-positive emergency medical services triage for percutaneous coronary intervention. <b>2009</b> , 10, 208-12	11
210	Myocardial infarction (ST-elevation). <b>2009</b> , 2009,	2
209	Efficacy and safety of drug-eluting stents in patients with acute ST-segment-elevation myocardial infarction: a meta-analysis of randomized controlled trials. <b>2010</b> , 37, 516-24	21
208	Quality measure study: progress in reducing the door-to-balloon time in patients with ST-segment elevation myocardial infarction. <b>2010</b> , 69, 242-6	7
207	Coronary revascularization in diabetic patients: Current state of evidence. <b>2011</b> , 16, 16-22	13

206	Should geographic analyses guide the creation of regionalized care models for ST-segment elevation myocardial infarction?. <b>2010</b> , 4, e22-5	
205	Access to primary percutaneous coronary intervention for ST-segment elevation myocardial infarction in Canada: a geographic analysis. <b>2010</b> , 4, e13-21	12
204	Primary Percutaneous Coronary Intervention (PPCI) in acute myocardial infarction complicated with cardiogenic shock in a newly emerging cardiac center in Nepal. <b>2009</b> , 14, 123-7	
203	B-Type Natriuretic Peptide (BNP) and Left Ventricular (LV) Function in Patients with ST-Segment Elevation Myocardial Infarction (STEMI). <b>2010</b> , 5, 243-9	1
202	Myocardial infarction (ST-elevation). <b>2011</b> , 2011,	1
201	Myocardial infarction in the elderly. <b>2011</b> , 2, 116-37	20
200	Primary Angioplasty for the Treatment of Acute ST-Segment Elevated Myocardial Infarction: An Evidence-Based Analysis. <b>2004</b> , 4, 1-65	2
199	Initial clinical outcomes of intracoronary infusion of autologous progenitor cells in patients with acute myocardial infarction. <b>2012</b> , 7, 162-7	5
198	MicroRNAs in ischemia-reperfusion injury. <b>2012</b> , 2, 237-47	52
197	Effects of streptokinase on reflow in rescue percutaneous coronary intervention. <b>2013</b> , 9, 22-8	
196	Primary percutaneous coronary intervention in the Isfahan province, Iran; A situation analysis and needs assessment. <b>2013</b> , 9, 38-44	6
195	"Lone aspiration thrombectomy" without stenting in young patients with ST elevation myocardial infarction. <b>2013</b> , 3, 71-8	4
194	Manual vs mechanical thrombectomy during PCI for STEMI: a comprehensive direct and adjusted indirect meta-analysis of randomized trials. <b>2013</b> , 3, 146-57	8
193	Early clinical outcomes of primary percutaneous coronary intervention in bharatpur, Nepal. <b>2013</b> , 8, 103-7	
192	Risk Factors of Reperfusion Failure following Primary Angioplasty for ST-Segment Elevation Myocardial Infarction (STEMI). <b>2013</b> , 8, 146-51	
191	Development and course of heart failure after a myocardial infarction in younger and older people. <b>2014</b> , 11, 1-12	15
190	The prognosis of primary percutaneous coronary intervention after one year clinical follow up. <b>2013</b> , 7, 21-4	
189	In-hospital outcomes after primary percutaneous coronary intervention according to left ventricular ejection fraction. <b>2014</b> , 10, 211-7	6

188	High tenascin-C levels cause inadequate myocardial blush grade in patients with acute myocardial infarction. <b>2015</b> , 8, 2554-61	3
187	Effect of Melatonin on Cardiac Injury after Primary Percutaneous Coronary Intervention: a Randomized Controlled Trial. <b>2015</b> , 14, 851-5	12
186	Spontaneous Retro-Orbital Subperiosteal Hemorrhage with Complete Resolution Following Percutaneous Coronary Intervention for Acute Myocardial Infarction. <b>2013</b> , 29, 181-4	3
185	Thrombolysis Followed by Early Percutaneous Coronary Intervention via Transradial Artery Approach in Patients with ST-Segment Elevation Infarction. <b>2014</b> , 30, 284-91	3
184	Facilitated Percutaneous Coronary Intervention in STEMI Patients: Does It Work in Asian Patients?. <b>2014</b> , 30, 292-7	
183	Impact of Admission Glucose on Non-Diabetic Patients with ST-Segment Elevation Myocardial Infarction Treated with Percutaneous Coronary Intervention: A Meta-Analysis. <b>2016</b> , 32, 194-204	1
182	Optimizing care for ST-elevation myocardial infarction patients: application of systems engineering. <b>2016</b> , 13, 883-887	1
181	Early vs Late Coronary Angiography and Intervention Following Thrombolytic Therapy; a Cohort Study. <b>2017</b> , 5, e32	
180	Intracoronary hypothermia for acute myocardial infarction in the isolated beating pig heart. <b>2017</b> , 9, 558-568	8
179	Predictors of in-Hospital Mortality of ST-Segment Elevation Myocardial Infarction Patients Undergoing Interventional Treatment. An Analysis of Data from the RO-STEMI Registry. <b>2015</b> , 10, 295-303	6
178	Combined thrombectomy and intracoronary administration of glycoprotein IIb/IIIa inhibitors improves myocardial reperfusion in patients undergoing primary percutaneous coronary intervention: a meta-analysis. <b>2017</b> , 14, 614-623	3
177	Transformation of Heart Attack Care: A Primary Percutaneous Coronary Intervention Service for Northern Ireland. <b>2019</b> , 88, 36-40	1
176	Correlates of the "No-Reflow" or "Slow-Flow" Phenomenon in Patients Undergoing Primary Percutaneous Coronary Intervention. <b>2018</b> , 13, 108-114	9
175	Intracoronary arterial retrograde thrombolysis with percutaneous coronary intervention: a novel use of thrombolytic to treat acute ST-segment elevation myocardial infarction. <b>2019</b> , 16, 458-467	
174	Reteplase versus Streptokinase in Management of ST-segment Elevation Myocardial Infarction; a Letter to the Editor. <b>2019</b> , 3, e34	1
173	The Romanian National Registry of non-ST Elevation Acute Coronary Syndromes - Design and Rationale. <b>2019</b> , 14, 191-195	
172	Effects of National Hospital Accreditation in Acute Coronary Syndrome on In-Hospital Mortality and Clinical Outcomes. <b>2020</b> , 36, 416-427	1
171	Cardiovascular Manifestations of COVID-19. <b>2020</b> , 21, 171-186	3

- 170 Impact of admission hours on each stage of care and total reperfusion delays in patients with ST elevation myocardial infarction. **2021**, 11, 382-390
- 169 The Anatomy of a Hospital System Merger: The Patient Did Not Respond Well to Treatment.
- 168 Macrophages in Ischemic Heart Failure: Yesterday, Today, and Tomorrow. **2021**, 1, 128-134 1
- 167 The CADILLAC risk score accurately identifies patients at low risk for in-hospital mortality and adverse cardiovascular events following ST elevation myocardial infarction. **2021**, 21, 533
- 166 The Magnitude of the Survival Benefit of Internal Thoracic Artery Grafting: Absolute Risk Reduction. **2021**,
- 165 Trial and Error: Code, Guideline, or Recommendation? Implementation of Endovascular Thrombectomy Trial Data in Clinical Practice and the Future of Endovascular Trial Design. **2021**, 10, e023083
- 164 Otimizando o Tratamento para o Infarto Agudo do Miocárdio, um Esforço Contínuo. **2021**, 117, 1079-1080
- 163 Incidence and Long-Term Outcomes of Stroke in Patients Presenting With ST-Segment Elevation-Myocardial Infarction: Insights From the Midwest STEMI Consortium. **2021**, 10, e022489 0
- 162 Diagnosis and management of acute coronary syndromes.. **2021**, 44, 180-184
- 161 Energy-sparing by 2-methyl-2-thiazoline protects heart from ischaemia/reperfusion injury. **2021**, 1
- 160 Management of Acute Coronary Syndrome in the COVID Era.. **2021**, 17, 16-21 0
- 159 Effects of cardiac surgical support on long-term outcomes of emergent or complex percutaneous coronary intervention cases: a sub-analysis of the SHINANO 5-year registry.. **2022**,
- 158 2021 ACC/AHA/SCAI Guideline for Coronary Artery Revascularization: A Report of the American College of Cardiology/American Heart Association Joint Committee on Clinical Practice Guidelines.. **2021**, 42
- 157 No-reflow phenomenon and in vivo cholesterol crystals combined with lipid core in acute myocardial infarction.. **2022**, 38, 100953 0
- 156 Safety and Efficacy of Pharmaco-invasive Approach Using Streptokinase Compared With Primary Percutaneous Coronary Angiography. **2021**, 20, 149-154
- 155 The effect of postdilatation on coronary blood flow and inhospital mortality after stent implantation in st-segment elevation myocardial infarction patients. **2021**, 7, 132
- 154 Progress in regional systems of care for STEMI in low- and middle-income countries. **2021**, 7, 11-14
- 153 Drug-coated balloon versus drug-eluting stent in acute myocardial infarction: A protocol for systematic review and meta-analysis. **2021**, 100, e27259



152	Análisis de la atención al infarto con elevación del segmento ST en España. Resultados del Registro de Código Infarto de la ACI-SEC. <b>2021,</b>	0
151	ST-Segment Elevation Myocardial Infarction. <b>2022, 38-73</b>	
150	The impact of regional STEMI systems on protocol use and quality improvement initiatives in community hospitals without cardiac catheterization laboratories. <b>2022, 13, 100077</b>	
149	Nudging within learning health systems: next generation decision support to improve cardiovascular care.. <b>2022,</b>	4
148	Reducing the Wire Crossing Time in Primary Percutaneous Coronary Angioplasty: A Study From a Tier II City in India.. <b>2022, 14, e21539</b>	
147	Analysis of the management of ST-segment elevation myocardial infarction in Spain. Results from the ACI-SEC Infarction Code Registry.. <b>2022,</b>	0
146	Impact of COVID-19 on Acute MI and Percutaneous Coronary Intervention Rates and Outcomes in South East Asia and the Middle East. 1,	2
145	Intramyocardial Hemorrhage and the "Wave Front" of Reperfusion Injury Compromising Myocardial Salvage.. <b>2022, 79, 35-48</b>	4
144	European Society of Cardiology: cardiovascular disease statistics 2021.. <b>2022,</b>	22
143	Validated Impacts of N6-Methyladenosine Methylated mRNAs on Apoptosis and Angiogenesis in Myocardial Infarction Based on MeRIP-Seq Analysis.. <b>2021, 8, 789923</b>	1
142	Prehospital identification of ST-segment elevation myocardial infarction and mortality (ANZACS-QI 61).. <b>2022, 9,</b>	
141	2021 ACC/AHA/SCAI Guideline for Coronary Artery Revascularization: A Report of the American College of Cardiology/American Heart Association Joint Committee on Clinical Practice Guidelines. <b>2021, CIR0000000000001038</b>	23
140	Laser debulking of complex and resistant atherosclerotic plaques in acute coronary syndromes. <b>2022, 271-298</b>	
139	Analysis of disparity in treatment delays is a major determinant of healthcare quality improvement.. <b>2022, 23, 165-166</b>	
138	Interobserver Variability Among Experienced Electrocardiogram Readers To Diagnose Acute Thrombotic Coronary Occlusion In Patients with Out of Hospital Cardiac Arrest: Impact of Metabolic Milieu and Angiographic Culprit.. <b>2022,</b>	1
137	Effects of early myocardial reperfusion and perfusion on myocardial necrosis/dysfunction and inflammation in patients with ST-segment and non-ST-segment elevation acute coronary syndrome: results from the PLATelet inhibition and patients Outcomes (PLATO) trial.. <b>2022,</b>	
136	Short- and Long-Term Outcomes in Patients With Right Ventricular Infarction According to Modalities of Reperfusion Strategies in China: Data From China Acute Myocardial Infarction Registry.. <b>2022, 9, 741110</b>	0
135	[Analysis of clinical phenomena and changes in physico-chemical properties of the blood in mentally ill children]. <b>1975, 17, 313-28</b>	

- 134 Ursolic acid stimulates UCP2 expression and protects H9c2 cells from hypoxia-reoxygenation injury via p38 signaling. **2018**, 43, 857-865 5
- 133 Left distal radial artery approach versus conventional radial artery for coronary angiography. **2021**, 60-66
- 132 Advances in the treatment of ST Elevation Myocardial Infarction in the UK.. **2022**, 11, 20480040221075519 0
- 131 Cangrelor in STEMI as a bridge to CABG- a mini-case series. **2022**, 13, 100122
- 130 Diagnosis and Treatment of Acute Coronary Syndromes: A Review.. **2022**, 327, 662-675 10
- 129 Impact of paramedic education on door-to-balloon times and appropriate use of the primary PCI pathway in ST-elevation myocardial infarction.. **2022**, 12, e046231
- 128 In-hospital death among patients undergoing percutaneous coronary intervention: A root-cause analysis.. **2022**,
- 127 Stent farmacológico y régimen contemporáneo de doble antiagregación plaquetaria en el IAMCEST revascularizado. ¿Los tiempos están cambiando?. **2022**,
- 126 Effects of Door-In to Door-Out Time on Mortality Among ST-Segment Elevation Myocardial Infarction Patients Transferred for Primary Percutaneous Coronary Intervention - Systematic Review and Meta-Analysis.. **2022**, 4, 109-115 1
- 125 Impact of COVID-19 on Acute Myocardial Infarction Care. **2022**, 1
- 124 Administration of intracoronary adenosine before stenting for the prevention of no-reflow in patients with ST-elevation myocardial infarction.. **2022**, 56, 23-27 0
- 123 Impact of Door-to-Balloon Time Reduction Depending on the Killip Classification in Patients with ST-Segment Elevation Myocardial Infarction Transported by Emergency Medical Services.. **2022**, 63, 226-234
- 122 Association of Admission Time and Mortality in STEMI Patients: A Systematic Review and Meta-analysis.
- 121 Berberine alleviates myocardial ischemia-reperfusion injury by inhibiting inflammatory response and oxidative stress: the key function of miR-26b-5p-mediated PTGS2/MAPK signal transduction.. **2022**, 60, 652-663 2
- 120 Predictors of quality of life after revascularization for ischemic heart disease: A systematic review. **2022**, 2, 100017 0
- 119 Mechanical thrombectomy with retrievable stents and aspiration catheters for acute ischaemic stroke: a meta-analysis of randomised controlled trials. **2021**, 2
- 118 Mechanisms of Electroacupuncture Pretreatment in Alleviating Myocardial Ischemia Reperfusion Injury: Interactions between the Cerebellar Fastigial Nucleus and Lateral Hypothalamic Area. **2021**, 14, 207-218 0
- 117 Practical Aspects of the Use of Telematic Systems in the Diagnosis of Acute Coronary Syndrome in Poland.. **2022**, 58, 1

116	'Routine intravascular ultrasound evaluation and change in stenting strategy in primary percutaneous intervention (RIST PCI)'.. <b>2022</b> , 1-7	1
115	Dexmedetomidine promotes cell proliferation and inhibits cell apoptosis by regulating LINC00982 and activating the phosphoinositide-3-kinase (PI3K)/protein kinase B (AKT) signaling in hypoxia/reoxygenation-induced H9c2 cells.. <b>2022</b> , 13, 10159-10167	
114	Custodiol-HTK Solution Vs. Conventional Cardioplegia for Myocardial Protection During Coronary Artery Bypass Grafting Following Recent ST-Elevation Myocardial Infarction. <b>2022</b> , 6, 97	
113	Immediate versus staged revascularisation of non-culprit arteries in patients with acute coronary syndrome: a systematic review and meta-analysis.. <b>2022</b> , 1	0
112	Adenosine in Acute Myocardial Infarction-Associated Reperfusion Injury: Does it Still Have a Role?. <b>2022</b> , 13,	2
111	Intracoronary pharmacological therapy versus aspiration thrombectomy in STEMI (IPAT-STEMI): A systematic review and meta-analysis of randomized trials.. <b>2022</b> , 17, e0263270	2
110	Primary and Rescue PCI in STEMI. <b>2022</b> , 154-166	
109	Variation in revascularisation use and outcomes of patients in hospital with acute myocardial infarction across six high income countries: cross sectional cohort study.. <b>2022</b> , 377, e069164	3
108	Drug-eluting stents and contemporary dual antiplatelet therapy in revascularized STEMI. The times they are a-changin'?. <b>2022</b> ,	
107	Part 5: Acute Coronary Syndromes. <b>2005</b> , 112,	2
106	Antithrombotic agents: Platelet inhibitors, acute anticoagulants, fibrinolytics, and chronic anticoagulants. <b>2013</b> , 332-397	1
105	YEAR RESULTS OF EJECTION FRACTION IN PATIENTS WITH ACUTE CORONARY SYNDROME AFER MULTIVESSEL PERCUTANEOUS TRANSLUMINAL ANGIOPLASTY. <b>2019</b> , 46-53	
104	"Goldilocks" Approach to Deferred Stenting in ST-Segment-Elevation Myocardial Infarction.. <b>2022</b> , 11, e025947	
103	Impact of myocardial revascularization on long-term outcomes in a nationwide cohort of first acute myocardial infarction survivors. <b>2022</b> , 24, C225-C232	
102	Prognostic value of a novel dNLR-PNI score in patients with acute coronary syndrome undergoing percutaneous coronary intervention. 026765912210906	
101	MIR22HG Aggravates Oxygen-Glucose Deprivation and Reoxygenation-Induced Cardiomyocyte Injury through the miR-9-3p/SH2B3 Axis. <b>2022</b> , 2022, 1-13	1
100	Association of Rural Hospital Admissions with Access, Treatment, and Mortality for Patients with Acute Myocardial Infarction in Shanxi, China. <b>2022</b> , 19, 6382	
99	Sex differences in time trends in acute coronary syndrome management and in 12-month lethality: Data from the French MONICA registries. <b>2022</b> ,	0

- 98 Outcomes of Thrombus Aspiration During Primary Percutaneous Coronary Intervention for ST-Elevation Myocardial Infarction.
- 97 Using real world evidence to generate cost-effectiveness analysis of fibrinolytic therapy in patients with ST-segment elevation myocardial infarction in Thailand. **2022**, 26, 100503 ○
- 96 Early markers of pathological left ventricular remodeling in patients after ST-elevation myocardial infarction according to speckle-tracking echocardiography. **2022**, 27, 4837
- 95 A STUDY ON CORRELATION OF ACIDEMIA WITH PATIENTS 30 DAYS MORTALITY THOSE PRESENTING TO EMERGENCY DEPARTMENT OF A TERTIARY HOSPITAL. **2022**, 27-29
- 94 A Comparison of Interpretable Machine Learning Models to Predict In-Hospital Mortality After Myocardial Infarction: Analyzing Two Years Data from a High-Volume Interventional Center. **2023**, 611-620
- 93 Association of Increased Pulse Wave Velocity With Long-Term Clinical Outcomes in Patients With Preserved Ankle-Brachial Index After Acute Myocardial Infarction. **2022**,
- 92 The Chasm in Percutaneous Coronary Intervention and In-Hospital Mortality Rates Among Acute Myocardial Infarction Patients in Rural and Urban Hospitals in China: A Mediation Analysis. 67, ○
- 91 Prehospital triage of patients with suspected non-ST-segment elevation acute coronary syndrome: Rationale and design of the TRIAGE-ACS study. **2022**, 106854
- 90 A Real Pandora's Box in Pandemic Times: A Narrative Review on the Acute Cardiac Injury Due to COVID-19. **2022**, 12, 1085 1
- 89 Impact of Baseline Estimated Glomerular Filtration Rate Using CKD-EPI Equation on Long-term Prognosis of STEMI Patients: A Matter of Small Increments!. **2022**, 21, 153-159
- 88 Preditores de Mortalidade Hospitalar nos Pacientes Tratados por Angioplastia Primária: Um Estudo de Caso-Controle Multicêntrico. **2022**,
- 87 Very early discharge after primary percutaneous coronary intervention for ST-elevation myocardial infarction: Mortality outcomes at six months. **2022**, ○
- 86 ST-segment Yükselmeli Miyokart Enfarktünde Kronik Total Oklzyonu İlgilide Nifofil/Lenfosit ve Trombosit/Lenfosit Oranı=277-283
- 85 Prognostic significance of thrombus burden on short- and long-term clinical outcomes in patients with ST-elevation myocardial infarction undergoing primary percutaneous coronary intervention. Publish Ahead of Print,
- 84 Comparison between Optical Coherence Tomography and Intravascular Ultrasound in Primary Percutaneous Coronary Intervention for ST-segment Elevation Myocardial Infarction.
- 83 Diabetes, heart failure, and myocardial revascularization: Is there a new message from the ISCHEMIA trial?.
- 82 Iron Overload via Heme Degradation in the Endoplasmic Reticulum Triggers Ferroptosis in Myocardial Ischemia-Reperfusion Injury. **2022**, 7, 800-819 3
- 81 IntraCoronary Artery Retrograde Thrombolysis vs. Thrombus Aspiration in ST-Segment Elevation Myocardial Infarction: Study Protocol for a Randomized Controlled Trial. 9, ○

80	Gender differences in immediate outcomes of patients with acute non-ST-elevation myocardial infarction undergoing off-pump coronary artery bypass grafting. <b>2020</b> , 9, 25-33	1
79	Comparison of the Efficacy of Drug Coated Balloon and Drug-Eluting Stent in Delayed PCI in Acute ST Segment Elevation Myocardial Infarction. <b>2022</b> , 12, 7393-7399	0
78	Therapeutic Angiogenesis Using Autologous CD34-Positive Cells for Vascular Diseases. <b>2022</b> ,	0
77	Characteristics, Process Metrics, and Outcomes Among Patients With ST-Elevation Myocardial Infarction in Rural vs Urban Areas in the US.	1
76	Evoluci3n del pron3stico del infarto agudo de miocardio. <b>2022</b> ,	0
75	The Differences in Clinical Characteristic and Outcomes of New Onset Typical versus Atypical Right Branch Bundle Block in Acute Myocardial Infarction. <b>2022</b> , 2022, 1-8	0
74	The Association Between Hematologic Indices With TIMI Flow In STEMI Patients Who Undergo primary percutaneous coronary intervention. <b>2022</b> , 22,	0
73	Impact of Prior Statin Therapy on In-Hospital Outcome of STEMI Patients Treated with Primary Percutaneous Coronary Intervention. <b>2022</b> , 11, 5298	0
72	Comparing Door-To-Balloon Time between ST-Elevation Myocardial Infarction Electrocardiogram and Its Equivalents. <b>2022</b> , 11, 5547	0
71	Identifying the Optimal Exercise Prescription for Patients with Coronary Artery Disease Undergoing Cardiac Rehabilitation: Protocol for a Systematic Review and Network Meta-Analysis of Randomized Control Trials. <b>2022</b> , 19, 12317	0
70	Direct thrombin inhibitors and factor Xa inhibitors for acute coronary syndromes: a network meta-analysis. <b>2022</b> , 2022,	0
69	Meta-Analysis Comparing Fractional Flow Reserve and Angiography-Guided Complete Revascularization of Nonculprit Artery for ST-Elevation Myocardial Infarction. <b>2022</b> ,	0
68	Eptifibatide-Induced Severe Thrombocytopenia After ST-Elevation Myocardial Infarction (STEMI): A Case Report. <b>2022</b> ,	0
67	Guideline-Recommended Time Less Than 90 Minutes From ECG to Primary Percutaneous Coronary Intervention for ST-SegmentâElevation Myocardial Infarction Is Associated with Major Survival Benefits, Especially in Octogenarians: A Contemporary Report in 11 226 Patients from NORIC. <b>2022</b>	0
66	Association between operator volume and mortality in primary percutaneous coronary intervention. <b>2022</b> , 9, e002072	0
65	Development of a unified national database of primary percutaneous coronary intervention centers with co-located emergency departments, 2020. <b>2022</b> , 254, 149-155	0
64	Reverse Remodeling and Non-Contrast T1 Hypointense Infarct Core in Patients With Reperfused Acute Myocardial Infarction. <b>2022</b> ,	0
63	IncidenCe and predictOrs of hearT fAiLure after acute coronarY Syndrome: The CORALYS registry. <b>2022</b> ,	0

62	Evaluation of Potential Racial Disparities in CYP2C19 -Guided P2Y 12 Inhibitor Prescribing after Percutaneous Coronary Intervention.	1
61	Outcomes of acute myocardial infarction in patients with preexisting physical disability: a report in the United States. <b>2022</b> , 20, 851-859	0
60	Impact of the COVID-19 pandemic on the hospitalizations, time course, presenting symptoms, and mid-term outcomes in patients with myocardial infarctions in a Japanese multi-center registry.	0
59	Thrombectomy using aspiration catheter- An effective first line approach for resistant thrombi in patient of acute myocardial infarction. <b>2022</b> , 9, 70-73	0
58	Role of epoxyeicosatrienoic acids in cardiovascular diseases and cardiotoxicity of drugs. <b>2022</b> , 310, 121122	0
57	Infarct-related artery and long-term mortality following recurrent ST-segment elevation myocardial infarction. Insights from a Polish nationwide registry. <b>2023</b> , 255, 31-38	0
56	THE ACUTE CORONARY SYNDROME: POSSIBILITY UP-TO-DATE THERAPY (literature review. Part III). <b>2010</b> , 19-25	0
55	Management of Acute Coronary Syndrome. <b>2022</b> , 40, 693-706	0
54	Network meta-analysis: a statistical physics perspective. <b>2022</b> , 2022, 11R001	0
53	Short-term efficacy of angiotensin receptor-neprilysin inhibitor treatment in patients with ST-segment elevation myocardial infarction with reduced ejection fraction after primary percutaneous coronary intervention: a propensity score matching study. <b>2022</b> , 22,	1
52	Association of Valproic Acid Use With Post-Myocardial Infarction Heart Failure Development: A Meta-Analysis of Two Retrospective CaseâControl Studies. <b>2022</b> , 27, 107424842211403	0
51	The short outcomes and in-hospital complications in patients with STEMI revascularized with primary PCI: A prospective registry from India. <b>2022</b> , 11, 96	0
50	Three-Year Experience of Primary Percutaneous Coronary Intervention for Acute ST-Segment Elevation Myocardial Infarction in a Hospital without On-site Cardiac Surgery. <b>2009</b> , 38, 1085-1089	0
49	Long-Term Predictors of Hospitalized Reinfarction after an Incident Acute Myocardial Infarction. <b>2022</b> , 12, 2090	0
48	Late outcomes of ST-elevation myocardial infarction treated by pharmaco-invasive or primary percutaneous coronary intervention.	0
47	Acute, periprocedural and longterm antithrombotic therapy in older adults.	0
46	Protective Biomolecular Mechanisms of Glutathione Sodium Salt in Ischemia-Reperfusion Injury in Patients with Acute Coronary Syndrome-ST-Elevation Myocardial Infarction. <b>2022</b> , 11, 3964	1
45	Benefits of excimer laser coronary angioplasty over thrombus aspiration therapy for patients with acute coronary syndrome and thrombolysis in myocardial infarction flow grade 0. <b>2023</b> , 38,	0

- 44 Adjunctive Pharmacologic Agents and Mechanical Devices in Primary Percutaneous Coronary Intervention. **2010**, 39, 230-236 ○
- 43 Management of Acute ST-Elevation Myocardial Infarction: Reperfusion Options. **2010**, 39, 927-933 2
- 42 Akutes Koronarsyndrom. **2022**, 1-53 ○
- 41 Feasibility and efficacy of delayed pharmacoinvasive therapy for ST-elevation myocardial infarction. 15, 23-32 ○
- 40 Current situation of acute ST-segment elevation myocardial infarction in a county hospital chest pain center during an epidemic of novel coronavirus pneumonia. **2023**, 18, ○
- 39 The triglyceride-glucose index and contrast-induced nephropathy in non-ST elevation myocardial infarction patients undergoing percutaneous coronary intervention. **2023**, 102, e32629 ○
- 38 Evolution of the prognosis of acute myocardial infarction. **2023**, ○
- 37 Pre-hospital treatment with zalunfiban (RUC-4) in patients with ST- Elevation Myocardial Infarction Undergoing Primary Percutaneous Coronary Intervention: Rationale and design of the CELEBRATE trial. **2022**, ○
- 36 COVID-19: Inpatient Management. **2023**, 182-232 ○
- 35 The Rise and Fall of Routine Manual Thrombectomy for ST-Elevation Myocardial Infarction. 71-75 ○
- 34 Association between the number of Academic Research Consortium for High Bleeding Risk (ARC-HBR) criteria and clinical outcomes in patients with acute coronary syndrome. **2023**, ○
- 33 ST-segment elevation myocardial infarction. **2023**, 13-33 ○
- 32 Percutaneous Coronary Intervention Without On-Site Surgical BackupâThe Times They Are A-Changinâ**2023**, 100572 ○
- 31 Management of ST-segment elevation myocardial infarction in comparison to European society of cardiology guidelines in Alexandria University Hospitals, Egypt. **2023**, 75, ○
- 30 Assessment of distance to primary percutaneous coronary intervention centres in ST-segment elevation myocardial infarction: Overcoming inequalities with process mining tools. **2023**, 9, 205520762211442<sup>o</sup>
- 29 Utilization and Outcomes of Clinically Indicated Invasive Cardiac Care in Veterans with Acute Coronary Syndrome and Chronic Kidney Disease. **2023**, Publish Ahead of Print, ○
- 28 Dependence of clinical outcomes on time of hospital admission in patients with ST-segment elevation myocardial infarction. **2023**, 43, 25-34 ○
- 27 Identification of key genes and lncRNAs based on M6A methylation regulators and Ferroptosis related genes for the slow flow/no reflow phenomenon. ○

- 26 How Bioresorbable Vascular Can Be Beneficial for Patients in the Long-Term. 2-14 ○
- 25 The usefulness of arylesterase in predicting contrast-induced nephropathy in ST-segment elevation myocardial infarction patients undergoing percutaneous coronary intervention. **2023**, 6, 244-249 ○
- 24 Early Growth Response-1: Friend or Foe in the Heart?. **2023**, ○
- 23 Gestione delle sindromi coronariche acute nelle prime 48 ore. **2023**, 28, 1-14 ○
- 22 Clinical Efficacy and Safety of Early Intravenous Administration of Beta-Blockers in Patients Suffering from Acute ST-Segment Elevation Myocardial Infarction Without Heart Failure Undergoing Primary Percutaneous Coronary Intervention: A Study-Level Meta-Analysis of Randomized Clinical Trials. ○
- 21 Long-term recurrent events in ST-elevation myocardial infarction and multivessel disease. The impact of different revascularization strategies. **2023**, ○
- 20 Timely Reperfusion for Everyone—except for Some Out-of-Hospital Cardiac Arrest Patients?. **2023**, 81, 457-459 ○
- 19 In Vitro Comparison of Several Thrombus Removal Tools. **2023**, 10, 69 ○
- 18 Improving Door-to-balloon Times in Primary Percutaneous Coronary Intervention for Acute ST-elevation Myocardial Infarction: The Value of an Audit-driven Quality Initiative. **2008**, 37, 568-572 1
- 17 Mortality among acute myocardial infarction patients admitted to hospitals on weekends as compared with weekdays in Taiwan. **2023**, 13, ○
- 16 Impacto pronóstico de la realización de un programa de rehabilitación cardíaca tras un síndrome coronario agudo. **2023**, ○
- 15 Safety and efficacy of intracoronary thrombolytic agents during primary percutaneous coronary intervention for STEMI. **2023**, 21, 165-175 ○
- 14 Impact of COVID-19 on Acute Myocardial Infarction Care. **2023**, 19, 221-229 ○
- 13 Incidence and predictors of cardiovascular outcomes after acute coronary syndrome in a population-based cohort study. **2023**, 13, ○
- 12 Impact of multivessel percutaneous coronary intervention vs. culprit vessel percutaneous coronary intervention in patients with acute coronary syndromes and multivessel coronary artery disease. **2023**, ○
- 11 Past, Present, and Future of Management of Acute Myocardial Infarction. **2023**, 2, 51 ○
- 10 Koronare Herzkrankheit — Begutachtung. **2022**, 1-25 ○
- 9 In vivo comparison of small- and large-bore aspiration catheters in patients with ST elevation myocardial infarction. 77, 37-42 ○



- 8 Gender disparities in prevalence by diagnostic criteria, treatment and mortality of newly diagnosed acute myocardial infarction in Korean adults. **2023**, 13,
- 7 Long-term Effectiveness of Myocardial Revascularization in Patients After the Transferred Syndrome (Literature Review with Own Research Results). **2023**, 1, 73-79
- 6 Procedural Complications. **2023**, 25-95
- 5 Drug-Coated Balloon Angioplasty in Acute Myocardial Infarction. **2023**, 16, 780-782
- 4 Tratamiento de los síndromes coronarios agudos en las primeras 48 horas. **2023**, 49, 1-15
- 3 The Efficacy of Drug-Coated Balloon for Acute Coronary Syndrome. **2023**, 2023, 1-9
- 2 Pre-Percutaneous Coronary Intervention Zaltefiban Dose-Response Relationship to Target Vessel Blood Flow at Initial Angiogram in ST-Elevation Myocardial Infarction – A Post Hoc Analysis of the Cel-02 Phase IIa Study. **2023**,
- 1 Current concepts in coronary artery revascularisation. **2023**, 401, 1611-1628