CITATION REPORT List of articles citing

CT-based delineation of lymph node levels and related CTVs in the node-negative neck: DAHANCA, EORTC, GORTEC, NCIC,RTOG consensus guidelines

DOI: 10.1016/j.radonc.2003.09.011 Radiotherapy and Oncology, 2003, 69, 227-36.

Source: https://exaly.com/paper-pdf/35501173/citation-report.pdf

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
577	Clinical use of intensity-modulated radiotherapy: part I. 2004 , 77, 88-96		37
576	PET und PET/CT - Stellenwert bei Kopf-Hals-Tumoren. 2004 , 27, 260-271		2
575	Toxicity and compliance of subcutaneous amifostine in patients undergoing postoperative intensity-modulated radiation therapy for head and neck cancer. 2004 , 31, 8-12		29
574	Intensity-modulated radiation therapy in head and neck squamous cell carcinoma: an adaptation of 2-dimensional concepts or a reconsideration of current clinical practice. 2004 , 14, 110-20		15
573	Chemoradiotherapy for head and neck cancer: current status and perspectives. 2004 , 9, 421-34		8
572	Brachytherapy versus surgery in carcinoma of tonsillar fossa and/or soft palate: late adverse sequelae and performance status: can we be more selective and obtain better tissue sparing?. <i>International Journal of Radiation Oncology Biology Physics</i> , 2004 , 59, 713-24	4	54
571	A population-based atlas and clinical target volume for the head-and-neck lymph nodes. <i>International Journal of Radiation Oncology Biology Physics</i> , 2004 , 59, 1301-11	4	35
57°	Dysphagia and aspiration after chemoradiotherapy for head-and-neck cancer: which anatomic structures are affected and can they be spared by IMRT?. <i>International Journal of Radiation Oncology Biology Physics</i> , 2004 , 60, 1425-39	4	498
569	Target volume uncertainty and a method to visualize its effect on the target dose prescription. <i>International Journal of Radiation Oncology Biology Physics</i> , 2004 , 60, 1580-8	4	8
568	REFERENCES. 2004 , 4, 95-100		2
567	[Intensity-modulated radiation therapy for head and neck cancers with bilateral irradiation of the neck: preliminary results]. <i>Cancer Radiotherapie: Journal De La Societe Francaise De Radiotherapie Oncologique</i> , 2004 , 8, 134-47	1.3	3
566	Recurrences after conformal parotid-sparing radiotherapy for head and neck cancer. <i>Radiotherapy and Oncology</i> , 2004 , 72, 119-27	5.3	65
565	Radiotherapy for nasopharyngeal carcinomatransition from two-dimensional to three-dimensional methods. <i>Radiotherapy and Oncology</i> , 2004 , 73, 163-72	5.3	53
564	CT-based delineation of lymph node levels in the neck: can we optimize the Consensus?. <i>Radiotherapy and Oncology</i> , 2004 , 73, 383-4; author reply 384-6	5.3	2
563	CT-based delineation of lymph node levels in the neck: can we optimize the Consensus?. <i>Radiotherapy and Oncology</i> , 2004 , 73, 383-384	5.3	3
562	Intensity-modulated radiation therapy in head and neck cancers: dosimetric advantages and update of clinical results. <i>American Journal of Clinical Oncology: Cancer Clinical Trials</i> , 2005 , 28, 415-23	2.7	40
561	Intensity-modulated radiation therapy in the management of head and neck cancer. 2005 , 17, 231-5		9

(2005-2005)

560	The use of intensity-modulated radiation therapy in the treatment of oropharyngeal carcinoma. 2005 , 13, 226-32		4
559	Advances in nasopharyngeal carcinoma. 2005 , 17, 225-30		13
558	Intraoperative validation of CT-based lymph nodal levels, sublevels IIa and IIb: is it of clinical relevance in selective radiation therapy?. <i>International Journal of Radiation Oncology Biology Physics</i> , 2005 , 62, 690-9	4	6
557	Intensity-modulated radiation treatment for head-and-neck squamous cell carcinomathe University of Iowa experience. <i>International Journal of Radiation Oncology Biology Physics</i> , 2005 , 63, 410	0- 2 1	158
556	Analysis of Gross Target Volume (GTV) Observer Variability with FDG-PET and Contrast Enhanced CT in Head and Neck Cancer Using Finite Element Modeling. <i>International Journal of Radiation Oncology Biology Physics</i> , 2005 , 63, S363-S364	4	0
555	Visual and Textual Evaluation of the Three Nodal Classifications for Head and Neck Cancer (Rotterdam Consensus, Richter, Martinez-Monge). <i>International Journal of Radiation Oncology Biology Physics</i> , 2005 , 63, S364-S365	4	1
554	Volumetric uncertainty in radiotherapy. 2005 , 17, 456-64		30
553	Target definition in prostate, head, and neck. 2005 , 15, 136-45		158
552	Prevalence of lymph nodes in the apex of level V: a plea against the necessity to dissect the apex of level V in mucosal head and neck cancer. 2005 , 27, 963-9; discussion 969		11
551	Intensity-modulated radiation therapy use in the U.S., 2004. 2005, 104, 1296-303		142
550	Intensity-modulated radiation therapy for head and neck cancer. 2005 , 5, 515-21		7
549			
	Intensity-modulated radiation therapy: emerging cancer treatment technology. 2005 , 92, 1819-24		57
548	Intensity-modulated radiation therapy: emerging cancer treatment technology. 2005 , 92, 1819-24 Inter-observer variability in the delineation of pharyngo-laryngeal tumor, parotid glands and cervical spinal cord: comparison between CT-scan and MRI. <i>Radiotherapy and Oncology</i> , 2005 , 77, 25-31	5.3	57 125
548 547	Inter-observer variability in the delineation of pharyngo-laryngeal tumor, parotid glands and	5.3	
	Inter-observer variability in the delineation of pharyngo-laryngeal tumor, parotid glands and cervical spinal cord: comparison between CT-scan and MRI. <i>Radiotherapy and Oncology</i> , 2005 , 77, 25-31 Towards equity in turbulent Europe ESTRO, European cooperation and the European Commission.		125
547	Inter-observer variability in the delineation of pharyngo-laryngeal tumor, parotid glands and cervical spinal cord: comparison between CT-scan and MRI. <i>Radiotherapy and Oncology</i> , 2005 , 77, 25-31 Towards equity in turbulent Europe ESTRO, European cooperation and the European Commission. <i>Radiotherapy and Oncology</i> , 2005 , 75, 251-2 Comparing 3DCRT and inversely optimized IMRT planning for head and neck cancer: equivalence	5-3	125
547 546	Inter-observer variability in the delineation of pharyngo-laryngeal tumor, parotid glands and cervical spinal cord: comparison between CT-scan and MRI. <i>Radiotherapy and Oncology</i> , 2005 , 77, 25-31 Towards equity in turbulent Europe ESTRO, European cooperation and the European Commission. <i>Radiotherapy and Oncology</i> , 2005 , 75, 251-2 Comparing 3DCRT and inversely optimized IMRT planning for head and neck cancer: equivalence between step-and-shoot and sliding window techniques. <i>Radiotherapy and Oncology</i> , 2005 , 77, 148-56 [Management of a squamous-cell carcinoma T2N1 neoplasia on the free border of the tongue].	5-3	125

542	[Propositions for the selection and the delineation of peritumoral microscopic disease volumes in oral cavity and oropharyngeal cancers (lymph nodes excluded)]. <i>Cancer Radiotherapie: Journal De La Societe Française De Radiotherapie Oncologique</i> , 2005 , 9, 261-70	1.3	22
541	Significant improvement in normal tissue sparing and target coverage for head and neck cancer by means of helical tomotherapy. <i>Radiotherapy and Oncology</i> , 2006 , 78, 276-82	5.3	124
540	Consideration about axillary nodes and arm position. <i>Radiotherapy and Oncology</i> , 2006 , 79, 352-3; author reply 353	5.3	
539	Control of nodal metastases in squamous cell head and neck cancer treated by radiation therapy or chemoradiation. <i>Radiotherapy and Oncology</i> , 2006 , 79, 39-44	5.3	31
538	Proposal for the delineation of the nodal CTV in the node-positive and the post-operative neck. <i>Radiotherapy and Oncology</i> , 2006 , 79, 15-20	5.3	268
537	Staging of nasopharyngeal carcinoma investigated by magnetic resonance imaging. <i>Radiotherapy and Oncology</i> , 2006 , 79, 21-6	5.3	18
536	Influence of intravenous contrast agent on dose calculations of intensity modulated radiation therapy plans for head and neck cancer. <i>Radiotherapy and Oncology</i> , 2006 , 81, 158-62	5.3	39
535	Use of Imaging Data in Radiotherapy Planning of Head and Neck Cancer: Improved Tumour Characterization, Delineation and Treatment Verification. <i>Medical Radiology</i> , 2008 , 345-359	0.2	
534	Target Coverage in Head and Neck Cancer Treated with Intensity-Modulated Radiotherapy: A Comparison between Conventional and Conformal Techniques. 2006 , 92, 503-510		9
533	Compensator-based intensity-modulated radiotherapy in head and neck cancer: our experience in achieving dosimetric parameters and their clinical correlation. 2006 , 18, 485-92		10
532	Repeat CT imaging and replanning during the course of IMRT for head-and-neck cancer. <i>International Journal of Radiation Oncology Biology Physics</i> , 2006 , 64, 355-62	4	323
531	Determining optimal clinical target volume margins in head-and-neck cancer based on microscopic extracapsular extension of metastatic neck nodes. <i>International Journal of Radiation Oncology Biology Physics</i> , 2006 , 64, 678-83	4	68
530	Retropharyngeal nodes in squamous cell carcinoma of oropharynx: incidence, localization, and implications for target volume. <i>International Journal of Radiation Oncology Biology Physics</i> , 2006 , 65, 733-8	4	41
529	Intensity-modulated radiation therapy (IMRT) dosimetry of the head and neck: a comparison of treatment plans using linear accelerator-based IMRT and helical tomotherapy. <i>International Journal of Radiation Oncology Biology Physics</i> , 2006 , 65, 917-23	4	113
528	Inverse planninga comparative intersystem and interpatient constraint study. 2006 , 182, 473-80		22
527	Three-dimensional atlas of lymph node topography based on the visible human data set. 2006 , 289, 98	-111	28
526	Intensity Modulated Radiotherapy in Cancer of the Larynx. 2006 , 335-344		
525	IMRT for Carcinomas of the Oropharynx and Oral Cavity. 2006 , 301-317		

(2007-2007)

524	Nasopharyngeal carcinoma. Treatment planning with IMRT and 3D conformal radiotherapy. 2007 , 46, 214-20		42	
523	Intensity-modulated radiation therapy for head and neck carcinoma. 2007 , 12, 555-64		95	
522	Non-rigid registration methods assessment of 3D CT images for head-neck radiotherapy. 2007 ,		4	
521	[Intensity modulated radiotherapy for cancers of the upper aerodigestive tract]. <i>Cancer Radiotherapie: Journal De La Societe Francaise De Radiotherapie Oncologique</i> , 2007 , 11, 353-7	1.3	O	
520	Anatomical bases for the radiological delineation of lymph node areas. Major collecting trunks, head and neck. <i>Radiotherapy and Oncology</i> , 2007 , 85, 146-55	5.3	37	
519	A systematic study of posterior cervical lymph node irradiation with electrons: Conventional versus customized planning. <i>Radiotherapy and Oncology</i> , 2007 , 85, 132-7	5.3	1	
518	Evidence-based radiation oncology in head and neck squamous cell carcinoma. <i>Radiotherapy and Oncology</i> , 2007 , 85, 156-70	5.3	127	
517	Adaptive biological image-guided IMRT with anatomic and functional imaging in pharyngo-laryngeal tumors: impact on target volume delineation and dose distribution using helical tomotherapy. <i>Radiotherapy and Oncology</i> , 2007 , 85, 105-15	5.3	128	
516	A phase I study of dose-escalated chemoradiation with accelerated intensity modulated radiotherapy in locally advanced head and neck cancer. <i>Radiotherapy and Oncology</i> , 2007 , 85, 36-41	5.3	42	
515	New developments in radiotherapy of head and neck cancer: higher precision with less patient discomfort?. <i>Radiotherapy and Oncology</i> , 2007 , 85, 1-6	5.3	11	
5 ¹ 4	Sparing the parotid glands and surgically transferred submandibular gland with helical tomotherapy in post-operative radiation of head and neck cancer: a planning study. <i>Radiotherapy and Oncology</i> , 2007 , 85, 98-104	5.3	22	
513	Intensity-modulated radiation therapy in head and neck cancer: prescribed dose, clinical challenges and results. <i>Radiotherapy and Oncology</i> , 2007 , 85, 392-8	5.3	14	
512	949 POSTER Early adverse reactions after hemibody irradiation (HBI). 2007 , 5, 132-133			
511	950 POSTER Dose evaluation of elective nodal region of head and neck cancer in conventional radiation therapy [How much elective nodal region should be included in IMRT?. 2007 , 5, 133			
510	951 POSTER Survival after radiotherapy of metastatic spinal cord compression. 2007 , 5, 133			
509	Computer visualization techniques (CVTs) foster evidence-based target delineation. 2007 , 25, 1-5		3	
508	3D Atlas Building in the Context of Head and Neck Radiotherapy Based on Dense Deformation Fields. 2007 ,		2	
507	Large Discrepancies between Planned and Actually Delivere dose in Imrt of Head and Neck Cancer. A Case Report. 2007 , 93, 319-322		4	

506	Postoperative Radiotherapy for Synovial Sarcoma of the Head and Neck during Pregnancy: Clinical and Technical Management and Fetal Dose Estimates. 2007 , 93, 45-52		11
505	Defining the target for radiotherapy of head and neck cancer. <i>Cancer Imaging</i> , 2007 , 7 Spec No A, S50-5	5.6	9
504	Intensity-modulated radiation therapy in head and neck cancers: an update. 2007 , 29, 387-400		146
503	Evaluation of patterns of failure and subjective salivary function in patients treated with intensity modulated radiotherapy for head and neck squamous cell carcinoma. 2007 , 29, 211-20		71
502	Target volume definition for head and neck intensity modulated radiotherapy: pre-clinical evaluation of PARSPORT trial guidelines. 2007 , 19, 604-13		29
501	Cranial location of level II lymph nodes in laryngeal cancer: Implications for elective nodal target volume delineation. <i>International Journal of Radiation Oncology Biology Physics</i> , 2007 , 67, 462-8	4	8
500	Quantification of trade-off between parotid gland sparing and planning target volume underdosages in clinically node-negative head-and-neck intensity-modulated radiotherapy. <i>International Journal of Radiation Oncology Biology Physics</i> , 2007 , 68, 136-43	4	11
499	Quantification of dosimetric impact of implementation of on-board imaging (OBI) for IMRT treatment of head-and-neck malignancies. 2007 , 32, 287-94		9
498	Simultaneous integrated boost (SIB) for nasopharynx cancer with helical tomotherapy. A planning study. 2007 , 183, 497-505		58
497	Comment by H. Christiansen and C.F. Hess on G. Studer et al. Locoregional Failure Analysis in Head-and-Neck Cancer Patients Treated with IMRT. 2007 , 183, 424-425		6
496	The current status of the delineation and determination of the targets and the radiation protocols for nasopharyngeal cancer with intensity-modulated radiotherapy. 2007 , 4, 360-366		
495	Clinical application of intensity-modulated radiotherapy for head and neck cancer. 2008 , 10, 407-14		3
494	Comparing two strategies of dynamic intensity modulated radiation therapy (dIMRT) with 3-dimensional conformal radiation therapy (3DCRT) in the hypofractionated treatment of high-risk prostate cancer. 2008 , 3, 1		29
493	Intensity-modulated radiation therapy. 2008 , 97, 691-6		28
492	SMART (simultaneous modulated accelerated radiotherapy) for locally advanced nasopharyngeal carcinomas. 2008 , 30, 159-69		18
491	Concurrent platinum-based chemotherapy and simultaneous modulated accelerated radiation therapy for locally advanced squamous cell carcinoma of the tongue base. 2008 , 30, 327-35		32
490	Trismus in patients with oropharyngeal cancer: relationship with dose in structures of mastication apparatus. 2008 , 30, 622-30		82
489	Risk of subclinical micrometastatic disease in the supraclavicular nodal bed according to the anatomic distribution in patients with advanced breast cancer. <i>International Journal of Radiation Oncology Biology Physics</i> , 2008 , 71, 435-40	4	32

488	Evolution of computerized radiotherapy in radiation oncology: potential problems and solutions. <i>International Journal of Radiation Oncology Biology Physics</i> , 2008 , 70, 978-86	4	16
487	Diffusion-weighted magnetic resonance imaging to evaluate major salivary gland function before and after radiotherapy. <i>International Journal of Radiation Oncology Biology Physics</i> , 2008 , 71, 1365-71	4	68
486	Dose to larynx predicts for swallowing complications after intensity-modulated radiotherapy. <i>International Journal of Radiation Oncology Biology Physics</i> , 2008 , 72, 1110-8	4	188
485	How does magnetic resonance imaging influence staging according to AJCC staging system for nasopharyngeal carcinoma compared with computed tomography?. <i>International Journal of Radiation Oncology Biology Physics</i> , 2008 , 72, 1368-77	4	119
484	Intensity-modulated proton therapy versus helical tomotherapy in nasopharynx cancer: planning comparison and NTCP evaluation. <i>International Journal of Radiation Oncology Biology Physics</i> , 2008 , 72, 589-96	4	113
483	New developments in radiation therapy for head and neck cancer: intensity-modulated radiation therapy and hypoxia targeting. 2008 , 35, 236-50		36
482	Frequency of esophageal stenosis after simultaneous modulated accelerated radiation therapy and chemotherapy for head and neck cancer. 2008 , 29, 13-9		60
481	Comparison of cervical esophagus dose-volumes for three radiotherapy techniques for head and neck cancer. <i>Radiotherapy and Oncology</i> , 2008 , 87, 274-80	5.3	6
480	Atlas-based delineation of lymph node levels in head and neck computed tomography images. <i>Radiotherapy and Oncology</i> , 2008 , 87, 281-9	5.3	77
479	Comparison of 12 deformable registration strategies in adaptive radiation therapy for the treatment of head and neck tumors. <i>Radiotherapy and Oncology</i> , 2008 , 89, 1-12	5.3	146
478	Patterns of level II node metastasis in nasopharyngeal carcinoma. <i>Radiotherapy and Oncology</i> , 2008 , 89, 28-32	5.3	30
477	The N staging system in nasopharyngeal carcinoma with radiation therapy oncology group guidelines for lymph node levels based on magnetic resonance imaging. 2008 , 14, 7497-503		105
476	A Guide for Delineation of Lymph Nodal Clinical Target Volume in Radiation Therapy. 2008,		
475	Contemplation of head and neck intensity-modulated radiotherapy. 2008 , 7, 61-66		
474	Change in the z-axis location of the sternal notch in an arms-raised vs arms-down position on CT examinations. 2008 , 81, 855-8		4
473	Favourable impact of intensity-modulated radiation therapy on chronic dysphagia in patients with head and neck cancer. 2008 , 81, 865-71		21
472	Using consensus measures for atlas construction. 2009 ,		
471	Determination of target volumes in radiotherapy and the implications of technological advances: a literature review. 2009 , 8, 41-51		4

470	Serial FDG-PET on patients with head and neck cancer: implications for radiation therapy. 2009, 85, 796-	804	31
469	Time trial: a prospective comparative study of the time-resource burden for three-dimensional conformal radiotherapy and intensity-modulated radiotherapy in head and neck cancers. 2009 , 5, 107-12	2	20
468	Pre-trial quality assurance processes for an intensity-modulated radiation therapy (IMRT) trial: PARSPORT, a UK multicentre Phase III trial comparing conventional radiotherapy and parotid-sparing IMRT for locally advanced head and neck cancer. 2009 , 82, 585-94		37
467	Comparison between conventional and intensity-modulated post-operative radiotherapy for stage III and IV oral cavity cancer in terms of treatment results and toxicity. 2009 , 45, 505-10		35
466	Balancing risk and reward in target delineation for highly conformal radiotherapy in head and neck cancer. 2009 , 19, 43-52		46
465	. 2009 , 3, 135-147		37
464	Concurrent chemotherapy with intensity-modulated radiation therapy for locally advanced squamous cell carcinoma of the larynx and oropharynx: a retrospective single-institution analysis. 2009 , 31, 1447-55		13
463	The volume to be irradiated during selective neck irradiation in nasopharyngeal carcinoma: analysis of the spread patterns in lymph nodes by magnetic resonance imaging. 2009 , 115, 680-8		88
462	Results of selective neck dissection in the primary management of head and neck squamous cell carcinoma. 2009 , 266, 437-43		56
461	Nasopharyngeal carcinoma: our experience. 2009 , 266, 833-8		7
461 460	Nasopharyngeal carcinoma: our experience. 2009 , 266, 833-8 Reducing the risk of xerostomia and mandibular osteoradionecrosis: the potential benefits of intensity modulated radiotherapy in advanced oral cavity carcinoma. 2009 , 34, 217-24		7
	Reducing the risk of xerostomia and mandibular osteoradionecrosis: the potential benefits of		
460	Reducing the risk of xerostomia and mandibular osteoradionecrosis: the potential benefits of intensity modulated radiotherapy in advanced oral cavity carcinoma. 2009, 34, 217-24 Impact of residual setup error on parotid gland dose in intensity-modulated radiation therapy with or without planning organ-at-risk margin. 2009, 185, 453-9 The new two-component conformity index formula (TCCI) and dose-volume comparisons of the	1.5	48
460 459	Reducing the risk of xerostomia and mandibular osteoradionecrosis: the potential benefits of intensity modulated radiotherapy in advanced oral cavity carcinoma. 2009, 34, 217-24 Impact of residual setup error on parotid gland dose in intensity-modulated radiation therapy with or without planning organ-at-risk margin. 2009, 185, 453-9 The new two-component conformity index formula (TCCI) and dose-volume comparisons of the pituitary gland and tonsil cancer IMRT plans using a linear accelerator and helical Tomotherapy.	1.5	48
460 459 458	Reducing the risk of xerostomia and mandibular osteoradionecrosis: the potential benefits of intensity modulated radiotherapy in advanced oral cavity carcinoma. 2009, 34, 217-24 Impact of residual setup error on parotid gland dose in intensity-modulated radiation therapy with or without planning organ-at-risk margin. 2009, 185, 453-9 The new two-component conformity index formula (TCCI) and dose-volume comparisons of the pituitary gland and tonsil cancer IMRT plans using a linear accelerator and helical Tomotherapy. Reports of Practical Oncology and Radiotherapy, 2009, 14, 133-145 Patterns of retropharyngeal node metastasis in nasopharyngeal carcinoma. International Journal of		48 16 12
460 459 458 457	Reducing the risk of xerostomia and mandibular osteoradionecrosis: the potential benefits of intensity modulated radiotherapy in advanced oral cavity carcinoma. 2009, 34, 217-24 Impact of residual setup error on parotid gland dose in intensity-modulated radiation therapy with or without planning organ-at-risk margin. 2009, 185, 453-9 The new two-component conformity index formula (TCCI) and dose-volume comparisons of the pituitary gland and tonsil cancer IMRT plans using a linear accelerator and helical Tomotherapy. Reports of Practical Oncology and Radiotherapy, 2009, 14, 133-145 Patterns of retropharyngeal node metastasis in nasopharyngeal carcinoma. International Journal of Radiation Oncology Biology Physics, 2009, 73, 194-201 Head-and-neck target delineation among radiation oncology residents after a teaching intervention: a prospective, blinded pilot study. International Journal of Radiation Oncology Biology	4	48 16 12 57
460 459 458 457 456	Reducing the risk of xerostomia and mandibular osteoradionecrosis: the potential benefits of intensity modulated radiotherapy in advanced oral cavity carcinoma. 2009, 34, 217-24 Impact of residual setup error on parotid gland dose in intensity-modulated radiation therapy with or without planning organ-at-risk margin. 2009, 185, 453-9 The new two-component conformity index formula (TCCI) and dose-volume comparisons of the pituitary gland and tonsil cancer IMRT plans using a linear accelerator and helical Tomotherapy. Reports of Practical Oncology and Radiotherapy, 2009, 14, 133-145 Patterns of retropharyngeal node metastasis in nasopharyngeal carcinoma. International Journal of Radiation Oncology Biology Physics, 2009, 73, 194-201 Head-and-neck target delineation among radiation oncology residents after a teaching intervention: a prospective, blinded pilot study. International Journal of Radiation Oncology Biology Physics, 2009, 73, 416-23	4	48 16 12 57 45

(2010-2009)

452	Further improvement in outcomes of nasopharyngeal carcinoma with optimized radiotherapy and induction plus concomitant chemotherapy: an update of the Milan experience. <i>International Journal of Radiation Oncology Biology Physics</i> , 2009 , 74, 774-80	4	33
451	Volumetric intensity-modulated arc therapy vs. conventional IMRT in head-and-neck cancer: a comparative planning and dosimetric study. <i>International Journal of Radiation Oncology Biology Physics</i> , 2009 , 74, 252-9	4	340
450	Treatment of nasopharyngeal carcinoma using intensity-modulated radiotherapy-the national cancer centre singapore experience. <i>International Journal of Radiation Oncology Biology Physics</i> , 2009 , 75, 1481-6	4	197
449	Adaptive replanning strategies accounting for shrinkage in head and neck IMRT. <i>International Journal of Radiation Oncology Biology Physics</i> , 2009 , 75, 924-32	4	175
448	[Help for delineation: what kind of tools?]. <i>Cancer Radiotherapie: Journal De La Societe Francaise De Radiotherapie Oncologique</i> , 2009 , 13, 600-5	1.3	3
447	Functional Preservation and Quality of Life in Head and Neck Radiotherapy. <i>Medical Radiology</i> , 2009 ,	0.2	
446	A pre-clinical assessment of an atlas-based automatic segmentation tool for the head and neck. <i>Radiotherapy and Oncology</i> , 2009 , 93, 474-8	5.3	64
445	Impact of target volumes and radiation technique on loco-regional control and survival for patients with unilateral cervical lymph node metastases from an unknown primary. <i>Radiotherapy and Oncology</i> , 2009 , 93, 483-7	5.3	64
444	Incidence of isolated regional recurrence after definitive (chemo-) radiotherapy for head and neck squamous cell carcinoma. <i>Radiotherapy and Oncology</i> , 2009 , 93, 498-502	5.3	38
443	Delineation guidelines for organs at risk involved in radiation-induced salivary dysfunction and xerostomia. <i>Radiotherapy and Oncology</i> , 2009 , 93, 545-52	5.3	89
442	Correlation between dose to the pharyngeal constrictors and patient quality of life and late dysphagia following chemo-IMRT for head and neck cancer. <i>Radiotherapy and Oncology</i> , 2009 , 93, 539-4	4 ^{5.3}	61
441	The effect of an intensive nutritional program on daily set-up variations and radiotherapy planning margins of head and neck cancer patients. 2009 , 53, 500-5		11
440	Report 83. 2010 , 10, NP.1-NP		55
439	References. 2010 , 10, 93-106		
438	Investigations on parotid gland recovery after IMRT in head and neck tumor patients. 2010 , 186, 665-71		23
437	Diffusion-weighted MRI for nodal staging of head and neck squamous cell carcinoma: impact on radiotherapy planning. <i>International Journal of Radiation Oncology Biology Physics</i> , 2010 , 76, 761-6	4	52
436	Evaluation of automatic atlas-based lymph node segmentation for head-and-neck cancer. <i>International Journal of Radiation Oncology Biology Physics</i> , 2010 , 77, 959-66	4	90
435	IMRT and IGRT in head and neck cancer: Have we delivered what we promised?. 2010 , 1, 166-85		16

434	Sequential chemotherapy and intensity-modulated radiation therapy in the management of locoregionally advanced nasopharyngeal carcinoma: experience of 370 consecutive cases. 2010 , 10, 39		126
433	External beam radiotherapy for differentiated thyroid cancer. 2010 , 22, 456-63		7
432	Selective nodal irradiation for head and neck cancer using intensity-modulated radiotherapy: application of RTOG consensus guidelines in routine clinical practice. <i>International Journal of Radiation Oncology Biology Physics</i> , 2010 , 76, 146-53	4	14
431	Weekly volume and dosimetric changes during chemoradiotherapy with intensity-modulated radiation therapy for head and neck cancer: a prospective observational study. <i>International Journal of Radiation Oncology Biology Physics</i> , 2010 , 76, 1360-8	4	134
430	Intensity-modulated radiotherapy in the treatment of oropharyngeal cancer: clinical outcomes and patterns of failure. <i>International Journal of Radiation Oncology Biology Physics</i> , 2010 , 76, 1339-46	4	93
429	Is elective irradiation to the lower neck necessary for N0 nasopharyngeal carcinoma?. <i>International Journal of Radiation Oncology Biology Physics</i> , 2010 , 77, 1397-402	4	42
428	Value of intensity-modulated radiotherapy in Stage IV head-and-neck squamous cell carcinoma. <i>International Journal of Radiation Oncology Biology Physics</i> , 2010 , 78, 1373-80	4	22
427	Atlas-based semiautomatic target volume definition (CTV) for head-and-neck tumors. <i>International Journal of Radiation Oncology Biology Physics</i> , 2010 , 78, 1270-6	4	15
426	Decreased 3D observer variation with matched CT-MRI, for target delineation in Nasopharynx cancer. 2010 , 5, 21		58
425	Radiotherapy of large target volumes in Hodgkin's lymphoma: normal tissue sparing capability of forward IMRT versus conventional techniques. 2010 , 5, 33		26
424	Nasopharyngeal Cancer. <i>Medical Radiology</i> , 2010 ,	0.2	8
423	Assessing selection methods in the context of multi-atlas based segmentation. 2010,		5
422	Helical tomotherapy for head and neck squamous cell carcinoma: dosimetric comparison with linear accelerator-based step-and-shoot IMRT. 2010 , 6, 194-8		25
421	The role of intensity-modulated radiotherapy in head and neck cancer. 2010 , 47, 267-73		21
420	Prŝervation salivaire et nouvelles techniques difradiation externe de la tte et du cou. 2010 , 127, 255-262	2	
419	Selection and Delineation of Target Volumes in Intensity-Modulated Radiation Therapy for Nasopharyngeal Cancer. <i>Medical Radiology</i> , 2010 , 213-232	0.2	2
418	Conservation of salivary function and new external head and neck radiation techniques. 2010 , 127, 197-2	203	2
417	A consensus-based guideline defining the clinical target volume for pelvic lymph nodes in external beam radiotherapy for uterine cervical cancer. 2010 , 40, 456-63		68

416	[Automatic segmentation using atlases in head and neck cancers: Methodology]. <i>Cancer Radiotherapie: Journal De La Societe Francaise De Radiotherapie Oncologique</i> , 2010 , 14, 206-12	1.3	7
415	The dosimetric consequences of anatomic changes in head and neck radiotherapy patients. 2010 , 54, 497-504		19
414	Unilateral radiotherapy for tonsil cancer: potential dose distribution optimization with a simple two-field intensity-modulated radiation therapy beam arrangement. <i>Radiotherapy and Oncology</i> , 2010 , 94, 334-8	5.3	1
413	Single Arc Volumetric Modulated Arc Therapy of head and neck cancer. <i>Radiotherapy and Oncology</i> , 2010 , 95, 142-8	5.3	142
412	Assessment by a deformable registration method of the volumetric and positional changes of target volumes and organs at risk in pharyngo-laryngeal tumors treated with concomitant chemo-radiation. <i>Radiotherapy and Oncology</i> , 2010 , 95, 209-17	5.3	86
411	Evaluation of the radiobiological impact of anatomic modifications during radiation therapy for head and neck cancer: can we simply summate the dose?. <i>Radiotherapy and Oncology</i> , 2010 , 96, 131-8	5.3	12
410	The role of adaptive and functional imaging modalities in radiation therapy: approach and application from a radiation oncology perspective. 2010 , 31, 444-61		6
409	[Radio-anatomy atlas for delineation SIRIADE website: features and 1 year results]. <i>Cancer Radiotherapie: Journal De La Societe Francaise De Radiotherapie Oncologique</i> , 2010 , 14 Suppl 1, S2-5	1.3	3
408	[Oropharyngeal cancer]. <i>Cancer Radiotherapie: Journal De La Societe Francaise De Radiotherapie Oncologique</i> , 2010 , 14 Suppl 1, S34-42	1.3	5
407	[Hypopharynx and larynx cancers: propositions for the selection and the delineation of peritumoral microscopic disease volumes (lymph nodes excluded)]. <i>Cancer Radiotherapie: Journal De La Societe Francaise De Radiotherapie Oncologique</i> , 2010 , 14 Suppl 1, S43-51	1.3	12
406	Evidence-based organ-sparing radiotherapy in head and neck cancer. 2010 , 11, 85-91		119
405	Daily kV cone-beam CT and deformable image registration as a method for studying dosimetric consequences of anatomic changes in adaptive IMRT of head and neck cancer. 2010 , 49, 1101-8		67
404	Brachial plexus contouring with CT and MR imaging in radiation therapy planning for head and neck cancer. 2010 , 30, 1095-103		29
403	Phase II study of induction chemotherapy with TPF followed by radioimmunotherapy with Cetuximab and intensity-modulated radiotherapy (IMRT) in combination with a carbon ion boost for locally advanced tumours of the oro-, hypopharynx and larynxTPF-C-HIT. 2011 , 11, 182		18
402	Revisiting unnecessary larynx irradiation with whole-neck IMRT. 2011 , 1, 27-32		7
401	[Target volume delineation for head and neck cancer intensity-modulated radiotherapy]. <i>Cancer Radiotherapie: Journal De La Societe Francaise De Radiotherapie Oncologique</i> , 2011 , 15, 466-72	1.3	13
400	Organ-sparing radiation therapy for head and neck cancer. 2011 , 8, 639-48		60
399	Sequentially delivered boost plans are superior to simultaneously delivered plans in head and neck cancer when the boost volume is located further away from the parotid glands. <i>Radiotherapy and Oncology</i> , 2011 , 98, 51-6	5.3	8

398	Does atlas-based autosegmentation of neck levels require subsequent manual contour editing to avoid risk of severe target underdosage? A dosimetric analysis. <i>Radiotherapy and Oncology</i> , 2011 , 98, 373-7	5.3	74
397	Dose-volume analysis of locoregional recurrences in head and neck IMRT, as determined by deformable registration: a prospective multi-institutional trial. <i>Radiotherapy and Oncology</i> , 2011 , 99, 101-7	5.3	26
396	Delineation of organs at risk involved in swallowing for radiotherapy treatment planning. <i>Radiotherapy and Oncology</i> , 2011 , 101, 394-402	5.3	115
395	Adaptive functional image-guided IMRT in pharyngo-laryngeal squamous cell carcinoma: is the gain in dose distribution worth the effort?. <i>Radiotherapy and Oncology</i> , 2011 , 101, 343-50	5.3	61
394	Gefitinib plus cisplatin and radiotherapy in previously untreated head and neck squamous cell carcinoma: a phase II, randomized, double-blind, placebo-controlled study. <i>Radiotherapy and Oncology</i> , 2011 , 100, 62-9	5.3	43
393	Advancing radiation oncology through scientific publication100 volumes of Radiotherapy and Oncology. <i>Radiotherapy and Oncology</i> , 2011 , 100, 1-6	5.3	5
392	Clinical validation of atlas-based auto-segmentation of multiple target volumes and normal tissue (swallowing/mastication) structures in the head and neck. <i>International Journal of Radiation Oncology Biology Physics</i> , 2011 , 81, 950-7	4	121
391	Is elective irradiation to the lower neck necessary for N0 nasopharyngeal carcinoma?: in regard to Macmillan MS et al. (Int J Radiat Oncol Biol Phys 2010;77:1397-1402). <i>International Journal of Radiation Oncology Biology Physics</i> , 2011 , 81, 1591; author reply 1591	4	
390	In Reply to Abhishek et´al International Journal of Radiation Oncology Biology Physics, 2011 , 81, 1591	4	
389	Use of Imaging in Radiotherapy for Head and Neck Cancer. <i>Medical Radiology</i> , 2011 , 387-407	0.2	
388	30 Radiotherapy. 2011 ,		
387	42 Influence of (Chemo-)Radiotherapy on Salivary Gland Function and Its Impact on Quality of Life. 2011 ,		
386	Adaptive radiation therapy for head and neck cancer-can an old goal evolve into a new standard?.		47
	2011, 2011,		47
385		0.2	4/
	2011 , 2011,	O.2	4/
385	2011, 2011, Parapharyngeal Space Neoplasms. <i>Medical Radiology</i> , 2011, 181-194 Human papilloma virus: differentiating new primary lung cancer versus metastatic disease from	0.2	65
385 384	2011, 2011, Parapharyngeal Space Neoplasms. <i>Medical Radiology</i> , 2011, 181-194 Human papilloma virus: differentiating new primary lung cancer versus metastatic disease from previous head and neck squamous cell carcinoma. 2011, 2011, Volumetric-modulated arc therapy in head and neck radiotherapy: a planning comparison using	0.2	

380	Early FDG PET at 10 or 20 Gy under chemoradiotherapy is prognostic for locoregional control and overall survival in patients with head and neck cancer. 2011 , 38, 1203-11		99
379	Sparing the contralateral submandibular gland without compromising PTV coverage by using volumetric modulated arc therapy. 2011 , 6, 74		19
378	Guidelines for delineation of lymphatic clinical target volumes for high conformal radiotherapy: head and neck region. 2011 , 6, 97		24
377	Retropharyngeal lymph node metastases in head and neck malignancies. 2011 , 33, 1520-9		50
376	Prospective randomized double-blind pilot study of site-specific consensus atlas implementation for rectal cancer target volume delineation in the cooperative group setting. <i>International Journal of Radiation Oncology Biology Physics</i> , 2011 , 79, 481-9		67
375	RapidArc planning and delivery in patients with locally advanced head-and-neck cancer undergoing chemoradiotherapy. <i>International Journal of Radiation Oncology Biology Physics</i> , 2011 , 79, 429-35		69
374	Feasibility study of moderately accelerated intensity-modulated radiotherapy plus concurrent weekly cisplatin after induction chemotherapy in locally advanced head-and neck cancer. International Journal of Radiation Oncology Biology Physics, 2011, 79, 1073-80		11
373	Prospective assessment of patterns of failure after high-precision definitive (chemo)radiation in head-and-neck squamous cell carcinoma. <i>International Journal of Radiation Oncology Biology Physics</i> 4, 2011 , 80, 522-31		13
372	Potential benefits of scanned intensity-modulated proton therapy versus advanced photon therapy with regard to sparing of the salivary glands in oropharyngeal cancer. <i>International Journal of Radiation Oncology Biology Physics</i> , 2011 , 79, 1216-24		96
371	Three-Dimensional Treatment Planning and Conformal Therapy. <i>Medical Radiology</i> , 2011 , 253-273 o.	.2	
370	Contribution of PET-CT to staging, gross tumour volume definition, planning and response assessment in IMRT for nasopharyngeal carcinoma. 2011 , 10, 272-282		1
369	Quality Management and Safety in Radiation Oncology. <i>Medical Radiology</i> , 2011 , 485-529 o.	.2	1
368	Factors associated with nodal metastasis in nasopharyngeal cancer: an approach to reduce the radiation field in selected patients. 2011 , 84, 265-70		5
367	Cisplatin-based chemoradiation plus cetuximab in locally advanced head and neck cancer: a phase II clinical study. <i>Annals of Oncology</i> , 2011 , 22, 712-717	0.3	53
366	Clinical challenges in the implementation of a tomotherapy service for head and neck cancer patients in a regional UK radiotherapy centre. 2011 , 84, 358-66		10
365	Intensity-modulated radiotherapy in patients with head and neck cancer: a European single-centre experience. 2011 , 84, 367-74		23
364	Current challenges in clinical target volume definition: tumour margins and microscopic extensions. 2012 , 51, 984-95		17
363	Early stage squamous cell carcinoma of the pyriform sinus: a review of treatment options. 2012 , 49, 236-4	4	5

362	Clinical evaluation of intensity-modulated radiotherapy for head and neck cancers. 2012 , 85, 487-94		50
361	[Current strategies in radiotherapy of head- and neck cancer]. 2012 , 91 Suppl 1, S144-50		2
360	Deformable registration of preoperative PET/CT with postoperative radiation therapy planning CT in head and neck cancer. 2012 , 32, 1329-41		13
359	Evaluation of atlas fusion strategies for segmentation of head and neck lymph nodes for radiotherapy planning. 2012 ,		1
358	Intensity-modulated radiation therapy with concurrent carboplatin and paclitaxel for locally advanced head and neck cancer: toxicities and efficacy. 2012 , 17, 673-81		14
357	Radiotherapy for head and neck tumours in 2012 and beyond: conformal, tailored, and adaptive?. 2012 , 13, e292-300		77
356	Highly cited German research contributions to the fields of radiation oncology, biology, and physics: focus on collaboration and diversity. 2012 , 188, 865-72		4
355	Multicenter evaluation of different target volume delineation concepts in pediatric Hodgkin's lymphoma. A case study. 2012 , 188, 1025-30		13
354	Evaluation of microscopic disease in oral tongue cancer using whole-mount histopathologic techniques: implications for the management of head-and-neck cancers. <i>International Journal of Radiation Oncology Biology Physics</i> , 2012 , 82, 574-81	4	33
353	Dose-escalated intensity-modulated radiotherapy is feasible and may improve locoregional control and laryngeal preservation in laryngo-hypopharyngeal cancers. <i>International Journal of Radiation Oncology Biology Physics</i> , 2012 , 82, 539-47	4	38
352	Postoperative intensity-modulated radiotherapy for squamous cell carcinoma of the external auditory canal and middle ear: treatment outcomes, marginal misses, and perspective on target delineation. <i>International Journal of Radiation Oncology Biology Physics</i> , 2012 , 82, 1485-93	4	14
351	Monitoring dosimetric impact of weight loss with kilovoltage (kV) cone beam CT (CBCT) during parotid-sparing IMRT and concurrent chemotherapy. <i>International Journal of Radiation Oncology Biology Physics</i> , 2012 , 82, e375-82	4	56
350	Evaluation of tumor shape variability in head-and-neck cancer patients over the course of radiation therapy using implanted gold markers. <i>International Journal of Radiation Oncology Biology Physics</i> , 2012 , 84, e201-7	4	13
349	The Effect of Registration Volume Extent on Residual Errors Assessed Using Cone-Beam Computed Tomography in Radiation Treatment of Head and Neck Cancer. 2012 , 43, 95-102		1
348	Head and Neck Cancer Imaging. Medical Radiology, 2012,	0.2	12
347	The seventh edition of the UICC/AJCC staging system for nasopharyngeal carcinoma is prognostically useful for patients treated with intensity-modulated radiotherapy from an endemic area in China. <i>Radiotherapy and Oncology</i> , 2012 , 104, 331-7	5.3	95
346	The potential benefit of swallowing sparing intensity modulated radiotherapy to reduce swallowing dysfunction: an in silico planning comparative study. <i>Radiotherapy and Oncology</i> , 2012 , 103, 76-81	5.3	58
345	Intensity-modulated radiotherapy in head and neck cancer: results of the prospective study GORTEC 2004-03. <i>Radiotherapy and Oncology</i> , 2012 , 103, 57-62	5.3	83

(2013-2012)

Heterogeneity in head and neck IMRT target design and clinical practice. <i>Radiotherapy and Oncology</i> , 2012 , 103, 92-8	5.3	95	
Three-dimensional conformal radiotherapy (3D-CRT) versus intensity modulated radiation therapy (IMRT) in squamous cell carcinoma of the head and neck: a randomized controlled trial. <i>Radiotherapy and Oncology</i> , 2012 , 104, 343-8	5.3	190	
A study on conventional IMRT and RapidArc treatment planning techniques for head and neck cancers. <i>Reports of Practical Oncology and Radiotherapy</i> , 2012 , 17, 168-75	1.5	19	
Magnetic resonance imaging features of nasopharyngeal carcinoma and nasopharyngeal non-Hodgkin's lymphoma: are there differences?. 2012 , 81, 1146-54		19	
Effectiveness of prophylactic retropharyngeal lymph node irradiation in patients with locally advanced head and neck cancer. 2012 , 12, 253		8	
Patterns of regional lymph node metastasis of nasopharyngeal carcinoma: a meta-analysis of clinical evidence. 2012 , 12, 98		165	
Anatomical atlas in the context of head and neck radiotherapy and its use to automatic segmentation. 2012 , 7, 447-455		3	
Variation in radiotherapy target volume definition, dose to organs at risk and clinical target volumes using anatomic (computed tomography) versus combined anatomic and molecular imaging (positron emission tomography/computed tomography): intensity-modulated radiotherapy		19	
Treatment outcome of nasopharyngeal carcinoma with retropharyngeal lymph nodes metastasis only and the feasibility of elective neck irradiation. 2012 , 48, 1045-1050		18	
Concurrent radiochemotherapy in locally-regionally advanced oropharyngeal squamous cell carcinoma: analysis of treatment results and prognostic factors. 2012 , 7, 78		8	
Technical advances and pitfalls in head and neck radiotherapy. 2012 , 2012, 597467		10	
A prospective trial of volumetric intensity-modulated arc therapy vs conventional intensity modulated radiation therapy in advanced head and neck cancer. 2012 , 3, 57-62		25	
Intensity-modulated radiation therapy for nasopharyngeal carcinoma: a review. 2012 , 1, 129-146		50	
Does weight loss predict accuracy of setup in head and neck cancer patients treated with Intensity-Modulated Radiation Therapy?. 2012 , 117, 885-91		7	
Current progress in adaptive radiation therapy for head and neck cancer. 2012, 14, 139-47		32	
Atlas-based automatic segmentation of head and neck organs at risk and nodal target volumes: a clinical validation. 2013 , 8, 154		84	
The influence of MRI scan position on patients with oropharyngeal cancer undergoing radical radiotherapy. 2013 , 8, 129		18	
Selective use of postoperative neck radiotherapy in oral cavity and oropharynx cancer: a prospective clinical study. 2013 , 8, 103		5	
	Three-dimensional conformal radiotherapy (3D-CRT) versus intensity modulated radiation therapy (IMRT) in squamous cell carcinoma of the head and neck: a randomized controlled trial. Radiotherapy and Oncology, 2012, 104, 343-8 A study on conventional IMRT and RapidArc treatment planning techniques for head and neck cancers. Reports of Practical Oncology and Radiotherapy, 2012, 17, 168-75 Magnetic resonance imaging features of nasopharyngeal carcinoma and nasopharyngeal non-Hodgkin's lymphoma: are there differences?. 2012, 81, 1146-54 Effectiveness of prophylactic retropharyngeal lymph node irradiation in patients with locally advanced head and neck cancer. 2012, 12, 253 Patterns of regional lymph node metastasis of nasopharyngeal carcinoma: a meta-analysis of clinical evidence. 2012, 12, 98 Anatomical atlas in the context of head and neck radiotherapy and its use to automatic segmentation. 2012, 7, 447-455 Variation in radiotherapy target volume definition, dose to organs at risk and clinical target volumes using anatomic (computed tomography) versus combined anatomic and molecular imaging (positron emission tomography/computed tomography): intensity-modulated radiotherapy. Treatment outcome of nasopharyngeal carcinoma with retropharyngeal lymph nodes metastasis only and the feasibility of elective neck irradiation. 2012, 48, 1045-1050 Concurrent radiochemotherapy in locally-regionally advanced oropharyngeal squamous cell carcinoma: analysis of treatment results and prognostic factors. 2012, 7, 78 Technical advances and pitfalls in head and neck radiotherapy. 2012, 2012, 597467 A prospective trial of volumetric intensity-modulated arcinoma: a review. 2012, 1, 129-146 Does weight loss predict accuracy of setup in head and neck cancer patients treated with Intensity-Modulated Radiation Therapy?. 2012, 117, 885-91 Current progress in adaptive radiation therapy for head and neck cancer patients treated with Intensity-Modulated Radiation Therapy?. 2012, 117, 885-91 Current progress in adaptive radiation	Three-dimensional conformal radiotherapy (3D-CRT) versus intensity modulated radiation therapy (MRT) in squamous cell carcinoma of the head and neck: a randomized controlled trial. **Radiotherapy and Oncology, 2012, 104, 343-8** **A study on conventional IMRT and RapidArc treatment planning techniques for head and neck cancers. **Reports of Practical Oncology and Radiotherapy, 2012, 17, 168-75** **Magnetic resonance imaging features of nasopharyngeal carcinoma and nasopharyngeal non-Hodgkin's lymphoma: are there differences*, 2012, 81, 1146-54** **Effectiveness of prophylactic retropharyngeal lymph node irradiation in patients with locally advanced head and neck cancer. 2012, 12, 253** **Patterns of regional lymph node metastasis of nasopharyngeal carcinoma: a meta-analysis of clinical evidence. 2012, 12, 98** **Anatomical atlas in the context of head and neck radiotherapy and its use to automatic segmentation. 2012, 7, 447-455** **Variation in radiotherapy target volume definition, dose to organs at risk and clinical target volumes using anatomic (computed tomography) versus combined anatomic and molecular imaging (positron emission tomography/computed tomography): intensity-modulated radiotherapy **Treatment outcome of nasopharyngeal carcinoma with retropharyngeal lymph nodes metastasis only and the feasibility of elective neck irradiation. 2012, 48, 1045-1050** **Concurrent radiochemotherapy in locally-regionally advanced oropharyngeal squamous cell carcinoma: analysis of treatment results and prognostic factors. 2012, 7, 78** **Technical advances and pitfalls in head and neck radiotherapy. 2012, 2012, 597467* **A prospective trial of volumetric intensity-modulated arc therapy vs conventional intensity modulated radiation therapy in advanced head and neck cancer. 2012, 3, 57-62** **Intensity-modulated radiation therapy for nasopharyngeal carcinoma: a review. 2012, 1, 129-146** **Does weight loss predict accuracy of setup in head and neck cancer patients treated with Intensity-Modulated Radiation	Anatomical atlas in the context of head and neck radiotherapy and its use to automatic segmentation. 2012, 7, 47-455 Variation in radiotherapy target volume definition, dose to organs at risk and clinical target volumes using anatomic (computed two dumers using anatomic (computed two mography) computed bromography) the restingtion and the feasibility of elective neck irradiation. 2012, 48, 1045-1050 Concurrent radiochemotherapy in locally-regionally advanced oropharyngeal squamous cell carcinoma: and pitfalis in head and neck radiotherapy. 2012, 17, 188-75 Technical advances and pitfalis in head and neck radiotherapy. 2012, 17, 188-76 Effectiveness of prophylactic retropharyngeal (prophylactic retropharyngeal tymph node irradiation in patients with locally advanced head and neck cancer. 2012, 12, 253 Patterns of regional lymph node metastasis of nasopharyngeal carcinoma: a meta-analysis of clinical evidence. 2012, 12, 98 Anatomical atlas in the context of head and neck radiotherapy and its use to automatic segmentation. 2012, 7, 447-455 Variation in radiotherapy target volume definition, dose to organs at risk and clinical target volumes using anatomic (computed tomography) versus combined anatomic and molecular imaging (positron emission tomography) prophylocomy

326	Report on revision of the Chinese 1992 staging system for nasopharyngeal carcinoma. 2013 , 2, 233-240		18
325	Patterns of disease recurrence following treatment of oropharyngeal cancer with intensity modulated radiation therapy. <i>International Journal of Radiation Oncology Biology Physics</i> , 2013 , 85, 941-	. 7 4	88
324	Experience with combination of docetaxel, cisplatin plus 5-fluorouracil chemotherapy, and intensity-modulated radiotherapy for locoregionally advanced nasopharyngeal carcinoma. 2013 , 18, 464-71		29
323	Nasopharyngeal Carcinoma. Advances in Experimental Medicine and Biology, 2013,	3.6	5
322	Intensity-modulated radiotherapy vs. parotid-sparing 3D conformal radiotherapy. Effect on outcome and toxicity in locally advanced head and neck cancer. 2013 , 189, 223-9		44
321	[Delineation for oral cavity and oropharyngeal cancers]. <i>Cancer Radiotherapie: Journal De La Societe Francaise De Radiotherapie Oncologique</i> , 2013 , 17, 493-7	1.3	7
320	The feasibility of omitting irradiation to the contralateral lower neck in stage N1 nasopharyngeal carcinoma patients. 2013 , 8, 230		7
319	Clinical validation of atlas-based auto-segmentation of pelvic volumes and normal tissue in rectal tumors using auto-segmentation computed system. 2013 , 52, 1676-81		30
318	Dysphagia after definitive radiotherapy for head and neck cancer. Correlation of dose-volume parameters of the pharyngeal constrictor muscles. 2013 , 189, 230-6		33
317	Origin of tumor recurrence after intensity modulated radiation therapy for oropharyngeal squamous cell carcinoma. <i>International Journal of Radiation Oncology Biology Physics</i> , 2013 , 85, 136-41	4	30
316	Hodgkin∃ and Non-Hodgkin∃ Lymphoma. 2013 , 255-276		
315	Can treatment of pediatric Hodgkin's lymphoma be improved by PET imaging and proton therapy?. 2013 , 189, 54-61		17
314	Radiologic assessment of retropharyngeal node involvement in oropharyngeal carcinomas stratified by HPV status. <i>Radiotherapy and Oncology</i> , 2013 , 109, 293-6	5.3	16
313	Proposed lymph node staging system using the International Consensus Guidelines for lymph node levels is predictive for nasopharyngeal carcinoma patients from endemic areas treated with intensity modulated radiation therapy. <i>International Journal of Radiation Oncology Biology Physics</i> ,	4	52
312	Stage III melanoma in the axilla: patterns of regional recurrence after surgery with and without adjuvant radiation therapy. <i>International Journal of Radiation Oncology Biology Physics</i> , 2013 , 86, 702-8	4	5
311	An in silico comparison between margin-based and probabilistic target-planning approaches in head and neck cancer patients. <i>Radiotherapy and Oncology</i> , 2013 , 109, 430-6	5.3	11
310	Results of a phase 2 study examining the effects of omitting elective neck irradiation to nodal levels IV and Vb in patients with N(0-1) nasopharyngeal carcinoma. <i>International Journal of Radiation Oncology Biology Physics</i> , 2013 , 85, 929-34	4	31
309	Nasopharyngeal tuberculosis: CT and MRI findings in thirty-six patients. 2013 , 82, e448-54		10

(2014-2013)

308	radiotherapy for III-FDG-PET-guided dose escalation in oropharyngeal cancer: a planning study. 2013, 38, 18-24	6
307	Postoperative intensity-modulated radiotherapy following surgery for oral cavity squamous cell carcinoma: patterns of failure. 2013 , 49, 255-60	33
306	Prospective assessment of an atlas-based intervention combined with real-time software feedback in contouring lymph node levels and organs-at-risk in the head and neck: Quantitative assessment of conformance to expert delineation. 2013 , 3, 186-193	13
305	Target volume definition for intensity-modulated radiotherapy after induction chemotherapy and patterns of treatment failure after sequential chemoradiotherapy in locoregionally advanced oropharyngeal squamous cell carcinoma. 2013 , 25, 162-70	13
304	Adaptive and innovative Radiation Treatment FOR improving Cancer treatment outcomE (ARTFORCE); a randomized controlled phase II trial for individualized treatment of head and neck cancer. 2013 , 13, 84	74
303	RapidArc, SmartArc and TomoHD compared with classical step and shoot and sliding window intensity modulated radiotherapy in an oropharyngeal cancer treatment plan comparison. 2013 , 8, 37	42
302	Swallowing-sparing intensity-modulated radiotherapy for head and neck cancer patients: treatment planning optimization and clinical introduction. <i>Radiotherapy and Oncology</i> , 2013 , 107, 282-7	3 36
301	Analysis of risk factors for retropharyngeal lymph node metastasis in carcinoma of the hypopharynx. 2013 , 35, 1274-7	13
300	The potential of intensity-modulated proton radiotherapy to reduce swallowing dysfunction in the treatment of head and neck cancer: A planning comparative study. 2013 , 52, 561-9	78
299	Intensity-modulated radiotherapy using simultaneous-integrated boost for definitive treatment of locally advanced mucosal head and neck cancer: outcomes from a single-institution series. 2013 , 57, 356-6.	3 7
298	Automatic delineation for replanning in nasopharynx radiotherapy: what is the agreement among experts to be considered as benchmark?. 2013 , 52, 1417-22	33
297	Report 89. 2013 , 13, NP	22
296	References. 2013 , 13, 233-258	
295	Impact of MLC leaf width on volumetric-modulated arc therapy planning for head and neck cancers. 2013 , 14, 4074	15
294	Clinical evaluation of multi-atlas based segmentation of lymph node regions in head and neck and prostate cancer patients. 2013 , 8, 229	31
293	[Clinical evaluation of automatic contours for head and neck region using deformable image registration software]. 2013 , 69, 1250-60	
292	Target volume and position variations during intensity-modulated radiotherapy for patients with nasopharyngeal carcinoma. 2013 , 6, 1719-28	12
291	Staging of cervical lymph nodes in oral squamous cell carcinoma: adding ultrasound in clinically lymph node negative patients may improve diagnostic work-up. 2014 , 9, e90360	23

29 0	Submandibular gland-sparing radiation therapy for locally advanced oropharyngeal squamous cell carcinoma: patterns of failure and xerostomia outcomes. 2014 , 9, 255		30
289	Development of a multivariable normal tissue complication probability (NTCP) model for tube feeding dependence after curative radiotherapy/chemo-radiotherapy in head and neck cancer. <i>Radiotherapy and Oncology</i> , 2014 , 113, 95-101	5.3	67
288	Toward adaptive radiotherapy for head and neck patients: Feasibility study on using CT-to-CBCT deformable registration for "dose of the day" calculations. <i>Medical Physics</i> , 2014 , 41, 031703	4.4	134
287	[Quality criteria in radiotherapy for head and neck cancers under the aegis of Head and Neck Intergroup]. 2014 , 101, 481-5		1
286	Impact of the Intra- and Inter-observer Variability in the Delineation of Parotid Glands on the Dose Calculation During Head and Neck Helical Tomotherapy. 2015 , 14, 467-74		3
285	Nasopharyngeal Carcinoma. <i>Medical Radiology</i> , 2014 , 3-16	0.2	1
284	Proposed revision of CT-based cervical and thoracic lymph node levels for esophageal cancer in UICC 7th version. <i>Radiotherapy and Oncology</i> , 2014 , 113, 175-81	5.3	11
283	Reflections on the current status of commercial automated segmentation systems in clinical practice. <i>Journal of Medical Radiation Sciences</i> , 2014 , 61, 131-4	1.5	23
282	Radiotherapy for unresectable sinonasal cancers: dosimetric comparison of intensity modulated radiation therapy with coplanar and non-coplanar volumetric modulated arc therapy. <i>Radiotherapy and Oncology</i> , 2014 , 113, 260-6	5.3	20
281	Different treatment planning protocols can lead to large differences in organ at risk sparing. <i>Radiotherapy and Oncology</i> , 2014 , 113, 267-71	5.3	11
2 80	Hypopharyngeal Carcinoma. <i>Medical Radiology</i> , 2014 , 73-82	0.2	
279	Advanced Laryngeal Carcinoma. <i>Medical Radiology</i> , 2014 , 57-72	0.2	
278	Technical guidelines for head and neck cancer IMRT on behalf of the Italian association of radiation oncology - head and neck working group. 2014 , 9, 264		63
277	Indications for the use of external beam radiation in thyroid cancer. 2014 , 26, 45-50		13
276	Pattern of Failure in Surgically Treated Patients with Cervical Esophageal Squamous Cell Carcinoma. 2014 , 151, 260-4		7
275	Using CT or MRI to assess locoregional spread to determine the radiotherapy target of hypopharyngeal carcinoma. <i>Asia-Pacific Journal of Clinical Oncology</i> , 2014 , 10, e21-7	1.9	2
274	Auto-segmentation of low-risk clinical target volume for head and neck radiation therapy. 2014 , 4, e31-7	7	20
273	The role of elective pelvic radiotherapy in clinically node-negative prostate cancer: a systematic review. <i>Radiotherapy and Oncology</i> , 2014 , 110, 45-54	5.3	16

272	Sparing level Ib lymph nodes by intensity-modulated radiotherapy in the treatment of nasopharyngeal carcinoma. 2014 , 19, 998-1004	15
271	Delineation of the neck node levels for head and neck tumors: a 2013 update. DAHANCA, EORTC, HKNPCSG, NCIC CTG, NCRI, RTOG, TROG consensus guidelines. <i>Radiotherapy and Oncology</i> , 2014 , 110, 172-81	383
270	Computed tomography-based tumour volume as a predictor of outcome in laryngeal cancer: results of the phase 3 ARCON trial. 2014 , 50, 1112-9	19
269	Impact of delineation uncertainties on dose to organs at risk in CT-guided intracavitary brachytherapy. 2014 , 13, 210-8	16
268	Is replacement of the supraclavicular fossa with the lower level classification based on magnetic resonance imaging beneficial in nasopharyngeal carcinoma?. <i>Radiotherapy and Oncology</i> , 2014 , 113, 108-74	22
267	Patterns of failure after intensity-modulated radiotherapy in head and neck squamous cell carcinoma using compartmental clinical target volume delineation. 2014 , 26, 636-42	38
266	Adjuvant simultaneous integrated boost IMRT for patients with intermediate- and high-risk head and neck cancer: outcome, toxicities and patterns of failure. 2014 , 50, 1114-21	5
265	Oncology scannodal regions, nodal regression, and molecular biomarkers: new thinking in head and neck radiation therapy. <i>International Journal of Radiation Oncology Biology Physics</i> , 2014 , 90, 477-9	4
264	[Delineation of the lymph nodes for head neck cancers]. <i>Cancer Radiotherapie: Journal De La Societe Francaise De Radiotherapie Oncologique</i> , 2014 , 18, 572-6	7
263	Final long-term results of a phase I/II study of dose-escalated intensity-modulated radiotherapy for locally advanced laryngo-hypopharyngeal cancers. 2014 , 50, 1089-97	16
262	Dose to the inferior pharyngeal constrictor predicts prolonged gastrostomy tube dependence with concurrent intensity-modulated radiation therapy and chemotherapy for locally-advanced head and neck cancer. <i>Radiotherapy and Oncology</i> , 2014 , 110, 435-40	37
261	SPECT/CT lymphoscintigraphy of sentinel node(s) for superselective prophylactic irradiation of the neck in cN0 head and neck cancer patients: a prospective phase I feasibility study. 2014 , 9, 121	14
260	Treatment outcomes and feasibility of partial neck irradiation for patients with nasopharyngeal carcinoma with only retropharyngeal lymph node metastasis after intensity-modulated radiotherapy. 2014 , 36, 468-73	15
259	Comparative study on prophylactic irradiation to the whole neck and to the upper neck for patients with neck lymph node-negative nasopharyngeal carcinoma. 2014 , 36, 687-93	16
258	A risk score model for the metastasis of level Ib lymph node based on the clinicopathological features of nasopharyngeal carcinoma in a large sample. 2014 , 2, 789-797	7
257	Friday 30 October 2015. 2015 , 59, 38-72	
256	Validation of Varian's SmartAdapt [©] deformable image registration algorithm for clinical application. 2015 , 10, 73	24
255	Regional recurrence of oropharyngeal cancer after definitive radiotherapy: a case control study. 2015 , 10, 117	2

254	Investigation of the feasibility of elective irradiation to neck level Ib using intensity-modulated radiotherapy for patients with nasopharyngeal carcinoma: a retrospective analysis. 2015 , 15, 709	19
253	Toxicity profile and early clinical outcome for advanced head and neck cancer patients treated with simultaneous integrated boost and volumetric modulated arc therapy. 2015 , 10, 224	16
252	Fast Helical Tomotherapy in a head and neck cancer planning study: is time priceless?. 2015 , 10, 261	7
251	Sparing bilateral neck level IB in oropharyngeal carcinoma and xerostomia outcomes. <i>American Journal of Clinical Oncology: Cancer Clinical Trials</i> , 2015 , 38, 343-7	20
250	The Evolution of and Risk Factors for Neck Muscle Atrophy and Weakness in Nasopharyngeal Carcinoma Treated With Intensity-Modulated Radiotherapy: A Retrospective Study in an Endemic Area. 2015 , 94, e1294	7
249	Experience with combination of nimotuzumab and intensity-modulated radiotherapy in patients with locoregionally advanced nasopharyngeal carcinoma. 2015 , 8, 3383-90	15
248	Sequelae of Therapy of Head and Neck Cancer: Their Prevention and Therapy. 2015 , 215-248	
247	Target Volume Delineation for Conformal and Intensity-Modulated Radiation Therapy. <i>Medical Radiology</i> , 2015 ,	14
246	Expert Consensus Contouring Guidelines for Intensity Modulated Radiation Therapy in Esophageal and Gastroesophageal Junction Cancer. <i>International Journal of Radiation Oncology Biology Physics</i> , 4 2015 , 92, 911-20	74
245	Impact of the Intra- and Inter-observer Variability in the Delineation of Parotid Glands on the Dose Calculation During Head and Neck Helical Tomotherapy. 2015 , 14, 467-474	4
244	Analysis of loco-regional failures in head and neck cancer after radical radiation therapy. 2015 , 51, 1051-1055	35
243	Volumetric-modulated arc therapy for oropharyngeal carcinoma: a dosimetric and delivery efficiency comparison with static-field IMRT. 2015 , 31, 54-9	14
242	Stereotactic Body Radiotherapy. 2015 ,	3
241	Characteristics and kinetics of cervical lymph node regression after radiation therapy for human papillomavirus-associated oropharyngeal carcinoma: quantitative image analysis of post-radiotherapy response. 2015 , 51, 195-201	9
240	Incremental classification of objects in scenes: Application to the delineation of images. 2015 , 152, 45-57	3
239	Organ sparing and clinical outcome with step-and-shoot IMRT for head and neck cancer: a mono-institutional experience. 2015 , 120, 753-8	15
238	Primary tumor delineation based on (18)FDG PET for locally advanced head and neck cancer treated by chemo-radiotherapy. <i>Radiotherapy and Oncology</i> , 2015 , 116, 87-93	45
237	Clinical efficacy and failure pattern in patients with cervical esophageal cancer treated with definitive chemoradiotherapy. <i>Radiotherapy and Oncology</i> , 2015 , 116, 257-61	44

(2016-2015)

236	Patterns of lymph node metastasis from nasopharyngeal carcinoma based on the 2013 updated consensus guidelines for neck node levels. <i>Radiotherapy and Oncology</i> , 2015 , 115, 41-5	5.3	45
235	Locally advanced head and neck cancer treated with accelerated radiotherapy, the hypoxic modifier nimorazole and weekly cisplatin. Results from the DAHANCA 18 phase II study. 2015 , 54, 1001-7		67
234	Generation of prescriptions robust against geometric uncertainties in dose painting by numbers. 2015 , 54, 253-60		13
233	Definitive intensity modulated radiotherapy in locally advanced hypopharygeal and laryngeal squamous cell carcinoma: mature treatment results and patterns of locoregional failure. 2015 , 10, 20		5
232	Assessment and topographic characterization of locoregional recurrences in head and neck tumours. 2015 , 10, 41		11
231	Intensity-Modulated Radiation Therapy. 2015 ,		3
230	Validation of clinical acceptability of an atlas-based segmentation algorithm for the delineation of organs at risk in head and neck cancer. <i>Medical Physics</i> , 2015 , 42, 5027-34	4.4	39
229	Toward adaptive radiotherapy for head and neck patients: Uncertainties in dose warping due to the choice of deformable registration algorithm. <i>Medical Physics</i> , 2015 , 42, 760-9	4.4	50
228	PET/CT in radiotherapy planning in head and neck cancers. 2015 , 39, 465-470		О
227	A new approach to delineating lymph node target volumes for post-operative radiotherapy in gastric cancer: A phase II trial. <i>Radiotherapy and Oncology</i> , 2015 , 116, 245-51	5.3	10
226	Advances in Radiotherapy for Head and Neck Cancer. 2015 , 33, 3277-84		109
225	HPV and EBV Infections in Neck Metastases from Occult Primary Squamous Cell Carcinoma: Another Virus-Related Neoplastic Disease in the Head and Neck Region. 2015 , 22 Suppl 3, S979-84		17
224	Helical tomotherapy in head and neck cancer: a European single-center experience. 2015 , 20, 279-90		2
223	Is Unenhanced 18F-FDGPET/CT Better than Enhanced CT in the Detection of Retropharyngeal Lymph node Metastasis in Nasopharyngeal Carcinoma?. 2016 , 95, 4-5		4
222	Early transient radiation-induced brachial plexopathy in locally advanced head and neck cancer. 2016 , 20, 67-72		3
221	Selective omission of level V nodal coverage for patients with oropharyngeal cancer: Clinical validation of intensity-modulated radiotherapy experience and dosimetric significance. 2016 , 38, 499-5	05	6
220	Effects of omitting elective neck irradiation to nodal Level IB in nasopharyngeal carcinoma patients with negative Level IB lymph nodes treated by intensity-modulated radiotherapy: a Phase 2 study. 2016 , 89, 20150621		11
219	Prognostic value of phosphorylated Raf kinase inhibitory protein at serine 153 and its predictive effect on the clinical response to radiotherapy in nasopharyngeal carcinoma. 2016 , 11, 121		4

218	The report of Task Group 100 of the AAPM: Application of risk analysis methods to radiation therapy quality management. <i>Medical Physics</i> , 2016 , 43, 4209	4.4	216
217	Osteoradionecrosis following treatment for head and neck cancer and the effect of radiotherapy dosimetry: the Guy's and St Thomas' Head and Neck Cancer Unit experience. 2016 , 122, 28-34		26
216	Cachexia induces head and neck changes in locally advanced oropharyngeal carcinoma during definitive cisplatin and image-guided volumetric-modulated arc radiation therapy. 2016 , 70, 738-42		6
215	Nasopharyngeal Carcinoma. 2016 , 629-648.e4		2
214	Management of the Neck. 2016 , 738-762.e4		
213	Intensity-modulated radiotherapy in the treatment of locoregionally advanced head and neck cancer: implementation and outcomes in a New Zealand community hospital. <i>Journal of Medical Radiation Sciences</i> , 2016 , 63, 96-103	1.5	2
212	[Radiotherapy for oral cavity cancers]. <i>Cancer Radiotherapie: Journal De La Societe Francaise De Radiotherapie Oncologique</i> , 2016 , 20 Suppl, S116-25	1.3	4
211	[Radiotherapy of hypopharynx cancers]. <i>Cancer Radiotherapie: Journal De La Societe Francaise De Radiotherapie Oncologique</i> , 2016 , 20 Suppl, S126-30	1.3	2
210	IMRT for head and neck cancer: reducing xerostomia and dysphagia. 2016 , 57 Suppl 1, i69-i75		60
209	Impact of prophylactic gastrostomy or reactive NG tube upon patient-reported long term swallow function following chemoradiotherapy for oropharyngeal carcinoma: A matched pair analysis. 2016 , 59, 80-85		20
208	Patterns of failure after postoperative intensity-modulated radiotherapy for locally advanced and recurrent head and neck cancer. 2016 , 46, 919-927		14
207	[Radiotherapy of carcinoma of the salivary glands]. <i>Cancer Radiotherapie: Journal De La Societe Francaise De Radiotherapie Oncologique</i> , 2016 , 20 Suppl, S136-8	1.3	1
206	[Radiotherapy of oropharynx carcinoma]. <i>Cancer Radiotherapie: Journal De La Societe Francaise De Radiotherapie Oncologique</i> , 2016 , 20 Suppl, S110-5	1.3	4
205	[Radiotherapy of larynx cancers]. <i>Cancer Radiotherapie: Journal De La Societe Francaise De Radiotherapie Oncologique</i> , 2016 , 20 Suppl, S131-5	1.3	2
204	The effect of glutamine and arginine-enriched nutritional support on quality of life in head and neck cancer patients treated with IMRT. 2016 , 16, 30-35		3
203	Nasopharyngeal carcinoma in a low incidence European area: A´prospective observational analysis from the Head and Neck Study Group of the Italian Society of Radiation Oncology (AIRO). 2016 , 192, 931-943		7
202	Impact of prophylactic percutaneous endoscopic gastrostomy tube placement on treatment tolerance in head and neck cancer patients treated with cetuximab plus radiation. 2016 , 46, 825-31		4
201	Evaluation of radiotherapy techniques for radical treatment of lateralised oropharyngeal cancers : Dosimetry and NTCP. 2016 , 192, 516-25		6

200	Total Mucosal Irradiation with Intensity-modulated Radiotherapy in Patients with Head and Neck Carcinoma of Unknown Primary: A Pooled Analysis of Two Prospective Studies. 2016 , 28, e77-e84		24
199	Outcomes of Saudi Arabian Patients With Nasopharyngeal Cancer Treated With Primarily Neoadjuvant Chemotherapy Followed by Concurrent Chemoradiotherapy. 2016 , 2, 123-128		5
198	Prospective randomized controlled trial to compare 3-dimensional conformal radiotherapy to intensity-modulated radiotherapy in head and neck squamous cell carcinoma: Long-term results. 2016 , 38 Suppl 1, E1481-7		57
197	Clinical results of definitive intensity-modulated radiation therapy for oropharyngeal cancer: retrospective analysis of treatment efficacy and safety. 2016 , 46, 78-85		4
196	Reduction of clinical target volume in patients with lateralized cancer of the nasopharynx and without contralateral lymph node metastasis receiving intensity-modulated radiotherapy. 2016 , 38 Suppl 1, E468-72		5
195	Squamous-cell carcinoma of the anus: progress in radiotherapy treatment. 2016 , 13, 447-59		23
194	Compliance to radiation therapy of head and neck cancer patients and impact on treatment outcome. 2016 , 18, 677-84		11
193	Unilateral and bilateral neck SIB for head and neck cancer patients: Intensity-modulated proton therapy, tomotherapy, and RapidArc. 2016 , 192, 232-9		16
192	Elective Nodal Irradiation and Patterns of Failure in Head and Neck Cancer After Primary Radiation Therapy. <i>International Journal of Radiation Oncology Biology Physics</i> , 2016 , 94, 775-82	4	22
191	Proposed definition of the vaginal cuff and paracolpium clinical target volume in postoperative uterine cervical cancer. 2016 , 6, 5-11		9
190	Patterns of Recurrence in Electively Irradiated Lymph Node Regions After Definitive Accelerated Intensity Modulated Radiation Therapy for Head and Neck Squamous Cell Carcinoma. <i>International Journal of Radiation Oncology Biology Physics</i> , 2016 , 94, 766-74	4	22
189	Comparative treatment planning study on sequential vs. simultaneous integrated boost in head and neck cancer patients: Differences in dose distributions and potential implications for clinical practice. 2016 , 192, 17-24		12
188	Oropharyngeal Cancer. 2016 , 597-628.e6		
187	Intensity-Modulated and Image-Guided Radiation Therapy. 2016 , 294-324.e5		1
186	Outcomes in Advanced Head and Neck Cancer Treated with Up-front Neck Dissection prior to (Chemo)Radiotherapy. 2016 , 154, 300-8		9
185	Predictors of mucositis in oropharyngeal and oral cavity cancer in patients treated with volumetric modulated radiation treatment: A dose-volume analysis. 2016 , 38 Suppl 1, E815-9		19
184	Outcomes of intensity-modulated radiotherapy as primary treatment for oropharyngeal squamous cell carcinoma - a European singleinstitution analysis. 2017 , 42, 115-122		19
183	A comparative analysis between sequential boost and integrated boost intensity-modulated radiation therapy with concurrent chemotherapy for locally-advanced head and neck cancer. 2017 , 12, 13		15

182	Prospective evaluation of Intensity Modulated Radiation Therapy with Simultaneous Integrated Boost (IMRT-SIB) in head and neck squamous cell carcinoma in patients not suitable for chemo-radiotherapy. 2017 , 67, 10-16		5
181	Nasopharyngeal carcinoma: 30-year experience of a single institution in a non-endemic area. 2017 , 19, 777-783		6
180	Outcomes of Routine Intensity Modulated Radiation Therapy Quality Assurance in a Large Head and Neck Cancer Center. <i>International Journal of Radiation Oncology Biology Physics</i> , 2017 , 98, 541-546	4	12
179	Biological dose-escalated definitive radiation therapy in head and neck cancer. 2017 , 90, 20160477		1
178	Prognostic value of dynamic hypoxia PET in head and neck cancer: Results from a planned interim analysis of a randomized phase II hypoxia-image guided dose escalation trial. <i>Radiotherapy and Oncology</i> , 2017 , 124, 526-532	5.3	84
177	Quality assurance of radiotherapy in the ongoing EORTC 1219-DAHANCA-29 trial for HPV/p16 negative squamous cell carcinoma of the head and neck: Results of the benchmark case procedure. <i>Radiotherapy and Oncology</i> , 2017 , 123, 424-430	5.3	13
176	Oropharyngeal Cancer. 2017 , 202-226		
175	Carcinoma of the Nasopharynx. 2017 , 248-268		
174	Head and Neck Radiation Therapy Sequelae and Late Complications and the Role of IMRT. 2017, 335-34	8	
173	The feasibility of contralateral lower neck sparing intensity modulation radiated therapy for nasopharyngeal carcinoma patients with unilateral cervical lymph node involvement. 2017 , 69, 68-73		9
172	The role of imaging in the management of patients with nonmelanoma skin cancer: When is imaging necessary?. 2017 , 76, 591-607		44
171	Could the Addition of Cetuximab to Conventional Radiation Therapy Improve Organ Preservation in Those Patients With Locally Advanced Larynx Cancer Who Respond to Induction Chemotherapy? An Organ Preservation Spanish Head and Neck Cancer Cooperative Group Phase 2 Study. <i>International</i>	4	12
170	Clinical outcomes of concurrent chemoradiotherapy with volumetric modulated arc therapy in patients with locally advanced nasopharyngeal carcinoma. 2017 , 35, 673-680		1
169	Validation of the relative insensitivity of volumetric-modulated arc therapy (VMAT) plan quality to gantry space resolution. 2017 , 58, 579-590		6
168	Exclusive concurrent radiochemotherapy for advanced head and neck cancers with 'fractionated' 5-fluorouracil and cisplatin. 2017 , 28, 213-221		1
167	Geometric Image Biomarker Changes of the Parotid Gland Are Associated With Late Xerostomia. <i>International Journal of Radiation Oncology Biology Physics</i> , 2017 , 99, 1101-1110	4	19
166	Influence of multi-leaf collimator leaf transmission on head and neck intensity-modulated radiation therapy and volumetric-modulated arc therapy planning. 2017 , 35, 511-525		2
165	Concurrent chemoradiotherapy with S-1 in patients with stage III-IV oral squamous cell carcinoma: A retrospective analysis of nodal classification based on the neck node level. 2017 , 7, 140-144		4

164	Elective nodal dose of 60 Gy or 50 Gy in head and neck cancers: A matched pair analysis of outcomes and toxicity. 2017 , 2, 339-345		3
163	Impact of Neuroradiology-Based Peer Review on Head and Neck Radiotherapy Target Delineation. 2017 , 38, 146-153		9
162	CT image biomarkers to improve patient-specific prediction of radiation-induced xerostomia and sticky saliva. <i>Radiotherapy and Oncology</i> , 2017 , 122, 185-191	5.3	59
161	Patterns of nodal failure after intensity modulated radiotherapy for nasopharyngeal carcinoma. 2017 , 127, 377-382		10
160	Patterns of Primary Tumor Invasion and Regional Lymph Node Spread Based on Magnetic Resonance Imaging in Early-Stage Nasal NK/T-cell Lymphoma: Implications for Clinical Target Volume Definition and Prognostic Significance. International Journal of Radiation Oncology Biology	4	14
159	Accuracy of [Fluorine]-Fluoro-2-Deoxy-d-Glucose Positron Emission Tomography-Computed Tomography Response Assessment Following (Chemo)radiotherapy for Locally Advanced Laryngeal/Hypopharyngeal Carcinoma. 2017 , 11, 1179554917713005		2
158	Long-term Patterns of Regional Failure for Nasopharyngeal Carcinoma following Intensity-Modulated Radiation Therapy. 2017 , 8, 993-999		9
157	External beam radiotherapy in thyroid carcinoma: clinical review and recommendations of the AIRO "Radioterapia Metabolica" Group. 2017 , 103, 114-123		5
156	Treatment for retropharyngeal metastatic undifferentiated squamous cell carcinoma from an unknown primary site: results of a prospective study with irradiation to nasopharyngeal mucosa plus bilateral neck. <i>Oncotarget</i> , 2017 , 8, 42372-42381	3.3	5
155	Basics of Planning and Management of Patients during Radiation Therapy. 2018,		1
154	Xerostomia, salivary characteristics and gland volumes following intensity-modulated radiotherapy for nasopharyngeal carcinoma: a two-year follow up. 2018 , 63, 217-223		10
153	In Reply to Daisne et'al. International Journal of Radiation Oncology Biology Physics, 2018, 100, 808-809	4	
152	In Regard to Bibault et´al. International Journal of Radiation Oncology Biology Physics, 2018, 100, 807-80	84	1
151	Delineation of Neck Clinical Target Volume Specific to Nasopharyngeal Carcinoma Based on Lymph Node Distribution and the International Consensus Guidelines. <i>International Journal of Radiation</i> Oncology Biology Physics, 2018 , 100, 891-902	4	10
150	Locoregional extension and patterns of failure for nasopharyngeal carcinoma with intracranial extension. 2018 , 79, 27-32		10
149	Incidence of radiographically occult nodal metastases in HPV+ oropharyngeal carcinoma: Implications for reducing elective nodal coverage. 2018 , 8, 397-403		3
148	Dosimetric effect of limited aperture multileaf collimator on VMAT plan quality: A study of prostate and head-and-neck cancers. <i>Reports of Practical Oncology and Radiotherapy</i> , 2018 , 23, 189-198	1.5	1
147	Feasibility of Dose-escalated Hypofractionated Chemoradiation in Human Papilloma Virus-negative or Smoking-associated Oropharyngeal Cancer. 2018 , 30, 366-374		9

146	Consequences of introducing geometric GTV to CTV margin expansion in DAHANCA contouring guidelines for head and neck radiotherapy. <i>Radiotherapy and Oncology</i> , 2018 , 126, 43-47	5.3	28
145	Delineation of the primary tumour Clinical Target Volumes (CTV-P) in laryngeal, hypopharyngeal, oropharyngeal and oral cavity squamous cell carcinoma: AIRO, CACA, DAHANCA, EORTC, GEORCC, GORTEC, HKNPCSG, HNCIG, IAG-KHT, LPRHHT, NCIC CTG, NCRI, NRG Oncology, PHNS, SBRT,	5.3	134
144	Treatment outcomes of nasopharyngeal carcinoma in modern era after intensity modulated radiotherapy (IMRT) in Hong Kong: A report of 3328 patients (HKNPCSG 1301 study). 2018 , 77, 16-21		112
143	Comparison of intensity modulated radiotherapy with simultaneous integrated boost (IMRT-SIB) and a 3-dimensional conformal parotid gland-sparing radiotherapy (ConPas 3D-CRT) in treatment of nasopharyngeal carcinoma: a mono-institutional experience. 2018 , 123, 217-226		6
142	International guideline for the delineation of the clinical target volumes (CTV) for nasopharyngeal carcinoma. <i>Radiotherapy and Oncology</i> , 2018 , 126, 25-36	5.3	105
141	Feasibility of a Skin Dose Reduction for Nasopharyngeal Carcinoma Treated With High-Intensity-Modulated Delivery Techniques. 2018 , 17, 1533033818803582		
140	Relation of baseline neutrophil-to-lymphocyte ratio to survival and toxicity in head and neck cancer patients treated with (chemo-) radiation. 2018 , 13, 216		21
139	Target volume selection and delineation (T and N) for primary radiation treatment of oral cavity, oropharyngeal, hypopharyngeal and laryngeal squamous cell carcinoma. 2018 , 87, 131-137		24
138	Analysis of geometric variation of neck node levels during image-guided radiotherapy for nasopharyngeal carcinoma: recommended planning margins. 2018 , 8, 637-647		5
137	Critical Appraisal of the Treatment Planning Performance of Volumetric Modulated Arc Therapy by Means of a Dual Layer Stacked Multileaf Collimator for Head and Neck, Breast, and Prostate. 2018 , 17, 1533033818803882		20
136	External validation of a multifactorial normal tissue complication probability model for tube feeding dependence at 6 months after definitive radiotherapy for head and neck cancer. <i>Radiotherapy and Oncology</i> , 2018 , 129, 403-408	5.3	11
135	Target delineation for postoperative treatment of head and neck cancer. 2018 , 86, 288-295		13
134	Helical intensity-modulated radiotherapy with concurrent chemotherapy for oropharyngeal squamous cell carcinoma: A prospective investigation of acute swallowing and toxicity patterns. 2018 , 40, 1955-1966		10
133	Conformal Radiotherapy: Simulation and Contouring. 2018 , 109-137		
132	A novel N staging system for NPC based on IMRT and RTOG guidelines for lymph node levels: Results of a prospective multicentric clinical study. 2018 , 16, 308-316		5
131	Modulated radiotherapy for head and neck carcinomas: an outcome study. 2018 , 17, 384-389		
130	Three-dimensional conformal radiotherapy versus intensity modulated radiotherapy with simultaneous integrated boost in the treatment of locally advanced head and neck carcinoma. 2019 , 66, 830-838		5
129	New approaches for effective and safe pelvic radiotherapy in high-risk prostate cancer. 2019 , 16, 523-5	38	13

128	The evolution of nasopharyngeal carcinoma staging. 2019 , 92, 20190244		30
127	Initial experience with introducing national guidelines for CT- and MRI-based delineation of organs at risk in radiotherapy. 2019 , 11, 88-91		2
126	The 100 most cited manuscripts in head and neck cancer: a bibliometric analysis. <i>Journal of Laryngology and Otology</i> , 2019 , 133, 936-942	1.8	6
125	RapidPlan knowledge based planning: iterative learning process and model ability to steer planning strategies. 2019 , 14, 187		20
124	Targeted Intervention to Improve the Quality of Head and Neck Radiation Therapy Treatment Planning in the Netherlands: Short and Long-Term Impact. <i>International Journal of Radiation Oncology Biology Physics</i> , 2019 , 105, 514-524	4	6
123	Delta-radiomics features during radiotherapy improve the prediction of late xerostomia. <i>Scientific Reports</i> , 2019 , 9, 12483	4.9	12
122	[Oral cavity and pharyngo-laryngeal squamous cell carcinoma. What lymph node volumes to select for external beam radiation therapy?]. <i>Cancer Radiotherapie: Journal De La Societe Francaise De Radiotherapie Oncologique</i> , 2019 , 23, 696-700	1.3	
121	Selection of lymph node target volumes for definitive head and neck radiation therapy: a 2019 Update. <i>Radiotherapy and Oncology</i> , 2019 , 134, 1-9	5.3	59
120	Low-level laser therapy in treatment of chemoradiotherapy-induced mucositis in head and neck cancer: results of a randomised, triple blind, multicentre phase III trial. 2019 , 14, 83		14
119	Volumetric and dosimetric comparison of two delineation guidelines for the radiation treatment of laryngeal squamous cell carcinoma. 2019 , 19, 1-11		1
118	Incidence of contralateral regional failure in the electively irradiated contralateral neck of patients with head and neck squamous cell carcinoma. 2019 , 17, 7-13		4
117	International Consensus on Delineation of Target Volumes and Organs at Risk. 2019 , 239-261		O
116	Interobserver variability in delineation of target volumes in head and neck cancer. <i>Radiotherapy and Oncology</i> , 2019 , 137, 9-15	5.3	23
115	Rapid advances in auto-segmentation of organs at risk and target volumes in head and neck cancer. <i>Radiotherapy and Oncology</i> , 2019 , 135, 130-140	5.3	38
114	Staging of Nasopharyngeal Carcinoma Based on the 8th Edition of the AJCC/UICC Staging System. 2019 , 179-203		2
113	Skin DVHs predict cutaneous toxicity in Head and Neck Cancer patients treated with Tomotherapy. 2019 , 59, 133-141		7
112	Diagnostic ability of [18F]-fluorodeoxyglucose-positron emission tomography/computed tomography for retropharyngeal lymph node in patients with oral cancer. 2019 , 40, 1036-1042		1
111	Risk factors and distribution features of level IB lymph nodes metastasis in nasopharyngeal carcinoma. 2019 , 46, 457-464		4

110	A prospective study of weekly intensity modulated radiation therapy plan adaptation for head and neck cancer: improved target coverage and organ at risk sparing. 2019 , 42, 43-51		5
109	Incidence and patterns of retropharyngeal lymph node involvement in oropharyngeal carcinoma. <i>Radiotherapy and Oncology</i> , 2020 , 142, 92-99	5.3	8
108	F-FDG-PET/CT-based treatment planning for definitive (chemo)radiotherapy in patients with head and neck squamous cell carcinoma improves regional control and survival. <i>Radiotherapy and Oncology</i> , 2020 , 142, 107-114	5.3	13
107	Age-dependent hemato- and nephrotoxicity in patients with head and neck cancer receiving chemoradiotherapy with weekly cisplatin. 2020 , 196, 515-521		7
106	Systematic review of educational interventions to improve contouring in radiotherapy. <i>Radiotherapy and Oncology</i> , 2020 , 144, 86-92	5.3	5
105	Winter is over: The use of Artificial Intelligence to individualise radiation therapy for breast cancer. 2020 , 49, 194-200		10
104	Distribution pattern and prognosis of metastatic lymph nodes in cervical posterior to level V in nasopharyngeal carcinoma patients. 2020 , 20, 667		3
103	Recommendation regarding the cranial upper border of level IIb in delineating clinical target volumes (CTV) for nasopharyngeal carcinoma. 2020 , 15, 270		1
102	The Danish Head and Neck Cancer Group (DAHANCA) 2020 radiotherapy guidelines. <i>Radiotherapy and Oncology</i> , 2020 , 151, 149-151	5.3	20
101	A prospective, comparative analysis of acute toxicity profile between three-dimensional conformal radiotherapy (3DCRT) and intensity-modulated radiotherapy (IMRT) in locally advanced head and neck cancer patients. 2020 , 25, 100223		3
100	Unplanned hospitalizations in patients with locoregionally advanced head and neck cancer treated with (chemo)radiotherapy with and without prophylactic percutaneous endoscopic gastrostomy. 2020 , 15, 281		1
99	Deep learning for elective neck delineation: More consistent and time efficient. <i>Radiotherapy and Oncology</i> , 2020 , 153, 180-188	5.3	2
98	Patterns of Failure in Patients With Head and Neck Squamous Cell Carcinomas of Unknown Primary Treated With Chemoradiotherapy. 2020 , 19, 1533033820905826		1
97	Generalizability assessment of head and neck cancer NTCP models based on the TRIPOD criteria. <i>Radiotherapy and Oncology</i> , 2020 , 146, 143-150	5.3	11
96	Evaluation of Contrast-Enhanced Computed Tomography (CT) and Magnetic Resonance Imaging (MRI) in the Detection of Retropharyngeal Lymph Node Metastases in Nasopharyngeal Carcinoma Patients. 2020 , 12, 1733-1739		2
95	Most Cited Articles in Head and Neck Oncology. 2021 , 100, 1061S-1072S		
94	Dose accumulation to assess the validity of treatment plans with reduced margins in radiotherapy of head and neck cancer. 2020 , 14, 53-60		1
93	Parapharyngeal Space Neoplasms. <i>Medical Radiology</i> , 2020 , 237-252	0.2	

(2021-2020)

92	Randomized clinical trial on reduction of radiotherapy dose to the elective neck in head and neck squamous cell carcinoma; update of the long-term tumor outcome. <i>Radiotherapy and Oncology</i> , 2020 , 143, 24-29	5.3	9
91	Retropharyngeal Lymph Node Involvement in Oropharyngeal Carcinoma: Impact upon Risk of Distant Metastases and Survival Outcomes. 2019 , 12,		4
90	Radiotherapy Quality Assurance for Head and Neck Squamous Cell Carcinoma. <i>Frontiers in Oncology</i> , 2020 , 10, 282	5.3	3
89	Dose-volume histogram analysis and clinical evaluation of knowledge-based plans with manual objective constraints for pharyngeal cancer. 2020 , 61, 499-505		8
88	Individualized Prophylactic Neck Irradiation in Patients with cN0 Head and Neck Cancer Based on Sentinel Lymph Node(s) Identification: Definitive Results of a Prospective Phase 1-2 Study. <i>International Journal of Radiation Oncology Biology Physics</i> , 2020 , 107, 652-661	4	9
87	Prediction of radiation-induced mucositis of H&N cancer patients based on a large patient cohort. <i>Radiotherapy and Oncology</i> , 2020 , 147, 15-21	5.3	6
86	18F-FDG-PET in guided dose-painting with intensity modulated radiotherapy in oropharyngeal tumours: A phase I study (FiGaRO). <i>Radiotherapy and Oncology</i> , 2021 , 155, 261-268	5.3	4
85	[Late toxicity following primary conservative treatment: Dysphagia and xerostomia]. 2021, 69, 263-277		1
84	Definitive concurrent chemoradiation versus laryngectomy and postoperative radiation using IMRT in locally advanced laryngeal cancer: experience from a regional cancer centre of Eastern India. 2021 , 20, 71-77		1
83	Management of Neck Disease in Early Stage Disease. 2021 , 47-56		
82	Chemoradiotherapy and Increased Prescription Dose in Esophageal Squamous Cell Cancer: A Retrospective Study. 2021 , 2021, 3834040		
81	Dosimetric impact of volumetric modulated arc therapy for nasopharyngeal cancer treatment. <i>Reports of Practical Oncology and Radiotherapy</i> , 2021 , 26, 101-110	1.5	O
80	Contralateral Lower Neck Sparing Radiotherapy in Stage N1 Nasopharyngeal Carcinoma: Long-Term Survival Outcomes and Late Toxicities. <i>Frontiers in Oncology</i> , 2021 , 11, 628919	5.3	1
79	A randomized prospective study comparing acute toxicity, compliance and objective response rate between simultaneous integrated boost and sequential intensity-modulated radiotherapy for locally advanced head and neck cancer. <i>Radiation Oncology Journal</i> , 2021 , 39, 15-23	2.5	1
78	Unilateral versus bilateral nodal irradiation: Current evidence in the treatment of squamous cell carcinoma of the head and neck. 2021 , 43, 2807-2821		2
77	Nasopharyngeal carcinoma: ESMO-EURACAN Clinical Practice Guidelines for diagnosis, treatment and follow-up. <i>Annals of Oncology</i> , 2021 , 32, 452-465	10.3	29
76	Treatment outcomes in patients with supraglottic laryngeal cancer: a single centre study. <i>Acta Oto-Laryngologica</i> , 2021 , 141, 649-655	1.6	1
75	A hidden Markov model for lymphatic tumor progression in the head and neck. <i>Scientific Reports</i> , 2021 , 11, 12261	4.9	4

74	Recommendations for postoperative radiotherapy in head & neck squamous cell carcinoma in the presence of flaps: A GORTEC internationally-reviewed HNCIG-endorsed consensus. <i>Radiotherapy and Oncology</i> , 2021 , 160, 140-147	5.3	2
73	TB Antigen-Stimulated CXCR3 Ligand Assay for Diagnosis of Tuberculous Lymphadenitis. <i>International Journal of Environmental Research and Public Health</i> , 2021 , 18,	4.6	O
72	Recurrence Patterns After IMRT/VMAT in Head and Neck Cancer. Frontiers in Oncology, 2021, 11, 7200.	52 5.3	1
71	Re-evaluation of the prognostic significance of retropharyngeal node metastasis in nasopharyngeal carcinoma patients treated with intensity-modulated radiotherapy. <i>Asia-Pacific Journal of Clinical Oncology</i> , 2021 ,	1.9	1
70	Multidisciplinary Management of Hypopharyngeal Carcinoma. 2011, 431-455		2
69	Head and Neck Tumours. 2010 , 671-685		2
68	Efficient selection of the most similar image in a database for critical structures segmentation. 2007 , 10, 203-10		16
67	Atlas-based auto-segmentation of head and neck CT images. <i>Lecture Notes in Computer Science</i> , 2008 , 11, 434-41	0.9	84
66	Using Frankenstein's creature paradigm to build a patient specific atlas. <i>Lecture Notes in Computer Science</i> , 2009 , 12, 993-1000	0.9	21
65	Radiation Therapy and Management of the Cervical Lymph Nodes and Malignant Skull Base Tumors. 2010 , 1682-1701		1
64	Head and neck cancer. 2011 , 77-88		1
63	Flap delineation guidelines in postoperative head and neck radiation therapy for head and neck cancers. <i>Radiotherapy and Oncology</i> , 2020 , 151, 256-265	5.3	6
62	Intensity-modulated radiation therapy without concurrent chemotherapy for stage IIb nasopharyngeal cancer. <i>American Journal of Clinical Oncology: Cancer Clinical Trials</i> , 2010 , 33, 294-9	2.7	51
61	Multidisciplinary collaborative gross tumour volume definition for lung cancer radiotherapy: a prospective study. <i>Cancer Imaging</i> , 2011 , 11, 202-8	5.6	7
60	Optimization of cervical lymph node clinical target volume delineation in nasopharyngeal carcinoma: a single center experience and recommendation. <i>Oncotarget</i> , 2018 , 9, 26980-26989	3.3	3
59	Radiation-induced brachial plexopathy in patients with nasopharyngeal carcinoma: a retrospective study. <i>Oncotarget</i> , 2016 , 7, 18887-95	3.3	21
58	The efficacy and toxicity of individualized intensity-modulated radiotherapy based on the tumor extension patterns of nasopharyngeal carcinoma. <i>Oncotarget</i> , 2016 , 7, 20680-90	3.3	10
57	Comparative Analysis of Clinical and Pathological Lymph Node Staging Data in Head and Neck Squamous Cell Carcinoma Patients Treated at the General Hospital Vienna. <i>Radiology and Oncology</i> , 2018 , 52, 173-180	3.8	2

(2013-2020)

56	Cisplatin Weekly Versus Every 3 Weeks Concurrently with Radiotherapy in the Treatment of Locally Advanced Head and Neck Squamous Cell Carcinomas: What Is the Best Dosing and Schedule?. <i>Asian Pacific Journal of Cancer Prevention</i> , 2020 , 21, 799-807	1.7	1
55	Radial displacement of clinical target volume in node negative head and neck cancer. <i>Radiation Oncology Journal</i> , 2012 , 30, 36-42	2.5	6
54	Nasopharyngeal adenoid cystic carcinoma: magnetic resonance imaging features in ten cases. <i>Chinese Journal of Cancer</i> , 2012 , 31, 19-28		9
53	Locoregional extension patterns of nasopharyngeal carcinoma and suggestions for clinical target volume delineation. <i>Chinese Journal of Cancer</i> , 2012 , 31, 579-87		61
52	Assessing the impact of magnetic resonance treatment simulation (MRSIM) on target volume delineation and dose to organs at risk for oropharyngeal radiotherapy. <i>Journal of Medical Radiation Sciences</i> , 2021 ,	1.5	
51	Target Definition and Delineation CT/MRI/PET-Guided Targets. <i>Medical Radiology</i> , 2009 , 163-174	0.2	
50	Three-Dimensional Conformal Radiotherapy and Intensity-Modulated Radiotherapy. 2010 , 170-192		
49	Management of the Neck and Unknown Primary of the Head and Neck. 2010 , 197-211		
48	Cancer of the Nasopharynx. 2010 , 523-545		
47	Construction of patient specific atlases from locally most similar anatomical pieces. <i>Lecture Notes in Computer Science</i> , 2010 , 13, 155-62	0.9	5
46	Multidisciplinary Treatment of the Neck. 2011 , 497-511		
45	Intensity-Modulated Radiation Therapy for Head and Neck Cancer. 2011 , 267-279		
44	Oropharyngeal Cancer. 2012 , 585-617		
43	Management of the Neck. 2012 , 731-755		
42	Conformal Therapy and Intensity-Modulated Radiation Therapy. 2012, 287-316		О
41	Nasopharyngeal Carcinoma. 2012 , 619-638		
40	Radiotherapy of NPC: Current Strategies and Perspectives. <i>Advances in Experimental Medicine and Biology</i> , 2013 , 125-148	3.6	
39	Head and Neck Neoplastic Disease. 2013 , 515-548		

38 Management of the Neck. **2015**, 33-51

37	Stereotactic Body Radiotherapy in Head and Neck Cancer. 2015 , 253-281		
36	Nasopharyngeal Cancer. 2015 , 153-169		
35	Multidisciplinary Treatment of the Neck. 2016 , 591-606		
34	Multidisciplinary Management of Hypopharyngeal Carcinoma. 2016, 511-537		
33	Intensity-Modulated Radiation Therapy for Head and Neck Cancer. 2016 , 301-315		
32	External Radiation in Differentiated Thyroid Cancer in the Era of IMRT and Modern Radiation Planning Techniques. 2018 , 147-152		1
31	Accelerated Radiotherapy with Concurrent Chemotherapy in Locally Advanced Head and Neck Cancers: Evaluation of Response and Compliance. <i>Asian Pacific Journal of Cancer Prevention</i> , 2020 , 21, 1399-1407	1.7	
30	Cascaded deep learning-based auto-segmentation for head and neck cancer patients: Organs at risk on T2-weighted magnetic resonance imaging. <i>Medical Physics</i> , 2021 ,	4.4	1
29	Hoofd-halstumoren. <i>Medische Beeldvorming En Radiotherapie</i> , 2020 , 139-167	О	
28	Parapharyngeal Space Neoplasms. <i>Medical Radiology</i> , 2008 , 163-175	0.2	О
27	Intensity-Modulated Radiation Therapy in the Management of Head and Neck Cancer. 2005 , 115-124		O
26	Cancer of the Oral Cavity and Oropharynx. <i>Medical Radiology</i> , 2008 , 37-59	0.2	
25	Does Dose Volume Histogram of Parotid Glands Correlate with Xerostomia Radiation Therapy Oncology Group Scores in Locoregionally Advanced Head and Neck Cancer Patients Treated with Intensity-Modulated Radiation Therapy?. <i>Asian Journal of Oncology</i> , 2021 , 07, 118-125	0.1	
24	A pilot prospective feasibility study of organ-at-risk definition using Target Contour Testing/Instructional Computer Software (TaCTICS), a training and evaluation platform for radiotherapy target delineation. 2011 , 2011, 654-63	0.7	8
23	Current strategies in radiotherapy of head and neck cancer. <i>GMS Current Topics in Otorhinolaryngology, Head and Neck Surgery</i> , 2012 , 11, Doc02		
22	RapidArc vs Conventional IMRT for Head and Neck Cancer Irradiation: Is Faster Necessary Better?. <i>Asian Pacific Journal of Cancer Prevention</i> , 2018 , 19, 207-211	1.7	6
21	Active Contour-Based Segmentation of Head and Neck with Adaptive Atlas Selection. 2009,		1

20	Laterality on FDG-PET/CT in clinically node-negative early-stage oral squamous cell carcinoma: a retrospective analysis of patients with late neck metastasis <i>Oral Radiology</i> , 2022 , 1	2.5	
19	Multi-Organ Omics-Based Prediction for Adaptive Radiation Therapy Eligibility in Nasopharyngeal Carcinoma Patients Undergoing Concurrent Chemoradiotherapy <i>Frontiers in Oncology</i> , 2021 , 11, 79202	2 4 ·3	3
18	Comprehensive Quantitative Evaluation of Variability in MR-guided Delineation of Oropharyngeal Gross Tumor Volumes and High-risk Clinical Target Volumes: An R-IDEAL Stage 0 Prospective Study International Journal of Radiation Oncology Biology Physics, 2022,	4	1
17	Management and work-up procedures of patients with head and neck malignancies treated by radiation <i>Cancer Radiotherapie: Journal De La Societe Francaise De Radiotherapie Oncologique</i> , 2021 , 26, 147-147	1.3	1
16	Radiotherapy for hypopharynx cancers <i>Cancer Radiotherapie: Journal De La Societe Francaise De Radiotherapie Oncologique</i> , 2021 ,	1.3	O
15	Failure Patterns of Recurrence and Metastasis After Intensity-Modulated Radiotherapy in Patients With Nasopharyngeal Carcinoma: Results of a Multicentric Clinical Study <i>Frontiers in Oncology</i> , 2021 , 11, 693199	5.3	2
14	Dosimetric sensitivity of leaf width on volumetric modulated arc therapy plan quality: an objective approach <i>Reports of Practical Oncology and Radiotherapy</i> , 2022 , 27, 76-85	1.5	
13	A comparative study of planning and dosimetry in locally advanced head-and-neck cancer: sequential versus simultaneous integrated boost methods in intensity-modulated radiotherapy. <i>Journal of Radiation and Cancer Research</i> , 2022 ,	0.3	
12	Surface changes of clinical target volume and its sublocations in nasopharyngeal cancer with image-guided radiation therapy.		
11	Non-surgical Organ preservation in Laryngeal and Hypopharyngeal Cancers: An audit from the clinic. <i>Journal of Laryngology and Otology</i> , 1-28	1.8	
10	The G esture R eaching method in the cervical lymph node partition. <i>Asian Journal of Surgery</i> , 2022 ,	1.6	O
9	TREATMENT OUTCOME AND TOXICITY OF HYPOFRACTIONATED RADIOTHERAPY WITH CONCOMITANT CHEMOTHERAPY VERSUS CONVENTIONAL FRACTIONATED CONCOMITANT CHEMORADIATION IN LOCALLY ADVANCED HEAD-AND-NECK CARCINOMA: A COMPARATIVE	0.4	O
8	The proposal of boundary setting for the posterior to level V region and the theoretical feasibility of prophylactic irradiation dose reduction of level Va in nasopharyngeal carcinoma: A retrospective study in a single-center.		
7	Need for adjuvant radiotherapy in oral cancer: depth of invasion rather than tumor diameter.		
6	Integrating features from lymph node stations for metastatic lymph node detection. 2022 , 101, 102108	3	О
5	The Impact of Interactive MRI-Based Radiologist Review on Radiotherapy Target Volume Delineation in Head and Neck Cancer. 2023 , 44, 192-198		O
4	Protocol letter: Intra-treatment Image Guided Adaptive Radiotherapy Dose-escalation Study (InGReS) [A Phase 1 multicentre feasibility study. 2023 , 183, 109645		O
3	Internal Guidelines for Reducing Lymph Node Contour Variability in Total Marrow and Lymph Node Irradiation. 2023 , 15, 1536		1

Simultaneous Integrated Boost (SIB) vs. Sequential Boost in Head and Neck Cancer (HNC)
Radiotherapy: A Radiomics-Based Decision Proof of Concept. **2023**, 12, 2413

О

Multimodal Data Integration to Predict Severe Acute Oral Mucositis of Nasopharyngeal Carcinoma Patients Following Radiation Therapy. **2023**, 15, 2032

О