

CITATION REPORT

List of articles citing

Phytoremediation of heavy metal-contaminated land
by trees--a review

DOI: 10.1016/s0160-4120(02)00152-6
Environment International, 2003, 29, 529-40.

Source: <https://exaly.com/paper-pdf/35517323/citation-report.pdf>

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
1071	The use of plants for remediation of metal-contaminated soils. 2004 , 4, 9-34		122
1070	Metal uptake by young trees from dredged brackish sediment: limitations and possibilities for phytoextraction and phytostabilisation. 2004 , 326, 209-15		120
1069	Recent Findings on the Phytoremediation of Soils Contaminated with Environmentally Toxic Heavy Metals and Metalloids Such as Zinc, Cadmium, Lead, and Arsenic. 2004 , 3, 71-90		321
1068	Phytoremediation in subtropical Hawaii—a review of over 100 plant species. 2004 , 14, 127-139		13
1067	An overview and analysis of site remediation technologies. 2004 , 71, 95-122		552
1066	Remediation and Liquid-Liquid Phase Transfer Extraction of Chromium(VI). A Review. 2004 , 69, 1231-1250		61
1065	Effects of EDTA on solubility of cadmium, zinc, and lead and their uptake by rainbow pink and vetiver grass. <i>Chemosphere</i> , 2004 , 55, 421-30	8.4	112
1064	Accumulation of Pb, Cd, Cu and Zn in plants and hyperaccumulator choice in Lanping lead-zinc mine area, China. <i>Environment International</i> , 2004 , 30, 567-76	12.9	131
1063	The effect of EDTA and citric acid on phytoremediation of Cd, Cr, and Ni from soil using <i>Helianthus annuus</i> . 2004 , 131, 147-54		200
1062	Phytotoxicity and phytoaccumulation of trivalent and hexavalent chromium in brake fern. 2005 , 24, 2019-26		38
1061	Water regime of metal-contaminated soil under juvenile forest vegetation. 2005 , 271, 227-241		46
1060	Developments in Bioremediation of Soils and Sediments Polluted with Metals and Radionuclides — 1. Microbial Processes and Mechanisms Affecting Bioremediation of Metal Contamination and Influencing Metal Toxicity and Transport. 2005 , 4, 115-156		155
1059	Levels of trace metals in water and sediment from Tyume River and its effects on an irrigated farmland. 2005 , 31, 87		57
1058	Transgenic plants in phytoremediation: recent advances and new possibilities. 2005 , 39, 9377-90		322
1057	Thermal treatment of metal-enriched biomass produced from heavy metal phytoextraction. 2005 , 39, 3359-67		125
1056	Plants growing in abandoned mines of Portugal are useful for biogeochemical exploration of arsenic, antimony, tungsten and mine reclamation. 2005 , 85, 99-107		132
1055	Phytoextraction of lead from firing range soil by Vetiver grass. <i>Chemosphere</i> , 2005 , 61, 1451-7	8.4	58

1054	Cadmium phytoextraction using short-rotation coppice Salix: the evidence trail. <i>Environment International</i> , 2005 , 31, 609-13	12.9	128
1053	Hyperaccumulation of Pb, Zn and Cd in herbaceous grown on lead-zinc mining area in Yunnan, China. <i>Environment International</i> , 2005 , 31, 755-62	12.9	251
1052	Identification of weed plants excluding the uptake of heavy metals. <i>Environment International</i> , 2005 , 31, 829-34	12.9	99
1051	Metal stress consequences on frost hardiness of plants at northern high latitudes: a review and hypothesis. 2005 , 135, 209-20		28
1050	Availability of heavy metals for uptake by <i>Salix viminalis</i> on a moderately contaminated dredged sediment disposal site. 2005 , 137, 354-64		97
1049	Treatment of Waste from Metal Processing and Electrochemical Industries. 2005 , 145-155		1
1048	Dendroremediation: The Use of Trees in Cleaning up Polluted Soils. 2006 , 23-31		21
1047	Seasonal changes of metals in willow (<i>Salix</i> sp.) stands for phytoremediation on dredged sediment. 2006 , 40, 1962-8		65
1046	Fate of heavy metals during fixed bed downdraft gasification of willow wood harvested from contaminated sites. 2006 , 30, 58-65		59
1045	Closing the nutrient loop between urban and rural area – wastewater and sludge utilization in Ner River Valley. 2006 , 6, 197-203		2
1044	Uptake of metals during chelant-assisted phytoextraction with EDDS related to the solubilized metal concentration. 2006 , 40, 2753-8		118
1043	Woody biomass phytoremediation of contaminated brownfield land. 2006 , 141, 387-95		165
1042	Effects of phosphorus fertilization on the availability and uptake of uranium and nutrients by plants grown on soil derived from uranium mining debris. 2006 , 141, 420-7		38
1041	Field-Scale Assessment of Phytotreatment of Soil Contaminated with Weathered Hydrocarbons and Heavy Metals (9 pp). 2006 , 6, 128-136		49
1040	Bioaccumulation of trace elements in a wild grass three years after the Aznalcollar mine spill (South Spain). 2006 , 114, 169-89		28
1039	Localization and effects of cadmium in leaves of a cadmium-tolerant willow (<i>Salix viminalis</i> L.). 2006 , 58, 64-74		89
1038	A phytogeochemical study of the Trás-os-Montes region (NE Portugal): possible species for plant-based soil remediation technologies. 2006 , 354, 265-77		68
1037	Ecological restoration of mineland with particular reference to the metalliferous mine wasteland in China: A review of research and practice. 2006 , 357, 38-53		250

1036	Arsenic accumulation by <i>Talinum cuneifolium</i> â application for phytoremediation of arsenic-contaminated soils of Patancheru, Hyderabad, India. 2007 , 315-337		4
1035	Light quanta modulated characteristics of Ni uptake by <i>Brassica juncea</i> seedlings: the interdependence of plant metal concentration and biomass. 2007 , 9, 207-25		2
1034	Metal Removal. 2007 , 353-394		1
1033	Greening Brownfield Land. 141-176		3
1032	Improved understanding of hyperaccumulation yields commercial phytoextraction and phytomining technologies. 2007 , 36, 1429-43		346
1031	Application of willows (<i>Salix viminalis</i>) and earthworms (<i>Eisenia fetida</i>) in sewage sludge treatment. 2007 , 43, S327-S331		17
1030	Linking stress with macroscopic and microscopic leaf response in trees: new diagnostic perspectives. 2007 , 147, 467-88		132
1029	Tree species effect on the redistribution of soil metals. 2007 , 149, 173-81		65
1028	Phytoextraction of metals from soils: how far from practice?. 2007 , 150, 34-40		176
1027	Chromium accumulation by the hyperaccumulator plant <i>Leersia hexandra</i> Swartz. <i>Chemosphere</i> , 2007 , 67, 1138-43	8.4	126
1026	Physiological and biochemical responses to high Mn concentrations in two contrasting <i>Populus cathayana</i> populations. <i>Chemosphere</i> , 2007 , 68, 686-94	8.4	134
1025	Characterization of metal tolerance and accumulation in <i>Grevillea exul</i> var <i>exul</i> . 2007 , 9, 419-35		16
1024	Remediation Technologies for Soils and Groundwater. 2007 ,		17
1023	Manganese and zinc toxicity thresholds for mountain and Geyer willow. 2007 , 9, 437-52		23
1022	Responses to copper of two registered poplar clones inoculated or not with arbuscular mycorrhizal fungi. 2007 , 60, 146-155		28
1021	Magnetic resonance imaging of the effect of zeolite on lithium uptake in poplar. 2007 , 41, 3444-8		7
1020	Chapter 5 Phytoremediation of some heavy metals by agronomic crops. 2007 , 5, 79-98		9
1019	Tolerance and prospection of phytoremediator woody species of Cd, Pb, Cu and Cr. 2007 , 19, 83-98		37

1018	. 2007,	18
1017	Arundo donax L. stress tolerance under irrigation with heavy metal aqueous solutions. 2007 , 211, 304-313	51
1016	Effects of amendments of N, P, Fe on phytoextraction of Cd, Pb, Cu, and Zn in soil of Zhangshi by mustard, cabbage, and sugar beet. 2007 , 22, 565-71	13
1015	Biological Cycles of Mineral Elements in a Young Mixed Stand in Abandoned Mining Soils. 2007 , 49, 1284-1293	8
1014	Potential of five willow species (<i>Salix</i> spp.) for phytoextraction of heavy metals. 2007 , 60, 57-68	141
1013	Responses of <i>Populus</i> <i>euramericana</i> (<i>P. deltoides</i> <i>P. nigra</i>) clone Adda to increasing copper concentrations. 2007 , 61, 66-73	46
1012	A physiological analysis of <i>Genipa americana</i> L.: A potential phytoremediator tree for chromium polluted watersheds. 2007 , 61, 264-271	40
1011	Arsenic in soils and plants of woodland regenerated on an arsenic-contaminated substrate: a sustainable natural remediation?. 2007 , 379, 256-62	60
1010	Evaluation of phytoextracting cadmium and lead by sunflower, ricinus, alfalfa and mustard in hydroponic culture. 2007 , 19, 961-7	102
1009	EDTA-enhanced phytoremediation of lead contaminated soil by <i>Bidens maximowicziana</i> . 2007 , 19, 1496-9	26
1008	Variation in the uptake of Arsenic, Cadmium, Lead, and Zinc by different species of willows <i>Salix</i> spp. grown in contaminated soils. 2007 , 2, 254-275	42
1007	Role of ethylenediaminetetraacetic acid on lead uptake and translocation by tumbleweed (<i>salsola kali</i> L.). 2007 , 26, 1033-9	24
1006	The Light Quanta Modulated Physiological Response of <i>Brassica Juncea</i> Seedlings Subjected to Ni(II) Stress. 2007 , 7, 259-267	1
1005	Phytoextraction of lead-contaminated soil using vetivergrass (<i>Vetiveria zizanioides</i> L.), cogongrass (<i>Imperata cylindrica</i> L.) and carabagrass (<i>Paspalum conjugatum</i> L.). 2007 , 14, 498-504	29
1004	Phytoextraction of Metal-Contaminated Soil by <i>Sedum alfredii</i> H: Effects of Chelator and Co-planting. <i>Water, Air, and Soil Pollution</i> , 2007 , 180, 131-139	2.6 89
1003	Phytoextraction of Cd and Zn from agricultural soils by <i>Salix</i> spp. and intercropping of <i>Salix caprea</i> and <i>Arabidopsis halleri</i> . 2007 , 298, 255-264	110
1002	Effect of Mn toxicity on morphological and physiological changes in two <i>Populus cathayana</i> populations originating from different habitats. 2007 , 21, 569-580	24
1001	Competition alters plant species response to nickel and zinc. 2008 , 303, 241-251	18

1000	The role of bacteria on heavy-metal extraction and uptake by plants growing on multi-metal-contaminated soils. 2008 , 24, 253-262	86
999	Optimization of chelator-assisted phytoextraction, using EDTA, lead and <i>Sedum alfredii</i> Hance as a model system. 2008 , 81, 30-5	9
998	Quantitative changes in protein expression of cadmium-exposed poplar plants. 2008 , 8, 2514-30	175
997	Conventional crops and organic amendments for Pb, Cd and Zn treatment at a severely contaminated site. 2008 , 99, 1242-51	66
996	Extraction of cadmium and tolerance of three annual cut flowers on Cd-contaminated soils. 2008 , 99, 1006-11	45
995	Heating treatment schemes for enhancing chelant-assisted phytoextraction of heavy metals from contaminated soils. 2008 , 27, 888-96	15
994	Enhancing phytoremediation through the use of transgenics and endophytes. 2008 , 179, 318-333	400
993	Resilience of the rhizosphere <i>Pseudomonas</i> and ammonia-oxidizing bacterial populations during phytoextraction of heavy metal polluted soil with poplar. 2008 , 10, 1433-49	32
992	Responses of two poplar species (<i>Populus alba</i> and <i>Populus x canadensis</i>) to high copper concentrations. 2008 , 62, 290-299	47
991	Subcellular distribution and chemical forms of cadmium in <i>Beckhamia nivea</i> (L.) Gaud.. 2008 , 62, 389-395	217
990	Evolution of pH, organic matter and (226)radium/calcium partitioning in U-mining debris following revegetation with pine trees. 2008 , 393, 111-7	16
989	Heavy metal accumulation and phytostabilisation potential of tree fine roots in a contaminated soil. 2008 , 152, 559-68	138
988	Arbuscular mycorrhizal fungi differentially affect the response to high zinc concentrations of two registered poplar clones. 2008 , 153, 137-47	145
987	Screening the phytoremediation potential of desert broom (<i>Baccharis sarothroides</i> Gray) growing on mine tailings in Arizona, USA. 2008 , 153, 362-8	89
986	Phytoextraction and phytoexcretion of Cd by the leaves of <i>Tamarix smyrnensis</i> growing on contaminated non-saline and saline soils. 2008 , 106, 326-32	109
985	Influence of metal resistant-plant growth-promoting bacteria on the growth of <i>Ricinus communis</i> in soil contaminated with heavy metals. <i>Chemosphere</i> , 2008 , 71, 834-42	8.4 264
984	Heavy metal distribution between contaminated soil and <i>Paulownia tomentosa</i> , in a pilot-scale assisted phytoremediation study: influence of different complexing agents. <i>Chemosphere</i> , 2008 , 72, 1481-1490 ¹¹³	8.4
983	Pb and Cd accumulation and phyto-excretion by salt cedar (<i>Tamarix smyrnensis</i> Bunge). 2008 , 10, 31-46	56

982	Using elevated carbon dioxide to enhance copper accumulation in <i>Pteridium revolutum</i> , a copper-tolerant plant, under experimental conditions. 2008 , 10, 159-70	24
981	Dendroremediation of heavy metal polluted soils. 2008 , 23, 223-34	18
980	Evaluation of Iron on Cadmium Uptake by <i>Lycopersicon. Esculentum</i> Mill. in Hydroponic Culture. 2008 ,	
979	Cadmium in soil-plant systems: an overview. 2008 , 33, 275	8
978	Manganese uptake and accumulation in a woody hyperaccumulator, <i>Schima superba</i> . 2008 , 54, 441-446	75
977	Assessing radish (<i>Raphanus sativus</i> L.) potential for phytoremediation of lead-polluted soils resulting from air pollution. 2009 , 55, 202-206	34
976	Establishment and growth of two willow species in a riparian zone impacted by mine tailings. 2009 , 38, 693-701	14
975	Effect of different soil conditions on selected heavy metal accumulation by <i>Salix viminalis</i> tissues. 2009 , 44, 1609-16	17
974	Cadmium tolerance and accumulation in eight potential energy crops. 2009 , 27, 555-61	202
973	Efficiency of selected heavy metals accumulation by <i>Salix viminalis</i> roots. 2009 , 65, 48-53	29
972	Accumulation of selected heavy metals by different genotypes of <i>Salix</i> . 2009 , 66, 289-296	32
971	Trace element behaviour at the root-soil interface: Implications in phytoremediation. 2009 , 67, 243-259	305
970	Heavy metal accumulation by panicled goldenrain tree (<i>Koeleria paniculata</i>) and common elaeocarpus (<i>Elaeocarpus decipens</i>) in abandoned mine soils in southern China. 2009 , 21, 340-5	22
969	Evaluation of extractable elements in artificial substratum made from sewage sludge: Approach to remediation of degraded land in the Arctic. 2009 , 20, 119-128	3
968	Influence of salinity on lead and cadmium accumulation by the salt cedar (<i>Tamarix smyrnensis</i> Bunge). 2009 , 84, 877-883	30
967	Short shoots of <i>Betula pendula</i> Roth. as bioindicators of urban environmental pollution in Wrocław (Poland). 2009 , 23, 923-929	11
966	Determination of phytoextraction potential of plant species for toxic elements in soils of abandoned sulphide-mining areas. 2009 , 282, 21-27	22
965	Evaluation of pastures for horses grazing on soils polluted by trace elements. 2009 , 18, 417-28	25

964	Accumulation of cadmium and zinc in <i>Evodiopanax innovans</i> . <i>Environmental Geochemistry and Health</i> , 2009 , 31, 609-15	4.7	14
963	Cadmium tolerance and accumulation of <i>Althaea rosea</i> Cav. and its potential as a hyperaccumulator under chemical enhancement. 2009 , 149, 419-27		31
962	Metal Tolerance, Accumulation and Translocation in Poplar and Willow Clones Treated with Cadmium in Hydroponics. <i>Water, Air, and Soil Pollution</i> , 2009 , 197, 23-34	2.6	282
961	Growth and Metal Accumulation of Geyer and Mountain Willow Grown in Topsoil versus Amended Mine Tailings. <i>Water, Air, and Soil Pollution</i> , 2009 , 198, 17-29	2.6	32
960	Metal Accumulation by Woody Species on Contaminated Sites in the North of France. <i>Water, Air, and Soil Pollution</i> , 2009 , 204, 89-101	2.6	83
959	Short-Rotation Coppice of Willow for Phytoremediation of a Metal-Contaminated Agricultural Area: A Sustainability Assessment. 2009 , 2, 144-152		73
958	Relationship between heavy metal concentrations of herbaceous plants and soils at four Pb-Zn mining sites in Yunnan, China. 2009 , 3, 325-333		0
957	Phytoextraction of Pb and Cd by the Mediterranean saltbush (<i>Atriplex halimus</i> L.): metal uptake in relation to salinity. 2009 , 16, 844-54		134
956	Bioaccumulation and phyto-translocation of arsenic, chromium and zinc by <i>Jatropha curcas</i> L.: impact of dairy sludge and biofertilizer. 2009 , 100, 4616-22		110
955	Chromium in soil layers and plants on closed landfill site after landfill leachate application. 2009 , 29, 1860-9		17
954	Heavy metals distribution in soils surrounding an abandoned mine in NW Madrid (Spain) and their transference to wild flora. 2009 , 162, 854-9		143
953	Using elevated CO ₂ to increase the biomass of a <i>Sorghum vulgare</i> x <i>Sorghum vulgare</i> var. sudanense hybrid and <i>Trifolium pratense</i> L. and to trigger hyperaccumulation of cesium. 2009 , 170, 861-70		76
952	Proteomic and enzymatic response of poplar to cadmium stress. 2009 , 72, 379-96		105
951	Biotechnological applications of serpentine soil bacteria for phytoremediation of trace metals. 2009 , 29, 120-30		111
950	The potential of willow for remediation of heavy metal polluted calcareous urban soils. 2009 , 157, 931-7		117
949	Phytoremediation trials on metal- and arsenic-contaminated pyrite wastes (Torviscosa, Italy). 2009 , 157, 887-94		92
948	Cadmium availability in soil and retention in oak roots: potential for phytostabilization. <i>Chemosphere</i> , 2009 , 76, 480-6	8.4	66
947	Phytoextraction of Cd-contaminated soil by carambola (<i>Averrhoa carambola</i>) in field trials. <i>Chemosphere</i> , 2009 , 76, 1233-9	8.4	46

946	Endophytic bacteria and their potential to enhance heavy metal phytoextraction. <i>Chemosphere</i> , 2009 , 77, 153-60	8.4	300
945	Modifications of the structural characteristics of new soil forming on industrial waste colonized by woody plants. 2009 , 149, 373-378		6
944	Phytoremediation and rhizoremediation of organic soil contaminants: Potential and challenges. 2009 , 176, 20-30		691
943	Combining proteomics and metabolite analyses to unravel cadmium stress-response in poplar leaves. 2009 , 8, 400-17		121
942	Responses of wild plant species to polycyclic aromatic hydrocarbons in soil. 2009 , 11, 1664-72		6
941	PHYTOREMEDIATION OF INORGANICS: REALISM AND SYNERGIES. 2009 , 11, 97-114		214
940	Chemical Fractionation and Soil-to-Plant Transfer Characteristics of Heavy Metals in a Sludge Deposit Field of the River Ruhr, Germany. 2009 , 18, 14-29		4
939	Experimental Assessment of Using Soluble Humic Substances for Remediation of Heavy Metal Polluted Soils. 2009 , 18, 369-382		19
938	An On-Site Heavy Metal Analyzer With Polymer Lab-on-a-Chips for Continuous Sampling and Monitoring. 2009 , 9, 586-594		35
937	Effects of selenate addition on selenium accumulation and plant growth of two Prunus rootstock genotypes. 2009 , 172, 261-269		19
936	Microbial biodiversity and ecosystem functioning under controlled conditions and in the wild. 2009 , 121-133		21
935	A functional guide to functional diversity measures. 2009 , 49-59		22
934	Introduction: the ecological and social implications of changing biodiversity. An overview of a decade of biodiversity and ecosystem functioning research. 2009 , 3-13		6
933	Diagnostic prliminaire et perspectives dâ€™mination du phosphore (P) en excẽ dans le lac de Ribou (Cholet, Maine-et-Loire, France). 2010 , 23, 159-171		1
932	Retracted: Long-term copper toxicity in apple trees (<i>Malus pumila</i> Mill) and bioaccumulation in fruits. 2010 ,		1
931	Potential for enhanced phytoremediation of landfills using biosolids--a review. 2010 , 91, 791-7		69
930	Comparative proteomic analysis of <i>Typha angustifolia</i> leaf under chromium, cadmium and lead stress. 2010 , 184, 191-203		64
929	The appreciation of mineral element accumulation level in some herbaceous plants species by ICP-AES method. 2010 , 17, 1230-6		16

928	Characterization and phytoremediation of abandoned contaminated mining area in Portugal by INAA. 2010 , 286, 577-582		7
927	Phytoremediation Potentials of Sunflowers (<i>Tithonia diversifolia</i> and <i>Helianthus annuus</i>) for Metals in Soils Contaminated with Zinc and Lead Nitrates. <i>Water, Air, and Soil Pollution</i> , 2010 , 207, 195-201	2.6	139
926	Fungal community structure under goat willows (<i>Salix caprea</i> L.) growing at metal polluted site: the potential of screening in a model phytostabilisation study. 2010 , 330, 345-356		62
925	Phytoextraction of heavy metals by two Salicaceae clones in symbiosis with arbuscular mycorrhizal fungi during the second year of a field trial. 2010 , 332, 55-67		84
924	Perspectives for genetic engineering of poplars for enhanced phytoremediation abilities. 2010 , 19, 1574-88		86
923	<i>Verbascum bombyciferum</i> Boiss. (Scrophulariaceae) as possible bio-indicator for the assessment of heavy metals in the environment of Bursa, Turkey. 2010 , 163, 105-13		11
922	Sensitivity to zinc of Mediterranean woody species important for restoration. 2010 , 408, 2216-25		34
921	Determination of Plant Thiols by Liquid Chromatography Coupled with Coulometric and Amperometric Detection in Lettuce Treated by Lead(II) Ions. 2010 , 22, 1248-1259		25
920	Improvement in soil and sorghum health following the application of polyacrylate polymers to a Cd-contaminated soil. 2010 , 173, 570-5		13
919	Phytoremediation of soil contaminated with used lubricating oil using <i>Jatropha curcas</i> . 2010 , 179, 891-4		111
918	Ethyl lactate-EDTA composite system enhances the remediation of the cadmium-contaminated soil by autochthonous willow (<i>Salix x aureo-pendula</i> CL 'J1011') in the lower reaches of the Yangtze River. 2010 , 181, 673-8		28
917	Phytoremediation of landfill leachate and compost wastewater by irrigation of <i>Populus</i> and <i>Salix</i> : Biomass and growth response. 2010 , 30, 1032-42		61
916	Biomass productivity and phytoremediation potential of <i>Salix alba</i> and <i>Salix viminalis</i> . 2010 , 34, 1410-1418		91
915	Phytoremediation as a prospective method for rehabilitation of areas contaminated by long-term sewage sludge storage: A Ukrainian creek case study. 2010 , 36, 373-378		39
914	Direct and rapid determination of ultratrace heavy metals in solid plant materials by ET-AAS ultrasonic-assisted slurry sampling. 2010 , 21, 340-7		21
913	Culturable bacteria from Zn- and Cd-accumulating <i>Salix caprea</i> with differential effects on plant growth and heavy metal availability. 2010 , 108, 1471-84		182
912	Cadmium tolerance and accumulation in cultivars of a high-biomass tropical tree (<i>Averrhoa carambola</i>) and its potential for phytoextraction. 2010 , 39, 1262-8		37
911	Characterization of cadmium accumulation in willow as a woody metal accumulator using synchrotron radiation-based X-ray microanalyses. 2010 , 51, 848-53		27

910	Evaluation of chemical enhancement on phytoremediation effect of Cd-contaminated soils with <i>Calendula officinalis</i> L. 2010 , 12, 503-15	33
909	Phytoaccumulation of Cadmium from soil by <i>Populus</i> . 2010 ,	
908	Assessment of plants growing on gold mine wastes for their potential to remove heavy metals from contaminated soils. 2010 , 67, 705-724	3
907	Phytoremediation: a novel approach for utilization of iron-ore wastes. 2010 , 206, 29-47	13
906	Heavy Metal Toxicity in Plants. 2010 , 71-97	38
905	Toxins and Their Phytoremediation. 2010 , 1-32	6
904	COPPER EFFECTS ON PRUNUS PERSICA IN TWO DIFFERENT GRAFTING COMBINATIONS (P. PERSICA ♀ P. AMYGDALUS AND P. CERASIFERA). 2010 , 33, 1338-1352	12
903	Application of Phytotechnologies for Cleanup of Industrial, Agricultural, and Wastewater Contamination. 2010 ,	4
902	Hydroponical estimation of interactions among selected heavy metals accumulated by <i>Salix viminalis</i> in phytoremediation process. 2010 , 45, 1353-62	3
901	ZINC TOLERANCE AND ACCUMULATION IN EIGHT OIL CROPS. 2010 , 33, 982-997	19
900	Assessment of willow (<i>Salix</i> sp.) as a woody heavy metal accumulator: field survey and in vivo X-ray analyses. 2011 , 3, 1340-6	24
899	Intraspecific variation in cadmium tolerance and accumulation of a high-biomass tropical tree <i>Averrhoa carambola</i> L.: implication for phytoextraction. 2011 , 13, 1723-9	9
898	The effect of ethylene glycol on the phytovolatilization of 1,4-dioxane. 2011 , 13, 702-16	4
897	Predicting Al, Cu, and Zn concentrations in the fine roots of trembling aspen (<i>Populus tremuloides</i>) using bulk and rhizosphere soil properties. 2011 , 41, 1267-1279	1
896	Utilize Heavy Metal-Contaminated Farmland to Develop Bioenergy. 2011 , 414, 254-261	6
895	Boron accumulation and toxicity in hybrid poplar (<i>Populus nigra</i> ♀ <i>euramericana</i>). 2011 , 45, 10538-43	32
894	Phytostabilization. 2011 , 145-204	159
893	Chapter 2: Biomass Availability and Sustainability for Biofuels. 2011 , 5-32	2

892	Effect of cadmium supply levels to cadmium accumulation by <i>Salix</i> . 2011 , 8, 493-500	12
891	Biomangement of Metal-Contaminated Soils. 2011 ,	22
890	Bioremediation: New Approaches and Trends. 2011 , 65-94	7
889	Diversity and Biotechnology of Ectomycorrhizae. 2011 ,	2
888	Microbes and Microbial Technology. 2011 ,	35
887	Plant high tolerance to excess manganese related with root growth, manganese distribution and antioxidative enzyme activity in three grape cultivars. 2011 , 74, 776-86	40
886	Growth, Cadmium Accumulation and Physiology of Marigold (<i>Tagetes erecta</i> L.) as Affected by Arbuscular Mycorrhizal Fungi. 2011 , 21, 319-327	59
885	The Effect of Planting Oilseed Rape and Compost Application on Heavy Metal Forms in Soil and Cd and Pb Uptake in Rice. 2011 , 10, 267-274	21
884	Potential for Enhanced Phytoremediation of Landfills Using Biosolids – A Review. 2011 , 239-247	2
883	Transgenic Plants for Enhanced Phytoremediation – Physiological Studies. 2011 ,	19
882	Desenvolvimento de mudas de cedro-rosa em solo contaminado com cobre: tolerância e potencial para fins de fitoestabilização do solo. 2011 , 35, 1181-1188	12
881	Accumulation of Pb, Fe, Mn, Cu and Zn in plants and choice of hyperaccumulator plant in the industrial town of Vian, Iran. 2011 , 63, 739-745	25
880	Induced-phytoextraction of heavy metals from contaminated soil irrigated by industrial wastewater with Marvel of Peru (<i>Mirabilis jalapa</i> L.). 2011 , 57, 364-371	21
879	The influence of citric acid on mobility of radium and metals accompanying uranium phytoextraction. 2011 , 57, 526-531	6
878	Rhizosphere characteristics, heavy metal accumulation and growth performance of two willow (<i>Salix</i> × <i>rubens</i>) clones. 2011 , 52, 353-361	17
877	Cadmium accumulation and tolerance of mahogany (<i>Swietenia macrophylla</i>) seedlings for phytoextraction applications. 2011 , 92, 2818-22	31
876	Assessment of fly ash-aided phytostabilisation of highly contaminated soils after an 8-year field trial: part 1. Influence on soil parameters and metal extractability. 2011 , 409, 647-54	40
875	Intra- and inter-annual variation of Cd, Zn, Mn and Cu in foliage of poplars on contaminated soil. 2011 , 409, 2306-16	31

874	Assessment of fly ash-aided phytostabilisation of highly contaminated soils after an 8-year field trial Part 2. Influence on plants. 2011 , 409, 4504-10		50
873	Characteristics of Cd uptake, translocation and accumulation in a novel Cd-accumulating tree, star fruit (<i>Averrhoa carambola</i> L., Oxalidaceae). 2011 , 71, 352-352		7
872	Compartmentation of metals in foliage of <i>Populus tremula</i> grown on soils with mixed contamination. I. From the tree crown to leaf cell level. 2011 , 159, 324-336		30
871	Influence of fly ash aided phytostabilisation of Pb, Cd and Zn highly contaminated soils on <i>Lolium perenne</i> and <i>Trifolium repens</i> metal transfer and physiological stress. 2011 , 159, 1721-9		57
870	Interactions between accumulation of trace elements and macronutrients in <i>Salix caprea</i> after inoculation with rhizosphere microorganisms. <i>Chemosphere</i> , 2011 , 84, 1256-61	8.4	54
869	Growth, physiological and molecular traits in Salicaceae trees investigated for phytoremediation of heavy metals and organics. 2011 , 31, 1319-34		128
868	Using chemical fractionation to evaluate the phytoextraction of cadmium by switchgrass from Cd-contaminated soils. 2011 , 20, 409-18		15
867	Reduction of heavy metal load in food chain: technology assessment. 2011 , 10, 199-214		70
866	Phytoextraction of Cadmium and Phytostabilisation with Mugwort (<i>Artemisia vulgaris</i>). <i>Water, Air, and Soil Pollution</i> , 2011 , 216, 93-103	2.6	10
865	Salicaceae Establishment in a Heavy Metal-contaminated Site Revealed by Eco-physiological Characterization of the Culturable Soil Bacterial Fraction. <i>Water, Air, and Soil Pollution</i> , 2011 , 216, 505-512	2.6	10
864	Phytosequestration of Metals in Selected Plants Growing on a Contaminated Okhla Industrial Areas, Okhla, New Delhi, India. <i>Water, Air, and Soil Pollution</i> , 2011 , 217, 255-266	2.6	60
863	Effects of Lead and EDTA-Assisted Lead on Biomass, Lead Uptake and Mineral Nutrients in <i>Lespedeza chinensis</i> and <i>Lespedeza davidii</i> . <i>Water, Air, and Soil Pollution</i> , 2011 , 220, 57-68	2.6	18
862	The effect of application time of mobilising agents on growth and phytoextraction of lead by <i>Brassica napus</i> from a calcareous mine soil. 2011 , 9, 259-265		13
861	Exploring the metal phytoremediation potential of three <i>Populus alba</i> L. clones using an in vitro screening. 2011 , 18, 82-90		74
860	Elevated Cd and Zn uptake by aspen limits the phytostabilization potential compared to five other tree species. 2011 , 37, 1072-1080		44
859	Concomitant rock phosphate dissolution and lead immobilization by phosphate solubilizing bacteria (<i>Enterobacter</i> sp.). 2011 , 92, 1115-20		67
858	Effect of multiple metal resistant bacteria from contaminated lake sediments on metal accumulation and plant growth. 2011 , 189, 531-9		120
857	Prospective application of <i>Leucaena leucocephala</i> for phytoextraction of Cd and Zn and nitrogen fixation in metal polluted soils. 2011 , 13, 271-88		22

856	Chromium bioaccumulation in rice grown in contaminated soil and irrigated mine wastewater--a case study at South Kaliapani chromite mine area, Orissa, India. 2011 , 13, 397-409	21
855	Cadmium Tolerance and Accumulation in <i>Vitex negundo</i> var. <i>heterophylla</i> in Pot Experiment. 2011 , 356-360, 287-290	
854	Use of brassica plants in the phytoremediation and biofumigation processes. 2011 , 12, 7760-71	93
853	Phytodiversity for Metals in Plants Grown in Urban Agricultural Lands Irrigated with Untreated City Effluent. 2012 , 43, 1181-1201	7
852	Role of Mycorrhiza in Re-forestation at Heavy Metal-Contaminated Sites. 2012 , 183-199	3
851	Factorial Analysis of Heavy Metal Concentration in Roadside Farmland Plants around Kathmandu, Nepal. 2012 , 178-181, 1016-1021	1
850	Phytoremediation potential of paragrass--an in situ approach for chromium contaminated soil. 2012 , 14, 796-805	27
849	Heavy metal uptake and translocation by <i>Justicia gendarussa</i> Burm F. from textile sludge contaminated soil. 2012 , 62, 101-108	1
848	Hairy Roots: A Promising Tool for Phytoremediation. 2012 , 607-629	12
847	Phytoextraction of heavy metals by willows growing in biosolids under field conditions. 2012 , 41, 134-43	32
846	Relationship between heavy metal concentrations in soils and grasses of roadside farmland in Nepal. 2012 , 9, 3209-26	47
845	Effects of Biotic and Abiotic Amendments on Phytoremediation Efficiency Applied to Metal-Polluted Soils. 2012 , 308-317	
844	Emerging technologies in bioremediation: constraints and opportunities. 2012 , 23, 917-26	139
843	Phytoextraction of Cd-Contaminated Soils: Current Status and Future Challenges. 2012 , 42, 2113-2152	63
842	Plant-microbe interactions: novel applications for exploitation in multipurpose remediation technologies. 2012 , 30, 416-20	212
841	Heavy metals accumulation in willows growing on Spolic Technosols from the abandoned Imperina Valley mine in Italy. 2012 , 123, 19-24	56
840	Long-term dispersal of heavy metals in a catchment affected by historic lead and zinc mining. 2012 , 12, 1445-1462	43
839	Increase of Cd accumulation in five poplar (<i>Populus L.</i>) with different supply levels of Cd. 2012 , 14, 101-13	4

838	Potential of Indigenous Plant Species for the Phytoremediation of Arsenic Contaminated Land in Kurdistan (Iran). 2012 , 21, 557-573	6
837	Phytoremediation: An Efficient Approach for Bioremediation of Organic and Metallic Ions Pollutants. 2012 , 213-240	2
836	Metal accumulation in <i>Lolium perenne</i> and <i>Brassica napus</i> as affected by application of chitosans. 2012 , 14, 894-907	17
835	Lead tolerance and phytoremediation potential of Brazilian leguminous tree species at the seedling stage. 2012 , 110, 299-307	64
834	Transgenic tobacco plants expressing ectopically wheat H ⁺ -pyrophosphatase (H ⁺ -PPase) gene TaVP1 show enhanced accumulation and tolerance to cadmium. 2012 , 169, 98-103	50
833	Biomass Production on Trace Element Contaminated Land: A Review. 2012 , 29, 823-839	50
832	Phytostabilization of a Pb-contaminated mine tailing by various tree species in pot and field trial experiments. 2012 , 14, 925-38	57
831	Effects of heavy metals and arbuscular mycorrhiza on the leaf proteome of a selected poplar clone: a time course analysis. 2012 , 7, e38662	61
830	Effect of amendments on growth and metal uptake of giant reed (<i>Arundo donax</i> L.) grown on soil contaminated by arsenic, cadmium and lead. 2012 , 22, 1462-1469	37
829	Cadmium tolerance and bioaccumulation of 18 hemp accessions. 2012 , 168, 163-73	54
828	The assessment of phytoremediation potential of invasive weed <i>Amaranthus spinosus</i> L. 2012 , 167, 1550-9	33
827	Phytoremediation of Trace Element Contaminated Environments and the Potential of Endophytic Bacteria for Improving this Process. 2012 , 42, 2215-2260	15
826	Wood anatomical changes due to uptake of cadmium and lead from contaminated soils in <i>Acer velutinum</i> seedlings. 2012 , 23, 473-479	
825	CHROMIUM TOXICITY IN HYBRID EUCALYPTUS (<i>EUCALYPTUS UROPHYLLA</i> S. T. BLAKE X <i>GRANDIS</i> W. HILL EX. MAIDEN) CUTTINGS. 2012 , 35, 1618-1638	4
824	Toxicity of Heavy Metals to Legumes and Bioremediation. 2012 ,	30
823	Metal Toxicity in Plants: Perception, Signaling and Remediation. 2012 ,	23
822	Response of <i>Populus tremula</i> to heterogeneous B distributions in soil. 2012 , 358, 403-415	4
821	<i>Jatropha</i> , Challenges for a New Energy Crop. 2012 ,	5

820	PROTOCOL DEVELOPMENT FOR IN VITRO ASSESSMENT OF CADMIUM TOLERANCE IN BLACK ALDER AND BASKET WILLOW AT THE CALLUS AND WHOLE PLANT LEVELS. 2012 , 123-131		3
819	Influence of traffic activity on heavy metal concentrations of roadside farmland soil in mountainous areas. 2012 , 9, 1715-31		62
818	Response of C3 and C4 Plant Systems Exposed to Heavy Metals for Phytoextraction at Elevated Atmospheric CO2 and at Elevated Temperature. 2012 ,		2
817	Phytoextraction of Cadmium from Contaminated Soil Assisted By Microbial Biopolymers. 2012 , 02,		5
816	Perspectives of plant-associated microbes in heavy metal phytoremediation. 2012 , 30, 1562-74		649
815	Proteomics as a Toolbox to Study the Metabolic Adjustment of Trees During Exposure to Metal Trace Elements. 2012 , 143-164		2
814	Endophytes and their role in phytoremediation. 2012 , 54, 11-18		184
813	Ectomycorrhizal impact on Zn accumulation of <i>Populus tremula</i> L. grown in metalliferous soil with increasing levels of Zn concentration. 2012 , 355, 283-297		24
812	Riparian Shrub Metal Concentrations and Growth in Amended Fluvial Mine Tailings. <i>Water, Air, and Soil Pollution</i> , 2012 , 223, 1815-1828	2.6	6
811	Hyperaccumulation of zinc by <i>Corydalis davidii</i> in Zn-polluted soils. <i>Chemosphere</i> , 2012 , 86, 837-42	8.4	18
810	Effect of sample preparation on the thermal degradation of metal-added biomass. 2012 , 94, 170-176		61
809	Ultramorphological and physiological modifications induced by high zinc levels in <i>Paulownia tomentosa</i> . 2012 , 81, 11-17		39
808	Root anatomy and element distribution vary between two <i>Salix caprea</i> isolates with different Cd accumulation capacities. 2012 , 163, 117-26		91
807	Metal resistance in populations of red maple (<i>Acer rubrum</i> L.) and white birch (<i>Betula papyrifera</i> Marsh.) from a metal-contaminated region and neighbouring non-contaminated regions. 2012 , 164, 53-8		20
806	Approaches for enhanced phytoextraction of heavy metals. 2012 , 105, 103-20		358
805	Cadmium stabilization with nursery stocks through transplantation: a new approach to phytoremediation. 2012 , 199-200, 233-9		15
804	Possible use of <i>Serratia marcescens</i> in toxic metal biosorption (removal). 2012 , 19, 161-8		35
803	Effects of Endo- and Ectomycorrhizal Fungi on Physiological Parameters and Heavy Metals Accumulation of Two Species from the Family Salicaceae. <i>Water, Air, and Soil Pollution</i> , 2012 , 223, 399-410 ⁶		33

802	Effect of Inoculation with Plant Growth-Promoting Bacteria on Growth and Copper Uptake by Sunflowers. <i>Water, Air, and Soil Pollution</i> , 2012 , 223, 643-654	2.6	26
801	Bio-concentration of chromium--an in situ phytoremediation study at South Kaliapani chromite mining area of Orissa, India. 2012 , 184, 1015-24		34
800	Isolates of dark septate endophytes reduce metal uptake and improve physiology of <i>Salix caprea</i> L.. 2013 , 370, 593-604		81
799	Organic matter-microorganism-plant in soil bioremediation: a synergic approach. 2013 , 12, 399-419		61
798	Assessment of metal(loid)s availability and their uptake by <i>Pinus halepensis</i> in a Mediterranean forest impacted by abandoned tailings. 2013 , 58, 84-90		20
797	Plant-Based Remediation Processes. 2013 ,		6
796	Accumulation and tolerance characteristics of zinc in <i>Agropyron cristatum</i> plants exposed to zinc-contaminated soil. 2013 , 91, 298-301		14
795	An overview of phytoremediation as a potentially promising technology for environmental pollution control. 2013 , 18, 431-439		141
794	Clonal variation in growth, arsenic and heavy metal uptakes of hybrid <i>Eucalyptus</i> clones in a Mediterranean environment. 2013 , 87, 755-766		22
793	Allometry and photosynthetic capacity of poplar (<i>Populus deltoides</i>) along a metal contamination gradient in an urban brownfield. 2013 , 16, 247-263		9
792	A Comparison Between <i>Phragmites australis</i> and <i>Helianthus annuus</i> in Chromium Phytoextraction. <i>Water, Air, and Soil Pollution</i> , 2013 , 224, 1	2.6	38
791	Heavy metal accumulation by poplar in calcareous soil with various degrees of multi-metal contamination: implications for phytoextraction and phytostabilization. 2013 , 20, 7194-203		40
790	Remediation and management of POPs-contaminated soils in a warming climate: challenges and perspectives. 2013 , 20, 5879-85		53
789	Characterization of cadmium ((108)Cd) distribution and accumulation in <i>Tagetes erecta</i> L. seedlings: effect of split-root and of remove-xylem/phloem. <i>Chemosphere</i> , 2013 , 93, 2284-8	8.4	20
788	The performance of <i>Fraxinus angustifolia</i> as a helper for metal phytoremediation programs and its relation to the endophytic bacterial communities. 2013 , 202-203, 171-182		16
787	Simultaneous and direct determination of iron and nickel in biological solid samples by high-resolution continuum source graphite furnace atomic absorption spectrometry. 2013 , 116, 860-5		45
786	Heavy Metals in Soils. 2013 ,		299
785	Recent Advances in Contaminated Site Remediation. <i>Water, Air, and Soil Pollution</i> , 2013 , 224, 1	2.6	17

784	Cellulosic fibers as Biosorptive materials and indicators of heavy metals pollution. 2013 , 107, 63-69		23
783	A bioassessment of soil nickel genotoxic effect in orchard planted on rehabilitated coalmine overburden. 2013 , 98, 374-82		2
782	Comparative Evaluation of Metal Phytoremediation Potential of Trees, Grasses, and Flowering Plants from Tannery-Wastewater-Contaminated Soil in Relation with Physicochemical Properties. 2013 , 22, 958-983		48
781	Characteristics of Heavy-Metal Tolerance and Growth in Two Ecotypes of <i>Oxyria sinensis</i> Hemsl. Grown on Huize Lead-Zinc Mining Area in Yunnan Province, China. 2013 , 44, 2428-2442		2
780	Effects of Mixed Chelators on the Leaching of Zinc in Contaminated Soils under the Co-planting System. 2013 ,		
779	Phytoremediation potential of <i>Arabidopsis thaliana</i> , expressing ectopically a vacuolar proton pump, for the industrial waste phosphogypsum. 2013 , 20, 270-80		18
778	Phytoremediation of Cadmium-Contaminated Soil by Two Jerusalem Artichoke (<i>Helianthus tuberosus</i> L.) Genotypes. 2013 , 41, 202-209		15
777	Boron accumulation and tolerance of hybrid poplars grown on a B-laden mixed paper mill waste landfill. 2013 , 447, 515-24		9
776	Forest floor leachate fluxes under six different tree species on a metal contaminated site. 2013 , 447, 99-107		19
775	Electrokinetic-enhanced phytoremediation of soils: status and opportunities. <i>Chemosphere</i> , 2013 , 93, 626-36	8.4	132
774	Influences of wood preservation, lumber size, and weather on field leaching of red pine lumber. 2013 , 260, 296-304		9
773	Complexation of Dissolved Organic Matter with Trace Metal Ions in Natural Waters. 2013 , 769-849		14
772	Cadmium-accumulating plants. 2013 , 11, 373-93		15
771	Zinc tolerance modulation in <i>Myracrodruon urundeuva</i> plants. 2013 , 67, 1-6		45
770	Bioaccumulation and Physiological Response of Five Willows to Toxic Levels of Cadmium and Zinc. 2013 , 22, 241-255		10
769	A Multi-disciplinary Challenge for Phytoremediation of Metal-Polluted Pyrite Waste. 2013 , 141-158		1
768	Responses of soil macroinvertebrate communities to <i>Miscanthus</i> cropping in different trace metal contaminated soils. 2013 , 55, 122-129		13
767	Phytoremediation of heavy metals--concepts and applications. <i>Chemosphere</i> , 2013 , 91, 869-81	8.4	2009

766	Copper. 2013 , 367-394	27
765	Copper-resistant bacteria enhance plant growth and copper phytoextraction. 2013 , 15, 573-84	25
764	Long-term effects of sewage sludge application on the heavy metal concentrations in acid pine (<i>Pinus sylvestris</i> L.) forests in a climatic gradient in Sweden. 2013 , 289, 434-444	16
763	Microbially supported phytoremediation of heavy metal contaminated soils: strategies and applications. 2014 , 141, 211-35	20
762	Metal uptake and allocation in trees grown on contaminated land: implications for biomass production. 2013 , 15, 77-90	38
761	Uptake of Heavy Metals by Trees: Prospects for Phytoremediation. 2013 , 743-744, 768-781	26
760	Development of Profitable Phytoremediation of Contaminated Soils with Biofuel Crops. 2013 , 04, 58-64	23
759	Role of plants in metal cycling in a tidal wetland: implications for phytoremediation. 2013 , 445-446, 146-54	30
758	A real-scale soil phytoremediation. 2013 , 24, 521-38	29
757	Expression of zinc and cadmium responsive genes in leaves of willow (<i>Salix caprea</i> L.) genotypes with different accumulation characteristics. 2013 , 178, 121-7	42
756	From tolerance to acute metabolic deregulation: contribution of proteomics to dig into the molecular response of alder species under a polymetallic exposure. 2013 , 12, 5160-79	17
755	Modelling of Cd, Cu, Pb and Zn transport in metal contaminated soil and their uptake by willow (<i>Salix smithiana</i>) using HYDRUS-2D program. 2013 , 366, 433-451	12
754	Bamboo JuiceâEnhanced Desorption of Heavy Metals from Soil. 2013 , 17, 45-51	1
753	Phytoremediation of polluted water by trees: A review. 2013 , 8, 1591-1595	6
752	Coping Mechanisms of Plants to Metal Contaminated Soil. 2013 ,	24
751	Shaping the multifunctional tree: the use of Salicaceae in environmental restoration. 2013 , 6, 37-47	26
750	<i>Aspalathus linearis</i> (Rooibos tea) as potential phytoremediation agent: a review on tolerance mechanisms for aluminum uptake. 2013 , 21, 85-92	15
749	The Co-application of Willow and Earthworms/Horseradish for Removal of Pentachlorophenol from Contaminated Soils. 2013 , 22, 498-509	1

748	Lead Tolerance and Accumulation in White Poplar Cultivated In Vitro. 2013 , 4, 3-12	4
747	Environmental Risk Due to Heavy Metal Contamination Caused by Old Copper Mining Activity at Ľubietov Deposit, Slovakia. 2013 , 3,	3
746	H.M. The King's Royally Initiated LERD Project on Community Wastewater Treatment through Small Wetlands and Oxidation Pond in Phetchaburi, Thailand. 2014 , 8, 233	1
745	Chlorophyll a fluorescence in evaluation of the effect of heavy metal soil contamination on perennial grasses. 2014 , 9, e91475	63
744	Variations in metal tolerance and accumulation in three hydroponically cultivated varieties of <i>Salix integra</i> treated with lead. 2014 , 9, e108568	39
743	Tissue fractions of cadmium in two hyperaccumulating Jerusalem artichoke genotypes. 2014 , 2014, 421249	
742	Potential of <i>Igniscum sachalinensis</i> L. and <i>Salix viminalis</i> L. for the Phytoremediation of Copper-Contaminated Soils. 2014 , 2014, 1-6	2
741	Heavy Metal Contamination in Soils of Remnant Natural and Plantation Forests in an Urbanized Region of the Pearl River Delta, China. 2014 , 5, 885-900	6
740	Global Use of Bioremediation Technologies for Decontamination of Ecosystems. 2014 , 05,	22
739	Metal Contamination of Soils and Prospects of Phytoremediation in and Around River Yamuna: A Case Study from North-Central India. 2014 ,	1
738	<i>Kocuria flava</i> induced growth and chromium accumulation in <i>Cicer arietinum</i> L. 2014 , 16, 14-28	7
737	Physiological and proteomic responses of different willow clones (<i>Salix fragilis</i> x <i>alba</i>) exposed to dredged sediment contaminated by heavy metals. 2014 , 16, 1148-69	18
736	<i>Populus tremula</i> (European aspen) shows no evidence of sexual dimorphism. 2014 , 14, 276	37
735	Prospects of Field Crops for Phytoremediation of Contaminants. 2014 , 449-470	8
734	Research Progresses in Soil Phytoremediation Polluted by Cadmium. 2014 , 1073-1076, 659-665	1
733	Assessing the poplar photochemical response to high zinc concentrations by image processing and statistical approach. 2014 , 122, 315-22	4
732	Chelant-Assisted Uptake and Accumulation of Cd by Poplar from Calcareous Arable Soils Around Baiyin Nonferrous Metal Smelters, Northern China. 2014 , 28, 340-354	10
731	<i>Miscanthus</i> as a Productive Biofuel Crop for Phytoremediation. 2014 , 33, 1-19	94

730	Effect of Inoculation and Co-inoculation of Acinetobacter sp. RG30 and Pseudomonas putida GN04 on Growth, Fitness, and Copper Accumulation of Maize (Zea mays). <i>Water, Air, and Soil Pollution</i> , 2014 , 225, 1	2.6	21
729	Can CO2 Fertilization Enhance Phytoremediation of Organic Soil Contamination?. 2014 , 23, 126-143		3
728	Inhibition of nitrate transporter 1.1-controlled nitrate uptake reduces cadmium uptake in Arabidopsis. 2014 , 166, 934-44		65
727	Enzyme Responses to Phytoremediation of PAH-Contaminated Soil Using Echinacea purpurea (L.). <i>Water, Air, and Soil Pollution</i> , 2014 , 225, 1	2.6	12
726	A field study on phytoremediation of dredged sediment contaminated by heavy metals and nutrients: the impacts of sediment aeration. 2014 , 21, 13452-60		16
725	Exogenous abscisic acid application decreases cadmium accumulation in Arabidopsis plants, which is associated with the inhibition of IRT1-mediated cadmium uptake. 2014 , 5, 721		88
724	Phytoremediation, Transgenic Plants and Microbes. 2014 , 65-85		18
723	Heavy metal accumulation characteristics of Nepalese alder (Alnus nepalensis) growing in a lead-zinc spoil heap, Yunnan, south-western China. 2014 , 7, 204-208		8
722	Some metals in aboveground biomass of Scots pine in Lithuania. 2014 , 66, 434-441		8
721	The potential of the flora from different regions of Pakistan in phytoremediation: a review. 2014 , 21, 801-12		53
720	The sequestration of trace elements by willow (Salix purpurea)--which soil properties favor uptake and accumulation?. 2014 , 21, 4759-71		26
719	Phosphorus removal from domestic wastewater by Nelumbo nucifera Gaertn. and Cyperus alternifolius L. 2014 , 137, 54-60		23
718	Adaptive response of poplar (Populus nigra L.) after prolonged Cd exposure period. 2014 , 21, 3792-802		20
717	Enhancing phytoextraction of Cd by combining poplar (clone "I-214") with Pseudomonas fluorescens and microbial consortia. 2014 , 21, 1796-1808		20
716	Comparative study of metal resistance and accumulation of lead and zinc in two poplars. 2014 , 151, 390-405		24
715	Assessing the influence of compost and biochar amendments on the mobility and toxicity of metals and arsenic in a naturally contaminated mine soil. 2014 , 186, 195-202		297
714	PHEs, Environment and Human Health. 2014 ,		15
713	Fungal transformation of metallic lead to pyromorphite in liquid medium. <i>Chemosphere</i> , 2014 , 113, 17-28.4		28

712	Extraction of Heavy Metals from Contaminated Soil by Two <i>Amaranthus</i> spp.. 2014 , 42, 635-640		9
711	Arsenic-tolerant plant-growth-promoting bacteria isolated from arsenic-polluted soils in South Korea. 2014 , 21, 9356-65		42
710	Effects of Plants for Reduction and Removal of Hexavalent Chromium from a Contaminated Soil. <i>Water, Air, and Soil Pollution</i> , 2014 , 225, 1	2.6	37
709	Phytoremediation of Zn: Identify the Diverging Resistance, Uptake and Biomass Production Behaviours of Poplar Clones Under High Zinc Stress. <i>Water, Air, and Soil Pollution</i> , 2014 , 225, 1	2.6	28
708	Characterization of bacteria in the rhizosphere soils of <i>Polygonum pubescens</i> and their potential in promoting growth and Cd, Pb, Zn uptake by <i>Brassica napus</i> . 2014 , 16, 321-33		96
707	Microbial expression profiles in the rhizosphere of willows depend on soil contamination. 2014 , 8, 344-58		171
706	The hookah series part 2: elemental analysis and arsenic speciation in hookah charcoals. 2014 , 29, 2146-2158		5
705	Problems and prospects concerning the phytoremediation of heavy metal polluted soils: A review. 2014 , 47, 923-939		101
704	Bioremediation in Latin America. 2014 ,		3
703	Phytoremediation of cadmium-contaminated soils by young Douglas fir trees: effects of cadmium exposure on cell wall composition. 2014 , 16, 790-803		22
702	Phytoremediation: Strategies of Argentinean Plants Against Stress by Heavy Metals. 2014 , 123-134		2
701	Arsenic Root Sequestration by a Tropical Woody Legume as Affected by Arbuscular Mycorrhizal Fungi and Organic Matter: Implications for Land Reclamation. <i>Water, Air, and Soil Pollution</i> , 2014 , 225, 1	2.6	15
700	The evaluation of heavy metal accumulation and application of a comprehensive bio-concentration index for woody species on contaminated sites in Hunan, China. 2014 , 21, 5076-85		37
699	Indication of airborne pollution by birch and spruce in the vicinity of copper smelter. 2014 , 21, 11510-20		15
698	Sex-related differences in physiological and ultrastructural responses of <i>Populus cathayana</i> to Ni toxicity. 2014 , 36, 1937-1946		4
697	Impact of the past mining activity in Roĳ Montanĳ (Romania) on soil and vegetation. 2014 , 72, 4653-4666		9
696	Landfarmed oil sludge as a carbon source for <i>Canavalia ensiformis</i> during phytoremediation. 2014 , 11, 1197-1206		5
695	Vanadium uptake and translocation in dominant plant species on an urban coastal brownfield site. 2014 , 476-477, 696-704		45

694	Soil plant interactions of <i>Populus alba</i> in contrasting environments. 2014 , 132, 329-37	12
693	Influence of amendments and aided phytostabilization on metal availability and mobility in Pb/Zn mine tailings. 2014 , 139, 15-21	64
692	Effects of field metal-contaminated soils submitted to phytostabilisation and fly ash-aided phytostabilisation on the avoidance behaviour of the earthworm <i>Eisenia fetida</i> . 2014 , 107, 170-7	18
691	Effect of hyperaccumulating plant cover composition and rhizosphere-associated bacteria on the efficiency of nickel extraction from soil. 2014 , 81, 30-36	23
690	Heavy metal leaching and environmental risk from the use of compost-like output as an energy crop growth substrate. 2014 , 487, 260-71	41
689	The impact of uranium mine contamination of soils on plant litter decomposition. 2014 , 67, 601-16	6
688	Metal(loid) allocation and nutrient retranslocation in <i>Pinus halepensis</i> trees growing on semiarid mine tailings. 2014 , 485-486, 406-414	16
687	Phytoextraction potential of poplar (<i>Populus alba</i> L. var. <i>pyramidalis</i> Bunge) from calcareous agricultural soils contaminated by cadmium. 2014 , 16, 482-95	19
686	Induced phytoextraction: effect of amendment on phytoextraction of cadmium by poplar rooted cuttings (<i>Populus nigra</i> L. and <i>Populus alba</i> L.). 2014 , 13, 90	
685	Meta-transcriptomics indicates biotic cross-tolerance in willow trees cultivated on petroleum hydrocarbon contaminated soil. 2015 , 15, 246	18
684	A review on dump slope stabilization by revegetation with reference to indigenous plant. 2015 , 4,	13
683	Tyrosine: an efficient natural molecule for copper remediation. 2015 , 3, 1-9	6
682	Coupled Electro-kinetic Remediation and Phytoremediation of Metal(loid) Contaminated Soils. 2015 , 06,	2
681	Growth and heavy metal accumulation of <i>Koeleruteria paniculata</i> seedlings and their potential for restoring manganese mine wastelands in Hunan, China. 2015 , 12, 1726-44	7
680	An assessment of the Causes of Lead Pollution and the Efficiency of Bioremediation by Plants and Microorganisms. 2015 ,	4
679	Grass filtration in parallel with VFCW technology for community wastewater treatment through the king's initiative nature-by-nature process. 2015 , 10, 633-643	
678	Efficiency of Zn phytoextraction, biomass yield and formation of low-molecular-weight organic acids in <i>S. tuberosa</i> hydroponic experiment. 2015 , 31, 345-364	17
677	Phytoremediation to Remove Metals/Metalloids from Soils. 2015 , 297-304	2

676	Phytoremediation of Copper-Contaminated Soil. 2015 , 143-170		5
675	Heavy Metal Contamination of Soils. 2015 ,		19
674	Phytoremediation potential of cadmium-contaminated soil by Eucalyptus globulus under different coppice systems. 2015 , 94, 321-5		18
673	Arbuscular mycorrhizal fungal inoculation protects Miscanthus giganteus against trace element toxicity in a highly metal-contaminated site. 2015 , 527-528, 91-9		45
672	Downwind particulate matters: Regulatory implications of secondary aerosol formation from the interaction of nitrogen oxides and tree emissions. 2015 , 50, 180-190		2
671	Integrating phytoremediation with biomass valorisation and critical element recovery: A UK contaminated land perspective. 2015 , 83, 328-339		98
670	Phytoremediation of Heavy Metal-Contaminated Soils Using the Perennial Energy Crops Miscanthus spp. and Arundo donax L.. 2015 , 8, 1500-1511		118
669	Transcriptome, microRNA, and degradome analyses of the gene expression of Paulownia with phytoplasm. 2015 , 16, 896		25
668	Mobility and Translocation of Heavy Metals from Mine Tailings in Three Plant Species after Amendment with Compost and Biosurfactant. 2015 , 24, 223-249		10
667	Phytoextraction of Cadmium and Zinc By Sedum plumbizincicola Using Different Nitrogen Fertilizers, a Nitrification Inhibitor and a Urease Inhibitor. 2015 , 17, 382-90		16
666	Phytofiltration of arsenic and cadmium by using an aquatic plant, Micranthemum umbrosum: phytotoxicity, uptake kinetics, and mechanism. 2015 , 112, 193-200		25
665	Genotypic variations in the dynamics of metal concentrations in poplar leaves: a field study with a perspective on phytoremediation. 2015 , 199, 73-82		32
664	Effects of Roadside Deposition on Growth and Pollutant Accumulation by Willow (Salix miyabeana). <i>Water, Air, and Soil Pollution</i> , 2015 , 226, 1	2.6	11
663	Phytoremediation of mercury-contaminated soils by Jatropha curcas. <i>Chemosphere</i> , 2015 , 127, 58-63	8.4	112
662	Phytoextraction of risk elements by willow and poplar trees. 2015 , 17, 414-21		50
661	Phytoremediation of Soils Contaminated with Heavy Metals: Techniques and Strategies. 2015 , 133-155		15
660	Lead in the soil-mulberry (Morus alba L.)-silkworm (Bombyx mori) food chain: translocation and detoxification. <i>Chemosphere</i> , 2015 , 128, 171-7	8.4	45
659	Reconsidering brownfield redevelopment strategy in China's old industrial zone: a health risk assessment of heavy metal contamination. 2015 , 22, 2765-75		39

658	Evaluating performance of short-rotation woody crops for bioremediation purposes. 2015 , 46, 267-281		9
657	Phytoremediation. 2015 ,		9
656	Application of fluctuating asymmetry indexes of silver birch leaves for diagnostics of plant communities under technogenic pollution. 2015 , 62, 340-348		21
655	A comparison of forest and agricultural shallow groundwater chemical status a century after land use change. 2015 , 529, 82-90		16
654	Cadmium transfer and detoxification mechanisms in a soil-mulberry-silkworm system: phytoremediation potential. 2015 , 22, 18031-9		27
653	Enrichment Characteristics of Heavy Metal Cadmium in Woody Plants System. 2015 , 64, 283-286		
652	Colocalization of low-methylesterified pectins and Pb deposits in the apoplast of aspen roots exposed to lead. 2015 , 205, 315-26		26
651	Phytoextraction of Trace Metals: Principles and Applications. 2015 , 217-227		
650	Cr-resistant rhizo- and endophytic bacteria associated with <i>Prosopis juliflora</i> and their potential as phytoremediation enhancing agents in metal-degraded soils. 2014 , 5, 755		83
649	An endophytic bacterium <i>Acinetobacter calcoaceticus</i> Sasm3-enhanced phytoremediation of nitrate-cadmium compound polluted soil by intercropping <i>Sedum alfredii</i> with oilseed rape. 2015 , 22, 17625-35		23
648	Roles of <i>Koeleria bipinnata</i> as a suitable accumulator tree species in remediating Mn, Zn, Pb, and Cd pollution on Mn mining wastelands in southern China. 2015 , 74, 4549-4559		15
647	Physiological and Cytological Responses of <i>Deschampsia cespitosa</i> and <i>Populus tremuloides</i> to Soil Metal Contamination. <i>Water, Air, and Soil Pollution</i> , 2015 , 226, 1	2.6	19
646	Responses and acclimation of Chinese cork oak (<i>Quercus variabilis</i> Bl.) to metal stress: the inducible antimony tolerance in oak trees. 2015 , 22, 11456-66		2
645	Variations of cadmium tolerance and accumulation among 39 <i>Salix</i> clones: implications for phytoextraction. 2015 , 73, 3263-3274		23
644	Lead accumulation and tolerance of Moso bamboo (<i>Phyllostachys pubescens</i>) seedlings: applications of phytoremediation. 2015 , 16, 123-30		44
643	Can Biochar From Contaminated Biomass Be Applied Into Soil for Remediation Purposes?. <i>Water, Air, and Soil Pollution</i> , 2015 , 226, 1	2.6	22
642	Phytoremediation of Water and Wastewater: On-Site and Full-Scale Applications. 2015 , 51-60		1
641	Determination of Cd and Cr in tannin samples by high-resolution continuum source graphite furnace atomic absorption spectrometry and direct solid sample sequential analysis (HR-CS SS-GF AAS). 2015 , 7, 3735-3741		15

640	Assessment of arbuscular mycorrhizal fungi status and heavy metal accumulation characteristics of tree species in a lead-zinc mine area: potential applications for phytoremediation. 2015 , 22, 13179-93		52
639	Bioremediation of Heavy Metals from Soil and Aquatic Environment: An Overview of Principles and Criteria of Fundamental Processes. <i>Sustainability</i> , 2015 , 7, 2189-2212	3.6	665
638	In situ remediation technologies for mercury-contaminated soil. 2015 , 22, 8124-47		55
637	Modification of nitrate uptake pathway in plants affects the cadmium uptake by roots. 2015 , 10, e990794		12
636	Inoculation of ectomycorrhizal fungi contributes to the survival of tree seedlings in a copper mine tailing. 2015 , 20, 493-500		23
635	Giant reed for selenium phytoremediation under changing climate. 2015 , 13, 359-380		22
634	Growth responses and accumulation of cadmium in switchgrass (<i>Panicumvirgatum</i> L.) and prairie cordgrass (<i>Spartinapectinata</i> Link). 2015 , 5, 83700-83706		9
633	Selenium Phytoremediation by Giant Reed. 2015 , 133-198		4
632	Pb and Cd Contents in Soil, Water, and Trees at an Afforestation Site, South China. 2015 , 95, 632-7		5
631	<i>Ricinus communis</i> : A robust plant for bio-energy and phytoremediation of toxic metals from contaminated soil. 2015 , 84, 640-652		67
630	Distribution of P, K, Ca, Mg, Cd, Cu, Fe, Mn, Pb and Zn in wood and bark age classes of willows and poplars used for phytoextraction on soils contaminated by risk elements. 2015 , 22, 18801-13		37
629	Comparison of manganese tolerance and accumulation among 24 <i>Salix</i> clones in a hydroponic experiment: Application for phytoremediation. 2015 , 149, 1-7		20
628	Root based responses account for <i>Psidium guajava</i> survival at high nickel concentration. 2015 , 174, 137-46		22
627	Secondary plant metabolites and root exudates: guiding tools for polychlorinated biphenyl biodegradation. 2015 , 12, 789-802		40
626	Effects of inorganic and organic amendments on the uptake of lead and trace elements by <i>Brassica chinensis</i> grown in an acidic red soil. <i>Chemosphere</i> , 2015 , 119, 177-183	8.4	76
625	Phytoremediation. 2015 , 85-105		35
624	Role of Phytoremediation in Radioactive Waste Treatment. 2015 , 207-254		6
623	Plant-Microbe Interactions in Phytoremediation. 2015 , 255-285		8

622	Phytoremediation of Radioactive Contaminated Soils. 2015 , 599-627	3
621	Identification of elite native plants species for phytoaccumulation and remediation of major contaminants in uranium tailing ponds and its affected area. 2015 , 17, 57-81	12
620	Biochar immobilizes cadmium and zinc and improves phytoextraction potential of willow plants on extremely contaminated soil. 2016 , 61, 303-308	23
619	Comparison of phyto-accumulation of metals by <i>Vigna unguiculata</i> L. (bean) and <i>Zea mays</i> L. (maize) grown in crude oil contaminated soil. 2016 , 8, 104	
618	Estimation of the Seedling Vigor Index of Sunflowers Treated with Various Heavy Metals. 2016 , 07,	10
617	Restoration of Smelter Industrial Barrens Following Pollution Reduction Drives Economic Recovery. 2016 , 463-483	
616	Influence of NaCl-salinity on Pb-uptake behavior and growth of River Red gum tree (<i>Eucalyptus camaldulensis</i> Dehnh.). 2016 , 40, 425-432	17
615	Mulberry and Vetiver for Phytostabilization of Mine Overburden. 2016 , 295-328	7
614	Phytoremediation of Saline Soils for Sustainable Agricultural Productivity. 2016 , 455-468	12
613	Differential Impacts of Willow and Mineral Fertilizer on Bacterial Communities and Biodegradation in Diesel Fuel Oil-Contaminated Soil. 2016 , 7, 837	19
612	The Willow Microbiome Is Influenced by Soil Petroleum-Hydrocarbon Concentration with Plant Compartment-Specific Effects. 2016 , 7, 1363	34
611	References. 2016 , 149-180	1
610	Actinorhizal Alder Phytostabilization Alters Microbial Community Dynamics in Gold Mine Waste Rock from Northern Quebec: A Greenhouse Study. 2016 , 11, e0150181	15
609	Systems Integration for Biochar in European Forestry: Drivers and Strategies. 70-95	
608	Investigation of correlativity between heavy metals concentration in indigenous plants and combined pollution soils. 2016 , 32, 872-883	8
607	Community variation in plant traits along copper and cobalt gradients. 2016 , 27, 854-864	15
606	Phytoextraction potential of four poplar hybrids under greenhouse conditions. 2016 , 12, 199-206	2
605	Application of a vetiver system for unconventional water treatment. 2016 , 57, 25474-25483	9

604	Effect of heavy metals combined stress on growth and metals accumulation of three <i>Salix</i> species with different cutting position. 2016 , 18, 761-7	14
603	Comparative Transcriptomic Approaches Exploring Contamination Stress Tolerance in <i>Salix</i> sp. Reveal the Importance for a Metaorganismal de Novo Assembly Approach for Nonmodel Plants. 2016 , 171, 3-24	15
602	Phytoremediation potential of transplanted bare-root seedlings of trees for lead/zinc and copper mine tailings. 2016 , 18, 1155-63	8
601	Phytoremediation of heavy metal contaminated buriganga riverbed sediment by Indian mustard and marigold plants. 2016 , 35, 117-124	14
600	Soil characterization and differential patterns of heavy metal accumulation in woody plants grown in coal gangue wastelands in Shaanxi, China. 2016 , 23, 13489-97	28
599	Pectinous cell wall thickenings formation - A common defense strategy of plants to cope with Pb. 2016 , 214, 354-361	62
598	Effects of contaminated soil on the growth performance of young <i>Salix</i> (<i>Salix schwerinii</i> E. L. Wolf) and the potential for phytoremediation of heavy metals. 2016 , 183, 467-477	38
597	Innovations in Utilization of Poor-Quality Water for Sustainable Agricultural Production. 2016 , 219-263	7
596	Slow-release nitrogen fertilizers can improve yield and reduce Cd concentration in pakchoi (<i>Brassica chinensis</i> L.) grown in Cd-contaminated soil. 2016 , 23, 25074-25083	21
595	Biological Approaches for Remediation of Metal-Contaminated Sites. 2016 , 65-112	5
594	Phytoremediation of Mining Areas: An Overview of Application in Lead- and Zinc-Contaminated Soils. 2016 , 3-27	1
593	Phytoextraction of Heavy Metals by Fast-Growing Trees: A Review. 2016 , 29-64	31
592	Phytoremediation of Heavy Metals Contaminated Soils Through Transgenic Plants. 2016 , 345-391	4
591	Uptake and Distribution of Trace Elements in Dominant Mangrove Plants of the Indian Sundarban Wetland. 2016 , 97, 721-727	10
590	Potential of Ornamental Plants for Phytoremediation of Heavy Metals and Income Generation. 2016 , 179-217	20
589	Biotechnological Approaches for Bioremediation: In Vitro Hairy Root Culture. 2016 , 1-23	1
588	Phytoremediation. 2016 ,	11
587	Evaluating trivalent chromium toxicity on wild terrestrial and wetland plants. <i>Chemosphere</i> , 2016 , 162, 355-64	8.4 47

586	Remediation of metalliferous mines, revegetation challenges and emerging prospects in semi-arid and arid conditions. 2016 , 23, 20131-20150		13
585	Improving plant bioaccumulation science through consistent reporting of experimental data. 2016 , 181, 374-384		35
584	Expression of specific genes involved in Cd uptake, translocation, vacuolar compartmentalisation and recycling in <i>Populus alba</i> Villafranca clone. 2016 , 202, 83-91		14
583	Assessment of Toxic Metal Uptake by Different Vegetables Grown on Soils Amended with Poultry Waste: Risk Assessment. <i>Water, Air, and Soil Pollution</i> , 2016 , 227, 1	2.6	7
582	Chelating capture and magnetic removal of non-magnetic heavy metal substances from soil. 2016 , 6, 21027		25
581	Phytoremediation potential of wild plants growing on soil contaminated with heavy metals. 2016 , 67, 229-239		15
580	Alternative technologies for remediation of technogenic barrens in the Kola Subarctic. 2016 , 49, 1294-1309		15
579	Phytoremediation potential of chromium and lead by <i>Alnus acuminata</i> subsp. <i>acuminata</i> . 2016 , 35, 942-948		13
578	Risk management and regeneration of brownfields using bioenergy crops. 2016 , 16, 987-1000		23
577	Plant Growth Promoting Actinobacteria. 2016 ,		8
576	Perspectives of Plant Growth-Promoting Actinomycetes in Heavy Metal Phytoremediation. 2016 , 213-231		13
575	Assessment of seasonal variation for air pollutant accumulation by <i>Zizyphus</i> tree under washing treatment. 2016 , 188, 343		4
574	The distribution and elevated solubility of lead, arsenic and cesium in contaminated paddy soil enhanced with the electrokinetic field. 2016 , 13, 1641-1652		9
573	High potential of symbiotic interactions between native mycorrhizal fungi and the exotic tree <i>Eucalyptus camaldulensis</i> for phytostabilization of metal-contaminated arid soils. 2016 , 18, 41-7		7
572	Potential of <i>Plantago major</i> L. for Phytoremediation of Lead-Contaminated Soil and Water. <i>Water, Air, and Soil Pollution</i> , 2016 , 227, 1	2.6	21
571	Enhanced accumulation of Cd in castor (<i>Ricinus communis</i> L) by soil-applied chelators. 2016 , 18, 664-70		12
570	Assessing the applicability of phytoremediation of soils with mixed organic and heavy metal contaminants. 2016 , 15, 299-326		81
569	A newly found manganese hyperaccumulator-- <i>Polygonum lapathifolium</i> Linn. 2016 , 18, 348-53		27

568	Potential of Wastewater Disposal Through Tree Plantations. 2016 , 163-179		7
567	Agroforestry for the Management of Waterlogged Saline Soils and Poor-Quality Waters. 2016 ,		22
566	Factors Affecting Phytoextraction: A Review. 2016 , 26, 148-166		144
565	Heavy-metal-contaminated industrial soil: Uptake assessment in native plant species from Brazilian Cerrado. 2016 , 18, 832-8		12
564	Copper Phytoaccumulation and Tolerance by Seedlings of Native Brazilian Trees. 2016 , 33, 176-184		8
563	Prediction of Extractable Cd, Pb and Zn in Contaminated Woody Habitat Soils Using a Change Point Detection Method. 2016 , 26, 282-298		11
562	Physiological responses of the hybrid larch (<i>Larix Eurolepis</i> Henry) to cadmium exposure and distribution of cadmium in plantlets. 2016 , 23, 8617-26		8
561	Ecological Risk Assessment of EDTA-Assisted Phytoremediation of Cd Under Different Cultivation Systems. 2016 , 96, 259-64		10
560	A New Lead Hydroxycarbonate Produced During Transformation of Lead Metal by the Soil Fungus <i>Paecilomyces javanicus</i> . 2016 , 33, 250-260		20
559	Plant-driven removal of heavy metals from soil: uptake, translocation, tolerance mechanism, challenges, and future perspectives. 2016 , 188, 206		170
558	Effects of zinc on Scots pine (<i>Pinus sylvestris</i> L.) seedlings grown in hydroculture. 2016 , 102, 1-9		23
557	The major parameters on biomass pyrolysis for hyperaccumulative plants--A review. <i>Chemosphere</i> , 2016 , 146, 385-95	8.4	22
556	Challenges and opportunities in the phytoremediation of heavy metals contaminated soils: A review. 2016 , 126, 111-121		623
555	Phytoremediation potential of chromium-containing tannery effluent-contaminated soil by native Indian timber-yielding tree species. 2016 , 46, 100-8		7
554	Phytoremediation of soils contaminated with phenanthrene and cadmium by growing willow (<i>Salix lauro-pendula</i> CL 'j1011'). 2016 , 18, 150-6		10
553	Applicability of the net sheet method for estimating fine root production in forest ecosystems. 2016 , 30, 571-578		5
552	Douglas fir (<i>pseudotsuga menziesii</i>) plantlets responses to as, PB, and sb-contaminated soils from former mines. 2016 , 18, 559-66		4
551	Purification and characterization of a highly active chromate reductase from endophytic <i>Bacillus</i> sp. DGV19 of <i>Albizia lebeck</i> (L.) Benth. actively involved in phytoremediation of tannery effluent-contaminated sites. 2016 , 46, 192-9		6

550	Natural and commercial Salix clones differ in their ecophysiological response to Zn stress. 2016 , 54, 56-64	13
549	Production of Biodiesel Feedstock from the Trace Element Contaminated Lands in Ukraine. 2016 , 3-28	2
548	The contribution of endophytic bacteria to Albizia lebbeck-mediated phytoremediation of tannery effluent contaminated soil. 2016 , 18, 77-86	3
547	Assessment of the contamination of riparian soil and vegetation by trace metals--A Danube River case study. 2016 , 540, 396-409	45
546	Accumulation of Arsenic and Copper by Bryophytes Growing in an Aquatic Environment near Copper Mine Tailings. 2016 , 35, 265-272	6
545	Regulation of macro, micro, and toxic element uptake by Salix Œmithiana using liming of heavily contaminated soils. 2017 , 17, 1279-1290	3
544	Evaluating phytoextraction efficiency of two high-biomass crops after soil amendment and inoculation with rhizobacterial strains. 2017 , 24, 7591-7606	3
543	Copper-Induced Responses in Poplar Clones are Associated with Genotype- and Organ-Specific Changes in Peroxidase Activity and Proline, Polyamine, ABA, and IAA Levels. 2017 , 36, 131-147	10
542	Photosynthesis and aboveground carbon allocation of two co-occurring poplar species in an urban brownfield. 2017 , 223, 497-506	10
541	The evaluation of growth and phytoextraction potential of Miscanthus x giganteus and Sida hermaphrodita on soil contaminated simultaneously with Cd, Cu, Ni, Pb, and Zn. 2017 , 24, 4990-5000	38
540	Selection of suitable reference genes for quantitative real-time PCR gene expression analysis in Salix matsudana under different abiotic stresses. 2017 , 7, 40290	37
539	Toward Financially Viable Phytoextraction and Production of Plant-Based Palladium Catalysts. 2017 , 51, 2992-3000	24
538	Phytoremediation Potential of Leucaena leucocephala (Lam.) de Wit. for Heavy Metal-Polluted and Heavy Metal-Degraded Environments. 2017 , 189-209	5
537	Characterization and Modeling of Polycyclic Aromatic Compound Uptake into Spruce Tree Wood. 2017 , 51, 5287-5295	9
536	The Use of Higher Plants in Biomonitoring and Environmental Bioremediation. 2017 , 103-155	5
535	Phytoremediation of heavy metals and PAHs at slag fill site: three-year field-scale investigation. 2017 , 1-16	5
534	Biotechnological Approaches for Bioremediation: In Vitro Hairy Root Culture. 2017 , 597-619	2
533	Enhancing Cleanup of Environmental Pollutants. 2017 ,	5

532	Bioremediation of Polycyclic Aromatic Hydrocarbons-Polluted Soils at Laboratory and Field Scale: A Review of the Literature on Plants and Microorganisms. 2017 , 43-64		6
531	Selenium in plants. 2017 ,		19
530	Overview and Prospects of Selenium Phytoremediation Approaches. 2017 , 277-321		10
529	Heavy metal uptake by plant parts of willow species: A meta-analysis. 2017 , 336, 101-109		57
528	Non-enhanced phytoextraction of cadmium, zinc, and lead by high-yielding crops. 2017 , 24, 14706-14716		17
527	Influence of fertilisation with sewage sludge-derived preparation on selected soil properties and prairie cordgrass yield. 2017 , 156, 775-780		11
526	Remediation of Polluted Soils Using Hyperaccumulator Plants. 2017 , 187-214		2
525	Variation in Copper Accumulation at the Tissue Level of Five Hybrid Poplars Subjected to Copper Stress. <i>Water, Air, and Soil Pollution</i> , 2017 , 228, 1	2.6	2
524	A review on in situ phytoremediation of mine tailings. <i>Chemosphere</i> , 2017 , 184, 594-600	8.4	235
523	Effects of Variable Site Conditions on Phytoremediation of Mixed Contaminants: Field-Scale Investigation at Big Marsh Site. 2017 , 143, 04017057		3
522	Plant Biotechnology: Recent Advancements and Developments. 2017 ,		4
521	Copper and nickel co-treatment alters metal uptake and stress parameters of <i>Salix purpurea</i> L. 2017 , 216, 125-134		17
520	Phytoremediation of Heavy Metal-Contaminated Soil Using Bioenergy Crops. 2017 , 63-96		11
519	The influence of As forms in substrate on the phytoextraction of this metalloid in <i>Ulmus laevis</i> Pall organs âPot experiment. 2017 , 132, 333-340		19
518	Arsenic tolerance and phytoremediation potential of <i>Conocarpus erectus</i> L. and <i>Populus deltoides</i> L. 2017 , 19, 985-991		21
517	Application of magnetic methods for assessment of soil restoration in the vicinity of metallurgical copper-processing plant in Bulgaria. 2017 , 189, 158		7
516	Iron supply prevents Cd uptake in <i>Arabidopsis</i> by inhibiting IRT1 expression and favoring competition between Fe and Cd uptake. 2017 , 416, 453-462		60
515	Early seedling establishment on aged Tasmanian tin mine tailings constrained by nutrient deficiency and soil structure, not toxicity. 2017 , 55, 692		10

514	Phytoremediation Potential of Bioenergy Plants. 2017,		12
513	The role of trees in urban stormwater management. 2017, 162, 167-177		198
512	Phytoremediation of cadmium and lead-polluted watersheds. 2017, 137, 225-232		17
511	Radial metal concentration profiles in trees growing on highly contaminated soils. <i>Chemosphere,</i> 2017, 172, 80-88	8.4	6
510	Phytoremediation of cadmium-contaminated soil through multipurpose tree species. 2017, 92, 473		4
509	Toxic metal tolerance in native plant species grown in a vanadium mining area. 2017, 24, 26839-26850		19
508	Role of Bioremediation Agents (Bacteria, Fungi, and Algae) in Alleviating Heavy Metal Toxicity. 2017, 517-537		16
507	Physiological Response of <i>Vetiveria Zizanioides</i> to Cadmium Stress Revealed by Fourier Transform Infrared Spectroscopy. 2017,		2
506	Root potassium and hydrogen flux rates as potential indicators of plant response to zinc, copper and nickel stress. 2017, 143, 38-50		13
505	Hydroponic Screening of Fast-growing Tree Species for Lead Phytoremediation Potential. 2017, 99, 518-523		12
504	HMA3 is a key factor for differences in Cd- and Zn-related phenotype between <i>Arabidopsis</i> Ws and Col-0 ecotypes. 2017, 11, 209-218		8
503	Importance of intra- and interspecific plant interactions for the phytomanagement of semiarid mine tailings using the tree species <i>Pinus halepensis</i> . <i>Chemosphere,</i> 2017, 186, 405-413	8.4	9
502	Comparison of three types of oil crop rotation systems for effective use and remediation of heavy metal contaminated agricultural soil. <i>Chemosphere,</i> 2017, 188, 148-156	8.4	40
501	Effect of mycorrhizal inoculation on metal accumulation by poplar leaves at phytomanaged sites. 2017, 143, 72-81		18
500	Net calorific values and mineral concentration of thirteen tree and shrub species in Ghana. 2017, 36, 703-716		2
499	Phytoremediation of contaminated soils by heavy metals and PAHs. A brief review. 2017, 8, 309-326		193
498	Interactions of two novel stabilizing amendments with sunflower plants grown in a contaminated soil. <i>Chemosphere,</i> 2017, 186, 374-380	8.4	17
497	Accumulation and phytostabilization of As, Pb and Cd in plants growing inside mine tailings reforested in Zacatecas, Mexico. 2017, 76, 1		26

496	Can liming change root anatomy, biomass allocation and trace element distribution among plant parts of <i>Salix Smithiana</i> in trace element-polluted soils?. 2017 , 24, 19201-19210		3
495	Field crops (<i>Ipomoea aquatica</i> Forsk. and <i>Brassica chinensis</i> L.) for phytoremediation of cadmium and nitrate co-contaminated soils via rotation with <i>Sedum alfredii</i> Hance. 2017 , 24, 19293-19305		30
494	Assessment of phytoremediation ability of <i>Coriander sativum</i> for soil and water co-contaminated with lead and arsenic: a small-scale study. 2017 , 7, 196		7
493	Biological diversity of <i>Salix</i> taxa in Cu, Pb and Zn phytoextraction from soil. 2017 , 19, 121-132		18
492	Bioaugmentation-Assisted Phytostabilisation of Abandoned Mine Sites in South West Sardinia. 2017 , 98, 310-316		10
491	Phytoremediation of industrial mines wastewater using water hyacinth. 2017 , 19, 87-96		96
490	Disposal options for polluted plants grown on heavy metal contaminated brownfield lands - A review. <i>Chemosphere</i> , 2017 , 166, 8-20	8.4	83
489	Heavy metal detoxification mechanisms in halophytes: an overview. 2017 , 25, 129-148		47
488	Effectiveness of in situ application of an Integrated Phytoremediation System (IPS) by adding a selected blend of rhizosphere microbes to heavily multi-contaminated soils. 2017 , 99, 70-82		38
487	Phytoextraction of heavy metals from municipal sewage sludge by <i>Rosa multiflora</i> and <i>Sida hermaphrodita</i> . 2017 , 19, 309-318		23
486	Preliminary study of phytoremediation of brownfield soil contaminated by PAHs. 2017 , 599-600, 572-580		32
485	Transcriptomic Response of Purple Willow () to Arsenic Stress. 2017 , 8, 1115		25
484	Enhanced Nitrogen and Phosphorus Removal by Woody Plants with Deep-Planting Technique for the Potential Environmental Management of Carcass Burial Sites. <i>Sustainability</i> , 2017 , 9, 155	3.6	6
483	Phytoremediation Efficacy of <i>Salix discolor</i> and <i>S. eriocephala</i> on Adjacent Acidic Clay and Shale Overburden on a Former Mine Site: Growth, Soil, and Foliage Traits. 2017 , 8, 475		6
482	Mine Waste: Assessment of Environmental Contamination and Restoration. 2017 , 89-134		6
481	Growth, tolerance and zinc accumulation in <i>Senna multijuga</i> and <i>Erythrina crista-galli</i> seedlings. 2017 , 21, 465-470		4
480	Phytoremediation: An Environmental Friendly Technique - A Review. 2017 , 04,		18
479	Nanoscale zero-valent iron assisted phytoremediation of Pb in sediment: Impacts on metal accumulation and antioxidative system of <i>Lolium perenne</i> . 2018 , 153, 229-237		81

478	Trace element leaching from contaminated willow and poplar biomass – A laboratory study of potential risks. 2018 , 112, 11-18	4
477	Biochemical and Molecular Targets of Heavy Metals and Their Actions. 2018 , 297-319	14
476	Biomedical Applications of Metals. 2018 ,	5
475	Physiological response of <i>Arundo donax</i> to cadmium stress by Fourier transform infrared spectroscopy. 2018 , 198, 88-91	5
474	From Conventional Lewis Acids to Heterogeneous Montmorillonite K10: Eco-Friendly Plant-Based Catalysts Used as Green Lewis Acids. 2018 , 11, 1249-1277	43
473	Elemental assessment of vegetation via portable X-ray fluorescence (PXRF) spectrometry. 2018 , 210, 210-225	48
472	Cd and Cu accumulation, translocation and tolerance in <i>Populus alba</i> clone (Villafranca) in autotrophic in vitro screening. 2018 , 25, 10058-10068	14
471	Arsenic characteristics in the terrestrial environment in the vicinity of the Shimen realgar mine, China. 2018 , 626, 77-86	42
470	Trace element phytoextraction from contaminated soil: a case study under Mediterranean climate. 2018 , 25, 9114-9131	23
469	Assessing the ability of hybrid poplar for in-situ phytoextraction of cadmium by using UAV-photogrammetry and 3D flow simulator. 2018 , 39, 5175-5194	9
468	Soil Contamination in Arid Region of Northwest China: Status Mechanism and Mitigation. 2018 , 365-374	1
467	Sequential application of soil washing and phytoremediation in the land of fires. 2018 , 206, 1081-1089	27
466	Soil contamination alters the willow root and rhizosphere metatranscriptome and the root-rhizosphere interactome. 2018 , 12, 869-884	46
465	Temporal changes of metal bioavailability and extracellular enzyme activities in relation to afforestation of highly contaminated calcareous soil. 2018 , 622-623, 1056-1066	15
464	Accumulation and tolerance characteristics of lead in <i>Althaea rosea</i> Cav. and <i>Malva crispa</i> L.. 2018 , 73, 299-311	3
463	Cadmium tolerance and phytoremediation potential of acacia (<i>Acacia nilotica</i> L.) under salinity stress. 2018 , 20, 739-746	17
462	Litter breakdown as a tool for assessment of the efficiency of afforestation and ash-aided phytostabilization on metal-contaminated soils functioning in Northern France. 2018 , 25, 18579-18595	6
461	Phosphorus storage and resorption in riparian tree species: Environmental applications of poplar and willow. 2018 , 149, 1-8	15

460	Subcellular distribution and chemical forms of cadmium in <i>Morus alba</i> L. 2018 , 20, 448-453		19
459	Cost-Effectiveness Analysis for Soil Heavy Metal Contamination Treatments. <i>Water, Air, and Soil Pollution</i> , 2018 , 229, 1	2.6	17
458	Compost and biochar assisted phytoremediation potentials of <i>Moringa oleifera</i> for remediation of lead contaminated soil. 2018 , 6, 2206-2213		20
457	Potential of plant species for phytoremediation of metformin from solutions. 2018 , 15, 593-598		6
456	Limitations for phytoextraction management on metal-polluted soils with poplar short rotation coppice-evidence from a 6-year field trial. 2018 , 20, 8-15		6
455	Metal release from contaminated leaf litter and leachate toxicity for the freshwater crustacean <i>Gammarus fossarum</i> . 2018 , 25, 11281-11294		5
454	Eco-restoration of a mine technosol according to biochar particle size and dose application: study of soil physico-chemical properties and phytostabilization capacities of <i>Salix viminalis</i> . 2018 , 18, 2188-2202		45
453	Phytoremediation capabilities of <i>Spirodela polyrhiza</i> , <i>Salvinia molesta</i> and <i>Lemna</i> sp. in synthetic wastewater: A comparative study. 2018 , 20, 1179-1186		16
452	Trace Metals in a Tropical Mangrove Wetland. 2018 ,		5
451	Root-soil physical and biotic interactions with a focus on tree root systems: A review. 2018 , 123, 318-327		18
450	The biochemical response of willow plants (<i>Salix viminalis</i> L.) to the use of sewage sludge from various sizes of wastewater treatment plant. 2018 , 615, 882-894		25
449	From phytoremediation of soil contaminants to phytomanagement of ecosystem services in metal contaminated sites. 2018 , 20, 384-397		131
448	Phytoremediation of Trace Metals by Mangrove Plants of Sundarban Wetland. 2018 , 209-247		2
447	Complementarity of three distinctive phytoremediation crops for multiple-trace element contaminated soil. 2018 , 610-611, 1428-1438		37
446	Seasonal variations of metal (Cd, Pb, Mn, Cu, Zn) accumulation in a voluntary species, <i>Salix subfragilis</i> , in unpolluted wetlands. 2018 , 610-611, 1210-1221		8
445	Chelating polyacrylonitrile beads for removal of lead and cadmium from wastewater. 2018 , 193, 202-213		57
444	Trace elements in the liver of captive and free-ranging European bison (<i>Bison bonasus</i> L.). <i>Chemosphere</i> , 2018 , 193, 454-463	8.4	11
443	Effects of ferric soils on arthropod abundance and herbivory on <i>Tibouchina heteromalla</i> (Melastomataceae): is fluctuating asymmetry a good indicator of environmental stress?. 2018 , 219, 69-78		4

442	Accumulation of heavy metals in stemwood of forest tree plantations fertilized with different sewage sludge doses. 2018 , 29, 347-361	7
441	Enhancing Phytoextraction of HMs at Real Scale, by Combining Salicaceae Trees With Microbial Consortia. 2018 , 6,	10
440	Variation of tolerance and accumulation to excess iron in 24 willow clones: Implications for phytoextraction. 2018 , 20, 1284-1291	5
439	Dendroremediation: The Role of Trees in Phytoextraction of Trace Elements. 2018 , 267-295	4
438	Woody Species in Phytoremediation Applications for Contaminated Soils. 2018 , 319-373	5
437	Bioremediation Effects of Nitrogen Fixing Trees on Nutrients and Heavy Metals in Spent Engine Oil Polluted Soil. 2018 , 1-9	
436	Phytoremediation of Metal and Metalloids from Contaminated Soil. 2018 , 249-262	3
435	Ectomycorrhizal Fungal Communities and Their Functional Traits Mediate Plant-Soil Interactions in Trace Element Contaminated Soils. 2018 , 9, 1682	18
434	Tobacco, Sunflower and High Biomass SRC Clones Show Potential for Trace Metal Phytoextraction on a Moderately Contaminated Field Site in Belgium. 2018 , 9, 1879	17
433	Morphophysiological responses and tolerance mechanisms of <i>Xanthium strumarium</i> to manganese stress. 2018 , 165, 654-661	22
432	Cadmium Accumulation and Tolerance in Seven Ornamental Willow Genotypes. 2018 , 101, 644-650	6
431	Evaluation of the potential of <i>Erodium glaucophyllum</i> L. for phytoremediation of metal-polluted arid soils. 2018 , 25, 36636-36644	6
430	Phytoremediation and Physiological Effects of Mixed Heavy Metals on Poplar Hybrids. 2018 ,	1
429	Biocrude production and nutrients recovery through hydrothermal liquefaction of wastewater irrigated willow. 2018 , 118, 24-31	24
428	Mycoremediation for Mine Site Rehabilitation. 2018 , 233-260	4
427	Successes in Application of Biotechnologies to Mine Land Remediation in the Russian Sub-Arctic. 2018 , 547-570	3
426	Effect of Cd on growth, physiological response, Cd subcellular distribution and chemical forms of <i>Koeleria paniculata</i> . 2018 , 160, 10-18	79
425	Plant Regeneration of Chun. 2018 , 13, 34-41	1

424	Mine Waste Rehabilitation Case Studies From Poland. 2018 , 515-527		3
423	Biomimetic strategies to design metallic proteins for detoxification of hazardous heavy metal. 2018 , 358, 92-100		14
422	Does pollution influence small mammal diet in the field? A metabarcoding approach in a generalist consumer. 2018 , 27, 3700		9
421	The Response of a 16S Ribosomal RNA Gene Fragment Amplified Community to Lead, Zinc, and Copper Pollution in a Shanghai Field Trial. 2018 , 9, 366		52
420	Tolerance, toxicity and transport of Cd and Zn in <i>Populus trichocarpa</i> . 2018 , 155, 281-292		27
419	The importance of substrate compaction and chemical composition in the phytoextraction of elements by <i>Pinus sylvestris</i> L. 2018 , 53, 1029-1038		5
418	Anatomical and morphological changes of the juniper under the influence of heavy metals in condition of man-induced load. 2018 , 64, 35-43		
417	Assisted Phytoremediation of a Multi-contaminated Industrial Soil Using Biochar and Garden Soil Amendments Associated with <i>Salix alba</i> or <i>Salix viminalis</i> : Abilities to Stabilize As, Pb, and Cu. <i>Water, Air, and Soil Pollution</i> , 2018 , 229, 1	2.6	12
416	Inoculation with <i>Bacillus subtilis</i> and <i>Azospirillum brasilense</i> Produces Abscisic Acid That Reduces Irt1-Mediated Cadmium Uptake of Roots. 2018 , 66, 5229-5236		46
415	Trees, fungi and bacteria: tripartite metatranscriptomics of a root microbiome responding to soil contamination. 2018 , 6, 53		58
414	Heavy Metal Removal with Phytoremediation. 2018 ,		3
413	<i>Salix viminalis</i> L. - A highly effective plant in phytoextraction of elements. <i>Chemosphere</i> , 2018 , 212, 67-78.4		27
412	Phytotoxicity testing of diesel-contaminated water using <i>Petunia grandiflora</i> Juss. Mix F1 and Marigold-Nemo Mix (<i>Tagetes patula</i> L.). 2018 , 190, 408		3
411	Improvement of Ni phytoextraction by <i>Alyssum murale</i> and its rhizosphere microbial activities by applying nitrogen fertilizer. 2018 , 33, 811-821		5
410	Phytoremediation of heavy metals: mechanisms, methods and enhancements. 2018 , 16, 1339-1359		243
409	Phytoremediation of Pb and Cd contaminated soils by using sunflower (<i>Helianthus annuus</i>) plant. 2018 , 63, 123-127		90
408	Influence of the Flue Gas Temperature on the Behavior of Metals during Biomass Combustion. 2018 , 32, 7851-7856		4
407	Woody species <i>Rhus chinensis</i> Mill. seedlings tolerance to Pb: Physiological and biochemical response. 2019 , 78, 63-73		11

406	Role of Rhizobacteria in Phytoremediation of Metal-Impacted Sites. 2019 , 299-328		7
405	Effects of Calcium Phosphates on the (Im)Mobilization of Metals and Nutrients, on the Biological Activity and on the Plant Health from Multi-contaminated Urban Soils. <i>Water, Air, and Soil Pollution</i> , 2019 , 230, 1	2.6	1
404	Reduces Cadmium Toxicity in Maize Plants by Repressing Iron Uptake-Associated Pathways. 2019 , 67, 10126-10136		14
403	Evaluation of lead and chromium tolerance and accumulation level in : a novel metal accumulator from lead acid battery waste contaminated site in Nigeria. 2019 , 21, 1341-1355		3
402	Trace element partitioning in a poplar phytoextraction stand in relation to stem size. 2019 , 247, 688-697		7
401	Phytoremediation of Heavy Metal- Contaminated Tailings Soil by Symbiotic Interaction of Cymbopogon Citratus and Solanum Torvum with Bacillus Cereus T1B3. 2019 , 28, 547-568		5
400	Biotechnological and microbial standpoint cahoot in bioremediation. 2019 , 137-158		
399	A new low-cost hydroxyapatite for efficient immobilization of lead. 2019 , 553, 798-804		14
398	Phytoremediation: An Advance Approach for Stabilization of Coal Mine Wastelands. 2019 , 573-606		2
397	Biomass growth variation and phytoextraction potential of four varieties grown in contaminated soil amended with lime and wood ash. 2019 , 21, 1329-1340		7
396	Distribution of Metals and Cell Wall Compounds in Leaf Parts of Three Tree Species Suitable for the Phytomanagement of Heavy Metalâ€Contaminated Soils. <i>Water, Air, and Soil Pollution</i> , 2019 , 230, 1	2.6	2
395	Heavy metal accumulation and phytoremediation potential by transplants of the seagrass Zostera marina in the polluted bay systems. 2019 , 149, 110509		18
394	A real filed phytoremediation of multi-metals contaminated soils by selected hybrid sweet sorghum with high biomass and high accumulation ability. <i>Chemosphere</i> , 2019 , 237, 124536	8.4	21
393	Plant Identity Shaped Rhizospheric Microbial Communities More Strongly Than Bacterial Bioaugmentation in Petroleum Hydrocarbon-Polluted Sediments. 2019 , 10, 2144		20
392	Distribution characteristics of Cd in different types of leaves of Festuca arundinacea intercropped with Cicer arietinum L.: A new strategy to remove pollutants by harvesting senescent and dead leaves. 2019 , 179, 108801		11
391	Field scale remediation of Cd and Pb contaminated paddy soil using three mulberry (Morus alba L.) cultivars. 2019 , 129, 38-44		24
390	Transgenic Energy Plants for Phytoremediation of Toxic Metals and Metalloids. 2019 , 319-340		6
389	Effects of Heavy Metals on the Growth of the Edible Cactus Nopalea cochenillifera Grown Under Hydroponic Conditions. 2019 , 57, 9-13		3

388	Capability of the Invasive Tree <i>Prosopis glandulosa</i> Torr. to Remediate Soil Treated with Sewage Sludge. <i>Sustainability</i> , 2019 , 11, 2711	3.6	13
387	Effect of salicylic acid and mycorrhizal symbiosis on improvement of fluoranthene phytoremediation using tall fescue (<i>Festuca arundinacea</i> Schreb). <i>Chemosphere</i> , 2019 , 232, 70-75	8.4	8
386	Use of heavy metals resistant bacteria-a strategy for arsenic bioremediation. 2019 , 103, 6007-6021		33
385	XRD-Thermal Combined Analyses: An Approach to Evaluate the Potential of Phytoremediation, Phytomining, and Biochar Production. 2019 , 16,		8
384	Differences of <i>Acer platanoides</i> L. and <i>Tilia cordata</i> Mill. Response patterns/survival strategies during cultivation in extremely polluted mining sludge - A pot trial. <i>Chemosphere</i> , 2019 , 229, 589-601	8.4	10
383	Cadmium accumulation and allocation in different cacao cultivars. 2019 , 678, 660-670		23
382	How Do Richness and Composition of Diet Shape Trace Metal Exposure in a Free-Living Generalist Rodent, <i>Apodemus sylvaticus</i> . 2019 , 53, 5977-5986		5
381	Arsenate phytoextraction abilities of one-year-old tree species and its effects on the nutritional element content in plant organs. 2019 , 21, 1019-1031		6
380	Novel soil remediation technology for simultaneous organic pollutant catalytic degradation and nitrogen supplementation. 2019 , 370, 27-36		13
379	Does adding fly ash to metal-contaminated soils play a role in soil functionality regarding metal availability, litter quality, microbial activity and the community structure of Diptera larvae?. 2019 , 138, 99-111		18
378	Early screening of new accumulating versus non-accumulating tree species for the phytomanagement of marginal lands. 2019 , 130, 147-156		9
377	The speciation and distribution characteristics of Cu in <i>Phragmites australis</i> (Cav.) Trin ex. Steudel. 2019 , 21, 873-881		3
376	Accumulation of uranium and heavy metals in the soil-plant system in Xiazhuang uranium ore field, Guangdong Province, China. <i>Environmental Geochemistry and Health</i> , 2019 , 41, 2413-2423	4.7	12
375	Remediation of Potentially Toxic Elements Through Transgenic Plants: In Vitro Studies and the Way Forward. 2019 , 103-128		
374	Alterations of root architecture and cell wall modifications in <i>Tilia cordata</i> Miller (Linden) growing on mining sludge. 2019 , 248, 247-259		14
373	The significance of selected tree species age in their efficiency in elements phytoextraction from wastes mixture. 2019 , 16, 3579-3594		4
372	Restoration of Metalliferous Mine Waste Through Genetically Modified Crops. 2019 , 257-278		1
371	The impact of nanoparticles zero-valent iron (nZVI) and rhizosphere microorganisms on the phytoremediation ability of white willow and its response. 2019 , 26, 10776-10789		40

370	Influence of the residence time of street trees and their soils on trace element contamination in Paris (France). 2019 , 26, 9785-9795		4
369	Effect of Heavy Metals Stress on Polyphenolic Compounds in Hydroalcoholic Extract of Basil (<i>Ocimum basilicum</i> L.). 2019 ,		
368	In vitro Plant Breeding towards Novel Agronomic Traits. 2019 ,		3
367	Soil Heavy Metal(loid) Pollution and Phytoremediation Potential of Native Plants on a Former Gold Mine in Ghana. <i>Water, Air, and Soil Pollution</i> , 2019 , 230, 1	2.6	22
366	Role of Melatonin to Enhance Phytoremediation Capacity. 2019 , 9, 5293		28
365	Assessment of chronic low-dose elemental and radiological exposures of biota at the Kanab North uranium mine site in the Grand Canyon watershed. 2019 , 15, 112-125		5
364	Effect of salinity on cadmium tolerance, ionic homeostasis and oxidative stress responses in <i>Conocarpus</i> exposed to cadmium stress: Implications for phytoremediation. 2019 , 171, 146-153		59
363	Potential of Biochar for Managing Metal Contaminated Areas, in Synergy With Phytomanagement or Other Management Options. 2019 , 91-111		4
362	Organic acid profile and phenolic and sugar content in <i>Salix purpurea</i> L. cultivated with different spent mushroom substrate and copper additions. 2019 , 35, 191-203		1
361	Rapid production of willow biomass using a novel microcutting-based field planting technology. 2019 , 126, 37-42		3
360	Market Opportunities: in Sustainable Phytoremediation. 2019 , 51-82		13
359	Phytoremediation: Metal decontamination of soils after the sequential forestation of former opencast coal land. 2019 , 656, 670-680		17
358	Nutrient limitation determines the suitability of a municipal organic waste for phytomanaging metal(loid) enriched mine tailings with a pine-grass co-culture. <i>Chemosphere</i> , 2019 , 214, 436-444	8.4	5
357	Isolation and characterization of Pb-resistant plant growth promoting endophytic bacteria and their role in Pb accumulation by fast-growing trees. 2020 , 41, 3598-3606		3
356	Phytoextraction technologies for mercury- and chromium-contaminated soil: a review. 2020 , 95, 317-327		38
355	The effects of ectomycorrhizal fungi on heavy metals' transport in <i>Pinus massoniana</i> and bacteria community in rhizosphere soil in mine tailing area. 2020 , 381, 121203		35
354	Knockdown of BTS may provide a new strategy to improve cadmium-phytoremediation efficiency by improving iron status in plants. 2020 , 384, 121473		17
353	A novel phytoremediation method assisted by magnetized water to decontaminate soil Cd based on harvesting senescent and dead leaves of <i>Festuca arundinacea</i> . 2020 , 383, 121115		19

352	Biomass and phytoextraction potential of three ornamental shrub species tested over three years on a large-scale experimental site in Shanghai, China. 2020 , 22, 10-19		8
351	Combining Phytoremediation Technologies of Soil Cleanup and Biofuel Production. 2020 , 257-266		1
350	Effects of ground granulated blast-furnace slag (GGBS) on hydrological responses of Cd-contaminated soil planted with a herbal medicinal plant (<i>Pinellia ternata</i>). 2020 , 57, 673-682		4
349	Soil Health Restoration and Management. 2020 ,		1
348	The mobility of cadmium and lead in the soil-mulberry-silkworm system. <i>Chemosphere</i> , 2020 , 242, 125178.4	10	
347	Physiological responses of <i>Morus alba</i> L. in heavy metal(loid)-contaminated soil and its associated improvement of the microbial diversity. 2020 , 27, 4294-4308		10
346	Behavior of glutathione as ligand of lead (II). <i>Chemosphere</i> , 2020 , 246, 125718	8.4	3
345	Physiological stress responses, mineral element uptake and phytoremediation potential of <i>Morus alba</i> L. in cadmium-contaminated soil. 2020 , 189, 109973		25
344	The Common Ice Plant (<i>L.</i>)-Phytoremediation Potential for Cadmium and Chromate-Contaminated Soils. 2020 , 9,		7
343	Photosynthesis Performance and Antioxidative Enzymes Response of and Plants Under Pb-Zn Mine Tailing Conditions. 2020 , 11, 571157		3
342	Bioremediation and Biotechnology, Vol 4. 2020 ,		0
341	Agronomic Approaches for Characterization, Remediation, and Monitoring of Contaminated Sites. 2020 , 10, 1335		12
340	Modelling the Transference of Trace Elements between Environmental Compartments in Abandoned Mining Areas. 2020 , 17,		2
339	Effects of Rhizobioaugmentation with N-Fixing Actinobacteria <i>Frankia</i> on Metal Mobility in <i>Casuarina glauca</i> -Soil System Irrigated with Industrial Wastewater: High Level of Metal Exclusion of <i>C. glauca</i> . <i>Water, Air, and Soil Pollution</i> , 2020 , 231, 1	2.6	5
338	Renewable Energy from Woody Biomass of Poplar and Willow SRC Coupled to Biochar Production. 2020 , 133-150		2
337	Dynamics of annual growth of <i>Pinus sylvestris</i> on industrial wastes of mining companies. 2020 , 32, 1385		
336	Using profitable chrysanthemums for phytoremediation of Cd- and Zn-contaminated soils in the suburb of Shanghai. 2020 , 20, 4011-4022		4
335	Role of Flavonol Synthesized by Nucleus FLS1 in Resistance to Pb Stress. 2020 , 68, 9646-9653		6

334	Co-planting of and for phytoremediation of trace elements from wood preservative contaminated soil. 2021 , 23, 632-640		3
333	Ground Beetles (Carabidae) in the Short-Rotation Coppice Willow and Poplar PlantsâSynergistic Benefits System. 2020 , 10, 648		1
332	Phytoremediation potential of <i>Khaya ivorensis</i> and <i>Cedrela fissilis</i> in copper contaminated soil. 2020 , 268, 110733		11
331	Bioremediation and Biotechnology, Vol 2. 2020 ,		0
330	. 2020 ,		1
329	Ecosystem (Dis)benefits Arising from Formal and Informal Land-Use in Manchester (UK); a Case Study of Urban Soil Characteristics Associated with Local Green Space Management. 2020 , 10, 552		1
328	Phytostabilization of Pb-Zn Mine Tailings with Aided by Organic Amendments and Triple Superphosphate. 2020 , 25,		12
327	Assessment of <i>Alternanthera sessilis</i> and <i>Aster philippinensis</i> as excluders in a small-scale Cu-Au processing site at Kias, Benguet, Philippines. 2020 , 192, 402		
326	Extremely high concentrations of zinc in birch tree leaves collected in Chelyabinsk, Russia. <i>Environmental Geochemistry and Health</i> , 2021 , 43, 2551-2570	4-7	4
325	Comparison of <i>Myragrum perfoliatum</i> and <i>Sophora alopecuroides</i> in phytoremediation of Cd- and Pb-contaminated soils: A chemical and biological investigation. <i>Chemosphere</i> , 2020 , 259, 127450	8.4	4
324	Survival, growth and element translocation by 4 plant species growing on acidogenic gold mine tailings in Qubec. 2020 , 151, 105855		1
323	Preliminary study on Cd accumulation characteristics in Prain. 2020 , 42, 351-355		5
322	The use of willow microcuttings for phytoremediation in a copper, zinc and lead contaminated field trial in Shanghai, China. 2020 , 22, 1331-1337		2
321	Earthworm Assisted Remediation of Effluents and Wastes. 2020 ,		2
320	Ectomycorrhizal Fungal Inoculation of Significantly Increased Stem Biomass of and Decreased Lead, Tin, and Zinc, Soil Concentrations during the Phytoremediation of an Industrial Landfill. 2020 , 6,		13
319	A four-year phytoremediation trial to decontaminate soil polluted by wood preservatives: phytoextraction of arsenic, chromium, copper, dioxins and furans. 2020 , 22, 1505-1514		4
318	Mulberry (<i>Morus</i> spp.): An ideal plant for sustainable development. 2020 , 2, 100011		20
317	Environmental health interventions for the treatment of waters, solids, and soils. 2020 , 21-51		

316	Evaluation of biphenyl- and polychlorinated-biphenyl (PCB) degrading sp. MAPN-1 on growth of by pot study. 2020 , 22, 1487-1496		5
315	The cadmium tolerance development of poplar callus is influenced by silicon. 2020 , 29, 987-1002		3
314	Improving zinc phytoremediation characteristics in with a new acclimation approach. 2020 , 22, 745-754		1
313	Rhizoremediation of Cu(II) ions from contaminated soil using plant growth promoting bacteria: an outlook on pyrolysis conditions on plant residues for methylene orange dye biosorption. 2020 , 11, 175-187		11
312	The great potential for phytoremediation of abandoned tailings pond using ectomycorrhizal <i>Pinus sylvestris</i> . 2020 , 719, 137475		15
311	Monitoring and mitigation of toxic heavy metals and arsenic accumulation in food crops: A case study of an urban community garden. 2020 , 4, e00198		18
310	Phytoremediation and detoxification of xenobiotics in plants: herbicide-safeners as a tool to improve plant efficiency in the remediation of polluted environments. A mini-review. 2020 , 22, 789-803		23
309	Bioremediation and Biotechnology. 2020 ,		7
308	Effects of lead ions on germination, initial growth, and physiological characteristics of <i>Lolium perenne</i> L. species and its bioaccumulation potential. 2020 , 27, 11155-11163		2
307	Removal of Heavy Metals in Contaminated Soil by Phytoremediation Mechanism: a Review. <i>Water, Air, and Soil Pollution</i> , 2020 , 231, 1	2.6	81
306	Genetic and Environmental Influences on First Rotation Shrub Willow (<i>Salix</i> spp.) Bark and Wood Elemental Composition. 2020 , 13, 797-809		2
305	Cadmium and Mercury phytostabilization from soil using <i>Miscanthus giganteus</i> . 2020 , 10, 6685		33
304	Growing food in polluted soils: A review of risks and opportunities associated with combined phytoremediation and food production (CPFP). <i>Chemosphere</i> , 2020 , 254, 126826	8.4	24
303	Microbes and Signaling Biomolecules Against Plant Stress. 2021 ,		
302	Growth response, uptake and mobilization of metals in native plant species on tailings at a Chilean copper mine. 2021 , 23, 539-547		3
301	A facile acid induced water-based solvent by improving hydrophobicity for simultaneous remediating total petroleum hydrocarbon, heavy metals and benzo(a) pyrene contaminated soil: Laboratory- and pilot-scale studies. 2021 , 278, 123425		2
300	A critical review on the electrospun nanofibrous membranes for the adsorption of heavy metals in water treatment. 2021 , 401, 123608		72
299	Nexus between nature-based solutions, ecosystem services and urban challenges. 2021 , 100, 104898		67

298	Redistribution of calcium and sodium in calcareous soil profile and their effects on copper and lead uptake: A poplar-based phytomanagement. 2021 , 755, 142535	0
297	Biological-based methods for the removal of volatile organic compounds (VOCs) and heavy metals. 2021 , 28, 2485-2508	15
296	Afforestation may influence changes in tailing heaps in a long time. 2021 , 23, 511-521	
295	Diversified effects of co-planting landscape plants on heavy metals pollution remediation in urban soil amended with sewage sludge. 2021 , 403, 123855	15
294	Impacts of bamboo biochar on the phytoremediation potential of grown in multi-metals contaminated soil. 2021 , 23, 387-399	11
293	Soil fungal diversity and functionality are driven by plant species used in phytoremediation. 2021 , 153, 108102	10
292	Strategies to address coal mine-created environmental issues and their feasibility study on northeastern coalfields of Assam, India: a review. 2021 , 23, 9667-9709	2
291	Transgenic plants and rhizosphere-associated microbiota in phytoremediation of heavy metals and organic pollutants. 2021 , 299-328	3
290	Accumulation and translocation of food chain in soil-mulberry (<i>Morus alba</i> L.)-silkworm (<i>Bombyx mori</i>) under single and combined stress of lead and cadmium. 2021 , 208, 111582	10
289	Time-dependent changes of arsenic and its selected forms in a hydroponic experiment with <i>Quercus robur</i> L. 2021 , 405, 124244	4
288	Lead exposure-induced defense responses result in low lead translocation from the roots to aerial tissues of two contrasting poplar species. 2021 , 271, 116346	5
287	Potential use of grapevine cv Askari for heavy metal phytoremediation purposes at greenhouse scale. 2021 , 28, 12447-12458	3
286	Bioremediation and soils. 2021 , 237-273	1
285	Effects of a soil organic amendment on metal allocation of trees for the phytomanagement of mining-impacted soils. <i>Environmental Geochemistry and Health</i> , 2021 , 43, 1355-1366	4-7 1
284	Adaptation of bacterial communities and plant strategies for amelioration and eco-restoration of an organometallic industrial waste polluted site. 2021 , 45-90	
283	Mechanistic evaluation of bioremediation properties of fungi. 2021 , 267-286	0
282	Silicon alleviates the negative effects of arsenic in poplar callus in relation to its nutrient concentrations. 2021 , 145, 275-289	2
281	Human health risk assessment of heavy metals in different soils and sediments. 2021 , 143-163	1

280	Food safety considerations of urban agroforestry systems grown in contaminated environments. 2021 , 6, e20008	3
279	Potential role of microbial endophytes in xenobiotic stress management. 2021 , 165-185	
278	Removal of multi-contaminants from water by association of poplar and Brassica plants in a short-term growth chamber experiment. 2021 , 28, 16323-16333	2
277	Phytoremediation Strategies of Some Plants under Heavy Metal Stress.	1
276	Tree species as a biomonitor of metal pollution in arid Mediterranean environments: case for arid southern Tunisia. 2021 , 28, 28598-28605	4
275	The Response of the Associations of Grass and Endophytes to the Increased Content of Heavy Metals in the Soil. 2021 , 10,	3
274	Ecological restoration of coal fly ash-dumped area through bamboo plantation. 2021 , 28, 33416	7
273	Cd accumulation characteristics of <i>Salvia tiliifolia</i> and changes of rhizospheric soil enzyme activities and bacterial communities under a Cd concentration gradient. 2021 , 463, 225-247	5
272	Growth Responses and Accumulation Characteristics of Three Ornamental Plants to Sn Contamination in Soil. 2021 , 11, 205	3
271	Exogenous Melatonin Enhances Cd Tolerance and Phytoremediation Efficiency by Ameliorating Cd-Induced Stress in Oilseed Crops: A Review. 1	6
270	Short Rotation Intensive Culture of Willow, Spent Mushroom Substrate and Ramial Chipped Wood for Bioremediation of a Contaminated Site Used for Land Farming Activities of a Former Petrochemical Plant. 2021 , 10,	4
269	Phytoremediation. 2021 , 67-94	1
268	Assessment and abatement of the eco-risk caused by mine spoils in the dry subtropical climate. <i>Environmental Geochemistry and Health</i> , 2021 , 1	4-7 1
267	Phytoremediation of Heavy Metals from the Biosphere Perspective and Solutions. 2021 , 95-127	3
266	Phytoremediation for Heavy Metal Removal. 2021 , 128-150	0
265	Application of in situ bioremediation strategies in soils amended with sewage sludges. 2021 , 766, 144099	6
264	Impact of Manganese, Nickel and Zinc Distribution from Lignite Fuels on Cultivated and Non-Cultivated Plants. 2021 , 9, 21-34	
263	Phytomining of valuable metals: status and prospective-a review. 1-21	1

- 262 Biological Treatment Advancements for the Remediation of Selenium from Wastewater. **2021**, 228-251
- 261 Design and Testing of Bioreceptive Porous Concrete: A New Substrate for Soilless Plant Growth. **2021**, 1, 285-293 3
- 260 Effects of exogenous spermidine on poplar resistance to leaf and root herbivory as affected by soil cadmium stress. **2021**, 288, 112467 2
- 259 The capacity of ion adsorption and purification for coniferous forests is stronger than that of broad-leaved forests. **2021**, 215, 112137 1
- 258 Acetic Acid-Producing Endophyte Orchestrates Jasmonic Acid Signaling and Contributes to Repression of Cadmium Uptake in Tomato Plants. **2021**, 12, 670216 1
- 257 Lability and bioavailability of Co, Fe, Pb, U and Zn in a uranium mining restoration site using DGT and phytoscreening. **2021**, 28, 57149-57165 0
- 256 Long-term phytoremediation using the symbiotic *Pongamia pinnata* reshaped soil micro-ecological environment. **2021**, 774, 145112 2
- 255 Třkiye Florasında Peyzaj ĞelliĞsteren Hiperakmġatġ Bitkilerin Maden Alanlarında Onarġmada Kullanġmı 1
- 254 Genotypic screening of wheat and their physiological responses under lead toxicity. **2021**, 8, 1
- 253 Using plants to remediate or manage metal-polluted soils: an overview on the current state of phytotechnologies. 43, e58283 2
- 252 Changes in the Structures and Directions of Heavy Metal-Contaminated Soil Remediation Research from 1999 to 2020: A Bibliometric & Scientometric Study. **2021**, 18, 3
- 251 NRT2.1, a major contributor to cadmium uptake controlled by high-affinity nitrate transporters. **2021**, 218, 112269 6
- 250 Integrated study on subcellular localization and chemical speciation of Pb reveals root strategies for Pb sequestration and detoxification in *Salix integra*. **2021**, 467, 197 3
- 249 Vegetation shapes aboveground invertebrate communities more than soil properties and pollution: a preliminary investigation on a metal-contaminated site. **2021**, 29, 2792 1
- 248 Effect of Soil Degradation and Remediation in Technogenic Barrens on the Uptake of Nutrients and Heavy Metals by Plants in the Kola Subarctic. **2021**, 54, 1252-1264 4
- 247 Hyperaccumulators for Potentially Toxic Elements: A Scientometric Analysis. **2021**, 11, 1729 1
- 246 Initial Study on Phytoextraction for Recovery of Metals from Sorted and Aged Waste-to-Energy Bottom Ash. **2021**, 5, 53 1
- 245 Tolerance capacities of to heavy metal(loid)s and its phytoremediation potential of the contaminated soil. **2021**, 1-10 2

244	Photocatalysis for Heavy Metal Treatment: A Review. 2021 , 9, 1729		4
243	New Approach for Mining Site Reclamation Using Alternative Substrate Based on Phosphate Industry By-Product and Sludge Mixture. <i>Sustainability</i> , 2021 , 13, 10751	3.6	1
242	Willow Aboveground and Belowground Traits Can Predict Phytoremediation Services. 2021 , 10,		1
241	Phytoremediation ability of and around an industrial town.. 2021 , 19, 1713-1721		
240	and Rhizospheres Harbor a Diverse Rhizospheric Bacterial Community Characterized by Hydrocarbons Degradation Potentials and Plant Growth-Promoting Properties. 2021 , 10,		1
239	Managing soils of environmental significance: A critical review. 2021 , 417, 125990		2
238	Zn tolerance in the evergreen shrub, <i>Aucuba japonica</i> , naturally growing at a mine site: Cell wall immobilization, aucubin production, and Zn adsorption on fungal mycelia. 2021 , 16, e0257690		0
237	Co-planting <i>Brassica napus</i> and <i>Salix nigra</i> as a phytomanagement alternative for copper contaminated soil. <i>Chemosphere</i> , 2021 , 279, 130517	8.4	2
236	Toxicity of Cadmium and nickel in the context of applied activated carbon biochar for improvement in soil fertility.. 2022 , 29, 743-750		10
235	Effect of using <i>Celosia argentea</i> grown from seeds treated with a magnetic field to conduct Cd phytoremediation in drought stress conditions. <i>Chemosphere</i> , 2021 , 280, 130724	8.4	5
234	Evidence of declining trees resilience under long term heavy metal stress combined with climate change heating. 2021 , 317, 128428		5
233	Assessing the degradation potential of light petroleum hydrocarbons using bacterial activity (<i>Pseudomonas aeruginosa</i>) and root exudate of <i>Conocarpus</i> (<i>Conocarpus erectus</i>). 2021 , 24, 101865		
232	The synthetic approaches, properties, classification and heavy metal adsorption applications of periodic mesoporous organosilicas. 2021 , 277, 119453		3
231	Nanoparticles-assisted phytoremediation: Advances and applications. 2022 , 155-178		
230	Potential of <i>Ricinus communis</i> for the removal of toxic metals from mining dumping sites. 2021 , 263-286		
229	Ecological and physiological features of metal accumulation of halophytic plants on the White Sea coast. 2021 , 295-306		
228	Mechanisms of Plant Resistance to Metalloid Ions and Potential Biotechnological Applications. 2020 , 185-211		2
227	Role of Vetiver Grass and Arbuscular Mycorrhizal Fungi in Improving Crops Against Abiotic Stresses. 2009 , 111-116		2

226	Bioaugmentation-Assisted Phytoextraction Applied to Metal-Contaminated Soils: State of the Art and Future Prospects. 2011 , 229-266	2
225	Phytoremediation of Agricultural Pollutants. 2020 , 27-81	3
224	Creating Products and Services in Environmental Biotechnology. 2019 , 53-87	2
223	Phytoremediation of Heavy Metals: An Eco-Friendly and Sustainable Approach. 2020 , 215-231	5
222	Heavy Metal Soil Contamination and Bioremediation. 2020 , 221-239	1
221	Hyperaccumulation of Potentially Toxic Micronutrients by Plants. 2020 , 345-371	2
220	Utilization and Supplementation of Phytoextraction Potential of Some Terrestrial Plants in Metal-Contaminated Soils. 2015 , 177-200	5
219	Environmentally Sound Combustion of Ligneous Plants Grown in Heavy Metal-Contaminated Soil. 2015 , 261-277	1
218	Phytoextraction of Heavy Metals: The Potential Efficiency of Conifers. 2015 , 333-353	3
217	Proposed Rehabilitation Method of Uncontrolled Landfills in Insular Communities Through Multi-Criteria Analysis Decision Tool. 2016 , 365-383	1
216	Soil Quality Protection at Heavy Metal-Contaminated Manufactured Gas Plant Sites: Role of Biological Remediation. 2017 , 231-260	4
215	Ectomycoremediation: An Eco-Friendly Technique for the Remediation of Polluted Sites. 2011 , 209-229	11
214	Research on Effect of Woody Plants Remediation Heavy Metal. 2011 , 679-684	1
213	Biochemistry of Metals/Metalloids Toward Remediation Process. 2013 , 43-71	8
212	Microbially Mediated Transformations of Heavy Metals in Rhizosphere. 2012 , 129-146	5
211	Eco-Friendly Technologies for Heavy Metal Remediation: Pragmatic Approaches. 2015 , 205-215	2
210	General Factors Influencing Application of Phytotechnology Techniques. 2010 , 1-13	4
209	Suitability of Grass Species for Phytoremediation of Soils Polluted with Heavy-metals. 2013 , 245-248	4

208	Potentially Harmful Elements in Abandoned Mine Waste. 2014 , 199-220	6
207	Remediation of Potentially Toxic Elements in Contaminated Soils. 2014 , 253-308	6
206	Biotechnological Strategies for Remediation of Toxic Metal(loid)s from Environment. 2017 , 315-359	3
205	Green Technologies for Restoration of Damaged Ecosystem. 2020 , 357-380	3
204	PGPR and Earthworm-Assisted Phytoremediation of Heavy Metals. 2020 , 227-245	3
203	Assessment of phytostabilization potential of two <i>Salix L.</i> clones based on the effects of heavy metals on the root anatomical traits. 2020 , 27, 29361-29383	4
202	Bioremediation: an effective technology toward a sustainable environment via the remediation of emerging environmental pollutants. 2020 , 165-196	6
201	Dynamics of heavy metal uptake and soil heavy metal stocks across a series of Masson pine plantations. 2020 , 269, 122395	6
200	Biodiversity, Ecosystem Functioning, and Human Wellbeing. 2009 ,	191
199	Consequences of species loss for ecosystem functioning: meta-analyses of data from biodiversity experiments. 2009 , 14-29	55
198	Biodiversity-ecosystem function research and biodiversity futures: early bird catches the worm or a day late and a dollar short?. 2009 , 30-45	4
197	Forecasting decline in ecosystem services under realistic scenarios of extinction. 2009 , 60-77	14
196	Biodiversity and the stability of ecosystem functioning. 2009 , 78-93	49
195	The analysis of biodiversity experiments: from pattern toward mechanism. 2009 , 94-104	17
194	Towards a food web perspective on biodiversity and ecosystem functioning. 2009 , 105-120	18
193	Biodiversity as spatial insurance: the effects of habitat fragmentation and dispersal on ecosystem functioning. 2009 , 134-146	34
192	Incorporating biodiversity in climate change mitigation initiatives. 2009 , 149-166	14
191	Restoring biodiversity and ecosystem function: will an integrated approach improve results?. 2009 , 167-177	10

190	Managed ecosystems: biodiversity and ecosystem functions in landscapes modified by human use. 2009 , 178-194	8
189	Understanding the role of species richness for crop pollination services. 2009 , 195-208	21
188	Biodiversity and ecosystem function: perspectives on disease. 2009 , 209-216	4
187	Opening communities to colonization – the impacts of invaders on biodiversity and ecosystem functioning. 2009 , 217-229	4
186	The economics of biodiversity and ecosystem services. 2009 , 230-247	4
185	The valuation of ecosystem services. 2009 , 248-262	23
184	Modelling biodiversity and ecosystem services in coupled ecological-economic systems. 2009 , 263-278	1
183	TraitNet: furthering biodiversity research through the curation, discovery, and sharing of species trait data. 2009 , 281-289	9
182	Can we predict the effects of global change on biodiversity loss and ecosystem functioning?. 2009 , 290-298	5
181	Interaction of lead and cadmium on growth and leaf morphophysiological characteristics of European hackberry (<i>Celtis australis</i>) seedlings. 2020 , 7,	11
180	Detoxification/Defense Mechanisms in Metal-Exposed Plants. 2005 , 271-289	1
179	Trace Elements in Plants and Soils of Abandoned Mines in Portugal. 2005 , 507-521	3
178	Efficiency and Limitations of Phytoextraction by High Biomass Plants. 2005 , 611-630	2
177	Phytoremediation Technologies Using Trees. 2005 , 383-403	21
176	Mass Transport from Soil to Plants. 2010 , 389-411	4
175	Phytostabilization of arsenic. 2014 , 53-67	2
174	Distribution of endophytic bacteria in <i>Alopecurus aequalis</i> Sobol and <i>Oxalis corniculata</i> L. from soils contaminated by polycyclic aromatic hydrocarbons. 2013 , 8, e83054	39
173	Transcriptomic and physiological analyses of <i>Medicago sativa</i> L. roots in response to lead stress. 2017 , 12, e0175307	15

172	Potential of <i>Eucalyptus camaldulensis</i> for phytostabilization and biomonitoring of trace-element contaminated soils. 2017 , 12, e0180240	25
171	Biodegradation of n-Hexadecane in <i>Acinetobacter Radioresistens</i> Liquid Culture. 2013 , 2, 162-167	5
170	GRG(YEİ YURT) Pb âZn MADEN EVRESİNDE YETEN Pb-Zn-Cd AKMİATR.	0
169	Assisted phytoremediation of Cd-contaminated soil using poplar rooted cuttings. 2012 , 26, 219-224	2
168	Reboisement de sites pollués âEnseignements tirés d'une étude de cas avec des métaux lourds Reforestation of polluted soils âresults of a case study on heavy metals. 2006 , 157, 157-161	1
167	Tolerance of different varieties of <i>Salix integra</i> to high zinc stress. 2009 , 17, 1182-1186	2
166	Heavy metals and woody plants - biotechnologies for phytoremediation. 2011 , 4, 7-15	58
165	Mapping Cadmium distribution in roots of Salicaceae through scanning electron microscopy with x-ray microanalysis. 2011 , 4, 113-120	15
164	Selection of optimal conversion path for willow biomass assisted by near infrared spectroscopy. 2017 , 10, 506-514	5
163	A quick screening to assess the phytoextraction potential of cadmium and copper in <i>Quercus pubescens</i> plantlets. 2017 , 10, 93-98	2
162	A review of the performance of woody and herbaceous ornamental plants for phytoremediation in urban areas. 2020 , 13, 139-151	13
161	Potential of Lonkida (<i>Nauclea orientalis</i> L.) for Phytoremediation of Acid Mined Drainage at PT. Bukit Asam Tbk. (Persero), Indonesia. 2016 , 11, 9-17	3
160	Metal Hyperaccumulator Plants and Environmental Pollution. 2018 , 305-317	1
159	Potential of <i>Vigna unguiculata</i> as a Phytoremediation Plant in the Remediation of Zn from Contaminated Soil. 2014 , 05, 1156-1162	6
158	Influence of Heavy Metals on Seed Germination and Early Seedling Growth in <i>Crambe abyssinica</i> , a Potential Industrial Oil Crop for Phytoremediation. 2015 , 06, 150-156	12
157	Available Approaches of Remediation and Stabilisation of Metal Contamination in Soil: A Review. 2018 , 09, 2033-2052	6
156	Effect of Mulching on Uptake of Copper and Nickel from Smelter-Polluted-Soil by Planted Tree Seedlings. 2013 , 02, 56-62	2
155	Phytoremediation Mechanisms of Heavy Metal Contaminated Soils: A Review. 2015 , 05, 375-388	109

154	Differences in Growth and Photosynthesis among Three Half-sib Families of <i>Betula schmidtii</i> in Response to Cd Treatment. 2004 , 27, 147-153	1
153	Vegetation Distribution Near Abandoned Metalliferous Mines and Seed Germination Properties of Woody Plants by the Contaminated Soils. 2006 , 25, 47-57	4
152	Exploring the Potential of Bacteria-Assisted Phytoremediation of Arsenic-Contaminated Soils. 2011 , 44, 58-66	3
151	The Removal Efficacy of Heavy Metals and Total Petroleum Hydrocarbons from Contaminated Soils by Integrated Bio-phytoremediation. 2014 , 19, 35-44	1
150	Native plants facilitate vegetation succession on amended and unamended mine tailings. 2021 , 1-12	0
149	Potential for Enhanced Phytoremediation of Landfills Using Biosolids – A Review. 2011 , 276-284	1
148	<i>Jatropha</i> and Phytoremediation of Metal Contaminated Land. 2012 , 427-439	
147	An Overview of Phytoremediation Technology and Its Applications to Environmental Pollution Control. 2012 , 27, 281-288	1
146	Biotechnology of Trees: Chestnut. 2014 , 13-45	
145	Effects of Biosolids on the Transpiration Rate of Rainbow Pink (<i>Dianthus chinensis</i>) Grown in Cadmium-Contaminated Soils. 2015 , 191-197	
144	Phyto-Remediation: Using Plants to Clean Up Soils. 2016 , 215-235	2
143	Application of plants in remediation of contaminated sites. 2016 , 300-320	1
142	Alterações morfofisiológicas da aplicação de metais pesados e alumínio em plantas jovens de seringueira. 2016 , 2, 135-144	0
141	Study for Phytostabilization using Soil Amendment and <i>Aster koraiensis</i> Nakai in Heavy Metal Contaminated Soil of Abandoned Metal Mine. 2016 , 49, 627-634	
140	A Survey on the Metal(loid) Accumulation Ability of Spontaneous and Established Plants for the Phytomanagement of an Industrial Landfill in the Venice Lagoon. 2018 , 113-131	1
139	Identification of Plant Growth promoting Rhizobacteria (PGPR) from Revegetated Soils of Lignite Mines of Neyveli, Tamilnadu. 2018 , 9,	
138	Seasonal variation in heavy metal accumulation in plants at coal mine sites and possible health risk. 2018 , 2, 196-207	1
137	Role of Plant-Microbe Interaction in Phytoremediation. 2019 , 83-118	3

- 136 Investigation of the Influence of Aerotechnogenic Pollution on the Accumulation of Heavy Metals in the Plant-Soil System. **2019**, 23, 52-57 2
- 135 Bioremediation Effects of Nitrogen Fixing Trees on Nutrients and Heavy Metals in Spent Engine Oil Polluted Soil. **2020**, 319-327
- 134 Investigation of Cadmium uptake and its Effect on the Composition of Nutrient Elements and some Quantitative Indices in Seedlings of two Species of *C. aronia* and *J. polycarpus* in the Western part of Iran. **2019**, 5, 188-194 2
- 133 Salinity affects pH and lead availability in two mangrove plant species. **2020**, 2, 061004 3
- 132 Impact of Organic Matter on The Phytoaccumulation Technology of Copper in Soils by *Ipomea reptans*. **2020**, 1569, 042077
- 131 Effects of Root Bioaccumulation of Arsenic and Mercury on the Expression of the *Nramp2b* Gene in *Prosopis Alba* (Griseb). **2020**, 1, 055-063
- 130 Perspectives on phytoremediation of zinc pollution in air, water and soil. **2021**, 24, 100550 3
- 129 Phytoremediation of Contaminated Soils Using Trees. **2020**, 419-437
- 128 Promising Technologies for Cd-Contaminated Soils: Drawbacks and Possibilities. **2020**, 63-91 3
- 127 Application of Eco-Compatible Technology âPhytoremediation âCase Study with Phytoaccumulator *Plantago lanceolata*. **2020**, 770-778
- 126 Mechanisms of phytoremediation. **2022**, 37-64 0
- 125 Metal Hyperaccumulator Plants and Environmental Pollution. **2022**, 681-693
- 124 Role of White Willow (*Salix alba* L.) for Cleaning Up the Toxic Metal Pollution. **2020**, 257-268 3
- 123 Polycyclic Aromatic Hydrocarbon Compounds as Emerging Water Pollutants. **2020**, 45-67
- 122 Phytomanagement of Metal(loid) Polluted Soil Using Barley and Wheat Plants. **2020**, 191-226
- 121 Mechanisms and Importance of Phytoremediation. **2020**, 125-141 2
- 120 Influence of Metals and Metalloids on Microbial Diversity of Soil and Ecosystem. **2020**, 95-111
- 119 Impact of Grassed Swales on the Fate of Metals Leached from Roads Built with Municipal Solid Waste Incineration Bottom Ashes. **2006**, 87-98

118	Phytoremediation: A Synergistic Interaction Between Plants and Microbes for Removal of Unwanted Chemicals/Contaminants. 2021 , 199-222	1
117	An introduction to hazardous waste engineering. 2022 , 217-273	
116	Biochar applications enhance the phytoextraction potential of <i>Salix smithiana</i> [Willd.] (willow) in heavily contaminated soil: potential for a sustainable remediation method?. 1	0
115	Levels of Chemical Toxicants in Waterpipe Tobacco and Waterpipe Charcoal Solid Waste. 2021 , 12, 913-938	1
114	The Role of Plants in Water Regulation and Pollution Control. 2021 , 1	1
113	Forestry Research in Mine Reclamation in India: Past, Present and Future. 2021 , 43, 10-18	
112	Higher plant remediation to control pollutants. 2022 , 321-363	
111	Phytoremediation of Soils Contaminated with Heavy Metals: Techniques and Strategies. 2022 , 31-55	0
110	Bioremediation of Arsenic Contaminated Soil. 2022 , 203-210	
109	Phytoremediation: A wonderful cost-effective tool. 2022 , 179-208	0
108	Assessment of the Transfer of Trace Metals to Spontaneous Plants on Abandoned Pyrrhotite Mine: Potential Application for Phytostabilization of Phosphate Wastes.. 2022 , 11,	1
107	Metal Detoxification in Land Plants: From Bryophytes to Vascular Plants. STATE of the Art and Opportunities.. 2022 , 11,	4
106	Phytoprevention of Heavy Metal Contamination From Terrestrial Enhanced Weathering: Can Plants Save the Day?. 2022 , 3,	0
105	Willows: Cost-Effective Tools for Bioremediation of Contaminated Soils. 2022 , 183-202	
104	Solid biofuels properties of <i>Miscanthus X giganteus</i> cultivated on contaminated soil after phytoremediation process. 2022 , 101, 131-139	2
103	Small-scale silvopasture: Addressing urban and peri-urban livestock challenges in the United States with agroforestry practices. 2022 , 7,	
102	Recent developments in aquatic macrophytes for environmental pollution control: A case study on heavy metal removal from lake water and agricultural return wastewater with the use of duckweed (<i>Lemnaceae</i>). 2022 , 75-127	1
101	Bioaccumulation of heavy metals and As in maize (<i>Zea mays</i> L) grown close to mine tailings strongly impacts plant development.. 2022 , 31, 447	1

100	Utilizing Mediterranean Plants to Remove Contaminants from the Soil Environment: A Short Review. 2022 , 12, 238		1
99	Morphology and Physiology of Plants Growing on Highly Polluted Mining Wastes. 2021 , 151-200		
98	Fluidized Bed Gasification of Biomass from Plant-Assisted Bioremediation - Fate of Contaminants.		
97	A Brazilian Amazon Species with High Potential to Phytoextract Potential Toxic Elements. 2022 , 29,		
96	Adaptive phytoremediation practices for sustaining ecosystem services. 2022 , 181-225		0
95	Organic Materials Could Improve the Phytoremediation Efficiency of Soil Potentially Hazardous Metal by <i>Sedum alfredii</i> Hance. 2022 , 91, 1529-1542		
94	Making biomass from phytoremediation fruitful: Future goal of phytoremediation. 2022 , 275-317		
93	Heavy Metal Uptake by Plant Parts of <i>Populus</i> Species: A Meta-Analysis.		
92	Distribution of cadmium accumulated in the wood cells of poplar. 2022 ,		
91	Interpolated Stand Properties of Urban Forest Parks Account for Posted Facial Expressions of Visitors. <i>Sustainability</i> , 2022 , 14, 3817	3.6	4
90	Phytoremediation of cadmium-contaminated soils by <i>Solanum nigrum</i> L. enhanced with biodegradable chelating agents.. 2022 , 1		1
89	Valuable alkaloids content is preserved in and grown in trace elements contaminated soil.. 2022 , 1-10		
88	Metal Accumulation in American Sycamores in a Mining-Contaminated River in Southeastern Missouri. <i>Water, Air, and Soil Pollution</i> , 2022 , 233, 1	2.6	1
87	LncRNA PMAT-PtoMYB46 module represses PtoMATE and PtoARF2 promoting Pb uptake and plant growth in poplar.. 2022 , 433, 128769		2
86	Metal bioaccumulation, translocation and phytoremediation potential of some woody species at mine tailings. 2021 , 49, 12487		2
85	Metal and metalloid accumulation in native plants around a copper mine site: implications for phytostabilization. 2021 , 1-11		
84	Mechanical and leaching characteristics of red mud residue solidified/stabilized high Cu(II)-contaminated soil. 2022 , 81, 1		1
83	Respuesta de plantas jóvenes de cuatro especies de coníferas a la exposición al mercurio. 2021 , 27,		

82	Wastewater Pollution, Types and Treatment Methods Assisted Different Amendments. A Review. 2022 , 293-310			o
81	Urban Soil Microbiome Functions and Their Linkages with Ecosystem Services. 2022 , 47-63			o
80	Efficacy of Various Amendments for the Phytomanagement of Heavy Metal Contaminated Sites and Sustainable Agriculture. A Review. 2022 , 239-272			o
79	Phytoremediation Capacity of Medicinal Plants in Soils Contaminated with Heavy Metals. 2022 , 409-431			o
78	Yield Performance of Woody Crops on Marginal Agricultural Land in Latvia, Spain and Ukraine. 2022 , 12, 908			o
77	Data_Sheet_1.docx. 2019 ,			
76	Data_Sheet_2.xlsx. 2019 ,			
75	Table_1.xlsx. 2019 ,			
74	Data_Sheet_1.DOCX. 2018 ,			
73	Data_Sheet_2.XLSX. 2018 ,			
72	Data_Sheet_3.DOCX. 2018 ,			
71	Image_1.PNG. 2018 ,			
70	Data_Sheet_1.docx. 2018 ,			
69	Phytoremediation of trace metals by mangrove plants. 2022 , 375-402			
68	Phytoremediation of Heavy-Metals-Contaminated Soils: A Short-Term Trial Involving Two Willow Species from Gloucester WillowBank in the UK. <i>Minerals (Basel, Switzerland)</i> , 2022 , 12, 519		2.4	1
67	Metal Hyperaccumulation in Plants: Phytotechnologies. 2022 , 321-353			
66	Enlightening the Pathway of Phytoremediation: Ecophysiology and X-ray Fluorescence Visualization of Two Chilean Hardwoods Exposed to Excess Copper. <i>Toxics</i> , 2022 , 10, 237		4.7	
65	Exploration of Cd transformations in Cd spiked and EDTA-chelated soil for phytoextraction by Brassica species.. <i>Environmental Geochemistry and Health</i> , 2022 ,		4.7	

64	Assessment of vegetation, soil nutrient dynamics and heavy metals in the <i>Prosopis juliflora</i> invaded lands at semi-arid regions of Southern India. <i>Catena</i> , 2022 , 216, 106374	5.8	0
63	Strategic roadmap to assess forest vulnerability under air pollution and climate change. <i>Global Change Biology</i> ,	11.4	5
62	Woody fiber crops in phytoremediation. 2022 , 89-113		
61	Phytoextraction of toxic elements and chlorophyll fluorescence in the leaves of energy willow (<i>Salix sp.</i>), treated with wastewater solids and wood ash. <i>Agrokemia Es Talajtan</i> , 2022 , 71, 77-99	0.1	1
60	Biomass Allocation and Productivity of Tree Seedlings in Responses to Soil Chemical Changes Under Treated Wastewater Irrigation in Indian Desert. <i>Water, Air, and Soil Pollution</i> , 2022 , 233,	2.6	0
59	An integrated geochemical and mineralogical investigation on soil-plant system of <i>Pinus halepensis</i> pioneer tree growing on heavy metal polluted mine tailing. <i>Plant Biosystems</i> , 1-19	1.6	1
58	Effects of 15-Year-Old Plantation on Soil Conditions, Spontaneous Vegetation, and the Trace Metal Content in Wood Products at Kipushi Tailings Dam. <i>Frontiers in Soil Science</i> , 2,		1
57	Phytoremediation Using Willow in Industrial Contaminated Soil. <i>Sustainability</i> , 2022 , 14, 8449	3.6	
56	Effect of Organic Amendment on the Physicochemical Characteristics of Tailings Dam Soil and Root Development of Tree Species, Fifteen Years After Planting. <i>Frontiers in Soil Science</i> , 2,		
55	Fluidized bed gasification of biomass from plant-assisted bioremediation: Fate of contaminants. <i>Sustainable Energy Technologies and Assessments</i> , 2022 , 53, 102458	4.7	0
54	Potential application of enhanced phytoremediation for heavy metals treatment in Nepal. <i>Chemosphere</i> , 2022 , 306, 135581	8.4	1
53	Contributors. 2009 , viii-x		
52	Copyright Page. 2009 , iv-iv		
51	Preface. 2009 , xi-xiii		
50	Assessment of environmental impacts of metal/metalloid pollution on plants. 2022 , 217-232		
49	Metal polluted soil detoxification using phytoremediation technology. 2022 , 243-260		
48	Soil Pollution and Plant Efficiency Indices for Phytoremediation of Heavy Metal(loid)s: Two-Decade Study (2002â2021). 2022 , 12, 1330		0
47	Immobilization of Cr(VI) in polluted soil using activated carbon fiber supported FeAl-LDH. 2022 , 652, 129884		0

- 46 Developing a sub-meter phenological spectral feature for mapping poplars and willows in urban environment. **2022**, 193, 77-89 ○
- 45 Molecular insights into lignin biosynthesis on cadmium tolerance: Morphology, transcriptome and proteome profiling in *Salix matsudana*. **2023**, 441, 129909 ○
- 44 Application of phytoremediated biomass for the production of biogas. **2022**, 315-338 ○
- 43 Removal of Cobalt, Nickel, Cadmium, and Lead from Wastewater by Phytoremediation. **2022**, 273-300 ○
- 42 Microbial augmented phytoremediation with improved ecosystems services. **2022**, 27-62 ○
- 41 Natural Molecular Mechanisms of Plant Hyperaccumulation and Hypertolerance towards Heavy Metals. **2022**, 23, 9335 3
- 40 Phytoremediation of CdS/Te quantum dots by *Ocimum basilicum* in the presence of EDTA. ○
- 39 Land use and cover change (LUCC) impacts on Earth's eco-environments: research progress and prospects. **2022**, ○
- 38 Understanding the Effect of Irrigation with Chromium Loaded Tannery Effluent on *Ocimum basilicum* L. vis-a-vis Metal Uptake. ○
- 37 Future-Proofing Plants Against Climate Change: A Path to Ensure Sustainable Food Systems. **2023**, 73-116 ○
- 36 Phytoefficacy of *Eicchornia crassipes* (Mart.)Solms-Laub for aqua-remediation of hexavalent chromium – a novel in situ phytoremediation approach for abatement of chromium pollution in South Kaliapani chromite mine effluent of Odisha, India. ○
- 35 Effect of Exogenous Plant Debris and Microbial Agents on Phytoremediation of Copper-Contaminated Soil in Shanghai. **2022**, 11, 3056 ○
- 34 Bibliometrics-Based: Trends in Phytoremediation of Potentially Toxic Elements in Soil. **2022**, 11, 2030 ○
- 33 Effect of two sorbents on the distribution and transformation of N-ethyl perfluorooctane sulfonamido acetic acid (N-EtFOSAA) in soil-soybean systems. **2023**, 318, 120941 ○
- 32 Woody plants have the advantages in the phytoremediation process of manganese ore with the help of microorganisms. **2023**, 863, 160995 ○
- 31 Woody plants in phytoremediation of pollution of agricultural land with nitrates and pesticides. **2022**, 73-87 ○
- 30 Cadmium Hyperaccumulator Potential of the Edible Cactus <i>Nopalea cochenillifera</i>. **2022**, 60, 205-212 ○
- 29 *Pinus halepensis* in Contaminated Mining Sites: Study of the Transfer of Metals in the Plant-Soil System Using the BCR Procedure. **2022**, 10, 728 1

- 28 Resposta do cultivo de soja a fixação de nitrogênio em solo contaminado com cobre. **2022**, 43, 2339-2358 ○
- 27 Effects of high-carbon wood ash biochar on volunteer vegetation establishment and community composition on metal mine tailings. ○
- 26 Phytoextraction Potential of Chrysanthemum and Cumbu Napier Hybrid Grass to Remediate Chromium-Contaminated Soils Using Bioamendments. **2023**, 17, ○
- 25 Growth, physiological, and temperature characteristics in chinese cabbage pakchoi as affected by Cd- stressed conditions and identifying its main controlling factors using PLS model. **2022**, 22, 1
- 24 The contribution of living organisms to rock weathering in the critical zone. **2022**, 6, ○
- 23 From soil to cacao bean: Unravelling the pathways of cadmium translocation in a high Cd accumulating cultivar of *Theobroma cacao* L. 13, ○
- 22 Soil contamination with potentially toxic elements and root herbivory: effects on root surface area and stem secondary xylem of young common beech (*Fagus sylvatica* L.). **2023**, 45, 1
- 21 A strategy for bioremediation of nuclear contaminants in the environment. **2023**, 319, 120964 ○
- 20 Lead tolerance of *Laguncularia racemosa* is associated to high proline accumulation and high antioxidant capacities. ○
- 19 The Efficiency of Phytoremediation of the Big-Sage Plant in Accumulating Some Heavy Metals in Their Tissues In Vitro. ○
- 18 Phytoefficacy of *Eichhornia crassipes* (Mart.) Solms-Laub for aqua-remediation of hexavalent chromium in chromite mine effluent of South Kaliapani, Odisha, India. ○
- 17 Endophyte-induced bioremediation of toxic metals/metalloids. **2023**, 91-118 ○
- 16 Current Status of and Challenges for Phytoremediation as a Sustainable Environmental Management Plan for Abandoned Mine Areas in Korea. **2023**, 15, 2761 ○
- 15 Nanoparticles and plant-microbe interactions: current status and overview. **2023**, 3-33 ○
- 14 Trace of negative changes in environment recorded in cores of trees growing near busy city roads in Poznań, Poland - dendromonitoring of urban pollution. **2023**, 149, 110198 ○
- 13 Phytoremediation Techniques. **2022**, 5359-5362 ○
- 12 Contamination of Arable Soil with Toxic Trace Elements (Tses) around Mine Sites and the Assessment of Associated Human Health Risks. 1-36 ○
- 11 Nano-phytoremediation and Its Applications. **2023**, 335-364 ○

- 10 Measures in the Practice of Ecosystem Restoration. **2023**, 43-58
- 9 Phytoremediation and Contaminants. **2023**, 15-48
- 8 Phytoremediation by Wild Weeds: A Natural Asset. **2023**, 49-67
- 7 Separate Effects of Sodium on Germination in Saline Sodic and Alkaline Forms at Different Concentrations. **2023**, 12, 1234
- 6 Phytostabilization of coalmine overburden waste rock dump slopes: current status, challenges, and perspectives. **2023**, 82,
- 5 Phytoextraction of Heavy Metal (Cu, Zn, Pb) from Mining Area by Sunflower (*Helianthus annuus*). **2023**, 23, 75-85
- 4 Arsenic Detoxification by As(III)-Oxidizing Bacteria: A Proposition for Sustainable Environmental Management. **2023**, 51, 1-9
- 3 Phytoremediation potential of ornamental plants for heavy metal removal from contaminated soil: a critical review.
- 2 *Litsea* Males Are Better Adapted to Pb Stress Than Females by Modulating Photosynthesis and Pb Subcellular Distribution. **2023**, 14, 724
- 1 Metal-based-oxide nanoparticles assisted the in vitro culture growth of *Populus alba* as micronutrients: essential metabolic processes and genetic stability. **2023**, 13, 11577-11590