

CITATION REPORT

List of articles citing

Evidence-based guidelines for treating bipolar disorder: recommendations from the British Association for Psychopharmacology

DOI: 10.1177/0269881103017002003

**Journal of Psychopharmacology, 2003, 17, 149-73;
discussion 147.**

Source: <https://exaly.com/paper-pdf/35573368/citation-report.pdf>

Version: 2024-04-27

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
361	The use of SSRIs as mood stabilisers for Bipolar II Disorder. 107-119		
360	Management commentary: What would Hippocrates do?. 269-277		
359	Evidence-based strategies for achieving treatment goals in bipolar disorder: A review and synthesis of contemporary treatment guidelines. 2003 , 1, 85-92		2
358	Treatment pathways for bipolar disorder in the USA and Europe: convergence or divergence?. <i>European Psychiatry</i> , 2003 , 18 Suppl 1, 19s-24s	6	
357	[Improving the outcome of bipolar disorder through non-pharmacological strategies: the role of psychoeducation]. 2004 , 26 Suppl 3, 47-50		22
356	Risperidone in long-term treatment for bipolar disorder. 2004 ,		
355	Age-related modifiers of clinical presentation and health service use among veterans with bipolar disorder. 2004 , 55, 1014-21		38
354	Carbamazepine and rebound mania. 2004 , 161, 2132-3		
353	Vardenafil reversal of female anorgasmia. 2004 , 161, 2133		4
352	The application of good clinical practice to challenge tests. <i>Journal of Psychopharmacology</i> , 2004 , 18, 16; author reply 18-9	4.6	2
351	Changes in pharmacological treatment for bipolar disorder over time in Manchester: a comparison with Lloyd et al. (2003). <i>Journal of Psychopharmacology</i> , 2004 , 18, 441-4	4.6	6
350	Evidence-based guidelines for the pharmacological management of substance misuse, addiction and comorbidity: recommendations from the British Association for Psychopharmacology. <i>Journal of Psychopharmacology</i> , 2004 , 18, 293-335	4.6	127
349	Maintenance therapy for bipolar disorder: current and future management options. 2004 , 4, S35-42		10
348	Bipolar depression: the role of atypical antipsychotics. 2004 , 4, S27-33		12
347	A perspective on the use of psychoeducation, cognitive-behavioral therapy and interpersonal therapy for bipolar patients. <i>Bipolar Disorders</i> , 2004 , 6, 480-6	3.8	69
346	Guidelines for maintenance treatment of bipolar disorder: are there discrepancies between European and North American recommendations?. <i>Bipolar Disorders</i> , 2004 , 6, 519-22	3.8	10
345	Psychological interventions in bipolar disorder: From wishful thinking to an evidence-based approach. 2004 , 110, 34-8		61

344	Mood (affective) disorders. 2004 , 32, 14-16			1
343	Bipolar disorder: the neglected psychosis. 2004 , 3, 67-70			
342	Pharmacological treatment of bipolar disorder. 2004 , 3, 34-37			1
341	Case report: Successful riluzole augmentation therapy in treatment-resistant bipolar depression following the development of rash with lamotrigine. 2004 , 173, 227-8			21
340	Relationship of acute mania symptomatology to maintenance treatment response. 2004 , 6, 473-7			3
339	The World Federation of Societies of Biological Psychiatry (WFSBP) guidelines for the biological treatment of bipolar disorders, part III: maintenance treatment. <i>World Journal of Biological Psychiatry</i> , 2004 , 5, 120-35	3.8		104
338	Aripiprazole: in acute mania associated with bipolar I disorder. 2004 , 18, 367-76; discussion 377-8			20
337	Aripiprazole in acute mania associated with bipolar I disorder: profile report. 2004 , 20, 5-7			
336	Olanzapine: a review of its use in the management of bipolar I disorder. <i>Drugs</i> , 2004 , 64, 2709-26	12.1		23
335	Antidepressants for bipolar depression: a systematic review of randomized, controlled trials. 2004 , 161, 1537-47			396
334	Antipsychotic drugs in mania: factors predicting use of antipsychotic medication following inpatient treatment of mania. <i>International Clinical Psychopharmacology</i> , 2004 , 19, 291-7	2.2		4
333	Current World Literature. 2004 , 17, 531-557			
332	Quetiapine versus placebo in combination with lithium or divalproex for the treatment of bipolar mania. 2004 , 24, 599-606			134
331	Improving quality of care for bipolar disorder. 2004 , 17, 513-517			1
330	Aripiprazole alone or in combination for acute mania. 2004 ,			
329	Therapeutic alternatives for difficult-to-treat depression: a narrative review of the state of the evidence. 2004 , 9, 808-16, 818-21			55
328	Bipolar-spectrum disorders: an epidemic unseen, invisible or unreal?. <i>Advances in Psychiatric Treatment</i> , 2004 , 10, 1-3			5
327	Lithium. 2005 , 23-27			

326	Dr. Gijsman and Colleagues Reply. 2005 , 162, 1547-1548		5
325	The Treatment of Depression. 2005 , 291-350		
324	College guidelines on electroconvulsive therapy: an update for prescribers. <i>Advances in Psychiatric Treatment</i> , 2005 , 11, 150-156		18
323	Modalité d'utilisation des neuroleptiques. 2005 , 2, 1-27		1
322	Psychological therapies for bipolar disorder: the role of model-driven approaches to therapy integration. <i>Bipolar Disorders</i> , 2005 , 7, 22-32	3.8	24
321	Comparative analysis of the effects of four mood stabilizers in SH-SY5Y cells and in primary neurons. <i>Bipolar Disorders</i> , 2005 , 7, 33-41	3.8	55
320	Actigraphic assessment of circadian activity and sleep patterns in bipolar disorder. <i>Bipolar Disorders</i> , 2005 , 7, 176-86	3.8	231
319	Women are not the same as men: specific clinical issues for female patients with bipolar disorder. <i>Bipolar Disorders</i> , 2005 , 7 Suppl 1, 16-24	3.8	26
318	Pharmacotherapy of bipolar mixed states. <i>Bipolar Disorders</i> , 2005 , 7, 205-15	3.8	47
317	Canadian Network for Mood and Anxiety Treatments (CANMAT) guidelines for the management of patients with bipolar disorder: consensus and controversies. <i>Bipolar Disorders</i> , 2005 , 7 Suppl 3, 5-69	3.8	274
316	A European perspective on the Canadian guidelines for bipolar disorder. <i>Bipolar Disorders</i> , 2005 , 7 Suppl 3, 73-6	3.8	12
315	Lithium - a continuing story in the treatment of bipolar disorder. 2005 , 111, 7-12		38
314	Treatment guidelines for bipolar disorder: a critical review. <i>Journal of Affective Disorders</i> , 2005 , 86, 1-10	6.6	129
313	Treatment of acute mania--from clinical trials to recommendations for clinical practice. 2005 , 20, 15-26		17
312	Mood stabilization in the treatment of bipolar disorder: focus on quetiapine. 2005 , 20, 225-36		28
311	Bipolar disorder in late life: Future directions in efficacy and effectiveness research. 2005 , 3, 95-102		
310	Bipolar disorder in late life: future directions in efficacy and effectiveness research. 2005 , 7, 10-7		6
309	Evidence-based research on the efficacy of psychologic interventions in bipolar disorders: a critical review. 2005 , 7, 449-55		26

308	Veränderungen der Verschreibungsgewohnheiten in der medikamentösen Behandlung der Bipolaren Erkrankung. 2005 , 1, 57-62		1
307	Advancing the pharmacological treatment of bipolar depression. <i>Advances in Psychiatric Treatment</i> , 2005 , 11, 28-37		4
306	New drugs, old problems: Revisiting Pharmacological management of treatment-resistant depression. <i>Advances in Psychiatric Treatment</i> , 2005 , 11, 19-27		18
305	Tratamento da depressão bipolar. 2005 , 32, 49-55		1
304	References. 2005 , 229-235		
303	. 2005 ,		1
302	Drug treatments for bipolar disorder: 2--maintenance, prevention and special situations. 2005 , 43, 33-7		4
301	Using guidelines in real clinical situations: clozapine and breast feeding in bipolar disorder. <i>Journal of Psychopharmacology</i> , 2005 , 19, 317-8	4.6	0
300	Bipolar depression in a low-income primary care clinic. 2005 , 162, 2146-51		48
299	Drug treatments for bipolar disorder: 1--Acute manic or depressive episodes. 2005 , 43, 28-32		2
298	Extended-release divalproex sodium for patients with side effects from delayed-release divalproex sodium. 2005 , 162, 1548-9		2
297	Lamotrigine in the treatment of bipolar disorder. 2005 , 6, 1401-8		18
296	Bipolar disorder, antidepressants and induction of hypomania or mania. A systematic review. <i>World Journal of Biological Psychiatry</i> , 2005 , 6, 231-41	3.8	30
295	A randomized, double-blind, placebo-controlled trial of quetiapine in the treatment of bipolar I or II depression. 2005 , 162, 1351-60		677
294	Lithium in the prevention of suicidal behavior and all-cause mortality in patients with mood disorders: a systematic review of randomized trials. 2005 , 162, 1805-19		451
293	Cannabinoids in bipolar affective disorder: a review and discussion of their therapeutic potential. <i>Journal of Psychopharmacology</i> , 2005 , 19, 293-300	4.6	97
292	Bipolar depression: issues in diagnosis and treatment. 2005 , 13, 257-71		61
291	[Treating a manic episode: theoretical guidelines and practice]. 2005 , 31, 502-6		

290	[Mixed states in bipolar disorders: a review of current therapeutic strategies]. 2005 , 31, 617-23		6
289	Acute and continuation risperidone monotherapy in bipolar mania: a 3-week placebo-controlled trial followed by a 9-week double-blind trial of risperidone and haloperidol. 2005 , 15, 75-84		128
288	Quetiapine or haloperidol as monotherapy for bipolar mania--a 12-week, double-blind, randomised, parallel-group, placebo-controlled trial. 2005 , 15, 573-85		165
287	Effective maintenance treatment--breaking the cycle of bipolar disorder. <i>European Psychiatry</i> , 2005 , 20, 365-71	6	17
286	Psychoeducation: improving outcomes in bipolar disorder. <i>European Psychiatry</i> , 2005 , 20, 359-64	6	77
285	Do guidelines for severe mental illness promote physical health and well-being?. <i>Journal of Psychopharmacology</i> , 2005 , 19, 102-9	4.6	83
284	Quetiapine monotherapy for mania associated with bipolar disorder: combined analysis of two international, double-blind, randomised, placebo-controlled studies. 2005 , 21, 923-34		102
283	Newer prophylactic agents for bipolar disorder and their influence on suicidality. 2005 , 9, 301-6		11
282	Risperidone: a review of its use in the treatment of bipolar mania. 2005 , 19, 429-44		30
281	How can the mood stabilizer VPA limit both mania and depression?. 2005 , 29, 155-61		46
280	The nature and treatment of depression in bipolar disorder: a review and implications for future psychological investigation. 2005 , 25, 1076-100		52
279	La prescription de psychotropes chez une patiente traitée pour trouble bipolaire. 2005 , 163, 440-442		
278	L'Evidence Based Medicine (EBM) appliquée à la psychiatrie en général et aux troubles bipolaires en particulier. 2005 , 163, 753-757		
277	Discussion. 2005 , 163, 757-757		
276	Quetiapine: a review of its use in acute mania and depression associated with bipolar disorder. <i>Drugs</i> , 2005 , 65, 2533-51	12.1	21
275	Modalités d'utilisation des neuroleptiques. 2005 , 2, 300-339		4
274	Managing bipolar disorder in the elderly: defining the role of the newer agents. 2005 , 22, 39-54		36
273	Evidence-based guidelines for the pharmacological treatment of anxiety disorders: recommendations from the British Association for Psychopharmacology. <i>Journal of Psychopharmacology</i> , 2005 , 19, 567-96	4.6	449

272	Topiramate for acute affective episodes in bipolar disorder. 2006 , CD003384		14
271	[Epidemiology of medication prescriptions in bipolar disorder]. 2006 , 32 Pt 2, S41-4		1
270	[Bipolar depression: a review of current therapeutic strategies]. 2006 , 32, 767-74		
269	Clinical variables associated with early administration of antipsychotics in bipolar mania. 2006 , 30, 151-4		
268	Evidence into practice: the mental health hurdle is high. 2006 , 184, 542-3		6
267	Risperidone in long-term treatment for bipolar disorder. <i>The Cochrane Library</i> , 2006 , CD004999	5.2	6
266	Pharmacological Profile and Clinical Utility of Lamotrigine in Bipolar Disorders. 2006 , 43-62		
265	Adjunctive treatment for mood stabilization of patients with bipolar I disorder treated with lamotrigine. 2006 , 11, 711-6; quiz 719		2
264	Efficacy of quetiapine monotherapy in bipolar I and II depression: a double-blind, placebo-controlled study (the BOLDER II study). 2006 , 26, 600-9		375
263	Prospective study of risk factors for attempted suicide among patients with bipolar disorder. <i>Bipolar Disorders</i> , 2006 , 8, 576-85	3.8	96
262	Placebo-level incidence of extrapyramidal symptoms (EPS) with quetiapine in controlled studies of patients with bipolar mania. <i>Bipolar Disorders</i> , 2006 , 8, 467-74	3.8	22
261	Chronic fluoxetine upregulates activity, protein and mRNA levels of cytosolic phospholipase A2 in rat frontal cortex. 2006 , 6, 413-20		39
260	Quetiapin zur Therapie manischer Phasen in der klinischen Praxis: Ergebnisse einer offenen, multizentrischen Studie. 2006 , 2, 55-58		
259	Do recent efficacy data on the drug treatment of acute bipolar depression support the position that drugs other than antidepressants are the treatment of choice? A conceptual review. 2006 , 256, 1-16		46
258	[Treatment options for bipolar mania]. 2006 , 77, 1310-4, 1317-8, 1320-2		1
257	SSRIs as mood stabilizers for Bipolar II Disorder? A proof of concept study. <i>Journal of Affective Disorders</i> , 2006 , 92, 205-14	6.6	90
256	Randomized, double-blind pilot trial comparing lamotrigine versus citalopram for the treatment of bipolar depression. <i>Journal of Affective Disorders</i> , 2006 , 96, 95-9	6.6	66
255	Overview of treatment for mood disorders. 2006 , 5, 183-184		

254	Pharmacological management of bipolar affective disorder. 2006 , 5, 195-198		
253	Bipolar disorder--services need to catch up with rapidly developing evidence base. 2006 , 332, 32-3		
252	[Pharmacotherapy of manic-depressive mixed States]. 2006 , 33 Suppl 1, S32-9		2
251	Relapse prevention in bipolar disorder: a critical review of current guidelines. <i>Journal of Psychopharmacology</i> , 2006 , 20, 12-6	4.6	12
250	Risperidone treatment of bipolar mania. 2006 , 40, 674-82		7
249	Clinical practice with anti-dementia drugs: a consensus statement from British Association for Psychopharmacology. <i>Journal of Psychopharmacology</i> , 2006 , 20, 732-55	4.6	124
248	Long-term effectiveness and cost of a systematic care program for bipolar disorder. 2006 , 63, 500-8		197
247	Increased libido associated with quetiapine. <i>Journal of Psychopharmacology</i> , 2006 , 20, 125-7	4.6	10
246	Cognitive-behavioural therapy for severe and recurrent bipolar disorders: randomised controlled trial. 2006 , 188, 313-20		432
245	A case of pancytopenia. <i>Journal of Psychopharmacology</i> , 2006 , 20, 690-2	4.6	7
244	The use of anticonvulsants in the aftermath of mania. <i>Journal of Psychopharmacology</i> , 2006 , 20, 23-30	4.6	3
243	Bipolar (spectrum) disorder and mood stabilization: standing at the crossroads?. 2007 , 76, 77-88		20
242	[Clinical standing of valproate treatment of bipolar disorders]. 2007 , 75, 220-35		5
241	Second-generation antipsychotic agents in the treatment of acute mania: a systematic review and meta-analysis of randomized controlled trials. 2007 , 64, 442-55		176
240	Pharmacological management of acute mania: does current prescribing practice reflect treatment guidelines?. <i>Journal of Psychopharmacology</i> , 2007 , 21, 206-9	4.6	2
239	Cost effectiveness of olanzapine in prevention of affective episodes in bipolar disorder in the United Kingdom. <i>Journal of Psychopharmacology</i> , 2007 , 21, 588-96	4.6	16
238	The rise and fall of mood stabilizers. 2007 , 41, 779-83		9
237	Informing patients of the teratogenic potential of mood stabilizing drugs: a case note review of the practice of psychiatrists. <i>Journal of Psychopharmacology</i> , 2007 , 21, 815-9	4.6	21

236	Affective Disorders: Depression and Bipolar Disorders. 2007 , 45-83			3
235	Cognitive-Behavioural Therapy for Severe and Recurrent Bipolar Disorders: Randomised Controlled Trial. 2007 , 5, 64-72			1
234	Clinical challenges of bipolar depression. 2007 , 68, 530-1, 534-7			1
233	BOLDER II study of quetiapine therapy for bipolar depression. 2007 , 2, 373-377			
232	A randomized, double-blind, placebo-controlled study of quetiapine in the treatment of bipolar I and II depression: improvements in quality of life. <i>International Clinical Psychopharmacology</i> , 2007 , 22, 29-37	2.2		44
231	The armamentarium of treatments for bipolar disorder: a review of the literature. <i>International Journal of Neuropsychopharmacology</i> , 2007 , 10, 411-31	5.8		24
230	Antidepressant medications and other treatments of depressive disorders: a CINP Task Force report based on a review of evidence. <i>International Journal of Neuropsychopharmacology</i> , 2007 , 10 Suppl 1, S1-207	5.8		37
229	Number needed to treat and time to response/remission for quetiapine monotherapy efficacy in acute bipolar depression: evidence from a large, randomized, placebo-controlled study. <i>International Clinical Psychopharmacology</i> , 2007 , 22, 93-100	2.2		29
228	What is a mood stabilizer?. 2007 , 37, 609-14			34
227	Evidence-based guidelines for management of attention-deficit/hyperactivity disorder in adolescents in transition to adult services and in adults: recommendations from the British Association for Psychopharmacology. <i>Journal of Psychopharmacology</i> , 2007 , 21, 10-41	4.6		205
226	Bipolar disorder: how far are we from a rigorous definition and effective management?. 2007 , 31, 975-96			14
225	Use of treatment guidelines in clinical decision making in bipolar disorder: a pilot survey of clinicians. 2007 , 23, 467-75			33
224	Zonisamide for bipolar depression. 2007 , 8, 111-3			10
223	Atypical antipsychotics for the treatment of bipolar disorder: more shadows than lights. 2007 , 21, 367-87			27
222	Epidemiology, diagnosis and management of mixed mania. 2007 , 21, 611-26			39
221	Quetiapine: a review of its use in the treatment of bipolar depression. <i>Drugs</i> , 2007 , 67, 1077-95	12.1		24
220	Effectiveness of adjunctive antidepressant treatment for bipolar depression. 2007 , 356, 1711-22			671
219	What is the heartland of psychiatry?. 2007 , 191, 189-91			25

218	Open-label steady-state pharmacokinetic drug interaction study on co-administered quetiapine fumarate and divalproex sodium in patients with schizophrenia, schizoaffective disorder, or bipolar disorder. 2007 , 22, 469-76		21
217	Treatment of bipolar disorder: a complex treatment for a multi-faceted disorder. 2007 , 6, 27		51
216	Agomelatine adjunctive therapy for acute bipolar depression: preliminary open data. <i>Bipolar Disorders</i> , 2007 , 9, 628-35	3.8	118
215	Acute bipolar mania: a systematic review and meta-analysis of co-therapy vs. monotherapy. 2007 , 115, 12-20		79
214	Pharmacological treatment of acute mania in psychiatric in-patients between 1994 and 2004. <i>Journal of Affective Disorders</i> , 2007 , 99, 9-17	6.6	47
213	Valproate or olanzapine add-on to lithium: an 8-week, randomized, open-label study in Italian patients with a manic relapse. <i>Journal of Affective Disorders</i> , 2007 , 99, 247-51	6.6	5
212	Safety and tolerability of quetiapine in the treatment of acute mania in bipolar disorder. <i>Journal of Affective Disorders</i> , 2007 , 100 Suppl 1, S15-22	6.6	15
211	Quetiapine in the treatment of acute bipolar mania: efficacy across a broad range of symptoms. <i>Journal of Affective Disorders</i> , 2007 , 100 Suppl 1, S5-14	6.6	22
210	Pharmacological treatment of bipolar disorder. 2007 , 6, 305-308		3
209	Bipolar disorder: the neglected psychosis. 2007 , 6, 389-392		
208	Chronic fluoxetine increases cytosolic phospholipase A(2) activity and arachidonic acid turnover in brain phospholipids of the unanesthetized rat. 2007 , 190, 103-15		40
207	Reluctance to disclose difficult diagnoses: a narrative review comparing communication by psychiatrists and oncologists. 2007 , 15, 819-28		55
206	Implementing clinical guidelines for bipolar disorder. 2008 , 81, 437-58		19
205	Prescribing on psychiatric acute wards at four hospitals. 2008 , 12, 10-14		2
204	Neuropsychological profile in bipolar disorder: a preliminary study of monotherapy lithium-treated euthymic bipolar patients evaluated at a 2-year interval. 2008 , 118, 373-81		36
203	What is the optimal serum lithium level in the long-term treatment of bipolar disorder--a review?. <i>Bipolar Disorders</i> , 2008 , 10, 231-7	3.8	89
202	Carbamazepine-induced drug reaction with eosinophilia and systemic symptoms (DRESS) syndrome: report of four cases and brief review. 2008 , 47, 853-60		87
201	Treatment of bipolar depression: an update. <i>Journal of Affective Disorders</i> , 2008 , 109, 21-34	6.6	69

200	Rapid-cycling bipolar I disorder: course and treatment outcome of a large sample across Europe. 2008 , 42, 1068-75		47
199	Olanzapine/fluoxetine: a review of its use in the treatment of acute bipolar depression. <i>Drugs</i> , 2008 , 68, 1115-37	12.1	17
198	Evidence-based guidelines for treating depressive disorders with antidepressants: a revision of the 2000 British Association for Psychopharmacology guidelines. <i>Journal of Psychopharmacology</i> , 2008 , 22, 343-96	4.6	341
197	Lithium toxicity and the parturient: case report and literature review. 2008 , 17, 164-9		18
196	Effect of the new antiepileptic drug retigabine in a rodent model of mania. 2008 , 12, 49-53		39
195	Mental imagery as an emotional amplifier: application to bipolar disorder. 2008 , 46, 1251-8		145
194	P.7.c.005 Quetiapine and olanzapine in the treatment of bipolar affective disorder in the youth. 2008 , 18, S563-S564		
193	P.7.d.002 Positive family environment as a protective factor in the development of psychosis. 2008 , 18, S564-S565		
192	Aripiprazole: a discussion on its clinical use in mania associated with bipolar I disorder. 2008 , 24, 1		1
191	Quetiapine for the treatment of bipolar II depression: analysis of data from two randomized, double-blind, placebo-controlled studies. <i>World Journal of Biological Psychiatry</i> , 2008 , 9, 198-211	3.8	41
190	Olanzapine plus carbamazepine v. carbamazepine alone in treating manic episodes. 2008 , 192, 135-43		63
189	Bouncing back: is the bipolar rebound phenomenon peculiar to lithium? A retrospective naturalistic study. <i>Journal of Psychopharmacology</i> , 2008 , 22, 452-6	4.6	28
188	Treatment of bipolar disorder: a systematic review of available data and clinical perspectives. <i>International Journal of Neuropsychopharmacology</i> , 2008 , 11, 999-1029	5.8	120
187	A 12-week, open, randomized trial comparing sodium valproate to lithium in patients with bipolar I disorder suffering from a manic episode. <i>International Clinical Psychopharmacology</i> , 2008 , 23, 254-62	2.2	27
186	Efficacy of adjunctive aripiprazole to either valproate or lithium in bipolar mania patients partially nonresponsive to valproate/lithium monotherapy: a placebo-controlled study. 2008 , 165, 1316-25		118
185	Mood stabilizer loading versus titration in acute mania: audit of clinical practice. 2008 , 42, 955-62		4
184	Monitoring the physical health of individuals with serious mental illness. 2008 , 25, 108-115		
183	Disseminating findings from a drug class review: using best practices to inform prescription of antiepileptic drugs for bipolar disorder. 2008 , 14 Suppl 1, 44-56		3

182 Resources. 114-139

181	Effectiveness of antiepileptic drugs for the treatment of bipolar disorder: findings from a systematic review. 2008 , 14 Suppl 1, 9-14		18
180	The contemporary face of bipolar illness: complex diagnostic and therapeutic challenges. 2008 , 13, 763-74, 777-9		13
179	Psychopharmacology of mood disorders. 481-497		
178	Biological treatments for psychotic disorders. 586-621		
177	A review of quetiapine in combination with antidepressant therapy in patients with depression. 2007 , 3, 855-67		10
176	Amisulpride plus valproate vs haloperidol plus valproate in the treatment of acute mania of bipolar I patients: a multicenter, open-label, randomized, comparative trial. 2008 , 4, 675-86		9
175	Initial assessment and initial pharmacological treatment in the acute phase. 177-200		1
174	Evidence-based guidelines for treating bipolar disorder: revised second edition--recommendations from the British Association for Psychopharmacology. <i>Journal of Psychopharmacology</i> , 2009 , 23, 346-88	4.6	386
173	Recent advances in bipolar disorder pharmacotherapy: focus on bipolar depression and rapid cycling. 2009 , 2, 423-34		1
172	A UK consensus on the administration of aripiprazole for the treatment of mania. <i>Journal of Psychopharmacology</i> , 2009 , 23, 231-40	4.6	18
171	Antimanic potency of typical neuroleptic drugs and affinity for dopamine D2 and serotonin 5-HT2A receptors--a new analysis of data from the archives and implications for improved antimanic treatments. <i>Journal of Psychopharmacology</i> , 2009 , 23, 899-907	4.6	6
170	Translation of randomised controlled trial findings into clinical practice: comparison of olanzapine and valproate in the EMBLEM study. 2009 , 42, 145-52		7
169	Treatment response and duration of maintenance treatment with adjunctive antidepressants in bipolar depression: A retrospective chart review. 2009 , 13, 130-7		1
168	New guidelines for bipolar disorders. <i>World Journal of Biological Psychiatry</i> , 2009 , 10, 82-4	3.8	3
167	Is valproate promising in cardiac fatal arrhythmias? Comparison of P- and Q-wave dispersion in bipolar affective patients on valproate or lithium-valproate maintenance therapy with healthy controls. <i>Journal of Psychopharmacology</i> , 2009 , 23, 328-33	4.6	10
166	Healthcare costs associated with treatment of bipolar disorder using a mood stabilizer plus adjunctive aripiprazole, quetiapine, risperidone, olanzapine or ziprasidone. 2009 , 12, 104-13		16
165	Neuropsychology of affective disorders. 2009 , 8, 91-96		7

164	Pharmacological management of bipolar affective disorder. 2009 , 8, 120-124		0
163	Time to psychiatric hospitalization in patients with bipolar disorder treated with a mood stabilizer and adjunctive atypical antipsychotics: a retrospective claims database analysis. 2009 , 31, 836-48		12
162	Cost-effectiveness of quetiapine plus mood stabilizers compared with mood stabilizers alone in the maintenance therapy of bipolar I disorder: results of a Markov model analysis. 2009 , 31 Pt 1, 1456-68		14
161	Predictors of switching from mania to depression in a large observational study across Europe (EMBLEM). <i>Journal of Affective Disorders</i> , 2009 , 118, 118-23	6.6	27
160	A non-randomized study to investigate the effects of the atypical antipsychotic aripiprazole on the steady-state pharmacokinetics of lamotrigine in patients with bipolar I disorder. 2009 , 24, 145-52		13
159	Medicating mood with maintenance in mind: bipolar depression pharmacotherapy. <i>Bipolar Disorders</i> , 2009 , 11 Suppl 2, 55-76	3.8	33
158	Psychosocial treatments for bipolar disorder: cost-effectiveness, mediating mechanisms, and future directions. <i>Bipolar Disorders</i> , 2009 , 11 Suppl 2, 110-22	3.8	121
157	Social and Familial Factors in the Course of Bipolar Disorder: Basic Processes and Relevant Interventions. 2009 , 16, 281-296		48
156	Mood stabilisers in the management of bipolar disorder. 2009 , 13, 33-41		2
155	Effects of neuronal Kv7 potassium channel activators on hyperactivity in a rodent model of mania. 2009 , 198, 481-5		30
154	Bipolar I and II disorder residual symptoms: oxcarbazepine and carbamazepine as add-on treatment to lithium in a double-blind, randomized trial. 2009 , 33, 94-9		39
153	Observational study designs for bipolar disorder - what can they tell us about treatment in acute mania?. 2009 , 33, 715-21		11
152	Lithium: updated human knowledge using an evidence-based approach: Part I: Clinical efficacy in bipolar disorder. 2009 , 23, 225-40		56
151	Treatment of bipolar disorder: new perspectives. 2009 , 41, 186-96		20
150	Revised Korean medication algorithm for bipolar disorder. <i>World Journal of Biological Psychiatry</i> , 2009 , 10, 846-55	3.8	17
149	Lithium: updated human knowledge using an evidence-based approach. Part II: Clinical pharmacology and therapeutic monitoring. 2009 , 23, 331-49		115
148	Mood stabilizers and teratogenicity: Prescribing practice and awareness amongst practising psychiatrists. <i>Journal of Mental Health</i> , 2009 , 18, 137-143	2.7	5
147	Pharmacological interventions for the prevention of relapse in bipolar disorder: a systematic review of controlled trials. <i>Journal of Psychopharmacology</i> , 2009 , 23, 574-91	4.6	36

146	An update on the treatment of bipolar depression. 2009 , 10, 161-72		11
145	Traitement du trouble bipolaire. 2009 , 6, 1-16		0
144	Lithium monitoring: should tracking prescriptions be implemented to improve outcome?. 2009 , 14, 120-125		
143	Treatment options for bipolar depression: a systematic review of randomized, controlled trials. 2010 , 30, 579-90		88
142	Efficacy of valproate versus lithium in mania or mixed mania: a randomized, open 12-week trial. <i>International Clinical Psychopharmacology</i> , 2010 , 25, 60-7	2.2	41
141	Maintenance treatment received by patients with bipolar I and II disorders--a naturalistic prospective study. <i>Journal of Affective Disorders</i> , 2010 , 121, 116-26	6.6	9
140	Valproate for the treatment of acute bipolar depression: systematic review and meta-analysis. <i>Journal of Affective Disorders</i> , 2010 , 122, 1-9	6.6	84
139	Standards of lithium monitoring in mental health trusts in the UK. 2010 , 10, 80		43
138	Disruption of biological rhythms as a core problem and therapeutic target in mood disorders: the emerging concept of Rhythm regulators 2010 , 9, 3		7
137	Chronic imipramine but not bupropion increases arachidonic acid signaling in rat brain: is this related to switching in bipolar disorder?. 2010 , 15, 602-14		29
136	Association between mood stabilizers and hypothyroidism in patients with bipolar disorders: a nested, matched case-control study. <i>Bipolar Disorders</i> , 2010 , 12, 253-63	3.8	31
135	Mood swing and mood stabilizer: how specific are these terms?. <i>Bipolar Disorders</i> , 2010 , 12, 685-90	3.8	0
134	Mood stabilizers: use, actions and prescribing rationale. 2010 , 8, 492-496		2
133	Lithium: still a cornerstone in the long-term treatment in bipolar disorder?. 2010 , 62, 27-35		56
132	Meta-analysis of the effects of lithium usage on serum creatinine levels. <i>Journal of Psychopharmacology</i> , 2010 , 24, 1425-31	4.6	32
131	Epilepsy and bipolar disorders. 2010 , 10, 13-23		29
130	The pharmacological treatment of bipolar disorder: the question of modern advances. 2010 , 18, 266-78		20
129	The clinical spectrum of bipolar symptoms in epilepsy: a critical reappraisal. 2010 , 122, 17-23		9

128	The psychopharmacology algorithm project at the Harvard South Shore Program: an update on bipolar depression. 2010 , 18, 36-55		15
127	British Association for Psychopharmacology consensus statement on evidence-based treatment of insomnia, parasomnias and circadian rhythm disorders. <i>Journal of Psychopharmacology</i> , 2010 , 24, 1577-601 ⁶	4.6	365
126	[Management of patients with acute manic or mixed episodes and outcome at three months]. 2010 , 36, 226-35		1
125	Antimanic efficacy of retigabine in a proposed mouse model of bipolar disorder. 2010 , 207, 78-83		46
124	[Treatment of a first manic episode]. 2010 , 36 Suppl 1, S23-6		0
123	In search of optimal lithium levels and olanzapine doses in the long-term treatment of bipolar I disorder. A post-hoc analysis of the maintenance study by Tohen et al. 2005. <i>European Psychiatry</i> , 2010 , 25, 443-9	6	15
122	Cognitive-Behavioral Therapy for Bipolar Disorder: Implications for Clinical Social Workers. 2010 , 36, 460-469		4
121	Lithium is still a first-line option in the treatment of patients with bipolar disorder. 2010 , 26, 9-14		
120	Mood stability versus mood instability in bipolar disorder: a possible role for emotional mental imagery. 2011 , 49, 707-13		73
119	Effects of mood stabilizers on adult dentate gyrus-derived neural precursor cells. 2011 , 35, 111-7		25
118	Pharmacotherapy for the treatment of acute bipolar II depression: current evidence. 2011 , 72, 356-66		48
117	Electroconvulsive therapy in single manic episodes: a case series. 2011 , 14, 56-9		0
116	Adherence to guidelines by French psychiatrists in their real world of clinical practice. 2011 , 199, 239-43		27
115	New treatment guidelines for acute bipolar depression: a systematic review. <i>Journal of Affective Disorders</i> , 2011 , 129, 14-26	6.6	103
114	Physical treatments for bipolar disorder: a review of electroconvulsive therapy, stereotactic surgery and other brain stimulation techniques. <i>Journal of Affective Disorders</i> , 2011 , 132, 1-13	6.6	66
113	Paliperidone extended-release as adjunctive therapy to lithium or valproate in the treatment of acute mania: a randomized, placebo-controlled study. <i>Journal of Affective Disorders</i> , 2011 , 129, 252-60	6.6	51
112	Searching for health: the topography of the first page. 2011 , 13, 227-240		10
111	Einsatz von Bupropion bei iteren Patienten. 2011 , 14, 23-25		

110	One-year risk of psychiatric hospitalization and associated treatment costs in bipolar disorder treated with atypical antipsychotics: a retrospective claims database analysis. 2011 , 11, 6	14
109	Self-management strategies used by high functioning individuals with bipolar disorder: from research to clinical practice. 2011 , 18, 95-109	72
108	Benzodiazepine prescription among patients with severe mental illness and co-occurring alcohol abuse/dependence in Taiwan. 2011 , 26, 201-7	5
107	Estimation of resource utilisation difference between lithium and valproate treatment groups from the VALID study. 2011 , 14, 350-6	3
106	Lithium and kidney, 60 years later. 2011 , 6, 291-303	16
105	Effectiveness of psychotropic medications in the maintenance phase of bipolar disorder: a meta-analysis of randomized controlled trials. <i>International Journal of Neuropsychopharmacology</i> , 2011 , 14, 1029-49	5.8 73
104	A bibliometric analysis of bipolar affective disorders using density-equalizing mapping and output benchmarking. 2012 , 54, 320-6	8
103	Nonlinear time-series approaches in characterizing mood stability and mood instability in bipolar disorder. 2012 , 279, 916-24	96
102	Bipolar Affective Disorders and Group Analysis. 2012 , 45, 203-217	2
101	Antidepressant treatment for acute bipolar depression: an update. 2012 , 2012, 684725	17
100	Valproate in acute mania: is our practice evidence based?. 2012 , 25, 41-52	3
99	Beyond the guidelines for bipolar disorder: practical issues in long-term treatment with lithium. 2012 , 57, 437-45	10
98	Prescribing patterns of antidepressants, antipsychotics and mood stabilizers in bipolar patients misdiagnosed with major depressive disorder in China. 2012 , 27, 626-31	6
97	Mood stabilizers commonly restore staurosporine-induced increase of p53 expression and following decrease of Bcl-2 expression in SH-SY5Y cells. 2012 , 38, 183-9	8
96	[Methodological approach to inter "guideline" variability in the management of bipolar disorders]. 2012 , 38, 126-32	5
95	Cost effectiveness of quetiapine in patients with acute bipolar depression and in maintenance treatment after an acute depressive episode. 2012 , 30, 513-30	15
94	Psychopharmacology. 2012 , 585-615	1
93	[A new evidence and consensus-based German guidelines for diagnosis and treatment of bipolar disorders]. 2012 , 83, 564-7	5

92	Efficacy of pharmacotherapy in bipolar disorder: a report by the WPA section on pharmacopsychiatry. 2012 , 262 Suppl 1, 1-48		93
91	Six-month outcomes of customized adherence enhancement (CAE) therapy in bipolar disorder. <i>Bipolar Disorders</i> , 2012 , 14, 291-300	3.8	26
90	Impact of psychotropic drugs on suicide and suicidal behaviors. <i>Bipolar Disorders</i> , 2013 , 15, 594-621	3.8	31
89	Current place of monoamine oxidase inhibitors in the treatment of depression. 2013 , 27, 789-97		127
88	Association of carbamazepine major metabolism and transport pathway gene polymorphisms and pharmacokinetics in patients with epilepsy. 2013 , 14, 35-45		65
87	Pharmacotherapy for bipolar disorder and concordance with treatment guidelines: survey of a general population sample referred to a tertiary care service. 2013 , 13, 211		20
86	Quetiapine monotherapy in bipolar II depression: combined data from four large, randomized studies. 2013 , 1, 10		20
85	[Treatment of depressive mixed states]. 2013 , 39 Suppl 3, S179-84		4
84	Continuous circular cycling in bipolar disorder as a predictor of poor outcome. <i>Journal of Affective Disorders</i> , 2013 , 150, 823-8	6.6	8
83	Pharmacological treatment of social anxiety disorder. 2013 , 29, 144-53		2
82	Pharmacotherapy for bipolar disorder in older people. <i>The Cochrane Library</i> , 2013 ,	5.2	1
81	Basic Principles of Interpersonal Social Rhythm Therapy in Bipolar Disorder. 2014 , 6, 1		
80	Safe lithium use in a non-psychiatric versus a psychiatric inpatient veterans affairs hospital setting: a retrospective assessment. 2014 , 179, 126-32		1
79	A complex case of bipolar disorder responding to combined drug therapy. 2014 , 18, 26-28		
78	Effectiveness of a behavioral family psychoeducational program for Egyptian patients with bipolar disorder and their caregivers. 2014 , 21, 212-221		3
77	[Treatment of manic phases of bipolar disorder: critical synthesis of international guidelines]. 2014 , 40, 330-7		11
76	Comparative Assessment of the Efficacy of Valdoxane (agomelatine) in Recurrent Depression and Bipolar Affective Disorder. 2014 , 44, 187-194		1
75	Compliance as a stable function in the treatment course of bipolar disorder in patients stabilized on olanzapine: results from a 24-month observational study. 2014 , 2, 13		10

74	Mental health. 2014 , 294-322		
73	Perinatal psychiatric disorders: an overview. 2014 , 210, 501-509.e6		56
72	Serum level of brain derived neurotrophic factor (BDNF) among patients with bipolar disorder. <i>Journal of Affective Disorders</i> , 2014 , 162, 67-72	6.6	17
71	Evidence-based pharmacological treatment of anxiety disorders, post-traumatic stress disorder and obsessive-compulsive disorder: a revision of the 2005 guidelines from the British Association for Psychopharmacology. <i>Journal of Psychopharmacology</i> , 2014 , 28, 403-39	4.6	387
70	Korean Medication Algorithm for Bipolar Disorder 2014: comparisons with other treatment guidelines. 2015 , 11, 1561-71		8
69	Korean Medication Algorithm Project for Bipolar Disorder: third revision. 2015 , 11, 493-506		15
68	Evidence-based guidelines for treating depressive disorders with antidepressants: A revision of the 2008 British Association for Psychopharmacology guidelines. <i>Journal of Psychopharmacology</i> , 2015 , 29, 459-525	4.6	381
67	Antiepileptic drug prescribing patterns in Iraq and Afghanistan war veterans with epilepsy. 2015 , 46, 133-9		2
66	Tackling medication non-adherence in severe mental illness: where are we going wrong?. 2015 , 22, 192-8		9
65	Psychological therapy for anxiety in bipolar spectrum disorders: a systematic review. 2015 , 35, 19-34		37
64	Effects of mood-stabilizing drugs on dendritic outgrowth and synaptic protein levels in primary hippocampal neurons. <i>Bipolar Disorders</i> , 2015 , 17, 278-90	3.8	24
63	Bipolar Disorders and Carbamazepine: Pharmacokinetics, Pharmacodynamics, Therapeutic Effects and Indications of Carbamazepine: Review of Articles. 2016 , 1,		5
62	Bipolar Disorders and Valproate: Pharmacokinetics, Pharmacodynamics, Therapeutic Effects and Indications of Valproate: Review of Articles. 2016 , 02,		5
61	The International College of Neuro-Psychopharmacology (CINP) Treatment Guidelines for Bipolar Disorder in Adults (CINP-BD-2017), Part 3: The Clinical Guidelines. <i>International Journal of Neuropsychopharmacology</i> , 2017 , 20, 180-195	5.8	102
60	Patients' perceptions of barriers to self-managing bipolar disorder: A qualitative study. <i>International Journal of Social Psychiatry</i> , 2016 , 62, 635-644	8.5	7
59	The International College of Neuro-Psychopharmacology (CINP) Treatment Guidelines for Bipolar Disorder in Adults (CINP-BD-2017), Part 2: Review, Grading of the Evidence, and a Precise Algorithm. <i>International Journal of Neuropsychopharmacology</i> , 2017 , 20, 121-179	5.8	61
58	Evidence-based guidelines for treating bipolar disorder: Revised third edition recommendations from the British Association for Psychopharmacology. <i>Journal of Psychopharmacology</i> , 2016 , 30, 495-553	4.6	468
57	New users of antipsychotic medication: A population-based cohort study of occupational outcome measures in relation to antipsychotic on-label and off-label prescribing practices. <i>European Psychiatry</i> , 2016 , 31, 66-71	6	

56	Incident users of antipsychotics: who are they and how do they fare?. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2016 , 51, 505-12	4.5	4
55	Brain stimulation treatments in bipolar disorder: A review of the current literature. <i>World Journal of Biological Psychiatry</i> , 2016 , 17, 482-94	3.8	6
54	Right unilateral electroconvulsive therapy does not cause more cognitive impairment than pharmacologic treatment in treatment-resistant bipolar depression: A 6-month randomized controlled trial follow-up study. <i>Bipolar Disorders</i> , 2018 , 20, 531-538	3.8	4
53	Lithium prevents scopolamine-induced memory impairment in zebrafish. <i>Neuroscience Letters</i> , 2018 , 664, 34-37	3.3	20
52	Determine Bipolar Disorder Level from Patient Interviews Using Bi-LSTM and Feature Fusion. 2018 ,		3
51	Carbamazepine Enhances Adipogenesis by Inhibiting Wnt/βcatenin Expression. <i>Cells</i> , 2019 , 8,	7.9	10
50	Antipsychotic use in Northern Italian inter-episode bipolar disorder patients: considering both second- and first-generation agents. <i>International Clinical Psychopharmacology</i> , 2020 , 35, 49-58	2.2	0
49	The concept and management of acute episodes of treatment-resistant bipolar disorder: a systematic review and exploratory meta-analysis of randomized controlled trials. <i>Journal of Affective Disorders</i> , 2020 , 276, 970-983	6.6	21
48	Medicines for bipolar disorder in older people. <i>The Cochrane Library</i> , 2020 ,	5.2	78
47	Depression treatment in women and men with bipolar affective disorder: a comparative study. <i>Nevrologiya, Neiropsikhiatriya, Psikhosomatika</i> , 2021 , 13, 59-66	0.7	1
46	Oxcarbazepine in the maintenance treatment of bipolar disorder. <i>The Cochrane Library</i> , 2008 , CD005171	5.2	21
45	The Role of Antidepressants in Bipolar Disorder. 299-316		2
44	Augmentationsbehandlung mit Lithium. 2005 , 229-242		1
43	Treatment Guidelines. 2015 , 643-658		4
42	Molecular Imaging of Depressive Disorders. 2014 , 93-172		6
41	Two-weeks treatment with cannabidiol improves biophysical and behavioral deficits associated with experimental type-1 diabetes. <i>Neuroscience Letters</i> , 2020 , 729, 135020	3.3	7
40	A growing evidence base for management guidelines: Revisiting Guidelines for the management of acutely disturbed psychiatric patients. <i>Advances in Psychiatric Treatment</i> , 2005 , 11, 404-415		15
39	Valproate alters dopamine signaling in association with induction of Par-4 protein expression. <i>PLoS ONE</i> , 2012 , 7, e45618	3.7	15

38	Dress Syndrome - A Case Report. <i>Serbian Journal of Dermatology and Venereology</i> , 2016 , 8, 95-100	0.1	0
37	The management of individuals with bipolar disorder: a review of the evidence and its integration into clinical practice. <i>Drugs</i> , 2009 , 69, 2063-101	12.1	38
36	Burden of illness in bipolar depression. <i>Primary Care Companion To the Journal of Clinical Psychiatry</i> , 2005 , 7, 259-67		25
35	Korean Medication Algorithm for Bipolar Disorder 2018: Comparisons with Other Treatment Guidelines. <i>Clinical Psychopharmacology and Neuroscience</i> , 2019 , 17, 155-169	3.4	12
34	Pharmacogenomics: A road ahead for precision medicine in psychiatry. <i>Neuron</i> , 2021 ,	13.9	1
33	Drug therapy. 2004 , 266-288		
32	Bipolar disorder. 2005 , 107-134		
31	Ziprasidone alone or in combination for acute mania.		
30	Tratamiento de mantenimiento eficaz: romper el ciclo del trastorno bipolar. <i>European Psychiatry (Ed Española)</i> , 2006 , 13, 38-45		
29	Management of psychosis before, during and after pregnancy. 2006 , 116-133		1
28	Anticonvulsants. 2008 , 661-666		
27	Bipolare affektive Störungen. 2008 , 1473-1500		
26	Unipolare Depression [Pharmakotherapie und Psychotherapie (ICD-10 F3)]. 2009 , 131-169		1
25	Pharmacological and other biological treatments of suicidal individuals. 2009 , 396-406		
24	Late-onset bipolar disorder. 2009 , 213-239		
23	ANTIDEPRESSANTS. 2009 , 1-184		
22	Ziprasidone alone or in combination for acute mania.		
21	References. 293-311		

20 Mood disorders in the elderly. **2012**, 1550-1558

19 Training mental health providers in better communication with their patients. 180-192

18 Therapie Psychischer Erkrankungen - Pages 1-91. **2014**, 1-91

17 Therapie Psychischer Erkrankungen - Pages e1-e96. **2015**, e1-e96

16 Manie und bipolare Störungen. **2015**, 1-4

15 Bipolar Affective Disorder. 248-272

14 Lithium. **2016**, 597-660

13 Literaturverzeichnis zu Voderholzer/Hohagen (Hrsg.): Therapie psychischer Erkrankungen, 13. Auflage. **2017**, 1-111

12 Manie und bipolare Störungen. **2018**, 787-790

11 Developing and Clinical Application of a Smartphone Mobile Mood Chart Application in Korean for Patients with Bipolar Disorder. *Journal of Korean Neuropsychiatric Association*, **2018**, 57, 244 0.4

10 Literaturverzeichnis zu Voderholzer/Hohagen (Hrsg.): Therapie psychischer Erkrankungen, 14. Auflage. **2019**, 1-119

9 Molecular Imaging of Depressive Disorders. **2021**, 85-207 0

8 Medikamente zur Behandlung bipolarer affektiver Störungen. **2008**, 555-590

7 The long-term impact of treatment with electroconvulsive therapy on discrete memory systems in patients with bipolar disorder. *Journal of Psychiatry and Neuroscience*, **2007**, 32, 241-9 4.5 21

6 The impact of long-term lithium treatment on renal function in an outpatient population. *Ulster Medical Journal*, **2008**, 77, 102-5 0.4 10

5 Service user experiences of care recommendations from the 2014 NICE guideline for bipolar disorder: a survey.. *Journal of Mental Health*, **2022**, 1-8 2.7

4 Practical guide to brain imaging in bipolar disorder. 194-198

3 Thread-based microfluidic sensor for lithium monitoring in saliva. **2023**, 253, 124094 1

- 2 Actions of Drugs on The Brain and CNS Disorders. **2017**, 130-220 ○
- 1 Korean Medication Algorithm Project for Bipolar Disorder 2022: Comparisons with Other Treatment Guidelines. **2023**, 21, 32-48 ○