

# CITATION REPORT

List of articles citing

**Decapping and decay of messenger RNA occur in cytoplasmic processing bodies**

**DOI: 10.1126/science.1082320**  
**Science, 2003, 300, 805-8.**

**Source:** <https://exaly.com/paper-pdf/35573791/citation-report.pdf>

**Version:** 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
1099	Occupancy of the catalytic site of the PDE4A4 cyclic AMP phosphodiesterase by rolipram triggers the dynamic redistribution of this specific isoform in living cells through a cyclic AMP independent process. <b>2003</b> , 15, 955-71		33
1098	mRNA decay: x (XRN1) marks the spot. <b>2003</b> , 11, 1126-8		27
1097	Nonsense-mediated mRNA decay in mammalian cells involves decapping, deadenylating, and exonucleolytic activities. <b>2003</b> , 12, 675-87		290
1096	Zero tolerance for nonsense: nonsense-mediated mRNA decay uses multiple degradation pathways. <b>2003</b> , 12, 536-8		12
1095	Poly(A)-binding proteins: multifunctional scaffolds for the post-transcriptional control of gene expression. <b>2003</b> , 4, 223		407
1094	Molecular biology. A place to die, a place to sleep. <i>Science</i> , <b>2003</b> , 300, 753-5	33.3	36
1093	Functional conservation of Dhh1p, a cytoplasmic DExD/H-box protein present in large complexes. <b>2003</b> , 31, 4995-5002		32
1092	A role for the exosome in the in vivo degradation of unstable mRNAs. <b>2003</b> , 9, 1491-501		60
1091	Evidence that poly(A) binding protein has an evolutionarily conserved function in facilitating mRNA biogenesis and export. <b>2003</b> , 9, 1476-90		42
1090	Coordinate expression of NADPH-dependent flavin reductase, Fre-1, and Hint-related 7meGMP-directed hydrolase, DCS-1. <b>2003</b> , 278, 39051-8		30
1089	A graveyard for mRNA. <b>2003</b> , 161, 669-669		78
1088	The GW182 protein colocalizes with mRNA degradation associated proteins hDcp1 and hLSm4 in cytoplasmic GW bodies. <b>2003</b> , 9, 1171-3		212
1087	An essential role for the <i>Saccharomyces cerevisiae</i> DEAD-box helicase DHH1 in G1/S DNA-damage checkpoint recovery. <b>2004</b> , 167, 21-33		23
1086	Under the Tucson sun: a meeting in the desert on mRNA decay. <b>2004</b> , 10, 1680-91		7
1085	Loss of translational control in yeast compromised for the major mRNA decay pathway. <b>2004</b> , 24, 2998-3010		74
1084	The active form of Xp54 RNA helicase in translational repression is an RNA-mediated oligomer. <b>2004</b> , 32, 1325-34		94
1083	GW182 is critical for the stability of GW bodies expressed during the cell cycle and cell proliferation. <b>2004</b> , 117, 5567-78		164

1082	Global role of TATA box-binding protein recruitment to promoters in mediating gene expression profiles. <b>2004</b> , 24, 8104-12	50
1081	Cytoplasmic foci are sites of mRNA decay in human cells. <b>2004</b> , 165, 31-40	496
1080	A protein interaction framework for human mRNA degradation. <b>2004</b> , 14, 1315-23	112
1079	Repression of promoter activity by CNOT2, a subunit of the transcription regulatory Ccr4-not complex. <b>2004</b> , 279, 10848-54	44
1078	Endonuclease-mediated mRNA decay requires tyrosine phosphorylation of polysomal ribonuclease 1 (PMR1) for the targeting and degradation of polyribosome-bound substrate mRNA. <b>2004</b> , 279, 48993-9002	22
1077	Identification of Edc3p as an enhancer of mRNA decapping in <i>Saccharomyces cerevisiae</i> . <b>2004</b> , 166, 729-39	122
1076	SMG-1 is a phosphatidylinositol kinase-related protein kinase required for nonsense-mediated mRNA Decay in <i>Caenorhabditis elegans</i> . <b>2004</b> , 24, 7483-90	89
1075	MK2-induced tristetraprolin:14-3-3 complexes prevent stress granule association and ARE-mRNA decay. <b>2004</b> , 23, 1313-24	410
1074	Poly(A)-binding-protein-mediated regulation of hDcp2 decapping in vitro. <b>2004</b> , 23, 1968-76	53
1073	A complex containing the CCR4 and CAF1 proteins is involved in mRNA deadenylation in <i>Drosophila</i> . <b>2004</b> , 23, 2862-71	168
1072	The enzymes and control of eukaryotic mRNA turnover. <b>2004</b> , 11, 121-7	637
1071	The mRNA cap-binding protein eIF4E in post-transcriptional gene expression. <b>2004</b> , 11, 503-11	175
1070	An enemy within: fly reconnaissance deploys an endonuclease to destroy nonsense-containing mRNA. <b>2004</b> , 14, 594-7	6
1069	Cap-tabolism <b>2004</b> , 29, 436-44	87
1068	Bringing the role of mRNA decay in the control of gene expression into focus. <b>2004</b> , 20, 491-7	226
1067	Novel conserved domains in proteins with predicted roles in eukaryotic cell-cycle regulation, decapping and RNA stability. <b>2004</b> , 5, 45	66
1066	Nonsense-mediated mRNA decay: terminating erroneous gene expression. <b>2004</b> , 16, 293-9	347
1065	mRNA decay in prokaryotes and eukaryotes: different approaches to a similar problem. <b>2004</b> , 56, 585-94	85

1064	Messenger RNA decay in mammalian cells: the exonuclease perspective. <b>2004</b> , 41, 265-78	23
1063	Sampling <i>Saccharomyces cerevisiae</i> cells by rapid filtration improves the yield of mRNAs. <b>2004</b> , 4, 751-6	9
1062	Messenger RNA turnover in eukaryotes: pathways and enzymes. <b>2004</b> , 39, 197-216	271
1061	Eukaryotic mRNA decapping. <b>2004</b> , 73, 861-90	397
1060	The eukaryotic Ccr4-not complex: a regulatory platform integrating mRNA metabolism with cellular signaling pathways?. <b>2004</b> , 77, 289-322	108
1059	Autoantibodies to protein transport and messenger RNA processing pathways: endosomes, lysosomes, Golgi complex, proteasomes, assemblyosomes, exosomes, and GW bodies. <b>2004</b> , 110, 30-44	68
1058	Posttranscriptional regulation of the karyogamy gene by Kem1p/Xrn1p exoribonuclease and Rok1p RNA helicase of <i>Saccharomyces cerevisiae</i> . <b>2004</b> , 321, 1032-9	8
1057	Endonuclease-mediated mRNA decay involves the selective targeting of PMR1 to polyribosome-bound substrate mRNA. <b>2004</b> , 14, 435-45	34
1056	AtXRN4 degrades mRNA in <i>Arabidopsis</i> and its substrates include selected miRNA targets. <b>2004</b> , 15, 173-83	295
1055	Targeted mRNA degradation by deadenylation-independent decapping. <b>2004</b> , 15, 5-15	117
1054	SMG7 acts as a molecular link between mRNA surveillance and mRNA decay. <b>2004</b> , 16, 587-96	222
1053	An Lsm2-Lsm7 complex in <i>Saccharomyces cerevisiae</i> associates with the small nucleolar RNA snR5. <b>2004</b> , 15, 2842-52	32
1052	Lsm proteins and RNA processing. <b>2005</b> , 33, 433-8	93
1051	Decay of mRNAs targeted by RISC requires XRN1, the Ski complex, and the exosome. <b>2005</b> , 11, 459-69	239
1050	The translational regulator CPEB1 provides a link between dcp1 bodies and stress granules. <b>2005</b> , 118, 981-92	225
1049	Intracellular RNA sorting, transport and localization. <b>2005</b> , 12, 826-9	5
1048	RNAi and the P-body connection. <b>2005</b> , 7, 643-4	53
1047	Argonaute 2/RISC resides in sites of mammalian mRNA decay known as cytoplasmic bodies. <b>2005</b> , 7, 633-6	494

1046	MicroRNA-dependent localization of targeted mRNAs to mammalian P-bodies. <b>2005</b> , 7, 719-23	961
1045	A role for the P-body component GW182 in microRNA function. <b>2005</b> , 7, 1261-6	513
1044	Disruption of GW bodies impairs mammalian RNA interference. <b>2005</b> , 7, 1267-74	368
1043	The yeast EDC1 mRNA undergoes deadenylation-independent decapping stimulated by Not2p, Not4p, and Not5p. <b>2005</b> , 24, 1033-45	72
1042	RNA decapping inside and outside of processing bodies. <b>2005</b> , 17, 326-31	60
1041	LSm proteins form heptameric rings that bind to RNA via repeating motifs. <b>2005</b> , 30, 522-8	85
1040	Repression of gene expression by the coliphage MS2 coat protein in <i>Trypanosoma brucei</i> . <b>2005</b> , 144, 119-22	2
1039	Identification of in vivo P-glycoprotein mRNA decay intermediates in normal liver but not in liver tumors. <b>2005</b> , 204, 638-45	5
1038	Requirement for P granules and meiosis for accumulation of the germline RNA helicase CGH-1. <b>2005</b> , 42, 172-80	28
1037	Epsilon-sarcoglycan immunoreactivity and mRNA expression in mouse brain. <b>2005</b> , 482, 50-73	46
1036	Setting the stage for development: mRNA translation and stability during oocyte maturation and egg activation in <i>Drosophila</i> . <b>2005</b> , 232, 593-608	91
1035	A role for KEM1 at the START of the cell cycle in <i>Saccharomyces cerevisiae</i> . <b>2005</b> , 48, 300-9	1
1034	Insights into the Nature of Yeast Prions. 1144-1174	
1033	Dynamic cycling of eIF2 through a large eIF2B-containing cytoplasmic body: implications for translation control. <b>2005</b> , 170, 925-34	50
1032	A crucial role for GW182 and the DCP1:DCP2 decapping complex in miRNA-mediated gene silencing. <b>2005</b> , 11, 1640-7	350
1031	Retroviruses and yeast retrotransposons use overlapping sets of host genes. <b>2005</b> , 15, 641-54	74
1030	Uncoupling of RNAi from active translation in mammalian cells. <b>2005</b> , 11, 38-44	23
1029	<i>Caenorhabditis elegans</i> decapping proteins: localization and functional analysis of Dcp1, Dcp2, and DcpS during embryogenesis. <b>2005</b> , 16, 5880-90	55

1028	The RNA polymerase II subunit Rpb4p mediates decay of a specific class of mRNAs. <b>2005</b> , 19, 3004-16	104
1027	Slicer function of Drosophila Argonautes and its involvement in RISC formation. <b>2005</b> , 19, 2837-48	304
1026	Mutations in the Saccharomyces cerevisiae LSM1 gene that affect mRNA decapping and 3' end protection. <b>2005</b> , 170, 33-46	49
1025	Genome-wide screen identifies host genes affecting viral RNA recombination. <b>2005</b> , 102, 10545-50	117
1024	Multiple properties of the splicing repressor SRp38 distinguish it from typical SR proteins. <b>2005</b> , 25, 8334-43	31
1023	Ge-1 is a central component of the mammalian cytoplasmic mRNA processing body. <b>2005</b> , 11, 1795-802	140
1022	AU-rich elements and associated factors: are there unifying principles?. <b>2005</b> , 33, 7138-50	766
1021	Processing bodies require RNA for assembly and contain nontranslating mRNAs. <b>2005</b> , 11, 371-82	504
1020	Movement of eukaryotic mRNAs between polysomes and cytoplasmic processing bodies. <i>Science</i> , <b>2005</b> , 310, 486-9	33:3 575
1019	A role for eIF4E and eIF4E-transporter in targeting mRNPs to mammalian processing bodies. <b>2005</b> , 11, 717-27	287
1018	A role for the eIF4E-binding protein 4E-T in P-body formation and mRNA decay. <b>2005</b> , 170, 913-24	185
1017	A conserved RNA-protein complex component involved in physiological germline apoptosis regulation in <i>C. elegans</i> . <b>2005</b> , 132, 4975-86	120
1016	mRNA with a . <b>2005</b> , 11, 1131-40	26
1015	CaSm-mediated cellular transformation is associated with altered gene expression and messenger RNA stability. <b>2005</b> , 65, 6228-36	21
1014	The poly(A)-limiting element enhances mRNA accumulation by increasing the efficiency of pre-mRNA 3' processing. <b>2005</b> , 11, 958-65	6
1013	Recruitment and activation of mRNA decay enzymes by two ARE-mediated decay activation domains in the proteins TTP and BRF-1. <b>2005</b> , 19, 351-61	355
1012	RNA-binding proteins in early development. <b>2005</b> , 40, 21-73	69
1011	Inhibition of translational initiation by Let-7 MicroRNA in human cells. <i>Science</i> , <b>2005</b> , 309, 1573-6	33:3 1132

1010	From birth to death: the complex lives of eukaryotic mRNAs. <i>Science</i> , <b>2005</b> , 309, 1514-8	33.3	803
1009	MicroRNA function: multiple mechanisms for a tiny RNA?. <b>2005</b> , 11, 1753-61		540
1008	Interdependence between transcription and mRNP processing and export, and its impact on genetic stability. <b>2005</b> , 18, 711-22		98
1007	The developmental timing regulator AIN-1 interacts with miRISCs and may target the argonaute protein ALG-1 to cytoplasmic P bodies in <i>C. elegans</i> . <b>2005</b> , 19, 437-47		213
1006	Multiple processing body factors and the ARE binding protein TTP activate mRNA decapping. <b>2005</b> , 20, 905-15		365
1005	General translational repression by activators of mRNA decapping. <b>2005</b> , 122, 875-86		489
1004	A Place for RNAi. <b>2005</b> , 9, 311-2		7
1003	Efficient protein trafficking requires trailer hitch, a component of a ribonucleoprotein complex localized to the ER in <i>Drosophila</i> . <b>2005</b> , 9, 675-85		125
1002	Dicing and slicing: the core machinery of the RNA interference pathway. <b>2005</b> , 579, 5822-9		388
1001	Stress granules and processing bodies are dynamically linked sites of mRNP remodeling. <b>2005</b> , 169, 871-84		1047
1000	The uses of green fluorescent protein in yeasts. <b>2006</b> , 47, 179-201		6
999	Release of extraction-resistant mRNA in stationary phase <i>Saccharomyces cerevisiae</i> produces a massive increase in transcript abundance in response to stress. <b>2006</b> , 7, R9		40
998	Dendritic localization of the translational repressor Pumilio 2 and its contribution to dendritic stress granules. <b>2006</b> , 26, 6496-508		144
997	Regulation of sexual development of <i>Plasmodium</i> by translational repression. <i>Science</i> , <b>2006</b> , 313, 667-9	33.3	333
996	Control of translation and mRNA degradation by miRNAs and siRNAs. <b>2006</b> , 20, 515-24		1599
995	Silencing the transcriptome@ dark matter: mechanisms for suppressing translation of intergenic transcripts. <b>2006</b> , 22, 309-16		19
994	RAP55, a cytoplasmic mRNP component, represses translation in <i>Xenopus</i> oocytes. <b>2006</b> , 281, 40096-106		88
993	RNA granules. <b>2006</b> , 172, 803-8		851

992	Micromanagement: a role for microRNAs in mRNA stability. <b>2006</b> , 1, 132-4	17
991	Targeting of aberrant mRNAs to cytoplasmic processing bodies. <b>2006</b> , 125, 1095-109	244
990	mRNA transfection of dendritic cells: synergistic effect of ARCA mRNA capping with Poly(A) chains in cis and in trans for a high protein expression level. <b>2006</b> , 340, 1062-8	109
989	The DEAD-box protein family of RNA helicases. <b>2006</b> , 367, 17-37	713
988	Drosophila decapping protein 1, dDcp1, is a component of the oskar mRNP complex and directs its posterior localization in the oocyte. <b>2006</b> , 10, 601-13	73
987	Dcs2, a novel stress-induced modulator of m7GpppX pyrophosphatase activity that locates to P bodies. <b>2006</b> , 363, 370-82	33
986	Staufen- and FMRP-containing neuronal RNPs are structurally and functionally related to somatic P bodies. <b>2006</b> , 52, 997-1009	295
985	Messenger RNA turnover and its regulation in herpesviral infection. <b>2006</b> , 66, 337-94	35
984	Control of mRNA stability in eukaryotes. <b>2006</b> , 34, 30-34	88
983	Decapping the message: a beginning or an end. <b>2006</b> , 34, 35-38	53
982	A "liaison dangereuse" between AUF1/hnRNP D and the oncogenic tyrosine kinase NPM-ALK. <b>2006</b> , 108, 2780-8	45
981	Xp54 and related (DDX6-like) RNA helicases: roles in messenger RNP assembly, translation regulation and RNA degradation. <b>2006</b> , 34, 3082-94	129
980	MicroRNA function and mechanism: insights from zebra fish. <b>2006</b> , 71, 195-203	60
979	MicroRNAs in search of a target. <b>2006</b> , 71, 129-34	22
978	Intracellular trafficking of RNA in neurons. <b>2006</b> , 7, 1581-9	97
977	Opposing signals differentially regulate transcript stability in <i>Aspergillus nidulans</i> . <b>2006</b> , 62, 509-19	31
976	Early nonsense: mRNA decay solves a translational problem. <b>2006</b> , 7, 415-25	210
975	Stress granules: RNP-containing cytoplasmic bodies arising in stress: Structure and mechanism of organization. <b>2006</b> , 40, 844-850	15



974	More than 1 + 2 in mRNA decapping. <b>2006</b> , 13, 7-9	12
973	Kinase cogs go forward and reverse in the Wnt signaling machine. <b>2006</b> , 13, 9-11	13
972	No mercy for messages that mess with the ribosome. <b>2006</b> , 13, 299-301	14
971	Synaptotagmin: fusogenic role for calcium sensor?. <b>2006</b> , 13, 301-3	30
970	PUF proteins bind Pop2p to regulate messenger RNAs. <b>2006</b> , 13, 533-9	247
969	Proteome survey reveals modularity of the yeast cell machinery. <b>2006</b> , 440, 631-6	2096
968	ARE-mRNA degradation requires the 5' decay pathway. <b>2006</b> , 7, 72-7	188
967	Turnover in the Alps: an mRNA perspective. Workshops on mechanisms and regulation of mRNA turnover. <b>2006</b> , 7, 143-8	33
966	Formation of GW bodies is a consequence of microRNA genesis. <b>2006</b> , 7, 904-10	102
965	Principles and effects of microRNA-mediated post-transcriptional gene regulation. <b>2006</b> , 25, 6163-9	355
964	Function and localization of microRNAs in mammalian cells. <b>2006</b> , 71, 29-38	77
963	RNA damage and surveillance under oxidative stress. <b>2006</b> , 58, 581-8	127
962	The Nudix hydrolase superfamily. <b>2006</b> , 63, 123-43	436
961	Signaling pathways regulating protein synthesis during ageing. <b>2006</b> , 41, 1020-5	21
960	New insights into the control of mRNA decapping. <b>2006</b> , 31, 241-3	27
959	RNAi and microRNAs: from animal models to disease therapy. <b>2006</b> , 78, 150-71	15
958	GW bodies, microRNAs and the cell cycle. <b>2006</b> , 5, 242-5	41
957	microRNA-mediated silencing inside P-bodies. <b>2006</b> , 3, 97-100	69

956	Virus-like particles of the Ty3 retrotransposon assemble in association with P-body components. <b>2006</b> , 12, 94-101	82
955	RNA-associated protein 55 (RAP55) localizes to mRNA processing bodies and stress granules. <b>2006</b> , 12, 547-54	118
954	Inhibition of ribosome recruitment induces stress granule formation independently of eukaryotic initiation factor 2alpha phosphorylation. <b>2006</b> , 17, 4212-9	242
953	ZBP1 subcellular localization and association with stress granules is controlled by its Z-DNA binding domains. <b>2006</b> , 34, 5007-20	45
952	Meeting report: Barossa 2005--Signaling Networks. <b>2006</b> , 2006, pe9	5
951	CAR-1, a protein that localizes with the mRNA decapping component DCAP-1, is required for cytokinesis and ER organization in <i>Caenorhabditis elegans</i> embryos. <b>2006</b> , 17, 336-44	71
950	Polysome-bound endonuclease PMR1 is targeted to stress granules via stress-specific binding to TIA-1. <b>2006</b> , 26, 8803-13	31
949	CAR-1 and trailer hitch: driving mRNP granule function at the ER?. <b>2006</b> , 173, 159-63	39
948	Human retroviral host restriction factors APOBEC3G and APOBEC3F localize to mRNA processing bodies. <b>2006</b> , 2, e41	164
947	Processing body autoantibodies reconsidered. <b>2006</b> , 12, 707-9	18
946	Cip1 and Cip2 are novel RNA-recognition-motif proteins that counteract Csx1 function during oxidative stress. <b>2006</b> , 17, 1176-83	19
945	siRNA in human cells selectively localizes to target RNA sites. <b>2006</b> , 103, 7682-7	75
944	Translational regulators maintain totipotency in the <i>Caenorhabditis elegans</i> germline. <i>Science</i> , <b>2006</b> , 311, 851-3	33-3 135
943	Translation-independent inhibition of mRNA deadenylation during stress in <i>Saccharomyces cerevisiae</i> . <b>2006</b> , 12, 1835-45	69
942	Rapid ATP-dependent deadenylation of nanos mRNA in a cell-free system from <i>Drosophila</i> embryos. <b>2006</b> , 281, 25124-33	41
941	Gawky is a component of cytoplasmic mRNA processing bodies required for early <i>Drosophila</i> development. <b>2006</b> , 174, 349-58	54
940	Identification of the junctional plaque protein plakophilin 3 in cytoplasmic particles containing RNA-binding proteins and the recruitment of plakophilins 1 and 3 to stress granules. <b>2006</b> , 17, 1388-98	82
939	A specialized processing body that is temporally and asymmetrically regulated during the cell cycle in <i>Saccharomyces cerevisiae</i> . <b>2006</b> , 173, 35-45	52

938	Activity bidirectionally regulates AMPA receptor mRNA abundance in dendrites of hippocampal neurons. <b>2006</b> , 26, 8339-51	144
937	Roles of a Trypanosoma brucei 5'3'Exoribonuclease homolog in mRNA degradation. <b>2006</b> , 12, 2171-86	63
936	Sbp1p affects translational repression and decapping in Saccharomyces cerevisiae. <b>2006</b> , 26, 5120-30	49
935	Rck2 is required for reprogramming of ribosomes during oxidative stress. <b>2006</b> , 17, 1472-82	40
934	Differential distribution of exosome subunits at the nuclear lamina and in cytoplasmic foci. <b>2006</b> , 17, 1399-409	64
933	The chromatoid body of male germ cells: similarity with processing bodies and presence of Dicer and microRNA pathway components. <b>2006</b> , 103, 2647-52	288
932	Determinants of Rbp1p localization in specific cytoplasmic mRNA-processing foci, P-bodies. <b>2006</b> , 281, 29379-90	10
931	Identification of translational regulation target genes during filamentous growth in Saccharomyces cerevisiae: regulatory role of Caf20 and Dhh1. <b>2006</b> , 5, 2120-7	33
930	A brief history of RNAi: the silence of the genes. <b>2006</b> , 20, 1293-9	161
929	MicroRNAs: new players in an old game. <b>2006</b> , 103, 3951-2	11
928	Control of cellular senescence by CPEB. <b>2006</b> , 20, 2701-12	72
927	Nucleocytoplasmic shuttling of the Rpb4p and Rpb7p subunits of Saccharomyces cerevisiae RNA polymerase II by two pathways. <b>2006</b> , 5, 2092-103	43
926	Yeast transcripts cleaved by an internal ribozyme provide new insight into the role of the cap and poly(A) tail in translation and mRNA decay. <b>2006</b> , 12, 1323-37	79
925	The Rpb7p subunit of yeast RNA polymerase II plays roles in the two major cytoplasmic mRNA decay mechanisms. <b>2007</b> , 178, 1133-43	77
924	Mouse oocytes within germ cell cysts and primordial follicles contain a Balbiani body. <b>2007</b> , 104, 187-92	168
923	Localization of AU-rich element-containing mRNA in cytoplasmic granules containing exosome subunits. <b>2007</b> , 282, 19958-68	50
922	CPEB interacts with an ovary-specific eIF4E and 4E-T in early Xenopus oocytes. <b>2007</b> , 282, 37389-401	133
921	Inhibition of nonsense-mediated mRNA decay (NMD) by a new chemical molecule reveals the dynamic of NMD factors in P-bodies. <b>2007</b> , 178, 1145-60	128

920	PAB1 self-association precludes its binding to poly(A), thereby accelerating CCR4 deadenylation in vivo. <b>2007</b> , 27, 6243-53	33
919	Molecular composition of IMP1 ribonucleoprotein granules. <b>2007</b> , 6, 798-811	160
918	INCREASED SIZE EXCLUSION LIMIT 2 encodes a putative DEVH box RNA helicase involved in plasmodesmata function during Arabidopsis embryogenesis. <b>2007</b> , 19, 1885-97	107
917	In a tight spot: ARE-mRNAs at processing bodies. <b>2007</b> , 21, 627-31	29
916	Microtubule disruption stimulates P-body formation. <b>2007</b> , 13, 493-502	64
915	Arabidopsis DCP2, DCP1, and VARICOSE form a decapping complex required for postembryonic development. <b>2006</b> , 18, 3386-98	193
914	Antiviral protein APOBEC3G localizes to ribonucleoprotein complexes found in P bodies and stress granules. <b>2007</b> , 81, 2165-78	222
913	Stress-dependent relocalization of translationally primed mRNPs to cytoplasmic granules that are kinetically and spatially distinct from P-bodies. <b>2007</b> , 179, 65-74	183
912	Posttranscriptional expression regulation: what determines translation rates?. <b>2007</b> , 3, e57	140
911	MicroRNAs in tumorigenesis. <b>2007</b> , 8, 320-5	41
910	Analysis of P-body assembly in <i>Saccharomyces cerevisiae</i> . <b>2007</b> , 18, 2274-87	174
909	Requirements for nuclear localization of the Lsm2-8p complex and competition between nuclear and cytoplasmic Lsm complexes. <b>2007</b> , 120, 4310-20	19
908	Edc3p and a glutamine/asparagine-rich domain of Lsm4p function in processing body assembly in <i>Saccharomyces cerevisiae</i> . <b>2007</b> , 179, 437-49	364
907	Identification and characterization of human Mex-3 proteins, a novel family of evolutionarily conserved RNA-binding proteins differentially localized to processing bodies. <b>2007</b> , 35, 1289-300	100
906	Localization of the developmental timing regulator Lin28 to mRNP complexes, P-bodies and stress granules. <b>2007</b> , 4, 16-25	147
905	Rpm2p, a protein subunit of mitochondrial RNase P, physically and genetically interacts with cytoplasmic processing bodies. <b>2007</b> , 35, 1301-11	21
904	Probing the mRNA processing body using protein macroarrays and "autoantigenomics". <b>2007</b> , 13, 704-12	68
903	Accumulation of polyadenylated mRNA, Pab1p, eIF4E, and eIF4G with P-bodies in <i>Saccharomyces cerevisiae</i> . <b>2007</b> , 18, 2592-602	117

902	A+U-rich instability elements differentially activate 5' and 3' mRNA decay. <b>2007</b> , 27, 2791-9	51
901	The deacetylase HDAC6 is a novel critical component of stress granules involved in the stress response. <b>2007</b> , 21, 3381-94	267
900	TTP and BRF proteins nucleate processing body formation to silence mRNAs with AU-rich elements. <b>2007</b> , 21, 719-35	192
899	Interactions between brome mosaic virus RNAs and cytoplasmic processing bodies. <b>2007</b> , 81, 9759-68	63
898	Small interfering RNA-mediated silencing induces target-dependent assembly of GW/P bodies. <b>2007</b> , 18, 3375-87	42
897	GW body disassembly triggered by siRNAs independently of their silencing activity. <b>2007</b> , 35, 4715-27	64
896	Ty3 capsid mutations reveal early and late functions of the amino-terminal domain. <b>2007</b> , 81, 6957-72	29
895	Binding specificities of the GYF domains from two <i>Saccharomyces cerevisiae</i> paralogs. <b>2007</b> , 20, 443-52	10
894	Packaging of the virion host shutoff (Vhs) protein of herpes simplex virus: two forms of the Vhs polypeptide are associated with intranuclear B and C capsids, but only one is associated with enveloped virions. <b>2007</b> , 81, 1148-61	24
893	Metal determines efficiency and substrate specificity of the nuclear NUDIX decapping proteins X29 and H29K (Nudt16). <b>2007</b> , 282, 24792-805	19
892	The decapping activator Lsm1p-7p-Pat1p complex has the intrinsic ability to distinguish between oligoadenylated and polyadenylated RNAs. <b>2007</b> , 13, 998-1016	111
891	An approach to studying the localization and dynamics of eukaryotic translation factors in live yeast cells. <b>2007</b> , 431, 33-45	3
890	Host factors that control long terminal repeat retrotransposons in <i>Saccharomyces cerevisiae</i> : implications for regulation of mammalian retroviruses. <b>2007</b> , 6, 1069-80	28
889	The 1.4-Å crystal structure of the <i>S. pombe</i> Pop2p deadenylase subunit unveils the configuration of an active enzyme. <b>2007</b> , 35, 3153-64	44
888	<i>Saccharomyces cerevisiae</i> Ebs1p is a putative ortholog of human Smg7 and promotes nonsense-mediated mRNA decay. <b>2007</b> , 35, 7688-97	58
887	3' terminal oligo U-tract-mediated stimulation of decapping. <b>2007</b> , 13, 2356-65	95
886	De novo protein synthesis is required for lytic cycle reactivation of Epstein-Barr virus, but not Kaposi's sarcoma-associated herpesvirus, in response to histone deacetylase inhibitors and protein kinase C agonists. <b>2007</b> , 81, 9279-91	38
885	Components of the <i>Arabidopsis</i> mRNA decapping complex are required for early seedling development. <b>2007</b> , 19, 1549-64	99

884	GW BODIES, P BODIES AND COMPONENTS OF THE miRNA PATHWAY. <b>2007</b> , 257-262	
883	26 Yeast Gene Analysis: The Remaining Challenges. <b>2007</b> , 36, 667-683	
882	Evidence of P-body-like structures in <i>Trypanosoma cruzi</i> . <b>2007</b> , 356, 1062-7	76
881	Effective delivery with enhanced translational activity synergistically accelerates mRNA-based transfection. <b>2007</b> , 358, 373-8	47
880	Arginine catabolism in <i>Aspergillus nidulans</i> is regulated by the <i>rrmA</i> gene coding for the RNA-binding protein. <b>2007</b> , 44, 1285-97	10
879	An mRNA m7G cap binding-like motif within human Ago2 represses translation. <b>2007</b> , 129, 1141-51	332
878	P bodies and the control of mRNA translation and degradation. <b>2007</b> , 25, 635-46	988
877	The C-terminus of the yeast Lsm4p is required for the association to P-bodies. <b>2007</b> , 581, 4836-40	21
876	Mammalian stress granules and processing bodies. <b>2007</b> , 431, 61-81	475
875	How do microRNAs regulate gene expression?. <b>2007</b> , 2007, re1	301
874	P-body formation is a consequence, not the cause, of RNA-mediated gene silencing. <b>2007</b> , 27, 3970-81	511
873	Formation of cytoplasmic P-bodies in sake yeast during Japanese sake brewing and wine making. <b>2007</b> , 71, 2800-7	24
872	The role of GW/P-bodies in RNA processing and silencing. <b>2007</b> , 120, 1317-23	107
871	The nonsense-mediated decay RNA surveillance pathway. <b>2007</b> , 76, 51-74	938
870	[GW bodies and stress granules, two cytoplasmic structures for mRNA degradation and storage in mammalian cells]. <b>2007</b> , 201, 349-58	1
869	P-body components, microRNA regulation, and synaptic plasticity. <b>2007</b> , 7, 178-90	20
868	Inhibition of translation initiation by a microRNA. 85-101	1
867	Markers of mRNA stabilization and degradation, and RNAi within astrocytoma GW bodies. <b>2007</b> , 85, 3619-31	31

866	Large-scale RNAi screens identify novel genes that interact with the <i>C. elegans</i> retinoblastoma pathway as well as splicing-related components with synMuv B activity. <b>2007</b> , 7, 30	78
865	Transforming function of the LSM1 oncogene in human breast cancers with the 8p11-12 amplicon. <b>2007</b> , 26, 2104-14	41
864	Noncoding RNAs. <b>2007</b> , 72, 1161-78	27
863	P bodies: at the crossroads of post-transcriptional pathways. <b>2007</b> , 8, 9-22	751
862	The chromatoid body: a germ-cell-specific RNA-processing centre. <b>2007</b> , 8, 85-90	233
861	The highways and byways of mRNA decay. <b>2007</b> , 8, 113-26	935
860	Biochemical mechanisms of the RNA-induced silencing complex. <b>2007</b> , 17, 187-94	37
859	A conserved motif in Argonaute-interacting proteins mediates functional interactions through the Argonaute PIWI domain. <b>2007</b> , 14, 897-903	191
858	Regulation and function of maternal mRNA destabilization during early <i>Drosophila</i> development. <b>2007</b> , 75, 482-506	18
857	Recruitment of mRNAs to cytoplasmic ribonucleoprotein granules in trypanosomes. <b>2007</b> , 65, 655-70	98
856	MicroRNAs and cancer. <b>2007</b> , 115, 1090-106	139
855	Identification of PatL1, a human homolog to yeast P body component Pat1. <b>2007</b> , 1773, 1786-92	49
854	Characterization of Arabidopsis decapping proteins AtDCP1 and AtDCP2, which are essential for post-embryonic development. <b>2007</b> , 581, 2455-9	61
853	Expression of the Arabidopsis Xrn4p 5' 3' exoribonuclease facilitates degradation of tombusvirus RNA and promotes rapid emergence of viral variants in plants. <b>2007</b> , 368, 238-48	54
852	Role of short RNAs in regulating the expression of genes and mobile elements in germ cells. <b>2007</b> , 38, 171-183	2
851	Repression of protein synthesis by miRNAs: how many mechanisms?. <b>2007</b> , 17, 118-26	922
850	Therapeutic potential for microRNAs. <b>2007</b> , 59, 101-14	160
849	Therapeutic application of RNA interference for hepatitis C virus. <b>2007</b> , 59, 1263-76	33

848	Cytoplasmatic post-transcriptional regulation and intracellular signalling. <b>2007</b> , 277, 341-55	14
847	The transcriptional inhibitor thiolutin blocks mRNA degradation in yeast. <b>2008</b> , 25, 85-92	37
846	RNA-protein interactions and control of mRNA stability in neurons. <b>2008</b> , 86, 481-9	131
845	AUF1, the regulator of tumor necrosis factor alpha messenger RNA decay, is targeted by autoantibodies of patients with systemic rheumatic diseases. <b>2008</b> , 58, 511-20	18
844	MicroRNAs and their emerging roles in immunology. <b>2008</b> , 1143, 226-39	71
843	GW bodies: cytoplasmic compartments in normal human skin. <b>2008</b> , 128, 2909-12	1
842	Small RNAs and cancerogenesis. <b>2008</b> , 73, 514-27	8
841	Biological functions of amyloids: Facts and hypotheses. <b>2008</b> , 42, 710-719	3
840	A functional RNAi screen links O-GlcNAc modification of ribosomal proteins to stress granule and processing body assembly. <b>2008</b> , 10, 1224-31	294
839	Messenger RNA regulation: to translate or to degrade. <b>2008</b> , 27, 471-81	339
838	MicroRNAs in development and disease. <b>2008</b> , 74, 296-306	180
837	Plant stress granules and mRNA processing bodies are distinct from heat stress granules. <b>2008</b> , 56, 517-30	179
836	Nucleic acid oxidation in Alzheimer disease. <b>2008</b> , 44, 1493-505	163
835	Control of protein synthesis and mRNA degradation by microRNAs. <b>2008</b> , 20, 214-21	214
834	The utility of LNA in microRNA-based cancer diagnostics and therapeutics. <b>2008</b> , 18, 89-102	157
833	Stress granules: the Tao of RNA triage. <b>2008</b> , 33, 141-50	816
832	Identification of the heptameric Lsm complex that binds U6 snRNA in <i>Trypanosoma brucei</i> . <b>2008</b> , 160, 22-31	26
831	RNA as a new target for toxic and protective agents. <b>2008</b> , 648, 15-22	14



830	Subcellular localization of mRNA and factors involved in translation initiation. <b>2008</b> , 36, 648-52	9
829	The 5' 3' exoribonuclease pacman is required for epithelial sheet sealing in <i>Drosophila</i> and genetically interacts with the phosphatase puckered. <b>2008</b> , 100, 687-701	18
828	Roles of eukaryotic Lsm proteins in the regulation of mRNA function. <b>2009</b> , 272, 149-89	69
827	Tethering assays to investigate nonsense-mediated mRNA decay activating proteins. <b>2008</b> , 448, 467-82	14
826	Nuclear pre-mRNA Processing in Plants. <b>2008</b> ,	3
825	Methods in molecular biology. Preface. <b>2008</b> , 419, v-ix	2
824	mRNA decapping is promoted by an RNA-binding channel in Dcp2. <b>2008</b> , 29, 324-36	91
823	The control of mRNA decapping and P-body formation. <b>2008</b> , 32, 605-15	313
822	Large P body-like RNPs form in <i>C. elegans</i> oocytes in response to arrested ovulation, heat shock, osmotic stress, and anoxia and are regulated by the major sperm protein pathway. <b>2008</b> , 318, 38-51	79
821	Processing bodies and germ granules are distinct RNA granules that interact in <i>C. elegans</i> embryos. <b>2008</b> , 323, 76-87	109
820	<i>Drosophila</i> processing bodies in oogenesis. <b>2008</b> , 322, 276-88	64
819	The Cid1 poly(U) polymerase. <b>2008</b> , 1779, 286-94	32
818	The art of microRNA: various strategies leading to gene silencing via an ancient pathway. <b>2008</b> , 1779, 655-62	35
817	The DEAD-box RNA helicase, Dhh1, functions in mating by regulating Ste12 translation in <i>Saccharomyces cerevisiae</i> . <b>2008</b> , 367, 680-6	17
816	SSA/Ro52 autoantigen interacts with Dcp2 to enhance its decapping activity. <b>2008</b> , 370, 195-9	6
815	P bodies, stress granules, and viral life cycles. <b>2008</b> , 3, 206-12	176
814	A highly structured, nuclease-resistant, noncoding RNA produced by flaviviruses is required for pathogenicity. <b>2008</b> , 4, 579-91	337
813	Waste not, want not: a viral RNA degradation product modulates west Nile virus pathogenesis. <b>2008</b> , 4, 512-3	3

812	P bodies promote stress granule assembly in <i>Saccharomyces cerevisiae</i> . <b>2008</b> , 183, 441-55	372
811	Cell biology of mRNA decay. <b>2008</b> , 448, 553-77	21
810	In vitro assays of 5' to 3' exonuclease activity. <b>2008</b> , 448, 167-83	16
809	Patented therapeutic RNAi strategies for neurodegenerative diseases of the CNS. <b>2008</b> , 18, 1161-1174	6
808	Pat1 contains distinct functional domains that promote P-body assembly and activation of decapping. <b>2008</b> , 28, 1298-312	91
807	Translational control of gene expression from transcripts to transcriptomes. <b>2008</b> , 271, 199-251	40
806	Positioning lipid membrane domains in giant vesicles by micro-organization of aqueous cytoplasm mimic. <b>2008</b> , 130, 7400-6	47
805	Degradation of histone mRNA requires oligouridylation followed by decapping and simultaneous degradation of the mRNA both 5' to 3' and 3' to 5'. <b>2008</b> , 22, 50-65	257
804	Deadenylation is prerequisite for P-body formation and mRNA decay in mammalian cells. <b>2008</b> , 182, 89-101	154
803	A novel class of mRNA-containing cytoplasmic granules are produced in response to UV-irradiation. <b>2008</b> , 19, 4980-92	27
802	Identification of GW182 and its novel isoform TNGW1 as translational repressors in Ago2-mediated silencing. <b>2008</b> , 121, 4134-44	55
801	CaSm (LSm-1) overexpression in lung cancer and mesothelioma is required for transformed phenotypes. <b>2008</b> , 38, 671-8	17
800	Upf1 potentially serves as a RING-related E3 ubiquitin ligase via its association with Upf3 in yeast. <b>2008</b> , 14, 1950-8	45
799	Control of mRNA decapping by Dcp2: An open and shut case?. <b>2008</b> , 5, 189-92	10
798	Perplexing bodies: The putative roles of P-bodies in neurons. <b>2008</b> , 5, 244-8	21
797	<i>C. elegans</i> La-related protein, LARP-1, localizes to germline P bodies and attenuates Ras-MAPK signaling during oogenesis. <b>2008</b> , 14, 1378-89	57
796	Intracellular trafficking and dynamics of P bodies. <b>2008</b> , 2, 131-4	25
795	RNA interference and cancer: endogenous pathways and therapeutic approaches. <b>2008</b> , 615, 299-329	27

794	NMD: multitasking between mRNA surveillance and modulation of gene expression. <b>2008</b> , 62, 185-243	59
793	Human immunodeficiency virus type 1 Vif functionally interacts with diverse APOBEC3 cytidine deaminases and moves with them between cytoplasmic sites of mRNA metabolism. <b>2008</b> , 82, 987-98	49
792	Reconstitution of recombinant human LSm complexes for biochemical, biophysical, and cell biological studies. <b>2008</b> , 448, 57-74	6
791	The Cth2 ARE-binding protein recruits the Dhh1 helicase to promote the decay of succinate dehydrogenase SDH4 mRNA in response to iron deficiency. <b>2008</b> , 283, 28527-35	56
790	The dynamics of mammalian P body transport, assembly, and disassembly in vivo. <b>2008</b> , 19, 4154-66	179
789	IMP dehydrogenase-linked retinitis pigmentosa. <b>2008</b> , 27, 839-49	8
788	lsm1 mutations impairing the ability of the Lsm1p-7p-Pat1p complex to preferentially bind to oligoadenylated RNA affect mRNA decay in vivo. <b>2008</b> , 14, 2149-58	19
787	Poly(rC) binding proteins and the 5'αloverleaf of uncapped poliovirus mRNA function during de novo assembly of polysomes. <b>2008</b> , 82, 5835-46	14
786	Maternal Argonaute 2 is essential for early mouse development at the maternal-zygotic transition. <b>2008</b> , 19, 4383-92	89
785	Zinc as a translation regulator in neurons: implications for P-body aggregation. <b>2008</b> , 121, 3253-60	6
784	The T body, a new cytoplasmic RNA granule in <i>Saccharomyces cerevisiae</i> . <b>2008</b> , 28, 6022-32	33
783	A role for Q/N-rich aggregation-prone regions in P-body localization. <b>2008</b> , 121, 2463-72	176
782	Crystal structure of human Edc3 and its functional implications. <b>2008</b> , 28, 5965-76	57
781	<i>S. cerevisiae</i> Vts1p induces deadenylation-dependent transcript degradation and interacts with the Ccr4p-Pop2p-Not deadenylase complex. <b>2008</b> , 14, 1328-36	30
780	The DEAD-box RNA helicase Ded1p affects and accumulates in <i>Saccharomyces cerevisiae</i> P-bodies. <b>2008</b> , 19, 984-93	79
779	Synthetic genetic array analysis in <i>Saccharomyces cerevisiae</i> provides evidence for an interaction between RAT8/DBP5 and genes encoding P-body components. <b>2008</b> , 179, 1945-55	22
778	Ty3 nucleocapsid controls localization of particle assembly. <b>2008</b> , 82, 2501-14	29
777	Interaction with 14-3-3 adaptors regulates the sorting of hMex-3B RNA-binding protein to distinct classes of RNA granules. <b>2008</b> , 283, 32131-42	31

776	A conserved U-rich RNA region implicated in regulation of translation in Plasmodium female gametocytes. <b>2008</b> , 36, 1176-86	47
775	Protection of specific maternal messenger RNAs by the P body protein CGH-1 (Dhh1/RCK) during Caenorhabditis elegans oogenesis. <b>2008</b> , 182, 543-57	94
774	The 90-kDa heat shock protein stabilizes the polysomal ribonuclease 1 mRNA endonuclease to degradation by the 26S proteasome. <b>2008</b> , 19, 546-52	10
773	Control of mRNA stability by SAPKs. <b>2008</b> , 20, 159-170	3
772	Transcriptome targets of the exosome complex in plants. <b>2008</b> , 448, 429-43	1
771	Analyzing P-bodies in Saccharomyces cerevisiae. <b>2008</b> , 448, 507-20	35
770	A role for Lsm1p in response to ultraviolet-radiation damage in Saccharomyces cerevisiae. <b>2008</b> , 170, 411-21	3
769	Translationally repressed mRNA transiently cycles through stress granules during stress. <b>2008</b> , 19, 4469-79	157
768	Heat shock causes a decrease in polysomes and the appearance of stress granules in trypanosomes independently of eIF2(alpha) phosphorylation at Thr169. <b>2008</b> , 121, 3002-14	127
767	Identification of PCBP2, a facilitator of IRES-mediated translation, as a novel constituent of stress granules and processing bodies. <b>2008</b> , 14, 425-31	61
766	The chromatoid body of male germ cells: epigenetic control and miRNA pathway. <b>2008</b> , 7, 3503-8	26
765	The 50S exoribonuclease Pacman is required for normal male fertility and is dynamically localized in cytoplasmic particles in Drosophila testis cells. <b>2008</b> , 416, 327-35	25
764	UPF1 P-body localization. <b>2008</b> , 36, 698-700	10
763	Historical survey on chromatoid body research. <b>2008</b> , 41, 65-82	42
762	The design of vectors for RNAi delivery system. <b>2008</b> , 14, 1327-40	21
761	Sublethal RNA oxidation as a mechanism for neurodegenerative disease. <b>2008</b> , 9, 789-806	31
760	Yeast screens identify the RNA polymerase II CTD and SPT5 as relevant targets of BRCA1 interaction. <b>2008</b> , 3, e1448	25
759	The fascinating world of RNA interference. <b>2009</b> , 5, 97-117	47

758	miRNA-dependent translational repression in the Drosophila ovary. <b>2009</b> , 4, e4669	12
757	Arabidopsis decapping 5 is required for mRNA decapping, P-body formation, and translational repression during postembryonic development. <b>2009</b> , 21, 3270-9	111
756	Processing bodies are not required for mammalian nonsense-mediated mRNA decay. <b>2009</b> , 15, 1265-73	61
755	The virion-packaged endoribonuclease of herpes simplex virus 1 cleaves mRNA in polyribosomes. <b>2009</b> , 106, 12139-44	11
754	Mechanisms of nuclear mRNA quality control. <b>2009</b> , 6, 237-41	70
753	Environmental stresses and clinical drugs paralyze a cell. <b>2009</b> , 2, 275-8	7
752	Stm1 modulates mRNA decay and Dhh1 function in <i>Saccharomyces cerevisiae</i> . <b>2009</b> , 181, 93-103	25
751	The C-terminal half of human Ago2 binds to multiple GW-rich regions of GW182 and requires GW182 to mediate silencing. <b>2009</b> , 15, 804-13	101
750	Potential uses of microRNA in lung cancer diagnosis, prognosis, and therapy. <b>2009</b> , 9, 572-94	96
749	RNA under attack: cellular handling of RNA damage. <b>2009</b> , 44, 34-49	143
748	Concordant regulation of translation and mRNA abundance for hundreds of targets of a human microRNA. <b>2009</b> , 7, e1000238	320
747	Structural aspects of RNA helicases in eukaryotic mRNA decay. <b>2009</b> , 29, 339-49	3
746	Dcp1-bodies in mouse oocytes. <b>2009</b> , 20, 4951-61	42
745	Learning a prior on regulatory potential from eQTL data. <b>2009</b> , 5, e1000358	151
744	Specific and global regulation of mRNA stability during osmotic stress in <i>Saccharomyces cerevisiae</i> . <b>2009</b> , 15, 1110-20	113
743	Curled encodes the <i>Drosophila</i> homolog of the vertebrate circadian deadenylase Nocturnin. <b>2009</b> , 183, 219-32	22
742	The <i>Arabidopsis</i> tandem zinc finger protein AtTZF1 traffics between the nucleus and cytoplasmic foci and binds both DNA and RNA. <b>2010</b> , 152, 151-65	133
741	Robust heat shock induces eIF2alpha-phosphorylation-independent assembly of stress granules containing eIF3 and 40S ribosomal subunits in budding yeast, <i>Saccharomyces cerevisiae</i> . <b>2009</b> , 122, 2078-88	175

740	A role for transportin in deposition of TTP to cytoplasmic RNA granules and mRNA decay. <b>2009</b> , 37, 6600-12	44
739	Human UPF1 participates in small RNA-induced mRNA downregulation. <b>2009</b> , 29, 5789-99	24
738	Cells lacking the fragile X mental retardation protein (FMRP) have normal RISC activity but exhibit altered stress granule assembly. <b>2009</b> , 20, 428-37	68
737	Re-capping the message. <b>2009</b> , 34, 435-42	71
736	Silencing of <i>Nicotiana benthamiana</i> Xrn4p exoribonuclease promotes tombusvirus RNA accumulation and recombination. <b>2009</b> , 386, 344-52	62
735	Human hnRNP Q re-localizes to cytoplasmic granules upon PMA, thapsigargin, arsenite and heat-shock treatments. <b>2009</b> , 315, 968-80	27
734	Selective localization of PCBP2 to cytoplasmic processing bodies. <b>2009</b> , 1793, 878-87	19
733	Dynamic organization and plasticity of sponge bodies. <b>2009</b> , 238, 918-30	42
732	Mago, a vertebrate homolog of <i>Drosophila</i> Mago nashi protein, is a component of the chromatoid body in the cytoplasm of the postmeiotic spermatid. <b>2010</b> , 314, 232-41	6
731	RNA oxidation in Alzheimer disease and related neurodegenerative disorders. <b>2009</b> , 118, 151-66	119
730	MicroRNAs - powerful repression comes from small RNAs. <b>2009</b> , 52, 323-30	17
729	MicroRNA and colorectal cancer. <b>2009</b> , 33, 638-46	106
728	Enhancer of decapping proteins 1 and 2 are important for translation during heat stress in <i>Saccharomyces cerevisiae</i> . <b>2009</b> , 73, 1032-42	16
727	Optimization of immunoprecipitation-western blot analysis in detecting GW182-associated components of GW/P bodies. <b>2009</b> , 4, 674-85	22
726	Freedom versus constraint in protein function. <b>2009</b> , 10, 372	2
725	Decapping is preceded by 3' uridylation in a novel pathway of bulk mRNA turnover. <b>2009</b> , 16, 616-23	163
724	Analysis of Lsm1p and Lsm8p domains in the cellular localization of Lsm complexes in budding yeast. <b>2009</b> , 276, 3602-17	8
723	Interleukin-1-inducible MCPIP protein has structural and functional properties of RNase and participates in degradation of IL-1beta mRNA. <b>2009</b> , 276, 7386-99	120

722	Post-transcriptional regulation of gene expression in yeast under ethanol stress. <b>2009</b> , 53, 93-9	6
721	Residues that affect human Argonaute2 concentration in cytoplasmic processing bodies. <b>2009</b> , 378, 620-4	7
720	The spinal muscular atrophy protein SMN affects Drosophila germline nuclear organization through the U body-P body pathway. <b>2009</b> , 332, 142-55	41
719	MicroRNA in autoimmunity and autoimmune diseases. <b>2009</b> , 32, 189-94	378
718	A convergence of rRNA and mRNA quality control pathways revealed by mechanistic analysis of nonfunctional rRNA decay. <b>2009</b> , 34, 440-50	138
717	Regulation of translation by stress granules and processing bodies. <b>2009</b> , 90, 155-85	96
716	Killer and protective ribosomes. <b>2009</b> , 85, 423-66	54
715	MicroRNA-mediated gene silencing. <b>2009</b> , 90, 187-210	14
714	Encyclopedia of Neuroscience. <b>2009</b> , 3395-3395	
713	Encyclopedia of Neuroscience. <b>2009</b> , 3357-3555	
712	RNA degradation in Archaea and Gram-negative bacteria different from Escherichia coli. <b>2009</b> , 85, 275-317	40
711	The Yb protein defines a novel organelle and regulates male germline stem cell self-renewal in Drosophila melanogaster. <b>2009</b> , 185, 613-27	72
710	Characterization of the vaccinia virus D10 decapping enzyme provides evidence for a two-metal-ion mechanism. <b>2009</b> , 420, 27-35	11
709	MicroRNA: Biogenesis, Function and Role in Cancer. <b>2010</b> , 11, 537-61	1021
708	Ago2 and GW182 expression in mouse preimplantation embryos: a link between microRNA biogenesis and GW182 protein synthesis. <b>2010</b> , 22, 634-43	11
707	Inhibition of translation initiation following glucose depletion in yeast facilitates a rationalization of mRNA content. <b>2010</b> , 38, 1131-6	19
706	Pat1 proteins: a life in translation, translation repression and mRNA decay. <b>2010</b> , 38, 1602-7	41
705	Sphingolipids mediate formation of mRNA processing bodies during the heat-stress response of Saccharomyces cerevisiae. <b>2010</b> , 431, 31-8	29

704	Inflammation: cytokines and RNA-based regulation. <b>2010</b> , 1, 60-80	46
703	Regulation of mRNA decapping. <b>2010</b> , 1, 253-65	90
702	From cradle to grave: RNA biology in malaria parasites. <b>2010</b> , 1, 287-303	25
701	Localization of mouse vasa homolog protein in chromatoid body and related nuage structures of mammalian spermatogenic cells during spermatogenesis. <b>2010</b> , 133, 627-39	40
700	Proteomic analysis of hyphae-specific proteins that are expressed differentially in cakem1/cakem1 mutant strains of <i>Candida albicans</i> . <b>2010</b> , 48, 365-71	7
699	Control of RNA silencing and localization by endolysosomes. <b>2010</b> , 20, 491-501	62
698	Differential localization to cytoplasm, nucleus or P-bodies of yeast PKA subunits under different growth conditions. <b>2010</b> , 89, 339-48	57
697	<i>Drosophila</i> SMN complex proteins Gemin2, Gemin3, and Gemin5 are components of U bodies. <b>2010</b> , 316, 2354-64	30
696	The yeast ubiquitin-like domain protein Mdy2 is required for microtubule-directed nuclear migration and localizes to cytoplasmic granules in response to heat stress. <b>2010</b> , 67, 635-49	4
695	Mouse ZAR1-like (XM_359149) colocalizes with mRNA processing components and its dominant-negative mutant caused two-cell-stage embryonic arrest. <b>2010</b> , 239, 407-24	39
694	Micro-RNA - A potential for forensic science?. <b>2010</b> , 203, 106-11	64
693	A novel link between Sus1 and the cytoplasmic mRNA decay machinery suggests a broad role in mRNA metabolism. <b>2010</b> , 11, 19	12
692	Gold nanoparticles capped with polyethyleneimine for enhanced siRNA delivery. <b>2010</b> , 6, 239-46	243
691	The Kinesin motor protein Cut7 regulates biogenesis and function of Ago1-complexes. <b>2010</b> , 11, 25-36	8
690	The ROQUIN family of proteins localizes to stress granules via the ROQ domain and binds target mRNAs. <b>2010</b> , 277, 2109-27	61
689	Polypyrimidine tract-binding protein homologues from <i>Arabidopsis</i> underlie regulatory circuits based on alternative splicing and downstream control. <b>2010</b> , 64, 243-55	55
688	Distinct roles for Caf1, Ccr4, Edc3 and CutA in the co-ordination of transcript deadenylation, decapping and P-body formation in <i>Aspergillus nidulans</i> . <b>2010</b> , 76, 503-16	24
687	A split active site couples cap recognition by Dcp2 to activation. <b>2010</b> , 17, 1096-101	44



686	Ischemic preconditioning regulates expression of microRNAs and a predicted target, MeCP2, in mouse cortex. <b>2010</b> , 30, 744-56	140
685	MicroRNAs as effectors of brain function with roles in ischemia and injury, neuroprotection, and neurodegeneration. <b>2010</b> , 30, 1564-76	186
684	mRNPs: From informosomes to stress granules. <b>2010</b> , 44, 520-528	3
683	Coordinate control of gene expression noise and interchromosomal interactions in a MAP kinase pathway. <b>2010</b> , 12, 954-62	49
682	Anthrax lethal toxin promotes dephosphorylation of TTP and formation of processing bodies. <b>2010</b> , 12, 557-68	7
681	Functional overlap between eIF4G isoforms in <i>Saccharomyces cerevisiae</i> . <b>2010</b> , 5, e9114	44
680	The microRNA and messengerRNA profile of the RNA-induced silencing complex in human primary astrocyte and astrocytoma cells. <b>2010</b> , 5, e13445	25
679	The RNA helicase DHH1 is central to the correct expression of many developmentally regulated mRNAs in trypanosomes. <b>2010</b> , 123, 699-711	52
678	Human Pat1b connects deadenylation with mRNA decapping and controls the assembly of processing bodies. <b>2010</b> , 30, 4308-23	104
677	RNA duplexes in transcriptional regulation. <b>2010</b> , 1, 285-96	
676	5' to 3' mRNA decay factors colocalize with Ty1 gag and human APOBEC3G and promote Ty1 retrotransposition. <b>2010</b> , 84, 5052-66	49
675	Slow non-specific accumulation of 2'-deoxy and 2'-O-methyl oligonucleotide probes at mitochondria in live cells. <b>2010</b> , 38, e109	37
674	Future prospect of RNA interference for cancer therapies. <b>2010</b> , 11, 345-60	56
673	P-body components are required for Ty1 retrotransposition during assembly of retrotransposition-competent virus-like particles. <b>2010</b> , 30, 382-98	60
672	Sex-induced silencing defends the genome of <i>Cryptococcus neoformans</i> via RNAi. <b>2010</b> , 24, 2566-82	112
671	Dcp2 phosphorylation by Ste20 modulates stress granule assembly and mRNA decay in <i>Saccharomyces cerevisiae</i> . <b>2010</b> , 189, 813-27	71
670	Defects in the secretory pathway and high Ca <sup>2+</sup> induce multiple P-bodies. <b>2010</b> , 21, 2624-38	41
669	LIM-domain proteins, LIMD1, Ajuba, and WTIP are required for microRNA-mediated gene silencing. <b>2010</b> , 107, 12499-504	52

668	Macro Roles for MicroRNAs in the Life and Death of Neurons. <b>2010</b> ,	4
667	Identification of novel filament-forming proteins in <i>Saccharomyces cerevisiae</i> and <i>Drosophila melanogaster</i> . <b>2010</b> , 190, 541-51	199
666	NANOS2 interacts with the CCR4-NOT deadenylation complex and leads to suppression of specific RNAs. <b>2010</b> , 107, 3594-9	115
665	An RNA pseudoknot is required for production of yellow fever virus subgenomic RNA by the host nuclease XRN1. <b>2010</b> , 84, 11395-406	129
664	Genome-wide mapping of myosin protein-RNA networks suggests the existence of specialized protein production sites. <b>2010</b> , 24, 479-84	6
663	Universal features of post-transcriptional gene regulation are critical for <i>Plasmodium</i> zygote development. <b>2010</b> , 6, e1000767	180
662	Conserved RNaseII domain protein functions in cytoplasmic mRNA decay and suppresses <i>Arabidopsis</i> decapping mutant phenotypes. <b>2010</b> , 107, 15981-5	59
661	MicroRNAs in neurodegenerative disorders. <b>2010</b> , 9, 1717-21	19
660	A novel maternal mRNA storage compartment in mouse oocytes. <b>2010</b> , 82, 807-8	5
659	Microcompartmentation in artificial cells: pH-induced conformational changes alter protein localization. <b>2010</b> , 26, 5697-705	52
658	Engineered rings of mixed yeast Lsm proteins show differential interactions with translation factors and U-rich RNA. <b>2010</b> , 49, 2335-45	11
657	On track with P-bodies. <b>2010</b> , 38, 242-51	156
656	Analyzing P-bodies and stress granules in <i>Saccharomyces cerevisiae</i> . <b>2010</b> , 470, 619-40	57
655	Initiation of the TORC1-regulated G0 program requires Igo1/2, which license specific mRNAs to evade degradation via the 5'3'UTR mRNA decay pathway. <b>2010</b> , 38, 345-55	90
654	Decapping activators in <i>Saccharomyces cerevisiae</i> act by multiple mechanisms. <b>2010</b> , 39, 773-83	170
653	Proteomic analysis reveals the dynamic association of proteins with translated mRNAs in <i>Trypanosoma cruzi</i> . <b>2010</b> , 452, 72-8	27
652	Cytoplasmic ribonucleoprotein (RNP) bodies and their relationship to GW/P bodies. <b>2010</b> , 42, 828-43	67
651	RNA polymerase II subunits link transcription and mRNA decay to translation. <b>2010</b> , 143, 552-63	139

650	Intracellular compartmentation of CTP synthase in <i>Drosophila</i> . <b>2010</b> , 37, 281-96	129
649	3Oridylation and the regulation of RNA function in the cytoplasm. <b>2010</b> , 38, 1150-3	28
648	Global genomics and proteomics approaches to identify host factors as targets to induce resistance against Tomato bushy stunt virus. <b>2010</b> , 76, 123-77	82
647	Ethanol stress response in the mRNA flux of <i>Saccharomyces cerevisiae</i> . <b>2010</b> , 74, 7-12	10
646	Advanced methods for high-throughput microscopy screening of genetically modified yeast libraries. <b>2011</b> , 781, 127-59	64
645	Argonaute Proteins. <b>2011</b> ,	1
644	Network Biology. <b>2011</b> ,	3
643	Visualization and analysis of the complexome network of <i>Saccharomyces cerevisiae</i> . <b>2011</b> , 10, 4744-56	14
642	Promoter elements regulate cytoplasmic mRNA decay. <b>2011</b> , 147, 1473-83	142
641	Safe keeping the message: mRNP complexes tweaking after transcription. <b>2011</b> , 722, 118-36	20
640	The Chromatoid Body: A Specialized RNA Granule of Male Germ Cells. <b>2011</b> , 311-328	1
639	Coupled 5Oucleotide recognition and processivity in Xrn1-mediated mRNA decay. <b>2011</b> , 41, 600-8	114
638	The cAMP-dependent protein kinase signaling pathway is a key regulator of P body foci formation. <b>2011</b> , 43, 973-81	91
637	Reconsidering movement of eukaryotic mRNAs between polysomes and P bodies. <b>2011</b> , 44, 745-58	96
636	Silencing of NbXrn4 facilitates the systemic infection of Tobacco mosaic virus in <i>Nicotiana benthamiana</i> . <b>2011</b> , 158, 268-70	21
635	MicroRNA machinery responds to peripheral nerve lesion in an injury-regulated pattern. <b>2011</b> , 190, 386-97	53
634	RNA granules present only in extracellular <i>Toxoplasma gondii</i> increase parasite viability. <b>2011</b> , 7, 960-7	19
633	The Lsm Proteins: Ring Architectures for RNA Capture. <b>2011</b> ,	

632	RNA Granules Living a Post-Transcriptional Life: the Trypanosomes Case. <b>2011</b> , 5,	
631	NA Metabolism in Neurodegenerative Disease. <b>2011</b> , 5,	
630	mRNA stability and control of cell proliferation. <b>2011</b> , 39, 1461-5	21
629	CNOT2 depletion disrupts and inhibits the CCR4-NOT deadenylase complex and induces apoptotic cell death. <b>2011</b> , 16, 368-79	54
628	TDP-43 and FUS/TLS: sending a complex message about messenger RNA in amyotrophic lateral sclerosis?. <b>2011</b> , 278, 3569-77	19
627	Lsm1 promotes genomic stability by controlling histone mRNA decay. <b>2011</b> , 30, 2008-18	42
626	Processing bodies and plant development. <b>2011</b> , 14, 88-93	80
625	Identification and characterization of protein interactions in the mammalian mRNA processing body using a novel two-hybrid assay. <b>2011</b> , 317, 2183-99	8
624	U bodies respond to nutrient stress in Drosophila. <b>2011</b> , 317, 2835-44	21
623	RNA granules: the good, the bad and the ugly. <b>2011</b> , 23, 324-34	205
622	Mechanisms of deadenylation-dependent decay. <b>2011</b> , 2, 167-83	204
621	Structural and functional insights into eukaryotic mRNA decapping. <b>2011</b> , 2, 193-208	37
620	Turnover of AU-rich-containing mRNAs during stress: a matter of survival. <b>2011</b> , 2, 336-47	102
619	The role of the CNOT1 subunit of the CCR4-NOT complex in mRNA deadenylation and cell viability. <b>2011</b> , 2, 755-63	50
618	A genome-wide RNAi screen identifies genes regulating the formation of P bodies in C. elegans and their functions in NMD and RNAi. <b>2011</b> , 2, 918-39	24
617	Yeast processing bodies and stress granules: self-assembly ribonucleoprotein particles. <b>2011</b> , 10, 73	7
616	P-body components, Dhh1 and Pat1, are involved in tRNA nuclear-cytoplasmic dynamics. <b>2011</b> , 17, 912-24	14
615	The DNA methyltransferase Dnmt2 participates in RNA processing during cellular stress. <b>2011</b> , 6, 103-13	48

614	The roles of host factors in tombusvirus RNA recombination. <b>2011</b> , 81, 63-84	44
613	Small RNAs in early mammalian development: from gametes to gastrulation. <b>2011</b> , 138, 1653-61	125
612	c-Jun N-terminal kinase phosphorylates DCP1a to control formation of P bodies. <b>2011</b> , 194, 581-96	58
611	Stress-specific composition, assembly and kinetics of stress granules in <i>Saccharomyces cerevisiae</i> . <b>2011</b> , 124, 228-39	170
610	Nutrients and the Pkh1/2 and Pkc1 protein kinases control mRNA decay and P-body assembly in yeast. <b>2011</b> , 286, 8759-70	25
609	RhoA activation participates in rearrangement of processing bodies and release of nucleated AU-rich mRNAs. <b>2011</b> , 39, 3446-57	12
608	The human Pat1b protein: a novel mRNA deadenylation factor identified by a new immunoprecipitation technique. <b>2011</b> , 39, 635-47	28
607	Diauxic shift-dependent relocalization of decapping activators Dhh1 and Pat1 to polysomal complexes. <b>2011</b> , 39, 7764-74	17
606	Unraveling regulation and new components of human P-bodies through a protein interaction framework and experimental validation. <b>2011</b> , 17, 1619-34	35
605	Maybe repressed mRNAs are not stored in the chromatoid body in mammalian spermatids. <b>2011</b> , 142, 383-8	10
604	Active liquid-like behavior of nucleoli determines their size and shape in <i>Xenopus laevis</i> oocytes. <b>2011</b> , 108, 4334-9	725
603	Cytoplasmic mRNP granules at a glance. <b>2011</b> , 124, 293-7	76
602	Myosin Va is required for P body but not stress granule formation. <b>2011</b> , 286, 11519-28	14
601	P bodies inhibit retrotransposition of endogenous intracisternal particles. <b>2011</b> , 85, 6244-51	14
600	Poliovirus-mediated disruption of cytoplasmic processing bodies. <b>2011</b> , 85, 64-75	86
599	Intermolecular interactions within the abundant DEAD-box protein Dhh1 regulate its activity in vivo. <b>2011</b> , 286, 27454-70	38
598	Differential utilization of decapping enzymes in mammalian mRNA decay pathways. <b>2011</b> , 17, 419-28	49
597	The DEXD/H box ATPase Dhh1 functions in translational repression, mRNA decay, and processing body dynamics. <b>2011</b> , 194, 527-37	63

596	The Ccr4a (CNOT6) and Ccr4b (CNOT6L) deadenylase subunits of the human Ccr4-Not complex contribute to the prevention of cell death and senescence. <b>2011</b> , 22, 748-58	83
595	Mutations in the RNA granule component TDRD7 cause cataract and glaucoma. <i>Science</i> , <b>2011</b> , 331, 1571-3	145
594	Cellular stress induces cytoplasmic RNA granules in fission yeast. <b>2011</b> , 17, 120-33	36
593	Genome-wide analysis of GLD-1-mediated mRNA regulation suggests a role in mRNA storage. <b>2012</b> , 8, e1002742	35
592	RNA-related nuclear functions of human Pat1b, the P-body mRNA decay factor. <b>2012</b> , 23, 213-24	29
591	Acidic stress induces the formation of P-bodies, but not stress granules, with mild attenuation of bulk translation in <i>Saccharomyces cerevisiae</i> . <b>2012</b> , 446, 225-33	22
590	Sequestration of highly expressed mRNAs in cytoplasmic granules, P-bodies, and stress granules enhances cell viability. <b>2012</b> , 8, e1002527	60
589	XRN1: A Major 5' to 3' Exoribonuclease in Eukaryotic Cells. <b>2012</b> , 31, 97-114	11
588	Yeast mRNA cap-binding protein Cbc1/Sto1 is necessary for the rapid reprogramming of translation after hyperosmotic shock. <b>2012</b> , 23, 137-50	35
587	West Nile virus infections suppress early viral RNA synthesis and avoid inducing the cell stress granule response. <b>2012</b> , 86, 3647-57	44
586	The RNA helicase Dhh1p cooperates with Rbp1p to promote porin mRNA decay via its non-conserved C-terminal domain. <b>2012</b> , 40, 1331-44	11
585	Zinc at cytotoxic concentrations affects posttranscriptional events of gene expression in cancer cells. <b>2012</b> , 29, 181-8	15
584	New insights into the regulation of RNP granule assembly in oocytes. <b>2012</b> , 295, 233-89	55
583	Analysis of RNA helicases in P-bodies and stress granules. <b>2012</b> , 511, 323-46	11
582	Inhibition of mRNA maturation in trypanosomes causes the formation of novel foci at the nuclear periphery containing cytoplasmic regulators of mRNA fate. <b>2012</b> , 125, 2896-909	29
581	Pat1 proteins: regulating mRNAs from birth to death?. <b>2012</b> , 3, 295-306	1
580	ifet-1 is a broad-scale translational repressor required for normal P granule formation in <i>C. elegans</i> . <b>2013</b> , 126, 850-9	24
579	The conserved P body component HPat/Pat1 negatively regulates synaptic terminal growth at the larval <i>Drosophila</i> neuromuscular junction. <b>2012</b> , 125, 6105-16	19

578	Cytoplasmic Ribonucleoprotein Foci in Eukaryotes: Hotspots of Bio(chemical)Diversity. <b>2012</b> , 2012, 504292	3
577	The role of microRNAs in HIV-1 pathogenesis and therapy. <b>2012</b> , 26, 1325-34	28
576	The RNA-binding protein CUG-BP1 increases survivin expression in oesophageal cancer cells through enhanced mRNA stability. <b>2012</b> , 446, 113-23	29
575	Co-regulation of polar mRNA transport and lifespan in budding yeast <i>Saccharomyces cerevisiae</i> . <b>2012</b> , 11, 4275-80	3
574	Overexpression of a LAM domain containing RNA-binding protein LARP1c induces precocious leaf senescence in <i>Arabidopsis</i> . <b>2012</b> , 34, 367-74	10
573	Regulation of stress granules in virus systems. <b>2012</b> , 20, 175-83	150
572	Dissecting DNA damage response pathways by analysing protein localization and abundance changes during DNA replication stress. <b>2012</b> , 14, 966-76	322
571	Phosphorylation of the eukaryotic translation initiation factor 4E-transporter (4E-T) by c-Jun N-terminal kinase promotes stress-dependent P-body assembly. <b>2012</b> , 32, 4572-84	29
570	PKA isoforms coordinate mRNA fate during nutrient starvation. <b>2012</b> , 125, 5221-32	18
569	The dual organization of P-bodies revealed by immunoelectron microscopy and electron tomography. <b>2012</b> , 420, 17-28	34
568	Ways and means of eukaryotic mRNA decay. <b>2012</b> , 1819, 593-603	50
567	The structural basis of Edc3- and Scd6-mediated activation of the Dcp1:Dcp2 mRNA decapping complex. <b>2012</b> , 31, 279-90	84
566	Mechanism of the initiation of mRNA decay: role of eRF3 family G proteins. <b>2012</b> , 3, 743-57	23
565	Widespread uncoupling between transcriptome and translome variations after a stimulus in mammalian cells. <b>2012</b> , 13, 220	86
564	P-bodies and stress granules: possible roles in the control of translation and mRNA degradation. <b>2012</b> , 4, a012286	433
563	Alternative RISC assembly: binding and repression of microRNA-mRNA duplexes by human Ago proteins. <b>2012</b> , 18, 2041-55	84
562	HIV-1 replication and APOBEC3 antiviral activity are not regulated by P bodies. <b>2012</b> , 86, 11712-24	41
561	Ccr4-Not complex: the control freak of eukaryotic cells. <b>2012</b> , 47, 315-33	122

560	Lafora disease E3 ubiquitin ligase malin is recruited to the processing bodies and regulates the microRNA-mediated gene silencing process via the decapping enzyme Dcp1a. <b>2012</b> , 9, 1440-9	15
559	PKC $\beta$ binds G3BP2 and regulates stress granule formation following cellular stress. <b>2012</b> , 7, e35820	40
558	Confirmation of a Mutation by MicroRNA. <b>2012</b> , 343-369	
557	MicroRNAs: molecular features and role in cancer. <b>2012</b> , 17, 2508-40	158
556	The 5' to 3' exonuclease XRN1/Pacman and its functions in cellular processes and development. <b>2012</b> , 3, 455-68	70
555	Use of the novel technique of analytical ultracentrifugation with fluorescence detection system identifies a 77S monosomal translation complex. <b>2012</b> , 21, 1253-68	10
554	RNA degradation in <i>Saccharomyces cerevisiae</i> . <b>2012</b> , 191, 671-702	260
553	Germ granules and the control of mRNA translation. <b>2012</b> , 64, 586-94	21
552	Oxidative damage to RNA in aging and neurodegenerative disorders. <b>2012</b> , 22, 231-48	131
551	P-bodies and their functions during mRNA cell cycle: mini-review. <b>2012</b> , 30, 177-82	24
550	Roles of cytoplasmic RNP granules in intracellular RNA localization and translational control in the <i>Drosophila</i> oocyte. <b>2012</b> , 54, 19-31	14
549	The essence of yeast quiescence. <b>2012</b> , 36, 306-39	147
548	TDP-43 aggregation in neurodegeneration: are stress granules the key?. <b>2012</b> , 1462, 16-25	151
547	MicroRNAs in neurodegenerative diseases and their therapeutic potential. <b>2012</b> , 133, 142-50	161
546	General principals of miRNA biogenesis and regulation in the brain. <b>2013</b> , 38, 39-54	132
545	Plant microRNAs and development. <b>2013</b> , 40, 217-30	56
544	The RNA polymerase II Rpb4/7 subcomplex regulates cellular lifespan through an mRNA decay process. <b>2013</b> , 441, 266-270	6
543	Ten Years of Progress in GW/P Body Research. <b>2013</b> ,	4



542	Association of luteinizing hormone receptor (LHR) mRNA with its binding protein leads to decapping and degradation of the mRNA in the p bodies. <b>2013</b> , 1833, 1173-9	9
541	DDX6 post-transcriptionally down-regulates miR-143/145 expression through host gene NCR143/145 in cancer cells. <b>2013</b> , 1829, 1102-10	45
540	miRNAs and HIV: unforeseen determinants of host-pathogen interaction. <b>2013</b> , 254, 265-80	31
539	Interplay between viruses and host mRNA degradation. <b>2013</b> , 1829, 732-41	36
538	Function of GW182 and GW bodies in siRNA and miRNA pathways. <b>2013</b> , 768, 71-96	20
537	Modulation of hepatitis C virus RNA abundance and virus release by dispersion of processing bodies and enrichment of stress granules. <b>2013</b> , 435, 472-84	65
536	Relationship of GW/P-bodies with stress granules. <b>2013</b> , 768, 197-211	72
535	Global analysis of yeast mRNPs. <b>2013</b> , 20, 127-33	255
534	Processing body and stress granule assembly occur by independent and differentially regulated pathways in <i>Saccharomyces cerevisiae</i> . <b>2013</b> , 193, 109-23	68
533	Yeast protective response to arsenate involves the repression of the high affinity iron uptake system. <b>2013</b> , 1833, 997-1005	11
532	Stress granules form in <i>Brachionus manjavacas</i> (Rotifera) in response to a variety of stressors. <b>2013</b> , 166, 375-84	8
531	Structural and functional control of the eukaryotic mRNA decapping machinery. <b>2013</b> , 1829, 580-9	86
530	Relationship of other cytoplasmic ribonucleoprotein bodies (cRNPB) to GW/P bodies. <b>2013</b> , 768, 213-42	18
529	The discovery and analysis of P Bodies. <b>2013</b> , 768, 23-43	67
528	Deadenylation and P-bodies. <b>2013</b> , 768, 183-95	16
527	An SNP in the trinucleotide repeat region of the TNRC6A gene maps to a major TNGW1 autoepitope in patients with autoantibodies to GW182. <b>2013</b> , 768, 243-59	1
526	Eukaryotic mRNA decay: methodologies, pathways, and links to other stages of gene expression. <b>2013</b> , 425, 3750-75	99
525	Taking a cellular road-trip: mRNA transport and anchoring. <b>2013</b> , 25, 99-106	29

524	Protein disorder, prion propensities, and self-organizing macromolecular collectives. <b>2013</b> , 1834, 918-31	128
523	Tristetraprolin (TTP): interactions with mRNA and proteins, and current thoughts on mechanisms of action. <b>2013</b> , 1829, 666-79	270
522	The Arabidopsis tandem CCCH zinc finger proteins AtTZF4, 5 and 6 are involved in light-, abscisic acid- and gibberellic acid-mediated regulation of seed germination. <b>2013</b> , 36, 1507-19	78
521	Exonuclease hDIS3L2 specifies an exosome-independent 3'5' degradation pathway of human cytoplasmic mRNA. <b>2013</b> , 32, 1855-68	113
520	Eukaryotic stress granules are cleared by autophagy and Cdc48/VCP function. <b>2013</b> , 153, 1461-74	457
519	Packing them up and dusting them off: RNA helicases and mRNA storage. <b>2013</b> , 1829, 824-34	11
518	The dormant and the fully competent oocyte: comparing the transcriptome of human oocytes from primordial follicles and in metaphase II. <b>2013</b> , 19, 600-17	32
517	A chemostat array enables the spatio-temporal analysis of the yeast proteome. <b>2013</b> , 110, 15842-7	103
516	Post-transcriptional regulation of iron homeostasis in <i>Saccharomyces cerevisiae</i> . <b>2013</b> , 14, 15785-809	18
515	Long noncoding RNAs promote transcriptional poisoning of inducible genes. <b>2013</b> , 11, e1001715	38
514	The RNA-binding protein Y14 inhibits mRNA decapping and modulates processing body formation. <b>2013</b> , 24, 1-13	69
513	Fas-activated Ser/Thr phosphoprotein (FAST) is a eukaryotic initiation factor 4E-binding protein that regulates mRNA stability and cell survival. <b>2013</b> , 1, e24047	0
512	LSM proteins provide accurate splicing and decay of selected transcripts to ensure normal Arabidopsis development. <b>2012</b> , 24, 4930-47	65
511	Reprogramming of microRNAs by adenosine-to-inosine editing and the selective elimination of edited microRNA precursors in mouse oocytes and preimplantation embryos. <b>2013</b> , 41, 5483-93	45
510	Identification of the Rps28 binding motif from yeast Edc3 involved in the autoregulatory feedback loop controlling RPS28B mRNA decay. <b>2013</b> , 41, 9514-23	17
509	CDX2 regulation by the RNA-binding protein MEX3A: impact on intestinal differentiation and stemness. <b>2013</b> , 41, 3986-99	60
508	The exoribonuclease Dis3L2 defines a novel eukaryotic RNA degradation pathway. <b>2013</b> , 32, 1842-54	143
507	A genome-wide RNAi screen reveals that mRNA decapping restricts bunyaviral replication by limiting the pools of Dcp2-accessible targets for cap-snatching. <b>2013</b> , 27, 1511-25	68

506	HuR is required for IL-17-induced Act1-mediated CXCL1 and CXCL5 mRNA stabilization. <b>2013</b> , 191, 640-9	65
505	Trip to ER: MicroRNA-mediated translational repression in plants. <b>2013</b> , 10, 1586-92	13
504	Uncoupling of mRNA synthesis and degradation impairs adaptation to host temperature in <i>Cryptococcus neoformans</i> . <b>2013</b> , 89, 65-83	22
503	The 5' untranslated region regulates ATF5 mRNA stability via nonsense-mediated mRNA decay in response to environmental stress. <b>2013</b> , 280, 4693-707	26
502	A MC motif in silkworm Argonaute 1 is indispensable for translation repression. <b>2013</b> , 22, 320-30	10
501	Cyclin B1 mRNA translation is temporally controlled through formation and disassembly of RNA granules. <b>2013</b> , 202, 1041-55	57
500	Biomass conversion inhibitors furfural and 5-hydroxymethylfurfural induce formation of messenger RNP granules and attenuate translation activity in <i>Saccharomyces cerevisiae</i> . <b>2013</b> , 79, 1661-7	51
499	The P body protein Dcp1a is hyper-phosphorylated during mitosis. <b>2013</b> , 8, e49783	43
498	<i>Aspergillus oryzae</i> AoSO is a novel component of stress granules upon heat stress in filamentous fungi. <b>2013</b> , 8, e72209	14
497	Whi3, an <i>S. cerevisiae</i> RNA-binding protein, is a component of stress granules that regulates levels of its target mRNAs. <b>2013</b> , 8, e84060	15
496	DGCR8 Localizes to the Nucleus as well as Cytoplasmic Structures in Mammalian Spermatogenic Cells and Epididymal Sperm. <b>2013</b> , 2013, 1-11	1
495	PRKRA Localizes to Nuage Structures and the Ectoplasmic Specialization and Tubulobulbar Complexes in Rat and Mouse Testis. <b>2014</b> , 2014, 1-9	0
494	Roles of Edc3 in the oxidative stress response and CaMCA1-encoded metacaspase expression in <i>Candida albicans</i> . <b>2014</b> , 281, 4841-51	8
493	Quality control of assembly-defective U1 snRNAs by decapping and 5' to 3' exonucleolytic digestion. <b>2014</b> , 111, E3277-86	38
492	mRNA decapping enzyme 1a (Dcp1a)-induced translational arrest through protein kinase R (PKR) activation requires the N-terminal enabled vasodilator-stimulated protein homology 1 (EVH1) domain. <b>2014</b> , 289, 3936-49	18
491	mRNP granules. <b>2014</b> , e29034	10
490	Lsm2 and Lsm3 bridge the interaction of the Lsm1-7 complex with Pat1 for decapping activation. <b>2014</b> , 24, 233-46	35
489	mRNP granules. Assembly, function, and connections with disease. <b>2014</b> , 11, 1019-30	292

488	Reading RNA methylation codes through methyl-specific binding proteins. <b>2014</b> , 11, 669-72	77
487	Deadenylation: enzymes, regulation, and functional implications. <b>2014</b> , 5, 421-43	33
486	Affinity purification of binding miRNAs for messenger RNA fused with a common tag. <b>2014</b> , 15, 14753-65	6
485	Crosstalk between Edc4 and mammalian target of rapamycin complex 1 (mTORC1) signaling in mRNA decapping. <b>2014</b> , 15, 23179-95	5
484	Stress granule-defective mutants deregulate stress responsive transcripts. <b>2014</b> , 10, e1004763	30
483	Composition and function of P bodies in <i>Arabidopsis thaliana</i> . <b>2014</b> , 5, 201	54
482	Granules harboring translationally active mRNAs provide a platform for P-body formation following stress. <b>2014</b> , 9, 944-54	39
481	RNA imaging in living cells - methods and applications. <b>2014</b> , 11, 1083-95	49
480	In vitro reconstitution of a cellular phase-transition process that involves the mRNA decapping machinery. <b>2014</b> , 53, 7354-9	82
479	In-vitro-Rekonstitution eines zellulären Phasenübergangs unter Beteiligung der mRNA-Decapping-Maschinerie. <b>2014</b> , 126, 7482-7487	2
478	Protein kinases are associated with multiple, distinct cytoplasmic granules in quiescent yeast cells. <b>2014</b> , 198, 1495-512	36
477	MicroRNA modulation of key targets associated with T cell exhaustion in HIV-1 infection. <b>2014</b> , 9, 464-71	10
476	Mammalian microtubule P-body dynamics are mediated by nesprin-1. <b>2014</b> , 205, 457-75	22
475	Role of the DHH1 gene in the regulation of monocarboxylic acids transporters expression in <i>Saccharomyces cerevisiae</i> . <b>2014</b> , 9, e111589	4
474	Carbon source-dependent alteration of Puf3p activity mediates rapid changes in the stabilities of mRNAs involved in mitochondrial function. <b>2014</b> , 42, 3954-70	28
473	A murine retrovirus co-opts YB-1, a translational regulator and stress granule-associated protein, to facilitate virus assembly. <b>2014</b> , 88, 4434-50	7
472	Gene expression regulation mediated through reversible mRNA methylation. <b>2014</b> , 15, 293-306	905
471	Noncoding subgenomic flavivirus RNA: multiple functions in West Nile virus pathogenesis and modulation of host responses. <b>2014</b> , 6, 404-27	110

470	Effects of stress and aging on ribonucleoprotein assembly and function in the germ line. <b>2014</b> , 5, 231-46	15
469	Fungal RNA Biology. <b>2014</b> ,	3
468	Only a subset of the PAB1-mRNP proteome is present in mRNA translation complexes. <b>2014</b> , 23, 1036-49	14
467	Connecting the dots of RNA-directed DNA methylation in <i>Arabidopsis thaliana</i> . <b>2014</b> , 22, 225-40	
466	Regulated IRE1-dependent decay pathway is activated during Japanese encephalitis virus-induced unfolded protein response and benefits viral replication. <b>2014</b> , 95, 71-79	50
465	N6-methyladenosine-dependent regulation of messenger RNA stability. <b>2014</b> , 505, 117-20	1949
464	Proteomic analysis identifies endoribonuclease EhL-PSP and EhRRP41 exosome protein as novel interactors of EhCAF1 deadenylase. <b>2014</b> , 111, 59-73	9
463	DDX6 and its orthologs as modulators of cellular and viral RNA expression. <b>2014</b> , 5, 659-78	33
462	Antiviral innate immunity and stress granule responses. <b>2014</b> , 35, 420-8	144
461	The role of mammalian MAPK signaling in regulation of cytokine mRNA stability and translation. <b>2014</b> , 34, 220-32	57
460	Quantifying mRNA targeting to P-bodies in living human cells reveals their dual role in mRNA decay and storage. <b>2014</b> , 127, 4443-56	80
459	Control of mRNA turnover: implication of cytoplasmic RNA granules. <b>2014</b> , 34, 15-23	27
458	RNA granules and cytoskeletal links. <b>2014</b> , 42, 1206-10	17
457	Common regulatory control of CTP synthase enzyme activity and filament formation. <b>2014</b> , 25, 2282-90	65
456	Overexpression of MLN51 triggers P-body disassembly and formation of a new type of RNA granules. <b>2014</b> , 127, 4692-701	16
455	Distinct and redundant roles of exonucleases in <i>Cryptococcus neoformans</i> : implications for virulence and mating. <b>2014</b> , 73, 20-8	9
454	Processing-body movement in <i>Arabidopsis</i> depends on an interaction between myosins and DECAPPING PROTEIN1. <b>2014</b> , 164, 1879-92	32
453	Profilin 1 associates with stress granules and ALS-linked mutations alter stress granule dynamics. <b>2014</b> , 34, 8083-97	102

452	Cotranslational protein-RNA associations predict protein-protein interactions. <b>2014</b> , 15, 298	10
451	RNA in development: how ribonucleoprotein granules regulate the life cycles of pathogenic protozoa. <b>2014</b> , 5, 263-84	28
450	Yeast mRNA localization: protein asymmetry, organelle localization and response to stress. <b>2014</b> , 42, 1256-60	11
449	Importance of glucose-6-phosphate dehydrogenase (G6PDH) for vanillin tolerance in <i>Saccharomyces cerevisiae</i> . <b>2014</b> , 118, 263-9	23
448	RNAi and antiviral defense in <i>Drosophila</i> : setting up a systemic immune response. <b>2014</b> , 42, 85-92	55
447	To Translate or Degrade: Cytoplasmic mRNA Decision Mechanisms. <b>2014</b> , 1-26	
446	Interrelations between translation and general mRNA degradation in yeast. <b>2014</b> , 5, 747-63	58
445	How stressed cells triage mRNAs. <b>2015</b> , 211, 940	
444	Integrated multi-omics analyses reveal the pleiotropic nature of the control of gene expression by Puf3p. <b>2015</b> , 5, 15518	35
443	Ty3, a Position-specific Retrotransposon in Budding Yeast. <b>2015</b> , 3, MDNA3-0057-2014	30
442	Integrative genomics positions MKRN1 as a novel ribonucleoprotein within the embryonic stem cell gene regulatory network. <b>2015</b> , 16, 1334-57	20
441	A bioinformatic survey of RNA-binding proteins in <i>Plasmodium</i> . <b>2015</b> , 16, 890	47
440	Proteomic Analysis of Dhh1 Complexes Reveals a Role for Hsp40 Chaperone Ydj1 in Yeast P-Body Assembly. <b>2015</b> , 5, 2497-511	11
439	Cytoplasmic mRNA turnover and ageing. <b>2015</b> , 152, 32-42	21
438	Expression of Subtelomeric lncRNAs Links Telomeres Dynamics to RNA Decay in. <b>2015</b> , 1, 94-126	7
437	Alterations in stress granule dynamics driven by TDP-43 and FUS: a link to pathological inclusions in ALS?. <b>2015</b> , 9, 423	149
436	Evolutionarily conserved 5'3' exonuclease Xrn1 accumulates at plasma membrane-associated eisosomes in post-diauxic yeast. <b>2015</b> , 10, e0122770	18
435	The BEACH Domain Protein SPIRRIG Is Essential for Arabidopsis Salt Stress Tolerance and Functions as a Regulator of Transcript Stabilization and Localization. <b>2015</b> , 13, e1002188	25

434	Ty3 Retrotransposon Hijacks Mating Yeast RNA Processing Bodies to Infect New Genomes. <b>2015</b> , 11, e1005528	14
433	Long noncoding RNAs: a potent source of regulation in immunity and disease. <b>2015</b> , 93, 277-83	36
432	N(6)-methyladenosine Modulates Messenger RNA Translation Efficiency. <b>2015</b> , 161, 1388-99	1493
431	Pheromone-encoded mRNA transport in mating yeast. <b>2015</b> , 14, 3663-4	1
430	Heat-induced ribosome pausing triggers mRNA co-translational decay in Arabidopsis thaliana. <b>2015</b> , 43, 4121-32	57
429	Glucose-Regulated Phosphorylation of the PUF Protein Puf3 Regulates the Translational Fate of Its Bound mRNAs and Association with RNA Granules. <b>2015</b> , 11, 1638-50	54
428	Molecular characterization of mouse lens epithelial cell lines and their suitability to study RNA granules and cataract associated genes. <b>2015</b> , 131, 42-55	20
427	Functional non-coding RNAs derived from the flavivirus 3' untranslated region. <b>2015</b> , 206, 53-61	75
426	Role of cytoplasmic deadenylation and mRNA decay factors in yeast apoptosis. <b>2015</b> , 15,	8
425	Dynamic m <sup>6</sup> A modification and its emerging regulatory role in mRNA splicing. <b>2015</b> , 60, 21-32	20
424	Pheromone-encoding mRNA is transported to the yeast mating projection by specific RNP granules. <b>2015</b> , 209, 829-42	8
423	Loqs depends on R2D2 to localize in D2 body-like granules and functions in RNAi pathways in silkworm cells. <b>2015</b> , 64, 78-90	3
422	The Broad-Spectrum Antiviral Protein ZAP Restricts Human Retrotransposition. <b>2015</b> , 11, e1005252	88
421	General and MicroRNA-Mediated mRNA Degradation Occurs on Ribosome Complexes in Drosophila Cells. <b>2015</b> , 35, 2309-20	35
420	Integration of PKR-dependent translation inhibition with innate immunity is required for a coordinated anti-viral response. <b>2015</b> , 589, 1539-45	53
419	Stress Biology of Yeasts and Fungi. <b>2015</b> ,	7
418	G3BP1 promotes stress-induced RNA granule interactions to preserve polyadenylated mRNA. <b>2015</b> , 209, 73-84	65
417	mRIN for direct assessment of genome-wide and gene-specific mRNA integrity from large-scale RNA-sequencing data. <b>2015</b> , 6, 7816	43

416	MS2 coat proteins bound to yeast mRNAs block 5' to 3' degradation and trap mRNA decay products: implications for the localization of mRNAs by MS2-MCP system. <b>2015</b> , 21, 1393-5	91
415	Novel insights into RNP granules by employing the trypanosome microtubule skeleton as a molecular sieve. <b>2015</b> , 43, 8013-32	47
414	Rotavirus disrupts cytoplasmic P bodies during infection. <b>2015</b> , 210, 344-54	24
413	Viral activation of stress-regulated Rho-GTPase signaling pathway disrupts sites of mRNA degradation to influence cellular gene expression. <b>2015</b> , 6, 178-85	4
412	The pepper late embryogenesis abundant protein CaLEA1 acts in regulating abscisic acid signaling, drought and salt stress response. <b>2015</b> , 154, 526-42	20
411	Diffuse decapping enzyme DCP2 accumulates in DCP1 foci under heat stress in <i>Arabidopsis thaliana</i> . <b>2015</b> , 56, 107-15	18
410	Deletion of <i>Drosophila</i> Nopp140 induces subcellular ribosomopathies. <b>2015</b> , 124, 191-208	13
409	Tetracaine, a local anesthetic, preferentially induces translational inhibition with processing body formation rather than phosphorylation of eIF2 $\beta$ in yeast. <b>2015</b> , 61, 43-53	4
408	General Aspects Related to Nonsense Mutations. <b>2016</b> , 1-76	1
407	Diverse Strategies Used by Picornaviruses to Escape Host RNA Decay Pathways. <b>2016</b> , 8,	12
406	Who Regulates Whom? An Overview of RNA Granules and Viral Infections. <b>2016</b> , 8,	50
405	An Emerging Role of micro-RNA in the Effect of the Endocrine Disruptors. <b>2016</b> , 10, 318	28
404	GW-Bodies and P-Bodies Constitute Two Separate Pools of Sequestered Non-Translating RNAs. <b>2016</b> , 11, e0150291	22
403	A Hybrid-Body Containing Constituents of Both P-Bodies and Stress Granules Forms in Response to Hypoosmotic Stress in <i>Saccharomyces cerevisiae</i> . <b>2016</b> , 11, e0158776	10
402	A continuum of mRNP complexes in embryonic microRNA-mediated silencing. <b>2017</b> , 45, 2081-2098	14
401	Hormonal stimulation of starfish oocytes induces partial degradation of the 3' termini of cyclin B mRNAs with oligo(U) tails, followed by poly(A) elongation. <b>2016</b> , 22, 822-9	8
400	Single-Molecule mRNA Detection in Live Yeast. <b>2016</b> , 113, 14.24.1-14.24.15	9
399	The Interplay between Eukaryotic mRNA Degradation and Translation. <b>2016</b> , 346-353	0



398	Membrane-association of mRNA decapping factors is independent of stress in budding yeast. <b>2016</b> , 6, 25477	4
397	Stress granules at the intersection of autophagy and ALS. <b>2016</b> , 1649, 189-200	68
396	The CaSm (LSm1) oncogene promotes transformation, chemoresistance and metastasis of pancreatic cancer cells. <b>2016</b> , 5, e182	9
395	Ubiquitous accumulation of 3' mRNA decay fragments in <i>Saccharomyces cerevisiae</i> mRNAs with chromosomally integrated MS2 arrays. <b>2016</b> , 22, 657-9	35
394	N (6)-Methyladenosine (m(6)A) Methylation in mRNA with A Dynamic and Reversible Epigenetic Modification. <b>2016</b> , 58, 450-9	72
393	The Activity-Dependent Regulation of Protein Kinase Stability by the Localization to P-Bodies. <b>2016</b> , 203, 1191-202	12
392	Posttranscriptional Regulation of Gcr1 Expression and Activity Is Crucial for Metabolic Adjustment in Response to Glucose Availability. <b>2016</b> , 62, 346-358	15
391	A conserved virus-induced cytoplasmic TRAMP-like complex recruits the exosome to target viral RNA for degradation. <b>2016</b> , 30, 1658-70	35
390	ALS mutant SOD1 interacts with G3BP1 and affects stress granule dynamics. <b>2016</b> , 132, 563-76	65
389	Proteomic analysis of FUS interacting proteins provides insights into FUS function and its role in ALS. <b>2016</b> , 1862, 2004-14	74
388	The decapping activator Edc3 and the Q/N-rich domain of Lsm4 function together to enhance mRNA stability and alter mRNA decay pathway dependence in <i>Saccharomyces cerevisiae</i> . <b>2016</b> , 5, 1388-1399	5
387	Ribonucleoprotein Foci in Eukaryotes: How to Translate the Silence. <b>2016</b> , 491-511	
386	Ribonucleoprotein bodies are phased in. <b>2016</b> , 44, 1411-1416	24
385	Defects in THO/TREX-2 function cause accumulation of novel cytoplasmic mRNP granules that can be cleared by autophagy. <b>2016</b> , 22, 1200-14	8
384	K63-Ubiquitylation and TRAF6 Pathways Regulate Mammalian P-Body Formation and mRNA Decapping. <b>2016</b> , 62, 943-957	18
383	Short interfering RNA induced generation and translation of stable 5' mRNA cleavage intermediates. <b>2016</b> , 1859, 1034-42	2
382	The C-Terminal RGG Domain of Human Lsm4 Promotes Processing Body Formation Stimulated by Arginine Dimethylation. <b>2016</b> , 36, 2226-35	31
381	The LSM1-7 Complex Differentially Regulates Arabidopsis Tolerance to Abiotic Stress Conditions by Promoting Selective mRNA Decapping. <b>2016</b> , 28, 505-20	34

380	Oligoadenylation of 3' decay intermediates promotes cytoplasmic mRNA degradation in <i>Drosophila</i> cells. <b>2016</b> , 22, 428-42	11
379	Use of the MS2 aptamer and coat protein for RNA localization in yeast: A response to "MS2 coat proteins bound to yeast mRNAs block 5' to 3' degradation and trap mRNA decay products: implications for the localization of mRNAs by MS2-MCP system". <b>2016</b> , 22, 660-6	40
378	Yeast and Fungal Prions: Amyloid-Handling Systems, Amyloid Structure, and Prion Biology. <b>2016</b> , 93, 191-236	17
377	RNA voyeurism: A coming of age story. <b>2016</b> , 98, 10-17	11
376	Lost in translation: miRNAs and mRNAs in ischemic preconditioning and ischemia/reperfusion injury. <b>2016</b> , 95, 70-7	23
375	Protein intrinsic disorder-based liquid-liquid phase transitions in biological systems: Complex coacervates and membrane-less organelles. <b>2017</b> , 239, 97-114	126
374	RNA modifications and structures cooperate to guide RNA-protein interactions. <b>2017</b> , 18, 202-210	153
373	Editorial Highlight: Off-Target Effects of Neuroleptics and Antidepressants on <i>Saccharomyces cerevisiae</i> . <b>2017</b> , 156, 538-548	7
372	5' to 3' mRNA Decay Contributes to the Regulation of Arabidopsis Seed Germination by Dormancy. <b>2017</b> , 173, 1709-1723	24
371	Metabolic influences on RNA biology and translation. <b>2017</b> , 52, 176-184	2
370	2D and 3D FISH of expanded repeat RNAs in human lymphoblasts. <b>2017</b> , 120, 49-57	1
369	mRNA decay is regulated via sequestration of the conserved 5' exoribonuclease Xrn1 at eisosome in yeast. <b>2017</b> , 96, 591-599	12
368	Mutational analysis of the RNA helicase Dhh1 in Ste12 expression and yeast mating. <b>2017</b> , 55, 373-378	3
367	A synergistic network of interactions promotes the formation of in vitro processing bodies and protects mRNA against decapping. <b>2017</b> , 45, 6911-6922	51
366	A human microprotein that interacts with the mRNA decapping complex. <b>2017</b> , 13, 174-180	130
365	Spatiotemporal Uncoupling of MicroRNA-Mediated Translational Repression and Target RNA Degradation Controls MicroRNP Recycling in Mammalian Cells. <b>2017</b> , 37,	23
364	On the origin of non-membrane-bound organelles, and their physiological function. <b>2017</b> , 434, 42-49	13
363	An mRNA decapping mutant deficient in P body assembly limits mRNA stabilization in response to osmotic stress. <b>2017</b> , 7, 44395	15

362	P-Body Purification Reveals the Condensation of Repressed mRNA Regulons. <b>2017</b> , 68, 144-157.e5	332
361	Untangling P-Bodies: Dissecting the Complex Web of Interactions that Enable Tiered Control of Gene Expression. <b>2017</b> , 68, 3-4	5
360	The Dynamics of mRNA Turnover Revealed by Single-Molecule Imaging in Single Cells. <b>2017</b> , 68, 615-625.e9	110
359	Numerous interactions act redundantly to assemble a tunable size of P bodies in. <b>2017</b> , 114, E9569-E9578	50
358	P-body proteins regulate transcriptional rewiring to promote DNA replication stress resistance. <b>2017</b> , 8, 558	18
357	Structural and hydrodynamic properties of an intrinsically disordered region of a germ cell-specific protein on phase separation. <b>2017</b> , 114, E8194-E8203	227
356	Post-transcriptional control of gene expression following stress: the role of RNA-binding proteins. <b>2017</b> , 45, 1007-14	38
355	Premature termination codon readthrough in human cells occurs in novel cytoplasmic foci and requires UPF proteins. <b>2017</b> , 130, 3009-3022	11
354	In Search of Lost Small Peptides. <b>2017</b> , 33, 391-416	65
353	The wisdom of crowds: regulating cell function through condensed states of living matter. <b>2017</b> , 130, 2789-2796	95
352	TIA1 Mutations in Amyotrophic Lateral Sclerosis and Frontotemporal Dementia Promote Phase Separation and Alter Stress Granule Dynamics. <b>2017</b> , 95, 808-816.e9	341
351	Regulation of Translationally Repressed mRNAs in Zebrafish and Mouse Oocytes. <b>2017</b> , 63, 297-324	10
350	Consequences of RNA oxidation on protein synthesis rate and fidelity: implications for the pathophysiology of neuropsychiatric disorders. <b>2017</b> , 45, 1053-1066	31
349	Dual RNA Processing Roles of Pat1b via Cytoplasmic Lsm1-7 and Nuclear Lsm2-8 Complexes. <b>2017</b> , 20, 1187-1200	25
348	TDP-43 in the spectrum of MND-FTLD pathologies. <b>2017</b> , 83, 46-54	11
347	Regulation of mRNA decay in plant responses to salt and osmotic stress. <b>2017</b> , 74, 1165-1176	25
346	Simultaneous detection of mRNA transcription and decay intermediates by dual colour single mRNA FISH on subcellular resolution. <b>2017</b> , 45, e49	15
345	Plant RNA Regulatory Network and RNA Granules in Virus Infection. <b>2017</b> , 8, 2093	28

344	Attacked from All Sides: RNA Decay in Antiviral Defense. <b>2017</b> , 9,	42
343	Overview of Autophagy. <b>2017</b> , 1-122	
342	The exoribonuclease Xrn1 is a post-transcriptional negative regulator of autophagy. <b>2018</b> , 14, 898-912	21
341	P38 activation induces the dissociation of tristetraprolin from Argonaute 2 to increase ARE-mRNA stabilization. <b>2018</b> , 29, 988-1002	3
340	RNA stability and metabolism in regulated cell death, aging and diseases. <b>2018</b> , 18,	11
339	Genome-wide identification and expression analysis of YTH domain-containing RNA-binding protein family in cucumber ( <i>Cucumis sativus</i> ). <b>2018</b> , 40, 579-589	12
338	P-Bodies: Composition, Properties, and Functions. <b>2018</b> , 57, 2424-2431	185
337	Relief from nitrogen starvation triggers transient destabilization of glycolytic mRNAs in cells. <b>2018</b> , 29, 490-498	4
336	Upf proteins: highly conserved factors involved in nonsense mRNA mediated decay. <b>2018</b> , 45, 39-55	17
335	Probing Conformational Exchange in Weakly Interacting, Slowly Exchanging Protein Systems via Off-Resonance R Experiments: Application to Studies of Protein Phase Separation. <b>2018</b> , 140, 2115-2126	22
334	Molecular autopsy provides evidence for widespread ribosome-phased mRNA fragmentation. <b>2018</b> , 25, 299-301	2
333	Nudt19 is a renal CoA diphosphohydrolase with biochemical and regulatory properties that are distinct from the hepatic Nudt7 isoform. <b>2018</b> , 293, 4134-4148	21
332	P-body-induced inactivation of let-7a miRNP prevents the death of growth factor-deprived neuronal cells. <b>2018</b> , 32, 1493-1509	3
331	Reversible generation of coacervate droplets in an enzymatic network. <b>2018</b> , 14, 361-367	76
330	An improved MS2 system for accurate reporting of the mRNA life cycle. <b>2018</b> , 15, 81-89	147
329	Hepatitis C virus plays with fire and yet avoids getting burned. A review for clinicians on processing bodies and stress granules. <b>2018</b> , 38, 388-398	3
328	A Systems-Level Study Reveals Regulators of Membrane-less Organelles in Human Cells. <b>2018</b> , 72, 1035-1049.	48
327	Imaging the Life and Death of mRNAs in Single Cells. <b>2018</b> , 10,	8

326	The DEAD-box RNA-binding protein DDX6 regulates parental RNA decay for cellular reprogramming to pluripotency. <b>2018</b> , 13, e0203708	8
325	The anaphylatoxin C3a primes model colonic epithelial cells for expression of inflammatory mediators through Gβ <b>2018</b> , 103, 125-132	1
324	Maintenance of Proteostasis by P Body-Mediated Regulation of eIF4E Availability during Aging in <i>Caenorhabditis elegans</i> . <b>2018</b> , 25, 199-211.e6	16
323	Intracellular RNA-tracking methods. <b>2018</b> , 8,	12
322	Intracytoplasmic Re-localization of miRISC Complexes. <b>2018</b> , 9, 403	8
321	Heat Shock Proteins and Stress. <b>2018</b> ,	1
320	Heat Shock-Induced Transcriptional and Translational Arrest in Mammalian Cells. <b>2018</b> , 267-280	2
319	Proteobacterial RNA Degradosomes Assemble Liquid-Liquid Phase-Separated RNP Bodies. <b>2018</b> , 71, 1027-1039.e14	87
318	Biological functions, regulatory mechanisms, and disease relevance of RNA localization pathways. <b>2018</b> , 592, 2948-2972	18
317	Synthesis and assembly of human vault particles in yeast. <b>2018</b> , 115, 2941-2950	10
316	APOBEC3G-Regulated Host Factors Interfere with Measles Virus Replication: Role of REDD1 and Mammalian TORC1 Inhibition. <b>2018</b> , 92,	11
315	Suppression of mA reader Ythdf2 promotes hematopoietic stem cell expansion. <b>2018</b> , 28, 904-917	124
314	RNA Metabolism in Neurodegenerative Diseases. <b>2018</b> ,	2
313	The Lsm1-7/Pat1 complex binds to stress-activated mRNAs and modulates the response to hyperosmotic shock. <b>2018</b> , 14, e1007563	16
312	Life and Death of mRNA Molecules in. <b>2018</b> , 8, 199	2
311	-Methyladenosine-binding proteins suppress HIV-1 infectivity and viral production. <b>2018</b> , 293, 12992-13005	49
310	Roles of eIF4E-binding protein Caf20 in Ste12 translation and P-body formation in yeast. <b>2018</b> , 56, 744-747	2
309	Emerging Roles for Intermolecular RNA-RNA Interactions in RNP Assemblies. <b>2018</b> , 174, 791-802	174

308	P-Bodies: Cytosolic Droplets for Coordinated mRNA Storage. <b>2018</b> , 34, 612-626	102
307	P-Body Localization of the Hrr25/Casein Kinase 1 Protein Kinase Is Required for the Completion of Meiosis. <b>2018</b> , 38,	7
306	RNA Degradation in Neurodegenerative Disease. <b>2018</b> , 20, 103-142	14
305	CPEB3 inhibits translation of mRNA targets by localizing them to P bodies. <b>2019</b> , 116, 18078-18087	38
304	Control of Translation at the Initiation Phase During Glucose Starvation in Yeast. <b>2019</b> , 20,	9
303	Insights into the Role of P-Bodies and Stress Granules in Protein Quality Control. <b>2019</b> , 213, 251-265	4
302	A low-complexity region in human XRN1 directly recruits deadenylation and decapping factors in 5' cap messenger RNA decay. <b>2019</b> , 47, 9282-9295	12
301	Polymerase III transcription is necessary for T cell priming by dendritic cells. <b>2019</b> , 116, 22721-22729	5
300	The Princess and the P: Pluripotent Stem Cells and P-Bodies. <b>2019</b> , 25, 589-591	0
299	The mRNA repressor TRIM71 cooperates with Nonsense-Mediated Decay factors to destabilize the mRNA of CDKN1A/p21. <b>2019</b> , 47, 11861-11879	10
298	Germ Cell Responses to Stress: The Role of RNP Granules. <b>2019</b> , 7, 220	8
297	Dcp2: an mRNA decapping enzyme that adopts many different shapes and forms. <b>2019</b> , 59, 115-123	9
296	Atomic-level insight into mRNA processing bodies by combining solid and solution-state NMR spectroscopy. <b>2019</b> , 10, 4536	16
295	ES-mediated chimera analysis revealed requirement of DDX6 for NANOS2 localization and function in mouse germ cells. <b>2019</b> , 9, 515	5
294	Principles of Stress Granules Revealed by Imaging Approaches. <b>2019</b> , 11,	14
293	New roles for the de-ubiquitylating enzyme OTUD4 in an RNA-protein network and RNA granules. <b>2019</b> , 132,	5
292	Pat1 RNA-binding proteins: Multitasking shuttling proteins. <b>2019</b> , 10, e1557	8
291	Role of DCP1-DCP2 complex regulated by viral and host microRNAs in DNA virus infection. <b>2019</b> , 92, 21-30	4

290	Translation factor mRNA granules direct protein synthetic capacity to regions of polarized growth. <b>2019</b> , 218, 1564-1581	23
289	Cauliflower mosaic virus transactivator protein (TAV) can suppress nonsense-mediated decay by targeting VARICOSE, a scaffold protein of the decapping complex. <b>2019</b> , 9, 7042	12
288	Aberrant Phase Transitions: Side Effects and Novel Therapeutic Strategies in Human Disease. <b>2019</b> , 10, 173	30
287	Porcine reproductive and respiratory syndrome virus (PRRSV)-induced stress granules are associated with viral replication complexes and suppression of host translation. <b>2019</b> , 265, 47-56	6
286	Processing bodies control the selective translation for optimal development of Arabidopsis young seedlings. <b>2019</b> , 116, 6451-6456	25
285	Emerging Roles of LSM Complexes in Posttranscriptional Regulation of Plant Response to Abiotic Stress. <b>2019</b> , 10, 167	6
284	Stress-induced mRNP granules: Form and function of processing bodies and stress granules. <b>2019</b> , 10, e1524	62
283	An aggregation-prone mutant of eIF3a forms reversible assemblies escaping spatial control in exponentially growing yeast cells. <b>2019</b> , 65, 919-940	4
282	Ciphers and Executioners: How 3' Untranslated Regions Determine the Fate of Messenger RNAs. <b>2019</b> , 10, 6	45
281	Signalling through the yeast MAPK Cell Wall Integrity pathway controls P-body assembly upon cell wall stress. <b>2019</b> , 9, 3186	11
280	Mip6 binds directly to the Mex67 UBA domain to maintain low levels of Msn2/4 stress-dependent mRNAs. <b>2019</b> , 20, e47964	3
279	Pre-mRNA Splicing in the Nuclear Landscape. <b>2019</b> , 84, 11-20	10
278	RNP Granule Formation: Lessons from P-Bodies and Stress Granules. <b>2019</b> , 84, 203-215	27
277	ELAVL2-directed RNA regulatory network drives the formation of quiescent primordial follicles. <b>2019</b> , 20, e48251	10
276	Processing Bodies Oscillate in Neuro 2A Cells. <b>2019</b> , 13, 487	1
275	The Biology of mRNA: Structure and Function. <b>2019</b> ,	2
274	Temporospatial guidance of activity-dependent gene expression by microRNA: mechanisms and functional implications for neural plasticity. <b>2019</b> , 47, 533-545	13
273	N6-methyladenosine RNA methylation is involved in virulence of the rice blast fungus <i>Pyricularia oryzae</i> (syn. <i>Magnaporthe oryzae</i> ). <b>2019</b> , 366,	6

272	The cell biology of quiescent yeast - a diversity of individual scenarios. <b>2019</b> , 132,	35
271	Deciphering human ribonucleoprotein regulatory networks. <b>2019</b> , 47, 570-581	29
270	Additional Layer of Regulation via Convergent Gene Orientation in Yeasts. <b>2020</b> , 37, 365-378	3
269	Cellular RNA Hubs: Friends and Foes of Plant Viruses. <b>2020</b> , 33, 40-54	7
268	It is all about the process(ing): P-body granules and the regulation of signal transduction. <b>2020</b> , 66, 73-77	10
267	Seed-Stored mRNAs that Are Specifically Associated to Monosomes Are Translationally Regulated during Germination. <b>2020</b> , 182, 378-392	22
266	RNase L promotes the formation of unique ribonucleoprotein granules distinct from stress granules. <b>2020</b> , 295, 1426-1438	16
265	Two- and Three-Dimensional Tracking of mRNA Molecules in Mating Yeast. <b>2020</b> , 9,	1
264	Poxvirus-encoded decapping enzymes promote selective translation of viral mRNAs. <b>2020</b> , 16, e1008926	12
263	Stress-Induced Translation Inhibition through Rapid Displacement of Scanning Initiation Factors. <b>2020</b> , 80, 470-484.e8	15
262	The NBDY Microprotein Regulates Cellular RNA Decapping. <b>2020</b> , 59, 4131-4142	8
261	Phase Separation and Neurodegenerative Diseases: A Disturbance in the Force. <b>2020</b> , 55, 45-68	70
260	Alpha sinuclein expression in blood and its relationship with chronic constipation in a population from Bogotá D.C., with problems of alcohol consumption. <b>2020</b> , 40, 309-321	
259	Drosophila decapping protein 2 modulates the formation of cortical F-actin for germ plasm assembly. <b>2020</b> , 461, 96-106	1
258	RNA Granules: A View from the RNA Perspective. <b>2020</b> , 25,	18
257	Insights into mRNA degradation from single-molecule imaging in living cells. <b>2020</b> , 65, 89-95	0
256	Cytosolic Events in the Biogenesis of Mitochondrial Proteins. <b>2020</b> , 45, 650-667	39
255	NcPuf1 Is a Key Virulence Factor in. <b>2020</b> , 9,	1



254	Coenzyme Q in Aging. <b>2020</b> ,	1
253	Role of microRNA in forming breast carcinoma. <b>2020</b> , 259, 118256	6
252	Mammalian stress granules and P bodies at a glance. <b>2020</b> , 133,	61
251	Dynamic mRNP Remodeling in Response to Internal and External Stimuli. <b>2020</b> , 10,	5
250	mRNA Post-Transcriptional Regulation by AU-Rich Element-Binding Proteins in Liver Inflammation and Cancer. <b>2020</b> , 21,	5
249	RNA Degradation in Eukaryotic Cells. <b>2020</b> , 54, 485-502	1
248	Pby1 is a direct partner of the Dcp2 decapping enzyme. <b>2020</b> , 48, 6353-6366	1
247	Complex Interactions Between Membrane-Bound Organelles, Biomolecular Condensates and the Cytoskeleton. <b>2020</b> , 8, 618733	12
246	Core spliceosomal Sm proteins as constituents of cytoplasmic mRNPs in plants. <b>2020</b> , 103, 1155-1173	0
245	Global Profiling of Cellular Substrates of Human Dcp2. <b>2020</b> , 59, 4176-4188	8
244	DHH1/DDX6-like RNA helicases maintain ephemeral half-lives of stress-response mRNAs. <b>2020</b> , 6, 675-685	14
243	Mechanisms and Regulation of RNA Condensation in RNP Granule Formation. <b>2020</b> , 45, 764-778	55
242	RPS28B mRNA acts as a scaffold promoting cis-translational interaction of proteins driving P-body assembly. <b>2020</b> , 48, 6265-6279	14
241	Pdc2/Pat1 increases the range of decay factors and RNA bound by the Lsm1-7 complex. <b>2020</b> , 26, 1380-1388	5
240	Sequential recruitment of the mRNA decay machinery to the iron-regulated protein Cth2 in <i>Saccharomyces cerevisiae</i> . <b>2020</b> , 1863, 194595	1
239	The involvement of stress granules in aging and aging-associated diseases. <b>2020</b> , 19, e13136	34
238	DIRS retrotransposons amplify via linear, single-stranded cDNA intermediates. <b>2020</b> , 48, 4230-4243	3
237	AtXRN4 Affects the Turnover of Chosen miRNA*s in. <b>2020</b> , 9,	3

236	RNA Binding Proteins and Gene Expression Regulation in. <b>2020</b> , 10, 56	5
235	Expression of DCP1a in gastric cancer and its biological function and mechanism in chemotherapy resistance in gastric cancer cells. <b>2020</b> , 52, 1351-1358	2
234	Arginine-Enriched Mixed-Charge Domains Provide Cohesion for Nuclear Speckle Condensation. <b>2020</b> , 77, 1237-1250.e4	54
233	RNA Droplets. <b>2020</b> , 49, 247-265	42
232	Molecular Mechanisms Driving mRNA Degradation by mA Modification. <b>2020</b> , 36, 177-188	106
231	-Methyladenosine Level in Silkworm Midgut/Ovary Cell Line Is Associated With Nucleopolyhedrovirus Infection. <b>2019</b> , 10, 2988	11
230	DDX6 Helicase Behavior and Protein Partners in Human Adipose Tissue-Derived Stem Cells during Early Adipogenesis and Osteogenesis. <b>2020</b> , 21,	5
229	BR-Bodies Provide Selectively Permeable Condensates that Stimulate mRNA Decay and Prevent Release of Decay Intermediates. <b>2020</b> , 78, 670-682.e8	28
228	Virus-Induced Cytoplasmic Aggregates and Inclusions are Critical Cellular Regulatory and Antiviral Factors. <b>2020</b> , 12,	10
227	Biochemical Characterization of Yeast Xrn1. <b>2020</b> , 59, 1493-1507	6
226	Current perspectives on the clinical implications of oxidative RNA damage in aging research: challenges and opportunities. <b>2021</b> , 43, 487-505	10
225	Analysis of biomolecular condensates and protein phase separation with microfluidic technology. <b>2021</b> , 1868, 118823	16
224	A prion-like domain of Tpk2 catalytic subunit of protein kinase A modulates P-body formation in response to stress in budding yeast. <b>2021</b> , 1868, 118884	1
223	Splicing at the phase-separated nuclear speckle interface: a model. <b>2021</b> , 49, 636-645	16
222	Discovery of cellular substrates of human RNA-decapping enzyme DCP2 using a stapled bicyclic peptide inhibitor. <b>2021</b> , 28, 463-474.e7	3
221	From Prions to Stress Granules: Defining the Compositional Features of Prion-Like Domains That Promote Different Types of Assemblies. <b>2021</b> , 22,	6
220	Pseudomonas syringae pv. syringae Infection Orchestrates the Fate of the Arabidopsis J Domain Containing Cochaperone and Decapping Protein Factor 5. <b>2021</b> , 113, 101598	1
219	Human Ccr4 and Caf1 Deadenylation Regulate Proliferation and Tumorigenicity of Human Gastric Cancer Cells via Modulating Cell Cycle Progression. <b>2021</b> , 13,	1

218	Germ cell ribonucleoprotein granules in different clades of life: From insects to mammals. <b>2021</b> , 12, e1642	4
217	Analysis of the TORC1 interactome reveals a spatially distinct function of TORC1 in mRNP complexes. <b>2021</b> , 220,	0
216	EDC3 phosphorylation regulates growth and invasion through controlling P-body formation and dynamics. <b>2021</b> , 22, e50835	5
215	Amyotrophic Lateral Sclerosis and Frontotemporal Lobar Degenerations: Similarities in Genetic Background. <b>2021</b> , 11,	2
214	Biomolecular condensates amplify mRNA decapping by biasing enzyme conformation. <b>2021</b> , 17, 615-623	11
213	Regulation of nonsense-mediated mRNA decay in neural development and disease. <b>2021</b> , 13, 269-281	1
212	Deciphering Epitranscriptome: Modification of mRNA Bases Provides a New Perspective for Post-transcriptional Regulation of Gene Expression. <b>2021</b> , 9, 628415	20
211	Comparison of RNA mA and DNA methylation profiles between mouse female germline stem cells and STO cells. <b>2021</b> , 23, 431-439	5
210	The transcriptional landscape of a hepatoma cell line grown on scaffolds of extracellular matrix proteins. <b>2021</b> , 22, 238	
209	The role of stress-activated RNA-protein granules in surviving adversity. <b>2021</b> ,	3
208	Thermodynamics and kinetics of phase separation of protein-RNA mixtures by a minimal model. <b>2021</b> , 120, 1219-1230	14
207	Get closer and make hotspots: liquid-liquid phase separation in plants. <b>2021</b> , 22, e51656	6
206	yEvo: Experimental evolution in high school classrooms selects for novel mutations and epistatic interactions that impact clotrimazole resistance in <i>S. cerevisiae</i> .	1
205	Thermostability, Tunability, and Tenacity of RNA as Rubbery Anionic Polymeric Materials in Nanotechnology and Nanomedicine-Specific Cancer Targeting with Undetectable Toxicity. <b>2021</b> , 121, 7398-7467	13
204	Mechanistic dissection of increased enzymatic rate in a phase-separated compartment. <b>2021</b> , 17, 693-702	36
203	Involvement of RNA granule proteins in meiotic silencing by unpaired DNA. <b>2021</b> , 11,	1
202	eIF3a Destabilization and TDP-43 Alter Dynamics of Heat-Induced Stress Granules. <b>2021</b> , 22,	1
201	mRNA decapping factor Dcp1a is essential for embryonic growth in mice. <b>2021</b> , 555, 128-133	0

200	Phosphorylation of mRNA-Binding Proteins Puf1 and Puf2 by TORC2-Activated Protein Kinase Ypk1 Alleviates Their Repressive Effects. <b>2021</b> , 11,	1
199	Stress Granule-Mediated Oxidized RNA Decay in P-Body: Hypothetical Role of ADAR1, Tudor-SN, and STAU1. <b>2021</b> , 8, 672988	2
198	Stress Granules and Neurodegenerative Disorders: A Scoping Review. <b>2021</b> , 13, 650740	5
197	to Explore Nucleolar Stress. <b>2021</b> , 22,	0
196	Evasion of Antiviral Innate Immunity by Porcine Reproductive and Respiratory Syndrome Virus. <b>2021</b> , 12, 693799	3
195	Roles of Phase Separation for Cellular Redox Maintenance. <b>2021</b> , 12, 691946	3
194	A (dis)integrated stress response: Genetic diseases of eIF2 $\beta$ regulators. <b>2021</b> , e1689	2
193	Transient propagation of BmLV and dysregulation of gene expression in nontarget cells following BmLV infection. <b>2021</b> , 24, 893-902	
192	Plant Stress Granules: Trends and Beyond. <b>2021</b> , 12, 722643	6
191	Phase separation in RNA biology. <b>2021</b> , 48, 872-880	1
190	Functionally distinct roles for eEF2K in the control of ribosome availability and p-body abundance in sensory neurons.	
189	Cpeb1 expression is post-transcriptionally regulated by AUF1, CPEB1, and microRNAs. <b>2021</b> ,	1
188	RNA modulates physiological and neuropathological protein phase transitions. <b>2021</b> , 109, 2663-2681	7
187	Enterovirus 71 2A Protease Inhibits P-Body Formation To Promote Viral RNA Synthesis. <b>2021</b> , 95, e0092221	1
186	The mRNA decapping complex is buffered by nuclear localization. <b>2021</b> , 134,	1
185	RNA helicase DDX6 in P-bodies is essential for the assembly of stress granules.	0
184	Viral Manipulation of a Mechanoresponsive Signaling Axis Disassembles Processing Bodies. <b>2021</b> , 41, e0039921	2
183	Protein Aggregation and Disaggregation in Cells and Development. <b>2021</b> , 433, 167215	3

182	The RNA m6A writer METTL14 in cancers: Roles, structures, and applications. <b>2021</b> , 1876, 188609	9
181	On the functional relevance of spatiotemporally-specific patterns of experience-dependent long noncoding RNA expression in the brain. <b>2021</b> , 18, 1025-1036	4
180	hsa-miR-191-5p inhibits replication of human immunodeficiency virus type 1 by downregulating the expression of NUP50. <b>2021</b> , 166, 755-766	4
179	Mex-3 RNA binding MEX3A promotes the proliferation and migration of breast cancer cells via regulating RhoA/ROCK1/LIMK1 signaling pathway. <b>2021</b> , 12, 5850-5858	2
178	Phase-separated bacterial ribonucleoprotein bodies organize mRNA decay. <b>2020</b> , 11, e1599	7
177	In vivo and in vitro analysis of poly(A) length effects on mRNA translation. <b>2008</b> , 419, 215-30	15
176	Continuous density gradients to study Argonaute and GW182 complexes associated with the endocytic pathway. <b>2011</b> , 725, 63-76	2
175	RNA Granules and Their Role in Neurodegenerative Diseases. <b>2019</b> , 1203, 195-245	10
174	mRNA Degradation and Decay. <b>2014</b> , 159-193	3
173	State of decay: an update on plant mRNA turnover. <b>2008</b> , 326, 179-99	8
172	Tau Condensates. <b>2019</b> , 1184, 327-339	6
171	Identification of Edc3p as an Enhancer of mRNA Decapping in <i>Saccharomyces cerevisiae</i> . <b>2004</b> , 166, 729-739	17
170	RNA processing bodies are disassembled during Old World alphavirus infection. <b>2019</b> , 100, 1375-1389	6
169	L-bodies are novel RNA-protein condensates driving RNA transport in <i>Xenopus</i> oocytes.	3
168	Viral manipulation of mechanoresponsive signaling disassembles processing bodies.	1
167	Integrated multi-omics reveals common properties underlying stress granule and P-body formation.	5
166	Coordinate transcriptional and post-transcriptional repression of pro-differentiation genes maintains intestinal stem cell identity.	2
165	Biomolecular condensates amplify mRNA decapping by coupling protein interactions with conformational changes in Dcp1/Dcp2.	2

164	IP6K1 upregulates the formation of processing bodies by promoting proteome remodeling on the mRNA cap.	1
163	P-bodies are sites of rapid RNA decay during the neural crest epithelial-mesenchymal transition.	3
162	Phase Separation Can Increase Enzyme Activity by Concentration and Molecular Organization.	7
161	Human coronaviruses disassemble processing bodies.	1
160	Non-invasive measurement of mRNA decay reveals translation initiation as the major determinant of mRNA stability.	3
159	Proteobacterial RNA degradosomes assemble liquid-liquid phase separated RNP bodies.	0
158	P-bodies and the miRNA pathway regulate translational repression of bicoid mRNA during <i>Drosophila melanogaster</i> oogenesis.	1
157	Deciphering human ribonucleoprotein regulatory networks.	3
156	A quantitative inventory of yeast P body proteins reveals principles of composition and specificity.	6
155	BR-bodies provide selectively permeable condensates that stimulate mRNA decay and prevent release of decay intermediates.	0
154	RPS28B mRNA acts as a scaffold promoting cis-translational interaction of proteins driving P-body assembly.	2
153	Arginine-enriched mixed-charge domains provide cohesion for nuclear speckle condensation.	5
152	Ty3, a Position-specific Retrotransposon in Budding Yeast. 965-996	4
151	The DEAD-box RNA helicase Vad1 regulates multiple virulence-associated genes in <i>Cryptococcus neoformans</i> . <b>2005</b> , 115, 632-41	72
150	Beyond transcription factors: roles of mRNA decay in regulating gene expression in plants. <b>2018</b> , 7,	7
149	Extensive association of functionally and cytologically related mRNAs with Puf family RNA-binding proteins in yeast. <b>2004</b> , 2, E79	510
148	Large-Scale Analysis of Kinase Signaling in Yeast Pseudohyphal Development Identifies Regulation of Ribonucleoprotein Granules. <b>2015</b> , 11, e1005564	16
147	Conceptual modeling in systems biology fosters empirical findings: the mRNA lifecycle. <b>2007</b> , 2, e872	18

146	p16(INK4a) translation suppressed by miR-24. <b>2008</b> , 3, e1864	207
145	Localization to, and effects of Pbp1, Pbp4, Lsm12, Dhh1, and Pab1 on stress granules in <i>Saccharomyces cerevisiae</i> . <b>2010</b> , 5, e10006	89
144	Differential localization of the two <i>T. brucei</i> poly(A) binding proteins to the nucleus and RNP granules suggests binding to distinct mRNA pools. <b>2013</b> , 8, e54004	32
143	Heat shock-induced accumulation of translation elongation and termination factors precedes assembly of stress granules in <i>S. cerevisiae</i> . <b>2013</b> , 8, e57083	44
142	Phosphorylation of mRNA decapping protein Dcp1a by the ERK signaling pathway during early differentiation of 3T3-L1 preadipocytes. <b>2013</b> , 8, e61697	18
141	Unidirectional P-body transport during the yeast cell cycle. <b>2014</b> , 9, e99428	13
140	Calcineurin Targets Involved in Stress Survival and Fungal Virulence. <b>2016</b> , 12, e1005873	45
139	XRN1 Is a Species-Specific Virus Restriction Factor in Yeasts. <b>2016</b> , 12, e1005890	23
138	RNA Granules Living a Post-transcriptional Life: the Trypanosomes Case. <b>2011</b> , 5, 108-117	32
137	P-body and Stress Granule Quantification in. <b>2017</b> , 7,	5
136	Stress granules in colorectal cancer: Current knowledge and potential therapeutic applications. <b>2020</b> , 26, 5223-5247	2
135	RNA-binding proteins related to stress response and differentiation in protozoa. <b>2016</b> , 7, 78-87	15
134	ATPase activity of the DEAD-box protein Dhh1 controls processing body formation. <b>2016</b> , 5,	72
133	Histone gene replacement reveals a post-transcriptional role for H3K36 in maintaining metazoan transcriptome fidelity. <b>2017</b> , 6,	20
132	Context-dependent deposition and regulation of mRNAs in P-bodies. <b>2018</b> , 7,	33
131	Non-invasive measurement of mRNA decay reveals translation initiation as the major determinant of mRNA stability. <b>2018</b> , 7,	79
130	Pat1 promotes processing body assembly by enhancing the phase separation of the DEAD-box ATPase Dhh1 and RNA. <b>2019</b> , 8,	30
129	A quantitative inventory of yeast P body proteins reveals principles of composition and specificity. <b>2020</b> , 9,	36

128	Clinical characteristics and prognostic value of MEX3A mRNA in liver cancer. <b>2020</b> , 8, e8252	21
127	Integrated multi-omics reveals common properties underlying stress granule and P-body formation. <b>2021</b> , 1-19	2
126	Adaptable P body physical states differentially regulate bicoid mRNA storage during early Drosophila development. <b>2021</b> , 56, 2886-2901.e6	0
125	A poxvirus decapping enzyme localizes to mitochondria to regulate RNA metabolism and translation, and promote viral replication.	0
124	Are stress granules the RNA analogs of misfolded protein aggregates?. <b>2021</b> ,	2
123	RNA Interference: Mechanisms and Proteins Involved. 1	
122	Neuronal P-bodies and Transport of microRNA-Repressed mRNAs. <b>2010</b> , 45-56	
121	Ethanol Stress Response in mRNA Flux of <i>Saccharomyces cerevisiae</i> . <b>2010</b> , 105, 63-68	
120	Cytoplasmic RNA Domains. 429-444	
119	Stress-induced processing body formation in tobacco suspension cells. <b>2012</b> , 29, 80-84	
118	Stress Responses of Koji Mold Cells with Highly Polarized and Multicellular Morphology. <b>2015</b> , 169-184	
117	XRN1 is a Species-Specific Virus Restriction Factor in Yeasts.	0
116	Histone gene replacement reveals a post-transcriptional role for H3K36 in maintaining metazoan transcriptome fidelity.	1
115	Context-dependent deposition and regulation of mRNAs in P-bodies.	
114	N6-methyladenosine binding proteins negatively regulate HIV-1 infectivity and viral production.	2
113	mRNA Turnover. 1-8	
112	Role of DCP1-DCP2 complex regulated by viral and host microRNAs in DNA virus infection.	
111	Pat1 promotes processing body assembly by enhancing the phase separation of the DEAD-box ATPase Dhh1 and RNA.	



- 110 Translation factor mRNA granules direct protein synthetic capacity to regions of polarized growth.
- 109 RNA Interference Technology. **2019**, 560-575 4
- 108 Additional layer of regulation via convergent gene orientation in yeasts.
- 107 Core spliceosomal Sm proteins as constituents of cytoplasmic mRNPs in plants.
- 106 DHH1/DDX6-like RNA helicases maintain ephemeral half-lives of stress-response mRNAs associated with innate immunity and growth inhibition. 1
- 105 Regulation of Synthesis of Coenzyme Q10. **2020**, 113-127
- 104 Pat1 increases the range of decay factors and RNA bound by the Lsm1-7 complex.
- 103 Intrinsically disordered regions of Tristetraprolin and DCP2 directly interact to mediate decay of ARE-mRNA. 1
- 102 Two- and three-dimensional tracking of MFA2 mRNA molecules in mating yeast.
- 101 MAP kinase Slt2p attenuates cell wall mRNA decay by downregulating the RNA-binding protein Rbp1p in response to stress.
- 100 Decapping complex is essential for functional P-body formation and is buffered by nuclear localization.
- 99 Processing of RNA Containing 8-Oxo-7,8-Dihydroguanosine (8-oxoG) by the Exoribonuclease Xrn-1. **2021**, 8, 780315 0
- 98 Functionally distinct roles for eEF2K in the control of ribosome availability and p-body abundance. **2021**, 12, 6789 1
- 97 Using quantitative reconstitution to investigate multi-component condensates. **2021**, 2
- 96 Signaling by the integrated stress response kinase PKR is fine-tuned by dynamic clustering. 0
- 95 Polyphosphate degradation by Nudt3-Zn mediates oxidative stress response. **2021**, 37, 110004 3
- 94 IP6K1 upregulates the formation of processing bodies by influencing protein-protein interactions on the mRNA cap. **2021**, 0
- 93 Transcription feedback dynamics in the wake of cytoplasmic degradation shutdown.

92	Pathological phase transitions in ALS-FTD impair dynamic RNA-protein granules. <b>2021</b> ,	1
91	Dynamic regulation and functions of mRNA m6A modification.. <b>2022</b> , 22, 48	3
90	Processing body (P-body) and its mediators in cancer.. <b>2022</b> , 477, 1217	0
89	N6-Methyladenosine Modifications in the Female Reproductive System: Roles in Gonad Development and Diseases.. <b>2022</b> , 18, 771-782	1
88	dsRNA-induced condensation of antiviral proteins promotes PKR activation.	0
87	Condensation of a nuclear mRNA export factor regulates mRNA transport during stress.	1
86	Shaping the Innate Immune Response Through Post-Transcriptional Regulation of Gene Expression Mediated by RNA-Binding Proteins.. <b>2021</b> , 12, 796012	1
85	Coordinated repression of pro-differentiation genes via P-bodies and transcription maintains Drosophila intestinal stem cell identity. <b>2021</b> ,	2
84	Depletion of the RNA-binding protein PURA triggers changes in posttranscriptional gene regulation and loss of P-bodies.	
83	Phytochrome A Mediates the Disassembly of Processing Bodies in Far-Red Light.. <b>2022</b> , 13, 828529	0
82	Exploring Breakthroughs in Three Traits Belonging to Seed Life.. <b>2022</b> , 11,	2
81	Xrn1 is a deNADding enzyme modulating mitochondrial NAD-capped RNA.. <b>2022</b> , 13, 889	1
80	Organelle homeostasis and innate immune sensing.. <b>2022</b> ,	5
79	The Role of DEAD-Box ATPases in Gene Expression and the Regulation of RNA-Protein Condensates.. <b>2022</b> ,	1
78	Phase separated ribosome nascent chain complexes paused in translation are capable to continue expression of proteins playing role in genotoxic stress response upon DNA damage.	0
77	Eukaryotic mRNA Decapping Activation.. <b>2022</b> , 13, 832547	1
76	Global SLAM-Seq for accurate mRNA decay determination and identification of NMD targets.. <b>2022</b> ,	0
75	Modelling global mRNA dynamics during Drosophila embryogenesis reveals a relationship between mRNA degradation and P-bodies.	0

74	Oncogenic and tumor-suppressive functions of the RNA demethylase FTO.. <b>2022,</b>	0
73	Tissue-specific landscape of protein aggregation and quality control in an aging vertebrate.	1
72	Transcription Elongation Factors in Health and Disease.	0
71	Adaptive Response of Hosts to L-A dsRNA Viruses Is Achieved through Intrinsically Balanced Action of Targeted Transcription Factors.. <b>2022, 8,</b>	0
70	Decoupling of degradation from deadenylation reshapes poly(A) tail length in yeast meiosis. <b>2021,</b> 28, 1038-1049	1
69	Global SLAM-Seq for accurate mRNA decay determination and identification of NMD targets.	
68	Modulation of Phase Separation by RNA: A Glimpse on N-Methyladenosine Modification.. <b>2021, 9,</b> 786454	1
67	RNA metabolism and links to inflammatory regulation and disease.. <b>2021, 79,</b> 21	
66	Low complexity RGG-motif sequence is required for Processing body (P-body) disassembly.. <b>2022,</b> 13, 2077	1
65	A Poxvirus Decapping Enzyme Colocalizes with Mitochondria To Regulate RNA Metabolism and Translation and Promote Viral Replication.. <b>2022,</b> e0030022	1
64	Data_Sheet_1.DOCX. <b>2020,</b>	
63	Table_1.XLSX. <b>2020,</b>	
62	Table_1.DOC. <b>2020,</b>	
61	Data_Sheet_1.PDF. <b>2019,</b>	
60	Data_Sheet_10.pdf. <b>2019,</b>	
59	Data_Sheet_11.PDF. <b>2019,</b>	
58	Data_Sheet_12.PDF. <b>2019,</b>	
57	Data_Sheet_13.PDF. <b>2019,</b>	

56	Data_Sheet_2.PDF. <b>2019,</b>	
55	Data_Sheet_3.PDF. <b>2019,</b>	
54	Data_Sheet_4.PDF. <b>2019,</b>	
53	Data_Sheet_5.PDF. <b>2019,</b>	
52	Data_Sheet_6.PDF. <b>2019,</b>	
51	Data_Sheet_7.PDF. <b>2019,</b>	
50	Data_Sheet_8.PDF. <b>2019,</b>	
49	Data_Sheet_9.PDF. <b>2019,</b>	
48	OUP accepted manuscript.	1
47	Post-transcriptional regulation during stress.. <b>2022,</b>	0
46	Signaling by the integrated stress response kinase PKR is fine-tuned by dynamic clustering.. <b>2022,</b> 221,	0
45	RNA supply drives physiological granule assembly in neurons.. <b>2022,</b> 13, 2781	2
44	Spelling out the roles of individual nucleoporins in nuclear export of mRNA.. <b>2022,</b> 13, 170-193	1
43	Mettl3 downregulation in germinal vesicle oocytes inhibits mRNA decay and the 1st polar body extrusion during maturation.	
42	Stressful steps: Progress and challenges in understanding stress-induced mRNA condensation and accumulation in stress granules. <b>2022,</b>	2
41	Nucleic Acid Synthesis/Breakdown: RNA Synthesis/Function □The Interplay Between Eukaryotic mRNA Degradation and Translation. <b>2022,</b>	
40	Adenovirus infection controls processing bodies to stabilize AU-rich element-containing mRNA. <b>2022,</b>	
39	Illuminating RNA biology through imaging. <b>2022,</b> 24, 815-824	6

38	IgG from Adult Atopic Dermatitis (AD) Patients Induces Nonatopic Neonatal Thymic GammaDelta T Cells (III) to Acquire IL-22/IL-17 Secretion Profile with Skin-Homing Properties and Epigenetic Implications Mediated by miRNA. <b>2022</b> , 23, 6872	0
37	IgG from Adult Atopic Dermatitis (AD) Patients Induces Thymic IL-22 Production and CLA Expression on CD4+ T Cells: Possible Epigenetic Implications Mediated by miRNA. <b>2022</b> , 23, 6867	
36	Lsm7 phase-separated condensates trigger stress granule formation. <b>2022</b> , 13,	0
35	m6A Methylation in Cardiovascular Diseases: From Mechanisms to Therapeutic Potential. 13,	3
34	Regulation of Cellular Ribonucleoprotein Granules: From Assembly to Degradation via Post-translational Modification. <b>2022</b> , 11, 2063	0
33	Highly Overexpressed AtC3H18 Impairs Microgametogenesis via Promoting the Continuous Assembly of mRNP Granules. 13,	
32	P-bodies directly regulate MARF1-mediated mRNA decay in human cells.	0
31	A distinct P-body-like granule is induced in response to the disruption of microtubule integrity in <i>Saccharomyces cerevisiae</i> .	
30	Rpb4/7, a key element of RNA pol II to coordinate mRNA synthesis in the nucleus with cytoplasmic functions in <i>Saccharomyces cerevisiae</i> . <b>2022</b> , 194846	0
29	dsRNA-induced condensation of antiviral proteins modulates PKR activity. <b>2022</b> , 119,	0
28	Quantitative reconstitution of yeast RNA processing bodies.	0
27	Dynamic cytosolic foci of DPPA4 in human pluripotent stem cells. <b>2022</b> , 78, 101893	
26	Eukaryotic mRNA decapping factors: molecular mechanisms and activity.	0
25	Intrinsically disordered regions of tristetraprolin and DCP2 directly interact to mediate decay of ARE-mRNA.	0
24	miRNA: A Promising Therapeutic Target in Cancer. <b>2022</b> , 23, 11502	4
23	yEvo: experimental evolution in high school classrooms selects for novel mutations that impact clotrimazole resistance in <i>Saccharomyces cerevisiae</i> .	0
22	Landscape of biomolecular condensates in heat stress responses. 13,	1
21	RNA m6A modifications in mammalian gametogenesis and pregnancy. <b>2022</b> ,	0

- 20 Association of ScV-LA Virus with Host Protein Metabolism Determined by Proteomics Analysis and Cognate RNA Sequencing. **2022**, 14, 2345 ○
- 19 P bodies coat germ granules to promote transgenerational gene silencing in *C. elegans*. ○
- 18 Intrinsically disordered regions: a platform for regulated assembly of biomolecular condensates. **2023**, 397-430 ○
- 17 Stress, membraneless organelles, and liquid-liquid phase separation. **2023**, 505-529 ○
- 16 Synthetic Platforms for Characterizing and Targeting of SARS-CoV-2 Genome Capping Enzymes. ○
- 15 Role of N6-methyladenosine in the pathogenesis, diagnosis and treatment of pancreatic cancer (Review). **2022**, 62, 1
- 14 P-body dynamics revealed by DDX6 protein knockdown via the auxin inducible degron system. ○
- 13 The roles of prion-like domains in amyloid formation, phase separation, and solubility. **2023**, 397-426 ○
- 12 A guide to membraneless organelles and their various roles in gene regulation. 1
- 11 Biological roles of the RNA m6A modification and its implications in cancer. **2022**, 54, 1822-1832 1
- 10 Global profiling identifies a stress-responsive tyrosine site on EDC3 regulating biomolecular condensate formation. **2022**, 29, 1709-1720.e7 1
- 9 Regulation of ribonucleoprotein condensates by RNase L during viral infection. ○
- 8 Depletion of the RNA-binding protein PURA triggers changes in posttranscriptional gene regulation and loss of P-bodies. ○
- 7 A call to order: Examining structured domains in biomolecular condensates. **2023**, 346, 107318 ○
- 6 Combined modelling of mRNA decay dynamics and single-molecule imaging in the *Drosophila* embryo uncovers a role for P-bodies in 5' to 3' degradation. **2023**, 21, e3001956 ○
- 5 Ythdf2 promotes pulmonary hypertension by suppressing Hmox1-dependent anti-inflammatory and antioxidant function in alveolar macrophages. **2023**, 61, 102638 ○
- 4 The EDC4-XRN1 axis controls P-body dynamics to link mRNA decapping with decay. ○
- 3 The formation and function of plant metabolons. ○

2 Reversible protein assemblies in the proteostasis network in health and disease. 10, ○

1 Antagonism between DDX6 and PI3K-AKT signaling is an oocyte-intrinsic mechanism controlling primordial follicle growth. ○