

CITATION REPORT

List of articles citing

The Seventh Report of the Joint National Committee on Prevention, Detection, Evaluation, and Treatment of High Blood Pressure: the JNC 7 report

DOI: 10.1001/jama.289.19.2560

JAMA - Journal of the American Medical Association, 2003, 289, 2560-72.

Source: <https://exaly.com/paper-pdf/35590295/citation-report.pdf>

Version: 2024-04-24

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
2226	Prevalence of obesity and hypertension among University students' and their knowledge and attitude towards risk factors of Cardiovascular Disease (CVD) in Jeddah, Saudi Arabia. 2015 , 31, 816-20		23
2225	Sibutramine lost and found. 2002 , 7, 161-7		10
2224	Renal Dysfunction in HIV-1-infected Patients. 2002 , 4, 449-460		12
2223	Effects of angiotensin converting enzyme inhibitors on thrombotic mediators: potential clinical implications. 2003 , 15, 217-25		7
2222	Stable patients with atherosclerotic renal artery stenosis should be treated first with medical management. 2003 , 42, 851-7		27
2221	Richtlijnen voor hypertensie: de volgende ronde. 2003 , 41, 281-282		
2220	Hypertensierichtlijnen. 2003 , 46, 422-422		
2219	Cerebrovascular Disease in Pregnancy. 2003 , 5, 391-407		22
2218	The DASH diet and blood pressure. 2003 , 5, 484-91		41
2217	Proteinuria in diabetic nephropathy: treatment and evolution. 2003 , 3, 497-504		18
2216	Management of hypertension emergencies. 2003 , 5, 486-92		13
2215	Hypertension and obstructive sleep apnea. 2003 , 5, 380-5		20
2214	How to titrate ACE inhibitors and angiotensin receptor blockers in renal patients: according to blood pressure or proteinuria?. 2003 , 5, 426-9		15
2213	Use of calcium antagonists in renal patients: therapeutic benefit or medical malpractice?. 2003 , 5, 430-6		1
2212	The management of blood pressure in acute stroke. 2003 , 2, 593		6
2211	Are antihypertensive drugs used to maximally reduce cardiovascular risk in dialysis patients?. 2003 , 42, 1301-4		2
2210	Cystic and inherited kidney diseases. 2003 , 42, 1305-17		62

2209	Reducing major vascular events among VA primary care patients: an extraordinary opportunity. 2003 , Suppl 1, S2-10	
2208	Should the K/DOQI definition of chronic kidney disease be changed?. 2003 , 42, 626-30	5
2207	Improving outcomes for women after coronary artery bypass grafting: a case for prevention. 2003 , 126, 1704-6	1
2206	A primer for developing pharmacist-managed clinics in the outpatient setting. 2003 , 23, 1153-66	21
2205	Gerontologic nurse practitioner care guidelines: hypertension in the elderly person. 2003 , 24, 373-5	
2204	Angiotensin-converting enzyme inhibitors: optimal management of cardiovascular risk. 2003 , 92, 900	
2203	Adherence to antihypertensive therapy with fixed-dose amlodipine besylate/benazepril HCl versus comparable component-based therapy. 2003 , 9, 324-32	116
2202	A different approach to medical risk assessment. 2003 , 4, 1-8	11
2201	Blood pressure - lower targets, greater challenges. 2003 , 28, 441-3	
2200	Favorable patient acceptance of ambulatory blood pressure monitoring in a primary care setting in the United States: a cross-sectional survey. 2003 , 4, 15	26
2199	AMGEN International Prize: the history and future of renoprotection. 2003 , 64, 1163-8	14
2198	Prospective trials on anemia of chronic disease: the Trial to Reduce Cardiovascular Events with Aranesp Therapy (TREAT). 2003 , S12-9	13
2197	Hypertension in diabetes: what's new, what's true, what's next?. 2003 , 20, 247-254	2
2196	Clinical decision-making in hypertension using an automated (BpTRU) measurement device. 2003 , 17, 823-7	49
2195	White coat hypertension: not so benign after all?. 2003 , 17, 807-9	7
2194	Effects of alcohol withdrawal on 24 hour ambulatory blood pressure among alcohol-dependent patients. 2003 , 27, 2002-8	11
2193	[Clinical practice guidelines for hypertension 2003. Do they clarify or confuse?]. 2003 , 56, 940-3	2
2192	Tratamiento farmacológico de la hipertensión arterial. 2003 , 8, 6357-6372	

2191	Comprehensive evaluation of the older woman. 2003 , 78, 1157-85	18
2190	[Guidelines for the diagnosis, evaluation and treatment of hypertension: the point of view of the Spanish Society of Hypertension]. 2003 , 121, 739-40	5
2189	Obstructive sleep apnea-hypopnea syndrome. 2003 , 78, 1545-52	47
2188	Tratamiento del paciente hipertenso con hiperplasia benigna de próstata. 2003 , 20, 395-402	
2187	The new hypertension guidelines from JNC 7: is the devil in the details?. 2003 , 78, 1078-81	2
2186	Selección de medicamentos en el anciano (II): recomendaciones específicas en las enfermedades más relevantes. 2003 , 10, 646-654	
2185	La combinación de dosis bajas de fármacos antihipertensivos mejora su eficacia y no ocasiona un incremento paralelo de efectos adversos. 2003 , 10, 754	
2184	[The Seventh Report of the Joint National Committee on the Prevention, Detection, Evaluation and Treatment of High Blood Pressure: the weapons are ready]. 2003 , 56, 843-7	20
2183	Putting prevention into daily practice. 2003 , 21, 471-82	3
2182	[From Framingham's equation to cardiovascular prevention]. 2003 , 121, 334-6	1
2181	Assessment of the obese patient. 2003 , 32, 915-33	55
2180	Pharmaceutical care services for patients with hypertension. 2003 , 37, 1335-7	7
2179	Prognostic value of ambulatory blood-pressure recordings in patients with treated hypertension. 2003 , 348, 2407-15	850
2178	Pharmacological profile and clinical use of moexipril. 2003 , 1, 345-52	3
2177	Angiotensin-converting enzyme inhibitors: ischemia is not the correct measure of benefit. 2003 , 42, 2060-2	1
2176	A better survival for women with heart failure? It's not so simple. 2003 , 42, 2135-8	12
2175	Drug interactions with angiotensin receptor blockers: a comparison with other antihypertensives. 2003 , 26, 707-20	34
2174	Lacidipine: a review of its use in the management of hypertension. 2003 , 63, 2327-56	43

2173	Lercanidipine : a review of its efficacy in the management of hypertension. 2003 , 63, 2449-72	61
2172	Azelnidipine. 2003 , 63, 2613-21; discussion 2623-4	38
2171	Effectiveness and Safety of Amlodipine in Newly Diagnosed Hypertensive Patients and in Previously Diagnosed Hypertensive Patients not Controlled with their Usual Treatment (NOTA Study). 2003 , 23, 761-70	3
2170	Kidney disease as a risk factor for development of cardiovascular disease: a statement from the American Heart Association Councils on Kidney in Cardiovascular Disease, High Blood Pressure Research, Clinical Cardiology, and Epidemiology and Prevention. 2003 , 108, 2154-69	2515
2169	Clinical review: the management of hypertensive crises. 2003 , 7, 374-84	126
2168	JNC 7: a moving guideline responds to a moving target. 2003 , 6, 177-8	3
2167	The economic impact of hypertension. 2003 , 5, 3-13	69
2166	The burden of uncontrolled hypertension: morbidity and mortality associated with disease progression. 2003 , 5, 14-22	61
2165	The JNC 7: stepped care is alive and well. 2003 , 5, 187-90, 195	2
2164	The JNC 7 report: challenges and dilemmas in writing guidelines. 2003 , 5, 282-6	
2163	Combination therapy for hypertension: an update. 2003 , 5, 247-8	0
2162	Rationale for combination therapy in the management of hypertension. 2003 , 5, 17-25	10
2161	Hypertension in the metabolic syndrome and diabetes: pathogenesis, clinical studies, and treatment. 2003 , 5, 3-10	4
2160	Quality of life measured in a practice-based hypertension trial of an angiotensin receptor blocker. 2003 , 5, 322-9	11
2159	Rationale for combination therapy as initial treatment for hypertension. 2003 , 5, 4-11	15
2158	Creating a combination antihypertensive regimen: what does the research show?. 2003 , 5, 12-20	19
2157	Who should be treated with combination therapy as initial treatment for hypertension?. 2003 , 5, 21-8	3
2156	The first hypertension trial comparing the effects of two fixed-dose combination therapy regimens on cardiovascular events: Avoiding Cardiovascular events through Combination therapy in Patients Living with Systolic Hypertension (ACCOMPLISH). 2003 , 5, 29-35	23

2155	Common questions and answers in the management of hypertension. Residual risk. 2003 , 5, 362-3	1
2154	What's new in <i>Renal Medicine</i> . 2003 , 31, 1-4	1
2153	Effects of different blood-pressure-lowering regimens on major cardiovascular events: results of prospectively-designed overviews of randomised trials. 2003 , 362, 1527-35	1958
2152	Once-daily fixed-combination irbesartan 300 mg/ hydrochlorothiazide 25 mg and circadian blood pressure profile in patients with essential hypertension. 2003 , 25, 2849-64	29
2151	Losartan and other angiotensin II antagonists for nephropathy in type 2 diabetes mellitus: a review of the clinical trial evidence. 2003 , 25, 3044-64	30
2150	Registration of trials and protocols. 2003 , 362, 1009-10	7
2149	Do effects on blood pressure contribute to improved clinical outcomes with metformin?. 2003 , 29, 6562-70	9
2148	Criterios diagn�sticos y utilidad del electrocardiograma en el diagn�stico de la hipertrofia ventricular izquierda. Una historia sobre �boles y estrellas. 2003 , 20, 375-378	1
2147	Treatment of Hypertension. 2003 , 10, 7-9	
2146	Monitoring Blood Pressure in Patients with Acute Stroke. 2003 , 10, 35-40	
2145	The New JNC VII and ESH/ISH Hypertension Recommendations. 2003 , 10, 65-67	
2144	The <i>ForLife</i> Study. 2003 , 10, 91-93	3
2143	Preventing macrovascular disease in patients with type 2 diabetes mellitus. 2003 , 3, 283-97	14
2142	Seventh report of the Joint National Committee on Prevention, Detection, Evaluation, and Treatment of High Blood Pressure. 2003 , 42, 1206-52	10207
2141	Blood pressure measurement in diabetes: theory and practice. 2003 , 3, 258-261	
2140	Blood pressure lowering and life expectancy based on a Markov model of cardiovascular events. 2003 , 42, 885-90	17
2139	An open-label study investigating the efficacy and safety of 12-96 weeks of telmisartan treatment in patients with hypertension. 2003 , 31, 561-74	6
2138	Kidney disease as a risk factor for development of cardiovascular disease: a statement from the American Heart Association Councils on Kidney in Cardiovascular Disease, High Blood Pressure Research, Clinical Cardiology, and Epidemiology and Prevention. 2003 , 42, 1050-65	802

2137	Angiotensin II receptor blockers and cardiovascular outcomes: what does the future hold?. 2003 , 4, 62-73	7
2136	A genome-wide scan for urinary albumin excretion in hypertensive families. 2003 , 42, 291-6	64
2135	Polycystic Ovary Syndrome and the Metabolic Syndrome. 2003 , 21, 154-161	17
2134	Review: Hypertension in diabetes: a perspective from clinical pharmacology. 2003 , 3, 252-256	
2133	Consultations on patients with venous or arterial diseases. 2003 , 2003, 540-58	2
2132	Prediction of coronary heart disease in middle-aged adults with diabetes. 2003 , 26, 2777-84	108
2131	Approaches to cardiovascular disease and its treatment. 2003 , 26, 3342-8	6
2130	Downregulation of the BK channel beta1 subunit in genetic hypertension. 2003 , 93, 965-71	165
2129	Gene therapy with human tissue kallikrein reduces hypertension and hyperinsulinemia in fructose-induced hypertensive rats. 2003 , 42, 1026-33	52
2128	The ALLHAT study: results and clinical implications. 2003 , 96, 771-3	16
2127	Diabetes mellitus and heart failure. 2003 , 1, 273-80	11
2126	The Norwegian office-, home-, and ambulatory blood pressure study (NOHA). 2003 , 12, 211-9	20
2125	Primary prevention of coronary heart disease in the elderly. 2003 , 37, 1654-63	17
2124	Obesity, glucose intolerance and diabetes and their links to cardiovascular disease. Implications for laboratory medicine. 2003 , 41, 1266-78	27
2123	Coronary risk evaluation in patients with transient ischemic attack and ischemic stroke: a scientific statement for healthcare professionals from the Stroke Council and the Council on Clinical Cardiology of the American Heart Association/American Stroke Association. 2003 , 108, 1278-90	164
2122	Obesity, sleep apnea, and hypertension. 2003 , 42, 1067-74	326
2121	High blood pressure and brain oedema in acute stroke: the relevance of ambulatory blood pressure monitoring during the first 24 h after stroke onset. 2003 , 21, 2023-5	4
2120	Antihypertensive therapy in chronic renal disease: a place for sympatholytic agents?. 2003 , 21, 1625-6	2

2119	The growing problem of chronic renal failure after transplantation of a nonrenal organ. 2003 , 349, 994-6	27
2118	Coronary risk evaluation in patients with transient ischemic attack and ischemic stroke: a scientific statement for healthcare professionals from the Stroke Council and the Council on Clinical Cardiology of the American Heart Association/American Stroke Association. 2003 , 34, 2310-22	112
2117	JNC 7: has the definition of hypertension changed?. 2003 , 5, 305-7	0
2116	Is the relation of systolic blood pressure to risk of cardiovascular disease continuous and graded, or are there critical values?. 2003 , 42, 453-6	77
2115	Type 2 diabetes is cardiovascular disease. 2003 , 96, 371-2	1
2114	Professional Partnerships. 2003 , 18, 221-228	2
2113	Ambulatory blood pressure measurement as a predictor of outcome in an Irish population: methodology for ascertaining mortality outcome. 2003 , 8, 143-5	12
2112	A new normal: experts toughen blood pressure goals. 2003 , 21, 514-6	
2111	Relevance of blood pressure variation in the circadian onset of cardiovascular events. 2003 , 21, S9-15	43
2110	Pharmacogenetics of hypertension treatment: a structured review. 2003 , 13, 705-13	35
2109	Metabolic effects of antihypertensive treatment: long live the debate. 2003 , 21, 1459-62	8
2108	THE SEVENTH REPORT OF THE JOINT NATIONAL COMMITTEE ON PREVENTION, DETECTION, EVALUATION, AND TREATMENT OF HIGH BLOOD PRESSURE. THE JNC 7 REPORT. 2003 , 4, 179-180	9
2107	Assessment of overall blood pressure variability and its different components. 2003 , 8, 155-9	42
2106	Primary care physician beliefs regarding usefulness of self-monitoring of blood pressure. 2003 , 8, 249-54	27
2105	An ACE Up Your Sleeve and an ARB in Your Back Pocket, Just in Case. 2003 , 1, 36-43	
2104	Yet more hypertension guidelines: what do they add?. 2003 , 21, 1977-81	7
2103	A practical approach to persistent elevation of blood pressure in the hypertension clinic. 2003 , 8, 97-100	2
2102	X marks the spot. 2003 , 1, 19-27	2

2101	Benefits of blood pressure reduction in elderly patients. 2003 , 21, S25-30	19
2100	Benefits of blood pressure reduction in diabetic patients. 2003 , 21, S31-6	10
2099	Costs of implementing recommendations on hypertension management given in recent guidelines. 2003 , 21, 2207-9	7
2098	Management of decompensated heart failure. 2003 , 14, 498-511; quiz 551-3	2
2097	Recommendations for prevention, diagnosis and management of hypertension and cardiovascular risk factors in sub-Saharan Africa. 2003 , 21, 1993-2000	70
2096	Management of hypertension. 2003 , 58, 308-13	
2095	Efficacy and tolerability of the combination valsartan/hydrochlorothiazide compared with amlodipine in a mild-to-moderately hypertensive Brazilian population. 2003 , 12, 41-47	15
2094	Left ventricular hypertrophy regression with antihypertensive treatment: focus on Candesartan. 2003 , 2, 5-15	8
2093	Mental disorder diagnostic theory and practical reality: an evolutionary perspective. 2003 , 22, 21-7	19
2092	Wide Pulse Pressure and Isolated Systolic Hypertension. 2003 , 6, 129-133	
2091	Improving cardiac outcomes after noncardiac surgery. 2003 , 97, 613-615	9
2090	Treatment blood pressure targets for hypertension. 2003 ,	1
2089	Genetics of hypertension. 2003 , 5, 413-29	35
2088	[Evaluation of different approaches to the treatment of arterial hypertension: combination treatment with low dose perindopril/indapamide versus sequential treatment of stepped-dose treatment]. 2003 , 58, 351-2	0
2087	Does it matter how we lower blood pressure?. 2003 , 326, 333-5	
2086	US guidelines say blood pressure of 120/80 mm Hg is not "normal". 2003 , 326, 1104	5
2085	Hypertension and the brain: vulnerability of the prefrontal regions and executive functions. 2003 , 117, 1169-80	246
2084	JNC 7: New Guidelines for the Management of Hypertension. 2003 , 38, 913-918	

2083	Type 2 Diabetes is Cardiovascular Disease. 2003 , 96, 371-372	
2082	Japanese society of hypertension (JSH) guidelines for self-monitoring of blood pressure at home. 2003 , 26, 771-82	271
2081	Lowering blood pressure in 2003. 2003 , 179, 306-312	5
2080	Autosomal Dominant Polycystic Kidney Disease. 2003 , 85-117	2
2079	Candesartan Antihypertensive Survival Evaluation in Japan (CASE-J) trial of cardiovascular events in high-risk hypertensive patients: rationale, design, and methods. 2003 , 26, 979-90	46
2078	[Validity of self-reported hypertension and its determinants (the Bambu study)]. 2004 , 38, 637-42	60
2077	Control of blood pressure as measured at home and office, and comparison with physicians' assessment of control among treated hypertensive patients in Japan: First Report of the Japan Home versus Office Blood Pressure Measurement Evaluation (J-HOME) study. 2004 , 27, 755-63	100
2076	Pathophysiology of functional mutations of the thiazide-sensitive Na-Cl cotransporter in Gitelman disease. 2004 , 287, F195-203	70
2075	Peripheral arterial disease: prognostic significance and prevention of atherothrombotic complications. 2004 , 181, 150-4	70
2074	How to adjust ACE inhibitors and ARBs in diabetes?. 2004 , 115, 9-10	1
2073	New hypertension trials: what do the results mean for the elderly?. 2004 , 19, 69-72	
2072	Hypertension in a Dental School Patient Population. 2004 , 68, 956-964	8
2071	Prevention of cardiovascular disease: an evidence-based clinical aid. 2004 , 180, 197-198	
2070	The age-related increase in arterial stiffness is augmented in phases according to the severity of hypertension. 2004 , 27, 465-70	49
2069	Combined calcium, magnesium and potassium supplementation for the management of primary hypertension in adults. 2004 ,	
2068	C-reactive protein and peripheral artery disease among Japanese elderly: the Tsurugaya Project. 2004 , 27, 955-61	34
2067	Excessive alcohol intake increases the risk of arterial stiffening in men with normal blood pressure. 2004 , 27, 669-73	32
2066	Medical management of chronic ischemic heart disease. Selecting specific drug therapies, modifying risk factors. 2004 , 115, 39-46	2

2065	Demographic and clinical characteristics of hypertensive patients in the internal medicine outpatient clinic of a university hospital in Rio de Janeiro. 2004 , 122, 87-93	16
2064	Effects of a low dose of indapamide, a diuretic, given daily or every-other-day on blood pressure and metabolic parameters. 2004 , 27, 141-5	16
2063	Relationship between the awareness of salt restriction and the actual salt intake in hypertensive patients. 2004 , 27, 243-6	56
2062	Ambulatory blood pressure level rather than dipper/nondipper status predicts vascular events in type 2 diabetic subjects. 2004 , 27, 647-56	52
2061	Long thrice weekly hemodialysis: the Tassin experience. 2004 , 27, 265-83	47
2060	The thiazide-sensitive Na(+)-Cl(-) cotransporter gene, C1784T, and adrenergic receptor-beta3 gene, T727C, may be gene polymorphisms susceptible to the antihypertensive effect of thiazide diuretics. 2004 , 27, 821-33	45
2059	valsartan in elderly isolated systolic hypertension (VALISH) study: rationale and design. 2004 , 27, 657-61	24
2058	Practical efficacy of telmisartan for decreasing morning home blood pressure and pulse wave velocity in patients with mild-to-moderate hypertension. 2004 , 27, 545-50	33
2057	Eplerenone (Inspra), a new aldosterone antagonist for the treatment of systemic hypertension and heart failure. 2004 , 17, 217-20	26
2056	Ion and diuretic specificity of chimeric proteins between apical Na(+)-K(+)-2Cl(-) and Na(+)-Cl(-) cotransporters. 2004 , 287, F570-7	18
2055	Proteinuria and microalbuminuria in adults: significance, evaluation, and treatment. 2004 , 97, 969-79	21
2054	Prospective cohort study of retinal vessel diameters and risk of hypertension. 2004 , 329, 79	156
2053	Novel antihypertensive agents. 2004 , 13, 987-98	
2052	ACC/ACP/SCAI/SVMB/SVS Clinical Competence Statement on vascular medicine and catheter-based peripheral vascular interventions. A report of the American College of Cardiology/American Heart Association/American College of Physicians Task Force on Clinical Competence (ACC/ACP/SCAI/SVMB/SVS Writing Committee to develop a clinical competence statement on peripheral vascular disease). 2004 , 9, 233-48	16
2051	Measuring blood pressure: pitfalls and recommendations. 2004 , 19, 766-70	44
2050	Home, clinic, and ambulatory blood pressure monitoring in children with chronic renal failure. 2004 , 55, 492-7	132
2049	All antagonists in hypertension, heart failure, and diabetic nephropathy: focus on losartan. 2004 , 20, 279-93	17
2048	Selective imidazoline agonist moxonidine plus the ACE inhibitor ramipril in hypertensive patients with impaired insulin sensitivity: partners in a successful MARRIAGE?. 2004 , 20, 359-67	10

2047	The effect of irbesartan in reducing cardiovascular risk in hypertensive type 2 diabetic patients: an observational study in 16,600 patients in primary care. 2004 , 20, 1625-31	30
2046	Aldosterone revisited. 2004 , 351, 2131-3; author reply 2131-3	1
2045	Pediatric antecedents of adult cardiovascular disease--awareness and intervention. 2004 , 350, 2123-6	44
2044	Normal serum aminotransferase concentration and risk of mortality from liver diseases: prospective cohort study. 2004 , 328, 983	396
2043	Hypertensive therapy: Part II. 2004 , 109, 3081-8	28
2042	Clinically translated ischemic stroke genomics. 2004 , 35, 2735-9	14
2041	Angiotensin-converting enzyme, sleep-disordered breathing, and hypertension. 2004 , 170, 1349-53	64
2040	Effects of angiotensin converting enzyme inhibitors and angiotensin II receptor antagonists on mortality and renal outcomes in diabetic nephropathy: systematic review. 2004 , 329, 828	243
2039	One size does not fit all: aptitude x treatment interaction (ATI) as a conceptual framework for complementary and alternative medicine outcome research. Part 1--what is ATI research?. 2004 , 10, 580-6	25
2038	Risk stratification for the prevention of cardiovascular complications of hypertension. 2004 , 20, 1137-42	15
2037	The metabolic syndrome: what to treat, how to treat, what are the goals?. 2004 , 2, 191-7	2
2036	Guidelines of the Cardiogeriatrics Department of the Brazilian Cardiology Society: commentary by Editorial Board Members of The American Journal of Geriatric Cardiology. 2004 , 13, 209-16	
2035	Relationships of insulin sensitivity with fatness and fitness and in older men and women. 2004 , 13, 177-85	18
2034	Consensus development conference on antipsychotic drugs and obesity and diabetes. 2004 , 27, 596-601	1432
2033	Clinical management of metabolic syndrome: report of the American Heart Association/National Heart, Lung, and Blood Institute/American Diabetes Association conference on scientific issues related to management. 2004 , 24, e19-24	118
2032	Impact of obesity on plasma natriuretic peptide levels. 2004 , 109, 594-600	737
2031	Home blood pressure monitoring: point-of-care testing. 2004 , 38, 868-73	8
2030	Effect of pravastatin on cardiovascular events in people with chronic kidney disease. 2004 , 110, 1557-63	295

2029	Hypertension Management in the Diabetes Patient. 2004 , 17, 55-60	1
2028	Standards of medical care in diabetes. 2004 , 27 Suppl 1, S15-35	503
2027	Aortic dissection: a dreaded disease with many faces. 2004 , 9, 211-8	10
2026	Meta-analysis of interventions for medication adherence to antihypertensives. 2004 , 38, 1617-24	50
2025	Blood pressure and risk of secondary cardiovascular events in women: the Women's Antioxidant Cardiovascular Study (WACS). 2004 , 109, 1623-9	30
2024	Preventing cancer, cardiovascular disease, and diabetes: a common agenda for the American Cancer Society, the American Diabetes Association, and the American Heart Association. 2004 , 27, 1812-24	109
2023	Mandate for creation of a national peripheral arterial disease public awareness program: an opportunity to improve cardiovascular health. 2004 , 38, 121-30	1
2022	Prevalence and clinical significance of isolated ambulatory hypertension in young subjects screened for stage 1 hypertension. 2004 , 44, 170-4	60
2021	Hypertension and the vascular patient. 2004 , 38, 103-19	3
2020	Chapter 2 Primary Prevention of Stroke by Modification of Selected Risk Factors. 2004 , 29, 5-54	
2019	Diuretic effects of subcutaneous furosemide in human volunteers: a randomized pilot study. 2004 , 38, 544-9	40
2018	Surrogate markers for cardiovascular disease: functional markers. 2004 , 109, IV31-46	167
2017	Association between factor VII polymorphisms and blood pressure: the Stanislas Cohort. 2004 , 44, 674-80	7
2016	Special communication: mandate for creation of a national peripheral arterial disease public awareness program: an opportunity to improve cardiovascular health. 2004 , 55, 233-42	4
2015	Hypertensive therapy: Part I. 2004 , 109, 2953-8	22
2014	Relationship of alcohol drinking pattern to risk of hypertension: a population-based study. 2004 , 44, 813-9	143
2013	Trial of Preventing Hypertension (TROPHY): design and 2-year progress report. 2004 , 44, 125-6	3
2012	Motivational interviewing and diet modification: a review of the evidence. 2004 , 30, 404-6, 408-10, 414-6 passim	79

2011	Blood pressure control by home monitoring: meta-analysis of randomised trials. 2004 , 329, 145	342
2010	How does angiotensin II cause renal injury?. 2004 , 43, 722-3	54
2009	An Overview of Diabetic Nephropathy. 2004 , 17, 75-79	6
2008	Relations of serum aldosterone to cardiac structure: gender-related differences in the Framingham Heart Study. 2004 , 43, 957-62	115
2007	The mandate for creation of a national peripheral arterial disease public awareness program: an opportunity to improve cardiovascular health. 2004 , 9, 78-86	2
2006	Summary of the American Heart Association's evidence-based guidelines for cardiovascular disease prevention in women. 2004 , 24, 394-6	44
2005	Atherosclerotic Vascular Disease Conference: Writing Group V: medical decision making and therapy. 2004 , 109, 2634-42	42
2004	Heterogeneity of cardiorenal characteristics in normotensive subjects. 2004 , 43, 219-23	15
2003	Seventh report of the Joint National Committee on Prevention, Detection, Evaluation, and Treatment of High Blood Pressure and evidence from new hypertension trials. 2004 , 43, 1-3	265
2002	Guidelines for Hypertension: Are Quality-Assurance Measures on Target?. 2004 , 43, 198-202	26
2001	Overlap between whites and blacks in response to antihypertensive drugs. 2004 , 43, 566-72	91
2000	Anger expression and blood pressure in adolescents. 2004 , 20, 335-42	19
1999	Editorial II: Preoperative hypertension: remain wary? "Yes"--cancel surgery? "No". 2004 , 92, 461-4	18
1998	Clinical correlates and prognostic significance of exercise-induced ventricular premature beats in the community: the Framingham Heart Study. 2004 , 109, 2417-22	80
1997	Pathophysiology of hypertensive renal damage: implications for therapy. 2004 , 44, 595-601	243
1996	Chronic management of blood pressure after stroke. 2004 , 44, 1-5	124
1995	Effect of exercise training on interdialytic ambulatory and treatment-related blood pressure in hemodialysis patients. 2004 , 26, 539-44	37
1994	The Relationship Between Sodium and Blood Pressure in Hong Kong Chinese. 2004 , 21, 145-154	3

1993	Individualized risk management in diabetics: how to implement best practice guidelines--design and concept of the IRIDIEM studies. 2004 , 27, 127-33	2
1992	Knowing When to Play the Ace: The Use and Under Use of Ace Inhibitors in Primary Practice. 2004 , 17, 197-210	
1991	Simultaneous use of antidepressant and antihypertensive medications increases likelihood of diagnosis of obstructive sleep apnea syndrome. 2004 , 125, 1279-85	32
1990	Link between linear hyperintensity objects in cerebral white matter and hypertensive intracerebral hemorrhage. 2004 , 18, 166-73	5
1989	Stress reduction and blood pressure control in hypertension: a role for transcendental meditation?. 2004 , 22, 2057-60	23
1988	New European guidelines for management of hypertension: what is relevant for the nephrologist. 2004 , 19, 524-8	0
1987	Worldwide prevalence, awareness, treatment and control of hypertension. 2004 , 22, 21-4	6
1986	Cardiovascular risk in patients with renal disease: treating the risk or treating the risk factor?. 2004 , 19, 23-6	11
1985	Are guidelines right to promote lifestyle interventions against hypertension?. 2004 , 22, 2055-6	1
1984	Guidelines from the British Hypertension Society. 2004 , 328, 593-4	19
1983	The PROGRESS trial three years later: time for more action, less distraction. 2004 , 329, 970-1	8
1982	Prevention and health services delivery. 2004 , 35, 401-3	0
1981	Comparison of hypertension management after stroke and myocardial infarction: results from ECLAT1--a French nationwide study. 2004 , 35, 1579-83	22
1980	A young renal transplant recipient with unexplained resting sinus tachycardia, hypertension and beta-blocker resistance. 2004 , 19, 1646-9	
1979	Obesity: focus on prevention and policy. 2004 , 19, 217-8	1
1978	Linkage of Na(+) and Ca(2+) balance: evidence that Na(+) retention preserves Ca(2+) balance and limits bone wasting. 2004 , 22, 683-5	2
1977	Predictors of heart failure among women with coronary disease. 2004 , 110, 1424-30	126
1976	A single nucleotide polymorphism alters the activity of the renal Na+:Cl- cotransporter and reveals a role for transmembrane segment 4 in chloride and thiazide affinity. 2004 , 279, 16553-60	31

1975	Mean platelet volume in patients with type 2 diabetes mellitus. 2004 , 15, 475-8	238
1974	Anxiety is not manifested by elevated heart rate and blood pressure in acutely ill cardiac patients. 2004 , 3, 247-53	36
1973	More on the sodium saga. 2004 , 44, 609-11	10
1972	The metabolic syndrome: the emperor needs some consistent clothes. 2004 , 27, 1243; author reply 1244	10
1971	Blood pressure control and physician management of hypertension in hospital hypertension units in Spain. 2004 , 43, 1338-44	129
1970	A survey of coronary risk factors and B-type natriuretic peptide concentrations in cardiac nurses from Europe: do nurses still practice what they preach?. 2004 , 3, 3-6	15
1969	Preventing cancer, cardiovascular disease, and diabetes: a common agenda for the American Cancer Society, the American Diabetes Association, and the American Heart Association. 2004 , 109, 3244-55	298
1968	The effect of the PREMIER interventions on insulin sensitivity. 2004 , 27, 340-7	80
1967	The Effects of β -Adrenergic Blockers in African Americans with Chronic Heart Failure. 2004 , 20, 336-340	
1966	Effect of dietary sodium intake on blood lipids: results from the DASH-sodium trial. 2004 , 43, 393-8	78
1965	Optimal Healing Environments for Chronic Cardiovascular Disease. 2004 , 10, S-147-S-155	1
1964	New national guidelines on hypertension: a summary for dentistry. 2004 , 135, 576-84; quiz 653-4	44
1963	Angiotensin II receptor blockers in older patients. 2004 , 13, 197-205; quiz 206-7	7
1962	Hypertension control--an old song resung. 2004 , 13, 69-71	4
1961	Determinants of control of high blood pressure. The Oslo Health Study 2000-2001. 2004 , 13, 343-9	12
1960	Antihypertensive therapy in pregnancy. 2004 , 24, 616-625	19
1959	Endothelial dysfunction and mild renal insufficiency in essential hypertension. 2004 , 110, 821-5	84
1958	The renal protective effects of angiotensin II receptor blockers in type 2 diabetes mellitus. 2004 , 38, 1731-8	16

1957	Identifying hypertension-related comorbidities from administrative data: what's the optimal approach?. 2004 , 19, 201-6	131
1956	Dietary sodium restriction rapidly improves large elastic artery compliance in older adults with systolic hypertension. 2004 , 44, 35-41	185
1955	Diabetes and hypertension: pathogenesis, prevention and treatment. 2004 , 26, 621-8	65
1954	Diabetes: preventing coronary heart disease in a high risk group. 2004 , 90 Suppl 4, iv18-21	11
1953	From bedside to bench to bedside: role of renin-angiotensin-aldosterone system in remodeling of resistance arteries in hypertension. 2004 , 287, H435-46	190
1952	Adverse prognostic significance of new diabetes in treated hypertensive subjects. 2004 , 43, 963-9	398
1951	Translating research into practice: are physicians following evidence-based guidelines in the treatment of hypertension?. 2004 , 61, 453-73	13
1950	Management of the elderly person after myocardial infarction. 2004 , 59, 1173-85	8
1949	Possible association of acute lateral-wall myocardial infarction and bitter orange supplement. 2004 , 38, 812-6	79
1948	Orthostatic hypotension in the Seventh Report of the Joint National Committee on Prevention, Detection, Evaluation, and Treatment of High Blood Pressure: which version is right?. 2004 , 43, e27; author reply e27	
1947	Randomised equivalence trial comparing three month and six month follow up of patients with hypertension by family practitioners. 2004 , 328, 204	44
1946	Evidence-based guidelines for cardiovascular disease prevention in women. 2004 , 109, 672-93	526
1945	Asymptomatic isolated microscopic haematuria: long-term follow-up. 2004 , 97, 739-45	41
1944	Periods of intermittent hypoxic apnea can alter chemoreflex control of sympathetic nerve activity in humans. 2004 , 287, H2054-60	41
1943	Obesity and hypertension: two epidemics or one?. 2004 , 286, R803-13	184
1942	Evidence-based guidelines for cardiovascular disease prevention in women. American Heart Association scientific statement. 2004 , 24, e29-50	55
1941	Predicting Atrial Fibrillation in Patients with Hypertension: Can We Do It?. 2004 , 23-28	
1940	Functional variant in the (alpha)2B adrenoceptor gene, a positional candidate on chromosome 2, associates with hypertension. 2004 , 43, 592-7	47

1939	Drug treatment of essential hypertension: the case for initial combination therapy. 2004 , 58, 956-63	14
1938	Twenty-four-hour ambulatory blood pressure profiles in liver transplant recipients. 2004 , 8, 496-501	20
1937	Long-term renoprotection by perindopril or nifedipine in non-hypertensive patients with Type 2 diabetes and microalbuminuria. 2004 , 21, 1192-9	24
1936	Antineutrophil cytoplasmic antibody-associated glomerulonephritis in Taiwanese. 2004 , 9, 297-303	2
1935	Does asymptomatic hyperuricaemia contribute to the development of renal and cardiovascular disease? An old controversy renewed. 2004 , 9, 394-9	51
1934	24-Hour blood pressure on and off continuous positive airway pressure in patients with obstructive sleep apnoea and hypertension. 2004 , 8, 42-45	3
1933	Insulin-like growth factor-1 deficiency determines increased intima-media thickness at common carotid arteries in adult patients with growth hormone deficiency. 2004 , 61, 360-6	43
1932	Differences between hypertensive and non-hypertensive ischemic stroke. 2004 , 11, 687-92	59
1931	Aerobic exercise training and cardiovascular reactivity to psychological stress in sedentary young normotensive men and women. 2004 , 41, 552-62	62
1930	Exploring the paradoxical relationship of hypertension with mortality in chronic hemodialysis. 2004 , 8, 207-13	17
1929	Sympathetic hyperactivity in chronic kidney disease: pathogenesis, clinical relevance, and treatment. 2004 , 65, 1568-76	199
1928	Renal artery calcified plaque associations with subclinical renal and cardiovascular disease. 2004 , 65, 2262-7	16
1927	Relation of urinary albumin excretion to coronary heart disease and low renal function: role of blood pressure. 2004 , 65, 2290-7	16
1926	Risk factors for renal replacement therapy in the Early Treatment Diabetic Retinopathy Study (ETDRS), Early Treatment Diabetic Retinopathy Study Report No. 26. 2004 , 66, 1173-9	56
1925	The burden of kidney disease: improving global outcomes. 2004 , 66, 1310-4	278
1924	Effect of proteinuria and glomerular filtration rate on cardiovascular risk in essential hypertension. 2004 , S45-9	34
1923	Beneficial impact on cardiovascular risk factors by dual blockade of the renin-angiotensin system in diabetic nephropathy. 2004 , S108-10	11
1922	What common practices in dialysis units can be altered to improve patient care?. 2004 , 17, 19-21	

1921	The case for blood pressure control in risk groups. 2004 , 58, 844-9	4
1920	Introduction. 2004 , 58, 1-2	
1919	Clinical efficacy and safety of telmisartan 80 mg once daily vs. atenolol 50 mg once daily in patients with mild-to-moderate hypertension. 2004 , 58, 35-9	9
1918	The efficacy of telmisartan compared with perindopril in patients with mild-to-moderate hypertension. 2004 , 58, 50-54	7
1917	Ciclosporin in psoriasis clinical practice: an international consensus statement. 2004 , 150 Suppl 67, 11-23	115
1916	Blood pressure measurement in hemodialysis patients. 2004 , 17, 250-4	16
1915	Hypertension and survival in hemodialysis patients. 2004 , 17, 270-4	9
1914	Cardiovascular combinations. 2004 , 3, 731-2	18
1913	Comparison of the antihypertensive effects of the fixed dose combination enalapril 10 mg/nitrendipine 20 mg vs losartan 50 mg/hydrochlorothiazide 12.5 mg, assessed by 24-h ambulatory blood pressure monitoring, in essential hypertensive patients. 2004 , 18, 215-22	17
1912	Orthostatic hypotension in the elderly: are the diagnostic criteria adequate?. 2004 , 18, 301-5	16
1911	Prevalence and determinants of undertreatment of hypertension in the Netherlands. 2004 , 18, 317-24	28
1910	One-year hypertension incidence and its predictors in a working population: the IHPAF study. 2004 , 18, 487-94	25
1909	Guidelines for management of hypertension: report of the fourth working party of the British Hypertension Society, 2004-BHS IV. 2004 , 18, 139-85	868
1908	Hypertension screening in a salami factory: a worksite hypertension study. 2004 , 18, 567-9	5
1907	Effect of delapril-manidipine combination vs irbesartan-hydrochlorothiazide combination on fibrinolytic function in hypertensive patients with type II diabetes mellitus. 2004 , 18, 687-91	26
1906	Isolated ambulatory hypertension is common in outpatients referred to a hypertension centre. 2004 , 18, 897-903	27
1905	Racial/ethnic differences in prehypertension in American adults: population and relative attributable risks of abdominal obesity. 2004 , 18, 849-55	60
1904	The paradigm has shifted to systolic blood pressure. 2004 , 18 Suppl 2, S3-7	50

1903	Diuretics for cardiovascular prevention in the elderly. 2004 , 18 Suppl 2, S15-22	3
1902	The place of diuretics in preventing cardiovascular events. 2004 , 18 Suppl 2, S29-32	7
1901	Consensus development conference on antipsychotic drugs and obesity and diabetes. 2004 , 12, 362-8	35
1900	Adipose angiotensinogen secretion, blood pressure, and AGT M235T polymorphism in obese patients. 2004 , 12, 556-61	31
1899	Summary: Cardiovascular disease in African Americans. 2004 , 10, 44	
1898	Undiagnosed hypertension in the ED setting--an unrecognized opportunity by emergency nurses. 2004 , 30, 225-9	26
1897	The clinical use of angiotensin-converting enzyme inhibitors. 2004 , 47, 116-30	59
1896	Cardiovascular drug class specificity: beta-blockers. 2004 , 47, 11-33	114
1895	Angiotensin II receptor antagonists: role in hypertension, cardiovascular disease, and renoprotection. 2004 , 47, 105-15	16
1894	Exercise and endothelial function: role of endothelium-derived nitric oxide and oxidative stress in healthy subjects and hypertensive patients. 2004 , 102, 87-96	154
1893	Mandate for creation of a national peripheral arterial disease public awareness program: an opportunity to improve cardiovascular health. 2004 , 22, 24-31	3
1892	Hypertension in the hemodialysis patient and the "lag phenomenon": insights into pathophysiology and clinical management. 2004 , 43, 739-51	40
1891	References. 2004 , 43, 268-290	
1890	Hypertension after kidney transplantation. 2004 , 43, 1071-81	299
1889	Differential management of cardiovascular disease in ESRD by nephrologists and cardiologists. 2004 , 44, 309-21	4
1888	Severe coronary stenosis is an important factor for induction and lengthy persistence of ventricular arrhythmias during and after hemodialysis. 2004 , 44, 328-36	14
1887	Neonatal blood pressure regulation. 2004 , 28, 141-8	19
1886	Issues in achieving compliance with antihypertensive treatment in the Latino population. 2004 , 6, 49-61; discussion 62-4	25

1885	Chronotherapeutics: a surge of ideas. 2004 , 6, 7-17	5
1884	Calcium channel blockers in the treatment of hypertension and prevention of cardiovascular disease: results from major clinical trials. 2004 , 6, 53-66	17
1883	The metabolic syndrome: diagnosis and treatment. 2004 , 6 Suppl 3, S5-13	12
1882	Educating patients with diabetes about cardiovascular disease risk. 2004 , 19, 107-13	1
1881	Lowering the thresholds of disease-are any of us still healthy?. 2004 , 6, 672-4	3
1880	Angiotensin-converting enzyme inhibitors and stroke risk: benefit beyond blood pressure reduction?. 2004 , 24, 1064-76	15
1879	Blood, sweat, and tears: wasted by Medicare's missed opportunity. 2004 , 24, 1655-8	3
1878	Angiotensin-converting enzyme inhibitors and stroke: blood pressure reduction is major determinant of risk. 2004 , 24, 1813-4	1
1877	Failure of computerized treatment suggestions to improve health outcomes of outpatients with uncomplicated hypertension: results of a randomized controlled trial. 2004 , 24, 324-37	92
1876	Hypertension management and control in primary care: a study of 20 practices in 14 states. 2004 , 24, 500-7	39
1875	Medical nutrition therapy in chronic kidney failure: integrating clinical practice guidelines. 2004 , 104, 404-9	67
1874	Influence of eNOS gene polymorphisms on carotid atherosclerosis. 2004 , 27, 540-4	32
1873	Comparison of cardiac structure and function in American Indians with and without the metabolic syndrome (the Strong Heart Study). 2004 , 93, 40-4	118
1872	Prevalence of adequate blood pressure control in self-pay or Medicare patients versus Medicaid or private insurance patients with systemic hypertension followed in a university cardiology or general medicine clinic. 2004 , 94, 815-6	32
1871	Warfarin and aspirin use and the predictors of major bleeding complications in atrial fibrillation (the Framingham Heart Study). 2004 , 94, 947-51	57
1870	Prehypertension and mortality in a nationally representative cohort. 2004 , 94, 1496-500	123
1869	Effectiveness of therapeutic lifestyle changes in patients with hypertension, hyperlipidemia, and/or hyperglycemia. 2004 , 94, 1558-61	35
1868	Faut-il dépister les sthoses carotidiennes asymptomatiques?. 2004 , 53, 39-43	

1867	Stop Hypertension with the Acupuncture Research Program (SHARP): clinical trial design and screening results. 2004 , 25, 76-103	36
1866	Hypertensive disorders of pregnancy. 2004 , 33, 209-20	34
1865	Health promotion for mid- and later-life women. 2004 , 33, 639-47	4
1864	What's next in behavioral hypertension research?. 2004 , 27, 1-2	3
1863	Pathogenesis of diabetic nephropathy. 2004 , 5, 237-48	30
1862	Secondary stroke: New horizons in prevention. 2004 , 27, 1-3	78
1861	Epidemiology of transient ischemic attack and ischemic stroke in patients with underlying cardiovascular disease. 2004 , 27, 114-11	7
1860	Medical prevention of secondary stroke: a cardiologist's perspective. 2004 , 27, 1136-42	0
1859	Epidemiology and burden of cardiovascular disease. 2004 , 27, 1112-6	58
1858	The importance of aggressive lipid management in patients at risk: evidence from recent clinical trials. 2004 , 27, 1112-5	10
1857	Hypertension therapy: mixing, matching, and meeting targets. 2004 , 21, 107-22	4
1856	Salt reduction in a population for the prevention of hypertension. 2004 , 9, 123-9	8
1855	Risk Interpretation: Between Doctor and Patient. 2004 , 23, 165-176	
1854	[Cardiovascular prevention and rehabilitation]. 2004 , 45, 182-8	1
1853	[Right ventricle in arterial hypertension]. 2004 , 45, 1108-16	2
1852	<i>Trichomonas vaginalis</i> degrades nitric oxide and expresses a flavorubredoxin-like protein: a new pathogenic mechanism?. 2004 , 61, 618-623	46
1851	Phosphinic peptides as zinc metalloproteinase inhibitors. 2004 , 61, 2010-9	73
1850	Patterns of antihypertensive drug utilization in primary care. 2004 , 60, 135-42	56

1849	Implications of silent strokes. 2004 , 6, 307-13	13
1848	Adverse effect of fish oils in patients with angina?. 2004 , 6, 413-4	8
1847	Fibrates for treatment of the metabolic syndrome. 2004 , 6, 45-51	24
1846	Antihypertensive drugs and the heart. 2004 , 6, 409-15	2
1845	Combination drug treatment of hypertension: have we come full circle?. 2004 , 6, 421-6	19
1844	Diabetic nephropathy in African-American patients. 2004 , 4, 455-61	29
1843	Earlier management of subjects who are prone to hypertension and diabetes mellitus. 2004 , 4, 77-8	1
1842	Clinical trials report. Food fight: diet and genomics. 2004 , 6, 13-4	
1841	Clinical trials report. 2004 , 6, 45-50	6
1840	Combination therapy as first-line treatment for hypertension. 2004 , 6, 267-72	24
1839	Hypertension management in patients with diabetic nephropathy. 2004 , 6, 272-9	2
1838	VALUE in hypertension treatment. 2004 , 6, 411-3	1
1837	Hypertension management: special considerations in chronic kidney disease patients. 2004 , 6, 462-8	5
1836	Hypertension in the elderly. 2004 , 6, 469-76	8
1835	Clinical trials report. Adverse prognostic significance of new diabetes in treated hypertensive subjects. 2004 , 6, 339-40	2
1834	Assessment of cardiovascular risk and choice of antihypertensive therapy. 2004 , 6, 346-51	10
1833	Calcium antagonist strategies for coronary artery disease. 2004 , 6, 161-3	
1832	Vascular abnormalities in hypertension: cause, effect, or therapeutic target?. 2004 , 6, 171-6	25

1831	Is proteinuria a plausible target of therapy?. 2004 , 6, 177-81	21
1830	Aldosterone and aldosterone antagonism in systemic hypertension. 2004 , 6, 195-200	12
1829	Diabetes, hypertension, and cardiovascular derangements: pathophysiology and management. 2004 , 6, 215-23	81
1828	Number needed to treat to gain one controlled hypertensive. 2004 , 6, 75-6	1
1827	Metabolic issues in the Antihypertensive and Lipid-Lowering Heart Attack Trial Study. 2004 , 6, 106-10	35
1826	Hypertensive renal damage: insights from animal models and clinical relevance. 2004 , 6, 145-53	38
1825	Treating the Patient with Kidney Failure to Reduce Cardiovascular Disease Risk. 2004 , 6, 257-268	1
1824	Cost-effectiveness in Preventive Cardiology. 2004 , 6, 279-290	
1823	Treatment Options for Unruptured Cerebral Aneurysm. 2004 , 6, 451-458	5
1822	Klinischer Einsatz von Beta-Blockern bei kardiovaskulären Indikationen: Neue Therapiestudien. 2004 , 33, 466-475	
1821	A novel approach to treatment of hypertension in diabetic patients - a multicenter, double-blind, randomized study comparing the efficacy of combination therapy of Eprosartan versus Ramipril with low-dose Hydrochlorothiazide and Moxonidine on blood pressure levels in patients with hypertension and associated diabetes mellitus type 2 - rationale and design [ISRCTN55725285].	5
1820	Ordered subset linkage analysis supports a susceptibility locus for age-related macular degeneration on chromosome 16p12. 2004 , 5, 18	36
1819	The effect of ethnicity on outcomes in a practice-based trial to improve cardiovascular disease prevention. 2004 , 3, 12	3
1818	Making an impact on mortality in rheumatoid arthritis: targeting cardiovascular comorbidity. 2004 , 50, 1734-9	80
1817	Prognostic importance of low body mass index in relation to cardiovascular mortality in rheumatoid arthritis. 2004 , 50, 3450-7	157
1816	Validation of a new formula for mean arterial pressure calculation: the new formula is superior to the standard formula. 2004 , 63, 419-25	68
1815	Adenosine sestamibi SPECT post-infarction evaluation (INSPIRE) trial: A randomized, prospective multicenter trial evaluating the role of adenosine Tc-99m sestamibi SPECT for assessing risk and therapeutic outcomes in survivors of acute myocardial infarction. 2004 , 11, 458-69	33
1814	Six monthly follow-up is as effective as 3 monthly follow-up for people with hypertension. 2004 , 8, 183-185	

1813	Circadian time-qualified tolerance intervals for ambulatory blood pressure monitoring in the diagnosis of hypertension. 2004 , 21, 147-60	9
1812	Retinal arteriolar narrowing is associated with 5-year incident severe hypertension: the Blue Mountains Eye Study. 2004 , 44, 442-7	163
1811	Effect of eprosartan on pulse pressure and blood pressure components in patients with isolated systolic hypertension. 2004 , 2, 5-10	7
1810	Administration-time-dependent effects of doxazosin GITS on ambulatory blood pressure of hypertensive subjects. 2004 , 21, 277-96	68
1809	Pharmacotherapy and blood pressure control in elderly hypertensives in a primary care setting in Bahrain. 2004 , 16, 319-25	4
1808	Evidence-Based Indications in Hypertensive Patients. 2004 , 11, 1-7	2
1807	Protocol for an Observational Blood Pressure Study. 2004 , 11, 11-14	2
1806	The Hypertension Guidelines of the Seventh Joint National Committee. 2004 , 11, 55-59	1
1805	βBlocker-Based Antihypertensive Therapy is Associated with Better Control of Blood Pressure and Short-Term Cardiovascular Risk in Hypertensive Smokers (STEFI Study). 2004 , 11, 91-98	1
1804	Cardiovascular Risk Profile in 14 513 Patients with Essential Hypertension Followed by Italian Specialist Physicians. 2004 , 11, 165-173	5
1803	The REassessment of Antihypertensive Chronic Therapy (REACT) Study. 2004 , 11, 175-185	13
1802	Pharmacoeconomic burden of undertreating hypertension. 2004 , 22, 907-28	26
1801	Complications of hypertensive emergencies are usually reversible with prompt diagnosis and treatment. 2004 , 20, 10-14	
1800	Impaired glucose metabolism in patients with heart failure: pathophysiology and possible treatment strategies. 2004 , 4, 269-80	28
1799	Significance of high density lipoprotein-cholesterol in cardiovascular risk prevention: recommendations of the HDL Forum. 2004 , 4, 299-314	22
1798	Clinical experience with perindopril in elderly hypertensive patients: a subgroup analysis of a large community trial. 2004 , 4, 335-41	3
1797	Reversal of left ventricular hypertrophy: what have recent trials taught us?. 2004 , 4, 369-78	8
1796	Analyse des nouvelles recommandations européennes dans lâHypertension artfielle. 2004 , 4, 1-6	

- 1795 Nouvelles recommandations africaines : analyse critique. **2004**, 4, 7-11 1
- 1794 Efficacité comparée des trois stratégies antihypertensives recommandées en Europe. **2004**, 4, 13-14
- 1793 Amélioration des composantes systolique et pulsée de la pression artérielle, de la rigidité artérielle et de l'hypertrophie ventriculaire gauche chez des patients hypertendus traités par l'association perindopril/indapamide. L'étude REASON. **2004**, 4, 15-23
- 1792 Protection rénale: données récentes en faveur d'une nouvelle approche à l'étude PREMIER. **2004**, 4, 31-36
- 1791 Nouvelles stratégies pour le contrôle de l'hypertension: preuves supplémentaires en faveur des associations faiblement dosées. **2004**, 4, 37-42
- 1790 Metabolic syndrome and new category 'pre-hypertension' in a Japanese population. **2004**, 20, 1365-70 27
- 1789 Population-based study of symptomatic internal carotid artery occlusion: incidence and long-term follow-up. **2004**, 35, e349-52 103
- 1788 Snoring, hypertension and Type 2 diabetes in obesity. Protection by physical activity. **2004**, 27, 150-7 19
- 1787 Coronary atherosclerosis in diabetic subjects: clinical significance, anatomic characteristics, and identification with in vivo imaging. **2004**, 22, 527-40, vi 6
- 1786 Prevention and treatment of the metabolic syndrome. **2004**, 55, 589-612 109
- 1785 Clinical management of metabolic syndrome: report of the American Heart Association/National Heart, Lung, and Blood Institute/American Diabetes Association conference on scientific issues related to management. **2004**, 109, 551-6 639
- 1784 Preventive health care in the elderly population: a guide for practicing physicians. **2004**, 79, 416-27 7
- 1783 Angiotensin-converting enzyme inhibitors and angiotensin receptor blockers in chronic renal disease: safety issues. **2004**, 24, 168-75 56
- 1782 Reducción de acontecimientos cardiovasculares con perindopril en los pacientes con enfermedad coronaria estable. Resultados del estudio EUROPA. **2004**, 11, 163
- 1781 Grado de control de la hipertensión arterial en España: ¿dónde estamos?. **2004**, 21, 385-387
- 1780 Literature-searching strategies to improve the application of evidence-based clinical practice principles to stroke care. **2004**, 79, 1321-9 2
- 1779 State of the science for care of older adults with heart disease. **2004**, 39, 495-528 1
- 1778 Continued importance of diuretics and beta-adrenergic blockers in the management of hypertension. **2004**, 88, 167-87 11

- 1777 Outcomes in hypertensive patients at high cardiovascular risk treated with regimens based on valsartan or amlodipine: the value randomised trial [Resultats de la prise en charge par valsartan versus amlodipine dâhypertendus ârisque levâ lâssai clinique randomise], S. Value, S.E. Julius, M. Kjeldsen, H.R. Weber, S. Brunner, L. Ekman, Hanson, et al., in: Lancet, 363 (2004), pp. 2022-2031.
- 1776 Los diuréticos en dosis bajas son los fármacos que han demostrado ser más efectivos como primera línea de tratamiento de la hipertensión arterial. **2004**, 11, 164
- 1775 Aterosclerosis: ¿mantequilla en las arterias?. **2004**, 8, 1-6
- 1774 Medical comorbidity in addictive disorders. **2004**, 27, 675-87 21
- 1773 Mechanisms and management of hypertensive heart disease: from left ventricular hypertrophy to heart failure. **2004**, 88, 1257-71 79
- 1772 Diabetes mellitus and heart failure: basic mechanisms, clinical features, and therapeutic considerations. **2004**, 22, 553-68 37
- 1771 Primary prevention of essential hypertension. **2004**, 88, 223-38 58
- 1770 Estudio de farmacovigilancia para evaluar la seguridad y a efectividad de amlodipino en pacientes ancianos hipertensos. **2004**, 39, 289-296
- 1769 Medida de la presión arterial en el domicilio de pacientes hipertensos: ¿hay diferencias entre las lecturas registradas por el propio paciente o por un familiar?. **2004**, 21, 284-289
- 1768 Elevación de la presión de pulso. ¿Marcador de riesgo u objetivo terapéutico?. **2004**, 21, 51-54
- 1767 Measurement and treatment of elevated blood pressure in the pediatric patient with chronic kidney disease. **2004**, 11, 143-61 11
- 1766 [Blood pressure control in Spanish hypertensive patients in Primary Health Care Centres. PRESCAP 2002 Study]. **2004**, 122, 165-71 34
- 1765 Secondary prevention strategies in ischemic stroke: identification and optimal management of modifiable risk factors. **2004**, 79, 1330-40 30
- 1764 ¿Deben ser considerados los diuréticos como fármacos de uso prácticamente exclusivo en el tratamiento inicial del hipertenso?. **2004**, 21, 475-481
- 1763 [Relevance of chronic kidney disease and cardiovascular prognosis in arterial hypertension]. **2004**, 123, 143-8 1
- 1762 The Mandate for Creation of a National Peripheral Arterial Disease Public Awareness Program: An Opportunity to Improve Cardiovascular Health. **2004**, 15, 671-679 1
- 1761 Importancia del colesterol ligado a lipoproteínas de alta densidad (cHDL) en la prevención del riesgo cardiovascular. Recomendaciones del Foro HDL. **2004**, 16, 262-280
- 1760 Utilización de antihipertensivos en España (1995â2001). **2004**, 57, 241-249

1759	The prevention of heart failure in minority communities and discrepancies in health care delivery systems. 2004 , 88, 1347-68, xii-xiii	17
1758	Hypertension, insulin resistance, and the metabolic syndrome. 2004 , 33, 417-29	53
1757	What have we learned from the current trials?. 2004 , 88, 189-207	20
1756	Hipertensi3n arterial en el anciano. 2004 , 8, 1-4	
1755	Coronary artery disease and prevention of heart failure. 2004 , 88, 1209-35	17
1754	Importancia de la valoraci3n del fondo de ojo en el paciente hipertenso. 2004 , 21, 197-204	
1753	Eficacia de doxazosina a3dida a hipertensos esenciales mal controlados con losart3n en monoterapia. 2004 , 30, 326-331	1
1752	Endothelial dysfunction and hypertension in diabetes mellitus. 2004 , 88, 911-31, x-xi	28
1751	La alteraci3n renal es el principal mecanismo patog3nico en el desarrollo de la hipertensi3n arterial. 2004 , 21, 240-250	
1750	Control de la presi3n arterial domiciliar a trav3s de la telemedicina. 2004 , 21, 71-77	
1749	Documento de Consenso de Expertos sobre el uso de inhibidores de la enzima de conversi3n de la angiotensina en la enfermedad cardiovascular. 2004 , 57, 1213-1232	1
1748	What can we expect from new guidelines?. 2004 , 88, 141-8, ix	1
1747	Blood pressure management in the kidney transplant recipient. 2004 , 11, 172-83	19
1746	Management and prevention of cardiovascular disease in women. 2004 , 39, 873-84, xi	
1745	Valor pron3stico de las alteraciones electrocardiogr3ficas en pacientes diab3ticos tipo 2 asintom3ticos desde el punto de vista cardiovascular. 2004 , 30, 375-381	
1744	Mandate for creation of a national peripheral arterial disease public awareness program: an opportunity to improve cardiovascular health. 2004 , 39, 474-81	28
1743	[Hypertension crisis as a side effect of triptorelin?]. 2004 , 34, 566-7	3
1742	Estudio mediante monitorizaci3n ambulatoria de la presi3n arterial del efecto de bata blanca en hipertensos tratados y controlados en atenci3n primaria. 2004 , 57, 652-660	2

- 1741 Medical treatment of peripheral arterial disease: a comprehensive review. **2004**, 15, 1197-207 69
- 1740 Pharmacological strategies for kidney function preservation: are there differences by ethnicity?. **2004**, 11, 24-40 10
- 1739 Target organ involvement in hypertension: a realistic promise of prevention and reversal. **2004**, 88, 209-21 18
- 1738 [Looking for the cardiovascular risk]. **2004**, 123, 134-5
- 1737 [Use of antihypertensive drug therapy and risk of development of congestive heart failure]. **2004**, 123, 328-31
- 1736 Impact of kidney transplantation on the progression of cardiovascular disease. **2004**, 11, 274-93 6
- 1735 Modificaci3n del tratamiento en pacientes hipertensos mal controlados. **2004**, 21, 439-441
- 1734 No es necesario el despistaje del hiperaldosteronismo primario en la gran mayorí de los pacientes hipertensos. **2004**, 21, 114-118
- 1733 Practice guidelines: role of internists and primary care physicians. **2004**, 88, 1369-80, xiii
- 1732 Lesiones de sustancia blanca e hipertensi3n arterial. **2004**, 21, 1-3
- 1731 Cardiovascular risk reduction and preservation of renal function in the early nephropathy patient. **2004**, 11, 184-91 2
- 1730 [Blood pressure goals in diabetes. A critical appraisal]. **2004**, 122, 584-91 1
- 1729 Role of exercise training on cardiovascular disease in persons who have type 2 diabetes and hypertension. **2004**, 22, 569-86 46
- 1728 Use of Antihypertensive Drugs in Spain (1995-2001). **2004**, 57, 241-249 1
- 1727 Ambulatory Blood Pressure Monitoring to Study White Coat Effect in Patients With Hypertension Followed in Primary Care. **2004**, 57, 652-660
- 1726 Control and Prevention of Cardiovascular Disease Around the World. **2004**, 57, 487-494
- 1725 Is there a need for novel antihypertensive therapies?. **2004**, 1, 143-148
- 1724 Athfosclfose : du beurre sur les artĕres?. **2004**, 1, 27-36

1723	Hypertension artfielle chez le sujet \bar{g} : 2004 , 1, 381-387	0
1722	ACC/ACP/SCAI/SVMB/SVS clinical competence statement on vascular medicine and catheter-based peripheral vascular interventions: a report of the American College of Cardiology/American Heart Association/American College of Physician Task Force on Clinical Competence (ACC/ACP/SCAI/SVMB/SVS Writing Committee to develop a clinical competence statement on	81
1721	Outpatient utilization of angiotensin-converting enzyme inhibitors among heart failure patients after hospital discharge. 2004 , 43, 2036-43	105
1720	Evidence-based guidelines for cardiovascular disease prevention in women. 2004 , 43, 900-21	80
1719	Implications of estimating coronary heart disease risk in the US population. 2004 , 43, 1797-8	9
1718	Angiotensin-converting enzyme inhibition in hypertensive patients is associated with a reduction in the occurrence of atrial fibrillation. 2004 , 44, 159-64	147
1717	Reduced incidence of hypertension after heterotopic cardiac transplantation compared with orthotopic cardiac transplantation: evidence that excision of the native heart contributes to post-transplant hypertension. 2004 , 44, 1254-60	2
1716	The renal patient with coronary artery disease: current concepts and dilemmas. 2004 , 44, 1343-53	35
1715	President's page: the promise of prevention: so, why aren't all cardiologists "preventive"?. 2004 , 44, 2082-4	2
1714	Albuminuria as a predictor of heart failure hospitalizations in patients with type 2 diabetes. 2004 , 10, 126-31	19
1713	Amlodipine/atorvastatin: the first cross risk factor polypill for the prevention and treatment of cardiovascular disease. 2004 , 2, 675-81	15
1712	Telmisartan/hydrochlorothiazide combination therapy in the treatment of essential hypertension. 2004 , 5, 2303-10	8
1711	Coronary heart disease: is gender important?. 2004 , 1, 32-37	12
1710	Relation between renal dysfunction and cardiovascular outcomes after myocardial infarction. 2004 , 351, 1285-95	1464
1709	Safety of telmisartan in patients with arterial hypertension : an open-label observational study. 2004 , 27, 335-44	44
1708	The management of hypertension in the overweight and obese patient: is weight reduction sufficient?. 2004 , 64, 795-803	8
1707	Irbesartan: a review of its use in hypertension and in the management of diabetic nephropathy. 2004 , 64, 999-1028	64
1706	Manidipine: a review of its use in the management of hypertension. 2004 , 64, 1923-40	25

1705	Prevention of type 2 diabetes mellitus through inhibition of the Renin-Angiotensin system. 2004 , 64, 2537-65	201
1704	The role of olmesartan medoxomil in the management of hypertension. 2004 , 64, 2731-9	19
1703	Regression of microalbuminuria in type 2 diabetics after switch to irbesartan treatment : an observational study in 38 016 patients in primary care. 2004 , 24, 217-25	5
1702	Efficacy and Safety of Valsartan 160mg/Hydrochlorothiazide 25mg Combination in Patients with Hypertension not Adequately Controlled by Valsartan 160mg/Hydrochlorothiazide 12.5mg. 2004 , 24, 593-602	4
1701	Quality of care and attributable healthcare costs in diabetic hypertensive patients initiated on calcium antagonist therapy. 2004 , 24, 641-9	1
1700	Effects of exercise, diet and weight loss on high blood pressure. 2004 , 34, 307-16	99
1699	Use of calcium channel antagonists for the treatment of hypertension in the elderly. 2004 , 21, 565-81	7
1698	Effect of antihypertensive agents on quality of life in the elderly. 2004 , 21, 377-93	70
1697	Do we need drug therapy to manage mild hypertension in the elderly?. 2004 , 21, 1-6	3
1696	¿Se modifica el grado de control de la presión arterial con el horario de la administración de la medicación?. 2004 , 21, 223-227	
1695	Cronobiología y cronoterapia en la hipertensión arterial: implicaciones diagnósticas, pronósticas y terapéuticas. 2004 , 21, 256-270	
1694	[Estimation of the cost in the medical treatment of benign prostatic hyperplasia in Navarre, Spain]. 2004 , 28, 255-61	0
1693	[Antiretroviral therapy and cardiovascular risk]. 2004 , 29, 192-9	3
1692	Control y prevención de las enfermedades cardiovasculares en el mundo. 2004 , 57, 487-494	2
1691	Hypertension: a review for clinicians. 2004 , 39, 793-814	6
1690	Clinical practice. Diastolic heart failure. 2004 , 351, 1097-105	412
1689	Hypertensive retinopathy. 2004 , 351, 2310-7	496
1688	Cardiovascular effects of selective cyclooxygenase-2 inhibitors. 2004 , 2, 265-70	26

1687	Role of manidipine in the management of patients with hypertension. 2004 , 2, 815-27	2
1686	Dietary treatment of blood pressure in kidney disease. 2004 , 11, 217-21	2
1685	Obstructive sleep apnea and cardiovascular disease. 2004 , 79, 1036-46	349
1684	Renal revascularization in Takayasu arteritis-induced renal artery stenosis. 2004 , 39, 749-57	69
1683	Opportunities for improvement in the cardiovascular care of patients with end-stage renal disease. 2004 , 11, 294-303	8
1682	Relationships of race and ethnicity to progression of kidney dysfunction and clinical outcomes in patients with chronic kidney failure. 2004 , 11, 14-23	23
1681	Medical consequences of obesity. 2004 , 22, 296-302	81
1680	Role of the newer alpha ₁ -adrenergic-receptor antagonists in the treatment of benign prostatic hyperplasia-related lower urinary tract symptoms. 2004 , 26, 1701-13	78
1679	Frequency of cardiovascular events in patients treated with anti hypertensive agents: A cohort study based on claims data generated by primary care practice. 2004 , 65, 398-412	
1678	Trial suggests once daily lisinopril is safe and effective for hypertensive children. 2004 , 8, 26-7; discussion 28-9	
1677	Commentary 2. 2004 , 8, 20-21	
1676	Trial finds adjusting antihypertensive drugs based on home measurement may not improve blood pressure control. 2004 , 8, 202-3; discussion 204-5	
1675	Cost analysis suggests following evidence-based guidelines could reduce prescription costs in hypertension. 2004 , 8, 295-6; discussion 297-8	
1674	Trial finds adding amlodipine to benazepril reduces diastolic blood pressure in non-responders to benazepril monotherapy. 2004 , 8, 299-300; discussion 301-2	
1673	White-coat hypertension: a clinical review. 2004 , 15, 348-357	57
1672	Thérapeutique diurétique. 2004 , 1, 73-111	
1671	Néphroprotection. Comment ralentir l'évolution de l'insuffisance rénale chronique ?. 2004 , 1, 127-136	
1670	Reporting race/ethnicity in epilepsy clinical trials. 2004 , 5, 743-5	17

1669	Hypertension-related dietary patterns of rural older adults. 2004 , 38, 812-8	19
1668	Salt appetite: a neurohormonal viewpoint. 2004 , 81, 319-37	49
1667	Editorial comment. 2004 , 63, 1048-1049	1
1666	Past, present, and future clinical trials of cardiovascular risk reduction—the hypertension perspective. 2004 , 1262, 261-264	
1665	What is the most important in treating hypertension?. 2004 , 1262, 593-596	2
1664	Stroke risk factors: recent evidence and new aspects. 2004 , 1262, 466-469	4
1663	Renin-angiotensin system and vasculature—focusing on insulin's action. 2004 , 1262, 462-465	1
1662	Determining the appropriateness of selected surgical and medical management options in recurrent stroke prevention: a guideline for primary care physicians from the National Stroke Association work group on recurrent stroke prevention. 2004 , 13, 196-207	18
1661	Mandate for creation of a national peripheral arterial disease public awareness program: An opportunity to improve cardiovascular health. 2004 , 23, 21-31	
1660	Coronary heart disease and lipid-modifying treatment in African American patients. 2004 , 147, 774-82	27
1659	The importance of blood pressure control in the patient with diabetes. 2004 , 116 Suppl 5A, 30S-38S	75
1658	Identifying gaps between guidelines and clinical practice in the evaluation and treatment of patients with hypertension. 2004 , 117, 14-8	74
1657	Clinician awareness of adherence to hypertension guidelines. 2004 , 117, 747-54	72
1656	Blunted circadian variation in autonomic regulation of sinus node function in veterans with Gulf War syndrome. 2004 , 117, 469-78	64
1655	Duration of overweight and metabolic health risk in American men and women. 2004 , 14, 585-91	56
1654	Selected medical management of the older rehabilitative patient. 2004 , 85, S76-82; quiz S83-4	8
1653	Pharmacological and clinical profile of moexipril: a concise review. 2004 , 44, 827-36	7
1652	Antihypertensive efficacy of angiotensin receptor blockers in combination with hydrochlorothiazide: a review of the factorial-design studies. 2004 , 6, 569-77	35

1651	A statewide primary care approach to cardiovascular risk factor control in high-risk diabetic and nondiabetic patients with hypertension. 2004 , 6, 18-25	13
1650	Diastolic blood pressure control: how low is too low?. 2004 , 6, 351-2	
1649	Effective treatment of hypertension without medication: is it possible?. 2004 , 6, 219-21	2
1648	Blood pressure measures and electrocardiogram-defined myocardial infarction in an Iranian population: Tehran Lipid and Glucose study. 2004 , 6, 71-5	4
1647	Comprehensive lifestyle modification and blood pressure control: a review of the PREMIER trial. 2004 , 6, 383-90	35
1646	The natural treatment of hypertension. 2004 , 6, 242-8	19
1645	Hypertension and the elderly: more than just blood pressure control. 2004 , 6, 249-55	9
1644	Hypertension treatment in the ambulatory setting: comparison by race and gender in a national survey. 2004 , 6, 223-8; quiz 229-30	6
1643	Clinical experience with angiotensin receptor blockers with particular reference to valsartan. 2004 , 6, 445-51	13
1642	Systolic hypertension in the elderly: pushing the frontiers of therapy--a suggested new approach. 2004 , 6, 192-7	32
1641	Antihypertensive efficacy of candesartan-lisinopril in combination vs. up-titration of lisinopril: the AMAZE trials. 2004 , 6, 485-93	28
1640	Managing high-risk patients with hypertension: focus on the renin-angiotensin system. 2004 , 6, 501-8	5
1639	Graded blood pressure reduction in hypertensive outpatients associated with use of a device to assist with slow breathing. 2004 , 6, 553-9; quiz 560-1	85
1638	Recruitment of African Americans with chronic renal insufficiency into a multicenter clinical trial: the african american study of kidney disease and hypertension. 2004 , 6, 430-6	4
1637	The disproportionate impact of hypertensive cardiovascular disease in African Americans: getting to the heart of the issue. 2004 , 6, 4-10	32
1636	Managing hypertension in African-American patients. 2004 , 6, 19-25	7
1635	Cardiovascular disease in African Americans. 2004 , 6, 54-6	7
1634	Elevation of C-reactive protein in people with prehypertension. 2004 , 6, 562-8	76

1633	Hypertensive risk assessment: cardiovascular risk factors and hypertension. 2004 , 6, 393-9	21
1632	The Importance of Systolic Blood Pressure Elevation in Elderly Persons. 2004 , 6, 461-465	3
1631	Hypertensive crises: emergencies and urgencies. 2004 , 6, 520-5	24
1630	Hypertension curriculum review: epidemiology and the prevention of hypertension. 2004 , 6, 636-42	26
1629	Hypertension control among African Americans: an urgent call for action. 2004 , 6, 333-4	2
1628	When a "quality measure" may not be what it seems: the national committee for quality assurance report and hypertension control. 2004 , 6, 706-7	
1627	The role of existing and newer calcium channel blockers in the treatment of hypertension. 2004 , 6, 621-29; quiz 630-1	49
1626	Healthy diet and blood pressure. 2004 , 6, 381-2	
1625	Random thoughts on guidelines: how are they determined? are they followed?. 2004 , 6, 360-2	1
1624	Metabolic properties of vasodilating beta blockers: management considerations for hypertensive diabetic patients and patients with the metabolic syndrome. 2004 , 6, 690-6; quiz 697	13
1623	Trends in hypertension-related death in the United States: 1980-1998. 2004 , 6, 675-81	7
1622	Hypertension, the metabolic syndrome, and the risk of developing diabetes: is it time to change the guidelines?. 2004 , 6, 425-7	10
1621	Why is self-monitoring reimbursed for blood glucose but not blood pressure?. 2004 , 6, 526-9	0
1620	More about prehypertension. 2004 , 6, 483-4	2
1619	Combination angiotensin receptor blocker/hydrochlorothiazide as initial therapy in the treatment of patients with severe hypertension. 2004 , 6, 614-20	34
1618	Update on the management of hypertension: recent clinical trials and the JNC 7. 2004 , 6, 4-13	27
1617	New-onset diabetes in the hypertension treatment trials: a point of view. 2004 , 6, 610-3	14
1616	Cardiovascular implications of albuminuria. 2004 , 6, 13-7	15

1615	Microalbuminuria: definition, detection, and clinical significance. 2004 , 6, 2-7	76
1614	Use of an olmesartan medoxomil-based treatment algorithm for hypertension control. 2004 , 6, 168-74	37
1613	Hydrochlorothiazide versus chlorthalidone: evidence supporting their interchangeability. 2004 , 43, 4-9	216
1612	Prognostic value of ambulatory blood pressure measurements for the diagnosis of hypertension in pregnancy. 2004 , 2, 375-91	12
1611	The role of the renin angiotensin hormonal system in the metabolic syndrome and type 2 diabetes. 2004 , 14, 88-93	7
1610	100 or 30 years after Janeway or Bartter, Healthwatch helps avoid 'flying blind'. 2004 , 58 Suppl 1, S69-86	26
1609	[Hyponatremia in elderly patients treated with thiazide diuretics and incited to drink abundantly during the heat wave]. 2004 , 33, 535-6	10
1608	[What progress can be expected in the management of hypertension? Forecast from 1974 to 2034]. 2004 , 33, 721-32	1
1607	[Hypertension and coronary diseases: evolution or revolution in their management?]. 2004 , 33, 1144-5	
1606	Identification of myocardial ischemia in the diabetic patient. Joint ALFEDIAM and SFC recommendations. 2004 , 30, 3S3-18	44
1605	Prevalence of diabetes, obesity, hypertension and hyperlipidemia in the central area of Argentina. 2004 , 30, 335-9	47
1604	Efficacy and tolerability of a switch to fixed-dose combination therapy with amlodipine besylate/benazepril hydrochloride after monotherapy with amlodipine besylate: Data from the African-American subpopulation of a practice-based, open-label study (the LOGIC study). 2004 , 65, 138-48	
1603	Uric acid: role in cardiovascular disease and effects of losartan. 2004 , 20, 369-79	176
1602	Fibromuscular dysplasia. 2004 , 350, 1862-71	622
1601	Hypertension, hypertensive heart disease and perioperative cardiac risk. 2004 , 92, 570-83	187
1600	Complicaciones crónicas de la diabetes mellitus. 2004 , 9, 990-999	
1599	Tratamiento farmacológico de la hipertensión arterial. 2004 , 9, 1481-1493	
1598	Outcomes in hypertensive patients at high cardiovascular risk treated with regimens based on valsartan or amlodipine: the VALUE randomised trial. 2004 , 363, 2022-31	2112

1597	Blood pressure dependent and independent effects of antihypertensive treatment on clinical events in the VALUE Trial. 2004 , 363, 2049-51	472
1596	Contemplating ACTION--long-acting nifedipine in stable angina. 2004 , 364, 817-8	2
1595	Randomized, controlled, parallel-group comparison of ambulatory and clinic blood pressure responses to amlodipine or enalapril during and after treatment in adult chinese patients with hypertension. 2004 , 26, 1292-304	13
1594	How important is optimal blood pressure control?. 2004 , 26 Suppl A, A3-11	17
1593	Olive oil, the Mediterranean diet, and arterial blood pressure: the Greek European Prospective Investigation into Cancer and Nutrition (EPIC) study. 2004 , 80, 1012-8	384
1592	The clinical picture of metabolic syndrome. An update on this complex of conditions and risk factors. 2004 , 116, 30-2, 35-8	16
1591	A dietary pattern derived to explain biomarker variation is strongly associated with the risk of coronary artery disease. 2004 , 80, 633-40	93
1590	Alcohol consumption and the metabolic syndrome in Korean adults: the 1998 Korean National Health and Nutrition Examination Survey. 2004 , 80, 217-24	207
1589	L-arginine and hypertension. 2004 , 134, 2807S-2811S; discussion 2818S-2819S	87
1588	Renoprotective effect of losartan in comparison to amlodipine in patients with chronic kidney disease and hypertension--a report of the Japanese Losartan Therapy Intended for the Global Renal Protection in Hypertensive Patients (JLIGHT) study. 2004 , 27, 21-30	61
1587	Reducing the public health burden from elevated blood pressure levels in the United States by lowering intake of dietary sodium. 2004 , 94, 19-22	64
1586	Equivalence of indapamide SR and enalapril on microalbuminuria reduction in hypertensive patients with type 2 diabetes: the NESTOR Study. 2004 , 22, 1613-22	98
1585	Blood pressure measurements by the Keito machine. Evaluation versus office blood pressure by physicians. 2004 , 9, 167-72	3
1584	Impact of meditation on resting and ambulatory blood pressure and heart rate in youth. 2004 , 66, 909-14	85
1583	Recommendations for Special Populations. 2004 , 14, 368-381	7
1582	Recruitment and entrance of participants into a physical activity intervention for hypertensive African American women. 2004 , 27, 102-16	29
1581	Progression of coronary artery disease in non-ischemic dilated cardiomyopathy. 2004 , 15, 291-7	13
1580	Current and future concepts in stroke prevention. 2004 , 170, 1123-33	19

1579	Potassium supplements for the management of essential hypertension in adults. 2004,	1
1578	Blood pressure and renal function after kidney donation from hypertensive living donors. 2004, 78, 276-82	121
1577	Antihypertensive therapy and new onset diabetes. 2004, 22, 1845-7	48
1576	On the importance of estimating renal function for cardiovascular risk assessment. 2004, 22, 1635-9	16
1575	Cardiovascular pharmacotherapeutic considerations during pregnancy and lactation. 2004, 12, 240-61	41
1574	Arterial stiffness and the systolic hypertension syndrome. 2004, 19, 341-52	114
1573	Accuracy of home blood pressure readings: monitors and operators. 2004, 9, 143-7	31
1572	Medication adherence: a key factor in achieving blood pressure control and good clinical outcomes in hypertensive patients. 2004, 19, 357-62	278
1571	Perioperative diabetic and hyperglycemic management issues. 2004, 32, S116-25	83
1570	Impact of Angiotensin-Converting Enzyme Inhibitors and Statins on Survival in Idiopathic Pulmonary Fibrosis. 2004, 126, 438-446	67
1569	Hypertension, angiotensin, and stroke: beyond blood pressure. 2004, 35, 348-50	70
1568	Preventing Cancer, Cardiovascular Disease, and Diabetes. 2004, 35, 1999-2010	95
1567	Prediction of stroke by self-measurement of blood pressure at home versus casual screening blood pressure measurement in relation to the Joint National Committee 7 classification: the Ohasama study. 2004, 35, 2356-61	102
1566	Trends in blood pressure levels, prevalence, awareness, treatment, and control of hypertension in the Czech population from 1985 to 2000/01. 2004, 22, 1479-85	43
1565	Estimating equations and tables for adult mid-arm circumference based on measured height and weight: data from the third National Health and Nutrition Examination Survey (NHANES III) and NHANES 1999-2000. 2004, 9, 123-31	12
1564	Hypertension: A Clinical Pharmacist's Synopsis of JNC 7. 2004, 68, 71	
1563	The DASH diet in the control of hypertension. 2004, 11, 158-163	
1562	Combination therapy in the management of complex dyslipidemias. 2004, 15, 423-31	22

1561	Worldwide prevalence of hypertension: a systematic review. 2004 , 22, 11-9	706
1560	Intervention at lower blood pressure levels to achieve target goals in type 2 diabetes: PRADID (PRESiñ Arterial en Diabñicos tipo Dos) study. 2004 , 22, 217-22	14
1559	Latin American consensus on diabetes mellitus and hypertension. 2004 , 22, 2229-41	11
1558	Sleep apnea as a risk factor for hypertension. 2004 , 13, 359-64	15
1557	Diabetes mellitus: an imperative for prevention and intense management. 2004 , 44, 394-6	1
1556	Prevention of cardiovascular disease in uncomplicated, mild hypertension--need for prospective data from intervention trials. 2004 , 13, 5-6	3
1555	Inter-arm blood pressure differences. 2004 , 22, 2267-8	9
1554	Should measurement of coronary calcification be included in the risk stratification of hypertensive patients?. 2004 , 22, 455-8	
1553	Preventing a second stroke in the young. 2004 , 11, 40-50	1
1552	Control of vascular and renal risk factors in diabetic patients-results of the Barbanza Diabetes Educational Programme. 2004 , 10, 109-10	6
1551	AACVPR consensus statement. Outcomes evaluation in cardiac rehabilitation/secondary prevention programs: improving patient care and program effectiveness. 2004 , 24, 68-79	42
1550	New Name, Old Problem. 2004 , 39, 139-142	
1549	The association between congestive heart failure and chronic renal disease. 2004 , 13, 163-70	98
1548	Prognostic significance of isolated, non-specific left ventricular repolarization abnormalities in hypertension. 2004 , 22, 407-14	25
1547	Effect of morning and bedtime dosing with cilnidipine on blood pressure, heart rate, and sympathetic nervous activity in essential hypertensive patients. 2004 , 43, 68-73	44
1546	Fruit and vegetable consumption is inversely associated with blood pressure in a Mediterranean population with a high vegetable-fat intake: the Seguimiento Universidad de Navarra (SUN) Study. 2004 , 92, 311-9	106
1545	Optimizing global risk evaluation in primary hypertension: the role of microalbuminuria and cardiovascular ultrasonography. 2004 , 22, 907-13	32
1544	Correspondence. 2004 , 22, 1048	

1543	Reasons for not intensifying antihypertensive treatment (RIAT): a primary care antihypertensive intervention study. 2004 , 22, 1221-9	46
1542	The Glu27 allele of the beta2 adrenergic receptor increases the risk of cardiac hypertrophy in hypertension. 2004 , 22, 2117-22	18
1541	Effects of the combination of low-dose nifedipine GITS 20 mg and losartan 50 mg in patients with mild to moderate hypertension. 2004 , 43, 300-5	16
1540	Can we identify vulnerable patients at risk for ST-segment elevation myocardial infarction based on their clinical characteristics?. 2004 , 15, 467-9	2
1539	Single versus dual blockade of the renin-angiotensin system (angiotensin-converting enzyme inhibitors and/or angiotensin II receptor blockers) in diabetic nephropathy. 2004 , 13, 319-24	20
1538	Determinants of white-coat hypertension. 2004 , 9, 307-9	81
1537	PSYCHOSOCIAL FACTORS AND RISK OF HYPERTENSION THE CORONARY ARTERY RISK DEVELOPMENT IN YOUNG ADULTS (CARDIA) STUDY. 2004 , 5, 97-99	
1536	Diet and obesity. 2004 , 20, 119-24	20
1535	Relationship between ambulatory blood pressure and follow-up clinic blood pressure in elderly patients with systolic hypertension. 2004 , 22, 81-7	18
1534	New high blood pressure guidelines create new at-risk classification: changes in blood pressure classification by JNC 7. 2004 , 19, 367-71; quiz 372-3	4
1533	A community-campus partnership: influenza prevention campaign. 2004 , 29, 126-9	4
1532	Blood pressure measurement in research and in clinical practice: recent evidence. 2004 , 13, 343-57	49
1531	Blood pressure control according to new guidelines targets in low- to high-risk hypertensives managed in specialist practice. 2004 , 22, 2387-96	46
1530	Insulin resistance syndrome. 2004 , 19, 339-45	13
1529	Cardiovascular disease in chronic kidney disease from a cardiologist's perspective. 2004 , 13, 591-600	44
1528	Telemonitoring of blood pressure self measurement in the OLMETEL study. 2004 , 9, 321-5	30
1527	COMMENTARY ON Screening for High Blood Pressure: Recommendations and Rationale. 2004 , 104, 88	
1526	Relationship between unexplained elevations in alanine aminotransferase and serum leptin in U.S. adults: results from the Third National Health and Nutrition Examination Survey (NHANES III). 2004 , 38, 891-7	14

1525	How many times should blood pressure be measured at home for better prediction of stroke risk? Ten-year follow-up results from the Ohasama study. 2004 , 22, 1099-104	201
1524	Gender difference in the response to an angiotensin-converting enzyme inhibitor and a diuretic in hypertensive patients of African descent. 2004 , 22, 1213-20	30
1523	Lifestyle interventions or drugs for patients with essential hypertension: a systematic review. 2004 , 22, 2043-8	16
1522	Development of chronic kidney disease in essential hypertension during long-term therapy. 2004 , 13, 495-500	
1521	Clinical experience with perindopril in patients nonresponsive to previous antihypertensive therapy: a large US community trial. 2004 , 11, 199-205	19
1520	Comparison of the effects on 24-h ambulatory blood pressure of valsartan and amlodipine, alone or in combination with a low-dose diuretic, in elderly patients with isolated systolic hypertension (Val-syst Study). 2004 , 9, 91-7	29
1519	Masked hypertension: how can the condition be detected?. 2004 , 9, 297-9	36
1518	Hypertension. 2004 , 34, 1-7	2
1517	High prevalence and poor control of hypertension in primary care: cross-sectional study. 2004 , 22, 479-86	104
1516	Socio-economic factors in the management of hypertension: the Polish experience. 2004 , 22, 661-2	3
1515	Improving cardiovascular health in women: an opportunity for nursing. 2004 , 19, 145-7	4
1514	Doctors' estimation of cardiovascular risk and willingness to give drug treatment in hypertension: fair risk assessment but defensive treatment policy. 2004 , 22, 65-71	23
1513	Inaugural Progress in Prevention Column. 2004 , 19, 3-4	1
1512	Hypertensive nephrosclerosis: update. 2004 , 13, 147-54	11
1511	The role of calcium antagonists in chronic kidney disease. 2004 , 13, 155-61	23
1510	Treating Gout in Kidney Transplant Recipients. 2004 , 14, 143-147	17
1509	The safety of antihypertensives for treatment of pregnancy hypertension. 2004 , 3, 25-38	5
1508	Strategies for prevention and management of hypertension throughout life. 2004 , 14, 112-7	3

1507	Role of prehypertension in the development of coronary atherosclerosis in Japan. 2004 , 14, 57-62	43
1506	[Effects of angiotensin II receptor blockers, angiotensin converting enzyme inhibitors, 3-hydroxy-3-methyl glutaryl (HMG) CoA reductase inhibitors, amlodipine and epalrestat on cultured basilar artery smooth muscle cell proliferation]. 2004 , 124, 159-63	1
1505	Relaxation therapies for the management of essential hypertension in adults. 2004 ,	1
1504	Regular screening in type 2 diabetes. A mnemonic approach for improving compliance, detecting complications. 2004 , 115, 19-20, 23-7	7
1503	Adolescent heavy episodic drinking trajectories and health in young adulthood. 2004 , 65, 204-12	133
1502	What are the facilitators and barriers in physician organizations' use of care management processes?. 2004 , 30, 505-14	59
1501	Atherothrombosis: epidemiology, pathophysiology, and prevention. 2004 , 44, S5-12; quiz S12-3	48
1500	Reduction of acute respiratory illness (ARI) due to a voluntary workplace influenza vaccination program: who are more likely to get the benefit?. 2004 , 46, 455-60	5
1499	Practical aspect of monitoring hypertension based on self-measured blood pressure at home. 2004 , 43, 771-8	28
1498	Calcium supplements for the management of essential hypertension in adults. 2004 ,	
1497	Association between antihypertensive agent use and hospital admissions in a managed care population. 2004 , 327, 310-4	
1496	Hypertension and the kidney. 2004 , 46, 45-46	1
1495	High prevalence of C-reactive protein elevation with normal triglycerides (100-149 mg/dL): are triglyceride levels below 100 mg/dL more optimal in coronary heart disease risk assessment?. 2005 , 329, 173-7	7
1494	Effect of weight loss on blood pressure, arterial compliance, and insulin resistance in normotensive obese subjects. 2005 , 330, 157-60	24
1493	Addressing the global cardiovascular risk of hypertension, dyslipidemia, and insulin resistance in the southeastern United States. 2005 , 329, 276-91	39
1492	Cigarette smoking enhances increased urine albumin excretion as a risk factor for glomerular filtration rate decline in primary hypertension. 2005 , 330, 111-9	21
1491	Aggressive hypertension management in patients of advancing and advanced age. 2005 , 98, 805-8	3
1490	Utility of electronic device for medication management in patients with hypertension: a pilot study. 2005 , 45, 88-91	5

1489	The Japanese Trial to Assess Optimal Systolic Blood Pressure in Elderly Hypertensive Patients (JATOS): protocol, patient characteristics, and blood pressure during the first 12 months. 2005 , 28, 513-20	36
1488	Retinal vascular disease in hypertension. Risk factor modification optimizes vision outcomes. 2005 , 117, 33-8, 41-2	6
1487	Unexplained elevations in alanine aminotransferase in individuals with the metabolic syndrome: results from the third National Health and Nutrition Survey (NHANES III). 2005 , 329, 111-6	134
1486	Guidelines for Antihypertensive Treatment: The Debate on the Choice of Antihypertensive Drugs. 2005 , 53-61	
1485	QUINTEssentials . 2005 , 11, 154-177	
1484	Race/ethnicity, income, major risk factors, and cardiovascular disease mortality. 2005 , 95, 1417-23	90
1483	Systolic and pulse hypertension. 2005 , 1, 85-94	10
1482	Treatment of non-dipper hypertension with bedtime administration of valsartan. 2005 , 23, 1913-22	83
1481	Cardiovascular profile of duloxetine, a dual reuptake inhibitor of serotonin and norepinephrine. 2005 , 25, 132-40	81
1480	Predictors of blood pressure control in an urban primary care setting. 2005 , 2, 901-907	
1479	Optimizing therapeutic strategies to achieve renal and cardiovascular risk reduction in diabetic patients with angiotensin receptor blockers. 2005 , 23, 905-11	15
1478	A Study of Antihypertensive Drugs and Depressive Symptoms (SADD-Sx) in patients treated with a calcium antagonist versus an atenolol hypertension Treatment Strategy in the International Verapamil SR-Trandolapril Study (INVEST). 2005 , 67, 398-406	43
1477	Clinical characteristics, risk factors, and medical treatment of 561 patients with peripheral arterial disease followed in an academic vascular surgery clinic. 2005 , 13, 108-10	18
1476	Results of the Controlled ONset Verapamil INvestigation of Cardiovascular Endpoints (CONVINCE) trial by geographical region. 2005 , 23, 1099-106	20
1475	Blood Pressure and Renal Function after Kidney Donation from Hypertensive Living Donors. 2005 , 79, 1769-1770	
1474	Bell or diaphragm in the measurement of blood pressure?. 2005 , 23, 499-503	21
1473	24-hour ambulatory blood-pressure effects of valsartan and hydrochlorothiazide combinations compared with amlodipine in hypertensive patients at increased cardiovascular risk: a VAST sub-study. 2005 , 10, 85-91	11
1472	Treating hypertension with cardioprotective therapies: the role of ACE inhibitors, ARBs, and beta-blockers. 2005 , 20, 354-64	20

1471	Facts and principles learned at the 32nd annual Williamsburg Conference on Heart Disease. 2005 , 18, 141-56	1
1470	[Metabolic syndrome: which definition for what treatment(s)?]. 2005 , 21, 1045-53	10
1469	The cardiovascular continuum and renin-angiotensin-aldosterone system blockade. 2005 , 23, S9-S17	138
1468	Pathophysiology and medical management of systemic hypertension in pregnancy. 2005 , 13, 274-84	15
1467	Recent advances in hypertension, stroke, and cardiorenal disease. 2005 , 20, 258-63	7
1466	Sodium directly impairs target organ function in hypertension. 2005 , 20, 424-9	33
1465	Effect of long-acting nifedipine on mortality and cardiovascular morbidity in patients with symptomatic stable angina and hypertension: the ACTION trial. 2005 , 23, 641-8	99
1464	Thiazide diuretics enhance nocturnal blood pressure fall and reduce proteinuria in immunoglobulin A nephropathy treated with angiotensin II modulators. 2005 , 23, 861-5	33
1463	Lowering blood pressure for cardiovascular risk reduction. 2005 , 23, S3-8	57
1462	Increased myocardial repolarization lability and reduced cardiac baroreflex sensitivity in individuals with high-normal blood pressure. 2005 , 23, 1751-6	10
1461	Effect of dietary fiber intake on blood pressure: a meta-analysis of randomized, controlled clinical trials. 2005 , 23, 475-81	286
1460	Diuretics and new onset diabetes: is it a problem?. 2005 , 23, 666-8; author reply 668-9	2
1459	Blood pressure control and risk of stroke in untreated and treated hypertensive patients screened from clinical practice: results of the ForLife study. 2005 , 23, 1575-81	69
1458	The diabetogenic potential of thiazide-type diuretic and beta-blocker combinations in patients with hypertension. 2005 , 23, 1777-81	76
1457	Normative values for intima-media thickness and distensibility of large arteries in healthy adolescents. 2005 , 23, 1707-15	255
1456	Age and time need not and should not be eliminated from the coronary risk prediction models. 2005 , 111, 542-5	13
1455	Sequential follow-up clinic and ambulatory blood pressure evaluation in a low risk population of white-coat hypertensive patients and in normotensives. 2005 , 10, 57-64	28
1454	Left ventricular diastolic dysfunction is accompanied by increased aortic stiffness in the early stages of essential hypertension: a TDI approach. 2005 , 23, 1745-50	57

1453	Medical treatment of renal artery stenosis: is it effective and appropriate?. 2005 , 23, S15-22	5
1452	Evidence-based behavior change curriculum for the ambulatory clerkship. 2005 , 105, 142-153	3
1451	The Felodipine Event Reduction (FEVER) Study: a randomized long-term placebo-controlled trial in Chinese hypertensive patients. 2005 , 23, 2157-72	269
1450	Physiologic evidence of renoprotection by antihypertensive therapy. 2005 , 20, 290-5	2
1449	Transforming growth factor beta1 and additional renoprotective effect of combination ACE inhibitor and angiotensin II receptor blocker in hypertensive subjects with minor renal abnormalities: a 24-week randomized controlled trial. 2005 , 23, 657-64	21
1448	Computerized measurement of retinal blood vessel calibre: description, validation and use to determine the influence of ageing and hypertension. 2005 , 23, 843-50	36
1447	Reducing cardiovascular disease in patients with diabetes mellitus. 2005 , 20, 245-9	8
1446	Early recognition and treatment of hypertensive heart disease. 2005 , 20, 282-9	14
1445	Why blockade of the renin-angiotensin system reduces the incidence of new-onset diabetes. 2005 , 23, 463-73	225
1444	Comparison of antihypertensive effects of an angiotensin-converting enzyme inhibitor, a calcium antagonist and a diuretic in patients with hypertension not controlled by angiotensin receptor blocker monotherapy. 2005 , 23, 883-9	48
1443	Evidence-based medicine in hypertension: what type of evidence?. 2005 , 23, 1113-20	42
1442	Effects of a lifestyle programme on ambulatory blood pressure and drug dosage in treated hypertensive patients: a randomized controlled trial. 2005 , 23, 1241-9	63
1441	Relationship of alcohol consumption to 7-year blood pressure change in Japanese men. 2005 , 23, 1485-90	40
1440	Isolated uncontrolled hypertension at home and in the office among treated hypertensive patients from the J-HOME study. 2005 , 23, 1653-60	84
1439	Prevalence, awareness, treatment and control of hypertension in Portugal: the PAP study. 2005 , 23, 1661-6	87
1438	Patterns of persistence with antihypertensive medications in newly diagnosed hypertensive patients in Italy: a retrospective cohort study in primary care. 2005 , 23, 2093-100	145
1437	Does the metabolic syndrome make blood pressure control more difficult in diabetes?. 2005 , 23, 2155-6	2
1436	A longitudinal study on the relationship between shift work and the progression of hypertension in male Japanese workers. 2005 , 23, 2173-8	59

1435	Convenience of ambulatory blood pressure monitoring: comparison of different devices. 2005 , 10, 239-42	28
1434	Antihypertensive treatment: should it be titrated to blood pressure reduction or to target organ damage regression?. 2005 , 14, 448-52	10
1433	Administration-time-dependent effects of antihypertensive treatment on the circadian pattern of blood pressure. 2005 , 14, 453-9	64
1432	A longitudinal study of physical activity and heart rate recovery: CARDIA, 1987-1993. 2005 , 37, 606-12	53
1431	LIFESTYLE MODIFICATION, ANTIHYPERTENSIVES, AND CHOLESTEROL-LOWERING MEDICATION FOR PRIMARY AND SECONDARY STROKE PREVENTION. 2005 , 11, 47-60	2
1430	Prevention of heart disease in female athletes. 2005 , 37, 1440-3	
1429	RISK FACTORS FOR STROKE, ASSESSING RISK, AND THE MASS AND HIGH-RISK APPROACHES FOR STROKE PREVENTION. 2005 , 11, 18-34	8
1428	Intervention for renal artery stenosis: endovascular and surgical roles. 2005 , 23, S23-9	18
1427	Angiotensin II receptor blockers and myocardial infarction: deeds and misdeeds. 2005 , 23, 2113-8	37
1426	Automated assessment of blood pressure using BpTRU compared with assessments by a trained technician and a clinic nurse. 2005 , 10, 257-62	29
1425	Can dietary changes reduce blood pressure in the long term?. 2005 , 14, 253-7	7
1424	Methods to improve medication adherence in patients with hypertension: current status and future directions. 2005 , 20, 296-300	91
1423	Weight gain after liver transplantation and the insertion/deletion polymorphism of the angiotensin-converting enzyme gene. 2005 , 79, 1338-43	9
1422	Posting guidelines: a practical and effective way to promote appropriate hypertension treatment. 2005 , 31, 227-32	5
1421	Anticoagulation in elderly patients who fall frequently: a therapeutic dilemma. 2005 , 20, 601-5	3
1420	Medical director responsibilities for outpatient cardiac rehabilitation/secondary prevention programs. A statement for healthcare professionals from the American Association for Cardiovascular and Pulmonary Rehabilitation and the American Heart Association. 2005 , 25, 315-20	5
1419	Renal function and cardiovascular risk in hypertensive patients. 2005 , 23, 1787-8	5
1418	The cardiovascular continuum in Asia—a new paradigm for the metabolic syndrome. 2005 , 46, 125-9	39

1417	Managing stress response to control hypertension in type 2 diabetes. 2005 , 19, 134-7	2
1416	Microalbuminuria, renal function and development of sustained hypertension: a longitudinal study in the early stage of hypertension. 2005 , 23, 175-82	36
1415	White coat effect and white coat hypertension in community pharmacy practice. 2005 , 10, 13-8	14
1414	Pharmacology & CKD: how chronic kidney disease and its complications alter drug response. 2005 , 105, 60-71; quiz 72	4
1413	The vascular effects of doxazosin in hypertension complicated by metabolic syndrome. 2005 , 16, 67-73	19
1412	Prevalence of masked uncontrolled and treated white-coat hypertension defined according to the average of morning and evening home blood pressure value: from the Japan Home versus Office Measurement Evaluation Study. 2005 , 10, 311-6	51
1411	Synergism of atenolol and nitrendipine on hemodynamic amelioration and organ protection in hypertensive rats. 2005 , 23, 193-201	37
1410	Managing stress response to control hypertension in type 2 diabetes. 2005 , 30, 46-9	2
1409	Cardiovascular disease in chronic kidney disease: recognizing and reducing the risk of a common CKD comorbidity. 2005 , 105, 40-52; quiz 53	
1408	A survey of validated automated home blood pressure monitors available for the Internet shopper. 2005 , 10, 103-7	25
1407	Are published characteristics of the ambulatory blood pressure generalizable to rural Chinese? The JingNing population study. 2005 , 10, 125-34	62
1406	Endothelin receptor antagonists: clinical realities and future directions. 2005 , 45, 182-91	36
1405	Is there a strong rationale for deferring elective surgery in patients with poorly controlled hypertension?. 2005 , 23, 19-22	39
1404	Controlled-release nifedipine and candesartan low-dose combination therapy in patients with essential hypertension: the NICE Combi (Nifedipine and Candesartan Combination) Study. 2005 , 23, 445-53	57
1403	Blood pressure dipping is reproducible in clinical practice. 2005 , 10, 79-84	33
1402	The cardiovascular safety of celecoxib. 2005 , 1, 709-22	
1401	Linkage and linkage disequilibrium analysis of the lipoprotein lipase gene with lipid profiles in Chinese hypertensive families. 2005 , 108, 137-42	5
1400	Antihypertensive agents for preventing diabetic kidney disease. 2005 , CD004136	38

- 1399 Effects of age and hypertension status on cognition: the Veterans Affairs Normative Aging Study. **2005**, 19, 770-7 64
- 1398 Comparative impact of morbid obesity vs heart failure on cardiorespiratory fitness. **2005**, 127, 2197-203 65
- 1397 An overview of the beneficial cardiovascular effects of thiazolidinediones. **2005**, 2, 113-119 12
- 1396 Chronobiological analysis by ambulatory blood pressure monitoring of the hyperbaric and hypobaric indexes for evaluation of the antihypertensive effect of long-acting nifedipine. **2005**, 69, 1249-55 4
- 1395 Low-renin (volume dependent) mild-hypertensive patients have impaired flow-mediated and glyceryl-trinitrate stimulated vascular reactivity. **2005**, 69, 1380-5 11
- 1394 The evaluation of left ventricular hypertrophy in hypertensive patients with subclinical hyperthyroidism. **2005**, 52, 421-5 21
- 1393 Nurse administered telephone intervention for blood pressure control: a patient-tailored multifactorial intervention. **2005**, 57, 5-14 101
- 1392 Non-invasive evaluation of endothelial function in hypertensive elderly patients. **2005**, 40, 61-71 13
- 1391 Diagnosis of hypertension and high blood pressure levels negatively affect cognitive function in older adults. **2005**, 29, 174-80 74
- 1390 Effect of biliopancreatic diversion on hypertension in severely obese patients. **2005**, 28, 119-23 16
- 1389 Sympathetic hypertensive syndrome: a possible surgically curable type of hypertension. **2005**, 28, 409-14 4
- 1388 How does deep breathing affect office blood pressure and pulse rate?. **2005**, 28, 499-504 28
- 1387 Cost-effectiveness analysis of hypertension treatment: controlled release nifedipine and candesartan low-dose combination therapy in patients with essential hypertension--the Nifedipine and Candesartan Combination (NICE-Combi) Study. **2005**, 28, 585-91 9
- 1386 Influence of leisure-time physical activity on the relationship between C-reactive protein and hypertension in a community-based elderly population of Japan: the Tsurugaya project. **2005**, 28, 747-54 18
- 1385 Class of antihypertensive drugs, blood pressure status, and risk of cardiovascular disease in hypertensive patients: a case-control study in Japan. **2005**, 28, 811-7 3
- 1384 Impact of hypertension on medical economics: A 10-year follow-up study of national health insurance in Shiga, Japan. **2005**, 28, 859-64 18
- 1383 Effects of valsartan on the progression of chronic renal insufficiency in patients with nondiabetic renal diseases. **2005**, 28, 865-70 13
- 1382 Elevation of serum soluble E- and P-selectin in patients with hypertension is reversed by benidipine, a long-acting calcium channel blocker. **2005**, 28, 871-8 20

1381	The risk of cardiovascular events in Japanese hypertensive patients with hypercholesterolemia: sub-analysis of the Japan Lipid Intervention Trial (J-LIT) Study, a large-scale observational cohort study. 2005 , 28, 879-87	19
1380	Aspirin for the primary prevention of cardiovascular disease: a comprehensive review. 2005 , 31, 186-93	8
1379	Recognition and prevention of cardiovascular disease in women. 2005 , 31, 255-61	2
1378	Comparison of the effects of cilnidipine and amlodipine on ambulatory blood pressure. 2005 , 28, 1003-8	36
1377	Prognostic factors and therapeutic outcome of isolated symptomatic middle cerebral artery stenosis. 2005 , 12, 519-26	8
1376	Minor abnormalities of renal function: a situation requiring integrated management of cardiovascular risk. 2005 , 19, 429-37	8
1375	Systemic associations of retinal microvascular signs: a review of recent population-based studies. 2005 , 25, 195-204	78
1374	The management of systemic hypertension in optometric practice. 2005 , 25, 523-33	4
1373	Thrombophilic risk factors in patients with severe carotid atherosclerosis. 2005 , 3, 502-7	18
1372	Cardiovascular and thrombophilic risk factors for idiopathic sudden sensorineural hearing loss. 2005 , 3, 929-34	83
1371	Management of the well renal transplant recipient: outpatient surveillance and treatment recommendations. 2005 , 18, 520-8	7
1370	Brief report: The prevalence and use of chronic disease registries in physician organizations. A national survey. 2005 , 20, 855-8	46
1369	Hypertension knowledge, awareness, and attitudes in a hypertensive population. 2005 , 20, 219-25	113
1368	Cardiovascular risk factors predictive for survival and morbidity-free survival in the oldest-old Framingham Heart Study participants. 2005 , 53, 1944-50	102
1367	Blood pressure response to strength training may be influenced by angiotensinogen A-20C and angiotensin II type I receptor A1166C genotypes in older men and women. 2005 , 53, 204-10	25
1366	Risk factors for stroke among Filipino patients with systemic lupus erythematosus. 2005 , 8, 19-22	
1365	Relationship between hepatitis C and microalbuminuria: results from the NHANES III. 2005 , 67, 285-90	66
1364	Definition and classification of chronic kidney disease: a position statement from Kidney Disease: Improving Global Outcomes (KDIGO). 2005 , 67, 2089-100	2083

1363	Antiproteinuric effect of oral paricalcitol in chronic kidney disease. 2005 , 68, 2823-8	284
1362	Microalbuminuria in hypertensive patients: evaluation of one-year treatment with irbesartan. 2005 , S29-34	6
1361	A report with consensus statements of the International Society of Nephrology 2004 Consensus Workshop on Prevention of Progression of Renal Disease, Hong Kong, June 29, 2004. 2005 , S2-7	26
1360	Prevention of the progression of chronic kidney disease: practice in China. 2005 , S63-7	32
1359	Evaluation and treatment of coronary artery disease in patients with end-stage renal disease. 2005 , S51-8	14
1358	The effect of hypertension on the risk for kidney cancer in Korean men. 2005 , 67, 647-52	46
1357	Insulin resistance, diabetes and cardiovascular risk: approaches to treatment. 2005 , 7, 642-53	40
1356	Plasma leptin concentration in patients with Type 2 diabetes: relationship to cardiovascular disease risk factors and insulin resistance. 2005 , 22, 278-85	29
1355	Simultaneous treatment of hypertension and dyslipidaemia may help to reduce overall cardiovascular risk: focus on amlodipine/atorvastatin single-pill therapy. 2005 , 59, 839-46	13
1354	Management of diastolic heart failure--a practical review of pathophysiology and treatment trial data. 2005 , 59, 1239-46	11
1353	Nifedipine gastrointestinal therapeutic system--hypertension management to improve cardiovascular outcomes. 2005 , 59, 1112-9	4
1352	Ireland's National Dairy Council's "a-Day" campaign: the Irish perspective. 2005 , 30, 182-185	1
1351	Diagnosis and management of the metabolic syndrome in obesity. 2005 , 6, 283-96	98
1350	Upregulated function of phosphatidylinositol-3-kinase in genetically hypertensive rats: a moderator of arterial hypercontractility. 2005 , 32, 851-8	16
1349	Fatty liver and the metabolic syndrome among Shanghai adults. 2005 , 20, 1825-32	139
1348	Evaluation of drug therapy and risk factors in diabetic hypertensives: a study of the quality of care provided in diabetic clinics in Bahrain. 2005 , 11, 121-31	7
1347	Nt-proANP in plasma, a marker of salt sensitivity, is reduced in type 2 diabetes patients. 2005 , 257, 281-8	3
1346	Metabolic syndrome is associated with early signs of organ damage in nondiabetic, hypertensive patients. 2005 , 257, 454-60	96

1345	Obesity: weighing the risk before prescribing. 2005 , 59, 259-61	2
1344	Queen Mary Utilization of Antihypertensive Drugs Study: use of antihypertensive drug classes in the hypertension clinic 1996-2004. 2005 , 60, 90-7	11
1343	Changes in the usage of antihypertensive drugs: implications and prospects. 2005 , 60, 231-4	4
1342	Queen Mary Utilization of Antihypertensive Drugs Study: side-effects of antihypertensive drugs. 2005 , 30, 391-9	14
1341	Relevance of post-methionine homocysteine and lipoprotein (a) in evaluating the cardiovascular risk in young CAD patients. 2005 , 35, 1-7	1
1340	Factors predicting the development of metabolic syndrome and type II diabetes against a background of hypertension. 2005 , 35, 324-9	15
1339	Utility of childhood BMI in the prediction of adulthood disease: comparison of national and international references. 2005 , 13, 1106-15	165
1338	Association of plasma resistin levels with coronary heart disease in women. 2005 , 13, 1764-71	81
1337	A cohort study of antihypertensive treatments and risk of renal cell cancer. 2005 , 92, 1302-6	57
1336	Nutrition is a powerful independent risk factor for coronary heart disease in women--The CORA study: a population-based case-control study. 2005 , 59, 1201-7	44
1335	Efficacy of tadalafil in the treatment of erectile dysfunction in hypertensive men on concomitant thiazide diuretic therapy. 2005 , 17, 450-4	21
1334	Effect of lifestyle modifications on blood pressure by race, sex, hypertension status, and age. 2005 , 19, 21-31	180
1333	Treatment of systolic hypertension: spotlight on recent studies with angiotensin II antagonists. 2005 , 19, 93-102	15
1332	Trends in antihypertensive and lipid-lowering therapy in subjects with type II diabetes: clinical effectiveness or clinical discretion?. 2005 , 19, 111-7	19
1331	Rationale and design of a study comparing two fixed-dose combination regimens to reduce albuminuria in patients with type II diabetes and hypertension. 2005 , 19, 139-44	5
1330	Relationship between blood pressure and physical activity assessed with stable isotopes. 2005 , 19, 127-32	18
1329	Diagnostic significance of transferrinuria and albumin-specific dipstick testing in primary care patients with elevated office blood pressure. 2005 , 19, 205-9	9
1328	Current status of angiotensin receptor blockers for the treatment of cardiovascular diseases: focus on telmisartan. 2005 , 19, 173-83	20

1327	Aggressive antihypertensive therapy based on hydrochlorothiazide, candesartan or lisinopril as initial choice in hypertensive type II diabetic individuals: effects on albumin excretion, endothelial function and inflammation in a double-blind, randomized clinical trial. 2005 , 19, 429-37	43
1326	Effect of losartan and spironolactone on left ventricular mass and heart sympathetic activity in prehypertensive obese subjects: a 16-week randomized trial. 2005 , 19, 277-83	4
1325	Hypertension--still an important cause of heart failure?. 2005 , 19, 267-75	16
1324	Effects of weight status on the recommendations of and adherence to lifestyle modifications among hypertensive adults. 2005 , 19, 365-71	16
1323	Angiotensin-II receptor blockers: benefits beyond blood pressure reduction?. 2005 , 19, 331-9	41
1322	A study of the prevalence of significant increases in serum creatinine following angiotensin-converting enzyme inhibitor administration. 2005 , 19, 389-92	7
1321	Stopping oral contraceptives: an effective blood pressure-lowering intervention in women with hypertension. 2005 , 19, 451-5	46
1320	Normal ambulatory blood pressure: a clinical practice-based comparison of two recently published definitions. 2005 , 19, 565-7	5
1319	Temporal changes in the control of blood pressure in an older Australian population. 2005 , 19, 691-6	10
1318	Randomised controlled trial of qigong in the treatment of mild essential hypertension. 2005 , 19, 697-704	83
1317	New concepts in blood pressure-lowering management in diabetic patients: the case for early ACE inhibitor combination therapy with diuretics. 2005 , 19 Suppl 1, S15-20	8
1316	Knowledge of blood pressure levels and targets in patients with coronary artery disease in the USA. 2005 , 19, 769-74	17
1315	Patient satisfaction with antihypertensive therapy. 2005 , 19, 793-9	23
1314	Effect of blood pressure and diabetes mellitus on cognitive and physical functions in older adults: a longitudinal analysis of the advanced cognitive training for independent and vital elderly cohort. 2005 , 53, 1154-61	103
1313	Efficacy and tolerability of candesartan cilexetil vs. amlodipine as assessed by home blood pressure in hypertensive patients. 2005 , 59, 78-84	8
1312	Redefining efficacy of antihypertensive therapies beyond blood pressure reduction--the role of angiotensin II antagonists. 2005 , 59, 214-24	9
1311	Scipione Riva-Rocci and the men behind the mercury sphygmomanometer. 2006 , 60, 73-9	42
1310	Heart failure from diastolic dysfunction related to hypertension: guidelines for management. 2005 , 17, 168-75	2

1309	Genetics of essential hypertension. 2005 , 17, 219-24	8
1308	Traitement non pharmacologique de l'hypertension artfielle. 2005 , 2, 136-151	1
1307	Automated spoken dialogue system for hypertensive patient home management. 2005 , 74, 159-67	40
1306	Effects of an intensive diet and physical activity modification program on the health risks of adults. 2005 , 105, 371-81	64
1305	Risk assessment of the overweight and obese patient. 2005 , 105, S53-62	27
1304	Combined treatment for obesity and the metabolic syndrome. 2005 , 105, S124-30	1
1303	Unique dietary patterns and chronic disease risk profiles of adult men: the Framingham nutrition studies. 2005 , 105, 1723-34	66
1302	Long-term effect of diuretic-based therapy on fatal outcomes in subjects with isolated systolic hypertension with and without diabetes. 2005 , 95, 29-35	267
1301	The debate goes on--what is your choice?. 2005 , 95, 53-4	2
1300	Reaching recommended lipid and blood pressure targets with amlodipine/atorvastatin combination in patients with coronary heart disease. 2005 , 95, 249-53	12
1299	A "poly-portfolio" for secondary prevention: a strategy to reduce subsequent events by up to 97% over five years. 2005 , 95, 373-8	38
1298	Long-term effects of stress reduction on mortality in persons > or = 55 years of age with systemic hypertension. 2005 , 95, 1060-4	113
1297	Relation between ascending aortic pressures and outcomes in patients with angiographically demonstrated coronary artery disease. 2005 , 96, 645-8	57
1296	Relation of microalbuminuria to adiponectin and augmented C-reactive protein levels in men with essential hypertension. 2005 , 96, 946-51	107
1295	Reducing residual risk for patients on statin therapy: the potential role of combination therapy. 2005 , 96, 3K-13K; discussion 34K-35K	58
1294	Managing patients with high blood pressure before the introduction of antihypertensive drugs. 2005 , 96, 1465-6	0
1293	Systemic hypertension: some observations. 2005 , 96, 1610-1	3
1292	Cardiometabolic risk assessment: an approach to the prevention of cardiovascular disease and diabetes mellitus. 2005 , 7, 7-16	23

1291	Hipertensi3n arterial y riesgo cardiovascular en el a2004. 2005 , 5, 24A-34A	
1290	Hipertensi3n arterial y s3ndrome metab3lico. 2005 , 5, 38D-45D	1
1289	Prevenci3n y tratamiento del s3ndrome metab3lico. 2005 , 5, 46D-52D	
1288	Definici3n y concepto, fisiopatolog3a, cl3nica y exploraci3n del SAHS. 2005 , 41, 12-29	25
1287	[Cardiovascular risk in obstructive sleep apnea-hypopnea syndrome (OSA/HS)]. 2005 , 41 Suppl 5, 30-5	9
1286	The epidemiology of chronic kidney disease stages 1 to 4 and cardiovascular disease: a high-risk combination. 2005 , 45, 223-32	53
1285	K/DOQI Clinical Practice Guidelines for Cardiovascular Disease in Dialysis Patients. 2005 , 45, 16-153	184
1284	Home blood pressure monitoring in CKD. 2005 , 45, 994-1001	95
1283	Clinical pharmacists as multidisciplinary health care providers in the management of CKD: a joint opinion by the Nephrology and Ambulatory Care Practice and Research Networks of the American College of Clinical Pharmacy. 2005 , 45, 1105-18	20
1282	Hypertension in individuals at risk for autosomal dominant polycystic kidney disease: to screen or not to screen?. 2005 , 46, 557-9	8
1281	A comprehensive assessment of renal function in patients with Gaucher disease. 2005 , 46, 837-44	4
1280	Long-term renoprotective effects of standard versus high doses of telmisartan in hypertensive nondiabetic nephropathies. 2005 , 46, 1074-9	54
1279	Early low-grade proteinuria: causes, short-term evolution and long-term consequences in renal transplantation. 2005 , 5, 2281-8	114
1278	Erectile dysfunction is a marker for cardiovascular disease: results of the minority health institute expert advisory panel. 2005 , 2, 40-50; discussion 50-2	112
1277	Abnormal cardiovascular response to exercise in patients with peripheral arterial disease: Implications for management. 2005 , 23, 130-6; quiz 137-8	5
1276	Strategies to enhance longevity and independent function: the Jerusalem Longitudinal Study. 2005 , 126, 327-31	20
1275	The rationale and design of the Glycemic Effects in Diabetes Mellitus Carvedilol-Metoprolol Comparison in Hypertensives (GEMINI) trial. 2005 , 19, 74-9	16
1274	Race and diet in the overweight: association with cardiovascular risk in a nationally representative sample. 2005 , 21, 718-25	36

1273	Epidemiology of diastolic heart failure. 2005 , 47, 320-32	292
1272	Collaborative medication management in a team-based primary care practice: an explanatory conceptual framework. 2005 , 1, 408-29	20
1271	Quality of care for hypertension in the United States. 2005 , 5, 1	55
1270	Determinants of persistence in hypertensive patients treated with irbesartan: results of a postmarketing survey. 2005 , 5, 13	21
1269	Determinants of racial/ethnic differences in blood pressure management among hypertensive patients. 2005 , 5, 16	26
1268	Validation of self reported diagnosis of hypertension in a cohort of university graduates in Spain. 2005 , 5, 94	122
1267	beta-Blocker therapy in veterans with asthma or chronic obstructive pulmonary disease. 2005 , 25, 1550-9	20
1266	Angiotensin-converting enzyme inhibitors or angiotensin II receptor blockers for prevention and treatment of nephropathy associated with type 2 diabetes mellitus. 2005 , 25, 1602-20	15
1265	Hydrochlorothiazide-induced noncardiogenic pulmonary edema: an underrecognized yet serious adverse drug reaction. 2005 , 25, 1258-65	8
1264	Caring for patients with chronic kidney disease: a joint opinion of the ambulatory care and the nephrology practice and research networks of the American College of Clinical Pharmacy. 2005 , 25, 123-43	17
1263	Cardiovascular effects of coffee: is it a risk factor?. 2005 , 20, 65-9	28
1262	Prevalence of and risk factors for nonalcoholic fatty liver disease: the Dionysos nutrition and liver study. 2005 , 42, 44-52	944
1261	Increased unrecognized coronary heart disease and sudden deaths in rheumatoid arthritis: a population-based cohort study. 2005 , 52, 402-11	711
1260	Cardiovascular death in rheumatoid arthritis: a population-based study. 2005 , 52, 722-32	709
1259	Hospitalizations attributable to arthritis, smoking, and hypertension: a comparison based on NHEFS and NHANES III. 2005 , 53, 543-8	1
1258	Initial treatment of hypertension and adherence to therapy in general practice in Italy. 2005 , 61, 603-9	38
1257	Effect of successful hypertension control by manidipine or lisinopril on albuminuria and left ventricular mass in diabetic hypertensive patients with microalbuminuria. 2005 , 61, 483-90	39
1256	[Hypertensive emergencies]. 2005 , 46, 557-63	4

1255 [Blood pressure and the brain]. **2005**, 46, 520-37

1254 An alarmingly high prevalence of diabetic nephropathy in Asian type 2 diabetic patients: the MicroAlbuminuria Prevalence (MAP) Study. **2005**, 48, 17-26 156

1253 [Prevention of arteriosclerosis. Importance of the treatment of arterial hypertension]. **2005**, 94 Suppl 3, III/56-65 3

1252 [Risk adapted therapy in vascular diseases: antihypertensive treatment in peripheral arterial disease]. **2005**, 94 Suppl 4, IV/19-23 1

1251 How are hypertensive children evaluated and managed? A survey of North American pediatric nephrologists. **2005**, 20, 791-7 100

1250 The role of calcium antagonists in patients with chronic renal failure. **2005**, 20, 1208-13 5

1249 Effects of shift work on QTc interval and blood pressure in relation to heart rate variability. **2005**, 78, 287-92 23

1248 Treatment of hypertension and adherence to treatment guidelines in clinical practice: an Italian study. **2005**, 22, 96-106 9

1247 Do angiotensin II antagonists provide benefits beyond blood pressure reduction?. **2005**, 22, 117-36 5

1246 Efficacy and safety of combination therapy using high- or low-dose hydrochlorothiazide with valsartan or other Angiotensin-receptor blockers. **2005**, 22, 263-77 7

1245 Advantages of blood pressure optimization. **2005**, 22, 285-96 2

1244 Fibromuscular Dysplasia. **2005**, 7, 159-169 17

1243 Population strategies to treat hypertension. **2005**, 7, 253-8 6

1242 Prevention of coronary heart disease in diabetes. **2005**, 7, 259-71 3

1241 Influence of the DASH diet and other low-fat, high-carbohydrate diets on blood pressure. **2005**, 7, 446-54 14

1240 Heart failure in women. **2005**, 7, 159-65 2

1239 Stroke prevention in diabetic and other high cardiovascular risk patients. **2005**, 5, 200-7 6

1238 Alcohol consumption and hypertension. **2005**, 7, 180-5 21

1237	Angiotensin II-receptor antagonist in the treatment of hypertension. 2005 , 7, 287-93	6
1236	Clinical trials report. 2005 , 7, 399-400	1
1235	Clinical trials report. 2005 , 7, 437-438	1
1234	Management of hypertension and diabetes: treatment goals, drug choices, current practice, and strategies for improving care. 2005 , 7, 439-49	8
1233	Hypertension in young children and neonates. 2005 , 7, 454-60	3
1232	Does ALLHAT change the management of hypertension in chronic kidney disease?. 2005 , 7, 474-83	4
1231	Treatment of resistant hypertension. 2005 , 7, 323-9	23
1230	Should the target for blood pressure control specify both a systolic and a diastolic component?. 2005 , 7, 360-2	5
1229	The African American Study of Kidney Disease: do these results indicate that 140/90 mm hg is good enough?. 2005 , 7, 363-6	2
1228	Proteinuria reduction: mandatory consideration or option when selecting an antihypertensive agent?. 2005 , 7, 374-8	11
1227	BENEDICT in the treatment of hypertension. 2005 , 7, 121-3	4
1226	Brief report: How well do clinic-based blood pressure measurements agree with the mercury standard?. 2005 , 20, 647-649	30
1225	Cardiorenal disease: a clinical intersection. 2005 , 37, 175-84	2
1224	Suppressed hostility predicted hypertension incidence among middle-aged men: the normative aging study. 2005 , 28, 443-54	8
1223	Physical activity, cardiorespiratory fitness, and their relationship to cardiovascular risk factors in African Americans and non-African Americans with above-optimal blood pressure. 2005 , 30, 107-24	11
1222	Different risk factor profiles between subtypes of ischemic stroke. A case-control study in Korean men. 2005 , 20, 605-12	15
1221	Different antioxidants status, total antioxidant power and free radicals in essential hypertension. 2005 , 277, 89-99	68
1220	Computer-Aided Clinical Decision System: Differential Diagnosis and Treatment of Essential Hypertension by a Novel Noninvasive Hemodynamic Analyzer. 2005 , 5, 83-96	3

1219	Secondary prevention in coronary heart disease: goal achievement and drug prescribing. 2005 , 27, 472-4	2
1218	Beyond the Evidence of the New Hypertension Guidelines. Blood pressure measurement - is it good enough for accurate diagnosis of hypertension? Time might be in, for a paradigm shift (I). 2005 , 6, 6	25
1217	beta2-Adrenergic receptor gene variations associated with stage-2 hypertension in northern Han Chinese. 2005 , 69, 36-44	40
1216	Hypertension control: results from the Diabetes Care Program of Nova Scotia registry and impact of changing clinical practice guidelines. 2005 , 4, 11	2
1215	Echocardiography-based left ventricular mass estimation. How should we define hypertrophy?. 2005 , 3, 17	160
1214	Prevention of coronary artery disease in cancer patients. 2005 , 44, 620-4	14
1213	Study of urban community survey in India: growing trend of high prevalence of hypertension in a developing country. 2005 , 2, 70-78	82
1212	Low-fat dairy consumption and reduced risk of hypertension: the Seguimiento Universidad de Navarra (SUN) cohort. 2005 , 82, 972-9	113
1211	Sodium content of processed foods: 1983-2004. 2005 , 81, 941-942	5
1210	Facts and ideas from anywhere. 2005 , 18, 87-95	
1209	Telepharmacy in a health maintenance organization. 2005 , 62, 406-410	16
1208	Coronary Artery Disease in HIV-Infected Patients: Clinical Presentation, Pathophysiology, Prognosis, Prevention, and Treatment. 2005 , 57-72	
1207	Renovascular hypertension. 2005 , 17, 44-52	1
1206	Telepharmacy in a health maintenance organization. 2005 , 62, 406-10	3
1205	A History of Hypertension Treatment. 2005 , 1-6	0
1204	Does waist indicate dyslipidemia better than BMI in Korean adult population?. 2005 , 20, 7-12	20
1203	Hypertension guidelines, meta-analyses and clinical trials: do we assume too much?. 2005 , 182, 82-4	5
1202	Management of Hypertension in Solid-Organ Transplantation. 2005 , 15, 17-22	4

1201	Combination Drug Therapy: A Strategy for Aggressive Lipid Modification. 2005 , 40, 954-962	
1200	Relationship between retinopathy and cirrhosis. 2005 , 11, 2193-6	13
1199	The frequency of combined target organ damage and the beneficial effect of ambulatory blood pressure monitoring in never treated mild-to-moderate hypertensive patients. 2005 , 46, 1073-82	17
1198	Quantitative ultrasound of the calcaneus in a Korean population: reference data and relationship to bone mineral density determined by peripheral dual X-ray absorptiometry. 2005 , 20, 1011-6	14
1197	Distribution of the ankle-brachial index and associated cardiovascular risk factors in a population of middle-aged and elderly koreans. 2005 , 20, 373-8	26
1196	Obstructive Sleep Apnea and Hypertension. 2005 , 765-773	
1195	Comportamento subagudo da pressão arterial após o treinamento de força em hipertensos controlados. 2005 , 11, 337-340	29
1194	Secondhand smoke (SHS) deserves more than secondhand attention: Modifying the 5As model to include counseling to eliminate exposure.. 2005 , 23, 266-277	10
1193	Superiority of combination of thiazide with angiotensin-converting enzyme inhibitor or AT1-receptor blocker over thiazide alone on renoprotection in L-NAME/SHR. 2005 , 289, F871-9	16
1192	Critical value of the electrocardiogram in LVH: from predictive index to therapeutic reassessment. 2005 , 45, e6; author reply e6	
1191	Hypertension associated with bevacizumab. 2005 , 9, 407-11	12
1190	Impact of target organ damage assessment in the evaluation of global risk in patients with essential hypertension. 2005 , 16 Suppl 1, S89-91	14
1189	Calcium channel blockers and renal protection: insights from the latest clinical trials. 2005 , 16 Suppl 1, S64-6	18
1188	Ethnic disparities: control of glycemia, blood pressure, and LDL cholesterol among US adults with type 2 diabetes. 2005 , 39, 1489-501	83
1187	The impact of history of hypertension and type 2 diabetes at baseline on the incidence of stroke and stroke mortality. 2005 , 36, 2538-43	118
1186	Targets and self monitoring in hypertension: randomised controlled trial and cost effectiveness analysis. 2005 , 331, 493	94
1185	The unilateral measurement of blood pressure may mask the diagnosis or delay the effective treatment of hypertension. 2005 , 56, 565-9	20
1184	Effects of particle size fractions on reducing heart rate variability in cardiac and hypertensive patients. 2005 , 113, 1693-7	80

1183	Is blood pressure increased 19 years after intrauterine growth restriction and preterm birth? A prospective follow-up study in The Netherlands. 2005 , 116, 725-31	128
1182	Risk of adverse drug events by patient destination after hospital discharge. 2005 , 62, 1883-9	7
1181	Cognitive and neurologic impairment with hydrochlorothiazide. 2005 , 62, 2630-3	0
1180	First-line first? Trends in thiazide prescribing for hypertensive seniors. 2005 , 2, e80	9
1179	Is high pulse pressure a marker of preclinical cardiovascular disease?. 2005 , 45, 575-9	59
1178	Self-measurement of blood pressure at home in the management of hypertension. 2005 , 3, 19-26	46
1177	Drug treatment of systolic and of diastolic heart failure in elderly persons. 2005 , 60, 1597-605	7
1176	SODIUM Salt Intake and Health. 2005 , 154-167	3
1175	Persistent sympathetic activation during chronic antihypertensive therapy: a potential mechanism for long term morbidity?. 2005 , 45, 513-21	63
1174	Prevention and treatment of diabetic nephropathy: the program for irbesartan mortality and morbidity evaluation. 2005 , 16 Suppl 1, S48-52	22
1173	Angiotensin receptor blockers: therapeutic targets and cardiovascular protection. 2005 , 14, 196-209	59
1172	Blood pressure tables. 2005 , 115, 826-7; author reply 827	14
1171	Prehypertension and cardiovascular morbidity. 2005 , 3, 294-9	177
1170	Aortic stiffness is an independent predictor of progression to hypertension in nonhypertensive subjects. 2005 , 45, 426-31	208
1169	Should ethnicity serve as the basis for clinical trial design? Importance of race/ethnicity in clinical trials: lessons from the African-American Heart Failure Trial (A-HeFT), the African-American Study of Kidney Disease and Hypertension (AASK), and the Antihypertensive and Lipid-Lowering Treatment to Prevent Heart Attack Trial (ALLHAT). 2005 , 112, 3654-60; discussion 3666	62
1168	Adipokines: molecular links between obesity and atherosclerosis. 2005 , 288, H2031-41	625
1167	Cost-effectiveness analysis of hypertension guidelines in South Africa: absolute risk versus blood pressure level. 2005 , 112, 3569-76	111
1166	Integrating clinical nutrition practice guidelines in chronic kidney disease. 2005 , 20, 213-7	12

1165	Systolic and diastolic blood pressure lowering as determinants of cardiovascular outcome. 2005 , 45, 907-13	211
1164	Prehypertension, patient outcomes, and the knowledge base of family medicine. 2005 , 3, 292-3	1
1163	Body fat distribution, liver enzymes, and risk of hypertension: evidence from the Western New York Study. 2005 , 46, 1186-93	90
1162	An Emergency Department Approach to Drug Treatment of Hypertensive Urgency and Emergency. 2005 , 18, 363-376	2
1161	Antihypertensive agents for primary prevention of diabetic nephropathy. 2005 , 16, 3081-91	51
1160	Is there time for management of patients with chronic diseases in primary care?. 2005 , 3, 209-14	507
1159	Standards of Medical Care in Diabetes. 2005 , 28, S4-S36	815
1158	Low-grade albuminuria and the risks of hypertension and blood pressure progression. 2005 , 111, 1370-6	171
1157	Prevalence of symptomatic peripheral arterial disease, modifiable risk factors, and appropriate use of drugs in the treatment of peripheral arterial disease in older persons seen in a university general medicine clinic. 2005 , 60, 255-7	52
1156	Patterns of antihypertensive therapy in new users of angiotensin II-receptor blockers. 2005 , 62, 2381-5	3
1155	Screening for hypertension in high school. 2005 , 44, 711-4	3
1154	Review: Cardiovascular risk assessment in the metabolic syndrome, screening for subclinical disease, and implications for treatment. 2005 , 5, 305-313	3
1153	An updated meta-analysis with a few surprises. 2005 , 46, 257-8	
1152	Patterns and predictors of prehypertension among "healthy" urban adults in India. 2005 , 56, 557-63	21
1151	Effect of anti-hypertensive drug dose frequency on the clinic-home blood pressure difference in patients with stage 1 treated hypertension. 2005 , 33, 111-8	0
1150	Low-grade albuminuria and incidence of cardiovascular disease events in nonhypertensive and nondiabetic individuals: the Framingham Heart Study. 2005 , 112, 969-75	563
1149	Cytochrome P450 gene-based drug prescribing and factors impacting translation into routine clinical practice. 2005 , 2, 213-224	10
1148	Is there a biomedical explanation for socioeconomic differences in incident mobility limitation?. 2005 , 60, 1022-7	54

1147	Carvedilol reduces plasma 8-hydroxy-2'-deoxyguanosine in mild to moderate hypertension: a pilot study. 2005 , 45, 986-90	22
1146	Comparison of the effects of nitroglycerin and nitroprusside on transmitral Doppler flow parameters in patients with hypertensive urgency. 2005 , 39, 997-1001	5
1145	The potential role of dentists in identifying patients' risk of experiencing coronary heart disease events. 2005 , 136, 1541-6	63
1144	Increased fasting plasma insulin concentrations are associated with the severity of angiographic coronary artery disease. 2005 , 56, 249-51	5
1143	The effect of therapeutic back massage in hypertensive persons: a preliminary study. 2005 , 7, 98-105	26
1142	Predictors of new-onset diastolic and systolic hypertension: the Framingham Heart Study. 2005 , 111, 1121-7	206
1141	Risk factors for concomitant peripheral arterial occlusive disease in patients with coronary artery disease: is there a difference between diabetic and non-diabetic patients?. 2005 , 60, 122-8	
1140	Differential effects of antihypertensive drugs on renal and glomerular hemodynamics and injury in the chronic nitric-oxide-suppressed rat. 2005 , 25, 138-52	6
1139	Coronary heart disease in women: what do we know now?. 2005 , 1, 617-28	2
1138	Predictive value of mild, residual descending aortic narrowing for blood pressure and vascular damage in patients after repair of aortic coarctation. 2005 , 26, 84-90	64
1137	Association of habitual snoring with glucose and insulin metabolism in nonobese Korean adult men. 2005 , 171, 287-91	68
1136	Telmisartan: from lowering blood pressure to end-organ protection. 2005 , 1, 7-15	4
1135	Cost implications of new evidence on prevention of cardiovascular disease. 2005 , 5, 183-92	1
1134	Hypertension 2005: an evidence-based approach to diagnosis and treatment - an American perspective. 2005 , 3, 691-704	4
1133	[Vascular impact of anti-hypertensive treatment and renal protection]. 2005 , 21 Suppl 5, S23-8	
1132	Potential drug-disease interactions in frail, hospitalized elderly veterans. 2005 , 39, 412-7	34
1131	Effect of casein hydrolysate, prepared with protease derived from <i>Aspergillus oryzae</i> , on subjects with high-normal blood pressure or mild hypertension. 2005 , 8, 423-30	63
1130	Effect of three months' treatment with irbesartan on blood and pulse pressure of hypertensive type 2 diabetic patients: open, observational study in 31,793 patients. 2005 , 21, 1433-40	8

1129	JNC 7 category and risk of cardiovascular death in men: are there differences by age?. 2005 , 14, 126-31; quiz 132-3	14
1128	Exercise, insulin resistance, and hypertension: a complex relationship. 2005 , 3, 60-5	16
1127	Adherence with hypertension care among Hmong Americans. 2005 , 22, 143-56	20
1126	Metabolic syndrome in women of childbearing age and pregnancy: recognition and management of dyslipidemia. 2005 , 3, 250-8	7
1125	Position of fixed-dose combinations containing an AT(1)-receptor blocker and a thiazide diuretic. 2005 , 14, 324-36	7
1124	Aggregation of vascular risk factors and risk of incident Alzheimer disease. 2005 , 65, 545-51	596
1123	Valsartan in the treatment of hypertension. 2005 , 1, 27-36	7
1122	2003 Swiss Re Blood Pressure Study of Insured Lives. 2005 , 9, 1-16	3
1121	Prescribe by risk: the utility of a biomarker-based risk calculation in disease management to prevent heart disease. 2005 , 8, 106-13	5
1120	Metabolic syndrome: therapeutic considerations. 2005 , 107-33	22
1119	Anti-hypertensive effect of chunghyul-dan (qingxue-dan) on stroke patients with essential hypertension. 2005 , 33, 357-64	12
1118	Vitamin D intake and risk of incident hypertension: results from three large prospective cohort studies. 2005 , 46, 676-82	111
1117	Decision making in medicine and health care. 2005 , 1, 525-56	98
1116	Clinical ease of using doxazosin in BPH patients with and without hypertension. 2005 , 8, 152-7	8
1115	Efficacy and duration of action of the four selective angiotensin II subtype 1 receptor blockers, losartan, candesartan, valsartan and telmisartan, in patients with essential hypertension determined by home blood pressure measurements. 2005 , 27, 477-89	35
1114	Thiazide-sensitive NaCl-cotransporter in the intestine: possible role of hydrochlorothiazide in the intestinal Ca ²⁺ uptake. 2005 , 280, 19902-10	32
1113	Hypertensive retinopathy signs as risk indicators of cardiovascular morbidity and mortality. 2005 , 73-74, 57-70	120
1112	Value of routine funduscopy in patients with hypertension: systematic review. 2005 , 331, 73	91

1111	Cardiovascular risk in relation to alpha-adducin Gly460Trp polymorphism and systolic pressure: a prospective population study. 2005 , 46, 527-32	45
1110	Hypertension and peripheral arterial disease. 2005 , 10, 241-6	26
1109	Molecular physiology and pathophysiology of electroneutral cation-chloride cotransporters. 2005 , 85, 423-93	613
1108	Long-term impact of systolic blood pressure and glycemia on the development of microalbuminuria in essential hypertension. 2005 , 45, 1125-30	47
1107	Temporal trends in the incidence of intermittent claudication from 1950 to 1999. 2005 , 162, 430-7	38
1106	Renovascular hypertension and ischemic nephropathy. 2005 , 112, 1362-74	208
1105	Regulatable atrial natriuretic peptide gene therapy for hypertension. 2005 , 102, 13789-94	47
1104	The impact of new drug introduction on drug expenditure in primary health care in Catalunya, Spain. 2005 , 39, 177-82	8
1103	Subjective and objective evaluations of health among middle-aged and older veterans with hypertension. 2005 , 17, 592-608	17
1102	Treating asymptomatic patients. 2005 , 136, 1632, 1634	2
1101	Targeting the renin-angiotensin system for the reduction of cardiovascular outcomes in hypertension: angiotensin-converting enzyme inhibitors and angiotensin receptor blockers. 2005 , 10, 729-45	7
1100	A patient with high normal blood pressure--should we treat?. 2005 , 2, 50-2	1
1099	Major causes of death among men and women in China. 2005 , 353, 1124-34	953
1098	Sleep in COPD patients. 2005 , 2, 355-61	24
1097	Sleep--a new cardiovascular frontier. 2005 , 353, 2070-3	72
1096	Endothelial t-PA release is impaired in overweight and obese adults but can be improved with regular aerobic exercise. 2005 , 289, E807-13	66
1095	Blood pressure as a risk factor for stroke and the impact of antihypertensive treatment. 2005 , 20 Suppl 2, 40-52	20
1094	Benefit of glyceryl trinitrate on arterial stiffness is directly due to effects on peripheral arteries. 2005 , 91, 1428-32	43

1093	Aging, Arterial Stiffness, and Systolic Hypertension. 2005 , 23-34	3
1092	Autonomic effects of expressive writing in individuals with elevated blood pressure. 2005 , 10, 197-209	56
1091	PRESERVE-beta: two-year efficacy and safety of initial combination therapy with nateglinide or glyburide plus metformin. 2005 , 28, 2093-9	97
1090	Ambulatory blood pressure comparison of the anti-hypertensive efficacy of fixed combinations of irbesartan/hydrochlorothiazide and losartan/hydrochlorothiazide in patients with mild-to-moderate hypertension. 2005 , 33, 620-31	21
1089	Impact of obstructive sleep apnea on right ventricular global function: sleep apnea and myocardial performance index. 2005 , 72, 278-84	48
1088	Alzheimer's disease: role of size and location of white matter changes in determining cognitive deficits. 2005 , 20, 358-66	40
1087	Association between the CYP3A5 genotype and blood pressure. 2005 , 45, 294-8	70
1086	Effects of noncardiovascular comorbidities on antihypertensive use in elderly hypertensives. 2005 , 46, 273-9	62
1085	Correlates of systolic hypertension in patients with chronic kidney disease. 2005 , 46, 514-20	101
1084	Therapy of stable angina pectoris: the uncomplicated patient. 2005 , 112, e255-9	21
1083	Identifying individuals with a reduced GFR using ambulatory laboratory database surveillance. 2005 , 16, 1433-9	44
1082	Joint National Committee VII and European Society of Hypertension/European Society of Cardiology guidelines for evaluating and treating hypertension: a two-way road?. 2005 , 16 Suppl 1, S74-7	20
1081	Salt restriction in the treatment of isolated systolic and combined hypertension: is that enough?. 2005 , 46, 31-2	1
1080	Risk factors for cardiovascular disease in homeless adults. 2005 , 111, 2629-35	119
1079	Management of Adult Stroke Rehabilitation Care: a clinical practice guideline. 2005 , 36, e100-43	588
1078	Joint effects of systolic blood pressure and serum cholesterol on cardiovascular disease in the Asia Pacific region. 2005 , 112, 3384-90	80
1077	Hypertension and exercise training differentially affect oxytocin and oxytocin receptor expression in the brain. 2005 , 46, 1004-9	69
1076	Interactive effect of obesity indexes on cognition. 2005 , 19, 91-6	86

1075	Acute effects of automated continuous positive airway pressure on blood pressure in patients with sleep apnea and hypertension. 2005 , 72, 150-5	36
1074	Renal protective effects of the renin-angiotensin-aldosterone system blockade: from evidence-based approach to perspectives. 2005 , 28, 230-42	27
1073	Hypertension prevalence, awareness, treatment, and control in an adult type 1 diabetes population and a comparable general population. 2005 , 28, 301-6	108
1072	Blood pressure in adulthood and life expectancy with cardiovascular disease in men and women: life course analysis. 2005 , 46, 280-6	190
1071	Job constraints and arterial hypertension: different effects in men and women: the IHPAF II case control study. 2005 , 62, 711-7	32
1070	Effect of sibutramine on weight management and metabolic control in type 2 diabetes: a meta-analysis of clinical studies. 2005 , 28, 942-9	93
1069	Systolic hypertension in older persons: complexities in clinical decision making. 2005 , 14, 325-30	1
1068	Resurrection of uric acid as a causal risk factor in essential hypertension. 2005 , 45, 18-20	162
1067	Dobutamine stress echocardiography and the resting but not exercise electrocardiograph predict severe coronary artery disease in renal transplant candidates. 2005 , 20, 2207-14	94
1066	Revised 2005 diabetes quality improvement checklist. 2005 , 31, 669-70, 672, 675 passim	2
1065	Effect of health-related stereotypes on physiological responses of hypertensive middle-aged and older men. 2005 , 60, P3-P10	25
1064	Changes in plasma lipids during renin-angiotensin system blockade by combination therapy (enalapril plus valsartan) in patients with diabetes and hypertension. 2005 , 45, 362-6	10
1063	Comparison of walking recommendations in previously inactive women. 2005 , 37, 676-83	75
1062	Diabetic nephropathy: the proteinuria hypothesis. 2005 , 25, 77-94	72
1061	The treat-to-target paradigm: a cross-sectional survey of current therapies and achieved metabolic control in 800 type 2 diabetic patients. 2005 , 60, 79-85	4
1060	On improving hypertension treatment success. 2005 , 80, 19	2
1059	Improved blood pressure control with a physician-nurse team and home blood pressure measurement. 2005 , 80, 31-6	27
1058	Association of the -159C/T polymorphism of the endotoxin receptor (CD14) with carotid artery disease and cardiovascular mortality in dialysis patients. 2005 , 23, 128-33	8

1057	Clinical research in primary stroke prevention: needs, opportunities, and challenges. 2005 , 25, 91-104	14
1056	Discovering the full spectrum of cardiovascular disease: Minority Health Summit 2003: executive summary. 2005 , 111, 1339-49	51
1055	Is prehypertension a risk factor for cardiovascular diseases?. 2005 , 36, 1859-63	218
1054	Antihypertensive medications prescribed at discharge after an acute ischemic cerebrovascular event. 2005 , 36, 1944-7	26
1053	Letter regarding article by Wang et al, "Low-grade albuminuria and the risks of hypertension and blood pressure progression". 2005 , 112, e121; author reply e121	5
1052	Cardiovascular disease in sub-Saharan Africa. 2005 , 112, 3536-40	52
1051	Control of hypertension in patients at high risk of cardiovascular disease. 2005 , 98, 581-8	11
1050	A psychodynamic approach to screening for the metabolic syndrome. 2005 , 33, 671-82; discussion 683-7	
1049	Interaction between vascular dysfunction and cardiac mass increases the risk of cardiovascular outcomes in essential hypertension. 2005 , 26, 921-7	39
1048	The association between BP and mortality in patients on chronic peritoneal dialysis. 2005 , 20, 1693-701	60
1047	JNC VII Creates a New "Prehypertensive" Category. 2005 , 61, 98	
1046	Prevention of cardiovascular events with an antihypertensive regimen of amlodipine adding perindopril as required versus atenolol adding bendroflumethiazide as required, in the Anglo-Scandinavian Cardiac Outcomes Trial-Blood Pressure Lowering Arm (ASCOT-BPLA): a randomized controlled trial. 2005 , 366, 2026-33	2253
1045	Effect of inhibitors of the renin-angiotensin system and other antihypertensive drugs on renal outcomes: systematic review and meta-analysis. 2005 , 366, 2026-33	542
1044	Blood-pressure control for renoprotection in patients with non-diabetic chronic renal disease (REIN-2): multicentre, randomised controlled trial. 2005 , 365, 939-46	471
1043	Hypertension--time to move on. 2005 , 365, 1108-9	44
1042	Factores de riesgo cardiovascular. 2005 , 9, 2506-2513	
1041	Manejo terapéutico de la arteriosclerosis. 2005 , 9, 2536-2541	
1040	Hipertensión arterial. Relevancia epidemiológica. Tratamiento farmacológico. Indicaciones. Criterios de respuesta. Asociaciones. Efectos secundarios. Interacciones. Situaciones de especial relevancia. 2005 , 9, 3050-3061	

1039	Manejo de las dislipemias en situaciones especiales: dislipemias secundarias. 2005 , 36, 64-68	
1038	Nivel de conocimientos de los pacientes hipertensos ingresados en un Servicio de Medicina Interna sobre la hipertensi3n y el riesgo cardiovascular. 2005 , 22, 54-58	7
1037	Importancia de la automedida de la presi3n arterial en Atenci3n Primaria. 2005 , 22, 97-99	
1036	Eficacia de la intervenci3n mediante automedici3n de la presi3n arterial en el control de la hipertensi3n arterial. 2005 , 22, 100-108	3
1035	¿Es la diferencia de presi3n arterial entre ambos brazos un par3metro 3il para la predicci3n de enfermedad cardiovascular? Presentaci3n de tres casos cl3nicos. 2005 , 22, 139-141	0
1034	Interacciones farmacol3gicas. 2005 , 22, 143-145	
1033	Interacciones farmacol3gicas potenciales entre antihipertensivos y otros medicamentos de uso cr3nico. 2005 , 22, 146-150	1
1032	Hipertensi3n arterial refractaria verdadera. Estudio de prevalencia en una consulta hospitalaria. 2005 , 22, 189-194	2
1031	An3lisis de la variabilidad de la presi3n arterial mediante la automedida de la presi3n arterial en Navarra. 2005 , 22, 241-248	0
1030	Influencia de distintos ambientes sobre los valores de la presi3n arterial medida con dispositivo autom3tico. 2005 , 22, 249-258	1
1029	Proyecto CRONOPRES: un nuevo enfoque para el control de la hipertensi3n arterial. 2005 , 22, 275-283	13
1028	La presi3n arterial domiciliar se asocia con la hipertrofia conc3ntrica del ventr3culo izquierdo. 2005 , 22, 284-290	
1027	Concordancia de dos mtodos para el c3lculo del riesgo cardiovascular: Framingham calibrado por REGICOR y SCORE. 2005 , 22, 306-310	4
1026	Epidemiolog3a de la hipertensi3n arterial en Espaã. Situaci3n actual y perspectivas. 2005 , 22, 353-362	46
1025	Comentarios a la nueva gu3a de hipertensi3n arterial de la Sociedad Espaãla de Hipertensi3n. 2005 , 22, 366-367	8
1024	Evoluci3n del control de la hipertensi3n arterial en Atenci3n Primaria en Espaã. Resultados del estudio Controlpres 2003. 2005 , 22, 5-14	80
1023	Hipertensi3n arterial en las enfermedades autoinmunes y sist3micas. 2005 , 22, 21-31	2
1022	Diagnosis and management of the metabolic syndrome: an American Heart Association/National Heart, Lung, and Blood Institute Scientific Statement. 2005 , 112, 2735-52	8005

1021 Manejo integral del síndrome metabólico. **2005**, 12, 293-302

1020 Consideraciones a las revisiones bibliográficas comentadas de JG y MPF. **2005**, 31, 239-240

0

1019 Conocimiento y aplicación de las medidas de prevención cardiovascular por los médicos de la provincia de Toledo. **2005**, 31, 403-407

1018 Angio-oedema Caused by Angiotensin-converting Enzyme Inhibitor Therapy. **2005**, 17, 183-185

1017 Fluvastatin and lifestyle modification for reduction of carotid intima-media thickness and left ventricular mass progression in drug-treated hypertensives. **2005**, 178, 387-97

88

1016 [Nephroprotection: how to slow the progression of chronic renal insufficiency?]. **2005**, 1, 135-44

2

1015 Combination therapy in the management of hypertension: focus on angiotensin receptor blockers combined with diuretics. **2005**, 7, 96-101

16

1014 Continuous quality improvement in rural health clinics. **2005**, 20, 862-5

4

1013 Control de la hipertensión arterial y de otros factores de riesgo cardiovascular en población de alto riesgo asistida en Atención Primaria. Estudio EVENTO. **2005**, 31, 53-60

2

1012 Disfunción eréctil en pacientes hipertensos en función del patrón circadiano de su presión arterial. **2005**, 3, 128-132

2

1011 Hipertensión arterial, medicación antihipertensiva y disfunción eréctil: una perspectiva basada en la evidencia. **2005**, 3, 13-30

5

1010 [2005 Spanish guidelines in diagnosis and treatment of arterial hypertension]. **2005**, 125, 24-34

50

1009 Ultrasonography for the evaluation of visceral fat and the metabolic syndrome. **2005**, 54, 1230-5

31

1008 On Improving Hypertension Treatment Success. **2005**, 80, 19

1007 Hipertensión arterial en las enfermedades autoinmunes y sistémicas. **2005**, 22, 21-31

1006 Hypertension in chronic kidney disease and dialysis: pathophysiology and management. **2005**, 23, 237-48

24

1005 The goals of comprehensive and integrated disease state management for diabetic kidney-disease patients. **2005**, 12, 236-42

1

1004 Coronary heart disease in ethnically diverse women: risk perception and communication. **2005**, 80, 1593-9

38

- 1003 Improved Blood Pressure Control With a Physician-Nurse Team and Home Blood Pressure Measurement. **2005**, 80, 31-36 26
- 1002 Office systems for heart disease prevention. **2005**, 32, 883-900 4
- 1001 Análisis de la variabilidad de la presión arterial mediante la automedida de la presión arterial en Navarra. **2005**, 22, 241-248
- 1000 Hipertensión arterial refractaria verdadera. Estudio de prevalencia en una consulta hospitalaria. **2005**, 22, 189-194
- 999 Nivel de conocimientos de los pacientes hipertensos ingresados en un Servicio de Medicina Interna sobre la hipertensión y el riesgo cardiovascular. **2005**, 22, 54-58
- 998 Importancia de la automedida de la presión arterial en Atención Primaria. **2005**, 22, 97-99
- 997 Evolución del control de la hipertensión arterial en Atención Primaria en España. Resultados del estudio Controlpres 2003. **2005**, 22, 5-14 1
- 996 Hypertension in the elderly. **2005**, 32, 723-53
- 995 Concordancia de dos métodos para el cálculo del riesgo cardiovascular: Framingham calibrado por REGICOR y SCORE. **2005**, 22, 306-310
- 994 Epidemiología de la hipertensión arterial en España. Situación actual y perspectivas. **2005**, 22, 353-362
- 993 Comentarios a la nueva guía de hipertensión arterial de la Sociedad Española de Hipertensión. **2005**, 22, 366-367
- 992 Issues in minority health: atherosclerosis and coronary heart disease in African Americans. **2005**, 89, 977-1001, 994 37
- 991 Gender differences in hypertension and kidney disease. **2005**, 89, 613-30 31
- 990 Etiology and management of hypertension in chronic kidney disease. **2005**, 89, 525-47 11
- 989 Update on disparities in the pathophysiology and management of hypertension: focus on African Americans. **2005**, 89, 921-33, 930 31
- 988 Hypertension in children with chronic kidney disease. **2005**, 12, 378-84 25
- 987 Therapeutic controversies in hypertension. **2005**, 25, 227-35 6
- 986 La presión arterial domiciliar se asocia con la hipertrofia concéntrica del ventrículo izquierdo. **2005**, 22, 284-290

985	Young hemodialysis patients are exposed to hyperhomocysteinemia. 2005 , 15, 435-40	2
984	Treatment of hypertension in Italian nephrology out-patient clinics: the THIN Study. 2005 , 25, 431-4	5
983	Traditional and nontraditional cardiovascular risk factors in chronic kidney disease. 2005 , 89, 587-611	42
982	Renovascular hypertension: current concepts. 2005 , 25, 261-71	29
981	¿Es la diferencia de presión arterial entre ambos brazos un parámetro útil para la predicción de enfermedad cardiovascular? Presentación de tres casos clínicos. 2005 , 22, 139-141	
980	Stratégies thérapeutiques dans l'hypertension artérielle. 2005 , 2005, 9-12	
979	Management of coronary heart disease: stable angina, acute coronary syndrome, myocardial infarction. 2005 , 32, 1057-81	4
978	Interacciones farmacológicas potenciales entre antihipertensivos y otros medicamentos de uso crónico. 2005 , 22, 146-150	
977	Hypertension artérielle et syndrome déprimés du sommeil. 2005 , 2005, 13-15	
976	Multiple risk factor intervention in chronic kidney disease: management of cardiac disease in chronic kidney disease patients. 2005 , 89, 511-23	9
975	Proyecto CRONOPRES: Un nuevo enfoque para el control de la hipertensión arterial. 2005 , 22, 275-283	
974	Telemedicine: the determination of fatal cardiovascular risk in internet users population. 2005 ,	1
973	Comparison of rilmenidine and lisinopril on ambulatory blood pressure and plasma lipid and glucose levels in hypertensive women with metabolic syndrome. 2005 , 21, 113-9	23
972	Effects of nifedipine GITS 20 mg or enalapril 20 mg on blood pressure and inflammatory markers in patients with mild-moderate hypertension. 2005 , 1, 14-22	14
971	Optimizing treatment of diabetes and cardiovascular disease with combined alpha,beta-blockade. 2005 , 21, 1191-200	12
970	Cardiac rehabilitation and secondary prevention of coronary heart disease: an American Heart Association scientific statement from the Council on Clinical Cardiology (Subcommittee on Exercise, Cardiac Rehabilitation, and Prevention) and the Council on Nutrition, Physical Activity, and Metabolism (Subcommittee on Physical Activity), in collaboration with the American association of	706
969	Comparison of risk factors for the competing risks of coronary heart disease, stroke, and venous thromboembolism. 2005 , 162, 975-82	293
968	The challenge of blood pressure control in patients with ischaemic heart disease in Europe. 2005 , 14, 6-9	12

967	Hypertension control- A global challenge. 2005 , 1, 4-5	3
966	Administration time-dependent effects of valsartan on ambulatory blood pressure in elderly hypertensive subjects. 2005 , 22, 755-76	47
965	Cardiovascular risk in chronic renal disease and transplantation prevention and management. 2005 , 6, 929-43	6
964	Arterial stiffness and stroke in hypertension: therapeutic implications for stroke prevention. 2005 , 19, 1-11	522
963	Circadian variations in blood pressure : implications for chronotherapeutics. 2005 , 5, 7-15	21
962	Fixed-dose combinations in the management of hypertension: defining the place of angiotensin receptor antagonists and hydrochlorothiazide. 2005 , 5, 17-22	45
961	Eplerenone: a review of its use in essential hypertension. 2005 , 5, 51-69	24
960	Angiotensin II receptor antagonists alone and combined with hydrochlorothiazide: potential benefits beyond the antihypertensive effect. 2005 , 5, 171-83	36
959	Chlorthalidone improves endothelial-mediated vascular responses in hypertension complicated by nondiabetic metabolic syndrome. 2005 , 10, 265-72	16
958	Determinants of poor hypertension management in patients with ischaemic heart disease. 2005 , 14, 284-92	20
957	Head-to-Head Intervention Trials in Hypertension. 2005 , 12, 1-4	
956	Treating Hypertension with Angiotensin II Receptor Blockers. 2005 , 12, 9-15	2
955	Comparative Effects of Doxazosin and Carvedilol on Clinical Status and Left Ventricular Function in Hypertensive Patients with Mild Heart Failure. 2005 , 12, 37-44	1
954	Similarities and Differences in Hypertension Guidelines. 2005 , 12, 63-66	0
953	Reconsidering the Treatment of Patients with Coronary Artery Disease. 2005 , 12, 67-72	
952	A Novel Molecule of the Angiotensin II Receptor Blocker Class. 2005 , 12, 79-89	1
951	Industry Pulse. 2005 , 12, 109-114	
950	What Should We Expect from the Next Guidelines on Hypertension?. 2005 , 12, 199-202	

949	National study of physician awareness and adherence to cardiovascular disease prevention guidelines. 2005 , 111, 499-510	548
948	Hypertension guideline adherence of private practitioners and primary health care physicians in Pretoria. 2005 , 47, 51-54	4
947	A meta-analytical approach to the efficacy of antihypertensive drugs in reducing blood pressure. 2005 , 5, 131-40	28
946	Mechanisms, pathophysiology, and therapy of arterial stiffness. 2005 , 25, 932-43	1183
945	Effect size estimates of lifestyle and dietary changes on all-cause mortality in coronary artery disease patients: a systematic review. 2005 , 112, 924-34	187
944	Effects of time of day of treatment on ambulatory blood pressure pattern of patients with resistant hypertension. 2005 , 46, 1053-9	95
943	Intensified screening and treatment of the metabolic syndrome for cardiovascular risk reduction. 2005 , 8, 47-52; quiz 53-4	13
942	Intraindividual blood pressure responses to angiotensin-converting enzyme inhibition and angiotensin receptor blockade. 2005 , 7, 18-23	8
941	Control of blood pressure and other cardiovascular risk factors at different practice settings: outcomes of care provided to diabetic women compared to men. 2005 , 7, 73-80	45
940	Prescribing patterns of diuretics in multi-drug antihypertensive regimens. 2005 , 7, 81-7; quiz 88-9	4
939	Diuretics Should Continue to Be One of the Preferred Initial Therapies in the Management of Hypertension. 2005 , 7, 111-116	6
938	Dietary influences on blood pressure: the effect of the Mediterranean diet on the prevalence of hypertension. 2005 , 7, 165-70; quiz 171-2	32
937	Early and aggressive treatment of complex hypertension. 2005 , 7, 8-10	5
936	Measurement of blood pressure in and out of the office. 2005 , 7, 123-9	12
935	Is there more to life than blood pressure?. 2005 , 7, 149-51	0
934	What's new with kids and high blood pressure?. 2005 , 7, 243-4	
933	Sitting on the evidence: what is the proper patient position for the office measurement of blood pressure?. 2005 , 7, 365-6	2
932	Comments on progress, medical care, and the overuse of technology. 2005 , 7, 442-4	6

931	Should white coat hypertension be treated?. 2005 , 7, 550-3	14
930	Why don't we use nitrates to treat older hypertensive patients?. 2005 , 7, 685-7, 690	4
929	Do we really need a new definition of hypertension?. 2005 , 7, 702-4	6
928	Treatment of benign prostatic hyperplasia in hypertensive men. 2005 , 7, 212-7	9
927	Prevalence of self-reported high blood pressure awareness, advice received from health professionals, and actions taken to reduce high blood pressure among US adults--Healthstyles 2002. 2005 , 7, 513-9	22
926	Treatment of diabetic hypertensive patients: results of a national survey. 2005 , 7, 110	
925	Commentary: The ALLHAT Study: implications for the management of resistant hypertension. 2005 , 7, 31-2	1
924	Visit frequency and hypertension. 2005 , 7, 327-32	24
923	Stroke in patients with diabetes and hypertension. 2005 , 7, 286-92; quiz 293-4	22
922	Cardioprotection: the role of beta-blocker therapy. 2005 , 7, 409-16	30
921	Hypertension and cognitive decline: impact on executive function. 2005 , 7, 598-604	73
920	Single-pill therapy in the treatment of concomitant hypertension and dyslipidemia (the amlodipine/atorvastatin gemini study). 2005 , 7, 264-73	58
919	Plasma Renin Measurement in the Management of Hypertension: The V and R Hypothesis. 2005 , 7, 32-35	
918	Angiotensin-converting enzyme inhibitor use in the year 2005. 2005 , 7, 8-11	5
917	Your drug, my drug, or our drugs: how aggressive should we be with antihypertensive therapy?. 2005 , 7, 5-7	2
916	Pathophysiologic, diagnostic, and therapeutic aspects of the metabolic syndrome. 2005 , 7, 669-78	12
915	Expanding the definition and classification of hypertension. 2005 , 7, 505-12	123
914	Changes in the continuation of antihypertensive drug use after ALLHAT. 2005 , 7, 649-53	5

913	Hypertension: definitions and guidelines. 2005 , 7, 538-9	5
912	Adiponectin and resistin plasma levels in healthy individuals with prehypertension. 2005 , 7, 729-33	29
911	The ASCOT trial. 2005 , 7, 748-50	5
910	Alpha1-adrenergic blockers: current usage considerations. 2005 , 7, 757-62	30
909	Efficacy of Combination Antihypertensive Therapy with Low-Dose Indapamide: Assessment by Blood Pressure Self-Monitoring at Home. 2005 , 27, 331-341	9
908	Prevalence of and risk factors for fatty liver in a general population of Shanghai, China. 2005 , 43, 508-14	296
907	A risk score predicted coronary heart disease and stroke in a Chinese cohort. 2005 , 58, 951-8	53
906	Serum lipids as protective factors for subarachnoid hemorrhage. 2005 , 12, 538-41	18
905	Doxazosin GITS versus standard doxazosin in mild to moderate hypertension. 2005 , 101, 97-104	5
904	Design of PREVENICION: a population-based study of cardiovascular disease in Peru. 2005 , 105, 198-202	20
903	Modest improvement in risk factor control after admission for a stroke or transient ischemic attack. 2005 , 14, 174-8	7
902	Effect of exercise training on C-reactive protein in postmenopausal breast cancer survivors: a randomized controlled trial. 2005 , 19, 381-8	148
901	Baseline characteristics of menopausal women with coronary heart disease in cardiovascular outcomes clinical trials of menopausal hormone therapy or raloxifene. 2005 , 26, 612-5	1
900	Manidipine versus enalapril monotherapy in patients with hypertension and type 2 diabetes mellitus: a multicenter, randomized, double-blind, 24-week study. 2005 , 27, 166-73	21
899	Efficacy and tolerability of combination therapy with valsartan plus hydrochlorothiazide compared with amlodipine monotherapy in hypertensive patients with other cardiovascular risk factors: the VAST study. 2005 , 27, 578-87	71
898	Medication adherence before an increase in antihypertensive therapy: a cohort study using pharmacy claims data. 2005 , 27, 773-81	29
897	Antihypertensive efficacy and tolerability of two fixed-dose combinations of valsartan and hydrochlorothiazide compared with valsartan monotherapy in patients with stage 2 or 3 systolic hypertension: an 8-week, randomized, double-blind, parallel-group trial. 2005 , 27, 1013-21	52
896	Advantages of new cardiovascular risk-assessment strategies in high-risk patients with hypertension. 2005 , 27, 1658-68	1

895	Comparison of fixed-dose combinations of telmisartan/hydrochlorothiazide 40/12.5 mg and 80/12.5 mg and a fixed-dose combination of losartan/hydrochlorothiazide 50/12.5 mg in mild to moderate essential hypertension: pooled analysis of two multicenter, prospective, randomized, open-label, blinded-end point (PROBE) trials. 2005 , 27, 1795-805	40
894	Effects of angiotensin II-receptor blockers on soluble cell adhesion molecule levels in uncomplicated systemic hypertension: An observational, controlled pilot study in Taiwanese adults. 2005 , 66, 181-94	2
893	Effects of Losartan-based therapy on the incidence of end-stage renal disease and associated costs in type 2 diabetes mellitus: A retrospective cost-effectiveness analysis in the United Kingdom. 2005 , 66, 475-85	3
892	Effects of oral fixed-dose combinations of telmisartan plus ramipril and losartan plus ramipril in hypertension: A multicenter, prospective, randomized, double-blind, phase iii trial in adult indian patients. 2005 , 66, 630-42	2
891	Comparison of the quality of diabetes care in primary care diabetic clinics and general practice clinics. 2005 , 70, 174-82	16
890	High prevalence of subclinical peripheral artery disease in Greek hospitalized patients. 2005 , 16, 187-191	15
889	Obesity-related cardiovascular risk factors: intervention recommendations to decrease adolescent obesity. 2005 , 20, 3-14	19
888	Sleep-disordered breathing and cardiovascular disease. 2005 , 9, 131-40	88
887	The urologist as an advocate of men's health: 10 suggested steps toward helping patients achieve better overall health. 2005 , 66, 52-6	5
886	Prevalence of metabolic syndrome in cardiac rehabilitation/secondary prevention programs. 2005 , 149, 627-31	38
885	Heart disease epidemic in Pakistan: women and men at equal risk. 2005 , 150, 221-6	78
884	Women in cardiac rehabilitation: outcomes and identifying risk for dropout. 2005 , 150, 1052-8	72
883	Sex differences in left ventricular function in older persons with mild hypertension. 2005 , 150, 934-40	11
882	Improving blood pressure control by tailored feedback to patients and clinicians. 2005 , 149, 795-803	31
881	Diet and blood pressure: applying the evidence to clinical practice. 2005 , 149, 804-12	13
880	Schizophrenia and increased risks of cardiovascular disease. 2005 , 150, 1115-21	795
879	Lack of relationship between hypertension-associated symptoms and blood pressure in hypertensive ED patients. 2005 , 23, 106-10	28
878	Moderate-to-severe blood pressure elevation at ED entry: hypertension or normotension?. 2005 , 23, 474-9	33

877	Exercise and risk factors associated with metabolic syndrome in older adults. 2005 , 28, 9-18	188
876	The Cooper Clinic Mortality Risk Index: clinical score sheet for men. 2005 , 29, 194-203	32
875	Assessing cardiorespiratory fitness without performing exercise testing. 2005 , 29, 185-93	216
874	Heart healthy and stroke free: successful business strategies to prevent cardiovascular disease. 2005 , 29, 113-21	54
873	Prevention and control of coronary heart disease and stroke--nomenclature for prevention approaches in public health: a statement for public health practice from the Centers for Disease Control and Prevention. 2005 , 29, 152-7	23
872	A randomized controlled trial of stress reduction in African Americans treated for hypertension for over one year. 2005 , 18, 88-98	98
871	Medicare prescription drug coverage: a very long wait for a very modest benefit. 2005 , 118, 325-9	3
870	Office management of heart failure in the elderly. 2005 , 118, 342-8	36
869	Group versus individual academic detailing to improve the use of antihypertensive medications in primary care: a cluster-randomized controlled trial. 2005 , 118, 521-8	73
868	Update on the drug treatment of hypertension in patients with cardiovascular disease. 2005 , 118, 695-705	21
867	Cardiovascular risk factors in minorities. 2005 , 118, 1314-22	38
866	From "prehypertension" to hypertension? Additional evidence. 2005 , 15, 720-5	61
865	[Effectiveness of self-monitoring of blood pressure in white coat hypertension diagnosis. Rationale and design]. 2005 , 35, 208-12	1
864	Control de la hipertensi3n arterial en la poblaci3n espa3ola 65 a6s asistida en atenci3n primaria. 2005 , 58, 359-366	28
863	[Prevalence of "hidden" renal failure in the population suffering from type-2 diabetes]. 2005 , 35, 359-64	4
862	[Antihypertensive drug-drug interactions]. 2005 , 124, 782-9	8
861	[Chronobiology, chronotherapy and vascular risk]. 2005 , 205, 283-6	5
860	[Low reporting of clinical characteristics of patients with diabetes mellitus included in the main clinical trials on hypertension]. 2005 , 125, 173-8	

859	[Risk assessment for a first stroke in Spanish hypertensive population in primary care. The ERIC-HTA study]. 2005 , 125, 247-51	9
858	[Pharmacological strategies in prevention of vascular injury]. 2005 , 205, 395-7	
857	[Primary care physicians behaviour in inadequate blood pressure control]. 2005 , 36, 204-10	10
856	[Double blind study of the efficacy and safety of the fixed dose combination of enalapril 10 mg/nitrendipine 20 mg versus the increase of amlodipine dose in essential hypertensive patients not controlled with amlodipine 5 mg]. 2005 , 205, 418-24	4
855	[Short-term evaluation of risk factor control and therapeutic prescription in secondary prevention of cardiovascular diseases]. 2005 , 205, 425-9	2
854	[Utility of extended release indapamide in the treatment of hypertension in at risk elderly: extended release study]. 2005 , 205, 478-83	
853	[C-reactive protein changes with antihypertensive and statin treatment]. 2005 , 125, 561-4	3
852	[Cardiovascular risk factors and metabolic syndrome associated with subclinical renal failure]. 2005 , 125, 653-8	13
851	[Expert Consensus document on beta-adrenergic receptor blockers]. 2005 , 58, 65-90	14
850	[The DISEHTAC II study: diagnosis and follow-up of hypertension in Catalonia. comparison with 1996 data]. 2005 , 35, 7-12	16
849	[Limitations of blood pressure measurement outside the arm]. 2005 , 124, 217-9	0
848	Hypertensive heart disease. 2005 , 28, 191-202	97
847	Blood pressure reduction and cardiovascular prevention: an update including the 2003-2004 secondary prevention trials. 2005 , 28, 385-407	209
846	Pharmacological strategies to reduce cardiovascular risk in type 2 diabetes mellitus: an update. 2005 , 65, 433-45	7
845	Ramipril/felodipine extended-release fixed-dose combination: a review of its use in the management of essential hypertension. 2005 , 65, 1851-68	5
844	Trandolapril/verapamil sustained release: a review of its use in the treatment of essential hypertension. 2005 , 65, 1893-914	7
843	Eprosartan: a review of its use in the management of hypertension. 2005 , 65, 2355-77	23
842	Losartan: a review of its use in stroke risk reduction in patients with hypertension and left ventricular hypertrophy. 2005 , 65, 2657-74	16

841	Zofenopril versus Lisinopril in the Treatment of Essential Hypertension in Elderly Patients : A Randomised, Double-Blind, Multicentre Study. 2005 , 25, 175-82	16
840	Efficacy and Safety of Olmesartan in the Treatment of Mild-to-Moderate Essential Hypertension in Chinese Patients. 2005 , 25, 473-9	10
839	Effects of cilnidipine on fibrinolysis in chinese hypertensive patients. 2005 , 25, 777-83	2
838	Control of Hypertension in Elderly Patients Receiving Primary Care in Spain. 2005 , 58, 359-366	
837	Incidencia de insuficiencia renal terminal por nefropatã diabãtica. 2005 , 52, 527-532	0
836	Recent hypertension trials: implications and controversies. 2005 , 45, 813-27	95
835	Task Force 5: systemic hypertension. 2005 , 45, 1346-8	39
834	Treating sleep apnea in heart failure patients: promises but still no prizes. 2005 , 45, 2012-4	8
833	Prognosis of "masked" hypertension and "white-coat" hypertension detected by 24-h ambulatory blood pressure monitoring 10-year follow-up from the Ohasama study. 2005 , 46, 508-15	459
832	An Introduction. 2005 , 45, B2-B3	9
831	Targeting matrix remodeling in cardiac hypertrophy and heart failure. 2005 , 2, 253-258	3
830	Blood pressure control in an African American sample with diabetes mellitus in an urban eye clinic. 2005 , 76, 653-6	3
829	Clinical correlates of tardive dyskinesia in schizophrenia: baseline data from the CATIE schizophrenia trial. 2005 , 80, 33-43	119
828	A comparison of ten-year cardiac risk estimates in schizophrenia patients from the CATIE study and matched controls. 2005 , 80, 45-53	406
827	Epidemiology of Hypertension. 2005 , 16-28	3
826	Evaluation of long-term efficacy and acceptability of indapamide SR in elderly hypertensive patients. 2005 , 21, 37-46	10
825	Obstructive sleep apnea-hypopnea syndrome. 2005 , 32, 329-59	18
824	Influencia de distintos ambientes sobre los valores de la presiã arterial medida con dispositivo automãtico. 2005 , 22, 249-258	

823	Percutaneous coronary interventions in the high-risk renal patient: strategies for renal protection and vascular protection. 2005 , 23, 299-310	5
822	Clinical pharmacology of antihypertensive therapy. 2005 , 25, 215-26	6
821	Congestive heart failure in chronic kidney disease: disease-specific mechanisms of systolic and diastolic heart failure and management. 2005 , 23, 275-84	43
820	Hypertension. 2005 , 32, 1011-25, viii	2
819	Interacciones farmacológicas. 2005 , 22, 143-145	
818	Systemic hypertension: an overview of the problem. 2005 , 25, 191-3	3
817	Systemic hypertension: an endemic, epidemic, and a pandemic. 2005 , 25, 194-7	12
816	Comprehensive risk reduction of cardiovascular risk factors in the diabetic patient: an integrated approach. 2005 , 23, 193-210	8
815	Aging with cardiopulmonary disease: the rehab perspective. 2005 , 16, 251-65, x	
814	Severe hypertension in the emergency department patient. 2005 , 23, 1141-58	15
813	Eficacia de la intervención mediante automedicación de la presión arterial en el control de la hipertensión arterial. 2005 , 22, 100-108	
812	Diabetic nephropathy: diagnosis, prevention, and treatment. 2005 , 28, 164-76	1036
811	Helping patients improve their health-related behaviors: what system changes do we need?. 2005 , 8, 319-30	65
810	Closing remarks: current position of calcium channel antagonists in hypertension--the role of manidipine. 2005 , 65 Suppl 2, 40-2	
809	Oxidative stress in insulin-resistant conditions: cardiovascular implications. 2005 , 4, 343-51	26
808	Hypertension in kidney transplantation. 2005 , 25, 252-60	15
807	Use of nifedipine in the treatment of hypertension. 2005 , 3, 43-50	9
806	Combined hypertension and orthostatic hypotension in older patients: a treatment dilemma for clinicians. 2005 , 3, 433-40	6

805	Renovascular hypertension. 2005 , 3, 413-22	16
804	Nifedipine OROS in Chinese patients with hypertension--results of a post-marketing surveillance study in Taiwan. 2005 , 1, 32-8	7
803	Angiotensin-Converting Enzyme Inhibitors. 2005 , 669-682	2
802	Drug Treatment in the Metabolic Syndrome. 2005 , 431-461	1
801	Epidemiology, risk factors, and lifestyle modifications for gout. 2006 , 8 Suppl 1, S2	174
800	Assessing kidney function--measured and estimated glomerular filtration rate. 2006 , 354, 2473-83	2103
799	Targeted Screening and Treatment of Chronic Kidney Disease. 2006 , 14, 341-352	1
798	Treatment of benign prostatic hyperplasia in patients with cardiovascular disease. 2006 , 23, 795-805	11
797	The role of angiotensin II type 1 receptor antagonists in elderly patients with hypertension. 2006 , 23, 131-55	28
796	Drug treatment of peripheral arterial disease in the elderly. 2006 , 23, 1-12	9
795	Estrogen metabolites and systolic blood pressure in a population-based sample of postmenopausal women. 2006 , 91, 1015-20	18
794	Le syndrome d'apnées obstructives du sommeil, une cause majeure et encore méconnue d'hypertension artérielle. 2006 , 3, 19-24	1
793	Hypertensive urgencies and emergencies. 2006 , 33, 613-23, v	7
792	Impacto del tratamiento con irbesartán sobre la reducción del riesgo cardiovascular de pacientes hipertensos en España. Estudio KORAL-HTA. 2006 , 23, 207-215	
791	Carotid artery stenting versus carotid endarterectomy: current status. 2006 , 24, 681-95	10
790	Biomarkers of cardiovascular disease: molecular basis and practical considerations. 2006 , 113, 2335-62	862
789	The rationale and indications for angiotensin receptor blockers in heart failure. 2006 , 2, 81-8	2
788	Initiation of therapy for patients with essential hypertension or comorbid conditions. 2006 , 33, 887-901	3

787	Matrix metalloproteinases/tissue inhibitors of metalloproteinases: relationship between changes in proteolytic determinants of matrix composition and structural, functional, and clinical manifestations of hypertensive heart disease. 2006 , 113, 2089-96	326
786	Combined calcium, magnesium and potassium supplementation for the management of primary hypertension in adults. 2006 , CD004805	20
785	Magnesium supplementation for the management of essential hypertension in adults. 2006 , CD004640	45
784	Prehypertension and risk of cardiovascular disease. 2006 , 4, 111-7	17
783	Effective treatment of hypertension by AT(1) receptor antagonism: the past and future of telmisartan. 2006 , 4, 615-29	21
782	Stroke prevention in diabetes and obesity. 2006 , 4, 487-502	15
781	Management of hyperglycemia in type 2 diabetes: A consensus algorithm for the initiation and adjustment of therapy: a consensus statement from the American Diabetes Association and the European Association for the Study of Diabetes. 2006 , 29, 1963-72	935
780	The angiotensin receptor antagonist valsartan: a review of the literature with a focus on clinical trials. 2006 , 7, 575-81	31
779	Candesartan cilexetil: a pharmacoeconomic review of its use in chronic heart failure and hypertension. 2006 , 24, 1249-72	2
778	Optimizing the pharmacologic treatment of hypertension: BP control and target organ protection. 2006 , 6, 287-95	4
777	A review of calcium channel antagonists in the treatment of pediatric hypertension. 2006 , 8, 357-73	35
776	Production of nitric oxide, lipid peroxidation and oxidase activity of ceruloplasmin in blood of elderly patients with primary hypertension. Effects of perindopril treatment. 2006 , 18, 1-6	8
775	The Role of Cardiac Rehabilitation in the Treatment and Secondary Prevention of Cardiovascular Disease. 2006 , 13, 21-27	1
774	Industry Pulse. 2006 , 13, 37-39	
773	Integrating the Pathophysiology and Pharmacogenomics of Essential Hypertension. 2006 , 13, 163-172	
772	Risk factors and prevention of end stage renal disease in uruguay. 2006 , 28, 617-25	14
771	Lower prevalence of the OCT2 Ser270 allele in patients with essential hypertension. 2006 , 28, 645-53	23
770	Blood pressure control in patients with hypertension: a community-based study. 2006 , 28, 41-6	11

769	Epidemiology of renal and cardiovascular risk factors in Toba Aborigines. 2006 , 28, 665-70	5
768	Development of a Networked Blood Pressure Monitoring System.	
767	Prevention of cardiovascular complications of the metabolic syndrome: focus on pharmacotherapy. 2006 , 4, 328-41	3
766	Discrepant antihypertensive dose recommendations. 2006 , 28, 171-80	4
765	Angiotensin II antagonists--therapeutic benefits spanning the cardiovascular disease continuum from hypertension to heart failure and diabetic nephropathy. 2006 , 22, 1-16	21
764	Additional antihypertensive effect of drugs in hypertensive subjects uncontrolled on diltiazem monotherapy: a randomized controlled trial using office and home blood pressure monitoring. 2006 , 28, 655-62	9
763	Thiazide diuretics, potassium, and the development of diabetes: a quantitative review. 2006 , 48, 219-24	349
762	Guidelines for prevention of stroke in patients with ischemic stroke or transient ischemic attack: a statement for healthcare professionals from the American Heart Association/American Stroke Association Council on Stroke: co-sponsored by the Council on Cardiovascular Radiology and Intervention; the American Academy of Neurology affirms the value of this guideline. 2006 , 37, 577-617	1174
761	A longitudinal study of hypertension risk factors and their relation to cardiovascular disease: the Strong Heart Study. 2006 , 47, 403-9	145
760	Type 2 diabetes in children and adolescents--the next epidemic?. 2006 , 22, 297-306	68
759	Mechanisms of disease: the role of GRK4 in the etiology of essential hypertension and salt sensitivity. 2006 , 2, 637-50	71
758	Partial nephrectomy achieves local tumor control and prevents chronic kidney disease. 2006 , 6, 1745-51	9
757	Hypertension in type 2 diabetes mellitus. 2006 , 1, 22-37	11
756	Efectos en dieta, peso, forma física y presión arterial de amplias modificaciones de los estilos de vida: resultados a los 18 meses de un estudio aleatorizado. 2006 , 13, 497	
755	Tratamiento de la insuficiencia renal crónica en atención primaria. 2006 , 13, 307-316	
754	Tratamiento de la prehipertensión. ¿Misión cumplida?. 2006 , 13, 354	
753	Prevención secundaria cardiovascular en un centro de salud. 2006 , 32, 162-166	
752	Comparación de las guías de práctica clínica de riesgo vascular. 2006 , 32, 273-285	1

- 751 Estrategias para un control eficaz de la hipertensi3n arterial en Espa1a. Documento de Consenso. **2006**, 32, 330-333
- 750 El perfil de los pacientes con patr3n hipertensivo no dipper y su implicaci3n en la pr3ctica cl3nica en Atenci3n Primaria. **2006**, 32, 372-375
- 749 Glucose intolerance and other cardiovascular risk factors in Haiti. Prevalence of Diabetes and Hypertension in Haiti (PREDIAH). **2006**, 32, 443-51 34
- 748 [Management of hypertension in the very elderly]. **2006**, 35, 1047-53 1
- 747 Stroke prevention in patients with atrial fibrillation: the diagnosis and management of hypertension by specialists. **2006**, 22, 485-8 7
- 746 Treatment and blood pressure control in 47,964 people with diabetes and hypertension: a systematic review of observational studies. **2006**, 22, 855-60 39
- 745 Antihypertensive medications and blood sugar: theories and implications. **2006**, 22, 229-33 30
- 744 Estrategias para un control eficaz de la hipertensi3n arterial en Espa1a. Documento de consenso. **2006**, 41, 301-305 0
- 743 Aspectos actuales y perspectiva de futuro del tratamiento del s3ndrome metab3lico. **2006**, 9, 4429-4435
- 742 Factores asociados con el conocimiento de la hipertensi3n en espa1oles mayores de 60 a1os. **2006**, 23, 4-12
- 741 Hipertensi3n arterial y s3ndrome metab3lico. **2006**, 23, 19-27 2
- 740 Reproducibilidad de la monitorizaci3n ambulatoria de la presi3n arterial en la diabetes mellitus tipo 2. **2006**, 23, 71-73
- 739 Hipertensi3n arterial y su repercusi3n cardiovascular en pacientes con enfermedad renal poliqu3stica autos3mica dominante. **2006**, 23, 80-85
- 738 Debajo del «iceberg cl3nico» en la evaluaci3n del riesgo cardiovascular. **2006**, 23, 132-133 1
- 737 Presi3n arterial no dipper y enfermedad renal. **2006**, 23, 139-140
- 736 Estrategias para un control eficaz de la hipertensi3n arterial en Espa1a. Documento de Consenso. **2006**, 23, 152-156 11
- 735 Hipertensi3n arterial refractaria. **2006**, 23, 184-194
- 734 Impacto del tratamiento con irbesart3n sobre la reducci3n del riesgo cardiovascular de pacientes hipertensos en Espa1a. Estudio KORAL-HTA. **2006**, 23, 207-215 0

733	Inhibidores de la renina. 2006 , 23, 216-221	
732	Aportaciones científicas más relevantes del XVI Congreso de la Sociedad Europea de Hipertensión. Madrid, 12-15 de junio de 2006. 2006 , 23, 253-259	
731	Tratamiento de la hipertensión arterial. 2006 , 23, 298-312	1
730	Grado de control de la dislipemia en los pacientes españoles asistidos en atención primaria. Estudio LIPICAP. 2006 , 18, 226-238	2
729	Management of global risk across the continuum of hypertensive heart disease. 2006 , 8, 21-30; quiz 39-40	2
728	Bevacizumab-related toxicities: association of hypertension and proteinuria. 2006 , 3, 90-93	13
727	Prevalence of arteriosclerosis and atherosclerosis in stable patients at a cardiovascular outpatient clinic: potential for better care. 2006 , 69, 14-20	4
726	Plasma High-Sensitivity C-Reactive Protein Level is Associated with Impaired Estimated Glomerular Filtration Rate in Hypertensives. 2015 , 31, 91-7	5
725	Effect of 8-Week Combination Therapy with an Extended-Release β -Blocker (Bunazosin or Doxazosin) in Inadequate Responders to an Angiotensin II Antagonist (Valsartan) in Patients with Stage 1 or 2 Essential Hypertension. 2013 , 29, 11-8	
724	Baseline Serum Aldosterone-to-Renin Ratio is Associated with the Add-on Effect of Thiazide Diuretics in Non-Diabetic Essential Hypertensives. 2013 , 29, 37-48	1
723	Outpatient Hypertension Control and Prescribing Habits for Hypertension in Taiwan. 2013 , 29, 539-49	2
722	Cardioprotective mechanisms of lifestyle modifications and pharmacotherapies on cardiac remodeling and dysfunction in hypertensive heart disease: an overview. 2011 , 73, 91-105	4
721	PURLs: "Go low" or say "No" to aggressive systolic BP goals?. 2016 , 65, 342-4	
720	Carotid-femoral pulse wave velocity is associated with N-terminal pro-B-type natriuretic peptide level in patients with atrial fibrillation. 2011 , 3, 55-9	
719	Ten-year cardiovascular risk in the general public of Hong Kong. 2011 , 3, 111-4	1
718	Translation and validation of the Persian version of the treatment adherence questionnaire for patients with hypertension. 2016 , 12, 76-86	7
717	Pharmacogenetic effects of angiotensin-converting enzyme inhibitors over age-related urea and creatinine variations in patients with dementia due to Alzheimer disease. 2016 , 47, 76-80	4
716	William B. White Explains the Changes In the Way We Look at Blood Pressure: Which Numbers Matter Most-and Why Can They Be Deceptive?. 2016 , 41, 573-80	1

715	Carotid Artery IMT, Blood Pressure, and Cardiovascular Risk Factors in Males and Females. 2016 , 9, 482-490	3
714	Endodontic management of patients with systemic complications. 2016 , 8, S32-S35	1
713	PURLs: Monitoring home BP readings just got easier. 2016 , 65, 719-722	
712	Experts Provide a Glimpse of the New Post-SPRINT Era of Hypertension. 2017 , 42, 118-123	1
711	Close association of arterial plaques with left ventricular hypertrophy and ejection fraction in hemodialysis patients. 2014 , 3, 9-12	1
710	Adherence to Exercise Prescription and Improvements in the Clinical and Vascular Health of African Americans. 2017 , 10, 246-257	4
709	Prevalence of Hypertension in Iran 1980-2012: A Systematic Review. 2016 , 11, 159-167	20
708	Association between type 2 diabetes mellitus and anthropometric measurements - a case control study in South India. 2017 , 58, E56-E62	8
707	The prevalence of hypertension and its relationship with demographic factors, biochemical, and anthropometric indicators: A population-based study. 2016 , 12, 259-265	10
706	Social Support, Treatment Adherence and Outcome among Hypertensive and Type 2 Diabetes Patients in Ambulatory Care Settings in southwestern Nigeria. 2017 , 51, 64-77	5
705	Cardiac autonomic neuropathy in type 2 diabetes mellitus using Bellavere's score system. 2017 , 11, 26-29	3
704	ADDRESSING HYPERTENSION IN THE PATIENT WITH TYPE 2 DIABETES MELLITUS: PATHOGENESIS, GOALS, AND THERAPEUTIC APPROACH. 2017 , 5, 84-92	8
703	Urinary Neutrophil Gelatinase-Associated Lipocalin (NGAL) and Cystatin C in Early Detection of Pediatric Acute Kidney Injury; a Diagnostic Accuracy Study. 2018 , 6, e2	1
702	Self-management approaches among hypertensive residents in nursing homes in Malaysia. 2017 , 12, 8-17	1
701	Justice Came to Hypertension Or Did It?. 2017 , 12, 231-234	0
700	Patients' Perception of Quality of Diabetes Care Received in Ibadan, Nigeria. 2018 , 6, 119-125	
699	Evidence-based blood pressure reducing actions of electroacupuncture: mechanisms and clinical application. 2017 , 69, 587-597	4
698	CASE FINDING OF HYPERTENSION AT A SECONDARY HEALTH CARE FACILITY IN SOUTH-WEST NIGERIA. 2018 , 16, 44-51	1

697	Predicting and preventing cardiovascular disease in HIV-infected patients. 2011 , 19, 169-73	4
696	Factors related to 6-month mortality after the first-ever stroke. 2018 , 7, 113	3
695	Prevention and Control of Non-communicable Diseases in Iranian Population: Life Style Promotion Project Phase II: Study Protocol. 2018 , 47, 1397-1405	6
694	Alcohol consumption: can we safely toast to our health?. 2012 , 109, 459-65	1
693	Physicians' knowledge, attitudes, and practice for hypertension management: A cross-sectional study in Hormozgan province, Iran. 2018 , 14, 132-138	
692	Management of hypertensive crises in the elderly. 2018 , 15, 504-512	3
691	Prevalence, Awareness, Treatment, and Control of Hypertension in an Isfahan State Institution Sample. 2018 , 13, 65-72	3
690	Comparing the Changes in Blood Pressure After Acute Exposure to Tai Chi and Walking. 2019 , 12, 77-87	2
689	Longitudinal Hypertension Outcomes at Four Student-Run Free Clinic Sites. 2017 , 49, 28-34	7
688	Corrected QT Interval Prolongations in Patients with Non-ST-Elevation Acute Coronary Syndrome. 2018 , 13, 173-179	1
687	Twenty-four-hour ambulatory blood pressure changes in older patients with essential hypertension receiving monotherapy or dual combination antihypertensive drug therapy. 2019 , 16, 354-361	1
686	Impact of Pharmacist Interventions on the Long-Term Clinical Outcomes in Patients with Myocardial Infarction. 2019 , 35, 290-300	2
685	Calcium channel blocker monotherapy versus combination with renin-angiotensin system inhibitors on the development of new-onset diabetes mellitus in hypertensive Korean patients. 2019 , 16, 439-447	1
684	Sustained Improvement in Blood Pressure Control for a Multiracial Cohort: Results of a Patient-centered Medical Home Quality Improvement Initiative. 2017 , 25, 297-302	
683	Comparison of College Student Hypertension Prevalence between the JNC7 and ACC/AHA Diagnostic Criteria. 2019 , 12, 898-903	2
682	Identification of calcium, sodium, magnesium and chloride ion levels in hypertensive and non-hypertensive trinidadians. 2019 , 10, 17-22	
681	High blood pressure in children attending pediatric clinic at King Abdulaziz University Hospital, Jeddah, Saudi Arabia. 2019 , 26, 193-198	1
680	BLOOD PRESSURE CONTROL AMONG HYPERTENSIVE SUBJECTS IN DUTSE, NORTHWESTERN NIGERIA. 2019 , 17, 59-64	

- 679 Assessment of Serum Magnesium Fractions in Workers Exposed to Pb from Pb-Battery Plant. **2018**, 18, e00430 1
- 678 Association of lipid metabolism relevant gene FBXW7 polymorphism with coronary artery disease in Uygur Chinese population in Xinjiang, China: a case-control. **2017**, 10, 11179-11187 1
- 677 Prevalence and predictors of prediabetes and its coexistence with high blood pressure in first-degree relatives of patients with type 2 diabetes: A 9-year cohort study. **2020**, 25, 31 2
- 676 Prevalence of Hypertension in Cardiovascular Disease in Iran: Systematic Review and Meta-Analysis. **2020**, 11, 56 2
- 675 TREATMENT RESPONSE IN ADULT PATIENTS WITH HYPERTENSION ATTENDING A SECONDARY HEALTH CARE CENTER IN SOUTH-WEST NIGERIA. **2019**, 17, 138-144
- 674 Association between Grip Strength and Hypertension States in Elderly Korean Individuals. **2020**, 49, 1001-1003
- 673 Evaluation of the Relationship Between Blood Pressure Control and Epistaxis Recurrence After Achieving Effective Hemostasis in the Emergency Department. **2020**, 10, 27-39 0
- 672 Discrimination Is Associated with Elevated Cardiovascular Disease Risk among African Immigrants in the African Immigrant Health Study. **2020**, 30, 651-660 1
- 671 Association of dietary patterns and practices on metabolic syndrome in adults with central obesity attending a mission hospital in Kenya: a cross-sectional study. **2020**, 10, e039131 0
- 670 Acute Post-Exercise Blood Pressure Responses in Middle-Aged Persons with Elevated Blood Pressure/Stage 1 Hypertension following Moderate and High-Intensity Isoenergetic Endurance Exercise. **2020**, 13, 1532-1548 0
- 669 Adherence to drug therapy among hypertensive patients attending two district hospitals in Ghana. **2020**, 20, 1355-1367
- 668 Prevalence and risk factors of hypertension among bank employees in urban Puducherry, India. **2014**, 5, 94-100 7
- 667 Chiropractic care for hypertension: Review of the literature and study of biological and genetic bases. **2020**, 91, e2020017 2
- 666 Gene expression of klotho & antioxidative enzymes in peripheral blood mononuclear cells of essential hypertension patients in Indian population. **2020**, 152, 607-613
- 665 Effect of testosterone replacement therapy on insulin sensitivity and body composition in congenital hypogonadism: A prospective longitudinal follow-up study. **2021**, 67, 67-74 0
- 664 Socio-demographic factors and health status of adults with disability in Enugu Metropolis, Nigeria. **2021**, 33, 37-47
- 663 PREVALENCE, KNOWLEDGE AND PREVENTIVE PRACTICES AGAINST HYPERTENSION AMONG POLICE OFFICERS IN IBADAN. **2020**, 18, 114-121
- 662 Performance of a novel ECG criterion for improving detection of left ventricular hypertrophy: a cross-sectional study in a general Chinese population. **2021**, 11, e051172

661	Differences Risk Factors for Hypertension Among Elderly Woman in Rural and Urban Indonesia. 2021 , 94, 407-415	1
660	Is It Time to Move From Diagnosis to Active Intervention in Brazilian Workplaces? A Call for Action. 2021 , 117, 492-493	
659	The Prevalence of the Different Components of the Metabolic Syndrome (MetS) in Obese Nondiabetic Children and Young Adolescents and their Anthropometric Data in Relation to Parents. 2021 , 92, e2021321	
658	Prevalence of hypertension and related risk factors in central Iran: Results from Yazd Health Study. 2021 , 17, 1-9	2
657	Urine protein: Urine creatinine ratio correlation with diabetic retinopathy. 2021 , 69, 3359-3363	1
656	Treatment of hypertension. 2022 , 99-110	
655	Age at natural menopause in women with a history of chronic diseases-A population-based cohort study.. 2022 , 158, 16-24	0
654	A "20/20" Match: ACC/AHA 2017 versus ESC/ESH 2018 Guidelines for Management of Hypertension. 2021 , 30, 243-248	
653	Impact of Polycystic Ovary Syndrome on Silent Coronary Artery Disease and Cardiovascular Events; A Long-term Population-based Cohort Study. 2021 ,	0
652	Dietary Omega-3 Fatty Acid Intake and Mortality in CKD Population: A 1999-2014 NHANES Analysis. 2021 , 1-10	0
651	Developmental trajectories of body mass index since childhood and health-related quality of life in young adulthood: Tehran Lipid and Glucose Study. 2021 , 1	0
650	Multiple Social Vulnerabilities to Health Disparities and Hypertension and Death in the REGARDS Study. 2022 , 79, 196-206	0
649	Body Roundness Index Is a Superior Obesity Index in Predicting Diabetes Risk Among Hypertensive Patients: A Prospective Cohort Study in China. 2021 , 8, 736073	1
648	Increased Visit-to-Visit Liver Enzyme Variability Is Associated with Incident Diabetes: A Community-Based 12-Year Prospective Cohort Study. 2021 , 45, 890-898	
647	The association between obstructive sleep apnea and sleep spindles in middle-aged and older men: A community-based cohort study. 2021 ,	0
646	The Effect of Cardiovascular Medications on Disease-Related Outcomes in Idiopathic Pulmonary Fibrosis: A Systematic Review and Meta-Analysis. 2021 , 12, 771804	1
645	Healthy Eating Index (HEI) Scores Differ by Race/Ethnicity But Not Hypertension Awareness Status Among US Adults with Hypertension: Findings from 2011-2018 National Health and Nutrition Examination Survey. 2021 ,	2
644	Baseline prevalence of high blood pressure and its predictors in a rural adult population of Bangladesh: Outcome from the application of WHO PEN interventions. 2021 , 23, 2042	1

643	O Efeito Anti-Hipertensivo de Sauromatum Guttatum Mediado por Efeitos Vasorrelaxante e Depressivos Miocárdicos. 2021 , 117, 1093-1103	1
642	The role of different lipid measures for incident hypertension during more than 12 years follow-up: Tehran Lipid and Glucose Study. 2021 , 1-32	0
641	Inequalities in Undiagnosed Hypertension Among Adult Population in Bangladesh: Evidence from a Nationally Representative Survey. 2021 , 1	1
640	Maternal and Paternal Effects on Hyperuricemia: A Cross-Sectional Study from the 7th Korean National Health and Nutrition Examination Survey. 2021 ,	
639	Inverse correlation between serum irisin and cardiovascular risk factors among Chinese overweight/obese population. 2021 , 21, 570	0
638	ANTIHYPERTENSIVE PHARMACOTHERAPY IN HYPERTENSIVE PATIENTS AT A TERTIARY CARE TEACHING HOSPITAL AND MEDICAL COLLEGE IN INDIA. 30-36	
637	Prevalence of Selected Risk Factors for Cardiometabolic Disease among University Staff in the Western Cape, South Africa. 2021 , 14, 509-516	
636	Ideal Cardiovascular Health Metric and Its Change With Lifetime Risk of Cardiovascular Diseases: A Prospective Cohort Study. 2021 , 10, e022502	1
635	Household Air Pollution and Respiratory Symptoms of Women and Children in a Suburban Community in Nigeria.. 2021 , 22, 466-472	0
634	Prevalence and predictors of different patterns of hypertension among adults aged 20-60 years in rural communities of Southeast Nigeria: a cross-sectional study. 2021 , 79, 210	0
633	Prevalence and predicting factors of perceived stress among Bangladeshi university students using machine learning algorithms. 2021 , 40, 50	1
632	Nutrition and Weight Management in Midlife. 2022 , 283-305	
631	Second-hand smoking, hypertension and cardiovascular risk: findings from Peru. 2021 , 21, 576	0
630	The association between nondipper pattern and perioperative hypertension in patients with controlled hypertension. 2021 ,	
629	The Fourth Report on the Diagnosis, Evaluation, and Treatment of High Blood Pressure in Children and Adolescents. 2004 , 114, 555-576	208
628	Standards of Medical Care in Diabetes—2006. 2006 , 29, s4-s42	350
627	Gene expression of klotho & antioxidative enzymes in peripheral blood mononuclear cells of essential hypertension patients in Indian population. 2020 , 152, 607	2
626	Association of blood pressure with dietary intake, physical activity, and anthropometric measurements in Turkish adolescents. 2021 , 24, 1616-1623	0

625 Betarezeptorenblocker. **2021**, 353-359

624 Cluster analysis of insomnia symptoms during COVID-19 pandemic: a general population web-based survey in Iran.. **2021**, 14, 63-68 1

623 Prevalence and Risk Factors of Diabetes, Hypertension and Other Non-Communicable Diseases in a Tribal Population in South India.. **2021**, 25, 313-319 0

622 The DASH Dietary Pattern. **2022**, 169-180

621 Capitated versus fee-for-service reimbursement and quality of care for chronic disease: a US cross-sectional analysis.. **2022**, 22, 19 0

620 Effects of phosphodiesterase 5 inhibition on cardiovascular function in resistant hypertension: A systematic review.. **2022**, 291, 120270

619 High-sensitivity C-reactive protein and all-cause mortality in four diverse populations: the CRONICAS Cohort Study.. **2021**, 67, 13-13 0

618 Discrimination Is Associated with Elevated Cardiovascular Disease Risk among African Immigrants in the African Immigrant Health Study. **2020**, 30, 651-660 1

617 Association of dietary patterns and practices on metabolic syndrome in adults with central obesity attending a mission hospital in Kenya: a cross-sectional study. **2020**, 10, e039131 2

616 Current U.S. Guideline-Based Management Strategies for Special Clinical Situations Involving Hypertensive Crises: A Narrative Review of the Literature. **2022**, 30, 44-49 0

615 Adherence to drug therapy among hypertensive patients attending two district hospitals in Ghana. **2020**, 20, 1355-1367 1

614 PREVALENCE AND FACTORS ASSOCIATED WITH HYPERTENSION AMONG HEALTH WORKERS OF CENTRAL HOSPITALS IN NEPAL. **2020**, 15, 325

613 Unhealthy lifestyle predisposed shiraz healthcare workers to metabolic diseases. **2021**, 12, 175

612 A Physical Activity Just-in-time Adaptive Intervention Designed in Partnership With a Predominantly Black Community: Virtual, Community-Based Participatory Design Approach.. **2022**, 6, e33087 0

611 Cardiovascular disease in systemic lupus erythematosus. **2021**, 2, 157-172 0

610 Alpha Globin Gene Copy Number is Associated with Prevalent Chronic Kidney Disease and Incident End-stage Kidney Disease among Black Americans. **2021**, 0

609 Arterial hypertension and telemedicine in times of pandemic. **2021**, 14, 133-135

608 Histological classification and collagen distribution in atherosclerotic plaques in aorta of hypercholesterolemic rabbits. **2021**, 14, 126-131

- 607 Hypertension in the hospitalized patient: An update. **2021**, 41, 605-611
- 606 Striatal Chloride Dysregulation and Impaired GABAergic Signaling Due to Cation-Chloride Cotransporter Dysfunction in Huntington's Disease.. **2021**, 15, 817013 2
- 605 Prevalence and correlates of vascular plaques and high intima thickness in a group of patients with high cardiovascular risk in Cameroon.. **2022**, 41, 80
- 604 Carotid artery hemodynamics among diabetic and hypertensive patients. **2021**, 5,
- 603 Challenges to dietary hypertension self-management as described by a sample of African American older adults.. **2022**,
- 602 Lifetime Risk of Heart Failure Among Participants in the Framingham Study.. **2022**, 79, 250-263 2
- 601 Association between dietary choline and betaine intake and 10.6-year cardiovascular disease in adults.. **2022**, 21, 1 0
- 600 Cumulative average nut consumption in relation to lower incidence of hypertension: a prospective cohort study of 10,347 adults.. **2022**, 61, 1571 0
- 599 Association between past oral contraceptive use and the prevalence of hypertension in postmenopausal women: the fifth (2010-2012) Korea National Health and Nutrition Examination Survey (KNHANES V).. **2022**, 22, 27
- 598 Late-life longitudinal blood pressure trajectories as predictor of dementia.. **2022**, 12, 1630
- 597 Translation and Cross-cultural Adaptation of the Self-care of Hypertension Inventory for Thais With Hypertension.. **2022**, 0
- 596 Emerging therapeutic targets for cardiac hypertrophy.. **2022**, 0
- 595 Lycopene: A Natural Arsenal in the War against Oxidative Stress and Cardiovascular Diseases.. **2022**, 11, 6
- 594 Hypertension. **2022**, 1043-1054
- 593 Association of Dietary Approaches to Stop Hypertension diet and Mediterranean diet with blood pressure in less-developed ethnic minority regions.. **2022**, 1-29 0
- 592 Effects of a Yoga-Based Stress Intervention Program on the Blood Pressure of Young Police Officers: A Randomized Controlled Trial.. **2022**, 28, 234-240 0
- 591 Sex difference in the correlation between carotid artery diameter and prevalence of stroke: General insights from a Chinese population.. **2022**, 0
- 590 Bibliographie. **2022**, 307-328

589	Prediction of risk of Coronary Artery Disease based on Framingham Risk Score in association with shift work among nurses.. 2022 , 1-17	1
588	Characteristics of Obstructive Sleep Apnea Patients With Hypertension and Factors Associated With Autotitration Acceptance.. 2021 , 12, 706275	
587	Evaluating the efficacy of telephone-based outreach in addressing hypertension control among black men with severe hypertension: An observational study.. 2022 ,	1
586	Dietary pattern associated with C-reactive protein and trajectories of blood pressure in Chinese adults: evidence from the China Health and Nutrition Survey.. 2021 ,	0
585	Clinical Management and Antihypertensive Treatment of Hypertensive Disorders of Pregnancy. 2022 , 375-403	0
584	Association between insulin resistance and incidence of carotid atherosclerotic plaque: A cohort study.. 2022 ,	0
583	Pilot Social Network Weight Loss Intervention With Two Immigrant Populations During the COVID-19 Pandemic.. 2022 , 8901171211053450	0
582	U-shaped association between age at first childbirth and mortality: a prospective cohort study. 2022 ,	1
581	Dulce Digital-Me: protocol for a randomized controlled trial of an adaptive mHealth intervention for underserved Hispanics with diabetes.. 2022 , 23, 80	
580	Comparing mean and single automated office blood pressure measurement in a US ambulatory care setting. 2022 , 32, 28-33	
579	The status and predictors of self-care among older adults with hypertension in China using the Chinese version of Self-Care of Hypertension Inventory - A cross-sectional study.. 2022 ,	1
578	Effects of Bushen-Jiangya granules on blood pressure and pharmacogenomic evaluation in low-to-medium-risk hypertensive patients: study protocol for a randomized double-blind controlled trial.. 2022 , 23, 37	
577	Prevalence and associated factors of hypertension complications among hypertensive patients at University of Gondar Comprehensive Specialized Referral Hospital. 2022 , 13, 100951	
576	Protocol for a systematic review assessing the measurement of dietary sodium intake among adults with elevated blood pressure.. 2022 , 12, e052175	1
575	Multicentre analysis of practice patterns regarding benzodiazepine use in cardiac surgery.. 2022 ,	0
574	A Non-Linear Association of Triglyceride Glycemic Index With Cardiovascular and All-Cause Mortality Among Patients With Hypertension.. 2021 , 8, 778038	1
573	Trends in Diabetes Mortality in Urban and Rural China, 1987-2019: A Joinpoint Regression Analysis.. 2021 , 12, 777654	0
572	Specific Types of Physical Exercises, Dietary Preferences, and Obesity Patterns With the Incidence of Hypertension: A 26-years Cohort Study.. 2021 , 66, 1604441	

571	Reference values of left and right atrial volumes and phasic function based on a large sample of healthy Chinese adults: A cardiovascular magnetic resonance study.. 2022 ,	0
570	Association of Muscle Strength with Non-Alcoholic Fatty Liver Disease in Korean Adults.. 2022 , 19,	2
569	SARS-CoV-2 seroprevalence in individuals with type 1 and type 2 diabetes compared to controls.. 2021 ,	0
568	Prevalence of undiagnosed diabetes and the relative importance of its risk factors among adults in Bangladesh: Findings from a nationwide survey.. 2022 , 109228	1
567	Prediabetes and risk of stroke and its subtypes by hypertension status.. 2022 , e3521	
566	Leisure-Time and Transport-Related Physical Activity and the Risk of Mortality: The CRONICAS Cohort Study.. 2022 , 1-7	
565	Abdominal obesity and incident cardio-metabolic disorders in Asian-Indians: A 10-years prospective cohort study.. 2022 , 16, 102418	0
564	The association of hypertension and prehypertension with greenness and PM in urban environment.. 2022 , 821, 153526	0
563	Characterisation of Endogenous Peptides Present in Virgin Olive Oil.. 2022 , 23,	
562	Potential impact of systematic and random errors in blood pressure measurement on the prevalence of high office blood pressure in the United States.. 2022 ,	1
561	Effect of ACE, ACE2 and CYP11B2 gene polymorphisms and noise on essential hypertension among steelworkers in China: a case-control study.. 2022 , 15, 22	1
560	Alpha globin gene copy number and hypertension risk among Black Americans.	
559	Correlation Between Smoking Paradox and Heart Rhythm Outcomes in Patients With Coronary Artery Disease Receiving Percutaneous Coronary Intervention.. 2022 , 9, 803650	0
558	Rural-Urban differentials in prevalence, spectrum and determinants of Non-alcoholic Fatty Liver Disease in North Indian population.. 2022 , 17, e0263768	0
557	Estimated blood pressure trajectories and hypertension patterns among pregnant women living with HIV, Haiti, 2007-2017.. 2022 ,	1
556	Adverse childhood experiences and handgrip strength among middle-aged and older adults: a cross-sectional study in China.. 2022 , 22, 118	1
555	Fixed-dose Combination of Metoprolol, Telmisartan, and Chlorthalidone for Essential Hypertension in Adults with Stable Coronary Artery Disease: Phase III Study.. 2021 , 39, 923	1
554	Prognostic Value of the Acute-to-Chronic Glycemic Ratio at Admission in Heart Failure: A Prospective Study.. 2021 , 11,	0

- 553 Isolated Systolic Blood Pressure and Red-Complex Bacteria-A Risk for Generalized Periodontitis and Chronic Kidney Disease.. **2021**, 10, 1
- 552 Clinical trials report. The sweet secret of dark chocolate. **2004**, 6, 45-6
- 551 Hypertension curriculum review. The importance of systolic blood pressure elevation in elderly persons. **2004**, 6, 461-5 2
- 550 Diuretics should continue to be one of the preferred initial therapies in the management of hypertension: the argument for. **2005**, 7, 111-6; quiz 121-2 2
- 549 Public initiatives to improve the prevention, detection, and management of hypertension. **2007**, 9, 406-7
- 548 Should a lower blood pressure goal and albuminuria reduction be mandated to slow hypertensive nephropathy?. **2008**, 10, 387-8
- 547 Effectiveness and safety assessment of beta-blockers, calcium channel blockers, and angiotensin receptor blockers in hypertensive patients: a prospective study. **2021**, 11, 601-610
- 546 Our Whole Lives for Hypertension and Cardiac Risk Factors-Combining a Teaching Kitchen Group Visit With a Web-Based Platform: Feasibility Trial.. **2022**, 6, e29227 0
- 545 Outcomes of supraflex sirolimus eluting coronary stents. **2022**, 3, 25
- 544 Cardiometabolic Morbidity and Other Prognostic Factors for Mortality in Adult Hospitalized COVID-19 Patients in North Jakarta, Indonesia.. **2022**, 17, 9 0
- 543 Aspirin resistance and blood biomarkers in predicting ischemic stroke recurrence: An exploratory study.. **2022**, 8, 31-37 0
- 542 Ambulatory blood pressure monitoring and its utility in management of hypertension in a clinic setting in South India. **2022**, 10, 111 1
- 541 Prevalence and predictors of hypertension: Evidence from a study of rural India.. **2022**, 11, 1047-1054 0
- 540 Provincial Heterogeneity in the Management of Care Cascade for Hypertension, Diabetes, and Dyslipidaemia in China: Analysis of Nationally Representative Population-Based Survey.
- 539 Association between preventable risk factors and metabolic syndrome.. **2022**, 17, 341-352 0
- 538 Study of prevalence of lifestyle diseases and comparison of their risk factors among serving personnel of army. **2022**,
- 537 Artificial Intelligence and Deep Learning in Ophthalmology. **2022**, 1519-1552
- 536 The association between sleep microarchitecture and cognitive function in middle-aged and older men: a community-based cohort study.. **2022**, 1

535 Kadınların Fiziksel Aktiviteleri Üstündeki Engeller: Sistematik Derleme Çalışması

534 Alcohol Use and Blood Pressure Among Adults with Hypertension: the Mediating Roles of Health Behaviors.. **2022**, 1

533 Randomized Double-Blind Controlled Trial of Freeze-Dried Strawberry Powder Supplementation in Adults with Overweight or Obesity and Elevated Cholesterol.. **2022**, 1-11

532 Development and validation of hypertension prediction models: The Korean Genome and Epidemiology Study_Cardiovascular Disease Association Study (KoGES_CAVAS).. **2022**,

531 Application of the 2017 American college of cardiology/American Heart Association Blood Pressure Guidelines for cardiovascular outcomes among Tehranian residents.. **2022**,

530 The Association Between the Prevalence, Medication Adherence and Control of Hypertension and the Prevalence of Mild Cognitive Impairment in Rural Northern China: A Cross-Sectional Study.. **2022**, 16, 493-502

529 Relationship between the prognostic nutritional index and resistant hypertension in patients with essential hypertension.. **2022**, 1-8

528 Arterial Stiffness and Long-Term Risk of Health Outcomes: The FHS.. **2022**, HYPERTENSIONAHA12118776

527 Is Sedentary Behavior a Novel Risk Factor for Cardiovascular Disease?. **2022**, 24, 393-403

526 A CLINICAL STUDY ON PRESENTATION OF HYPERTENSIVE EMERGENCIES IN TERTIARY CARE HOSPITAL. **2022**, 4-6

525 Evaluation of the Gene in Mexican Women With and Without Preeclampsia and Obesity.. **2022**, 9, 795309

524 Hypertension continuum of care: Blood pressure screening, diagnosis, treatment, and control in a population-based cohort in Haiti.. **2022**,

523 Health care seeking behaviour and financial protection of patients with hypertension: A cross-sectional study in rural West Bengal, India.. **2022**, 17, e0264314

522 Identifying the latent classes of modifiable risk behaviours among diabetic and hypertensive individuals in Northeastern India: a population-based cross-sectional study.. **2022**, 12, e053757

521 Machine Learning Approaches for Predicting Hypertension and Its Associated Factors Using Population-Level Data From Three South Asian Countries.. **2022**, 9, 839379

520 Automated Office Blood Pressure and the Impact of Attendance and Rest on Diagnostic Accuracy.. **2022**,

519 Evaluating the Methodological Quality of Postexercise Hypotension Aerobic Exercise Interventions.. **2022**, 13, 851950

518 Effects of Combination Treatment in Hypertensive Patients with Depression: A Systematic Review and Meta-Analysis of 27 Randomized Controlled Trials.. **2022**, 18, 197-211

517	Comparison of triglyceride-glucose index and HOMA-IR for predicting prevalence and incidence of metabolic syndrome.. 2021 ,	4
516	Cerebrovascular Function, Vascular Risk, and Lifestyle Patterns in Resistant Hypertension.. 2022 ,	0
515	The association between hypertension and the risk of gallstone disease: a cross-sectional study.. 2022 , 22, 138	0
514	Clinic, Home, and Kiosk Blood Pressure Measurements for Diagnosing Hypertension: a Randomized Diagnostic Study.. 2022 , 1	1
513	Hypertensive eye disease.. 2022 , 8, 14	1
512	The association between bilirubin and hypertension among a Chinese ageing cohort: a prospective follow-up study.. 2022 , 20, 108	0
511	Sex differences in the association between diabetes and hypertension and the risk of stroke: cohort of the Tehran Lipid and Glucose Study.. 2022 , 13, 10	0
510	Association Between Snoring and Diabetes Among Pre- and Postmenopausal Women.. 2022 , 15, 2491-2499	
509	Obstructive Sleep Apnea and Hypertension: Updates to a Critical Relationship.. 2022 , 1	1
508	Incremental significance and sex discrepancies of neck circumference on the odds of ischaemic stroke: a multistage, population-based, cross-sectional study from Northeast China.. 2022 , 12, e056932	
507	Analysis of Dual Combination Therapies Used in Treatment of Hypertension in a Multinational Cohort.. 2022 , 5, e223877	1
506	Dietary oxalate to calcium ratio and incident cardiovascular events: a 10-year follow-up among an Asian population.. 2022 , 21, 21	
505	Prevalence and Health-Adjusted Life Expectancy Among Older Adults With Hypertension in Chinese Rural Areas.. 2022 , 10, 802195	
504	Blood pressure interactions with the DASH dietary pattern, sodium, and potassium: The International Study of Macro-/Micronutrients and Blood Pressure (INTERMAP).. 2022 ,	1
503	Tele-ophthalmology versus face-to-face retinal consultation for assessment of diabetic retinopathy in diabetes care centres in India: a multicentre cross-sectional study.. 2022 ,	0
502	The network structure of depressive symptomatology in Peruvian adults with arterial hypertension. 10, 19	1
501	In Memoriam: Edward J. Roccella, M.P.H., Ph.D. (1944-2021).. 2022 , 10901981221076406	
500	Impact of Antihypertensive Drug Class on Outcomes in the SPRINT.. 2022 , HYPERTENSIONAHA12118369	1

- 499 Elevated Serum Cystatin C and Decreased Cathepsin S/Cystatin C Ratio Are Associated with Severe Peripheral Arterial Disease and Polyvascular Involvement.. **2022**, 12, 1
- 498 Utility of the 2018 revised ISN/RPS thresholds for glomerular crescents in childhood-onset lupus nephritis: a Pediatric Nephrology Research Consortium study.. **2022**, 1 0
- 497 A diagnostic prediction model for hypertension in Han and Yugur population from the China National Health Survey (CNHS).. **2022**, 0
- 496 Prevalence of type 2 diabetes and pre-diabetes among pulmonary and extrapulmonary tuberculosis patients of Bangladesh: A cross-sectional study.. **2022**, e00334 0
- 495 Racial Differences in Blood Pressure Control from Users of Antihypertensive Monotherapy: Results from the ELSA-Brasil Study.. **2022**, 118, 614-622 0
- 494 APOE ϵ Carrier Status as Mediator of Effects of Psychotropic Drugs on Clinical Changes in Patients With Alzheimer's Disease.. **2022**, appineuropsych21060160 0
- 493 Stevia rebaudiana Bertoni and its secondary metabolites: Their effects on cardiovascular risk factors.. **2022**, 99-100, 111655
- 492 Patient and primary care perspectives on hypertension management: short report of a qualitative study in a tribal health system.. **2022**, 81, 2049054
- 491 Blood group and its correlation with cardiovascular risk factors: A community survey. **2022**, 3,
- 490 Community-based lifestyle intervention improves metabolic syndrome and related markers among Kenyan adults. 1 0
- 489 Role of age, gender and ethnicity in the association between visceral adiposity index and non-alcoholic fatty liver disease among US adults (NHANES 2003-2018): cross-sectional study.. **2022**, 12, e058517 0
- 488 Higher pulse pressure is associated with increased risk of cardio-cerebrovascular disease and all-cause mortality: A Korean national cohort study.. **2022**,
- 487 Hypertension and Chronic Kidney Disease – An Unhappy Marriage. **2022**, 7, 273-293
- 486 Effect of Foot Massage on Decreasing Blood Pressure and Anxiety in Older People with Hypertension in Indonesia. 097206342210877
- 485 Prognostic significance of first-degree atrioventricular block in a large Asian population: a prospective cohort study.. **2022**, 12, e062005
- 484 Effectiveness of Strategies for Nutritional Therapy for Patients with Type 2 Diabetes and/or Hypertension in Primary Care: A Systematic Review and Meta-Analysis.. **2022**, 19, 0
- 483 Do any kinds of perceived stressors lead to hypertension? A longitudinal cohort study.. **2022**, 1
- 482 Association of self-reported snoring and hyperuricaemia: a large cross-sectional study in Chongqing, China.. **2022**, 12, e056143

481	Retinal nerve fibre layer thickness measured with SD-OCT in a population-based study: the Handan Eye Study.. 2022 ,	0
480	Relation of Menopause With Cardiovascular Risk Factors in South Asian American Women (from the MASALA Study).. 2022 ,	1
479	Preparation of a new component group of Ginkgo biloba leaves and investigation of the antihypertensive effects in spontaneously hypertensive rats.. 2022 , 149, 112805	2
478	Risk factor control among heart failure patients in the United States: Results from the NHANES 1999-2018.. 2022 , 13, 200128	0
477	Nano gold-doped molecularly imprinted electrochemical sensor for rapid and ultrasensitive cortisol detection.. 2022 , 206, 114142	2
476	Prehypertension and Hypertension Risk Assessment Among Female Cotton Mill Workers. 2021 , 21, 126	
475	Performance of a novel ECG criterion for improving detection of left ventricular hypertrophy: a cross-sectional study in a general Chinese population. 2021 , 11, e051172	0
474	Tonometric Condition of Cellular Polypropylene Film Sensors in Measuring Arterial Pressure Waveform. 2021 , 2021, 7445-7449	
473	Multilevel modeling, prevalence, and predictors of hypertension in Ghana: Evidence from Wave 2 of the World Health Organization's Study on global AGEing and adult health.. 2021 , 4, e453	0
472	Association of Obesity and Hypertension: A Cohort Study in China.. 2021 , 2021, 1607475	0
471	Serum Uric Acid and Risk of Chronic Heart Failure: A Systematic Review and Meta-Analysis.. 2021 , 8, 785327	1
470	Prevalence of overweight/obesity, hypertension and its associated factors among women from Northeast India.. 2021 ,	
469	Levels of Adherence of an Exercise Referral Scheme in Primary Health Care: Effects on Clinical and Anthropometric Variables and Depressive Symptoms of Hypertensive Patients.. 2021 , 12, 712135	0
468	Is kallikrein-8 a blood biomarker for detecting amnesic mild cognitive impairment? Results of the population-based Heinz Nixdorf Recall study.. 2021 , 13, 202	1
467	Type 2 diabetes mellitus and anxiety symptoms: a cross-sectional study in Peru. 6, 331	
466	Prevalence of hypertension, and related factors among adults in Wolaita, southern Ethiopia: A community-based cross-sectional study.. 2021 , 16, e0260403	0
465	Factors associated with antihypertensive medication use and blood pressure control in a rural area in Bangladesh: baseline data from a cluster randomised control trial.. 2021 , 21, 2316	0
464	Physical activity, health and well-being among a nationally representative population-based sample of middle-aged and older adults in India, 2017-2018.. 2021 , 7, e08635	0

- 463 Predictors of mortality in COVID-19 patients at Kinshasa Medical Center and a survival analysis: a retrospective cohort study.. **2021**, 21, 1272 ○
- 462 Usefulness of metabolic score for insulin resistance index in estimating the risk of mildly reduced estimate glomerular filtration rate: a cross-sectional study of rural population in China.. **2021**, 11, e050907 ○
- 461 NPPA promoter hypomethylation predicts central obesity development: a prospective longitudinal study in Chinese adults. **2021**, ○
- 460 Effects of Posttrial Antihypertensive Drugs on Morbidity and Mortality: Findings from 15-Year Passive Follow-Up after ALLHAT Ended.. **2021**, 2021, 2261144
- 459 Hypertension incidence among middle-aged and older adults: findings from a 5-year prospective study in rural South Africa, 2010-2015. **2021**, 11, e049621 ○
- 458 The Effect of L-arginine Supplementation On Blood Pressure in Adults: A Systematic Review and Dose-response Meta-analysis of Randomized Clinical Trials.. **2021**, 3
- 457 Bazal ĩk Asid Dĕzeyi, Sepsiste Akut Bĕrek Hasarĕnĕ ĩceden Belirlenmesi ĩn Bir Kĕavuz Olabilir. **2021**, 31, 391-395
- 456 Effect of CPAP treatment on BP in resistant hypertensive patients according to the BP dipping pattern and the presence of nocturnal hypertension.. **2021**, ○
- 455 Circulating Chromogranin B Is Associated With Left Ventricular Functional Recovery After Successful Recanalization of Chronic Total Occlusion.. **2021**, 8, 756594 ○
- 454 Employee Health Monitoring System for Industry 4.0. **2022**, 255-265 ○
- 453 Effects of the self-management training program on self-management behavior and blood pressure levels among elderly people with hypertension. **2022**, 9, 71-80
- 452 Associations of the baseline level and change in glycosylated hemoglobin A1c with incident hypertension in non-diabetic individuals: a 3-year cohort study.. **2022**, 14, 54 ○
- 451 Trends in the prevalence and associated factors of prediabetes and diabetes in Bangladesh: Evidence from population-based cross-sectional surveys.. **2022**, 109873
- 450 Use of pre-enrollment randomization and delayed consent to maximize participation in a clinical trial of opt-in versus opt-out tobacco treatment.. **2022**, 43, 1035-1042
- 449 Temporal Trends in the Remaining Lifetime Risk of Cardiovascular Disease Among Middle-Aged Adults Across 6 Decades: The Framingham Study.. **2022**, ○
- 448 Prevalence, Awareness, Treatment, and Control of Hypertension in Young Adults (20-39 Years) in Kerala, South India.. **2022**, 9, 765442 2
- 447 Hypertensive urgencies and emergencies. 429-436
- 446 Table_1.DOCX. **2019**,

445	Data_Sheet_1.docx. 2018,	
444	Image_1.TIF. 2020,	
443	Image_2.TIF. 2020,	
442	Data_Sheet_1.doc. 2020,	
441	Table1.docx. 2018,	
440	ACTH vs steroids for the treatment of acute gout in hospitalized patients: a randomized, open label, comparative study.. 2022, 1	1
439	New inflammatory biomarkers (lymphocyte and monocyte percentage to high-density lipoprotein cholesterol ratio and lymphocyte to monocyte percentage ratio) and their association with some cardiometabolic diseases : Results from a large Kurdish cohort study in Iran.. 2022, 1	1
438	Metabolic syndrome, new onset diabetes, and new end points in cardiovascular trials. 2006, 47, 469-75	19
437	Effects of antihypertensive treatments on incidence of diabetes: a case-control study. 2012, 35, 135-8	2
436	Association among serum uric acid, cardiovascular risk, and arterial stiffness: a cross-sectional study in She ethnic minority group of Fujian Province in China. 2012, 35, 290-7	6
435	Novel Insight Into Long-Term Risk of Major Adverse Cardiovascular and Cerebrovascular Events Following Lower Extremity Arteriosclerosis Obliterans.. 2022, 9, 853583	0
434	Endodontic management of patients with systemic complications. 2016, 8, 32	2
433	Resistant Hypertension: Recognition and Treatment. 2022, 351-366	
432	SANIK HİZMETLERİ MESLEK YÜKSEKOKULU BENCİLERİNDE METABOLİK SENDROM RİSK FAKTÖRLERİNDEN OBEZİTE VE HİPERTANSİYON SIKLIĞININ DEĞERLENDİRİLMESİ	
431	The New Era of Retinal Imaging in Hypertensive Patients.. 2022, 11, 149-159	1
430	Body Mass Index Mediates the Relationship between the Frequency of Eating Away from Home and Hypertension in Rural Adults: A Large-Scale Cross-Sectional Study.. 2022, 14,	0
429	Adherence to the Mediterranean Diet and Risk of Metabolically Unhealthy Obesity in Women: A Cross-Sectional Study.. 2022, 9, 858206	1
428	Presenteeism and associated factors among railway train drivers. 11, 470	

- 427 Mechanisms and Clinical Implications of Endothelial Dysfunction in Arterial Hypertension. **2022**, 9, 136 ○
- 426 National Trends in Antihypertensive Treatment Among Older Adults by Race and Presence of Comorbidity, 2008 to 2017.. **2022**, ○
- 425 Adherence to the DASH diet by hypertension status in Mexican men and women: a cross-sectional study. **2022**, 101803
- 424 HİPERTANSE SOL VENTRİKÜL HİPERTROFİSİNİN VENTRİKÜLER REPOLARİZASYON ÜZERİNE ETKİSİ 16-22
- 423 Prospective assessing metabolic abnormalities, lifestyle and dietary pattern in a Chinese population with heart failure: the MALD-HF study protocol.. **2022**, 12, e049225
- 422 Hypokalaemia associated with hydrochlorothiazide used in the treatment of hypertension in NHANES 1999-2018.. **2022**,
- 421 Is waist-to-height ratio the best predictive indicator of cardiovascular disease incidence in hypertensive adults? A cohort study.. **2022**, 22, 214 1
- 420 Development and evaluation of a package to improve hypertension control in Nigeria [DEPIHCON]: a cluster-randomized controlled trial.. **2022**, 23, 366 ○
- 419 The impact of endogenous estrogen exposure duration on fracture incidence; a longitudinal cohort study.. **2022**,
- 418 Obstructive Sleep Apnea and Hypertension with Longitudinal βAmyloid Burden and Cognitive Changes.. **2022**, 1
- 417 A Cross-sectional Assessment of Dietary Patterns and their Relationship to Hypertension and Obesity in Indonesia. 1
- 416 Type 2 diabetes mellitus and anxiety symptoms: a cross-sectional study in Peru. 6, 331
- 415 Association between Periodontitis and Aortic Calcification: A Cohort Study.. **2022**, 33197221094713
- 414 Role of abnormal energy metabolism in the progression of chronic kidney disease and drug intervention.. **2022**, 44, 790-805 1
- 413 A community-based study on electrocardiographic abnormalities of adult population from South India - findings from a cross sectional survey.. **2022**, ○
- 412 [Factors associated with undiagnosed hypertension among elderly adults in Brazil - ELSI-Brazil].. **2022**, 27, 2001-2010
- 411 Controversial culprit of leptin in obesity hypertension: clues from a case-control study with Chinese newly diagnosed adult early-onset obesity hypertensives.. **2022**, 1-7 1
- 410 Trends in blood pressure diagnosis, treatment, and control among VA nursing home residents, 2007-2018.. **2022**,

409	Prevalence, Treatment, and Control of Hypertension Among US Women of Reproductive Age by Race/Hispanic Origin.. 2022,	0
408	Prevalence of Hypertension and 10-Year Cardiovascular Disease Risk Among Older Adults Living in Quanzhou, A Coastal Region of Southeast China.. 2022, 15, 1045-1053	0
407	The effects of resistance exercise on obstructive sleep apnea severity and body water content in older adults: A randomized controlled trial.. 2022, 95, 37-46	
406	Soy protein degradation drives diversity of amino-containing compounds via <i>Bacillus subtilis natto</i> fermentation.. 2022, 388, 133034	0
405	Association of Circulating IgE and CML Levels with In-Stent Restenosis in Type 2 Diabetic Patients with Stable Coronary Artery Disease. 2022, 9, 157	
404	Inhibitors of the renin-angiotensin-aldosterone system. 2013, 119-168	6
403	β-blocking agents. 2013, 1-37	1
402	Antihypertensive therapies. 2013, 224-271	
401	Diuretics. 2013, 93-118	
400	Calcium channel blockers. 2013, 64-92	1
399	Suggested Readings. 2014, 635-651	
398	Systemic Diseases. 2016, 739-804	
397	Presión Arterial Media en trabajadores obreros y oficinistas. 2016, 1,	
396	Aging Changes Seen On Echocardiography. 2017, 781-801	
395	Body image is a major determinant of sexual dysfunction in stable HIV-infected women. 2009, 14, 85-92	27
394	Optimal Frequency of Cd4 Cell Count and HIV Rna Monitoring Prior to Initiation of Antiretroviral Therapy in HIV-Infected Patients. 2005, 10, 41-52	8
393	Prevalence of and maternal factors associated with anaemia in pregnant women at antenatal care booking in Tamale, Ghana: a cross-sectional study. 2022, 16, 1-10	
392	Study protocol for the Shifting Weight using Intermittent Fasting in night shift workers (SWIFT) study: a three-arm randomised controlled trial comparing three weight loss strategies in night shift workers with obesity.. 2022, 12, e060520	1

- 391 CARDIOVASCULAR PATHOLOGY IN WOMEN: RISKS AND CHANCES (literature review). **2013**, 53-58
- 390 Prognostic value of the systemic inflammation response index in patients with acute ischemic stroke.. **2022**, e2619 0
- 389 Prevalence of major electrocardiographic abnormalities in patients with hypertension in a primary care clinic in Hong Kong.. **2022**, 22, 225
- 388 Blood Pressure Control in Primary Care. **2022**, 73-87
- 387 Hypertension in Children with Type 2 Diabetes or the Metabolic Syndrome. **2022**, 1-18
- 386 High-sensitivity C-reactive protein and low-density lipoprotein cholesterol association with incident of cardiovascular events: Isfahan cohort study. **2022**, 22, 1 1
- 385 Associations of age at menarche and age at menopause with diabetes among postmenopausal women in Chongqing, China.
- 384 High Normal Urinary Albuminâ€œCreatinine Ratio Is Associated With Hypertension, Type 2 Diabetes Mellitus, HTN With T2DM, Dyslipidemia, and Cardiovascular Diseases in the Chinese Population: A Report From the REACTION Study. **2022**, 13, 0
- 383 Synthesis, X-ray diffraction analysis, quantum chemical studies and ß-amylase inhibition of probenecid derived S-alkylphthalimide-oxadiazole-benzenesulfonamide hybrids. **2022**, 37, 1464-1478 4
- 382 Superwoman Schema and John Henryism among African-American women: An intersectional perspective on coping with racism. **2022**, 115070 3
- 381 One in five South Africans are multimorbid: An analysis of the 2016 demographic and health survey. **2022**, 17, e0269081 0
- 380 Ions and Fluid Dynamics in Hypertension. **2022**, 1-13
- 379 Obesity and Dyslipidemia in Chinese Adults: A Cross-Sectional Study in Shanghai, China. **2022**, 14, 2321 1
- 378 Differences in Diagnosis and Management of Hypertensive Urgencies and Emergencies According to Italian Doctors from Different Departments Who Deal With Acute Increase in Blood Pressureâ€œData from Gear (Gestione Dellâ€œemergenza e Urgenza in ARea Critica) Study. **2022**, 11, 2986 0
- 377 Association Between Four Anthropometric Indexes and Metabolic Syndrome in US Adults. **2022**, 13, 0
- 376 Effectiveness of integrated care for older adults with depression and hypertension in rural China: a cluster randomized controlled trial.
- 375 Presenteeism and associated factors among railway train drivers. 11, 470
- 374 Prevalence of echocardiographic left ventricular hypertrophy among hypertensives in a tertiary health institution in Nigeria. 3, 3 0

- 373 Potential Impact of 2017 American College of Cardiology/American Heart Association Hypertension Guideline on Contemporary Practice: A Cross-Sectional Analysis From NCDR PINNACLE Registry.
- 372 Effects of Collagen Peptide Supplementation on Cardiovascular Markers: A Systematic Review and Meta-analysis of Randomized, Placebo-Controlled Trials. 1-43
- 371 Comparing self-reported and measured hypertension and hypercholesterolaemia at standard and more stringent diagnostic thresholds: the cross-sectional 2010–2015 Busselton Healthy Ageing study. **2022**, 28, ○
- 370 Prevalence of, and risk factors for, diabetes and prediabetes in Bangladesh: Evidence from the national survey using a multilevel Poisson regression model with a robust variance. **2022**, 2, e0000461 ○
- 369 Relationship between the consumption of wholegrain and nonalcoholic fatty liver disease: The TCLSIH cohort study. **2022**, 41, 1483-1490 ○
- 368 Rehabilitace a preskripce pohybovaktivit u kardiovaskulnch a vybranch internch onemocn **2022**,
- 367 Cardiovascular risk in patients receiving antihypertensive drug treatment from the perspective of endothelial function. ○
- 366 Blood Pressure Assessment and Treatment in the Observation Unit.
- 365 Corin Missense Variants, Blood Pressure, and Hypertension in 11 322 Black Individuals: Insights From REGARDS and the Jackson Heart Study. **2022**, 11,
- 364 Comparison of Five Expressions of Handgrip Strength for Predicting Cardiovascular Disease Risk Factors in Chinese Middle-Aged Community Residents. 10,
- 363 Phytochemical index and hypertension in Korean adults using data from the Korea National Health and Nutrition Examination Survey in 2008–2019. 1
- 362 Role of socioeconomic, lifestyle, and clinical factors in the progression of cardiometabolic multimorbidity in China: A 10-year prospective cohort study. **2022**, ○
- 361 ATENOLOL IN EPISODIC MIGRAINE PROPHYLAXIS: A REVIEW. 9-16
- 360 Evaluation of the association of serum glypican-4 with prevalent and future kidney function. **2022**, 12, ○
- 359 Lifestyle modification and cognitive function among individuals with resistant hypertension: cognitive outcomes from the TRIUMPH trial. Publish Ahead of Print, ○
- 358 A web-based self-care program to promote healthy lifestyles and control blood pressure in patients with primary hypertension: A randomized controlled trial.
- 357 Association of adverse childhood experiences with subsequent kidney disease among middle-aged and older adults in China: A national analysis.
- 356 Blood pressure and kidney outcomes in patients with severely decreased glomerular filtration rate: a nationwide observational cohort study. Publish Ahead of Print,

- 355 Circulating folate concentrations and the risk of mild cognitive impairment: a prospective study on the older Chinese population without folic acid fortification. ○
- 354 Rheumatology Clinic Staff Needs. Publish Ahead of Print,
- 353 Paraben exposures and their interactions with ESR1/2 genetic polymorphisms on hypertension. **2022**, 213, 113651 ○
- 352 Effect of isometric exercise on heart rate variability in prehypertensive young adults. **2022**, 19, 275
- 351 Normative Spirometric Values in Adult Kashmiri Population. **2022**, 54, 227-233 ○
- 350 Arterial hypertension is associated with an increased risk of metabolic complications in pediatric patient with obesity. **2022**,
- 349 Effect of Om chanting and Yoga Nidra on depression anxiety stress, sleep quality and autonomic functions of hypertensive subjects – a randomized controlled trial. **2022**, ○
- 348 What is the Awareness Level of the Hypertensive Elderly People on the Blood Pressure Measurement Follow-up and Device Calibration?. **2022**, 10, 353-360
- 347 Association of Preconception Blood Pressure with the Risk of Anemia in Children under Five Years of Age: A Large Longitudinal Chinese Birth Cohort. **2022**, 14, 2640
- 346 The usefulness of metabolic score for insulin resistance for the prediction of incident non-alcoholic fatty liver disease in Korean adults. ○
- 345 Updated Blood Pressure Guidelines: Implications for Athletes.
- 344 Exploring the Protein Tyrosine Phosphatase 1B Inhibitory Potentials of Naturally Occurring Brazilin-Type Homoisoflavonoids: A Computational Approach.
- 343 Alpha globin gene copy number and hypertension risk among Black Americans. **2022**, 17, e0271031 ○
- 342 Prevalence of a History of Metabolic or Hypertensive Pregnancy Disorder in Patients With Myocardial Infarction and Non-obstructive Coronary Arteries: An Observational Cohort Study. 9,
- 341 Correlation Between Non-insulin-Based Insulin Resistance Indices and Increased Arterial Stiffness Measured by the Cardioankle Vascular Index in Non-hypertensive Chinese Subjects: A Cross-Sectional Study. 9, 1
- 340 Inhibition of Angiogenesis and Extracellular Matrix Remodeling: Synergistic Effect of Renin-Angiotensin System Inhibitors and Bevacizumab. 12, 1
- 339 Eating frequency has an inverse correlation with adiposity measures and non-invasive arterial stiffness parameters in healthy adult people. **2022**,
- 338 Moringa seed-supplemented diets modulate ACE activity but not its gene expression in L-NAME-induced hypertensive rats. 1-18

- 337 Comparison of the association of masked hypertension defined by the 2017 ACC/AHA BP guideline versus the JNC7 guideline with left ventricular hypertrophy. Publish Ahead of Print,
- 336 Dietary Patterns in Association With Hypertension: A Community-Based Study in Eastern China. **9,** ○
- 335 Multisite implementation of a workflow-integrated machine learning system to optimize COVID-19 hospital admission decisions. **2022, 5,**
- 334 Prevalence and factors associated with treatment and control of hypertension among adults with hypertension in Myanmar.
- 333 Association of depressive symptoms and hypertension prevalence, awareness, treatment and control among USA adults. Publish Ahead of Print, ○
- 332 Impact of liver fibrosis score on the incidence of stroke: A cohort study. ○
- 331 Lowering LDL cholesterol in clinical practice: time for change?. **2022,** 1
- 330 Control of Blood Pressure and Risk of Cardiovascular Disease and Mortality in Elderly Chinese: A Real-World Prospective Cohort Study. **2022, 79, 1866-1875**
- 329 Per- and Polyfluoroalkyl Substances and Incident Hypertension in Multi-Racial/Ethnic Women: The Study of Women's Health Across the Nation. **2022, 79, 1876-1886** 1
- 328 Reduced left ventricular function and sustained hypertension in women seven years after severe preeclampsia. **2022, 56, 292-301**
- 327 Triglyceride-glucose index trajectory and stroke incidence in patients with hypertension: a prospective cohort study. **2022, 21,** 1
- 326 Blood pressure and body composition during first year of antiretroviral therapy in people with HIV compared to HIV-uninfected community controls. ○
- 325 Association of overweight and obesity with hypertension, diabetes and comorbidity among adults in Bangladesh: evidence from nationwide Demographic and Health Survey 2017ߢ data. **2022, 12, e052822** ○
- 324 Obesity and High Blood Pressure among Professional Long-Distance Drivers in Yaoundé, Cameroon: Cross-Sectional Study. **2022, 10, 232-254**
- 323 Implementation and validation of a novel noninvasive blood pressure measurement algorithm based on oscillometric method with obtaining international hypertension standards. **2022, 12, 114**
- 322 Real-World Effectiveness of Beta-Blockers versus Other Antihypertensives in Reducing All-Cause Mortality and Cardiovascular Events. **2022, 2022, 1-11**
- 321 Multiparametric cloth-based wearable, SimpleSense, estimates blood pressure. **2022, 12,** 1
- 320 Poor glycemic control, cardiovascular disease risk factors and their clustering among patients with type 2 diabetes mellitus: A cross-sectional study from Nepal. **2022, 17, e0271888** 1

- 319 Glycemic status and the association of change in blood pressure with incident cardiovascular disease. **2022**,
- 318 The Association Between Spicy Food Intake and Risk of Hyperuricemia Among Chinese Adults. 10, 1
- 317 Relationship Between Risks for Obstructive Sleep Apnea, Resistant Hypertension, and Aldosterone Among African American Adults in the Jackson Heart Study.
- 316 Epidemiology of atrial fibrillation and risk of CVD mortality among hypertensive population: A prospective cohort study in Northeast China. 9,
- 315 Fruit and vegetable intake and incident and persistent poor sleep quality in a rural ageing population in South Africa: longitudinal study. **2022**, 8,
- 314 Neighborhood Socioeconomic Deprivation in Early Childhood Mediates Racial Disparities in Blood Pressure in a College Student Sample. 0
- 313 Socioeconomic inequalities in prevalence, awareness, treatment and control of hypertension: evidence from the PERSIAN cohort study. **2022**, 22, 0
- 312 Over-Prescription of the Imidazoline Receptor Agonists: Evidence for Restriction of the Therapeutic Indication. **2022**, 56, 859-866
- 311 AN EPIDEMIOLOGICAL STUDY ON HYPERTENSION AMONG SCHOOL GOING ADOLESCENT IN URBAN AREA OF PATNA, BIHAR. **2022**, 27-30
- 310 Inequity in the Distribution of Non-Communicable Disease Multimorbidity in Adults in South Africa: An Analysis of Prevalence and Patterns. 67,
- 309 The Prevalence of Uncontrolled Hypertension among Patients Taking Antihypertensive Medications and the Associated Risk Factors in North Palestine: A Cross-Sectional Study. **2022**, 2022, 1-7 1
- 308 Association between CORIN methylation and hypertension in Chinese adults. postgradmedj-2022-141802
- 307 Does Patient-Applied Testosterone Replacement Therapy Pose Risk for Blood Pressure Elevation? Circadian Medicine Perspectives. 1-20
- 306 Definition and Nomenclature of Chronic Obstructive Pulmonary Disease: Time for its Revision. 6
- 305 Dietary Inflammatory Index and Cardiometabolic Risk in Ecuadorian School-Age Children. 1-10
- 304 Association of obstructive sleep apnea with endothelial function and heart remodeling in hypertension: A cross-sectional study. **2022**, 0
- 303 A nonlinear association between body roundness index and all-cause mortality and cardiovascular mortality in general population. 1-16 0
- 302 Arterial hypertension and its covariates among the Raute nomadic hunter-gatherers of Western Nepal: a population-based mixed-method study.

- 301 Study of the Antihypertensive and Vasorelaxant Activities of Haloxylon scoparium in Rats. **2022**, 20,
- 300 Comparison of explanatory and pragmatic design choices in a cluster-randomized hypertension trial: effects on enrollment, participant characteristics, and adherence. **2022**, 23, ○
- 299 Current antihypertensive treatment and treatment-resistant hypertension in Japanese patients with chronic kidney disease. 1
- 298 Potential of combination therapy in patients with hypertension and dyslipidemia. **2022**, 27, 5132
- 297 Factors correlated with targeted prevention for prediabetes classified by impaired fasting glucose, impaired glucose tolerance, and elevated HbA1c: A population-based longitudinal study. 13,
- 296 Implementing screening for hypertension in archetypal HIV primary care: a mixed-methods assessment. **2022**, 22, ○
- 295 Similar Postexercise Hypotension Following MICT, HIIT, and SIT Exercise in Middle-aged Adults. Publish Ahead of Print,
- 294 Prevalence and associated factors of physical inactivity among middle-aged and older adults in India: results of a national cross-sectional community survey. **2022**, 12, e058156 ○
- 293 Association of Handgrip Strength with Diabetes Mellitus in Korean Adults According to Sex. **2022**, 12, 1874
- 292 Provincial heterogeneity in the management of care cascade for hypertension, diabetes, and dyslipidaemia in China: Analysis of nationally representative population-based survey. 9,
- 291 Prevalence and determinants of non-communicable diseases risk factors among reproductive-aged women of Bangladesh: Evidence from Bangladesh Demographic Health Survey 2017-2018.
- 290 Molecular mechanisms underlying some major common risk factors of stroke. **2022**, 8, e10218
- 289 Food insecurity and physical functioning in Boston area Puerto Rican older adults. 1-7
- 288 Systolic Blood Pressure Trajectories and the Progression of Arterial Stiffness in Chinese Adults. **2022**, 19, 10046 ○
- 287 Effectiveness of High-Intensity Interval Training and Continuous Moderate-Intensity Training on Blood Pressure in Physically Inactive Pre-Hypertensive Young Adults. **2022**, 9, 246
- 286 Optimal office blood pressure levels in younger (<50 years old) Korean hypertensive patients: a nationwide cohort study in South Korea. Publish Ahead of Print,
- 285 Genetic polymorphisms of purinergic P2Y2 receptor were associated with the susceptibility to essential hypertension in Chinese postmenopausal women.
- 284 Effect of family history of diabetes and obesity status on lifetime risk of type 2 diabetes in the Iranian population. 12,

- 283 Real-Time Cuffless Continuous Blood Pressure Estimation Using 1D Squeeze U-Net Model: A Progress toward mHealth. **2022**, 12, 655 1
- 282 Characteristics and Predictors of Controlled Hypertension at A Tertiary Health Facility in Nigeria. **2022**, 4, 60-69
- 281 Community-level dietary intake of sodium, potassium, and sodium-to-potassium ratio as a global public health problem: a systematic review and meta-analysis. 11, 953
- 280 A comparative evaluation of fixed dose and separately administered combinations of lisinopril and hydrochlorothiazide in treatment-naïve adult hypertensive patients in a rural Nigerian community. **2022**, 14, 200144
- 279 Seasonal Variation in Day-by-Day Home Blood Pressure Variability and Effect on Cardiovascular Disease Incidence. **2022**, 79, 2062-2070 1
- 278 Association of anthropometric indices with cardiometabolic risk factors in adult Bangladeshi population. **2022**, 34, 100444
- 277 Blood Pressure Intervention and Control in SPRINT. **2022**, 79, 2071-2080 0
- 276 Estimated glomerular filtration rate trajectories in south Asians: Findings from the cardiometabolic risk reduction in south Asia study. **2022**, 6, 100062
- 275 Diet-related knowledge, attitudes, and behaviors among young and middle-aged individuals with high-normal blood pressure: A cross-sectional study in China. 10, 0
- 274 Association between serum 25-hydroxy vitamin D concentrations and mortality among individuals with metabolic dysfunction-associated fatty liver disease: a prospective cohort study. 0
- 273 Prevalence of hypertension and its risk factors among cotton textile workers in low- and middle-income countries: a systematic review. **2022**, 211, 128-135 0
- 272 Awareness, treatment, and practices of lifestyle modifications amongst diagnosed hypertensive patients attending the tertiary care hospital of Karachi: A cross-sectional study. **2022**, 82, 104587 0
- 271 Demystifying the relevance of size amongst macro- and micro-corticotropinoma: Experience in 206 patients. **2022**, 26, 275 0
- 270 Hypertension Management in Patients with Chronic Kidney Disease. **2022**, 18, 41-49 0
- 269 Determinants of Regional Obesity (Visceral and Subcutaneous Obesity) within Cardiovascular Risk Factors in the Cardiology Department of the University Clinics of Kinshasa. **2022**, 12, 444-456 0
- 268 Sedentary postmenopausal women not undergoing hormone replacement therapy can have their blood pressure lowered by performing resistance training: a systematic review and meta-analysis of randomized controlled trials. 28, 0
- 267 Inulin intake and the incidence of cardiometabolic diseases: a prospective cohort study. 0
- 266 Self-Monitoring of Blood Pressure and Feed-back Using APP in Treatment of Uncontrolled Hypertension (SMART-BP): A Randomized Clinical Trial. **2022**, 52, 785 1

- 265 Malaria infection and its association with socio-demographics, preventive measures, and co-morbid ailments among adult febrile patients in rural Southwestern Nigeria: A cross-sectional study. **2022**, 10, 205031212211178 1
- 264 The role of gene-gene and gene-environmental interactions of polymorphic matrix metalloproteinases loci in the formation of the risk of stroke in men with hypertension. **2022**, 122, 41 0
- 263 Polypharmacology in Clinical Applications: Renal Polypharmacology. **2022**, 323-342 0
- 262 Potato consumption is not associated with cardiometabolic health outcomes in Framingham Offspring Study adults. **2022**, 11, 0
- 261 In-Clinic Measurements of Vascular Risk and Brain Activity. **2022**, 2, 240-251 0
- 260 Prevalence and associated factors of corneal arcus in the geriatric population; Tehran geriatric eye study. **2022**, 22, 0
- 259 Association Between the Electroconductive Value at 24 Acupoints and Blood Pressure in Community-Dwelling Japanese: The Toon Health Study. **2022**, 1, 145-156 0
- 258 Psycho-behavioral predictors of uncontrolled blood pressure: A case-control study. **2022**, 12, 218-225 0
- 257 Evaluation of the Living Kidney Donor Candidate. **2022**, 21, 227-237 0
- 256 Multidimensional Sleep Health Is Associated with Cardiovascular Disease Prevalence and Cardiometabolic Health in US Adults. **2022**, 19, 10749 0
- 255 Socio-demographic factors, overweight/obesity and nutrients associated with hypertension among rural adults (≥18 years): Findings from National Nutrition Monitoring Bureau survey. **2022**, 0
- 254 Impact of cerebral small vessel disease on symptomatic in-stent restenosis in intracranial atherosclerosis. **2022**, 1-10 0
- 253 Association of Indices of Adiposity with Lipoprotein Sub-fractions in the general Population of Amritsar City. 0
- 252 Higher body mass index is associated with worse hippocampal vasoreactivity to carbon dioxide. 14, 0
- 251 Glucose/Fructose Delivery to the Distal Nephron Activates the Sodium-Chloride Cotransporter via the Calcium-Sensing Receptor. ASN.2021121544 0
- 250 Sex-specific Dose-response Associations between Night Sleep Duration and Hypertension in Iran: A Population-based Cross-sectional Study. 0
- 249 Circulating Amyloid-β and Methionine-Related Metabolites to Predict the Risk of Mild Cognitive Impairment: A Nested Case-Control Study. **2022**, 1-16 0
- 248 Remodeling of the Neurovascular Unit Following Cerebral Ischemia and Hemorrhage. **2022**, 11, 2823 0

- 247 Moderate increase of serum uric acid within a normal range is associated with improved cognitive function in a non-normotensive population: A nationally representative cohort study. 14, 0
- 246 Targeting autonomic nervous system as a biomarker of well-ageing in the prevention of stroke. 14, 0
- 245 Monocyte-to-high-density lipoprotein ratio and systemic inflammation response index are associated with the risk of metabolic disorders and cardiovascular diseases in general rural population. 13, 1
- 244 Considerations for Optimal Blood Pressure Target of Hypertension. Publish Ahead of Print, 0
- 243 Prevalence of hypertension among type 2 diabetes mellitus patients in Ethiopia: a systematic review and meta-analysis. 1
- 242 Association between Education Level and Hypertension in Korean Adults Over 30 Years Old: Korea National Health and Nutrition Examination Survey 2019. **2022**, 12, 247-253 0
- 241 Job strain and leisure-time physical activity on risk of hypertension: the population-based Midlife in the United States cohort study. 0
- 240 Chronic kidney disease (CKD) and associated risk in rural South Africa: a population-based cohort study. 7, 236 0
- 239 Identification of a Multi-Messenger RNA Signature as Type 2 Diabetes Mellitus Candidate Genes Involved in Crosstalk between Inflammation and Insulin Resistance. **2022**, 12, 1230 0
- 238 Sleep and risk of hypertension in general American adults: the National Health and Nutrition Examination Surveys (2015-2018). Publish Ahead of Print, 0
- 237 Effect of Sleep Quality on Self Care Agency and Blood Pressure Control in Hypertensive Patients. **2022**, 9, 278-287 0
- 236 Detrimental effects of physical inactivity on peripheral and brain vasculature in humans: Insights into mechanisms, long-term health consequences and protective strategies. 13, 0
- 235 Trends in prevalence of short sleep duration and trouble sleeping among US adults, 2005-2018. 0
- 234 Gender discrepancy in the predictive effect of aortic root diameter on incidence of cardiovascular events among rural Northeast Chinese. **2022**, 12, e039207 0
- 233 Plasma D-dimer levels are correlated with disease severity among hypertensive patients: A comparative cross-sectional study. **2022**, 101, e30281 1
- 232 Mutual effect of homocysteine and uric acid on arterial stiffness and cardiovascular risk in the context of predictive, preventive, and personalized medicine. 1
- 231 Statut d'activit  physique dans une population r sidante   Souss-Massa, Maroc. **2022**, 0
- 230 Prevalence and risk factors of high cholesterol and triglycerides among people with HIV in Texas. **2022**, 19, 0

- 229 Effectiveness of a pharmacist-led educational intervention on health outcomes in hypertension management at community pharmacies in Nigeria: A two-arm parallel single-blind randomized controlled trial. ○
- 228 Lifestyle-based oxidative balance score and its association with cardiometabolic health of the community-dwelling elderly: A cross-sectional secondary analysis. 9, ○
- 227 Idiopathic hirsutism and metabolic status: A population-based prospective cohort study. ○
- 226 Quadratic relationship between systolic blood pressure and white matter lesions in individuals with hypertension. Publish Ahead of Print, ○
- 225 The Continuing Challenge of Low Rates of Blood Pressure Control Among US Adults. **2022**, 35, 839-841 ○
- 224 ESTIMATION OF SERUM MAGNESIUM LEVELS AND ITS CORRELATION AMONG PATIENTS WITH DIABETIC RETINOPATHY. 43-45 ○
- 223 Temporal Trends in Incidence of Premature Cardiovascular Disease Over the Past 7 Decades: The Framingham Heart Study. **2022**, 11, ○
- 222 A multi-trial, retrospective analysis of the antihypertensive effects of high-resistance, low-volume inspiratory muscle strength training. **2022**, 133, 1001-1010 ○
- 221 Gestational diabetes mellitus and hypertensive disorder of pregnancy play as spouse-pair risk factors of diabetes and hypertension: Insights from Tehran Lipid and Glucose Study. **2022**, 36, 1083-1100 ○
- 220 Nifedipine versus Labetalol for Hypertension during Acute Stroke: A Systematic Review and Meta-Analysis. **2022**, 70, 1793 ○
- 219 Hypertension. **2022**, 771-785 ○
- 218 The Value of Hemoglobin Glycation Index in Diabetes Mellitus System in Evaluating and Predicting Incident Stroke in the Chinese Population. **2022**, 11, 5814 ○
- 217 A potential biomarker of cognitive impairment: The olfactory dysfunction and its genes expression. ○
- 216 The advanced lung cancer inflammation index predicts long-term outcomes in patients with hypertension: National health and nutrition examination study, 1999-2014. 9, ○
- 215 Interoception in Old Age. **2022**, 12, 1398 ○
- 214 Implications for Self-Management among African Caribbean Adults with Noncommunicable Diseases and Mental Health Disorders: A Systematic Review. **2022**, 10, 2735 ○
- 213 Age-dependent changes in fat- and water-soluble vitamins in National Health and Nutrition Examination Surveys study. 9, ○
- 212 Association between night sleep latency and hypertension: A cross-sectional study. **2022**, 101, e31250 ○

211	Use of Thiazides to Treat Hypertension and Advanced CKD.	0
210	Visit-to-visit SBP variability and risk of atrial fibrillation in middle-aged and older populations. 2022 , 40, 2521-2527	0
209	Racial and Ethnic Differences in the Association of Low-Carbohydrate Diet With Mortality in the Multi-Ethnic Study of Atherosclerosis. 2022 , 5, e2237552	0
208	Fluctuation of depressive symptoms in cognitively unimpaired participants and the risk of mild cognitive impairment 5 years later: Results of the Heinz Nixdorf Recall study. 16,	0
207	ALDOSTERONE BLOOD LEVEL INFLUENCE ON THE REMODELING OF HEART AND VESSELS IN PATIENTS WITH TYPE 2 DIABETES AND ARTERIAL HYPERTENSION. 2022 , 23, 52-60	0
206	Effectiveness of integrated care for older adults with depression and hypertension in rural China: A cluster randomized controlled trial. 2022 , 19, e1004019	0
205	The clinical impact of anti-hypertensive treatment drug-gene pairs in the asian population: a systematic review of publications in the past decade.	1
204	Antenatal Programming of Hypertension: Paradigms, Paradoxes, and How We Move Forward.	0
203	The association of hormone therapy with blood pressure control in postmenopausal women with hypertension: a secondary analysis of the Women's Health Initiative clinical trials. Publish Ahead of Print,	0
202	Addressing global disparities in blood pressure control: perspectives of the International Society of Hypertension.	0
201	Chronic kidney disease (CKD) and associated risk in rural South Africa: a population-based cohort study. 7, 236	1
200	Association of Cardiovascular Health Score Trajectory With Incident Myocardial Infarction in Hypertensive Patients. 2022 , 79, 2622-2630	0
199	Longitudinal correlates of fruit and vegetable consumption with depressive symptoms among middle-aged and older adults in South Africa. 2022 , 10,	0
198	Linkage to HIV care and hypertension and diabetes control in rural South Africa: Results from the population-based Vukuzazi Study. 2022 , 2, e0001221	0
197	Body mass index trajectories from childhood concerning emotional states in young adulthood: Tehran Lipid and Glucose Study.	0
196	Baseline blood pressure and development of cardiotoxicity in patients treated with anthracyclines: A systematic review. 2022 , 15, 200153	0
195	The effect of blood cadmium levels on hypertension in male firefighters in a metropolitan city. 2022 , 34,	0
194	Prevalence of hypertension and determinants of poor blood pressure control in patients with Type 2 diabetes mellitus attending a Tertiary Clinic in Lagos, Nigeria. 2022 , 21, 348	0

- 193 Outcomes of supraflex Sirolimus-eluting coronary stents. **2022**, 20, 130 ○
- 192 Preoperative Medical Evaluation for Total Joint Arthroplasty. **2022**, 31-36 ○
- 191 Editor's Pick: Addressing Hypertension in the Patient with Type 2 Diabetes Mellitus: Pathogenesis, Goals, and Therapeutic Approach. 84-92 ○
- 190 ETIOLOGY OF HIGH BLOOD PRESSURE AND CHEMOTHERAPY. **2022**, 75-76 ○
- 189 Prevalence and determinants of hypertension among urban slum dwellers in Bangladesh. **2022**, 22, ○
- 188 Sex-specific associations between cardiovascular risk factors and physical function: the Gambian Bone and Muscle Ageing Study. ○
- 187 Cut-off points for anthropometric indices to screen for hypertension among Iranian adults of the Bandare-Kong cohort: a cross-sectional study. **2022**, 22, ○
- 186 Association of serum uric acid with the risk of developing hypertension: A prospective cohort study with mediation analysis. ○
- 185 Novel Polyhydroquinoline-Hydrazide-Linked Schiff's Base Derivatives: Multistep Synthesis, Antimicrobial, and Calcium-Channel-Blocking Activities. **2022**, 11, 1568 ○
- 184 Predictive Value of the Age, Creatinine, and Ejection Fraction (ACEF) Score in Cardiovascular Disease among Middle-Aged Population. **2022**, 11, 6609 ○
- 183 Glucose metabolism status modifies the relationship between lipoprotein(a) and carotid plaques in individuals with fatty liver disease. 13, ○
- 182 Cross-sectional interrelationships between chronotype, obstructive sleep apnea and blood pressure in a middle-aged community cohort. ○
- 181 The impact of low-salt bread as a simple diet on hypertensive patients with cardiovascular comorbidities. 026010602211381 ○
- 180 Screening for Obstructive Sleep Apnea in Adults. **2022**, 328, 1951 1
- 179 The relationship between glucose intolerance status and risk of hospitalization during two decades of follow-up: Tehran lipid and glucose study. **2022**, 54, 3258-3268 ○
- 178 Association of lipid, inflammatory, and metabolic biomarkers with age at onset for incident cardiovascular disease. **2022**, 20, ○
- 177 Which frailty tool best predicts morbidity and mortality in ambulatory patients with heart failure? A prospective study. ○
- 176 Different characteristics of retinal damage between chronic hypertension and hypertensive retinopathy. **2022**, 12, ○

- 175 Mental distress and incident functional disability among a rural ageing population in South Africa. **2022**, 37, ○
- 174 Significance of Features from Biomedical Signals in Heart Health Monitoring. **2022**, 2, 391-408 ○
- 173 Blood pressure targets for the treatment of people with hypertension and cardiovascular disease. **2022**, 2022, ○
- 172 MIDO COVID: A digital public health strategy designed to tackle chronic disease and the COVID-19 pandemic in Mexico. **2022**, 17, e0277014 ○
- 171 Age- and sex-specific reference values of biventricular strain and strain rate derived from a large cohort of healthy Chinese adults: a cardiovascular magnetic resonance feature tracking study. **2022**, 24, ○
- 170 Effect of sodium-glucose cotransporter-2 inhibitors on patients with essential hypertension and pre-hypertension: a meta-analysis. **2022**, 13, 204201882211424 ○
- 169 Association between polycyclic aromatic hydrocarbon exposure and hypertension among the U.S. adults in the NHANES 2003-2016: A cross-sectional study. **2023**, 217, 114907 ○
- 168 Stroke: Molecular mechanisms and therapies: Update on recent developments. **2023**, 162, 105458 1
- 167 The effects of an acute weight stigma exposure on cardiovascular reactivity among women with obesity and hypertension: A randomized trial. **2023**, 165, 111124 ○
- 166 Association Between Rectosigmoid Adenomas and Cardiovascular Risk Factors: A Hospital-based, Cross-sectional Study. **2009**, 38, 630-635 ○
- 165 Lifestyle Modification Program for Cardiovascular Risk Patients in Indonesia. **2022**, 10, 724-730 ○
- 164 Effect of Oat Consumption on Blood Pressure: A Systematic Review and Meta-Analysis of Randomized Controlled Trials. **2022**, ○
- 163 Association Between Sleep Quality and Hypertension in Chinese Adults: A Cross-Sectional Analysis in the Tianning Cohort. Volume 14, 2097-2105 ○
- 162 Effect of Income Level on Stroke Incidence and Mediated Effects of Medication Adherence in Newly Diagnosed Hypertensive Patients: A Causal Mediation Analysis Using a Nationwide Cohort Study in South Korea. **2022**, 47, 268-278 ○
- 161 Protein foods from animal sources and risk of nonalcoholic fatty liver disease in representative cohorts from North and South China. ○
- 160 The Association Between Dietary Inflammatory Index (DII) and Risk of Hypertension: A Case-Control Study. **2022**, 29, 611-618 ○
- 159 Blood Pressure and Self-Management in Black Women with Hypertension: Protocol Revisions to the BRAINS Study due the COVID-19 pandemic (Preprint). ○
- 158 Blood pressure lowering effect of hydrochlorothiazide compared to other diuretics for hypertension. **2022**, 2022, ○

- 157 Changing Patterns in temporal trends of diabetes mortality in China from 1987-2020: a rapid growth among rural populations. ○
- 156 A Study on Types of Medication Adherence in Hypertension among Older Patients and Influencing Factors. **2022**, 10, 2322 ○
- 155 SUBCAPITAL- CLINICAL CORRELATION OF 2ND (INDEX) TO 4TH (RING) DIGIT RATIO WITH HIGH BLOOD PRESSURE AND ITS IMPLICATION FOR CORONARY HEART DISEASE IN WEST U.P. MALES. **2022**, 63-65 ○
- 154 AUTONOMIC IMBALANCE IN PREHYPERTENSIVE YOUNG ADULTS WITH PARENTAL HISTORY OF HYPERTENSION AND IN THOSE WITHOUT IT- A NARRATIVE REVIEW.. **2022**, 46-48 ○
- 153 Relationship Between Atherogenic Index of Plasma and Serum Uric Acid in Patients With Untreated Essential Hypertension in China: A Cross-Sectional Study. 000331972211416 1
- 152 The Association between Household Air Pollution and Blood Pressure in Obuasi Municipality, Ghana. **2022**, 13, 2033 ○
- 151 Use of the Vascular Overload Index to Predict Cardiovascular Disease in a Rural Population of China. **2022**, 2022, 1-8 ○
- 150 A comparative study of antihypertensive drugs prediction models for the elderly based on machine learning algorithms. 9, ○
- 149 Machine learning identifies prominent factors associated with cardiovascular disease: findings from two million adults in the Kashgar Prospective Cohort Study (KPCS). **2022**, 7, 1
- 148 The Mediterranean, DASH, and MIND diets and the incident of hypertension over a median follow-up of 7.4 years in the Tehran Lipid and Glucose Study. **2022**, 22, ○
- 147 Modified dementia risk score as a tool for the prediction of dementia: a prospective cohort study of 239745 participants. **2022**, 12, 1
- 146 Low physical activity is associated with adverse health outcome and higher costs in Indonesia: A national panel study. 9, ○
- 145 Initiation of oral antihypertensives in hospitalized patients with hypertensive urgency: A descriptive study. ○
- 144 Three-year change in glycemic state and the future risk of incident hypertension among Iranian adults: Tehran Lipid and Glucose Study. ○
- 143 Skeletal muscle mass and all-cause mortality: findings from the CRONICAS Cohort Study. ○
- 142 Circ_0000284: A risk factor and potential biomarker for prehypertension and hypertension. ○
- 141 Antihypertensive Medication Regimens Used in the Systolic Blood Pressure Intervention Trial. ○
- 140 Is YouTube useful as a source of information for approaches to reducing blood pressure and hypertension treatment?. ○

- 139 Non-HDL-C and LDL-C/HDL-C are associated with self-reported cardiovascular disease in a rural West African population: Analysis of an array of lipid metrics in an AWI-Gen sub-study. **2022**, 17, e0278375 0
- 138 Interventricular Septum Thickness for the Prediction of Coronary Heart Disease and Myocardial Infarction in Hypertension Population: A Prospective Study. **2022**, 11, 7152 1
- 137 The effect of total cholesterol/high-density lipoprotein cholesterol ratio on mortality risk in the general population. 13, 1
- 136 Factors predicting long-term eGFR decrease, a reliable indicator of renal function after adrenalectomy in primary aldosteronism. **2022**, 0
- 135 Establishment of dynamic nomogram and risk score models for T2DM: a retrospective cohort study in Beijing. **2022**, 22, 0
- 134 Comparison of two instruments for hypertension self-care assessments among older adults from China. 0
- 133 Higher Serum Testosterone Level Was Associated with a Lower Risk of Prediabetes in US Adults: Findings from Nationally Representative Data. **2023**, 15, 9 0
- 132 Blood Pressure-Lowering Treatment and Macrovascular Events. **2023**, 305-326 0
- 131 Influence of Snoring on the Incidence of Metabolic Syndrome: A Community-Based Prospective Cohort Study in Rural Northeast China. **2023**, 12, 447 0
- 130 Hypertension in Children with Type 2 Diabetes or the Metabolic Syndrome. **2023**, 421-437 0
- 129 Association between global biomarker of oxidative stress and quantitative ultrasound parameters in middle-aged and elderly adults: A cross-sectional study. 10, 0
- 128 Isochromosome Xq and the risk of metabolic comorbidities in Turner syndrome. **2023**, 102708 0
- 127 Ions and Fluid Dynamics in Hypertension. **2023**, 59-70 0
- 126 Validity of self-reported hypertension and related factors in the adult population: Preliminary results from the cohort in the west of Iran. 0
- 125 Association of peripheral neuropathy with subclinical left ventricular dysfunction in patients with type 2 diabetes. **2023**, 108406 0
- 124 Association of estimated white matter hyperintensity age with cognition in elderly with controlled hypertension. **2023**, 37, 103323 0
- 123 Study of prevalence of prehypertension and hypertension among urban school-going children in Tripura. **2023**, 0 0
- 122 Multimorbidity patterns in South Africa: A latent class analysis. 10, 1

121	Occupational Noise-Induced Pre-Hypertension and Determinant Factors Among Metal Manufacturing Workers in Gondar City Administration, Northwest Ethiopia. Volume 19, 21-30	0
120	Design and development of mechanical test bench for testing and calibration of multiple blood pressure measuring devices. 2023 , 94, 014102	0
119	Factors influencing self-care among patients with primary hypertension: Path analysis of mediating roles of self-efficacy and depressive symptoms.	0
118	Effectiveness of a community-based intervention in improving cardio-metabolic risk factors in adults with Metabolic Syndrome: A Randomized Controlled Trial..	0
117	Assessment of Vascular and Valvular Calcification Improves Screening for Coronary Artery Disease Before Liver Transplantation. 2023 , 191, 23-31	0
116	Association of occupational noise exposure with hypertension: A cross-sectional study.	0
115	Chronic Effects of Different Types of Neuromuscular Training on Hemodynamic Responses Estimated VO2max, and Walking Performance in Older People. 2023 , 20, 640	0
114	The effects of <i>Gymnema Sylvestre</i> supplementation on lipid profile, glycemic control, blood pressure, and anthropometric indices in adults: A systematic review and meta-analysis.	0
113	Effect of finerenone on ambulatory blood pressure in chronic kidney disease in type 2 diabetes. 2023 , 41, 295-302	2
112	Analysis of health-related, skill-related physical strength, and physique by blood pressure levels of Korean seniors. 2022 , 17, e0279264	0
111	Diabetes, Hypertension, and Comorbidity among Bangladeshi Adults: Associated Factors and Socio-Economic Inequalities. 2023 , 10, 7	0
110	EFFECTIVENESS OF A LIFESTYLE MODIFICATION PROGRAMME ON KNOWLEDGE, LIFESTYLE PRACTICES AND SELECTED MODIFIABLE RISK FACTORS OF CORONARY ARTERY DISEASE AMONG MIDDLE AGED WOMEN. 2022 , 60-64	0
109	Associations between Lake Urmia disaster and the prevalence of thyroid nodules and metabolic syndrome: The AZAR cohort survey. 2022 , 12, 310-314	0
108	Diabetes and Associated Cardiovascular Risk Factors in Iran: The Isfahan Healthy Heart Programme. 2007 , 36, 175-180	1
107	Level of self-care practices and associated factors among hypertensive patients in Addis Ababa, Ethiopia. 2023 , 23,	0
106	Prevalence of prehypertension and hypertension among the adults in South Asia: A multinomial logit model. 10,	0
105	Incidence of severe hypokalaemia in patients taking indapamide.	0
104	Accuracy of ECG left ventricular hypertrophy (LVH) criteria compared to echocardiographic LVH among hypertensives in an African population. 4, 72-79	0

- 103 Association between Age at Type 2 Diabetes Onset and Diabetic Retinopathy: A Double-Center Retrospective Study. **2023**, 2023, 1-8 ○
- 102 Blood Pressure Control Among Black and White Adults Following a Quality Improvement Program in a Large Integrated Health System. **2023**, 6, e2249930 ○
- 101 Tobacco use and incident sleep parameters among a rural ageing population in South Africa. **2023**, 21, 1-10 ○
- 100 Association between triglyceride-glucose index and risk of cardiovascular disease among postmenopausal women. **2023**, 22, ○
- 99 Association between triglyceride-glucose index and arterial stiffness reflected by carotid pulse-wave velocity in stage 1 hypertension and individuals with normal/elevated blood pressure. **2023**, 25, 199-212 ○
- 98 Genetic polymorphisms of purinergic P2Y2 receptor were associated with the susceptibility to essential hypertension in Chinese postmenopausal women. ○
- 97 The Hypertriglyceridemic Waist Phenotype Is Associated with Several Cardiovascular Risk Factors in Women with Rheumatoid Arthritis. **2023**, 11, 405 ○
- 96 Etiological Diagnosis and Personalized Therapy for Hypertension: A Hypothesis of the REASOH Classification. **2023**, 13, 261 ○
- 95 Association of Fibrinogen With Ischemic Stroke: A Systematic Review and Meta-Analysis. **2023**, ○
- 94 Role of hypertension in progression of pediatric CKD. ○
- 93 The Clinical Predictors of Hypertension and Sleepiness in an Asian Population with Sleep-disordered Breathing. **2006**, 35, 6-10 ○
- 92 Clinical and pharmacologic characteristic of Angiotensin II Receptor Blockers in the treatment of arterial hypertension and chronic heart failure. **2009**, 7-11 ○
- 91 Medical Consequences and Associations with Untreated Sleep-Related Breathing Disorders and Outcomes of Treatments. **2012**, 40, 147-149 ○
- 90 Should All Antihypertensive Agents Be Continued before Surgery?. **2013**, 48-54 ○
- 89 Renal Hypertension: Etiology and Management. **2023**, 1337-1362 ○
- 88 Pharmacology of angiotensin in renovascular diseases. **2023**, 151-178 ○
- 87 Interventions for reducing blood pressure in prehypertension: A meta-analysis. 11, ○
- 86 Association of Intensive vs Standard Blood Pressure Control With Regional Changes in Cerebral Small Vessel Disease Biomarkers. **2023**, 6, e231055 ○

- 85 Subtypes of type 2 diabetes and their association with outcomes in Korean adults - A cluster analysis of community-based prospective cohort. **2023**, 141, 155514 ○
- 84 Pre- and postnatal exposure to secondhand tobacco smoke and cardiometabolic risk at 12 years: Periods of susceptibility. **2023**, 224, 115572 ○
- 83 The role of exposure to per- and polyfluoroalkyl substances in racial/ethnic disparities in hypertension: Results from the study of Women's health across the nation. **2023**, 227, 115813 ○
- 82 D-dimer and the risk of hypertension: The REasons for Geographic And Racial Differences in Stroke Cohort Study. **2023**, 7, 100016 ○
- 81 Effects of exergame and bicycle exercise intervention on blood pressure and executive function in older adults with hypertension: A three-group randomized controlled study. **2023**, 173, 112099 ○
- 80 Interaction between the stage of chronic kidney disease and diabetes mellitus as factors associated with mortality in chronic kidney disease patients: An external cohort study. **2022**, 42, 540-548 ○
- 79 Efficacy of Dietary Polyphenols from Whole Foods and Purified Food Polyphenol Extracts in Optimizing Cardiometabolic Health: A Meta-Analysis of Randomized Controlled Trials. **2023**, 14, 270-282 ○
- 78 MindingMe: A Feasibility Study on Conducting Neuroimaging Research Among Diverse Groups. **2023**, 72, 158-163 ○
- 77 Vascular Risk Factors in Isolated Microvascular Ischemic Third Nerve Palsy: A Population-Based Study. **2022**, Publish Ahead of Print, ○
- 76 Hypertension self-care practice and its associated factors in Bale Zone, Southeast Ethiopia: A multi-center cross-sectional study. **2023**, 16, ○
- 75 Effect of a Telephone Health Coaching Intervention on Hypertension Control in Young Adults. **2023**, 6, e2255618 ○
- 74 Prevalence and risk factors for subclinical atherosclerosis amongst adults living with HIV in University of Abuja Teaching Hospital, Gwagwalada. 5, ○
- 73 eNOS Glu298Asp (rs1799983) and AGT Met235Thr (rs699) polymorphisms in adverse cardiometabolic phenotypes: A study among Bhil tribal population of India. **2023**, 35, 201152 ○
- 72 Longitudinal association of remnant cholesterol with joint arteriosclerosis and atherosclerosis progression beyond LDL cholesterol. **2023**, 21, ○
- 71 Incidence and predictors of metabolic syndrome in Asian-Indians: a 10-year population-based prospective cohort study. ○
- 70 A study to assess the prevalence of -hypertension among males residing in the community area. **2023**, 5, 180-184 ○
- 69 Electrocardiogram abnormalities and renal impairment in patients with type 2 diabetes mellitus: A healthcare facilities-based cross-sectional study in Dang district of Nepal. **2023**, 14, 602-613 ○
- 68 Associations between major dietary patterns and blood pressure among Southwest Chinese: A cross-sectional analysis based on the China Multi-Ethnic Cohort (CMEC) study. **2023**, ○

- 67 Parameters to Predict the Outcome of Severe and Critical COVID-19 Patients when Admitted to the Hospital. **2023**, 12, 1323 ○
- 66 The prevalence of cardiometabolic multimorbidity and its associations with health outcomes among women in China. 10, ○
- 65 Prevalence and Risk factors of Diabetes foot ulcers in Kano, Northwestern Nigeria. ○
- 64 Trends in using of antihypertensive medication among US CKD adults, NHANES 2001â2018. 10, ○
- 63 Behavioural approach-avoidance tendencies among individuals with elevated blood pressure. ○
- 62 Efficacy of rational emotive behavior therapy for the improvement of knowledge and risk perception of hypertension among university lecturers in South East Nigeria: REBT for university lecturersâhypertension improvement. **2023**, 102, e32171 ○
- 61 A 10-year review of antihypertensive prescribing practices after stroke and the associated disparities from the Florida Stroke Registry. ○
- 60 Association of Dietary Niacin Intake with Diabetes in Adults in the United States. ○
- 59 Anti-Doping-Vorgaben im Leistungssport âBedeutung fr die sportftzliche Praxis. **2022**, 37-45 ○
- 58 Dementia occurring over a 32-year follow-up attributable to hypertension observed at different ages: Implications for dementia prevention. ○
- 57 Sodium and Potassium Consumption in Jamaica: National Estimates and Associated Factors from the Jamaica Health and Lifestyle Survey 2016-2017. ○
- 56 Long-term Outcome of Body Composition, Ectopic Lipid, and Insulin Resistance Changes With Surgical Treatment of Acromegaly. **2023**, 7, ○
- 55 Factors influencing the progression from prehypertension to hypertension among Chinese middle-aged and older adults: a 2-year longitudinal study. **2023**, 23, ○
- 54 Engagement in Self-measured Blood Pressure Monitoring Among Medically Underresourced Participants (the Reach Out Trial): Digital Framework Qualitative Study. 7, e38900 ○
- 53 Eating frequency has an inverse correlation with adiposity measures and non-invasive arterial stiffness parameters in healthy adult people. **2023**, 35, 21-31 ○
- 52 Lower-extremity symptoms and ankleâbrachial index screening as predictors of cardiovascular outcomes in Black adults. 1358863X2311517 ○
- 51 Prevalence of overweight, obesity, and associated factors among healthcare workers in the Gaza Strip, Palestine: A cross-sectional study. 11, ○
- 50 Maternal smoking in pregnancy and blood pressure during childhood and adolescence: a meta-analysis. ○

- 49 The impact of genetic variability on the relationship between caffeine and cardiometabolic outcomes: A systematic review. **2023**, 48, 28-42 ○
- 48 Trends in Prevalence, Risk-Factors Controls and Medications in ASCVD Among US Adults, 1999-2018. ○
- 47 RELATION OF HYPERTENSION WITH BODY MASS INDEX, BLOOD GLUCOSE LEVEL IN SOUTH INDIAN POPULATION. **2023**, 96-98 ○
- 46 Thiazides and related diuretics, their current position and role in the treatment of arterial hypertension. **2009**, 74-79 ○
- 45 Personalized hypertension treatment recommendations by a data-driven model. **2023**, 23, ○
- 44 Improvements in Hypertension Control in the Rural Longitudinal HAALSI Cohort of South African Adults Aged 40 and Older, From 2014 to 2019. ○
- 43 Blood Pressure and Self-Management in Black Women with Hypertension: Protocol Revisions to the BRAINS Study due to the COVID-19 Pandemic (Preprint). ○
- 42 Managing severe hypertension in children. ○
- 41 Socioeconomic and clinical determinants of coronary artery disease in symptom-free type 2 diabetes mellitus patients. **2022**, 4, 59 ○
- 40 Cardiovascular Disease and Mortality in Black Women Carrying the Amyloidogenic V122I Transthyretin Gene Variant. **2023**, ○
- 39 Relationship between novel anthropometric indices and the incidence of hypertension in Chinese individuals: a prospective cohort study based on the CHNS from 1993 to 2015. **2023**, 23, ○
- 38 The association between smoking and the occurrence of hyperuricemia: A retrospective cohort study. ○
- 37 Regular snoring is associated with uncontrolled hypertension: A longitudinal objective assessment of nightly snoring and blood pressure. ○
- 36 Association between the intake of animal offal and depressive symptoms: a TCLSIH cohort study. ○
- 35 Arterial stiffness and blood pressure in treated hypertension: a longitudinal study. **2023**, 41, 768-774 ○
- 34 Predictive value of liver fibrosis scores in cardiovascular diseases among hypertensive population. **2023**, 41, 741-750 ○
- 33 Urine Cell Transcriptomes Implicate Specific Renal Inflammatory Pathways Associated With Difficult-to-Control Hypertension. ○
- 32 Impact of Fasting Blood Glucose Levels on Blood Pressure Parameters among Older Adults with Prediabetes. **2023**, 2023, 1-7 ○

- 31 Hypertensive Disorders of Pregnancy and the Cardiovascular System: Causes, Consequences, Therapy, and Prevention. ○
- 30 Sedentary behavior, brain-derived neurotrophic factor and brain structure in midlife: A longitudinal brain MRI sub-study of the coronary artery risk development in young adults study. 2, ○
- 29 Couple concordance in diabetes, hypertension and dyslipidaemia in urban India and Pakistan and associated socioeconomic and household characteristics and modifiable risk factors. **2023**, 77, 336-342 ○
- 28 Prevalence and clinical characteristics of atrial fibrillation in hospitalized patients with coronary artery disease and hypertension: a cross-sectional study from 2008 to 2018. **2023**, 136, 588-595 ○
- 27 The ICMR-INDIAB Study: Results from the National Study on Diabetes in India. ○
- 26 Natural molecules as promising players against diabetic peripheral neuropathy: an emerging nutraceutical approach. **2023**, 26, 894-914 ○
- 25 Comparative Accuracy of Clinical Fibrosis Markers, Hepascore and Fibroscan[®] to Detect Advanced Fibrosis in Patients with Nonalcoholic Fatty Liver Disease. ○
- 24 Vascular Diseases. **2013**, 159-181 ○
- 23 Hypertensive Crisis. **2013**, 592-601.e1 ○
- 22 Sleep Irregularity Is Associated With Hypertension: Findings From Over 2 Million Nights With a Large Global Population Sample. **2023**, 80, 1117-1126 ○
- 21 Prevalence of resistant hypertension and its relation with plasma lipoprotein-associated phospholipase A2. **2023**, 8, 46 ○
- 20 Association of adiposity indices with prehypertension among Chinese adults: A cross-sectional study. ○
- 19 Arterial hypertension and its covariates among nomadic Raute hunter-gatherers of Western Nepal: a mixed-method study. **2023**, 13, e067312 ○
- 18 High night-to-night variability in sleep apnea severity is associated with uncontrolled hypertension. **2023**, 6, ○
- 17 ABDA score: a non-invasive model to identify subjects with fibrotic non-alcoholic steatohepatitis in the community. **2023**, ○
- 16 Cardiovascular Risk Among Patients with Controlled and Uncontrolled Type 2 Diabetes: A Sub-Cohort Analysis from the Heart Health Promotion (HHP) Study. Volume 16, 1171-1180 ○
- 15 Longitudinal association of dietary habits and the risk of cardiovascular disease among Iranian population between 2001 and 2013: the Isfahan Cohort Study. **2023**, 13, ○
- 14 The safety of sports in children with inherited arrhythmia substrates. 11, ○

- 13 Hypertension severity, apparent treatment resistant hypertension and hyperuricemia in the REasons for Geographic And Racial Differences in Stroke (REGARDS) study. Publish Ahead of Print, ○
- 12 Temporal trends in overweight and obesity and chronic disease risks among adolescents and young adults: A ten-year review at a tertiary institution in Nigeria. **2023**, 18, e0283210 ○
- 11 Severity of non-alcoholic fatty liver disease is a risk factor for developing hypertension from prehypertension. Publish Ahead of Print, ○
- 10 What is Obesity?. **2023**, ○
- 9 Determinants of blood pressure control among hypertensive patients attending a rural teaching hospital in Southern Nigeria. **2023**, 26, 260 ○
- 8 Chronostructure and circadian rhythms of the parameters of the coagulation system and neurohumoral regulatory systems determining diurnal profile of blood pressure. **2023**, 73-81 ○
- 7 Hypertension. **2023**, 241-258 ○
- 6 Association between Sleep Duration and Incident Diabetes Mellitus in Healthy Subjects: A 14-Year Longitudinal Cohort Study. **2023**, 12, 2899 ○
- 5 The prevalence and treatment of hypertension in Veterans Health Administration, assessing the impact of the updated clinical guidelines. Publish Ahead of Print, ○
- 4 Chronic Kidney Disease Management in Developing Countries. **2023**, 1-146 ○
- 3 Impact of Diabetes and Hypertension on Left Ventricular Structure and Function: The Jackson Heart Study. **2023**, 12, ○
- 2 Prevalence of Traditional Risk Factors in First-Degree Relatives of Patients With Established Cardiovascular Disease. **2023**, ○
- 1 Reach Out Emergency Department: A Randomized Factorial Trial to Determine the Optimal Mobile Health Components to Reduce Blood Pressure. **2023**, 16, ○