

Phylogenetic Relationships between the Tideland Snails Ryukyu Islands and *B. multiformis* in the Japanese Islands

Zoological Science

20, 1423-1433

DOI: [10.2108/zsj.20.1423](https://doi.org/10.2108/zsj.20.1423)

Citation Report

#	ARTICLE	IF	CITATIONS
1	Phylogeography of the endangered tideland snail <i>Batillaria zonalis</i> in the Japanese and Ryukyu Islands. <i>Ecological Research</i> , 2005, 20, 686-694.	0.7	14
2	Taxonomic re-examination of the two camptandriid crab species <i>Deiratonotus japonicus</i> (Sakai, 1934) and <i>D. tonensis</i> Sakai, 1983, and genetic differentiation among their local populations. <i>Journal of Natural History</i> , 2005, 39, 3903-3918.	0.2	9
3	SYSTEMATIC REVISION OF PATELLOIDA PYGMAEA (DUNKER, 1860) (GASTROPODA: LOTTIIDAE), WITH A DESCRIPTION OF A NEW SPECIES. <i>Journal of Molluscan Studies</i> , 2005, 71, 357-370.	0.4	32
4	Phylogeny and geographic differentiation of Atlanto-Mediterranean species of the genus <i>Xantho</i> (Crustacea: Brachyura: Xanthidae) based on genetic and morphometric analyses. <i>Marine Biology</i> , 2006, 148, 853-866.	0.7	47
5	Molecular phylogeny and population structure of tideland snails in the genus <i>Cerithidea</i> around Japan. <i>Marine Biology</i> , 2006, 149, 525-535.	0.7	43
6	Temperature-related diversity of shell colour in the intertidal gastropod <i>Batillaria</i> . <i>Journal of Molluscan Studies</i> , 2007, 73, 235-240.	0.4	22
7	Degree and Pattern of Gene Flow in Several Scleractinian Corals in the Ryukyu Archipelago, Southern Japan. <i>Pacific Science</i> , 2008, 62, 413-421.	0.2	16
8	Tethyan relicts on continental coastlines of the northwestern Pacific Ocean and Australasia: molecular phylogeny and fossil record of batillariid gastropods (Caenogastropoda, Cerithioidea). <i>Zoologica Scripta</i> , 2009, 38, 503-525.	0.7	44
9	High genetic homogeneity of the moon jelly <i>Aurelia aurita</i> (Scyphozoa, Semaestomeae) along the Mediterranean coast of Tunisia. <i>African Journal of Marine Science</i> , 2009, 31, 73-80.	0.4	2
10	Species Delimitation and Historical Biogeography in the Genus <i>Helice</i> (Brachyura: Varunidae) in the Northwestern Pacific. <i>Zoological Science</i> , 2009, 26, 467.	0.3	21
11	Color Polymorphism and Historical Biogeography in the Japanese Patellogastropod Limpet <i>Cellana nigrolineata</i> (Reeve) (Patellogastropoda: Nacellidae). <i>Zoological Science</i> , 2010, 27, 811-820.	0.3	20
12	Recent evolutionary dynamism in three pulmonate gastropods from south-eastern Australia. <i>Estuarine, Coastal and Shelf Science</i> , 2013, 128, 1-8.	0.9	5
13	Characterization of polymorphic microsatellite markers for the tideland snail <i>Batillaria flectosiphonata</i> . <i>Conservation Genetics Resources</i> , 2015, 7, 751-753.	0.4	1
14	Genetic differentiation of the soft shore barnacle <i>Fistulobalanus albicostatus</i> (Cirripedia: Tj ETQq1 1 0.784314 rgBT /Overlock	0.4	22
15	Genetic diversification of intertidal gastropoda in an archipelago: the effects of islands, oceanic currents, and ecology. <i>Marine Biology</i> , 2017, 164, 1.	0.7	22
16	Distribution of <i>Batillaria multiformis</i> and <i>B. attramentaria</i> (Batillariidae) in Southern Kyushu. <i>Plankton and Benthos Research</i> , 2018, 13, 10-16.	0.2	4
17	Relationship between contrasting morphotypes and the phylogeny of the marine gastropod genus <i>Tegula</i> (Vetigastropoda: Tegulidae) in East Asia. <i>Journal of Molluscan Studies</i> , 2019, 85, 24-34.	0.4	10
18	Phylogeographic patterns of intertidal arthropods (Acari, Oribatida) from southern Japanese islands reflect paleoclimatic events. <i>Scientific Reports</i> , 2019, 9, 19042.	1.6	11

#	ARTICLE	IF	CITATIONS
19	Small-scale population genetic structure of the sand bubbler crab <i>Scopimera ryukyuensis</i> in the Ryukyu Islands, Japan. <i>Molecular Biology Reports</i> , 2020, 47, 2619-2626.	1.0	5
20	Geological and paleoclimatic events reflected in phylogeographic patterns of intertidal arthropods (Acari, Oribatida, Selenoribatidae) from southern Japanese islands. <i>Journal of Zoological Systematics and Evolutionary Research</i> , 2021, 59, 1273-1296.	0.6	5
21	Molecular phylogenetic assessment of <i>Spirobranchus kraussii</i> -complex (Annelida: Serpulidae) from the Japanese Archipelago. <i>PeerJ</i> , 2021, 9, e11746.	0.9	6
22	Higher Genetic Diversity of the Common Sea Cucumber <i>Holothuria (Halodeima) atra</i> in Marine Protected Areas of the Central and Southern Ryukyu Islands. <i>Frontiers in Conservation Science</i> , 2021, 2, .	0.9	8
23	Comparative seascape genetics of co-distributed intertidal snails <i>Monodonta</i> spp. in the Japanese and Ryukyu archipelagos. <i>Marine Ecology - Progress Series</i> , 2021, 657, 135-146.	0.9	6
24	Genetic diversity and stock identification of small abalone (<i>Haliotis diversicolor</i>) in Taiwan and Japan. <i>PLoS ONE</i> , 2017, 12, e0179818.	1.1	12
25	Phylogeography of an intertidal direct-developing gastropod <i>Batillaria cumingi</i> around the Japanese Islands. <i>Marine Ecology - Progress Series</i> , 2004, 276, 161-172.	0.9	81
26	Multiplex PCR-based genotyping of mitochondrial DNA from two species of the genus <i>Batillaria</i> (B.) Tj ETQq1 1 0.784314 rgBT /Overl 9, 67-70.	0.2	1
27	Population differentiation of the endangered salt-marsh snail <i>Ellobium chinense</i> in Japan (Gastropoda: Ellobiidae). <i>Plankton and Benthos Research</i> , 2022, 17, 66-75.	0.2	1
28	Reproductive Isolation and a Change in the Development Mode of the Tideland Snail <i>Batillaria flectosiphonata</i> (Gastropoda: Batillariidae). <i>Zoological Science</i> , 2022, 39, .	0.3	1
29	Genetically isolated population of the coastal species with high dispersal potential: the case of the sentinel crab <i>Macrophthalmus japonicus</i> (Brachyura: Macrophthalmidae) in Japan. <i>Plankton and Benthos Research</i> , 2023, 18, 13-20.	0.2	1