

# CITATION REPORT

List of articles citing

**Second to fourth digit ratio, body mass index, waist-to-hip ratio, and waist-to-chest ratio: their relationships in heterosexual men and women**

**DOI: 10.1080/03014460310001620153**

**Annals of Human Biology, 2003, 30, 728-38.**

**Source:** <https://exaly.com/paper-pdf/35632899/citation-report.pdf>

**Version:** 2024-04-19

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
110	Prenatal sex hormone effects on child and adult sex-typed behavior: methods and findings. <b>2005</b> , 29, 353-84		440
109	Photocopies yield lower digit ratios (2D:4D) than direct finger measurements. <b>2005</b> , 34, 329-33		159
108	A reanalysis of five studies on sexual orientation and the relative length of the 2nd and 4th fingers (the 2D:4D ratio). <b>2005</b> , 34, 341-56		93
107	Digit ratio (2D:4D), lateral preferences, and performance in fencing. <b>2006</b> , 103, 427-46		77
106	Of mice and men--cross-species digit ratio (2D:4D) research: comment on Bailey, Wahlsten and Hurd (2005). <b>2006</b> , 5, 299-300; author reply 300-2		15
105	Success is all in the measures: androgenousness, curvaceousness, and starring frequencies in adult media actresses. <b>2006</b> , 35, 297-304		37
104	Second to fourth digit ratio and sensation seeking. <b>2006</b> , 41, 1253-1262		70
103	Sex dimorphism in digital formulae of children. <b>2006</b> , 129, 143-50		95
102	The 2nd-4th digit ratio (2D:4D) and neck circumference: implications for risk factors in coronary heart disease. <b>2006</b> , 30, 711-4		60
101	Evidence for assortative mating on digit ratio (2D:4D), a biomarker for prenatal androgen exposure. <b>2007</b> , 39, 599-612		61
100	Anthropometric risk factors for patellar tendon injury among volleyball players. <b>2007</b> , 41, 259-63; discussion 263		58
99	Sexual dimorphism of body composition. <b>2007</b> , 21, 415-30		469
98	The effects of sex, sexual orientation, and digit ratio (2D:4D) on mental rotation performance. <b>2007</b> , 36, 251-60		112
97	Ratio of fourth to second fingertip extensions in relation to serum estradiol and testosterone levels in men and women. <b>2008</b> , 107, 3-13		7
96	La différenciation des sexes et des genres. 1. Aspects biologiques. <b>2008</b> , 166, 755-769		1
95	The relationship between testosterone and vocal frequencies in human males. <b>2008</b> , 93, 783-8		130
94	Association of height and weight with second to fourth digit ratio (2D:4D) and sex differences. <b>2008</b> , 106, 627-32		18

93	The contributions of Hans-Dieter Röhler: pioneer of digit ratio (2D:4D) research. <b>2008</b> , 103, 899-916		11
92	Digit ratios (2D:4D) determined by computer-assisted analysis are more reliable than those using physical measurements, photocopies, and printed scans. <i>American Journal of Human Biology</i> , <b>2009</b> , 21, 365-70	2.7	94
91	Latitudinal gradient in 2D:4D. <b>2009</b> , 38, 1-3		10
90	A preliminary investigation into the potential role of waist hip ratio (WHR) preference within the assortative mating hypothesis of autistic spectrum disorders. <b>2009</b> , 39, 164-71		2
89	Scientometric analysis and bibliography of digit ratio (2D:4D) research, 1998-2008. <b>2009</b> , 104, 922-56		91
88	Meta-analysis of digit ratio 2D:4D shows greater sex difference in the right hand. <i>American Journal of Human Biology</i> , <b>2010</b> , 22, 619-30	2.7	365
87	The 2D:4D digit ratio is not a useful marker for prenatal famine exposure: Evidence from the Dutch hunger winter families study. <i>American Journal of Human Biology</i> , <b>2010</b> , 22, 801-6	2.7	10
86	Investigating digit ratio (2D:4D) in a highly male-dominated occupation: the case of firefighters. <b>2010</b> , 51, 146-56		23
85	Kısa sandara ir policistinik kiauðis sindromas. <b>2010</b> , 46, 142		4
84	Digit length ratio (2D:4D) and variation in key life-history traits and fitness in contemporary Finnish women. <b>2010</b> , 21, 1061-1066		7
83	Finger bone immaturity and 2D:4D ratio measurement error in the assessment of the hyperandrogenic hypothesis for the etiology of autism spectrum disorders. <b>2010</b> , 100, 221-4		11
82	The high 2D:4D finger length ratio effects on atherosclerotic plaque development. <b>2010</b> , 209, 195-6		18
81	Index to ring digit ratio in Saudi Arabia at Almadinah Almonawarah province: a direct and indirect measurement study. <b>2011</b> , 218, 202-8		19
80	Is low digit ratio linked with late menarche? Evidence from the BBC internet study. <i>American Journal of Human Biology</i> , <b>2011</b> , 23, 527-33	2.7	33
79	Biometric characteristics of the pelvis in female-to-male transsexuals. <b>2012</b> , 41, 1303-13		8
78	Digit Ratios and Dominance in Female Baboons ( <i>Papio hamadryas</i> and <i>Papio ursinus</i> ). <b>2012</b> , 33, 1439-1452		6
77	Iranian men's waist-to-hip ratios, shoulder-to-hip ratios, body esteem and self-efficacy. <b>2012</b> , 10, 61-67		4
76	Hormones, Talent, and Career. <b>2012</b> ,		11

75	The left hand second to fourth digit ratio (2D:4D) does not discriminate world-class female gymnasts from age matched sedentary girls. <b>2012</b> , 7, e40270		14
74	The second to fourth digit ratio and age at first marriage in semi-nomadic people from Namibia. <b>2012</b> , 41, 703-10		6
73	Mental rotation in intellectually gifted boys is affected by the androgen receptor CAG repeat polymorphism. <b>2013</b> , 51, 1693-8		16
72	Relationship of 2D:4D finger ratio with androgen receptor CAG and GGN repeat polymorphism. <i>American Journal of Human Biology</i> , <b>2013</b> , 25, 101-6	2.7	19
71	No strong association between second to fourth digit ratio (2D:4D) and adult anthropometric measures with emphasis on adiposity. <i>Annals of Human Biology</i> , <b>2013</b> , 40, 201-4	1.7	9
70	Digit ratio (2D:4D) in Chinese women with breast cancer. <i>American Journal of Human Biology</i> , <b>2014</b> , 26, 562-4	2.7	29
69	Inbreeding is associated with lower 2D: 4D digit ratio. <i>American Journal of Human Biology</i> , <b>2014</b> , 26, 183-8.7		2
68	Digit ratio (2D:4D) as an indicator of body size, testosterone concentration and number of children in human males. <i>Annals of Human Biology</i> , <b>2014</b> , 41, 518-23	1.7	43
67	Our stolen figures: the interface of sexual differentiation, endocrine disruptors, maternal programming, and energy balance. <b>2014</b> , 66, 104-19		34
66	Cancer and the Plow. <b>2015</b> , 93, 863-880		0
65	Putative Androgen Exposure and Sexual Orientation: Cross-Cultural Evidence Suggesting a Modified Neurohormonal Theory. <b>2015</b> , 12, 2364-77		3
64	Second to fourth digit ratio (2D:4D) and coronary heart disease. <b>2015</b> , 91, 417-20		18
63	Digit ratio (2D:4D) and physical fitness (Eurofit test battery) in school children. <b>2015</b> , 91, 327-31		29
62	The second to fourth digit ratio (2D:4D): a risk factor of migraine and tension-type headache. <b>2015</b> , 16, 11		4
61	Differences in salivary testosterone, digit ratio and empathy between intellectually gifted and control boys. <b>2015</b> , 48, 76-84		7
60	Relationship between Ratio of Second and Fourth Digit and Obesity Traits among Different Ethnic Groups in Ilorin, North Central Nigeria. <b>2016</b> , 8, 396-400		2
59	Hadza hunter-gatherer men do not have more masculine digit ratios (2D:4D). <b>2016</b> , 159, 223-32		22
58	SEX DIFFERENCES IN DIGIT RATIO (2D:4D) AMONG MILITARY AND CIVIL COHORTS AT A MILITARY ACADEMY IN WROCŁAW, POLAND. <b>2016</b> , 48, 658-71		8

57	Handedness, sexual orientation, and somatic markers for prenatal androgens: Are southpaws really that gay?. <b>2017</b> , 22, 157-180		18
56	The relationship between second-to-fourth digit (2D:4D) ratios and problematic and pathological Internet use among Turkish university students. <b>2017</b> , 6, 30-41		10
55	Low second to fourth digit ratio in Dupuytren disease. <b>2017</b> , 96, e7801		
54	Digit ratio (2D:4D) and social integration: An effect of prenatal sex hormones. <b>2017</b> , 5, 476-489		5
53	Automatic measurement of anthropometric dimensions using frontal and lateral silhouettes. <b>2017</b> , 11, 434-447		7
52	Correlation of Index Finger Length (2D) with Height, Weight and BMI in Adult Bangladeshi Male. <b>2017</b> , 7, 90-94		0
51	Low digit ratio (2D:4D) and late pubertal onset indicate prenatal hyperandrogenization in alcohol binge drinking. <b>2018</b> , 86, 370-378		16
50	Men with more masculine digit ratios are partnered with more attractive women. <b>2018</b> , 124, 8-11		3
49	Sex differences in relationship between body composition and digit length ratio (2D:4D) in students of military courses. <i>Anthropological Review</i> , <b>2018</b> , 81, 393-403	0.6	
48	Association between the digit ratio (2D:4D) and body fat distribution in Mordovian students. <i>Annals of Human Biology</i> , <b>2018</b> , 45, 414-418	1.7	4
47	Digit Ratio and Dental Caries: A Sexually Dimorphic Trait. <b>2018</b> , 11, 1-6		2
46	Association of the 2D:4D digit ratio with body composition among the Polish children aged 6-13 years. <b>2018</b> , 124, 26-32		13
45	The androgen model of suicide completion. <b>2019</b> , 172, 84-103		24
44	The associations between left-hand digit ratio (2D:4D) and puberty characteristics among Chinese girls. <b>2019</b> , 130, 22-26		7
43	Correlation between Second to Fourth Digit Ratio and Anthropometric Variables Indicative of Cardiovascular Disease. <b>2019</b> , 36, 028-032		2
42	Can the Second to Fourth Digit Ratio (2D : 4D) Be a Marker to Determine Ankylosing Spondylitis Disease Activity?. <b>2019</b> , 2019, 4612370		1
41	Basic Human Body Dimensions Relate to Alcohol Dependence and Predict Hospital Readmission. <b>2019</b> , 8,		8
40	Lower digit ratio (2D:4D) in alcohol dependence: Confirmation and exploratory analysis in a population-based study of young men. <b>2020</b> , 25, e12815		6

39	Prenatal exposure to oestrogens estimated by digit ratio (2d/4d) and breast size in young nulliparous women. <i>Annals of Human Biology</i> , <b>2020</b> , 47, 81-84	1.7	1
38	Effectiveness of a mindfulness-oriented substance use prevention program for boys with mild to borderline intellectual disabilities: study protocol for a randomised controlled trial. <b>2020</b> , 20, 1780		2
37	Second-to-fourth digit ratio and facial shape in Buryats of Southern Siberia. <b>2020</b> , 149, 105138		3
36	Association between the 2d:4d and cardiovascular risk factors: Body mass index, blood pressure and body fat. <b>2020</b> , 151, 105193		7
35	Exploratory Evidence of Sex-Dimorphic Associations of the Ulna-to-Fibula Ratio, a Potential Marker of Pubertal Sex Steroid Exposure, with the Implicit Need for Power. <b>2020</b> , 6, 93-118		2
34	Prenatal sex hormones and finger length: Digit ratio (2D:4D) as a biological marker of early developmental processes in patients with obsessive-compulsive disorder (OCD). <b>2020</b> , 25, 100525		1
33	Can second to fourth finger ratio play a role in determining the risk of benign prostatic enlargement. <b>2020</b> , 52, e13529		1
32	Breast and torso characteristics of female contact football players: implications for the design of sports bras and breast protection. <b>2020</b> , 63, 850-863		6
31	Digit ratio (2D:4D) is not related to cardiovascular diseases or their risk factors in menopausal women. <i>American Journal of Human Biology</i> , <b>2021</b> , 33, e23505	2.7	0
30	Data regarding 2D:4D and other digit ratios in Greek population. <b>2021</b> , 34, 106724		1
29	The relationship of the digit ratio (2D:4D) with body fat distribution and handgrip strength in medical students. <b>2021</b> , 46, 555-565		1
28	Thyroid diseases and second to fourth digit ratio in Polish adults. <i>Scientific Reports</i> , <b>2021</b> , 11, 18979	4.9	0
27	A lack of sexual dimorphism in width-to-height ratio in white European faces using 2D photographs, 3D scans, and anthropometry. <b>2012</b> , 7, e42705		54
26	BMI and WHR Are Reflected in Female Facial Shape and Texture: A Geometric Morphometric Image Analysis. <b>2017</b> , 12, e0169336		19
25	DIGIT RATIO (2D:4D), LATERAL PREFERENCES, AND PERFORMANCE IN FENCING. <b>2006</b> , 103, 427		27
24	RATIO OF FOURTH TO SECOND FINGERTIP EXTENSIONS IN RELATION TO SERUM ESTRADIOL AND TESTOSTERONE LEVELS IN MEN AND WOMEN. <b>2008</b> , 107, 3		1
23	Measurement of 2D:4D Ratio and Neck Circumference in Adolescents: Sexual Dimorphism and its Implications in Obesity - A Cross Sectional Study. <b>2018</b> , 22, 724-727		5
22	Relationship of second-to-fourth digit ratio with metabolic syndrome indices and serum biomarkers in Hausa ethnic group of Kano, Nigeria. <b>2017</b> , 16, 103		3

21	Second to fourth digit ratio is a predictor of sporting ability in elite Indian male kabaddi players. <b>2014</b> , 5, e23073	6
20	Association of prenatal sex steroid exposure estimated by the digit ratio (2D:4D) with birth weight, BMI and muscle strength in 6- to 13-year-old Polish children. <b>2021</b> , 16, e0258179	1
19	Does digit ratio (2D:4D) predict penile length?. <b>2011</b> , 13, 667-8	1
18	Unlock your Hormonal Quotient (HQ). <b>2012</b> , 11-33	
17	Body Cathexis and Clothing Image of Female Collegians by Somatotype. <b>2012</b> , 23, 221-231	2
16	Digit Ratio [2D:4D] as Predictor of Body Composition Among School Children. <b>2014</b> , 149-156	
15	Relationship Between Second to Fourth Digit Ratios and Benign Prostatic Hyperplasia in Aging Men. <b>2015</b> , 9, PC01-3	4
14	Hierarchy Negotiation tactics used for Status Attainment are calibrated by Personal Traits. <b>2015</b> , 29, 15-40	
13	A Comparison with the Physique and Physical Fitness Factors according to Finger Length Ratio(2D:4D ratio) of Elementary Students. <b>2016</b> , 25, 142-149	
12	Intergender Hand Transplant: A Sex Congruent Hand Transformation. <b>2021</b> , 86, 223-225	0
11	LOW DIGIT RATIO (2D:4D) AND MASCULINE ATTRIBUTES: A CRITICAL ANALYSIS. <b>2020</b> , 8, 384-390	1
10	Sexual dimorphism in ratio of second and fourth digits and its relationship with metabolic syndrome indices and cardiovascular risk factors. <i>Journal of Research in Medical Sciences</i> , <b>2014</b> , 19, 234-9 <sup>1.6</sup>	12
9	Influence of Gonadal Steroids on Cortical Surface Area in Infancy.. <i>Cerebral Cortex</i> , <b>2021</b> ,	5.1
8	The 2D:4D index is associated with the development of excess body weight in adults, but not with the rate of weight loss following bariatric surgery.. <i>Scientific Reports</i> , <b>2022</b> , 12, 8078	4.9 1
7	Anthropometric measures do not explain the 2D : 4D ratio sexual dimorphism in 7-year-old children. <i>American Journal of Human Biology</i> ,	2.7 0
6	Can Digit Ratio and Gender Identity Predict Preferences for Consumption Options With a Distinct Gender Image?. <i>Frontiers in Psychology</i> , 13,	3.4
5	2D:4D digit ratio and its relationship to BMI, sporting choices and physiological predispositions among women. <i>Anthropological Review</i> , <b>2022</b> , 85, 135-146	0.6 0
4	Relationship between digit ratio of 2D:4D and The physical health among college students of han ethnicity in Southern Fujian. <b>2022</b> , 71, 214	0

- 3 Relationships of the Ulna-to-fibula Ratio to Baseline and Reactive Steroid Hormone Levels: An Exploratory Study. ○
- 2 Hearing the physical condition: The relationship between sexually dimorphic vocal traits and underlying physiology. 13, ○
- 1 **Born this Way** Prenatal exposure to testosterone may determine behavior in competition and conflict. **2023**, 96, 102623 ○