

# CITATION REPORT

List of articles citing

Plasma homocysteine and risk for congestive heart failure in adults without prior myocardial infarction

DOI: 10.1001/jama.289.10.1251

JAMA - Journal of the American Medical Association,  
2003, 289, 1251-7.

**Source:** <https://exaly.com/paper-pdf/35666893/citation-report.pdf>

**Version:** 2024-04-29

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
157	Genomic profiling to promote a healthy lifestyle: not ready for prime time. <b>2003</b> , 34, 347-50		133
156	Screening for homocysteine levels in Israel in primary care clinics: a need for guidelines. <b>2003</b> , 37, 668-71		4
155	Identification and Management of Vascular Risk: Beyond Low Density Lipoprotein Cholesterol. <b>2003</b> , 51, 521-531		3
154	Acute negative inotropic effects of homocysteine are mediated via the endothelium. <b>2004</b> , 287, H812-7		29
153	Hyperhomocysteinaemia-induced atrial remodelling in hypertensive rats. <b>2004</b> , 31, 331-7		5
152	Plasma homocysteine and inflammation in elderly patients with cardiovascular disease and dementia. <b>2004</b> , 39, 443-50		19
151	Homocysteine thiolactone induces apoptosis in cultured human trophoblasts: a mechanism for homocysteine-mediated placental dysfunction?. <b>2004</b> , 191, 563-71		34
150	Homocysteine and cardiovascular disease. <b>2004</b> , 6, 101-6		32
149	Communicating cardiovascular disease risk due to elevated homocysteine levels: using the EPPM to develop print materials. <b>2004</b> , 31, 355-71		44
148	Risk factors for heart failure. <b>2004</b> , 88, 1145-72		83
147	Epidemiología de la insuficiencia cardíaca. <b>2004</b> , 57, 163-170		60
146	Epidemiology of Heart Failure. <b>2004</b> , 57, 163-170		1
145	Improving homocysteine levels through balneotherapy: effects of sulphur baths. <b>2004</b> , 343, 105-11		23
144	Cobalamin: a critical vitamin in the elderly. <b>2004</b> , 39, 1256-66		125
143	C677T methylene-tetrahydrofolate reductase mutation in type 2 diabetic patients with and without hyperhomocysteinaemia. <b>2004</b> , 30, 349-54		11
142	Folate and homocysteine interrelationships including genetics of the relevant enzymes. <b>2004</b> , 15, 49-57		25
141	Plasma homocysteine levels and the left ventricular systolic function in coronary artery disease patients. <b>2005</b> , 16, 153-61		12

140	Effects of single-nucleotide polymorphisms in MTHFR and MTRR on mortality and allograft loss in kidney transplant recipients. <b>2005</b> , 68, 2857-62		9
139	Tamoxifen-treated breast carcinoma patients and the risk of acute myocardial infarction and newly-diagnosed angina. <b>2005</b> , 103, 1114-21		50
138	Protective role of mast cells in homocysteine-induced cardiac remodeling. <b>2005</b> , 288, H2541-5		31
137	Total plasma homocysteine and arteriosclerotic outcomes in type 2 diabetes with nephropathy. <b>2005</b> , 16, 3397-402		14
136	Relationship of plasma homocysteine with the severity of chronic heart failure. <i>Clinical Chemistry</i> , <b>2005</b> , 51, 1512-5	5.5	38
135	S-adenosylmethionine and 5-methyltetrahydrofolate are associated with endothelial function after controlling for confounding by homocysteine: the Hoorn Study. <b>2005</b> , 25, 778-84		28
134	Fasting plasma total homocysteine levels and mortality and allograft loss in kidney transplant recipients: a prospective study. <b>2005</b> , 16, 255-60		46
133	Hyperhomocysteinemia is inversely related with left ventricular ejection fraction and predicts cardiovascular mortality in high-risk coronary artery disease hypertensives. <b>2005</b> , 25, 115-21		42
132	A genomewide exploration suggests a new candidate gene at chromosome 11q23 as the major determinant of plasma homocysteine levels: results from the GAIT project. <b>2005</b> , 76, 925-33		86
131	Serum homocysteine concentration of US adults associated with fortified cereal consumption. <b>2005</b> , 24, 503-9		7
130	The effect of folate fortification of cereal-grain products on blood folate status, dietary folate intake, and dietary folate sources among adult non-supplement users in the United States. <b>2005</b> , 24, 266-74		176
129	[Determination and utilisation of the plasmatic concentration of homocysteine in clinical practice]. <b>2005</b> , 124, 544-53		3
128	Myocardial dysfunction in rheumatoid arthritis: epidemiology and pathogenesis. <b>2005</b> , 7, 195-207		52
127	Homocysteine lowering with folic acid and vitamin B supplements: effects on cardiovascular disease in older adults. <b>2006</b> , 23, 491-502		8
126	Factors associated with hyperhomocysteinemia after renal transplantation. <b>2006</b> , 28, 57-62		1
125	Association of plasma homocysteine with coronary artery calcification in different categories of coronary heart disease risk. <b>2006</b> , 81, 177-82		24
124	Clinical significance of homocysteine in elderly hospitalized patients. <b>2006</b> , 55, 620-7		8
123	Relation of visceral adiposity, homocysteine levels and left ventricular morphology. <b>2006</b> , 29, 573-4		

122	Effect of long-term hyperhomocysteinemia on myocardial structure and function in hypertensive rats. <b>2006</b> , 15, 75-82	48
121	The many facets of hyperhomocysteinemia: studies from the Framingham cohorts. <b>2006</b> , 136, 1726S-1730S	140
120	Total homocysteine concentration and associated cardiovascular and renal implications in adults. <b>2006</b> , 21, 40-6	2
119	Acute dilatory and negative inotropic effects of homocysteine are inhibited by an adenosine blocker. <b>2006</b> , 33, 340-4	4
118	Medical foods: products for the management of chronic diseases. <b>2006</b> , 64, 495-501	18
117	Homocysteine: role and implications in atherosclerosis. <b>2006</b> , 8, 100-6	109
116	Thiol exchange: an in vitro assay that predicts the efficacy of novel homocysteine lowering therapies. <b>2006</b> , 95, 1742-50	14
115	Maternal polymorphisms 677C-T and 1298A-C of MTHFR, and 66A-G MTRR genes: is there any relationship between polymorphisms of the folate pathway, maternal homocysteine levels, and the risk for having a child with Down syndrome?. <b>2006</b> , 140, 987-97	45
114	A review of homocysteine and heart failure. <b>2006</b> , 8, 571-6	42
113	Homocysteine measurements in geriatric patients. <b>2006</b> , 66, 309-15	8
112	Renal function as a predictor of outcome in a broad spectrum of patients with heart failure. <b>2006</b> , 113, 671-8	694
111	Increased homocysteine in heart failure: a result of renal impairment?. <b>2006</b> , 44, 1324-9	4
110	Hyperhomocysteinemia and myocardial expression of brain natriuretic peptide in rats. <i>Clinical Chemistry</i> , <b>2007</b> , 53, 773-80	5.5 10
109	Elevated homocysteine is associated with reduced regional left ventricular function: the Multi-Ethnic Study of Atherosclerosis. <b>2007</b> , 115, 180-7	44
108	Homocysteine levels are associated with increased risk of congestive heart failure in patients with and without coronary artery disease. <b>2007</b> , 107, 178-84	9
107	Associations of plasma natriuretic peptide, adrenomedullin, and homocysteine levels with alterations in arterial stiffness: the Framingham Heart Study. <b>2007</b> , 115, 3079-85	47
106	Effect of folic acid and vitamins B6 and B12 on microcirculatory vasoreactivity in patients with hyperhomocysteinemia. <b>2007</b> , 41, 339-45	5
105	Homocysteine, left ventricular dysfunction and coronary artery disease: is there a link?. <b>2007</b> , 45, 1645-51	4

104	Homocysteine research: alive and kicking!. <b>2007</b> , 45, 1571-4		4
103	Homocysteine, brain natriuretic peptide and chronic heart failure: a critical review. <b>2007</b> , 45, 1633-44		18
102	Effect of folate supplementation on N-terminal pro-brain natriuretic peptide. <i>International Journal of Cardiology</i> , <b>2007</b> , 118, 267-9	3.2	10
101	Hyperhomocysteinemia in patients with symptomatic chronic heart failure: prevalence and prognostic importance--pilot study. <i>Atherosclerosis</i> , <b>2007</b> , 194, 408-14	3.1	24
100	Metabolic and nutritional complications of renal transplantation. <b>2007</b> , 17, 97-102		17
99	Mesna as a nonvitamin intervention to lower plasma total homocysteine concentration: implications for assessment of the homocysteine theory of atherosclerosis. <b>2007</b> , 47, 991-7		9
98	Hyperhomocysteinémie et macroangiopathie : « intox ou info »?. <b>2007</b> , 1, 53-56		
97	Hyperhomocysteinemia and diabetic macroangiopathy: guilty or innocent bystander?. <b>2007</b> , 1, 53-59		3
96	Assessing Plasma Total Homocysteine in Patients with End-Stage Renal Disease. <b>2007</b> , 27, 476-488		10
95	Plasma B vitamins and their relation to the severity of chronic heart failure. <b>2007</b> , 85, 117-23		28
94	Left ventricular systolic dysfunction is an independent predictor of homocysteine in angiographically documented patients with or without coronary artery lesions. <b>2007</b> , 5, 1209-16		18
93	The effect of mesna on plasma total homocysteine concentration in hemodialysis patients. <b>2007</b> , 49, 109-17		23
92	Two models of homocysteine behavior in acute myocardial infarction. <b>2008</b> , 41, 277-81		5
91	Effect of anti-oxidant treatment on hyperhomocysteinemia-induced myocardial fibrosis and diastolic dysfunction. <b>2008</b> , 27, 1237-41		21
90	Homocysteine levels and leukocyte telomere length. <i>Atherosclerosis</i> , <b>2008</b> , 200, 271-7	3.1	71
89	Circulating homocysteine levels in patients with radiofrequency catheter ablation for atrial fibrillation. <b>2008</b> , 10, 961-6		26
88	Public health significance of elevated homocysteine. <b>2008</b> , 29, S116-25		92
87	Mitochondrial matrix metalloproteinase activation decreases myocyte contractility in hyperhomocysteinemia. <b>2008</b> , 295, H890-7		81

86	Prevention of heart failure: a scientific statement from the American Heart Association Councils on Epidemiology and Prevention, Clinical Cardiology, Cardiovascular Nursing, and High Blood Pressure Research; Quality of Care and Outcomes Research Interdisciplinary Working Group; and Functional Genomics and Translational Biology Interdisciplinary Working Group. <b>2008</b> , 117, 2544-65			394
85	C-reactive protein and reclassification of cardiovascular risk in the Framingham Heart Study. <b>2008</b> , 1, 92-7			189
84	Restoration of contractility in hyperhomocysteinemia by cardiac-specific deletion of NMDA-R1. <b>2009</b> , 296, H887-92			33
83	Asymmetric dimethylarginine reference intervals determined with liquid chromatography-tandem mass spectrometry: results from the Framingham offspring cohort. <i>Clinical Chemistry</i> , <b>2009</b> , 55, 1539-45 <sup>5.5</sup>			44
82	Usefulness of myeloperoxidase levels in healthy elderly subjects to predict risk of developing heart failure. <b>2009</b> , 103, 1269-74			50
81	The cardiac effects of prolonged vitamin B12 and folate deficiency in rats. <b>2009</b> , 9, 95-102			8
80	Quo vadis: whither homocysteine research?. <b>2009</b> , 9, 53-63			43
79	High prevalence of structural heart disease in children with cblC-type methylmalonic aciduria and homocystinuria. <b>2009</b> , 98, 344-8			52
78	Cross-sectional relations of multiple biomarkers representing distinct biological pathways to plasma markers of collagen metabolism in the community. <i>Journal of Hypertension</i> , <b>2009</b> , 27, 1317-24	1.9		10
77	Total and lipid-associated sialic acid in serum and thrombocytes in patients with chronic heart failure. <b>2010</b> , 43, 447-9			4
76	MAT1A variants are associated with hypertension, stroke, and markers of DNA damage and are modulated by plasma vitamin B-6 and folate. <b>2010</b> , 91, 1377-86			20
75	Association of hyperhomocysteinemia with left ventricular dilatation and mass in human heart. <b>2010</b> , 48, 555-60			15
74	Multimarker approach for the prediction of heart failure incidence in the community. <b>2010</b> , 122, 1700-6			94
73	Associations between plasma homocysteine levels, aortic stiffness and wave reflection in patients with arterial hypertension, isolated office hypertension and normotensive controls. <b>2010</b> , 24, 183-9			20
72	Dietary folate and vitamin b6 and B12 intake in relation to mortality from cardiovascular diseases: Japan collaborative cohort study. <b>2010</b> , 41, 1285-9			73
71	Plasma homocysteine and cardiovascular risk in heart failure with and without cardiorenal syndrome. <i>International Journal of Cardiology</i> , <b>2010</b> , 141, 32-8		3.2	23
70	Hyperhomocysteinémie et stress oxydant chez les insuffisants cardiaques. <b>2010</b> , 25, 191-196			
69	Serum N-terminal-pro-brain natriuretic peptide (NT-pro-BNP) and homocysteine levels in type 2 diabetic patients with asymptomatic left ventricular diastolic dysfunction. <b>2010</b> , 87, 51-6			13

68	Behavioral intervention, nutrition, and exercise trials in heart failure. <b>2011</b> , 7, 467-79		1
67	La insuficiencia cardíaca en el siglo XXI. Epidemiología y consecuencias económicas. <b>2011</b> , 18, 83-89		3
66	Relationship between dietary folate intake and plasma monocyte chemoattractant protein-1 and interleukin-8 in heart failure patients. <b>2011</b> , 49, 62-6		8
65	Epidemiology of Heart Failure. <b>2011</b> , 346-354		
64	Relationship between plasma homocysteine levels and congestive heart failure in patients with acute myocardial infarction. Homocysteine and congestive heart failure. <b>2011</b> , 52, 224-8		14
63	Nutritional assessment in heart failure patients. <b>2011</b> , 17, 199-203		18
62	Mechanisms of action of spa therapies in rheumatic diseases: what scientific evidence is there?. <b>2011</b> , 31, 1-8		134
61	Fattening by deprivation: methyl balance and perinatal cardiomyopathy. <b>2011</b> , 225, 315-7		7
60	<sup>1</sup> H nuclear magnetic resonance based metabolic urinary profiling of patients with ischemic heart failure. <b>2011</b> , 44, 293-9		72
59	Reference intervals for plasma L-arginine and the L-arginine:asymmetric dimethylarginine ratio in the Framingham Offspring Cohort. <b>2011</b> , 141, 2186-90		56
58	Evaluation of homocysteine levels in dogs with chronic mitral valve insufficiency. <b>2012</b> , 171, 220		4
57	Higher plasma homocysteine is associated with lower vitamin B6 status in critically ill surgical patients. <i>Nutrition in Clinical Practice</i> , <b>2012</b> , 27, 695-700	3.6	8
56	Association between risk factors and left ventricular remodeling in middle-aged and aged population: a community-based study. <i>Journal of Hypertension</i> , <b>2012</b> , 30, 1862-73	1.9	5
55	Nuevos marcadores de riesgo cardiovascular. ¿Pueden influir en la clasificación del riesgo cardiovascular?. <i>Clínica E Investigación En Arteriosclerosis</i> , <b>2012</b> , 24, 57-70	1.4	
54	The role of B vitamins in the management of heart failure. <i>Nutrition in Clinical Practice</i> , <b>2012</b> , 27, 363-74	3.6	15
53	Homocysteine, grey matter and cognitive function in adults with cardiovascular disease. <i>PLoS ONE</i> , <b>2012</b> , 7, e33345	3.7	13
52	The role of iron, omega-3 Fatty acids, and vitamins in heart failure. <i>Current Treatment Options in Cardiovascular Medicine</i> , <b>2012</b> , 14, 328-41	2.1	5
51	Mechanisms for cachexia in heart failure. <i>Current Heart Failure Reports</i> , <b>2013</b> , 10, 307-14	2.8	32

50	Adverse myocardial effects of B-vitamin therapy in subjects with chronic kidney disease and hyperhomocysteinaemia. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , <b>2013</b> , 23, 836-42	4.5	9
49	Big-endothelin 1 (big ET-1) and homocysteine in the serum of dogs with chronic kidney disease. <i>Veterinary Journal</i> , <b>2013</b> , 198, 109-15	2.5	15
48	Glyphosate—Suppression of Cytochrome P450 Enzymes and Amino Acid Biosynthesis by the Gut Microbiome: Pathways to Modern Diseases. <i>Entropy</i> , <b>2013</b> , 15, 1416-1463	2.8	162
47	Effects of direct Renin inhibition on myocardial fibrosis and cardiac fibroblast function. <i>PLoS ONE</i> , <b>2013</b> , 8, e81612	3.7	23
46	Methoxistasis: integrating the roles of homocysteine and folic acid in cardiovascular pathobiology. <i>Nutrients</i> , <b>2013</b> , 5, 3235-56	6.7	58
45	Plasma homocysteine, dietary B vitamins, betaine, and choline and risk of peripheral artery disease. <i>Atherosclerosis</i> , <b>2014</b> , 235, 94-101	3.1	39
44	Contribution of endogenously produced reactive oxygen species to the activation of podocyte NLRP3 inflammasomes in hyperhomocysteinemia. <i>Free Radical Biology and Medicine</i> , <b>2014</b> , 67, 211-20	7.8	59
43	Differential regulation of DNA methylation versus histone acetylation in cardiomyocytes during HHcy in vitro and in vivo: an epigenetic mechanism. <i>Physiological Genomics</i> , <b>2014</b> , 46, 245-55	3.6	41
42	The effect of taurine on the relationship between NO, ADMA and homocysteine in endotoxin-mediated inflammation in HUVEC cultures. <i>Inflammation</i> , <b>2014</b> , 37, 1439-43	5.1	5
41	Encapsulation strategies to stabilize a natural folate, L-5-methyltetrahydrofolic acid, for food fortification practices. <b>2015</b> , 142-157		2
40	Selective homocysteine-lowering gene transfer attenuates pressure overload-induced cardiomyopathy via reduced oxidative stress. <i>Journal of Molecular Medicine</i> , <b>2015</b> , 93, 609-18	5.5	27
39	Inadequate Vitamin B-6 Status in Critical Care. <b>2015</b> , 1423-1431		
38	Heart Failure in Women—Insights from the Framingham Heart Study. <i>Cardiovascular Drugs and Therapy</i> , <b>2015</b> , 29, 377-90	3.9	39
37	Hyperhomocysteinemia is associated with severity of cirrhosis and negative impact after liver transplantation. <i>Liver International</i> , <b>2016</b> , 36, 696-704	7.9	10
36	Pharmacotherapy for comorbidities in chronic heart failure: a focus on hematinic deficiencies, diabetes mellitus and hyperkalemia. <i>Expert Opinion on Pharmacotherapy</i> , <b>2016</b> , 17, 1527-38	4	2
35	Oxcarbazepine administration and the serum levels of homocysteine, vitamin B12 and folate in epileptic patients: A systematic review and meta-analysis. <i>Seizure: the Journal of the British Epilepsy Association</i> , <b>2017</b> , 45, 87-94	3.2	7
34	A cerium-based metal—organic framework having inherent oxidase-like activity applicable for colorimetric sensing of biothiols and aerobic oxidation of thiols. <i>CrystEngComm</i> , <b>2017</b> , 19, 5915-5925	3.3	81
33	Association between plasma homocysteine concentration and the risk of all-cause death in adults with diastolic dysfunction in a community: A 13-year cohort study. <i>Medicine (United States)</i> , <b>2017</b> , 96, e6716	1.8	5



32	Is hyperhomocysteinemia a causal factor for heart failure? The impact of the functional variants of MTHFR and PON1 on ischemic and non-ischemic etiology. <i>International Journal of Cardiology</i> , <b>2017</b> , 228, 37-44	3.2	9
31	Therapeutic Potential of Progranulin in Hyperhomocysteinemia-Induced Cardiorenal Dysfunction. <i>Hypertension</i> , <b>2017</b> , 69, 259-266	8.5	15
30	Prognostic value of homocysteine and highly sensitive cardiac troponin T in children with acute heart failure. <i>Journal of the Saudi Heart Association</i> , <b>2018</b> , 30, 198-204	0.7	5
29	In Vivo and In Vitro Effects of Vasopressin V2 Receptor Antagonism on Myocardial Fibrosis in Rats. <i>American Journal of the Medical Sciences</i> , <b>2019</b> , 357, 151-159	2.2	
28	Homocysteine and Incident Atrial Fibrillation: The Atherosclerosis Risk in Communities Study and the Multi-Ethnic Study of Atherosclerosis. <i>Heart Lung and Circulation</i> , <b>2019</b> , 28, 615-622	1.8	12
27	An Au@NH-MIL-125(Ti)-based multifunctional platform for colorimetric detections of biomolecules and Hg. <i>Journal of Materials Chemistry B</i> , <b>2020</b> , 8, 114-124	7.3	19
26	Association Between Homocysteine and Vascular Calcification Incidence, Prevalence, and Progression in the MESA Cohort. <i>Journal of the American Heart Association</i> , <b>2020</b> , 9, e013934	6	23
25	Au@NH <sub>2</sub> -MIL-125(Ti) heterostructure as light-responsive oxidase-like mimic for colorimetric sensing of cysteine. <i>Microporous and Mesoporous Materials</i> , <b>2021</b> , 310, 110642	5.3	12
24	Choline Metabolism and Risk of Atrial Fibrillation and Heart Failure in the PREDIMED Study. <i>Clinical Chemistry</i> , <b>2021</b> , 67, 288-297	5.5	10
23	Metformin decreased myocardial fibrosis and apoptosis in hyperhomocysteinemia -induced cardiac hypertrophy. <i>Current Research in Translational Medicine</i> , <b>2021</b> , 69, 103270	3.7	6
22	No causal association between plasma homocysteine levels and atrial fibrillation: A Mendelian randomization study. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , <b>2021</b> , 31, 587-591	4.5	2
21	Associations of methyl donor and methylation inhibitor levels during anti-oxidant therapy in heart failure. <i>Journal of Physiology and Biochemistry</i> , <b>2021</b> , 77, 295-304	5	
20	Elevated Plasma Homocysteine Level Associated with Further Left Ventricular Structure and Function Damages in Type 2 Diabetic Patients: A Three-Dimensional Speckle Tracking Echocardiography Study. <i>Metabolic Syndrome and Related Disorders</i> , <b>2021</b> , 19, 443-451	2.6	0
19	Elevated homocysteine levels in patients with heart failure: A systematic review and meta-analysis. <i>Medicine (United States)</i> , <b>2021</b> , 100, e26875	1.8	4
18	Homocysteine (HCY) levels in patients with atrial fibrillation (AF): A meta-analysis. <i>International Journal of Clinical Practice</i> , <b>2021</b> , e14738	2.9	0
17	Nutriceuticals and Cardiovascular Illness. <b>2005</b> , 58-85		2
16	Selective homocysteine lowering gene transfer improves infarct healing, attenuates remodelling, and enhances diastolic function after myocardial infarction in mice. <i>PLoS ONE</i> , <b>2013</b> , 8, e63710	3.7	6
15	Effects of low-dose contraceptive pills on the risk factors of cardiovascular diseases among 15-35-year-old women: A retrospective cohort. <i>International Journal of Reproductive BioMedicine</i> , <b>2019</b> , 17, 841-850	1.3	1

14	The Clinical Issues. <b>2016</b> , 19-50		1
13	Hyperhomocysteinemia and Cardiovascular Disorders: Is There a Correlation?. <i>Trends in Medical Research</i> , <b>2007</b> , 2, 160-166	0.2	10
12	New evidence on mechanisms of action of spa therapy in rheumatic diseases. <i>Tang [humanitas Medicine]</i> , <b>2014</b> , 4, 3.1-3.8		4
11	Increased Folate Intake is Recommended. <i>Japanese Journal of Complementary and Alternative Medicine</i> , <b>2009</b> , 6, 53-57	0	
10	Inadequate Vitamin B-6 Status in Critical Care. <b>2014</b> , 1-11		
9	Hyperhomocysteinemia and folate levels in normal healthy Nigerians living in Zaria: Subanalysis of ABU homocysteine cross-sectional survey. <i>Annals of African Medicine</i> , <b>2019</b> , 18, 143-152	1.7	3
8	Motive, die Alkohol- und/oder Tabakabhigige zum Arzt fhren. <b>2020</b> , 131-171		
7	Motives of Alcohol- and/or Tobacco-Addicted Patients to Seek Medical Help. <b>2020</b> , 129-180		
6	A novel rat model of heart failure induced by high methionine diet showing evidence of association between hyperhomocysteinemia and activation of NF-kappaB. <i>American Journal of Translational Research (discontinued)</i> , <b>2016</b> , 8, 117-24	3	6
5	Erectile Dysfunction: Pharmacological Pathways with Understudied Potentials. <b>2023</b> , 11, 46		0
4	Homocysteine Levels in Severe OSA Patients Before and After TORS-OSA Surgery.		0
3	Progranulin (PGRN) as a regulator of inflammation and a critical factor in the immunopathogenesis of cardiovascular diseases. <b>2023</b> , 20,		0
2	Plasma homocysteine levels and risk of congestive heart failure or cardiomyopathy: A Mendelian randomization study. 10,		0
1	Current knowledge on the prevention of hyperhomocysteinemia as a risk factor for cardiovascular diseases. <b>2023</b> , 40, 13-21		0