

CITATION REPORT

List of articles citing

2001 SCCM/ESICM/ACCP/ATS/SIS International Sepsis Definitions Conference

DOI: 10.1097/01.ccm.00000050454.01978.3b
Critical Care Medicine, 2003, 31, 1250-6.

Source: <https://exaly.com/paper-pdf/35670735/citation-report.pdf>

Version: 2024-04-09

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
2329	Septic Shock. 403-408		
2328	Intravenous immunoglobulin for treating sepsis and septic shock. 2000 , CD001090		63
2327	Sepsis in neutropenia--guidelines of the Infectious Diseases Working Party (AGIHO) of the German Society of Hematology and Oncology (DGHO). 2003 , 82 Suppl 2, S158-66		6
2326	[Indicators of sepsis severity]. 2003 , 121, 378-80		0
2325	The evaluation and management of shock. 2003 , 24, 775-89		532
2324	Assessment of six mortality prediction models in patients admitted with severe sepsis and septic shock to the intensive care unit: a prospective cohort study. 2003 , 7, R116-22		54
2323	State-of-the-art therapy for severe sepsis and multisystem organ dysfunction. 2003 , 186, 23S-30S; discussion 31S-34S		30
2322	Severe sepsis and septic shock: defining the clinical problem. 2003 , 35, 529-34		10
2321	Acute renal failure definitions and classification: time for change?. 2003 , 14, 2178-87		403
2320	Is the implementation of research findings in the critically ill hampered by the lack of universal definitions of illness?. 2003 , 9, 308-15		8
2319	Infection in critically ill patients: clinical impact and management. 2003 , 16, 309-13		8
2318	Nuclear factor-kappaB: is it a therapeutic target for the adjuvant treatment of sepsis?. <i>Critical Care Medicine</i> , 2003 , 31, 2400-2	1.4	11
2317	Clinical trial design and outcomes in patients with severe sepsis. 2003 , 20, 295-302		48
2316	Incidence and definition of sepsis and associated organ dysfunction. 2004 , 27, 352-9		14
2315	The development of drotrecogin alfa (activated) for the treatment of severe sepsis. 2004 , 27, 360-70		2
2314	Predicting bacteremia at the bedside. 2004 , 38, 357-62		103
2313	Prognostic value of tubular proteinuria and enzymuria in nonoliguric acute tubular necrosis. 2004 , 50, 552-8		218

2312 Current concepts in the diagnosis and management of trauma-related sepsis. **2004**, 6, 1-11

2311 Cardiopulmonary, histological and inflammatory alterations after lung contusion in a novel mouse model of blunt chest trauma.: Reply:. **2004**, 21, 191

2310 Toward resolving the challenges of sepsis diagnosis. **2004**, 50, 1301-14 144

2309 Activated protein C in sepsis. **2004**, 2, 708-17 22

2308 Primary sepsis in a university hospital in northern Sweden: a retrospective study. **2004**, 48, 960-7 16

2307 The dark side of C5a in sepsis. **2004**, 4, 133-42 337

2306 Should procalcitonin be introduced in the diagnostic criteria for the systemic inflammatory response syndrome and sepsis?. **2004**, 19, 152-7 38

2305 Management of septic shock in the pediatric emergency department in 2004. **2004**, 5, 20-27 4

2304 The systemic inflammatory response syndrome. **2004**, 18, 455-75 55

2303 Procalcitonin: improved biochemical severity stratification and postoperative monitoring in severe abdominal inflammation and sepsis. **2004**, 389, 134-44 28

2302 Scoring-Systeme in der Diagnostik und Verlaufsbeurteilung der SepsisDiagnostische und therapeutische Implikationen. **2004**, 41, 476-487

2301 [Role of the innate immune response in sepsis]. **2004**, 53, 10-28 10

2300 [Apoptosis as a pathomechanism in sepsis]. **2004**, 53, 59-65 4

2299 Effects of fluid challenge on gastric mucosal PCO2 in septic patients. **2004**, 30, 423-9 36

2298 EPISEPSIS: a reappraisal of the epidemiology and outcome of severe sepsis in French intensive care units. **2004**, 30, 580-8 480

2297 Looking at subgroups in an inhomogeneous population does not make these subgroups more homogeneous. **2004**, 30, 1497 3

2296 C-reactive protein used as an early indicator of infection in patients with systemic inflammatory response syndrome. **2004**, 30, 2038-45 94

2295 Relationship between CRP and hypofibrinolysis: Is this a possible mechanism to explain the association between CRP and outcome in critically ill patients?. **2004**, 2, 7 16

2294	Drotrecogin alfa (activated): a pharmacoeconomic review of its use in severe sepsis. 2004 , 22, 445-76	9	
2293	Diagnosis of neonatal sepsis: a clinical and laboratory challenge. 2004 , 50, 279-87	151	
2292	The challenge of sepsis. 2004 , 8, 435-6	4	
2291	Natural anticoagulant inhibitors: activated Protein C. 2004 , 17, 161-82	18	
2290	Sepsis and septic shock in pregnancy. 2004 , 20, 651-60; viii	26	
2289	Pharmacoeconomic implications of new therapies in sepsis. 2004 , 22, 895-906	46	
2288	Optimum treatment of severe sepsis and septic shock: evidence in support of the recommendations. 2004 , 50, 168-213	29	
2287	Immune response in burn patients in relation to HIV infection and sepsis. 2004 , 30, 670-4	14	
2286	New markers of sepsis using proteome analysis. 2004 , 19, 131-137		
2285	Clinical review 167: Procalcitonin and the calcitonin gene family of peptides in inflammation, infection, and sepsis: a journey from calcitonin back to its precursors. 2004 , 89, 1512-25	419	
2284	[Physiopathology of severe sepsis]. 2004 , 33, 256-61; discussion 269	13	
2283	HMGB1 in the immunology of sepsis (not septic shock) and arthritis. 2004 , 84, 181-200	44	
2282	Case 3--2004: acute multisystem organ failure in the immediate postoperative period after routine CABG surgery. 2004 , 18, 366-74	1	
2281	The surviving sepsis guidelines: not another "groundhog day". <i>Critical Care Medicine</i> , 2004 , 32, 1601-2	1.4	16
2280	Sepsis: an arginine deficiency state?. <i>Critical Care Medicine</i> , 2004 , 32, 2135-45	1.4	190
2279	Management of severe sepsis and septic shock. 2004 , 10, 354-63	29	
2278	Utility of activated partial thromboplastin time waveform analysis for identification of sepsis and overt disseminated intravascular coagulation in patients admitted to a surgical intensive care unit. <i>Critical Care Medicine</i> , 2004 , 32, 520-4	1.4	44
2277	Evidence-based management of critically ill patients: analysis and implementation. 2004 , 99, 566-72	14	

- 2276 Evaluation of protein C and other biomarkers as predictors of mortality in a rat cecal ligation and puncture model of sepsis. *Critical Care Medicine*, **2004**, 32, 1570-8 1.4 66
- 2275 Use of recombinant tissue plasminogen activator in children with meningococcal purpura fulminans: a retrospective study. *Critical Care Medicine*, **2004**, 32, 1777-80 1.4 58
- 2274 Does arginine vasopressin influence the coagulation system in advanced vasodilatory shock with severe multiorgan dysfunction syndrome?. **2004**, 99, 201-206 60
- 2273 Guide to a systematic physical assessment in the infant with suspected infection and/or sepsis. **2004**, 4, 141-53; quiz 154-7 5
- 2272 New method of classifying infections in critically ill patients. *Critical Care Medicine*, **2004**, 32, 1510-26 1.4 59
- 2271 Acute respiratory distress syndrome criteria in trauma patients: why the definitions do not work. **2004**, 57, 522-6; discussion 526-8 33
- 2270 Sepsis: current status, future prospects. **2004**, 10, 250-64 26
- 2269 In silico design of clinical trials: a method coming of age. *Critical Care Medicine*, **2004**, 32, 2061-70 1.4 151
- 2268 Clinical trial design and outcomes in patients with severe sepsis. Steven M. Opal. Shock 20(4):295-302, 2003. **2004**, 21, 189; author reply 189-90
- 2267 Sepsis. **2004**, 34, 32cc1-32cc4
- 2266 Evidence-based medicine in the ICU: important advances and limitations. **2004**, 126, 592-600 85
- 2265 Clinical Trial Design and Outcomes in Patients with Severe Sepsis.: Reply:. **2004**, 21, 189-190
- 2264 Cardiopulmonary, histological and inflammatory alterations after lung contusion in a novel mouse model of blunt chest trauma. Shock 19(6):519-525, 2003. **2004**, 21, 190-1; author reply 191 1
- 2263 Winning the battle against severe sepsis. **2004**, 2, 26-33
- 2262 Early care of severe sepsis and multiple organ failure in children. **2004**, 65, 553-6 1
- 2261 The puzzle of sepsis: fitting the pieces of the inflammatory response with treatment. **2004**, 15, 18-44 21
- 2260 The effects of drugs on thermoregulation. **2004**, 15, 238-53 27
- 2259 Human recombinant activated protein C for severe sepsis in neonates. **2005**,

2258	Improving outcomes in septic shock--can we define causality and find more efficacious treatments?. <i>Critical Care Medicine</i> , 2005 , 33, 2134-6	1.4	2
2257	Regulation of peritoneal and systemic neutrophil-derived tumor necrosis factor-alpha release in patients with severe peritonitis: role of tumor necrosis factor-alpha converting enzyme cleavage. <i>Critical Care Medicine</i> , 2005 , 33, 1359-64	1.4	47
2256	In vivo heat shock protein assembles with septic liver NF-kappaB/I-kappaB complex regulating NF-kappaB activity. 2005 , 24, 232-8		53
2255	Rapid alterations in transferrin sialylation during sepsis. 2005 , 24, 48-52		39
2254	Messenger RNA expression of major histocompatibility complex class II genes in whole blood from septic shock patients. <i>Critical Care Medicine</i> , 2005 , 33, 31-8; discussion 236-7	1.4	68
2253	Outcome measures for clinical research in sepsis: a report of the 2nd Cambridge Colloquium of the International Sepsis Forum. <i>Critical Care Medicine</i> , 2005 , 33, 1708-16	1.4	114
2252	Pediatric definitions for sepsis: it's about time!. 2005 , 6, 83-4		7
2251	Outcome of severe sepsis in pediatric oncology patients. 2005 , 6, 531-6		85
2250	Recombinant activated factor VII for refractory bleeding after cardiac surgery--a retrospective analysis of safety and efficacy. <i>Critical Care Medicine</i> , 2005 , 33, 2241-6	1.4	78
2249	Pre-ejection period variations predict the fluid responsiveness of septic ventilated patients. <i>Critical Care Medicine</i> , 2005 , 33, 2534-9	1.4	66
2248	Prognostic value of a simple evolving disseminated intravascular coagulation score in patients with severe sepsis. <i>Critical Care Medicine</i> , 2005 , 33, 2214-21	1.4	75
2247	Endoscopic stone surgery: minimizing the risk of post-operative sepsis. 2005 , 15, 101-5		27
2246	Sepsis produced by Pseudomonas bacteremia does not alter plasma volume expansion after 0.9% saline infusion in sheep. 2005 , 101, 835-842		7
2245	NH2 terminal pro-brain natriuretic peptide plasma level as an early marker of prognosis and cardiac dysfunction in septic shock patients. <i>Critical Care Medicine</i> , 2005 , 33, 1001-7	1.4	112
2244	Cardiovascular response to dopamine and early prediction of outcome in septic shock: a prospective multiple-center study. <i>Critical Care Medicine</i> , 2005 , 33, 2172-7	1.4	54
2243	Sepsis: taking a deeper look. 2005 , 35, 38-42; quiz 42-3		5
2242	Working out the complexities of severe sepsis. 2005 , 30, 43-4, 46-8		3
2241	The use of common continuous monitoring parameters: a quality indicator for critically ill patients with sepsis. 2005 , 16, 140-8		9

2240	Prognostic value of procalcitonin in children with meningococcal sepsis. <i>Critical Care Medicine</i> , 2005 , 33, 224-5	1.4	39
2239	The international sepsis forum consensus conference on definitions of infection in the intensive care unit. <i>Critical Care Medicine</i> , 2005 , 33, 1538-48	1.4	585
2238	Inclusion criteria for clinical trials in sepsis: did the American College of Chest Physicians/Society of Critical Care Medicine consensus conference definitions of sepsis have an impact?. 2005 , 127, 242-5		36
2237	Emergency medicine and the surviving sepsis campaign: an international approach to managing severe sepsis and septic shock. 2005 , 46, 228-31		50
2236	Trauma-related sepsis and multiple organ failure: Current concepts in the diagnosis and management. 2005 , 19, 314-321		2
2235	Septischer Kreislaufschock und septische Kardiomyopathie. 2005 , 277-358		5
2234	C-reactive protein as a marker of infection in critically ill patients. 2005 , 11, 101-8		191
2233	Procalcitonin and infection in elderly patients. 2005 , 53, 1392-5		67
2232	An updated view of hemostasis: mechanisms of hemostatic dysfunction associated with sepsis. 2005 , 15, 83-91		36
2231	Does soluble triggering receptor expressed on myeloid cells-1 play any role in the pathogenesis of septic shock?. 2005 , 142, 62-7		45
2230	Animal models of sepsis: setting the stage. 2005 , 4, 854-65		563
2229	Increased interleukin-10 and cortisol in long-term alcoholics after cardiopulmonary bypass: a hint to the increased postoperative infection rate?. 2005 , 29, 1677-84		18
2228	Early and late complications after pancreatic necrosectomy. 2005 , 137, 499-505		239
2227	Adrenal insufficiency in intestinal obstruction from carcinomatosis peritonei--a factor of potential importance in symptom palliation. 2005 , 29, 411-8		2
2226	Estr� oxidativo y nitrosativo en la sepsis. 2005 , 29, 159-165		1
2225	[Relaparotomy in secondary peritonitis Planned relaparotomy or relaparotomy on demand?]. 2005 , 76, 856-67		4
2224	[Urosepsis. Current therapy and diagnosis]. 2005 , 44, 413-22; quiz 423-4		10
2223	One-year mortality of bloodstream infection-associated sepsis and septic shock among patients presenting to a regional critical care system. 2005 , 31, 213-9		79

2222	Surviving sepsis-but for how long?. 2005 , 31, 171-3	5
2221	Norepinephrine and metaraminol in septic shock: a comparison of the hemodynamic effects. 2005 , 31, 634-7	25
2220	Diaphragmatic fatigue during sepsis and septic shock. 2005 , 31, 1611-7	45
2219	A predominantly anti-inflammatory cytokine profile is associated with disease severity in meningococcal sepsis. 2005 , 31, 1415-9	25
2218	Empfehlungen zur Diagnostik und Therapie der Schockformen der IAG Schock der DIVI. 2005 , 42, 531-543	5
2217	Assessing the risk of mortality in paediatric cancer patients admitted to the paediatric intensive care unit: a novel risk score?. 2005 , 164, 563-7	36
2216	The multiple organ dysfunction syndrome and late-phase mortality in sepsis. 2005 , 7, 335-41	12
2215	Sepsis and Organ(s) Dysfunction [Key Points, Reflections, and Perspectives. 2005 , 71-96	
2214	Glossary of Terms and Definitions. 2005 , 3-13	
2213	Clinical decision-making in the management of sepsis and septic shock. 2005 , 89-100	
2212	Working Out the Complexities of Severe Sepsis. 2005 , 30, 43-48	3
2211	Severe Staphylococcal sepsis in adolescents in the era of community-acquired methicillin-resistant Staphylococcus aureus. 2005 , 115, 642-8	318
2210	Endothelial cell PECAM-1 confers protection against endotoxic shock. 2005 , 288, H159-64	84
2209	Paroxysmal episodic hypothalamic instability with hypothermia after traumatic brain injury. 2005 , 19, 1277-83	19
2208	Underlying disorders and their impact on the host response to infection. 2005 , 41 Suppl 7, S481-9	65
2207	The immuno-inflammatory response to trauma. 2005 , 7, 171-183	0
2206	Definitions of bloodstream infection in the newborn. 2005 , 6, S45-9	114
2205	Pediatric sepsis definitions: past, present, and future. 2005 , 6, S6-8	46

2204	A history of pediatric critical care medicine. 2005 , 58, 987-96	72
2203	Algorithm for the diagnosis and treatment of acute biliary pancreatitis. 2005 , 94, 124-9	20
2202	SIRS, Sepsis, and MODS. 2005 , 537-547	
2201	Paediatric sepsis and multiple organ failure. 2005 , 66, 152-7	
2200	Multiplex proteomic approaches to sepsis research: case studies employing new technologies. 2005 , 2, 669-80	10
2199	The value of residual liver volume as a predictor of hepatic dysfunction and infection after major liver resection. 2005 , 54, 289-96	399
2198	Hemoglobin conformation couples erythrocyte S-nitrosothiol content to O ₂ gradients. 2005 , 102, 5709-14	164
2197	Changes in the novel orphan, C5a receptor (C5L2), during experimental sepsis and sepsis in humans. 2005 , 174, 1104-10	69
2196	Bilirubin decreases nos2 expression via inhibition of NAD(P)H oxidase: implications for protection against endotoxic shock in rats. 2005 , 19, 1890-2	193
2195	Ghrelin and leptin elevation in postoperative intra-abdominal sepsis. 2005 , 37, 354-9	39
2194	Congenital immunodeficiencies and sepsis. 2005 , 6, S99-S107	8
2193	First efficacy and safety results with the antibody containing leukocyte inhibition module in cardiac surgery patients with neutrophil hyperactivity. 2005 , 51, 144-7	10
2192	Bloodstream infection in children. 2005 , 6, S42-4	9
2191	Septic shock. 2005 , 365, 63-78	1110
2190	Mitochondrial DNA and survival after sepsis: a prospective study. 2005 , 366, 2118-21	139
2189	Relation between muscle Na ⁺ K ⁺ ATPase activity and raised lactate concentrations in septic shock: a prospective study. 2005 , 365, 871-5	865
2188	[Empirical antifungal therapy in selected patients with persistent fever and neutropenia]. 2005 , 23, 609-14	12
2187	Incidence and impact of organ dysfunctions associated with sepsis. 2005 , 127, 942-51	239

2186	Synergistic stimulation of human monocytes and dendritic cells by Toll-like receptor 4 and NOD1- and NOD2-activating agonists. 2005 , 35, 2459-70	276
2185	[Serum C-reactive protein as a marker of outcome and infection in critical care patients]. 2005 , 125, 761-5	7
2184	Endotoxic shock after gamete intrafallopian transfer. 2005 , 83, 1041	0
2183	Stone and pelvic urine culture and sensitivity are better than bladder urine as predictors of urosepsis following percutaneous nephrolithotomy: a prospective clinical study. 2005 , 173, 1610-4	187
2182	RE: STONE AND PELVIC URINE CULTURE AND SENSITIVITY ARE BETTER THAN BLADDER URINE AS PREDICTORS OF UROSEPSIS FOLLOWING PERCUTANEOUS NEPHROLITHOTOMY: A PROSPECTIVE CLINICAL STUDY. 2005 , 174, 2069-2069	2
2181	RE: STONE AND PELVIC URINE CULTURE AND SENSITIVITY ARE BETTER THAN BLADDER URINE AS PREDICTORS OF UROSEPSIS FOLLOWING PERCUTANEOUS NEPHROLITHOTOMY: A PROSPECTIVE CLINICAL STUDY. 2005 , 174, 2069-2070	
2180	Community-acquired pneumonia and sepsis. 2005 , 26, 19-28	13
2179	Sepsis: cuando las defensas se vuelven mortales. 2005 , 23, 32-34	
2178	Improved diagnostic approaches to infection/sepsis detection. 2005 , 5, 193-207	56
2177	Early and innovative interventions for severe sepsis and septic shock: taking advantage of a window of opportunity. 2005 , 173, 1054-65	103
2176	The role of arginine in infection and sepsis. 2005 , 29, S70-4	79
2175	Anti-endotoxin properties of cationic host defence peptides and proteins. 2005 , 11, 230-236	36
2174	Pathophysiology of coronary artery disease. 2005 , 111, 3481-8	1135
2173	Extravascular lung water in patients with severe sepsis: a prospective cohort study. 2005 , 9, R74-82	144
2172	Prognosis for long-term survival and renal recovery in critically ill patients with severe acute renal failure: a population-based study. 2005 , 9, R700-9	414
2171	Mid-regional pro-adrenomedullin as a prognostic marker in sepsis: an observational study. 2005 , 9, R816-24	195
2170	The staging of sepsis: understanding heterogeneity in treatment efficacy. 2005 , 9, 626-8	17
2169	Patients with acute on chronic liver failure display "sepsis-like" immune paralysis. 2005 , 42, 195-201	390

2168	Longitudinal study of cytokine and immune transcription factor mRNA expression in septic shock. 2005 , 114, 61-9	66
2167	Protein C levels can be forecasted by global haemostatic tests in critically ill patients and predict long-term survival. 2005 , 116, 15-24	9
2166	Endovascular repair of abdominal aortic aneurysm reduces intraoperative cortisol and perioperative morbidity. 2005 , 41, 919-25	13
2165	Sepsis un estudio detallado. 2005 , 23, 16-20	
2164	Emerging drugs for the treatment of sepsis. 2006 , 11, 7-22	2
2163	Severe sepsis and septic shock: the role of gram-negative bacteremia. 2006 , 1, 467-96	93
2162	Drotrecogin alfa (activated) in the treatment of severe sepsis. 2006 , 4, 537-47	2
2161	Catastrophic antiphospholipid syndrome. 2006 , 21, 144-59	55
2160	Monocytes as a site of production of soluble triggering receptor expressed on myeloid cells-1 (sTREM-1) in the septic host. 2006 , 38, 909-15	3
2159	Comparison of systemic and renal effects of dopexamine and dopamine in norepinephrine-treated septic shock. 2006 , 20, 173-8	26
2158	Sepsis and pathophysiology of anthrax in a nonhuman primate model. 2006 , 169, 433-44	79
2157	Statins: panacea for sepsis?. 2006 , 6, 242-8	100
2156	[Epidemiology of severe sepsis]. 2006 , 35, 513-20	12
2155	Statins and sepsis in patients with cardiovascular disease: a population-based cohort analysis. 2006 , 367, 413-8	250
2154	Neutrophils in development of multiple organ failure in sepsis. 2006 , 368, 157-69	454
2153	Preoperative antithrombin III activity predicts outcome after surgical repair of acute type A aortic dissection. 2006 , 186, 107-12	14
2152	58-year-old man with fever and right eye pain. 2006 , 81, 1238-40	
2151	Management of gallstone pancreatitis. 2006 , 40, 265-84	29

2150	Community-associated strains of methicillin-resistant <i>Staphylococcus aureus</i> as the cause of healthcare-associated infection. 2006 , 27, 1051-6	135
2149	Recombinant human activated protein C for severe sepsis in neonates. 2006 , CD005385	18
2148	The last 100 years of sepsis. 2006 , 173, 256-63	106
2147	Management of peritonitis in the critically ill patient. 2006 , 86, 1323-49	70
2146	Management of severe sepsis in the surgical patient. 2006 , 86, 1457-81	12
2145	Management of severe sepsis and septic shock: challenges and recommendations. 2006 , 22, 489-501, ix	35
2144	[Procalcitonin for the diagnosis of neonatal sepsis of vertical transmission]. 2006 , 64, 341-8	7
2143	[Disparity in the criteria for including patients with neonatal sepsis in scientific medical studies. Are we swimming in a sea without limits?]. 2006 , 65, 536-40	0
2142	Trauma-induced systemic inflammatory response versus exercise-induced immunomodulatory effects. 2006 , 36, 373-84	58
2141	Clinical efficacy of continuous infusion of piperacillin compared with intermittent dosing in septic critically ill patients. 2006 , 28, 122-7	86
2140	Occurrence of nervous system involvement in SIRS. 2006 , 250, 147-52	8
2139	Hemodynamic optimization of sepsis-induced tissue hypoperfusion. 2006 , 10 Suppl 3, S2	40
2138	CC and CXC chemokine levels in children with meningococcal sepsis accurately predict mortality and disease severity. 2006 , 10, R33	29
2137	Early identification of intensive care unit-acquired infections with daily monitoring of C-reactive protein: a prospective observational study. 2006 , 10, R63	94
2136	Arginine-vasopressin in catecholamine-refractory septic versus non-septic shock in extremely low birth weight infants with acute renal injury. 2006 , 10, R71	52
2135	Early apoptosis of blood monocytes in the septic host: is it a mechanism of protection in the event of septic shock?. 2006 , 10, R76	41
2134	Long-term outcome and quality of life of patients treated in surgical intensive care: a comparison between sepsis and trauma. 2006 , 10, R134	70
2133	Diagnostic value and prognostic implications of serum procalcitonin after cardiac surgery: a systematic review of the literature. 2006 , 10, R145	124

2132	Causes of death and determinants of outcome in critically ill patients. 2006 , 10, R154		136
2131	Early changes of CD4-positive lymphocytes and NK cells in patients with severe Gram-negative sepsis. 2006 , 10, R166		48
2130	Sepsis plasma protein profiling with immunodepletion, three-dimensional liquid chromatography tandem mass spectrometry, and spectrum counting. 2006 , 5, 3154-60		52
2129	Liu-Shen-Wan, a traditional Chinese medicine, improves survival in sepsis induced by cecal ligation and puncture via reducing TNF-alpha levels, MDA content and enhancing macrophage phagocytosis. 2006 , 6, 1355-62		25
2128	Clinical implication of routine stone culture in percutaneous nephrolithotomy--a prospective study. 2006 , 67, 26-9		87
2127	Active surveillance for candidemia, Australia. 2006 , 12, 1508-16		135
2126	Active cytomegalovirus infection in patients with septic shock. 2006 , 12, 1517-22		77
2125	Interleukin 10.G microsatellite in the promoter region of the interleukin-10 gene in severe sepsis. 2006 , 119, 197-201		3
2124	Sepsis. 2006 ,		
2123	Renal recovery after severe acute renal failure. 2006 , 29, 1023-30		46
2122	Continuous Physiologic Monitoring and the Identification of Sepsis. 2006 , 17, 215-223		9
2121	Incidence, Pathogenesis, and Management of Sepsis. 2006 , 17, 385-393		7
2120	The clinical impact of bacteremia in complicated acute pyelonephritis. 2006 , 332, 175-80		64
2119	Stop severe sepsis in its tracks. 2006 , 1, 27		
2118	Acute lung injury in patients with subarachnoid hemorrhage: incidence, risk factors, and outcome. <i>Critical Care Medicine</i> , 2006 , 34, 196-202	1.4	153
2117	Comparable increase of B-type natriuretic peptide and amino-terminal pro-B-type natriuretic peptide levels in patients with severe sepsis, septic shock, and acute heart failure. <i>Critical Care Medicine</i> , 2006 , 34, 2140-4	1.4	197
2116	Severe sepsis in community-acquired pneumonia: when does it happen, and do systemic inflammatory response syndrome criteria help predict course?. 2006 , 129, 968-78		126
2115	New arrhythmias after non-cardiothoracic surgery. 2006 , 333, 715		17

2114	The microbiology and outcome of sepsis in Victoria, Australia. 2006 , 134, 307-14		8
2113	Epidemiology and outcome of sepsis in a tertiary-care hospital in a developing country. 2006 , 134, 315-22		56
2112	The effects of dobutamine on microcirculatory alterations in patients with septic shock are independent of its systemic effects. <i>Critical Care Medicine</i> , 2006 , 34, 403-8	1.4	411
2111	Prediction of postoperative complications after urgent laparotomy by intraperitoneal microdialysis: A pilot study. 2006 , 244, 994-1002		22
2110	Exogenous platelet-activating factor acetylhydrolase reduces mortality in mice with systemic inflammatory response syndrome and sepsis. 2006 , 26, 41-9		52
2109	Arterial versus plethysmographic dynamic indices to test responsiveness for testing fluid administration in hypotensive patients: a clinical trial. 2006 , 103, 1478-84		702
2108	Prescribing indications based on successful clinical trials in sepsis: a difficult exercise. <i>Critical Care Medicine</i> , 2006 , 34, 525-9	1.4	48
2107	Transmitting and absorbing new information on the early identification of sepsis patients: the partial thromboplastin time biphasic waveform. <i>Critical Care Medicine</i> , 2006 , 34, 1829-31	1.4	1
2106	Increases in tissue Pco ₂ during circulatory shock reflect selective decreases in capillary blood flow. <i>Critical Care Medicine</i> , 2006 , 34, 446-52	1.4	73
2105	Serum vasopressin concentrations in critically ill patients. <i>Critical Care Medicine</i> , 2006 , 34, 293-9	1.4	91
2104	Predicting mortality in the intensive care unit: man against machine. <i>Critical Care Medicine</i> , 2006 , 34, 932-3	1.4	2
2103	Comparison of buccal microcirculation between septic and hemorrhagic shock. <i>Critical Care Medicine</i> , 2006 , 34, S447-53	1.4	71
2102	Hypotension and mortality in septic shock: the "golden hour". <i>Critical Care Medicine</i> , 2006 , 34, 1819-20	1.4	23
2101	Oleuropein: a novel immunomodulator conferring prolonged survival in experimental sepsis by <i>Pseudomonas aeruginosa</i> . 2006 , 26, 410-6		32
2100	Effects of hyperglycemia and insulin therapy on outcome in a hyperglycemic septic model of critical illness. 2006 , 60, 865-72		16
2099	Clinical manifestations and outcome in <i>Staphylococcus aureus</i> endocarditis among injection drug users and nonaddicts: a prospective study of 74 patients. 2006 , 6, 137		49
2098	Kinetics of progenitor hemopoietic stem cells in sepsis: correlation with patients survival?. 2006 , 6, 142		13
2097	Clarithromycin is an effective immunomodulator when administered late in experimental pyelonephritis by multidrug-resistant <i>Pseudomonas aeruginosa</i> . 2006 , 6, 31		22

2096	A CXCL2 tandem repeat promoter polymorphism is associated with susceptibility to severe sepsis in the Spanish population. 2006 , 7, 141-9	21
2095	National study of emergency department visits for sepsis, 1992 to 2001. 2006 , 48, 326-31, 331.e1-3	102
2094	The association of sepsis syndrome and organ dysfunction with mortality in emergency department patients with suspected infection. 2006 , 48, 583-90, 590.e1	159
2093	Urea as an endogenous surrogate in human microdialysis to determine relative recovery of drugs: analytics and applications. 2006 , 41, 233-9	14
2092	Scoring-Systeme in der Diagnostik und Verlaufsbeurteilung der Sepsis [Diagnostische und therapeutische Implikationen. 2006 , 24-35	
2091	Esophageal perforation: principles of diagnosis and surgical management. 2006 , 36, 332-40	67
2090	Caspase-3 activation, Bcl-2 contents, and soluble FAS-ligand are not related to the inflammatory marker profile in patients with sepsis and septic shock. 2006 , 1090, 168-76	6
2089	Intensive care in obstetrics: an evidence-based review. 2006 , 195, 673-89	650
2088	[The diagnosis of sepsis]. 2006 , 43, 607-618	1
2087	Evaluation of serum C-reactive protein, procalcitonin, tumor necrosis factor alpha, and interleukin-10 levels as diagnostic and prognostic parameters in patients with community-acquired sepsis, severe sepsis, and septic shock. 2006 , 25, 481-91	72
2086	Soluble triggering receptor expressed on myeloid cells 1 as an anti-inflammatory mediator in sepsis. 2006 , 32, 237-243	65
2085	Organ dysfunction during sepsis. 2006 , 32, 349-60	41
2084	High-volume hemofiltration as salvage therapy in severe hyperdynamic septic shock. 2006 , 32, 713-22	114
2083	Prognosis and risk factors of early onset pneumonia in ventilated patients with Guillain-Barré syndrome. 2006 , 32, 1962-9	43
2082	Variability of cortisol assays can confound the diagnosis of adrenal insufficiency in the critically ill population. 2006 , 32, 1901-5	62
2081	Management of sepsis in neutropenia: guidelines of the infectious diseases working party (AGIHO) of the German Society of Hematology and Oncology (DGHO). 2006 , 85, 424-33	21
2080	The systemic inflammatory response syndrome. 2006 , 8, 1382-9	95
2079	[Sepsis]. 2006 , 118, 93-106; quiz 107-8	1

2078 Combining the old with the new to improve therapeutics. **2006**, 8, 344-5

2077 Incidence and outcome of sepsis in Japanese intensive care units: The Japanese nosocomial infection surveillance system. **2006**, 11, 298-303 6

2076 [Epidemiology of acute kidney failure in Spanish ICU. Multicenter prospective study FRAMI]. **2006**, 30, 260-7 44

2075 Hemophagocytic macrophages constitute a major compartment of heme oxygenase expression in sepsis. **2006**, 77, 432-6 76

2074 Molecular diagnostics in sepsis: from bedside to bench. **2006**, 203, 585-598 34

2073 Sepsis associated cardiomyopathy. **2006**, 17, 349-358 3

2072 Modulation of the systemic inflammatory response by recombinant human interleukin-11: a prospective randomized placebo controlled clinical study in patients with hematological malignancy. **2006**, 120, 129-37 14

2071 Mortality, morbidity, and cost associated with febrile neutropenia in adult cancer patients. **2006**, 106, 2258-66 789

2070 Evidence-based sepsis therapy: a hospitalist perspective. **2006**, 1, 285-95 8

2069 Diagnosis and prognosis of overt disseminated intravascular coagulation in a general hospital -- meaning of the ISTH score system, fibrin monomers, and lipoprotein-C-reactive protein complex formation. **2006**, 81, 414-9 54

2068 Stop severe sepsis in its tracks. **2006**, 1, 20-26 2

2067 Sepsis-associated myocardial dysfunction: diagnostic and prognostic impact of cardiac troponins and natriuretic peptides. **2006**, 129, 1349-66 216

2066 Innate recognition of bacteria: potential therapeutic targets for bacterial sepsis. **2006**, 2, 787-99

2065 Copeptin and arginine vasopressin concentrations in critically ill patients. **2006**, 91, 4381-6 649

2064 Pathobiology of sepsis: are we still asking the same questions?. **2006**, 34, 129-34 32

2063 Phase II, randomized, double-blind, multicenter study comparing the safety and pharmacokinetics of tefibazumab to placebo for treatment of Staphylococcus aureus bacteremia. **2006**, 50, 2751-5 110

2062 Assessment of erythrocyte shape by flow cytometry techniques. **2007**, 60, 549-54 55

2061 Factors associated with adherence to infectious diseases advice in two intensive care units. **2006**, 57, 546-50 38

2060	Procalcitonin for early prediction of survival outcome in postoperative critically ill patients with severe sepsis. 2006 , 97, 503-8		57
2059	Omega-3 fatty acids improve the diagnosis-related clinical outcome. <i>Critical Care Medicine</i> , 2006 , 34, 972-9	1.4	257
2058	Critical care in the emergency department: severe sepsis and septic shock. 2006 , 23, 713-7		22
2057	Procalcitonin as a diagnostic test for sepsis in critically ill adults and after surgery or trauma: a systematic review and meta-analysis. <i>Critical Care Medicine</i> , 2006 , 34, 1996-2003	1.4	566
2056	Risk stratification of severe sepsis patients in the emergency department. 2006 , 23, 281-5		72
2055	Interleukin-1beta enhances GABAA receptor cell-surface expression by a phosphatidylinositol 3-kinase/Akt pathway: relevance to sepsis-associated encephalopathy. 2006 , 281, 14632-43		86
2054	Circulating cytokine/inhibitor profiles reshape the understanding of the SIRS/CARS continuum in sepsis and predict mortality. 2006 , 177, 1967-74		429
2053	Organ dysfunction in patients with severe sepsis. 2006 , 7 Suppl 2, S69-72		30
2052	Nitric oxide, peroxynitrite and matrix metalloproteinases: Insight into the pathogenesis of sepsis. 2007 , 367-396		
2051	Effects of crude rhubarb on intestinal permeability in septic patients. 2007 , 35, 929-36		12
2050	Endogenous interleukin-18 improves the early antimicrobial host response in severe melioidosis. 2007 , 75, 3739-46		36
2049	Propofol increased the interleukin-6 to interleukin-10 ratio more than isoflurane after surgery in long-term alcoholic patients. 2007 , 35, 395-405		20
2048	Tracking the microbes in sepsis: advancements in treatment bring challenges for microbial epidemiology. 2007 , 44, 1343-8		20
2047	Recombinant human activated protein C for the postexposure treatment of Ebola hemorrhagic fever. 2007 , 196 Suppl 2, S390-9		121
2046	Toll-like receptors, new horizons in sepsis. 2007 , 7, 522-31		6
2045	Amino acids augment muscle protein synthesis in neonatal pigs during acute endotoxemia by stimulating mTOR-dependent translation initiation. 2007 , 293, E1416-25		24
2044	Understanding the inflammatory cytokine response in pneumonia and sepsis: results of the Genetic and Inflammatory Markers of Sepsis (GenIMS) Study. 2007 , 167, 1655-63		527
2043	The use of gene-expression profiling to identify candidate genes in human sepsis. 2007 , 176, 676-84		95

2042	Septic acute kidney injury in critically ill patients: clinical characteristics and outcomes. 2007 , 2, 431-9	518
2041	Non-insertion-related complications of central venous catheterization--temporary vascular access for hemodialysis. 2007 , 29, 91-5	5
2040	Important to achieve optimal exposure to antibacterials in the urinary tract in patients with urosepsis. 2007 , 23, 19-21	
2039	Predictive factors of septic shock and mortality in neutropenic patients. 2007 , 12, 543-8	25
2038	Toll-like receptor 9 expression in murine and human adrenal glands and possible implications during inflammation. 2007 , 92, 2773-83	22
2037	Elevated S100B levels do not correlate with the severity of encephalopathy during sepsis. 2007 , 99, 518-21	51
2036	Antithrombin and protein C in systemic inflammatory response syndrome. 2007 , 15, 39-44	1
2035	Research Abstracts. 2007 , 8, 39-54	
2034	The role of statin therapy in sepsis. 2007 , 41, 647-52	20
2033	High-throughput mRNA profiling characterizes the expression of inflammatory molecules in sepsis caused by Burkholderia pseudomallei. 2007 , 75, 3074-9	46
2032	Procalcitonin and C-reactive protein as diagnostic markers of severe bacterial infections in febrile infants and children in the emergency department. 2007 , 26, 672-7	176
2031	Causes of death and re-hospitalization in cardiogenic shock. 2007 , 9, 25-33	26
2030	Gene expression profiles differentiate between sterile SIRS and early sepsis. 2007 , 245, 611-21	85
2029	Factors influencing variability in compliance rates and clinical outcomes among three different severe sepsis bundles. 2007 , 41, 929-36	16
2028	Biomarker bei Sepsis und Entzündung / Biomarkers in Sepsis and Inflammation. 2007 , 31, 294-309	1
2027	Expression profile and function of triggering receptor expressed on myeloid cells-1 during melioidosis. 2007 , 196, 1707-16	34
2026	DEPRESSED HEART RATE VARIABILITY IS ASSOCIATED WITH HIGH IL-6 BLOOD LEVEL AND DECLINE IN THE BLOOD PRESSURE IN SEPTIC PATIENTS. 2007 , 28, 549-553	12
2025	Generation of activation-specific human anti-alphaMbeta2 single-chain antibodies as potential diagnostic tools and therapeutic agents. 2007 , 109, 3521-8	48

2024	High cut-off point membranes in septic acute renal failure: a systematic review. 2007 , 30, 1031-41		52
2023	Coagulation and complement protein differences between septic and uninfected systemic inflammatory response syndrome patients. 2007 , 62, 1082-92; discussion 1092-4		16
2022	Exogenous arginine in sepsis. <i>Critical Care Medicine</i> , 2007 , 35, S557-63	1.4	50
2021	Serum albumin levels anticipate antithrombin III activities before and after antithrombin III agent in critical patients with disseminated intravascular coagulation. 2007 , 27, 139-44		37
2020	C-Reactive Protein and Procalcitonin as Markers of Infection, Inflammatory Response, and Sepsis. 2007 , 14, 127-139		7
2019	The influence of volume management on outcome. 2007 , 13, 541-8		36
2018	Depressed heart rate variability is associated with high IL-6 blood level and decline in the blood pressure in septic patients. 2007 , 28, 549-53		100
2017	Whole blood leukocyte mitogen activated protein kinases activation differentiates intensive care unit patients with systemic inflammatory response syndrome and sepsis. 2007 , 62, 805-11		7
2016	A CXCL2 polymorphism is associated with better outcomes in patients with severe sepsis. <i>Critical Care Medicine</i> , 2007 , 35, 2292-7	1.4	20
2015	American Burn Association consensus conference to define sepsis and infection in burns. 2007 , 28, 776-90		425
2014	Epidemiology of severe sepsis in critically ill surgical patients in ten university hospitals in China. <i>Critical Care Medicine</i> , 2007 , 35, 2538-46	1.4	211
2013	Mortality in Emergency Department Sepsis (MEDS) score predicts 1-year mortality. <i>Critical Care Medicine</i> , 2007 , 35, 192-8	1.4	105
2012	Hospital workload and adverse events. 2007 , 45, 448-55		168
2011	What you need to know about sepsis. 2007 , 37, 46-51; quiz 52		1
2010	A novel selective extracorporeal intervention in sepsis: immunoadsorption of endotoxin, interleukin 6, and complement-activating product 5a. 2007 , 28, 418-25		56
2009	Microvascular response to red blood cell transfusion in patients with severe sepsis. <i>Critical Care Medicine</i> , 2007 , 35, 1639-44	1.4	224
2008	Epidemiology and outcomes of acute lung injury. 2007 , 131, 554-62		379
2007	Systemic and local high mobility group box 1 concentrations during severe infection. <i>Critical Care Medicine</i> , 2007 , 35, 2799-804	1.4	61

2006 Markers of Sepsis. **2007**, 6, 165-169

2005 What you need to know about sepsis. **2007**, 37, 52

2004 Circulating high-mobility group box 1 (HMGB1) concentrations are elevated in both uncomplicated pneumonia and pneumonia with severe sepsis. *Critical Care Medicine*, **2007**, 35, 1061-7 1.4 187

2003 Differences in antithrombin III activities by administration method in critical patients with disseminated intravascular coagulation: a pharmacokinetic study. **2007**, 28, 141-7 11

2002 A mathematical simulation of the inflammatory response to anthrax infection. **2008**, 29, 104-11 112

2001 Recent developments in the diagnosis and management of severe sepsis. **2007**, 132, 1967-76 25

2000 Promising therapeutic agents for sepsis. **2007**, 15, 31-7 18

1999 Leptin: at the crossroads of energy balance and systemic inflammation. **2007**, 46, 89-107 81

1998 Sepsis. **2007**, 120, 1012-22 108

1997 Patterns of exogenous insulin requirement reflect insulin sensitivity changes in trauma. **2007**, 194, 798-803; discussion 803 9

1996 [Initial management of severe sepsis in adults and children]. **2007**, 26, 53-73 14

1995 The autopsy pathology of sepsis-related death. **2007**, 13, 375-388 29

1994 Tumour necrosis factor-alpha (TNFalpha) and interleukin-10 are crucial mediators in post-operative systemic inflammatory response and determine the occurrence of complications after major abdominal surgery. **2007**, 37, 55-61 45

1993 HbA1c is outcome predictor in diabetic patients with sepsis. **2007**, 77, 120-5 29

1992 Inflammatory markers in patients with severe burn injury. What is the best indicator of sepsis?. **2007**, 33, 189-94 105

1991 Septicemia as a cause of death in burns. **2007**, 33, 538-9; author reply 540 3

1990 Response to Letter to the Editor. **2007**, 33, 941-942 1

1989 Diagnosis-dependent misclassification of infections using administrative data variably affected incidence and mortality estimates in ICU patients. **2007**, 60, 155-62 54

1988	The host response to endotoxin, antilipopolysaccharide strategies, and the management of severe sepsis. 2007 , 297, 365-77	185
1987	Interleukin-6 gene variants and the risk of sepsis development in children. 2007 , 68, 756-60	58
1986	[Guidelines for the diagnosis and treatment of patients with bacteriemia. Guidelines of the Sociedad Española de Enfermedades Infecciosas y Microbiología Clínica]. 2007 , 25, 111-30	49
1985	Pathophysiology of sepsis. 2007 , 170, 1435-44	348
1984	Procalcitonin for the clinical laboratory: a review. 2007 , 39, 383-90	133
1983	Diagnostic and Prognostic Value of Hormokines as Biomarkers in Severe Infections. 2007 , 22-31	
1982	Accuracy of procalcitonin for sepsis diagnosis in critically ill patients: systematic review and meta-analysis. 2007 , 7, 210-7	638
1981	The disconnect between animal models of sepsis and human sepsis. 2007 , 81, 137-43	274
1980	Neuromuscular dysfunction acquired during critical illness: a systematic review. 2007 , 11, P342	3
1979	Making sense of multiple organ dysfunction syndrome. 2007 , 19, 87-97	5
1978	Effects of volume resuscitation on hepatosplanchnic oxygen consumption, liver mitochondrial function and mortality in endotoxemia. 2007 , 11, P29	78
1977	Therapeutic use of granulocyte colony-stimulating factors for established febrile neutropenia: effect on costs from a hospital perspective. 2007 , 25, 343-51	23
1976	Cathelicidins and functional analogues as antisepsis molecules. 2007 , 11, 993-1004	85
1975	Maternal serum soluble CD30 is increased in pregnancies complicated with acute pyelonephritis. 2007 , 20, 803-11	15
1974	Growth arrest-specific protein 6 plasma concentrations during septic shock. 2007 , 11, R8	54
1973	Infusion of sodium sulfide improves myocardial and endothelial function in a canine model of cardiopulmonary bypass. 2007 , 11, P1	5
1972	Cytoprotective and anti-inflammatory effects of hydrogen sulfide in macrophages and mice. 2007 , 11, P2	6
1971	Epithelial cell apoptosis is similar but hypoxic-inducible factor expression is weaker in acute acalculous cholecystitis than in calculous cholecystitis. 2007 , 11, P3	78

1970	Effect of prostaglandin E2 on ATP-induced Ca ²⁺ responses in human THP-1 monocytic cells. 2007 , 11, P4	78
1969	Interferon gamma levels are reduced by adenosine 5'-triphosphate in lipopolysaccharide-stimulated whole human blood. 2007 , 11, P5	78
1968	Tyrosine phosphorylation modulates rat vascular response to experimental endotoxemia in vivo and in vitro. 2007 , 11, P6	78
1967	Glibenclamide dose response in patients with septic shock. 2007 , 11, P7	78
1966	Molecular mechanism of glutamine induction of HSP70 involves activation of the O-linked-N-acetylglucosamine pathway in murine embryonic fibroblast cells. 2007 , 11, P8	78
1965	The effects of N-acetylcysteine on the levels of glutathione, serum TNF α and tissue malondialdehyde in sepsis. 2007 , 11, P9	78
1964	Exogenous adrenomedullin reduces the arterial lactate concentration and mean pulmonary arterial pressure in ovine endotoxemia. 2007 , 11, P10	78
1963	Angiopoietin-2 correlates with pulmonary capillary permeability and disease severity in critically ill patients. 2007 , 11, P11	1
1962	Dose-dependent effects of octreotide on plasma activities of IL-6 and lung tissue levels of malondialdehyde in sepsis. 2007 , 11, P12	78
1961	Escherichia coli porcine peritonitis induces histological and transcriptome evidence of cardiac injury. 2007 , 11, P13	1
1960	Alkaline phosphatase treatment improves renal function in patients with severe sepsis or septic shock. 2007 , 11, P14	1
1959	Moderate hypothermia attenuates changes in respiratory system mechanics and cytokine production during low lung volume ventilation in rats. 2007 , 11, P15	78
1958	Effects of neuronal nitric oxide synthase in ovine lung injury. 2007 , 11, P16	78
1957	nNOS and Nox4 go nuclear: nNOS-derived and NADPH oxidase-derived reactive oxygen/nitrogen species promote oxidative nuclear damage in alveolar epithelial cells. 2007 , 11, P17	78
1956	Dose effects of recombinant human IL-11 on the systemic hemodynamic function in hemorrhagic shock. 2007 , 11,	78
1955	Degradation of endothelial glycocalyx provides new insights in the pathogenesis of septic shock microvascular failure. 2007 , 11, P19	78
1954	Exhaled breath condensate mediators in mechanically ventilated brain-injured patients with no acute lung injury are mostly related to markers of systemic inflammation. 2007 , 11, P20	78
1953	Reduced local inflammatory reactivity in septic patients compared with healthy controls. 2007 , 11, P21	78

1952	The evaluation of sivelestat sodium hydrate in acute lung injury/acute respiratory distress syndrome patients in the intensive care unit. 2007 , 11, P22	78
1951	Pharmacological modulation with prolonged administration of moderate doses of steroid in a murine model of septic acute lung injury after burn insult. 2007 , 11, P23	78
1950	Glucosamine enhances heat shock protein 70 expression in vitro and in vivo following injury. 2007 , 11, P24	78
1949	Pharmacologic inhibition of cholinesterase improves survival in experimental sepsis. 2007 , 11, P25	78
1948	Relationship between the presence of serum high-mobility-group box protein 1 and the injury severity score in trauma patients. 2007 , 11, P26	78
1947	Beneficial effects of antiplatelet drugs in patients with community-acquired pneumonia and in endotoxin shock in mice. 2007 , 11, P27	3
1946	Aggressive and moderate fluid resuscitation in septic pigs: consequences on morbidity. 2007 , 11, P28	78
1945	Effect of C1-esterase inhibitor treatment on microcirculatory perfusion after superior mesenteric artery ischemia. 2007 , 11, P30	78
1944	Dobutamine protects lymphocytes against staurosporin-induced apoptosis via a receptor-independent and p38-independent pathway. 2007 , 11, P31	1
1943	Serum vasopressin concentrations in critically ill patients in the intensive care unit. 2007 , 11, P32	78
1942	Effects of simultaneously infused terlipressin and dobutamine in septic shock. 2007 , 11, P33	2
1941	Vasopressin substitution causes microcirculatory changes in patients with septic shock. 2007 , 11, P34	78
1940	Rebound hypotension following terlipressin bolus infusion can be prevented by continuous low-dose infusion of terlipressin. 2007 , 11, P35	1
1939	Apparent heterogeneity in splanchnic vascular response to norepinephrine during sepsis. 2007 , 11, P36	78
1938	Effect of norepinephrine on cardiac output and preload in septic shock patients. 2007 , 11, P37	78
1937	Tissue Doppler imaging suggests an association between endotoxemia and impaired myocardial relaxation. 2007 , 11, P38	1
1936	Hemodynamic and cardiac peptide in septic myocardial depression: the effects of calcium sensitizer. 2007 , 11, P39	78
1935	Neutrophil oxidative burst evaluation during acute normovolemic hemodilution: preliminary results. 2007 , 11,	78

1934	Relationship of IL-12 and thyroid indices in sepsis. 2007 , 11, P41	78
1933	A network system for the treatment of pediatric septic shock. 2007 , 11, P42	78
1932	Intensive care unit outcome versus haemodynamic status on arrival at a general intensive care unit. 2007 , 11, P43	78
1931	Optimization of antibacterial treatment in pediatric intensive care units using procalcitonin. 2007 , 11, P44	78
1930	Do they know what is sepsis time? Septic Patients Survey Enrolling Staffs study. 2007 , 11, P45	4
1929	Prevalence of endotoxemia in a population of patients admitted to an intensive care unit after elective surgery. 2007 , 11, P46	1
1928	STREM-1 is not suitable to discriminate survivors and nonsurvivors in surgical patients with severe sepsis or septic shock. 2007 , 11, P47	78
1927	Can plasma-free DNA concentration be a diagnostic tool in critically ill septic patients?. 2007 , 11, P48	78
1926	Greater than the sum of its parts: C-reactive protein and the calculated ion gap together are superior in predicting mortality in critically ill surgical patients. 2007 , 11, P49	78
1925	C-reactive protein predicts mortality on admission to a surgical high-dependency unit. 2007 , 11, P50	78
1924	The biphasic aPTT waveform to diagnose sepsis in patients with systemic inflammatory response syndrome. 2007 , 11, P51	1
1923	Functional protein C levels in septic patients. 2007 , 11, P52	78
1922	Severe protein C deficiency association with organ dysfunction and mortality in patients with severe sepsis. 2007 , 11, P53	78
1921	Human protein C concentrate in the treatment of hemolytic uremic syndrome. 2007 , 11, P54	78
1920	Increasing microcirculation after drotrecogin alfa (activated). 2007 , 11, P55	78
1919	Multicentre audit of the use of drotrecogin alfa (activated) in UK critical care units. 2007 , 11, P56	1
1918	Surviving ratio of severe sepsis treated with activated protein C in one university intensive care unit during 2003-2006. 2007 , 11, P57	78
1917	A large, single-centre UK registry of drotrecogin alfa-activated use. 2007 , 11, P58	1

1916	Audit of adherence to National Institute of Clinical Excellence guidelines for the use of drotrecogin alfa (activated). 2007 , 11, P59	78
1915	Retrospective observational outcomes for drotrecogin alfa (activated). 2007 , 11, P60	78
1914	Risk/benefit analysis of activated protein C in patients with intra-abdominal sepsis. 2007 , 11, P61	78
1913	Three years experience with drotrecogin alfa (activated) protein C in severe sepsis and septic shock at Salmaniya Medical Complex, Bahrain. 2007 , 11, P62	78
1912	Drotrecogin alfa in patients with severe sepsis: experience from a tertiary care center in North India. 2007 , 11, P63	78
1911	Severe sepsis and drotrecogin alfa (activated) use: results from the PROGRESS registry. 2007 , 11, P64	78
1910	Epidemiology of severe sepsis in India. 2007 , 11, P65	16
1909	PISA: the prevalence of infection in intensive care units in South Africa. 2007 , 11, P66	78
1908	Microbiology profile of sepsis in Brazil. 2007 , 11, P67	78
1907	Incidence of bacteraemia in a neurocritical care unit. 2007 , 11, P68	78
1906	Implementation of early goal-directed therapy in Finland. 2007 , 11, P69	1
1905	Impact of sepsis care bundles on hospital mortality in 135 consecutive patients with septic shock. 2007 , 11, P70	1
1904	Awareness of the Surviving Sepsis Campaign amongst emergency medicine and surgical trainees. 2007 , 11, P71	78
1903	Compliance with the surviving sepsis guidelines: a review of South African intensive care units. 2007 , 11, P72	78
1902	The outcome of sepsis and septic shock presenting to the Emergency Department in Australia and New Zealand. 2007 , 11, P73	78
1901	Clinical simulation: caring for a critically ill patient with sepsis. 2007 , 11, P74	1
1900	Medical microbiology ward rounds in critical care. 2007 , 11, P75	0
1899	Impact of a selective digestive decontamination and nasal mupirocin on the incidence of ventilatory-associated pneumonia and the emergence of bacterial resistance. 2007 , 11, P76	78

1898	Comparison of bloodstream infections in intensive care unit patients, due to different Gram-negative bacteria. 2007 , 11, P77	78
1897	Maximal barrier precautions, intensivist supervision, and catheter-related bloodstream infections. 2007 , 11, P78	78
1896	Risk of catheter-related bloodstream infection: higher in more severe patients?. 2007 , 11, P79	78
1895	Tunnelled central venous catheter-related infection in cardiothoracic critical care. 2007 , 11, P80	78
1894	ANCCADI [Antibiotic Coated Catheter to Decrease Infection: a pilot trial. 2007 , 11, P81	78
1893	Is the blood culture useful in febrile immunocompetent patients in the Emergency Department?. 2007 , 11, P82	78
1892	Impact of early antibiotics on severe sepsis [Are we doing a good job?]. 2007 , 11, P83	78
1891	Protective effect of antibiotic prophylaxis against early-onset nosocomial pneumonia in comatose patients. 2007 , 11, P84	78
1890	Antibiotic prescribing practices in public and private-sector intensive care units in South Africa. 2007 , 11, P85	78
1889	Timing of admissions and outcome of pneumonia in intensive care units in the United Kingdom. 2007 , 11, P86	78
1888	Are routine endotracheal aspirates predictive of the etiology of ventilator-associated pneumonia?. 2007 , 11, P87	3
1887	Comparing a Brazilian guideline to treat nosocomial pneumonia with the ATS guideline in a tertiary hospital in Brazil. 2007 , 11, P88	78
1886	Outcomes from ventilator-associated pneumonia caused by multidrug-resistant organisms or <i>Pseudomonas</i> : results from 28 intensive care units. 2007 , 11, P89	78
1885	Bacterial burden and bronchoalveolar cytokines in mechanically ventilated patients with suspected pneumonia. 2007 , 11, P90	78
1884	Risk factors for treatment failure in patients with ventilator-associated pneumonia receiving appropriate antibiotic therapy. 2007 , 11, P91	78
1883	Intensive care nurses' knowledge of evidence-based guidelines for the prevention of ventilator-associated pneumonia. 2007 , 11, P92	78
1882	Institution-specific guidelines for the management of ventilator-associated pneumonia. 2007 , 11, P93	78
1881	Administration of meropenem for the treatment of ventilator-associated pneumonia. 2007 , 11, P94	78

1880	A randomized trial of combination therapy versus monotherapy for the empiric treatment of suspected ventilator-associated pneumonia. 2007 , 11, P95	78
1879	A canine model of <i>Pseudomonas aeruginosa</i> ventilator-associated pneumonia using a defined bacterial inoculum. 2007 , 11, P96	78
1878	Decrease in intravenous antibiotic use with adjunctive aerosolized amikacin treatment in intubated mechanically ventilated patients with Gram-negative pneumonia. 2007 , 11, P97	2
1877	Management of an outbreak of multiresistant <i>Acinetobacter baumannii</i> infection in a surgical intensive care unit. 2007 , 11, P98	78
1876	Multidrug-resistant <i>Acinetobacter baumannii</i> susceptible only to colistin outbreak in a cardiac surgical intensive care unit. 2007 , 11, P99	78
1875	Hypercalcaemia resulting from the use of tigecycline in the treatment of multidrug-resistant <i>Acinetobacter</i> in patients with multiorgan failure. 2007 , 11, P100	78
1874	A pharmacokinetic basis for improving therapeutic outcomes of aminoglycoside therapy during continuous venovenous haemodiafiltration. 2007 , 11, P101	1
1873	An in vitro study of elimination of oseltamivir carboxylate by haemofiltration. 2007 , 11, P102	78
1872	A post-authorization survey to evaluate plasma concentrations of teicoplanin in adult hospitalized patients treated for sepsis in Gauteng, South Africa. 2007 , 11, P103	78
1871	Linezolid in the treatment of HIV-infected patients with complicated skin and soft tissue infections. 2007 , 11, P104	78
1870	A clinico-microbiological study of extended spectrum β -lactamases in the intensive care unit. 2007 , 11, P105	78
1869	Impact of antibiotic utilization measures on acquisition rate of extended spectrum β -lactamase enzymes producing bacteria. 2007 , 11, P106	78
1868	The contamination by <i>Staphylococcus epidermidis</i> in the intensive care unit. 2007 , 11, P107	78
1867	Colonization and infection by MRSA in critically ill patients. 2007 , 11, P108	78
1866	Impact of an MRSA search and destroy policy in a tertiary care emergency department. 2007 , 11, P109	78
1865	<i>Candida</i> airway colonization is associated with worse outcomes. 2007 , 11, P110	78
1864	Fungal infections in the intensive care unit? Another approach for defining a target group of patients who benefit from implementing preemptive antimycotic treatment. 2007 , 11, P111	78
1863	<i>Candida</i> colonization and risk of candidemia in a cardiac surgical intensive care unit. 2007 , 11, P112	78

1862	Longitudinal evaluation of intensive care unit-related fluconazole use in Spain and Germany. 2007 , 11, P113	78
1861	Seropositivity incidence of anti-Toxoplasma gondii antibodies in critically ill intensive care unit patients. 2007 , 11, P114	78
1860	Consequences of cytomegalovirus reactivation in patients with severe sepsis. 2007 , 11, P115	78
1859	The role of plasminogen activator inhibitor 1 measurement with endotoxin adsorption therapy (PMX-DHP) for postoperative septic shock patients. 2007 , 11, P116	78
1858	Mechanism and effectiveness of polymyxin B-immobilized fiber columns for removing mediators (HMBG-1, 2-arachidonoyl glycerol, anandamide, PAI-1, protein C and IL-6) in septic shock patients. 2007 , 11, P117	78
1857	Characterization of the coupled plasma filtration/adsorption resin cartridge adsorptive capacity for cytokines and inflammatory mediators: adsorption profiles from septic patient plasma and in vitro endotoxin-stimulated whole blood. 2007 , 11, P118	1
1856	Removing endocannabinoids and reducing oxidative stress with polymyxin-B-immobilized fibers in patients with septic shock. 2007 , 11, P119	78
1855	Cytokines associated with insulin resistance in critically ill patients. 2007 , 11, P120	78
1854	The effectiveness of octreotide at different doses for sulfonylurea-induced hypoglycemia following overdose. 2007 , 11, P121	78
1853	Hyperglycemia and changes in osmolarity lead to an increase in IL-6 and IL-1 β cytokine production of human peripheral blood mononuclear cells in vitro. 2007 , 11, P122	78
1852	Insulin therapy inhibits poly(ADP-ribose)polymerase activation in endotoxin shock. 2007 , 11, P123	78
1851	Influence of diabetes and HbA1c on the course and outcome of sepsis in the intensive care unit. 2007 , 11, P124	1
1850	Lipid metabolism and organ dysfunction in septic patients during intensive glycemic control. 2007 , 11, P125	78
1849	Effect of intensive insulin therapy on coagulation and fibrinolysis of respiratory critically ill patients. 2007 , 11, P126	78
1848	Variable adsorption of insulin at catheter materials used in intensive care units: polyethylene vs polyurethane (possible cause for hypoglycemia during intensive insulin treatment?). 2007 , 11, P127	2
1847	Hyperglycemia upon onset of nosocomial bloodstream infection adversely affects outcome in a mixed intensive care unit population. 2007 , 11, P128	78
1846	System for automated discontinuous venous blood withdrawal for glucose determination of patients in the intensive care unit. 2007 , 11, P129	78
1845	Evaluation of the clinical effectiveness of a computerised decision-supported intensive insulin therapy regimen. 2007 , 11, P130	1

1844	Glargine insulin: an alternative to regular insulin for glycemic control in critically ill patients. 2007 , 11, P131	78
1843	Investigation of insulin clearance in severely acutely ill patients with glucose intolerance evaluated by means of bedside-type artificial pancreas. 2007 , 11, P132	78
1842	Diurnal and other variations in blood glucose in intensive care unit patients receiving insulin infusions. 2007 , 11, P133	2
1841	Severe hypoglycaemia during intensive insulin therapy: a rare event in critically ill patients. 2007 , 11, P134	78
1840	Intensive insulin therapy and indications for intensive care admission. 2007 , 11, P135	78
1839	Implementation of glycemic control problems and solutions. 2007 , 11, P136	78
1838	Computer-advised insulin infusion in critically ill patients a randomized controlled trial. 2007 , 11, P137	78
1837	Evaluation of a model predictive control algorithm using time-variant sampling to establish tight glycaemic control in clinical practice. 2007 , 11, P138	78
1836	The effect of tighter glucose control on outcome. 2007 , 11, P139	78
1835	Reliability of arterial, capillary and venous point-of-care glucose measurements in the intensive care unit setting: evaluation of two glucometers. 2007 , 11, P140	1
1834	Implementing tight glycaemic control: performance of bedside glucometers. 2007 , 11, P141	78
1833	Comparison of accuracy of glucose-oxidase-based and glucose-dehydrogenase-based point-of-care glucometers. 2007 , 11, P142	0
1832	Continuous glucose monitoring for intensive care patients using whole blood microdialysis. 2007 , 11, P143	78
1831	Subcutaneous glucose monitoring in patients with severe sepsis. 2007 , 11, P144	1
1830	Nutritional support in critically ill patients. 2007 , 11, P145	78
1829	Prokinetics effect on gastric emptying in critically ill ventilated patients measured by the C13 breath test with a novel device. 2007 , 11, P146	1
1828	A study of enteral tube feeding in critically ill patients. 2007 , 11, P147	78
1827	Proton pump inhibitors and the incidence of Clostridium difficile on the intensive care unit. 2007 , 11, P148	78

1826	Retrospective study of dysphagia following hospital discharge of intensive care patients. 2007 , 11, P149	78
1825	Intestinal corticotropin-releasing factor is decreased in shocked trauma patients and may affect gut function. 2007 , 11, P150	78
1824	Using the Cortrak magnetic device to facilitate early enteral nutrition in critically ill patients. 2007 , 11, P151	7
1823	Propranolol attenuates factors affecting hypermetabolism in pediatric burn patients. 2007 , 11, P152	1
1822	Early enteral immunonutrition following gastric and oesophageal surgery. 2007 , 11, P153	78
1821	Feasibility of the REDOXS study [Reducing deaths due to oxidative stress: a randomized pilot trial of glutamine and antioxidant supplementation in critically ill patients]. 2007 , 11, P154	78
1820	Effect of high-dose selenium substitution on selected laboratory parameters and prognosis in critically ill patients. 2007 , 11, P155	2
1819	Magnesium deficiency in the surgical intensive care unit. 2007 , 11, P156	78
1818	Parenteral nutrition in the intensive care unit: can we deliver better care to our patients? Preliminary results from a multicenter, prospective, cohort study. 2007 , 11, P157	78
1817	Ultrasound-guided vs ultrasound-assisted central venous catheterization. 2007 , 11, P158	2
1816	Advantages of ultrasound-guided peripherally inserted venous access (PICC and midline catheters) in critically ill patients. 2007 , 11, P159	78
1815	A comparison between ultrasound-guided central venous line placement and an anatomical landmark technique. 2007 , 11, P160	0
1814	Continuous assessment of inspiratory resistive work during different types of pulmonary oedema in isolated rat lungs. 2007 , 11, P161	78
1813	Prevalence of respiratory support in the community [the Surrey experience]. 2007 , 11, P162	78
1812	Intensive care unit patients on mechanical ventilation at a university hospital in southern Brazil: characteristics, mortality, frequency, and mortality risk factors. 2007 , 11, P163	78
1811	The effects of adaptive pressure ventilation [synchronised intermittent mandatory ventilation and pressure-controlled synchronised intermittent mandatory ventilation on pulmonary mechanics and arterial gas analyses during laparoscopic cholecystectomy. 2007 , 11, P164	78
1810	The influence of cycling-off criteria and pressure support slope on the respiratory and hemodynamic variables in intensive care unit patients. 2007 , 11, P165	78
1809	AUTOPILOT-BT: an approach towards automatic mechanical ventilation. 2007 , 11, P166	78

1808	The impact of noninvasive versus invasive mechanical ventilatory support on survival in hematological patients with acute respiratory failure. 2007 , 11, P167	78
1807	Physiological variables predictive of survival in patients with acute type II respiratory failure on noninvasive ventilation. 2007 , 11, P168	78
1806	Rapid shallow breathing index is a key predictor for noninvasive ventilation. 2007 , 11, P169	1
1805	Is threshold useful in accelerating weaning from mechanical ventilation?. 2007 , 11, P170	78
1804	Application of treatment bundles reduces days on mechanical ventilation in critically ill patients. 2007 , 11, P171	78
1803	Comparative study of two methods of weaning from mechanical ventilation in a cancer surgical intensive care unit. 2007 , 11, P172	78
1802	Predicting successful weaning in a cohort of elderly patients. 2007 , 11, P173	78
1801	Heart rate variability during weaning from mechanical ventilation. 2007 , 11, P174	78
1800	Assessment of melatonin, cortisol and rest-activity rhythms in critically ill patients weaning from mechanical ventilation. 2007 , 11, P175	78
1799	Evaluation of patient parameters that predict success using the SmartCare weaning system. 2007 , 11, P176	78
1798	Assessing the impact of introducing the 'ventilator bundle' on outcomes for mechanically ventilated patients. 2007 , 11, P177	78
1797	Hemodynamic changes due to expiratory positive airway pressure by facial mask in the postoperative period of cardiac surgery. 2007 , 11, P178	78
1796	Predicting successful nasal continuous positive airway pressure treatment in newborn infants: a multivariate analysis. 2007 , 11, P179	78
1795	Airway pressure release ventilation in acute lung injury/acute respiratory distress syndrome patients. 2007 , 11, P180	2
1794	Importance of nonlinearities to quantify mechanical pulmonary stress under dynamic conditions: stress index and SLICE method. 2007 , 11, P181	78
1793	Contribution of HMSE-1 to surfactant conversion under acute inflammatory conditions. 2007 , 11, P182	78
1792	Transgenic mice expressing a surfactant protein B-kinase fusion protein in the distal respiratory epithelium are protected against acute lung injury and postinflammatory fibrosis. 2007 , 11, P183	1
1791	Mini-bronchoalveolar lavage with and without surfactant in the treatment of recurrent atelectasis in pediatric intensive care patients. 2007 , 11, P184	78

1790	Automated mechanical ventilation based on the ARDS Network protocol in porcine acute lung injury. 2007 , 11, P185	1
1789	Efficacy of prone ventilation in adult patients with acute respiratory failure: a meta-analysis. 2007 , 11, P186	0
1788	Continuous long-term prone position ventilation effects in pulmonary acute respiratory distress syndrome patients. 2007 , 11, P187	78
1787	Maximal recruitment strategy guided by thoracic CT scan in severe acute respiratory distress syndrome patients: a case series report. 2007 , 11, P188	78
1786	Low sensitivity of measurements of respiratory mechanics in detecting lung edema from high tidal volume mechanical ventilation. 2007 , 11, P189	78
1785	Pressure dependency of respiratory resistance in patients with acute lung injury and acute respiratory distress syndrome. 2007 , 11, P190	78
1784	Alveolar microscopy: on the automatic determination of alveolar size during ventilation. 2007 , 11, P191	78
1783	Assessment of breath by breath recruitment by electrical impedance tomography in saline lavage lung injury. 2007 , 11, P192	78
1782	Nonlinearity of intratidal airway resistance. 2007 , 11, P193	78
1781	Noninvasive alveolar recruitment maneuver induces cytokine release in healthy volunteers. 2007 , 11, P194	78
1780	Recruitment/derecruitment models fitted to respiratory data of acute respiratory distress syndrome/acute lung injury patients. 2007 , 11, P195	78
1779	A novel system for evaluation of pulmonary functional residual capacity in the intensive care unit: preliminary data. 2007 , 11, P196	78
1778	High-frequency oscillatory ventilation for trauma patients with acute respiratory distress syndrome who fail conventional mechanical ventilation. 2007 , 11, P197	78
1777	Hemodynamic effects of high-frequency oscillatory ventilation in acute respiratory distress syndrome. 2007 , 11, P198	78
1776	Outcome predictors of high-frequency oscillatory ventilation in acute respiratory distress syndrome. 2007 , 11, P199	78
1775	Monitoring slow recruitment manoeuvres with high-frequency oscillatory ventilation in adult acute respiratory distress syndrome patients using electrical impedance tomography. 2007 , 11, P200	78
1774	pH: an overlooked criterion for success in high-frequency oscillatory ventilation in acute respiratory distress syndrome?. 2007 , 11, P201	78
1773	Acoustic monitoring of one-lung ventilation with vibration response imaging. 2007 , 11, P202	1

1772	Correlation of lung vibration and airflow. 2007 , 11, P203	78
1771	The Gliding-SLICE method: an enhanced tool for estimation of intratidal respiratory mechanics. 2007 , 11, P204	2
1770	Functional residual capacity measurement during mechanical ventilation in order to find the optimal positive end-expiratory pressure. 2007 , 11, P205	0
1769	Analysis of the nonaerated lung volume in combinations of single computed tomography slices as extrapolation to the entire lung feasible?. 2007 , 11, P206	4
1768	Pulmonary expansion and disobstruction maneuver with a closed system in patients with acute lung injury and acute distress syndrome, and its effect on gas exchange. 2007 , 11, P207	78
1767	Dry powder nebulization of a recombinant surfactant protein C-based surfactant for treatment of acute respiratory distress syndrome. 2007 , 11, P208	1
1766	Changes in respiratory mechanics after fiberoptic bronchoscopy with bronchoalveolar lavage in mechanically ventilated patients. 2007 , 11, P209	78
1765	Diagnosis accuracy of thoracic ultrasonography in severely injured patients. 2007 , 11, P210	78
1764	Prehospital emergency endotracheal intubation using the Bonfils intubation fiberscope. 2007 , 11, P211	78
1763	Airway equipment on the intensive care unit for management of the unanticipated difficult intubation. 2007 , 11, P212	78
1762	Potential of the AirWay Scope for tracheal intubation in a confined space. 2007 , 11, P213	78
1761	A comparison of two types of new bronchial blockers, Uniblocker and Coopdech endotracheal blocker tube, for one-lung ventilation during thoracoscopy. 2007 , 11, P214	78
1760	Comparison of the LoTrach and the Portex Soft Seal cuff: tracheal wall pressure and fluid leakage in a benchtop study and a clinical study. 2007 , 11, P215	2
1759	Safety of semi-open percutaneous tracheotomy when performed in critically ill burn patients. 2007 , 11, P216	78
1758	Outreach-led tracheostomy service in a cardiothoracic centre: early and safe facilitated discharge from critical care. 2007 , 11, P217	78
1757	Prevention of airway control loss during percutaneous tracheostomy. 2007 , 11, P218	78
1756	Routine chest radiography following percutaneous dilatational tracheostomy. 2007 , 11, P219	78
1755	Biphasic DC shock as a first-line therapy in recent-onset stable atrial fibrillation in the emergency department. 2007 , 11, P220	78

1754	Incidence and diagnosis of patients developing atrial fibrillation in intensive care. 2007 , 11, P221	78
1753	The calcium sensitizer levosimendan reduces the brain natriuretic peptide levels as compared with dobutamine in intensive care unit septic patients with decompensated heart failure. 2007 , 11, P222	2
1752	The ADHERE classification and regression tree model overestimates mortality rates in clinical trials: results from REVIVE I & II. 2007 , 11, P223	78
1751	Levosimendan in patients with acute cardiogenic shock, not responders to conventional therapy. 2007 , 11, P224	78
1750	Retrospective study of proarrhythmic effects of levosimendan during the therapy of heart failure. 2007 , 11, P225	78
1749	Levosimendan in myocardial depression due to severe sepsis. 2007 , 11, P226	1
1748	The elderly acute coronary syndrome patient: a neglected population?. 2007 , 11, P227	78
1747	Long-term prognosis of octagenarian patients with ST-elevation acute myocardial infarction treated by primary angioplasty. 2007 , 11, P228	78
1746	Outcome in myocardial infarction is related to the morphologic pattern of ST elevation. 2007 , 11, P229	78
1745	Percutaneous coronary intervention in acute coronary syndrome complicated by states Killip 3 and 4 in 2005. 2007 , 11, P230	78
1744	Abstract withdrawn. 2007 , 11, P231	78
1743	Symptom onset to balloon time in patients with ST-segment elevation myocardial infarction treated by primary coronary angioplasty: influence on ST-segment resolution and on mortality. 2007 , 11, P232	78
1742	Coronary collateral circulation status is correlated with the initial electrocardiographic pattern in ST-elevation myocardial infarction. 2007 , 11, P233	78
1741	Hemoglobin concentration on admission influences the rate of inhospital 30-day mortality and complications in patients with acute myocardial infarction: a retrospective analysis of 660 Chinese patients. 2007 , 11, P234	1
1740	Anaemia at the moment of admittance is associated with higher heart failure and mortality among patients with acute coronary syndrome. 2007 , 11, P235	78
1739	Long-term prognostic impact of anemia in patients with ST-elevation acute myocardial infarction treated by primary coronary angioplasty. 2007 , 11, P236	78
1738	Cardiogenic shock in the Aachen Digital Myocardial Infarction Registry. 2007 , 11, P237	78
1737	Intra-aortic balloon counterpulsation: impact on patient hemodynamics in acute myocardial infarction complicated by cardiogenic shock. 2007 , 11, P238	78

1736	Elevation of Troponin T in critically ill septic patients is common: but does it matter?. 2007 , 11, P239	4
1735	Prognostic markers in the acute phase of myocardial infarction. 2007 , 11, P240	0
1734	The relationship between blood pressure and plasma magnesium level in hypertensive patients. 2007 , 11, P241	78
1733	Precise and ultrarapid control of blood pressure with clevidipine, an arterial selective calcium channel blocker. 2007 , 11, P242	1
1732	Clinical meaning and prognosis of the elevation degree of cardiac Troponin I in pericarditis of the adult: short-term and mid-term follow-up results. 2007 , 11, P243	7
1731	Emergency electrocardiography-guided pericardiocentesis in cardiac tamponade. 2007 , 11, P244	78
1730	Diagnostic accuracy of automated computerised electrocardiogram interpretation compared with a panel of experienced cardiologists. 2007 , 11, P245	1
1729	Cystatin C in the prognostic stratification of patients with an acute coronary syndrome. 2007 , 11, P246	78
1728	The reduction of the glomerular filtration rate and the presence of microalbuminuria at the moment of admittance reduce the prognostics of patients with an acute coronary syndrome. 2007 , 11, P247	78
1727	Circulating levels of tumor necrosis factor alpha, brain natriuretic peptide and cardiac Troponin I upon admission and 31-day mortality in patients with acute decompensated chronic heart failure. 2007 , 11, P248	78
1726	Secondary prevention following surgical revascularisation: continuing under-use of angiotensin-converting enzyme inhibitors. 2007 , 11, P249	78
1725	Cardiopulmonary exercise testing as a screening test for perioperative management of major cancer surgery: a pilot study. 2007 , 11, P250	4
1724	Low-dose dobutamine after surgery in high-risk patients: effects on postoperative complications. 2007 , 11, P251	1
1723	Intestinal complications associated with cardiovascular surgical procedures. 2007 , 11, P252	78
1722	Combined metabolic parameters and gas exchange to predict morbidity after extracorporeal circulation. 2007 , 11, P253	78
1721	Vasoplegic syndrome after cardiopulmonary bypass surgery Associated factors and clinical outcomes: a nested case-control study. 2007 , 11, P254	1
1720	Role of plasminogen activator inhibitor-1 polymorphism on the development of vasoplegic syndrome associated with cardiopulmonary bypass. 2007 , 11, P255	78
1719	Complement activation and excessive bleeding in cardiopulmonary bypass surgery. 2007 , 11, P256	1

1718	Impact of body mass index on postoperative bleeding in cardiopulmonary bypass. 2007 , 11, P257	78
1717	Muscle versus liver mitochondrial respiration in experimental three-hit endotoxemia. 2007 , 11, P258	78
1716	Hepatic mitochondrial dysfunction in fluid-resuscitated porcine septic shock. 2007 , 11, P259	78
1715	Real-time monitoring of mitochondrial function in the urethral wall. 2007 , 11, P260	78
1714	Cytokines monitored by microdialysis detect rejection earlier than current methods in liver transplantation. 2007 , 11, P261	78
1713	Microcirculatory hemodynamic alterations during cardiac luxation in off-pump coronary artery bypass grafting surgery. 2007 , 11, P262	78
1712	Muscle microcirculation alterations increase with disease severity in chronic heart failure patients. 2007 , 11, P263	78
1711	Sublingual microcirculation is impaired during cardiopulmonary bypass in cardiac surgery. 2007 , 11, P264	78
1710	Sublingual microcirculation is impaired on the first day postoperatively in patients undergoing gastric tube reconstruction. 2007 , 11, P265	78
1709	Oscillation frequency of skin microvascular blood flow is associated with mortality in critically ill patients. 2007 , 11, P266	78
1708	Effect of intermittent positive pressure ventilation on the skeletal muscle and small intestine microcirculation in rats. 2007 , 11, P267	78
1707	Changes in sublingual microvascular flow during experimental human endotoxemia. 2007 , 11, P268	78
1706	Biochemical changes detected by microdialysis in subcutaneous tissue during experimental endotoxemia in rat. 2007 , 11, P269	78
1705	Occurrence and functional consequences of shunting of the microcirculation after mesenteric ischemia. 2007 , 11, P270	78
1704	Changes in tissue oxygen saturation reflect changes in targeted oxygen delivery in postoperatively optimised patients. 2007 , 11, P271	78
1703	General anesthesia impairs muscle microvascular compliance. 2007 , 11, P272	78
1702	Skeletal muscle oxygen saturation estimates mixed venous oxygen saturation in patients with severe left heart failure. 2007 , 11, P273	1
1701	Tissue oxygen saturation and the rate of tissue deoxygenation during stagnant ischemia in the medical emergency department. 2007 , 11, P274	78

1700	Near-infrared spectroscopy during resuscitation of trauma patients predicts development of multiple organ dysfunction: a prospective cohort study. 2007 , 11, P275	1
1699	Buccal visible light spectroscopy and laser Doppler flowmetry: reliability analysis. 2007 , 11, P276	78
1698	Central venous pressure in a femoral access: a true evaluation?. 2007 , 11, P277	1
1697	Left ventricular volumes but not filling pressure are determinants of mortality in critically ill patients. 2007 , 11, P278	2
1696	Prehospital echocardiography in pulseless electrical activity victims using portable, handheld ultrasound. 2007 , 11, P279	4
1695	The effectiveness of transthoracic echocardiography as a screening examination in a noncoronary intensive care unit. 2007 , 11, P280	78
1694	Identification of contractility abnormalities in intensive care unit patients with sepsis using tissue Doppler imaging. 2007 , 11, P281	0
1693	Determination of intravascular volume status in critically ill patients using portable chest X-rays: measurement of the vascular pedicle width. 2007 , 11, P282	78
1692	The role of clinical examination, chest X-ray and central venous pressure in volume assessment in critically ill patients: a comparison with PiCCO-derived data. 2007 , 11, P283	1
1691	Clinicians' prediction of advanced cardiopulmonary variables in critically ill patients: a multicenter study. 2007 , 11, P284	78
1690	Change of therapeutic plan following advanced cardiopulmonary monitoring in critically ill patients: a multicenter study. 2007 , 11, P285	1
1689	Assessment of extravascular lung water and pulmonary vascular permeability evaluated by the pulse contour cardiac output in systemic inflammatory response syndrome patients. 2007 , 11, P286	1
1688	Fluid status assessment in mechanically ventilated septic patients. 2007 , 11, P287	78
1687	Noninvasive cardiac output: accuracy between the ultrasound cardiac output monitor and the esophageal Doppler monitor. 2007 , 11, P288	78
1686	Noninvasive cardiac output monitoring: a clinical validation. 2007 , 11, P289	1
1685	Method comparison & a new approach to implementing the Bland-Altman analysis to estimate the precision of a new method: tested on 30 critically ill patients monitored with pulse pressure analysis and continuous cardiac output vs intermittent thermodilution. 2007 , 11, P290	0
1684	Comparison of vascular pedicle width and PiCCO-derived haemodynamic measurements in patients in a general intensive care unit. 2007 , 11, P291	1
1683	Reliability of the continuous cardiac index measurement using the pulse contour analysis of the PiCCO system. 2007 , 11, P292	78

1682	PiCCO monitoring. Are two injections enough?. 2007 , 11, P293	78
1681	Lithium dilution cardiac output measurement in the critically ill patient: determination of precision of the technique. 2007 , 11, P294	2
1680	Transpulmonary lithium indicator dilution: a new method of intrathoracic blood volume measurement. 2007 , 11, P295	78
1679	Comparison between uncalibrated cardiac output using the femoral and radial arterial pressure waveform in critically ill patients. 2007 , 11, P296	2
1678	Measurement of intrathoracic blood volume by lithium dilution: comparison with thermodilution. 2007 , 11, P297	78
1677	Impedance cardiography to assess hemodynamic status: a comparison with transpulmonary thermodilution. 2007 , 11, P298	78
1676	Clinical evaluation of the FloTrac/Vigileo system and two established methods for continuous cardiac output monitoring in patients undergoing cardiac surgery. 2007 , 11, P299	78
1675	Flow TracCardiac output determination correlates with echocardiography. 2007 , 11, P300	78
1674	A survey of cardiac output monitoring in intensive care units. 2007 , 11, P301	0
1673	CeVOX for continuous central venous oxygenation measurement in patients undergoing off-pump coronary artery bypass grafting. 2007 , 11, P302	78
1672	Incidence of low central venous oxygen saturation after standard postoperative intensive care management. 2007 , 11, P303	78
1671	Relative influence of hypoxemia and anemia on the measurement of central venous oxygen saturation. 2007 , 11, P304	78
1670	Oxygen delivery optimization using lithium indicator dilution and pulse power analysis during major surgery in high-risk patients. 2007 , 11, P305	78
1669	Oxygen delivery to carbon dioxide production ratio for continuously detecting anaerobic metabolism in trauma patients. 2007 , 11, P306	78
1668	Passive leg raising-induced changes in mean radial artery pressure can be used to assess preload dependence. 2007 , 11, P307	78
1667	Pulse pressure variation and adrenal insufficiency in septic shock. 2007 , 11, P308	78
1666	Changes in stroke volume and intrathoracic blood volume induced by a sequential leg compression in critically ill patients. 2007 , 11, P309	78
1665	Respiratory pulse oximetry plethysmographic waveform amplitude correlates with arterial pulse pressure variations. 2007 , 11, P310	78

1664	Assessing fluid responsiveness in patients undergoing abdominal major surgery: a comparison of the respiratory systolic variation test and other indices. 2007 , 11, P311	78
1663	Goal-directed intraoperative fluid therapy improved postoperative renal functions in aortic surgical patients. 2007 , 11, P312	78
1662	Analysis of physiological functions of different human serum albumin pharmaceutical preparations. 2007 , 11, P313	2
1661	Saline-induced hyperchloraemic metabolic acidosis: an unrecognised phenomenon among medical staff?. 2007 , 11, P314	78
1660	An individual patient meta-analysis of clinical trials using dopexamine to increase oxygen delivery in high-risk surgical patients. 2007 , 11, P315	78
1659	The onset of ventricular isovolumetric contraction as reflected in the carotid artery distension waveform. 2007 , 11, P316	78
1658	Critical care utilisation following bariatric surgery. 2007 , 11, P317	78
1657	Intrathoracic pressure effects on hepatic flow and inferior vena cava diameter: an ultrasonographic study. 2007 , 11, P318	78
1656	Intra-abdominal hypertension as a risk factor of death in patients with severe sepsis or septic shock. 2007 , 11, P319	1
1655	Abdominal pressure volume determinants. 2007 , 11, P320	78
1654	Bystander CPR for out-of-hospital cardiac arrest in Japan. 2007 , 11, P321	78
1653	D-Dimer level and outcome in patients after cardiopulmonary resuscitation. 2007 , 11, P322	78
1652	Vasopressin alone or with epinephrine may be superior to epinephrine in asystolic out-of-hospital cardiac arrest: an observational study. 2007 , 11, P323	78
1651	Vasopressin, epinephrine, and methylprednisolone in inhospital cardiac arrest. 2007 , 11, P324	2
1650	Procalcitonin is a powerful predictor of outcome after cardiopulmonary resuscitation. 2007 , 11, P325	78
1649	Do patient characteristics or factors at resuscitation influence long-term outcome in patients surviving to be discharged following inhospital cardiac arrest?. 2007 , 11, P326	78
1648	Out-of-hospital surface cooling with a cooling-blanket to induce mild hypothermia in humans after cardiac arrest: a feasibility trial. 2007 , 11, P327	78
1647	Mild hypothermia induction following cardiac arrest using a water-circulating cooling device. 2007 , 11, P328	78

1646	Induction of mild hypothermia in cardiac arrest survivors with cardiogenic shock syndrome. 2007 , 11, P329	78
1645	Changes in urinary 8-hydroxy-2-deoxyguanosine in patients with global brain ischemia undergoing brain hypothermia therapy: comparison of whole body and selective head cooling. 2007 , 11, P330	78
1644	Reduction of magnetic resonance spectroscopy brain temperature by convective head cooling in healthy humans. 2007 , 11, P331	78
1643	Induction of therapeutic mild hypothermia after cardiac arrest: a new combined method to achieve the target temperature. 2007 , 11, P332	78
1642	A comparison of complications during therapeutic hypothermia between surface cooling and endovascular cooling techniques. 2007 , 11, P333	78
1641	Buspirone and dexmedetomidine synergistically reduce the shivering threshold in humans. 2007 , 11, P334	78
1640	Bispectral index and suppression ratio are very early predictors of neurological outcome during therapeutic hypothermia after cardiac arrest. 2007 , 11, P335	4
1639	Role of bedside electroencephalogram in intensive care: a critical review. 2007 , 11, P336	78
1638	Abstract withdrawn. 2007 , 11, P337	78
1637	Aneurysmal subarachnoid hemorrhage induces the expression of Pentraxin3 in patients. 2007 , 11, P338	78
1636	Outcome of intensive care unit patients with spontaneous intracerebral hemorrhage. 2007 , 11, P339	78
1635	Maintenance of prehospital medical systems due to clinical advance in acute stroke. 2007 , 11, P340	78
1634	Effects of intraaortic balloon counterpulsation on middle cerebral artery blood flow velocities. 2007 , 11, P341	78
1633	Gram-negative bacteremia is an independent predisposing factor for critical illness polyneuromyopathy. 2007 , 11, P343	78
1632	Interhospital cooperation after critical and emergency care for patients with cervical/thoracic/abdominal trauma and emergency diseases in the local medical area in a typical urban city of Japan. 2007 , 11, P344	78
1631	Early hypothermia in severely injured trauma patients is a significant risk factor for multiple organ dysfunction syndrome but not mortality. 2007 , 11, P345	1
1630	The nonlactate gap: a novel predictor of organ failure and mortality following major trauma. 2007 , 11, P346	1
1629	Prehospital hypotension that persists on arrival at the emergency department is a powerful predictor of mortality following major trauma. 2007 , 11, P347	78

1628	Traumatic cardiac injury in chest trauma. 2007 , 11, P348	78
1627	Prognosis of blunt abdominal trauma patients with contrast medium extravasation on computed tomography scan. 2007 , 11, P349	1
1626	Full-body low-dosage X-ray instead of single X-ray series in trauma: a preliminary experience report of a modified advanced trauma life support algorithm. 2007 , 11, P350	78
1625	Peripheral oxygen extraction predicts organ failure and mortality following major trauma. 2007 , 11, P351	78
1624	Damage control orthopedics can improve outcome in trauma patients. 2007 , 11, P352	78
1623	Head trauma: risk factors for early brain death [bur experience. 2007 , 11, P353	78
1622	Sensitivity and specificity of a triage score dedicated to trauma patients in a tertiary-level hospital: preliminary results. 2007 , 11, P354	1
1621	Conjunctival and sublingual microcirculation alterations in head trauma patients with increased intracranial pressure. 2007 , 11, P355	1
1620	The influence of hypotensive resuscitation in hemorrhagic shock with coexisting severe head injury: an experimental protocol. 2007 , 11, P356	78
1619	Hyperoxemia improves cerebral autoregulation in severe traumatic brain injury. 2007 , 11, P357	78
1618	C1-inhibitor attenuates neurobehavioral deficits following controlled cortical impact brain injury in mice. 2007 , 11, P358	78
1617	Haemostatic activation markers in brain injury for mortality prediction: comparison of blood samples from the jugular bulb and central venous line. 2007 , 11, P359	78
1616	Decreased adrenal reserve after etomidate use in moderate and severe traumatic brain injuries: clinical implications. 2007 , 11, P360	1
1615	Differential effects of in vitro norepinephrine on platelets isolated from severely traumatic brain injured patients. 2007 , 11, P361	78
1614	Ultrasound evaluation and risk factors for deep venous thrombosis in the intensive care unit. 2007 , 11, P362	78
1613	Venous thromboembolism in critically ill patients: incidence and risk factors. 2007 , 11, P363	1
1612	Cardiopulmonary bypass and recombinant plasminogen activator for treatment of experimental fatal pulmonary embolism. 2007 , 11, P364	78
1611	Early coagulation alterations in intensive care unit burn patients. 2007 , 11, P365	78

1610	Fibrinolysis during cardiopulmonary bypass detected with thromboelastography. 2007 , 11, P366	78
1609	ROTEM [®] thrombelastometry in on-pump cardiac surgery patients. 2007 , 11, P367	78
1608	Low-frequency hemoviscoelastography: a new method of diagnostics for coagulation disorders after abdominal surgery for cancer. 2007 , 11, P368	78
1607	Thrombin generation in on-pump cardiac surgery patients. 2007 , 11, P369	78
1606	Activated clotting time (ACT) measuring devices used simultaneously do not produce correlating ACT values. 2007 , 11, P370	78
1605	Orgaran [®] use in intensive care unit patients with heparin-induced thrombocytopenia and acute renal failure. 2007 , 11, P371	78
1604	High incidence of positive heparin antibodies in a multidisciplinary intensive care unit. 2007 , 11, P372	78
1603	The beneficial effects of the combined methods in investigating heparin-induced thrombocytopenia. 2007 , 11, P373	1
1602	The effect of male-donor-only fresh frozen plasma on the incidence of acute lung injury following ruptured abdominal aortic aneurysm repair. 2007 , 11, P374	2
1601	A biochemical comparison of Octaplas with a universally applicable development product (Uniplas) and single-donor fresh-frozen plasmas subjected to methylene-blue dye and white-light treatment. 2007 , 11, P375	78
1600	Octaplex in routine clinical use for prophylaxis and therapy of bleeding in patients with prothrombin complex factor deficiency. 2007 , 11, P376	3
1599	Reversal of oral anticoagulation with prothrombin complex concentrate (Octaplex). 2007 , 11, P377	78
1598	Experience of NovoSeven administration in the management of severe haemorrhage following cardiac surgery of nonhaemophilic patients. 2007 , 11, P378	78
1597	Evaluation of the role of recombinant activated factor VII (NovoSeven) as a rescue haemostatic therapy in postcardiopulmonary bypass surgical patients. 2007 , 11, P379	78
1596	Factor VII for intractable bleeding after cardiac surgery. 2007 , 11, P380	78
1595	Recombinant activated factor VII treatment of severe bleeding in cardiac surgery patients: a retrospective analysis of dosing, and efficacy and safety outcomes. 2007 , 11, P381	78
1594	The influence of severe preeclampsia on maternal cerebral perfusion. 2007 , 11, P382	78
1593	HELLP syndrome: utility of specific classifications as prognostic tools. 2007 , 11, P383	78

1592	Stroke and pregnancy: etiology, timing and outcome. 2007 , 11, P384	78
1591	Acute renal failure in obstetrics: risk factors and outcome. 2007 , 11, P385	78
1590	The majority of patients in a Swedish university hospital intensive care unit have reduced glomerular filtration rate measured by Cystatin C. 2007 , 11, P386	78
1589	Fractional excretion of urea in the follow-up of acute renal failure due to prerenal azotemia. 2007 , 11, P387	78
1588	Hemodynamic goal-directed intermittent hemodialysis. 2007 , 11, P388	78
1587	Predictive factors of dialytic acute kidney injury in patients admitted to the intensive care unit after nontraumatic emergency abdominal surgery. 2007 , 11, P389	78
1586	Long-term outcome of patients with contrast-induced nephropathy. 2007 , 11, P390	78
1585	Survey of acute renal failure in patients after cardiovascular surgery. 2007 , 11, P391	78
1584	Antifibrinolytic agents and angiotensin-converting enzyme inhibitors: the effect on postoperative renal dysfunction in cardiac surgery. 2007 , 11, P392	78
1583	Preoperative assessment of patients undergoing abdominal aortic surgery: chronic kidney disease is almost always present. 2007 , 11, P393	78
1582	A comparison of Gc globulin and neutrophil gelatinase-associated lipocalin in patients with liver disease. 2007 , 11, P394	78
1581	Fibrinogen as a prognostic indicator in hepatic failure. 2007 , 11, P395	78
1580	Telephone triage for a liver intensive care unit Advise or admit?. 2007 , 11, P396	1
1579	What is the role of carboxyhaemoglobin in patients with liver failure?. 2007 , 11, P397	78
1578	Predictive value of indocyanine green clearance in acute liver failure in children: comparison with King's College and Clichy scores. 2007 , 11, P398	78
1577	Pulmonary effects of desferrioxamine in the treatment of an experimental model of fulminant hepatic failure. 2007 , 11, P399	78
1576	Comparison of terlipressin and norepinephrine on cerebral perfusion, intracranial pressure and cerebral concentrations of lactate and pyruvate in patients with acute liver failure: a microdialysis study. 2007 , 11, P400	78
1575	Relative adrenal insufficiency in patients with severe acute pancreatitis. 2007 , 11, P401	2

1574	The relative sensitivity of serum lipase versus amylase for radiological image-positive pancreatitis. 2007 , 11, P402	1
1573	The significance of gallbladder sludge in the patient with acute pancreatitis. 2007 , 11, P403	78
1572	Recurrence rates in patients with first episodes of acute pancreatitis. 2007 , 11, P404	6
1571	Replacement of albumin after abdominal surgery. 2007 , 11, P405	1
1570	Extravascular lung water following resuscitation of hemorrhagic shock in swine: comparison between Ringers' lactate and normal saline. 2007 , 11, P406	78
1569	Neutrophil elastase suppression by medium-molecular-weight hydroxyethylstarch in orthopaedic surgery. 2007 , 11, P407	78
1568	Toxicity of two lipid emulsions on human lymphocytes and neutrophils. 2007 , 11, P408	2
1567	Haemoglobin concentration influences the chlorideBicarbonate but not the strong ion differenceBicarbonate relationship. 2007 , 11, P409	78
1566	Transfusion from male-only vs female donors in critically ill recipients of high plasma volume components. 2007 , 11, P410	78
1565	Evaluation of red blood cell transfusion effects in lactate and central venous oxygen saturation in patients with severe sepsis and septic shock. 2007 , 11, P411	78
1564	Transfusion profiles in intensive care units from a university hospital. 2007 , 11, P412	78
1563	National survey of transfusion practices. 2007 , 11, P413	78
1562	Could the combination of bleeding time and platelet function predict the perioperative transfusion requirements in cardiac surgery patients?. 2007 , 11, P414	78
1561	Emergency staff is in danger. 2007 , 11, P415	78
1560	Shaken baby syndrome: the classical clinical triad is still valid in recent court rulings. 2007 , 11, P416	1
1559	Organophosphate poisoning and related mortality with oxime perfusion. 2007 , 11, P417	78
1558	Approaches of Turkish anesthesiologists to delirium observed in intensive care unit patients. 2007 , 11, P418	0
1557	A comparison of the confusion assessment method for the intensive care unit and the NEECHAM confusion scale in intensive care delirium assessment. 2007 , 11, P419	0

1556	The occurrence of delirium is severely underestimated by intensivists and intensive care unit nurses during daily ICU care. 2007 , 11, P420	1
1555	Sedation practices in Denmark. 2007 , 11, P421	78
1554	Evaluation of two sedation techniques in a casualty department. 2007 , 11, P422	78
1553	Comparison of dexmedetomidine with propofol/midazolam in sedation of long-stay intensive care patients: a prospective randomized, controlled, multicenter trial. 2007 , 11, P423	1
1552	Multimodal short acting sedation using NMDA antagonist and remifentanyl in brain trauma patients: a prospective randomised study. 2007 , 11, P424	78
1551	Inhalational sedation during transport to the intensive care unit. 2007 , 11, P425	78
1550	Pharmacokinetics of single intravenous bolus administration of propofol in preterm and term neonates. 2007 , 11, P426	78
1549	Remifentanyl vs conventional sedation in The Netherlands: a pharmacoeconomic model analysis. 2007 , 11, P427	0
1548	Assessment and management of pain in children in A&E: are we doing it the right way?. 2007 , 11, P428	78
1547	Pain after cardiac surgery. 2007 , 11, P429	1
1546	Opioid receptor expression on neutrophils: effect of tumour necrosis factor alpha treatment. 2007 , 11, P430	78
1545	Intravenous anesthesia with S-(+)-ketamine for 'on-pump' coronary artery bypass surgery: hemodynamic profile and effect on troponin T levels. 2007 , 11, P431	4
1544	Computer management systems and protocols in intensive care units: do we have any benefit?. 2007 , 11, P432	78
1543	Decreasing the incidence of ventilator-associated pneumonia using the FAST-HUG evaluation. 2007 , 11, P433	78
1542	Significance of postmortem computed tomography in death diagnosis: investigation of the characteristics in patients with cardiopulmonary arrest on arrival. 2007 , 11, P434	78
1541	Simulated critical care calls: a simple way to teach complex skills. 2007 , 11, P435	78
1540	Required time for certain intensive care unit procedures. 2007 , 11, P436	78
1539	Intra-observer and inter-observer variability of clinical annotations of monitoring data. 2007 , 11, P437	78

1538	Robust regression methods for intensive care monitoring. 2007 , 11, P438	78
1537	ISIS program: a new tool for medical research at the bedside in critical care units. 2007 , 11, P439	1
1536	Inter-rater agreement in the triage of calls to a paediatric interhospital transfer service. 2007 , 11, P440	78
1535	Reduction in retrieval mobilisation time over a 5-year period (South Thames Retrieval Service). 2007 , 11, P441	78
1534	Ambulance transport is associated with a higher mortality than private transport following major penetrating trauma in a semi-urban environment. 2007 , 11, P442	1
1533	The use of a track and trigger system on general medical wards. 2007 , 11, P443	78
1532	Design and implementation of needs-specific critical care response teams. 2007 , 11, P444	78
1531	Multicentre evaluation of the impact of the introduction of outreach services in the United Kingdom. 2007 , 11, P445	1
1530	Influence of ABO blood group polymorphism on mortality in intensive care unit patients. 2007 , 11, P446	78
1529	Contribution of genomic variations within human α -defensin 1 to incidence and outcome of severe sepsis. 2007 , 11, P447	2
1528	TNF α promoter single nucleotide polymorphisms may influence gene expression in patients with severe sepsis. 2007 , 11, P448	2
1527	IL-1/tumor necrosis factor receptor gene expression characterizes sepsis in critically ill systemic inflammatory response syndrome patients. 2007 , 11, P449	78
1526	A novel score based on age and cardiac biomarkers predicts outcomes in severe sepsis and septic shock. 2007 , 11, P450	78
1525	The calculated ion gap: a novel predictor of mortality in the critically ill surgical patient. 2007 , 11, P451	78
1524	Lactate levels from arterial, central venous and peripheral venous blood in severe sepsis and septic shock patients. 2007 , 11, P452	1
1523	Lung nitroxidative stress as a prognostic factor in ventilated septic patients. 2007 , 11, P453	78
1522	Brain natriuretic peptide and left ventricular area variation with fluid challenge in septic shock: an echocardiographic study (preliminary results). 2007 , 11, P454	78
1521	Atrial natriuretic peptide reduces the ischemia/reperfusion-induced renal injury in rats by enhancing sensory neuron activation. 2007 , 11, P455	78

1520	Mid-regional pro-atrial natriuretic peptide is a strong predictor of outcome in an unselected cohort of critically ill patients. 2007 , 11, P456	78
1519	Clinical meaning of brain natriuretic peptide in the intensive care unit. 2007 , 11, P457	78
1518	Combining various severity of illness scoring systems to improve outcome prediction: pilot experience in the critically ill obstetric population. 2007 , 11, P458	78
1517	Validation of logistic organ dysfunction score prediction compared with APACHE II score prediction hospital outcome in Thai patients. 2007 , 11, P459	78
1516	Could we use the admission Acute Physiology and Chronic Health Evaluation II score for outcome prediction in critically ill obstetric patients?. 2007 , 11, P460	0
1515	Two-day intensive care unit outcome prediction score: a trial to improve outcome prediction in critically ill obstetric patients. 2007 , 11, P461	78
1514	The correlation of the Sequential Organ Failure Assessment score with intensive care unit outcome. 2007 , 11, P462	78
1513	Sequential Organ Failure Assessment score as an outcome predictor in malarial multiorgan dysfunction syndrome. 2007 , 11, P463	1
1512	Model calibration and discriminatory ability: a comparison of four derived variables from the SOFA score and the SAPS II. 2007 , 11, P464	78
1511	Sequential Organ Failure Assessment score trends and sepsis survival in a Brazilian university hospital intensive care unit. 2007 , 11, P465	78
1510	Cumulative lactate load correlates with cumulative Sequential Organ Failure Assessment score and survival in intensive care unit patients. 2007 , 11, P466	78
1509	Sequential Organ Failure Assessment score and procalcitonin serum concentrations in patients with systolic heart failure early after cardiac surgery. 2007 , 11, P467	78
1508	The relationship between mortality and its time of day in intensive care unit patients. 2007 , 11, P468	78
1507	Simple prediction of mortality in case of readmission to the intensive care unit. 2007 , 11, P469	1
1506	Comparison of intensive care unit mortality performances: standardized mortality ratio vs absolute risk reduction. 2007 , 11, P470	78
1505	Prediction of the tacrolimus blood concentration in liver transplantation patients with support vector regression during an intensive care unit stay. 2007 , 11, P471	78
1504	Effects of the clinical characteristics of the organ donor on the long-term results of the transplant and survival of the patient, with particular reference to kidney transplants. 2007 , 11, P472	78
1503	Upregulation of the endothelin axis in alveolar macrophages following brain stem death in a murine model. 2007 , 11, P473	78

1502	Prognosis factors in lung transplant recipients readmitted to the intensive care unit. 2007 , 11, P474	78
1501	Predictors of intensive care unit readmission within 48 hours after discharge. 2007 , 11, P475	7
1500	Intensive care unit readmissions after lung transplantation: epidemiology and outcome. 2007 , 11, P476	78
1499	The functional outcome of patients requiring intensive care readmission. 2007 , 11, P477	1
1498	One-year survival of patients admitted to the neurological intensive care unit. 2007 , 11, P478	78
1497	Use of a modified early warning system to predict outcome in patients admitted to a high dependency unit. 2007 , 11, P479	2
1496	Changes of the system of postoperative care decreases mortality in a surgical unit. 2007 , 11, P480	1
1495	Organizational culture and climate in step-down units. 2007 , 11, P481	78
1494	Patient and family satisfaction with care in step-down units. 2007 , 11, P482	1
1493	Abstract withdrawn. 2007 , 11, P483	78
1492	Causes and consequences of failure of implementation of management plans in critical care. 2007 , 11, P484	78
1491	Outcome of very old patients on mechanical ventilation. 2007 , 11, P485	78
1490	Outcome of octogenarians versus nonoctogenarians admitted to the intensive care unit with return of spontaneous circulation after out-of-hospital cardiac arrest. 2007 , 11, P486	78
1489	The costs of intensive care. 2007 , 11, P487	78
1488	Does the Glasgow Coma Scale correctly diagnose the vegetative and minimally conscious states?. 2007 , 11, P488	2
1487	Intensive care of the elderly in Finland. 2007 , 11, P489	78
1486	One-year survival and functional outcome in critically ill elderly patients. 2007 , 11, P490	78
1485	The outcome of patients admitted to an intensive care unit with haematological malignancy: a case-control study. 2007 , 11, P491	78

1484	Quality of life following prolonged critical illness: insights from a qualitative approach. 2007 , 11, P492	78
1483	Quality of life before intensive care unit admission is a strong predictor of survival. 2007 , 11, P493	78
1482	Five years experience of critical care bereavement follow-up. 2007 , 11, P494	7
1481	Quality of life aspects in oncologic patients who survived an intensive care unit admission. 2007 , 11, P495	78
1480	Intensive care unit utilization after esophagectomy. 2007 , 11, P496	78
1479	Visiting policies in Italian intensive care units: a national survey. 2007 , 11, P497	78
1478	Communication with patients during ward rounds on the intensive care unit: a prospective, observational, semiblind study. 2007 , 11, P498	78
1477	Hospital volume and outcome following mechanical ventilation on the intensive care unit. 2007 , 11, P499	78
1476	Continuous education in intensive care for physicians in Brazil: for whom and their needs. 2007 , 11, P500	78
1475	Data completeness in the Finnish Intensive Care Quality Consortium database. 2007 , 11, P501	1
1474	Analysis of critical incidents during the interhospital transport of critically ill patients. 2007 , 11, P502	1
1473	Maximisation of heart and lung donation in a neurosurgical intensive care unit. 2007 , 11, P503	78
1472	Medical practices during the last 48 hours of life in children admitted to seven Brazilian Pediatric intensive care units. 2007 , 11, P504	78
1471	End-of-life care in the critically ill: a description of knowledge, attitudes and practices of physicians and nurses from Karachi, Pakistan. 2007 , 11, P505	78
1470	World Resources in Critical Care Study: a survey of critical care research and resources in eight countries. 2007 , 11, P506	5
1469	Prognostic utility of RIFLE for acute renal failure in patients with sepsis. 2007 , 11, 408	33
1468	Use of plasma C-reactive protein, procalcitonin, neutrophils, macrophage migration inhibitory factor, soluble urokinase-type plasminogen activator receptor, and soluble triggering receptor expressed on myeloid cells-1 in combination to diagnose infections: a prospective study. 2007 , 11, R38	203
1467	Acute renal failure in patients with sepsis. 2007 , 11, 411	54

1466	Cytokine profiles as markers of disease severity in sepsis: a multiplex analysis. 2007 , 11, R49	466
1465	Erythropoietin improves skeletal muscle microcirculation and tissue bioenergetics in a mouse sepsis model. 2007 , 11, R58	46
1464	Tranexamic acid attenuates inflammatory response in cardiopulmonary bypass surgery through blockade of fibrinolysis: a case control study followed by a randomized double-blind controlled trial. 2007 , 11, R117	119
1463	Early goal directed therapy for sepsis during pregnancy. 2007 , 34, 459-79, xi	47
1462	Physiopathologie du choc septique. 2007 , 9, 9-19	0
1461	The systemic implications of aneurysmal subarachnoid hemorrhage. 2007 , 261, 143-56	52
1460	Microglia activation in sepsis: a case-control study. 2007 , 4, 4	143
1459	Recombinant activated factor VII (Novo7) in patients with ventricular assist devices: case report and review of the current literature. 2007 , 2, 47	6
1458	Pharmacokinetic characteristics of antimicrobials and optimal treatment of urosepsis. 2007 , 46, 291-305	26
1457	Optimal management of urosepsis from the urological perspective. 2007 , 30, 390-7	47
1456	Association of lipopolysaccharide-binding protein and coronary artery disease in men. 2007 , 50, 25-31	63
1455	Sepsis: definition, epidemiology, and diagnosis. 2007 , 335, 879-83	281
1454	Community-acquired thoracic empyema in young adults. 2007 , 100, 1075-80	12
1453	Postoperative complications and mortality in older patients having non-cardiac surgery at three Melbourne teaching hospitals. 2007 , 186, 447-52	87
1452	Clinical heterogeneity in autoimmune acute liver failure. 2007 , 13, 1824-7	7
1451	Biomarkers of arginine and lysine excess. 2007 , 137, 1662S-1668S	32
1450	Correlation of Nitric Oxide and Corticosteroids Along the Course of Sepsis. 2007 , 62, 308	
1449	Risk factors associated with the death of patients hospitalized for juvenile systemic lupus erythematosus. 2007 , 40, 993-1002	52

1448	Síndrome da resposta inflamatória sistémica: denominada possivelmente aplicável a fenómenos dermatológicos. 2007 , 82, 359-361		
1447	Increased expression of CD14 in macrophages after inhibition of the cholesterol biosynthetic pathway by lovastatin. 2007 , 13, 592-604		21
1446	The Effect of Stress-Reducing, Low-Dose Ethanol Infusion on Frequency of Bleeding Complications in Long-Term Alcoholic Patients Undergoing Major Surgery. 2007 , 73, 192-198		4
1445	Quantitative Analysis of Organ Tissue Damage after Septic Shock. 2007 , 73, 243-248		4
1444	Atrial fibrillation in a tertiary care multidisciplinary intensive care unit--incidence and risk factors. 2007 , 35, 707-13		39
1443	Systemic and local high mobility group box 1 concentrations during severe infection. <i>Critical Care Medicine</i> , 2007 , 35, 2799-2804	1.4	61
1442	Relationship between adrenal function and prognosis in patients with severe sepsis. 2007 , 120, 1578-1582		5
1441	Design of a flexible platform for execution of medical decision support agents in the intensive care unit. 2007 , 37, 97-112		24
1440	Dynamics of C-reactive protein and white blood cell count in critically ill patients with nosocomial Gram positive vs. Gram negative bacteremia: a historical cohort study. 2007 , 7, 106		20
1439	The murine plasma protein response to polymicrobial intra-abdominal sepsis. 2007 , 1, 373-86		7
1438	Genomic variations within DEFB1 are associated with the susceptibility to and the fatal outcome of severe sepsis in Chinese Han population. 2007 , 8, 439-43		42
1437	Immunopathogenesis of poxvirus infections: forecasting the impending storm. 2007 , 85, 93-102		63
1436	Sepsis et choc septique. 2007 , 2007, 29-36		
1435	Norepinephrine in low to moderate doses may not increase luminal concentrations of L-lactate in the gut in patients with septic shock. 2007 , 51, 1079-84		6
1434	One week of ciprofloxacin before percutaneous nephrolithotomy significantly reduces upper tract infection and urosepsis: a prospective controlled study. 2007 , 99, 466		1
1433	Prognostic factors in pulmonary tuberculosis requiring mechanical ventilation for acute respiratory failure. 2007 , 12, 406-11		43
1432	Extraintestinal focal infections in adults with nontyphoid Salmonella bacteraemia: predisposing factors and clinical outcome. 2007 , 261, 91-100		52
1431	Hyperlactaemia in asthmatics. 2007 , 62, 1084-5		

1430	An audit of ward nurses' knowledge of sepsis. 2007 , 12, 86-92	38
1429	Implementing the severe sepsis care bundles outside the ICU by outreach. 2007 , 12, 225-30	9
1428	Activation of coagulation with concurrent impairment of anticoagulant mechanisms correlates with a poor outcome in severe melioidosis. 2008 , 6, 32-9	25
1427	Characteristics of Heart Rate Variability Can Predict Impending Septic Shock in Emergency Department Patients with Sepsis. 2007 , 14, 392-397	60
1426	Characterisation of lipid profiles in dogs with parvoviral enteritis. 2007 , 48, 643-50	38
1425	Preoperative nutritional status predicts the severity of the systemic inflammatory response syndrome (SIRS) following major vascular surgery. 2007 , 33, 696-702	37
1424	The interleukin-6 (IL6)-174 G/C promoter genotype is associated with the presence of septic shock and the ex vivo secretion of IL6. 2007 , 34, 413-8	35
1423	Spirocercosis-associated pyothorax in dogs. 2007 , 173, 209-14	21
1422	Adrenal exhaustion in septic patients with vasopressor dependency. 2007 , 22, 319-23	13
1421	Low-dose steroid therapy does not affect hemodynamic response in septic shock patients. 2007 , 22, 324-9	15
1420	Septic Shock. 2007 , 372-382	1
1419	Pulmonary Dysfunction. 2007 , 353-368	
1418	The intensity of the fetal inflammatory response in intraamniotic inflammation with and without microbial invasion of the amniotic cavity. 2007 , 197, 294.e1-6	97
1417	Pneumoperitoneum in the cancer patient. 2007 , 14, 3141-7	16
1416	Pituitary-adrenal responses to human corticotropin-releasing hormone in critically ill patients. 2007 , 33, 454-9	19
1415	A randomized trial of catheter change and short course of antibiotics for asymptomatic bacteriuria in catheterized ICU patients. 2007 , 33, 726-9	43
1414	Occult hypoperfusion and mortality in patients with suspected infection. 2007 , 33, 1892-9	263
1413	Increased mortality in septic shock with the 4G/4G genotype of plasminogen activator inhibitor 1 in patients of white descent. 2007 , 33, 1354-62	41

1412	Comparison of two methods for enhanced continuous circulatory monitoring in patients with septic shock. 2007 , 33, 1805-10	29
1411	A prospective study on adrenal cortex responses and outcome prediction in acute critical illness: results from a large cohort of 203 mixed ICU patients. 2007 , 33, 2116-21	25
1410	Activated protein C improves survival in severe sepsis patients with elevated troponin. 2007 , 33, 2122-8	55
1409	Bactericidal permeability increasing protein gene variants in children with sepsis. 2007 , 33, 2158-64	29
1408	[Therapy of hyperthermia in sepsis and septic shock. Necessary or injurious?]. 2007 , 56, 949-52, 954-6	5
1407	Die extrakorporale Therapie septischer Patienten. 2007 , 44, 57-63	2
1406	Schock. 2007 , 10, 593-606	0
1405	Is the septic response good or bad?. 2007 , 9, 366-73	5
1404	Long-term outcomes from sepsis. 2007 , 9, 382-6	61
1403	Impact of diabetes on mortality among patients with community-acquired bacteremia. 2007 , 55, 27-33	25
1402	Cardiac morphological and functional changes during early septic shock: a transesophageal echocardiographic study. 2008 , 34, 250-6	72
1401	Surviving Sepsis Campaign: international guidelines for management of severe sepsis and septic shock: 2008. 2008 , 34, 17-60	1302
1400	Angiotensin-converting enzyme insertion/deletion polymorphism is not associated with susceptibility and outcome in sepsis and acute respiratory distress syndrome. 2008 , 34, 488-95	36
1399	Impact of recent intravenous chemotherapy on outcome in severe sepsis and septic shock patients with hematological malignancies. 2008 , 34, 847-55	76
1398	Acinetobacter baumannii infections in a surgical intensive care unit: predictors of multi-drug resistance. 2008 , 32, 1194-202	28
1397	[Sepsis therapy -- how effective are the therapy strategies?]. 2008 , 79, 877	
1396	The time course of blood C-reactive protein concentrations in relation to the response to initial antimicrobial therapy in patients with sepsis. 2008 , 36, 213-9	102
1395	High mortality rate for patients requiring intensive care after surgical revision following bariatric surgery. 2008 , 18, 171-8	35

1394	Sepsis and septic shock: progress and future considerations. 2008 , 75, 599-607	3
1393	Epidemiological approach to nosocomial infection surveillance data: the Japanese Nosocomial Infection Surveillance System. 2008 , 13, 30-5	10
1392	Outcome for invasive Staphylococcus aureus infections. 2008 , 27, 839-48	23
1391	Fever evaluations after colorectal surgery: identification of risk factors that increase yield and decrease cost. 2008 , 51, 508-13	13
1390	Role of endotoxin in the pathogenesis of critical illness polyneuropathy. 2008 , 255, 265-72	534
1389	Protein C -1641A/-1654C haplotype is associated with organ dysfunction and the fatal outcome of severe sepsis in Chinese Han population. 2008 , 123, 281-7	17
1388	Toward an operative diagnosis in sepsis: a latent class approach. 2008 , 8, 18	15
1387	Computerized definitions showed high positive predictive values for identifying hospitalizations for congestive heart failure and selected infections in Medicaid enrollees with rheumatoid arthritis. 2008 , 17, 890-5	39
1386	Application of intensive care medicine principles in the management of the acute liver failure patient. 2008 , 14 Suppl 2, S85-9	17
1385	Non-invasive ventilation for treatment of postoperative respiratory failure after oesophagectomy. 2009 , 96, 54-60	54
1384	VE-cadherin and ACE: markers for sepsis in post mortem examination?. 2008 , 10, 257-63	11
1383	Analysis of systemic and local odontogenic infection complications requiring hospital care. 2008 , 57, 116-22	71
1382	The use of rapid diagnostic test of procalcitonin serum levels for the postmortem diagnosis of sepsis. 2008 , 178, 139-45	19
1381	Interleukin-6 serum level assessment using a new qualitative point-of-care test in sepsis: A comparison with ELISA measurements. 2008 , 41, 893-8	16
1380	Harmful molecular mechanisms in sepsis. 2008 , 8, 776-87	862
1379	Clusters of imipenem-resistant Acinetobacter baumannii clones producing different carbapenemases in an intensive care unit. 2008 , 14, 588-94	44
1378	Therapeutic challenges of urosepsis. 2008 , 38 Suppl 2, 45-9	65
1377	New biomarkers in an acute model of live Escherichia coli-induced sepsis in pigs. 2008 , 68, 75-84	31

1376	Clinical evaluation of proinflammatory cytokine inhibitors (sTNFR I, sTNFR II, IL-1 ra), anti-inflammatory cytokines (IL-10, IL-13) and activation of neutrophils after burn-induced inflammation. 2008 , 68, 145-52	13
1375	[Immediate hemodynamic response to steroid treatment in septic shock]. 2008 , 32, 385-90	2
1374	Serial measurements of whole blood nitrite in an intensive care setting. 2008 , 44, 1945-50	14
1373	Infection in obstetric critical care. 2008 , 22, 865-83	23
1372	Lymphocyte phenotyping to distinguish septic from nonseptic critical illness. 2008 , 206, 335-42	28
1371	Wound infection in clinical practice. An international consensus. 2008 , 5 Suppl 3, iii-11	15
1370	The microcirculation in health and critical disease. 2008 , 51, 161-70	94
1369	The systemic inflammatory response syndrome induces functional changes and relative hyporesponsiveness in neutrophils. 2008 , 23, 542-9	544
1368	The interleukin-4 expression in patients with severe sepsis. 2008 , 23, 519-24	25
1367	Levels of oxidized low-density lipoproteins are increased in patients with severe sepsis. 2008 , 23, 537-41	13
1366	Glutamine as a modulator of the immune system of critical care patients: effect on Toll-like receptor expression. A preliminary study. 2008 , 24, 522-7	26
1365	IL6 gene-wide haplotype is associated with susceptibility to acute lung injury. 2008 , 152, 11-7	49
1364	The impact of multidrug resistance on the pathogenicity of Escherichia coli: an experimental study. 2008 , 31, 216-23	7
1363	Immunomodulatory therapies for sepsis: unexpected effects with macrolides. 2008 , 32 Suppl 1, S39-43	35
1362	Genetic influence on bloodstream infections and sepsis. 2008 , 32 Suppl 1, S44-50	11
1361	Todo lo que usted debe saber sobre la sepsis. 2008 , 26, 22-27	
1360	Severe sepsis and septic shock: improving outcomes in the emergency department. 2008 , 26, 603-23, vii	15
1359	Improving outcomes for severe sepsis and septic shock: tools for early identification of at-risk patients and treatment protocol implementation. 2008 , 24, S1-47	51

1358	Lack of association between TREM-1 gene polymorphisms and severe sepsis in a Chinese Han population. 2008 , 69, 220-6	23
1357	Sepsis: time has come to focus on the later stages. 2008 , 71, 203-8	46
1356	Heart rate variability measures as predictors of in-hospital mortality in ED patients with sepsis. 2008 , 26, 395-401	76
1355	Role of the infectious diseases specialist consultant on the appropriateness of antimicrobial therapy prescription in an intensive care unit. 2008 , 36, 283-90	69
1354	Prognostication--the lost skill of medicine. 2008 , 19, 155-64	29
1353	Plasma pro- and anti-inflammatory cytokine levels and outcome prediction in unselected critically ill patients. 2008 , 41, 263-7	40
1352	Interleukin-6 and procalcitonin in children with sepsis and septic shock. 2008 , 43, 160-4	33
1351	Kinetics of angiopoietin-2 in serum of multi-trauma patients: correlation with patient severity. 2008 , 44, 310-3	35
1350	Neuropeptide modulators of high mobility group box 1 secretion as potential therapeutic agents for severe sepsis. 2008 , 172, 1171-3	5
1349	Mortality and morbidity among elderly people with burns--evaluation of data on admission. 2008 , 34, 965-74	66
1348	Human endothelial impairment in sepsis. 2008 , 197, 747-52	15
1347	Critical care medicine for the hospitalist. 2008 , 92, 467-79, x	1
1346	Defining sepsis. 2008 , 29, 585-90, vii	13
1345	Cross-transmission of multidrug-resistant <i>Acinetobacter baumannii</i> clonal strains causing episodes of sepsis in a trauma intensive care unit. 2008 , 29, 410-7	66
1344	Accuracy of bedside glucometry in critically ill patients: influence of clinical characteristics and perfusion index. 2008 , 83, 400-5	118
1343	Factors affecting fever following percutaneous nephrolithotomy: a prospective clinical study. 2008 , 22, 2135-8	65
1342	Outcome and prognostic factors of patients with acute leukemia admitted to the intensive care unit for septic shock. 2008 , 49, 1929-34	25
1341	Influence of vancomycin minimum inhibitory concentration on the treatment of methicillin-resistant <i>Staphylococcus aureus</i> bacteremia. 2008 , 46, 193-200	603

1340	Circulating microparticles from patients with septic shock exert protective role in vascular function. 2008 , 178, 1148-55	144
1339	Acute myocardial infarction in hospitalized patients with community-acquired pneumonia. 2008 , 47, 182-7	136
1338	Impact of invasive fungal infection on outcomes of severe sepsis: a multicenter matched cohort study in critically ill surgical patients. 2008 , 12, R5	35
1337	Expression of cell surface receptors and oxidative metabolism modulation in the clinical continuum of sepsis. 2008 , 12, R25	64
1336	Protein C: a potential biomarker in severe sepsis and a possible tool for monitoring treatment with drotrecogin alfa (activated). 2008 , 12, R45	29
1335	Early acute kidney injury and sepsis: a multicentre evaluation. 2008 , 12, R47	410
1334	Diagnosing sepsis: does the microbiology matter?. 2008 , 12, 145	4
1333	Acute kidney injury in intensive care unit patients: a comparison between the RIFLE and the Acute Kidney Injury Network classifications. 2008 , 12, R110	189
1332	Management of bevacizumab-associated bowel perforation: a case series and review of the literature. 2008 , 19, 577-82	138
1331	Presymptomatic prediction of sepsis in intensive care unit patients. 2008 , 15, 1089-94	59
1330	Sepsis: rethinking the approach to clinical research. 2008 , 83, 471-82	100
1329	Effects of remifentanyl and fentanyl on the cell-mediated immune response in patients undergoing elective coronary artery bypass graft surgery. 2008 , 36, 1235-47	30
1328	Reduction of unnecessary i.v. antibiotic days using general criteria for antibiotic switch. 2008 , 40, 468-73	17
1327	Immunosuppression in sepsis. 2008 , 14, 1870-81	35
1326	Evaluation of neutrophil CD64 expression and procalcitonin as useful markers in early diagnosis of sepsis. 2008 , 21, 43-9	48
1325	Near-infrared spectroscopy in patients with severe sepsis: correlation with invasive hemodynamic measurements. 2008 , 9, 515-9	36
1324	Functions of the complement components C3 and C5 during sepsis. 2008 , 22, 3483-90	54
1323	Caspase-8 is activated by cathepsin D initiating neutrophil apoptosis during the resolution of inflammation. 2008 , 205, 685-98	193

1322 Hypotension and multiple organ dysfunction syndrome. **2008**, 4, 130-144

1321 Septic Shock. **2008**, 439-452

1

1320 The importance of fever as a predictive symptom for the potency of host's monocytes to release pro- and anti-inflammatory mediators. **2008**, 2008, 450196

1

1319 Severe acute copper sulphate poisoning: a case report. **2008**, 59, 31-5

17

1318 Effect of clarithromycin in patients with sepsis and ventilator-associated pneumonia. **2008**, 46, 1157-64

187

1317 Serum amyloid A, procalcitonin, tumor necrosis factor-alpha, and interleukin-1beta levels in neonatal late-onset sepsis. **2008**, 2008, 737141

27

1316 Novel Approaches to the Treatment of Sepsis Syndrome. **2008**, 21, 371-379

1315 Model-based insulin sensitivity as a sepsis diagnostic in critical care. **2008**, 2, 468-77

27

1314 Downregulation of CD40 ligand response in monocytes from sepsis patients. **2008**, 15, 1851-8

37

1313 Prognostic value of chromogranin A at admission in critically ill patients: a cohort study in a medical intensive care unit. **2008**, 54, 1497-503

36

1312 Intensive versus conventional insulin therapy: a randomized controlled trial in medical and surgical critically ill patients. *Critical Care Medicine*, **2008**, 36, 3190-7

1.4 358

1311 Animal models of sepsis and its complications. **2008**, 74, 991-3

38

1310 Neutropenic fever and severe sepsis in adult acute myeloid leukemia (AML) patients receiving intensive chemotherapy: Causes and consequences. **2008**, 49, 495-501

55

1309 Inflammatory markers at hospital discharge predict subsequent mortality after pneumonia and sepsis. **2008**, 177, 1242-7

293

1308 Direct in vivo assessment of microcirculatory dysfunction in severe falciparum malaria. **2008**, 197, 79-84

179

1307 Inflammasome mRNA expression in human monocytes during early septic shock. **2008**, 177, 983-8

68

1306 The increase of endothelial progenitor cells in the peripheral blood: a new parameter for detecting onset and severity of sepsis. **2008**, 21, 697-705

36

1305 Association of Interleukin 6 Promoter Polymorphism (-174G/C) with IL-6 Level and Outcome in Severe Sepsis. **2008**, 62, 162-164

3

1304	Pediatric shock. 2008 , 5, 405-423		3
1303	Stress-induced hyperglycemia in patients with severe sepsis: a compromising factor for survival. 2008 , 336, 467-71		38
1302	The ventilator-associated pneumonia PIRO score: a tool for predicting ICU mortality and health-care resources use in ventilator-associated pneumonia. 2008 , 134, 1208-1216		103
1301	Pathogenesis of the systemic inflammatory syndrome and acute lung injury: role of iron mobilization and decompartmentalization. 2008 , 294, L161-74		38
1300	Evidence for the participation of soluble triggering receptor expressed on myeloid cells-1 in the systemic inflammatory response syndrome after multiple trauma. 2008 , 65, 1385-90		20
1299	Every minute counts. 2008 , 3, 42-50		
1298	Update on the management of infection in patients with severe sepsis. 2008 , 27, 244-8		7
1297	Procalcitonin assay in systemic inflammation, infection, and sepsis: clinical utility and limitations. <i>Critical Care Medicine</i> , 2008 , 36, 941-52	1.4	400
1296	A prospective randomized controlled study of two fluid regimens in the initial management of septic shock in the emergency department. 2008 , 24, 647-55		53
1295	Genetic approach to pediatric septic shock. 2008 , 5, 249-263		3
1294	The use of procalcitonin determinations in evaluation of systemic lupus erythematosus. 2008 , 14, 138-42		37
1293	Incidence and clinical effects of intra-abdominal hypertension in critically ill patients. <i>Critical Care Medicine</i> , 2008 , 36, 1823-31	1.4	230
1292	Serious acute chikungunya virus infection requiring intensive care during the Reunion Island outbreak in 2005-2006. <i>Critical Care Medicine</i> , 2008 , 36, 2536-41	1.4	166
1291	Can emergency physicians identify a high mortality subgroup of patients with sepsis: role of procalcitonin. 2008 , 15, 26-33		35
1290	Combination of biphasic transmittance waveform with blood procalcitonin levels for diagnosis of sepsis in acutely ill patients. <i>Critical Care Medicine</i> , 2008 , 36, 1507-12	1.4	34
1289	Acute respiratory distress syndrome 40 years later: time to revisit its definition. <i>Critical Care Medicine</i> , 2008 , 36, 2912-21	1.4	62
1288	Promises, promises: N-terminal proB-type natriuretic peptide as a biomarker in acute lung injury. <i>Critical Care Medicine</i> , 2008 , 36, 2461-2	1.4	
1287	Lactate, procalcitonin, and amino-terminal pro-B-type natriuretic peptide versus cytokine measurements and clinical severity scores for prognostication in septic shock. 2008 , 29, 328-33		61

1286	Modulation of lipid and protein mediators of inflammation by cytosolic phospholipase A2alpha during experimental sepsis. 2008 , 181, 3558-66		15
1285	Surviving Sepsis Campaign: international guidelines for management of severe sepsis and septic shock: 2008. <i>Critical Care Medicine</i> , 2008 , 36, 296-327	1.4	6589
1284	Clinical outcome and prognostic factors of patients with pyogenic liver abscess requiring intensive care. <i>Critical Care Medicine</i> , 2008 , 36, 1184-8	1.4	50
1283	Uncertain usefulness of procalcitonin as reliable marker of sepsis?. 2008 , 106, 675-6		
1282	Postoperative complications in elderly patients and their significance for long-term prognosis. 2008 , 21, 375-9		45
1281	Temporal changes in management and outcome of septic shock in patients with malignancies in the intensive care unit. <i>Critical Care Medicine</i> , 2008 , 36, 690-6	1.4	140
1280	Sepsis: time to reconsider the concept. <i>Critical Care Medicine</i> , 2008 , 36, 964-6	1.4	93
1279	Acute respiratory distress syndrome: time to entertain a change but not to make one. <i>Critical Care Medicine</i> , 2008 , 36, 2926-8	1.4	3
1278	Challenges in surgical management of abdominal pain in the neutropenic cancer patient. 2008 , 248, 104-9		46
1277	Severe Sepsis and Multiple Organ Dysfunction. 2008 , 467-484		
1276	Is correction of severe hypoalbuminemia necessary in the critically ill?. 2008 , 121, 2360-2362		
1275	Effect of Nitric Oxide Synthase Inhibition on Body Temperature Control During Endotoxemic Shock. 2008 , 4, 10-17		
1274	Calcitonin Gene Family of Peptides. 2008 , 813-836		3
1273	Plasticity of the systemic inflammatory response to acute infection during critical illness: development of the riboleukogram. 2008 , 3, e1564		59
1272	How well do serum sTREM-1 measurements prognosticate in septic shock?. 2008 , 36, 654-8		14
1271	Sepsis: from bench to bedside. 2008 , 63, 109-20		20
1270	Prehospital management of a patient with severe sepsis. 2009 , 1, 183-188		5
1269	[Comparison of diagnostic utility between procalcitonin and C-reactive protein for the patients with blood culture-positive sepsis]. 2009 , 29, 529-35		21

1268	Accuracy of different methods for blood glucose measurement in critically ill patients. 2009 , 127, 259-65	14
1267	Prevalence and significance of coagulation abnormalities in community-acquired pneumonia. 2009 , 15, 438-45	92
1266	Entendendo o conceito PIRO: da teoria à prática clínica - Parte 1. 2009 , 21, 425-431	4
1265	Animal models of sepsis and sepsis-induced kidney injury. 2009 , 119, 2868-78	377
1264	Non-invasive assessment of the microcirculation in critically ill patients. 2009 , 37, 733-9	29
1263	Soluble triggering receptor expressed on myeloid cells-1 is an early marker of infection in the surgical intensive care unit. 2009 , 10, 435-9	23
1262	CD64 index provides simple and predictive testing for detection and monitoring of sepsis and bacterial infection in hospital patients. 2009 , 47, 3914-9	76
1261	Sepsis: a need for prehospital intervention?. 2009 , 26, 535-8	127
1260	Review of a large clinical series: association of cumulative fluid balance on outcome in acute lung injury: a retrospective review of the ARDSnet tidal volume study cohort. 2009 , 24, 35-46	236
1259	Spectral analysis of heart period and pulse transit time derived from electrocardiogram and photoplethysmogram in sepsis patients. 2009 , 2009, 1781-4	7
1258	Macrophage migration inhibitory factor and multiple organ dysfunction syndrome. 2009 , 5, 10-16	
1257	The influence of macrophage migration inhibitory factor gene polymorphisms on outcome from community-acquired pneumonia. 2009 , 23, 2403-11	80
1256	Real-Time PCR in Microbiology: From Diagnosis to Characterization. 2009 , 65-85	0
1255	Serum lactate is associated with mortality in severe sepsis independent of organ failure and shock. <i>Critical Care Medicine</i> , 2009 , 37, 1670-7	1.4 614
1254	Reduced citrulline production in sepsis is related to diminished de novo arginine and nitric oxide production. 2009 , 89, 142-52	143
1253	Prospective comparison of severity scores for predicting clinically relevant outcomes for patients hospitalized with community-acquired pneumonia. 2009 , 135, 1572-1579	85
1252	Late-onset ventilator-associated pneumonia in nontrauma intensive care unit patients. 2009 , 109, 1584-90	12
1251	Utility of echocardiography in hypotension in the intensive care unit. 2009 , 37, 64-70	0

1250	Eczema herpeticum and clinical criteria for investigating smallpox. 2009 , 15, 1102-4	6
1249	A genetic variant of hypoxia-inducible factor-1alpha is associated with adverse outcomes in acute kidney injury. 2009 , 75, 1322-1329	31
1248	Plasma from patients with sepsis up-regulates the expression of CD49d and CD64 on blood neutrophils. 2009 , 40, 724-32	20
1247	Serum proteome alteration of severe sepsis in the treatment of continuous renal replacement therapy. 2009 , 24, 3108-14	12
1246	Cyclooxygenase-1 or -2--which one mediates lipopolysaccharide-induced hypothermia?. 2009 , 297, R485-94	41
1245	PIRO score for community-acquired pneumonia: a new prediction rule for assessment of severity in intensive care unit patients with community-acquired pneumonia. <i>Critical Care Medicine</i> , 2009 , 37, 456-62	165
1244	Left atrial function for outcome prediction in severe sepsis and septic shock: an echocardiographic study. 2009 , 13, 59-65	3
1243	Organism-specific platelet response and factors affecting survival in thrombocytopenic very low birth weight babies with sepsis. 2009 , 29, 702-8	28
1242	Pro- and synbiotics to control inflammation and infection in patients with multiple injuries. 2009 , 67, 815-21	82
1241	Rapid diagnosis of sepsis and bacterial meningitis in children with real-time fluorescent quantitative polymerase chain reaction amplification in the bacterial 16S rRNA gene. 2009 , 48, 641-7	14
1240	Sepsis-associated myocardial dysfunction: from bedside to bench. 2009 , 5, 79-90	2
1239	Postmortem Examination in Cases of Sepsis or Multiple Organ Dysfunction. 2009 , 141-146	
1238	Sepsis in pregnancy and early goal-directed therapy. 2009 , 2, 93-9	8
1237	Age-associated increase in cytokine production during systemic inflammation: adipose tissue as a major source of IL-6. 2009 , 64, 723-30	103
1236	[Characteristics and impact of sedation, analgesia, and neuromuscular blockage in critical patients undergoing prolonged mechanical ventilation]. 2009 , 33, 311-20	6
1235	The basic science of sepsis. 2009 , 27, 465-469	
1234	Timing of renal replacement therapy and clinical outcomes in critically ill patients with severe acute kidney injury. 2009 , 24, 129-40	760
1233	Effects of propofol and dexmedetomidine on indocyanine green elimination assessed with LIMON to patients with early septic shock: a pilot study. 2009 , 24, 603-8	25

1232	Different patient case mix by applying the 2003 SCCM/ESICM/ACCP/ATS/SIS sepsis definitions instead of the 1992 ACCP/SCCM sepsis definitions in surgical patients: a retrospective observational study. 2009 , 9, 25	18
1231	[Serious postoperative complications after esophagectomy for esophageal carcinoma: analysis of risk factors]. 2009 , 33, 224-32	2
1230	Serum vascular endothelial growth factor in adult haematological patients with neutropenic fever: a comparison with C-reactive protein. 2009 , 83, 251-7	12
1229	Modulation of the innate immune response after trauma visualised by a change in functional PMN phenotype. 2009 , 40, 851-5	34
1228	Adult community-acquired bacterial meningitis requiring ICU admission: epidemiological data, prognosis factors and adherence to IDSA guidelines. 2009 , 28, 1317-25	11
1227	Concomitant Staphylococcus aureus bacteriuria is associated with complicated S. aureus bacteremia. 2009 , 59, 240-6	21
1226	Expressions of tissue factor and tissue factor pathway inhibitor in patients with acute graft-versus-host disease after allogeneic hematopoietic stem cell transplantation. 2009 , 29, 697-700	1
1225	Comparing hydrocortisone and methylprednisolone in patients with septic shock. 2009 , 26, 728-35	6
1224	[Advanced vasodilatory shock. One-year survival after arginine vasopressin therapy]. 2009 , 58, 144-8	
1223	[Sepsis in adult patients - definitions, epidemiology and economic aspects]. 2009 , 50, 788, 790-4, 796-8	10
1222	Serial cytokine levels in patients with severe sepsis. 2009 , 58, 385-93	67
1221	The epidemiology of acute respiratory distress syndrome in pediatric intensive care units in China. 2009 , 35, 136-43	41
1220	Management of invasive candidiasis and candidemia in adult non-neutropenic intensive care unit patients: Part II. Treatment. 2009 , 35, 206-14	53
1219	Acute kidney injury in septic shock: clinical outcomes and impact of duration of hypotension prior to initiation of antimicrobial therapy. 2009 , 35, 871-81	275
1218	Is C-reactive protein a good prognostic marker in septic patients?. 2009 , 35, 909-13	79
1217	Thenar oxygen saturation measured by near infrared spectroscopy as a noninvasive predictor of low central venous oxygen saturation in septic patients. 2009 , 35, 1106-9	41
1216	Arterial blood pressure during early sepsis and outcome. 2009 , 35, 1225-33	137
1215	Is Candida colonization of central vascular catheters in non-candidemic, non-neutropenic patients an indication for antifungals?. 2009 , 35, 707-12	29

1214	Circulating angiopoietin-2 levels in the course of septic shock: relation with fluid balance, pulmonary dysfunction and mortality. 2009 , 35, 1567-74	58
1213	Assessment of clinical risk predictive rules for invasive candidiasis in a prospective multicentre cohort of ICU patients. 2009 , 35, 2141-5	39
1212	An assessment of acute kidney injury with modified RIFLE criteria in pediatric patients with severe burns. 2009 , 35, 2125-9	71
1211	Operative debridement of pressure ulcers. 2009 , 33, 1396-402	39
1210	Diagnostic and prognostic value of procalcitonin among febrile critically ill patients with prolonged ICU stay. 2009 , 9, 213	42
1209	Low frequency of the TIRAP S180L polymorphism in Africa, and its potential role in malaria, sepsis, and leprosy. 2009 , 10, 65	32
1208	Plasma fibrinolysis is related to the degree of organ dysfunction but not to the concentration of von Willebrand Factor in critically ill patients. 2009 , 7, 10	3
1207	Abbreviated emergency laparotomy in the non-trauma setting. 2009 , 4, 41	33
1206	Management of burn injuries--recent developments in resuscitation, infection control and outcomes research. 2009 , 17, 14	31
1205	Long-term physical outcome in patients with septic shock. 2009 , 53, 724-30	42
1204	Role of haem oxygenase-1 in microbial host defence. 2009 , 11, 199-207	75
1203	Candidaemia with uncommon Candida species: predisposing factors, outcome, antifungal susceptibility, and implications for management. 2009 , 15, 662-9	70
1202	The spectrum of retinopathy in adults with Plasmodium falciparum malaria. 2009 , 103, 665-71	51
1201	Vancomycin-resistant enterococci bacteremia: risk factors for mortality and influence of antimicrobial therapy on clinical outcome. 2009 , 58, 182-90	34
1200	Tigecycline in the treatment of infections from multi-drug resistant gram-negative pathogens. 2009 , 58, 273-84	82
1199	Australasian resuscitation of sepsis evaluation (ARISE): A multi-centre, prospective, inception cohort study. 2009 , 80, 811-8	81
1198	Multiple Organ Dysfunction: The Systemic Host Response to Critical Surgical Illness. 2009 , 223-232	
1197	General Principles of Sepsis. 2009 , 241-250	2

1196	Systemic metabolic changes of traumatic critically ill patients revealed by an NMR-based metabonomic approach. 2009 , 8, 5423-30	54
1195	Inhibition of complement C5a prevents breakdown of the blood-brain barrier and pituitary dysfunction in experimental sepsis. 2009 , 13, R12	68
1194	Clinical review: RIFLE and AKIN--time for reappraisal. 2009 , 13, 211	153
1193	Thromboelastometry for the assessment of coagulation abnormalities in early and established adult sepsis: a prospective cohort study. 2009 , 13, R42	84
1192	A multicentre case-control study of nonsteroidal anti-inflammatory drugs as a risk factor for severe sepsis and septic shock. 2009 , 13, R43	30
1191	Markers of collagen synthesis and degradation are increased in serum in severe sepsis: a longitudinal study of 44 patients. 2009 , 13, R53	25
1190	Cell death serum biomarkers are early predictors for survival in severe septic patients with hepatic dysfunction. 2009 , 13, R93	52
1189	Epidermal wound healing in severe sepsis and septic shock in humans. 2009 , 13, R100	20
1188	The international PROGRESS registry of patients with severe sepsis: drotrecogin alfa (activated) use and patient outcomes. 2009 , 13, R103	50
1187	Determinants of mortality in non-neutropenic ICU patients with candidaemia. 2009 , 13, R115	68
1186	Phenotype changes and impaired function of dendritic cell subsets in patients with sepsis: a prospective observational analysis. 2009 , 13, R119	101
1185	Is thenar tissue hemoglobin oxygen saturation in septic shock related to macrohemodynamic variables and outcome?. 2009 , 13 Suppl 5, S6	87
1184	RIFLE and AKIN--maintain the momentum and the GFR!. 2009 , 13, 416; author reply 416	6
1183	Decrease of CD4-lymphocytes and apoptosis of CD14-monocytes are characteristic alterations in sepsis caused by ventilator-associated pneumonia: results from an observational study. 2009 , 13, R172	27
1182	Management of severe crush injury in a front-line tent ICU after 2008 Wenchuan earthquake in China: an experience with 32 cases. 2009 , 13, R178	59
1181	In vitro plasma-induced endothelial oxidative stress and circulating markers of endothelial dysfunction in preeclampsia: an observational study. 2009 , 28, 212-23	9
1180	Impact of liver cirrhosis on mortality in patients with community-acquired bacteremia. 2009 , 64, 124-30	29
1179	Abnormalities in aminotransferase levels during acute pyelonephritis. 2009 , 20, e53-6	5

1178	Ability of physiological parameters versus clinical categories to predict mortality on admission to an internal medicine ward. 2009 , 20, 636-9	3
1177	Improved diagnosis and treatment of anastomotic leakage after colorectal surgery. 2009 , 35, 420-6	95
1176	Cecal ligation and incision: an acute onset model of severe sepsis in rats. 2009 , 151, 132-7	28
1175	Administrative codes combined with medical records based criteria accurately identified bacterial infections among rheumatoid arthritis patients. 2009 , 62, 321-7, 327.e1-7	60
1174	Risk stratification of the potentially septic patient in the emergency department: the Mortality in the Emergency Department Sepsis (MEDS) score. 2009 , 37, 319-27	31
1173	A single nucleotide polymorphism in the Mdm2 promoter and risk of sepsis. 2009 , 197, 43-8	6
1172	Determina�� de procalcitonina en un Cobas e411. 2009 , 2, 99-102	
1171	Diagnostic values of lipid and lipoprotein levels in late onset neonatal sepsis. 2009 , 41, 263-7	12
1170	Alterations in vitamin D status and anti-microbial peptide levels in patients in the intensive care unit with sepsis. 2009 , 7, 28	309
1169	Plasma protein C levels in immunocompromised septic patients are significantly lower than immunocompetent septic patients: a prospective cohort study. 2009 , 2, 43	5
1168	The transplant iron score as a predictor of stem cell transplant survival. 2009 , 2, 44	26
1167	Management of bacteremia in patients undergoing hematopoietic stem cell transplantation. 2009 , 7, 607-21	20
1166	Pulmonary Problems in Pregnancy. 2009 ,	
1165	Diaphragmatic fatigue during sepsis and septic shock. 2009 , 395-401	
1164	Organ dysfunction during sepsis. 2009 , 417-428	
1163	Neutrophil CD64: a diagnostic marker for infection and sepsis. 2009 , 47, 903-16	101
1162	Severe sepsis in autologous stem cell transplant recipients: microbiological aetiology, risk factors and outcome. 2009 , 41, 14-20	31
1161	Infections in a surgical intensive care unit of a university hospital in Greece. 2009 , 13, 145-53	35

1160	Acute kidney injury in patients with sepsis: a contemporary analysis. 2009 , 13, 176-81	72
1159	Albumin administration in patients with severe sepsis due to secondary peritonitis. 2009 , 72, 243-50	7
1158	Disparate response to metoclopramide therapy for gastric feeding intolerance in trauma patients with and without traumatic brain injury. 2009 , 33, 646-55	56
1157	Surviving sepsis in low-income and middle-income countries: new directions for care and research. 2009 , 9, 577-82	90
1156	Plasma transforming growth factor-beta1 level in patients with severe community-acquired pneumonia and association with disease severity. 2009 , 108, 20-7	16
1155	Evolving concepts in sepsis definitions. 2009 , 25, 665-75, vii	137
1154	The management of severe sepsis and septic shock. 2009 , 23, 485-501	25
1153	Improving clinical trials in the critically ill: unique challenge--sepsis. <i>Critical Care Medicine</i> , 2009 , 37, S117-28	36
1152	Citrate anticoagulation for continuous venovenous hemofiltration. <i>Critical Care Medicine</i> , 2009 , 37, 545-52	291
1151	Tight glycemic control may favor fibrinolysis in patients with sepsis. <i>Critical Care Medicine</i> , 2009 , 37, 424-31	52
1150	The vasopressin and copeptin response to infection, severe sepsis, and septic shock. <i>Critical Care Medicine</i> , 2009 , 37, 476-82	1.4 77
1149	Nonexcitable muscle membrane predicts intensive care unit-acquired paresis in mechanically ventilated, sedated patients. <i>Critical Care Medicine</i> , 2009 , 37, 2632-7	1.4 569
1148	Perinatal sepsis. 2009 , 23, 42-51	10
1147	The pediatric multiple organ dysfunction syndrome. 2009 , 10, 12-22	66
1146	beta-Blockers in sepsis: reexamining the evidence. 2009 , 31, 113-9	46
1145	Whole-body CO ₂ production as an index of the metabolic response to sepsis. 2009 , 32, 23-8	12
1144	Different patterns of Siglec-9-mediated neutrophil death responses in septic shock. 2009 , 32, 386-92	16
1143	A common haplotype of the LBP gene predisposes to severe sepsis. <i>Critical Care Medicine</i> , 2009 , 37, 2759-66	19

1142	Early alterations of red blood cell rheology in critically ill patients. <i>Critical Care Medicine</i> , 2009 , 37, 3041-6	1.4	73
1141	Macroscopic postmortem findings in 235 surgical intensive care patients with sepsis. 2009 , 108, 1841-7		138
1140	Using systems biology to simplify complex disease: immune cartography. <i>Critical Care Medicine</i> , 2009 , 37, S16-21	1.4	22
1139	Monocytic HLA-DR expression in intensive care patients: interest for prognosis and secondary infection prediction. <i>Critical Care Medicine</i> , 2009 , 37, 2746-52	1.4	143
1138	Neuraminidase alters red blood cells in sepsis. <i>Critical Care Medicine</i> , 2009 , 37, 1244-50	1.4	23
1137	Systemic inflammatory response and increased risk for ventilator-associated pneumonia: a preliminary study. <i>Critical Care Medicine</i> , 2009 , 37, 1691-5	1.4	23
1136	Left ventricular end-diastolic area is a measure of cardiac preload in patients with early septic shock. 2009 , 26, 759-65		23
1135	An explorative study on quality of life and psychological and cognitive function in pediatric survivors of septic shock. 2009 , 10, 636-42		48
1134	Differential expression of toll-like receptor genes: sepsis compared with sterile inflammation 1 day before sepsis diagnosis. 2009 , 31, 238-44		35
1133	Sepsis and acute renal failure in pregnancy. 2009 , 108, 572-5		17
1132	Biomarkers of sepsis. <i>Critical Care Medicine</i> , 2009 , 37, 2290-8	1.4	256
1131	Variation in the TLR4 gene influences the risk of organ failure and shock posttrauma: a cohort study. 2009 , 66, 115-22; discussion 122-3		37
1130	Better infrastructure for critical care trials: nomenclature, etymology, and informatics. <i>Critical Care Medicine</i> , 2009 , 37, S173-7	1.4	8
1129	Every minute counts: Maintain the urgency of sepsis recognition and treatment. 2009 , 40, 38-44		1
1128	A prospective, multicenter derivation of a biomarker panel to assess risk of organ dysfunction, shock, and death in emergency department patients with suspected sepsis. <i>Critical Care Medicine</i> , 2009 , 37, 96-104	1.4	173
1127	Immunosuppression associated with interleukin-1R-associated-kinase-M upregulation predicts mortality in Gram-negative sepsis (melioidosis). <i>Critical Care Medicine</i> , 2009 , 37, 569-76	1.4	63
1126	Differences in immune response may explain lower survival among older men with pneumonia. <i>Critical Care Medicine</i> , 2009 , 37, 1655-62	1.4	59
1125	Continuous electroencephalography in the medical intensive care unit. <i>Critical Care Medicine</i> , 2009 , 37, 2051-6	1.4	304

1124	Epidemiology of infection in critically ill patients with acute renal failure. <i>Critical Care Medicine</i> , 2009 , 37, 2203-9	1.4	47
1123	Endotoxemia-induced changes in coagulation as measured by rotation thrombelastometry technique and conventional laboratory tests: results of a pilot study on pigs. 2009 , 20, 41-6		14
1122	Sepsis and Acute Renal Failure in Pregnancy. 2009 , 53, 171		
1121	A prospective, observational registry of patients with severe sepsis: the Canadian Sepsis Treatment and Response Registry. <i>Critical Care Medicine</i> , 2009 , 37, 81-8	1.4	154
1120	Effects of hydrocortisone on microcirculatory alterations in patients with septic shock. <i>Critical Care Medicine</i> , 2009 , 37, 1341-7	1.4	60
1119	Sepsis and septic shock: inching forwards. 2009 , 9, 256-7		5
1118	Gamma-globulin levels in patients with community-acquired septic shock. 2009 , 32, 379-85		61
1117	Arginine, citrulline and nitric oxide metabolism in sepsis. 2009 , 117, 23-30		90
1116	High procalcitonin in a patient with drug hypersensitivity syndrome. 2009 , 48, 1471-4		13
1115	Monocytic HLA-DR expression in intensive care patients: Interest for prognosis and secondary infection prediction *. <i>Critical Care Medicine</i> , 2009 , 37, 2746-2752	1.4	155
1114	Prognostic importance of increased plasma amino-terminal pro-brain natriuretic peptide levels in a large noncardiac, general intensive care unit population. 2009 , 31, 342-7		31
1113	A common haplotype of the LBP gene predisposes to severe sepsis *. <i>Critical Care Medicine</i> , 2009 , 37, 2759-2766	1.4	20
1112	Influence of vasopressor agent in septic shock mortality. Results from the Portuguese Community-Acquired Sepsis Study (SACiUCI study). <i>Critical Care Medicine</i> , 2009 , 37, 410-6	1.4	66
1111	Impact of continuous venovenous hemofiltration on organ failure during the early phase of severe sepsis: a randomized controlled trial. <i>Critical Care Medicine</i> , 2009 , 37, 803-10	1.4	238
1110	Development of a Model-Based Clinical Sepsis Biomarker for Critically Ill Patients. 2009 , 42, 13-18		
1109	The effect of increasing doses of norepinephrine on tissue oxygenation and microvascular flow in patients with septic shock. <i>Critical Care Medicine</i> , 2009 , 37, 1961-6	1.4	182
1108	Biotechnological Approaches for the Treatment of Inflammatory Diseases. 2009 , 8, 51-71		1
1107	How long does it take to demonstrate the value of an idea?. <i>Critical Care Medicine</i> , 2009 , 37, 744-5	1.4	1

1106	Predisposition, insult/infection, response, and organ dysfunction: A new model for staging severe sepsis. <i>Critical Care Medicine</i> , 2009 , 37, 1329-35	1.4	150
1105	The Surviving Sepsis Campaign: results of an international guideline-based performance improvement program targeting severe sepsis. <i>Critical Care Medicine</i> , 2010 , 38, 367-74	1.4	797
1104	Effect of preinjury statin use on mortality and septic shock in elderly burn patients. 2010 , 69, 99-103		23
1103	Définitions des états infectieux. 2010 , 7, 1-12		1
1102	Factors associated with nonadherence to early goal-directed therapy in the ED. 2010 , 138, 551-8		82
1101	Passive leg raising is predictive of fluid responsiveness in spontaneously breathing patients with severe sepsis or acute pancreatitis. <i>Critical Care Medicine</i> , 2010 , 38, 819-25	1.4	161
1100	Population pharmacokinetic modeling and optimal sampling strategy for Bayesian estimation of amikacin exposure in critically ill septic patients. 2010 , 32, 749-56		548
1099	Standard prophylactic enoxaparin dosing leads to inadequate anti-Xa levels and increased deep venous thrombosis rates in critically ill trauma and surgical patients. 2010 , 68, 874-80		96
1098	Optimizing Antibiotic Use in the Intensive Care Unit. 2010 , 17, 162-169		0
1097	Hemodynamic and perfusion end points for volemic resuscitation in sepsis. 2010 , 34 Suppl 1, 34-9		27
1096	Ten reasons why we should NOT use severity scores as entry criteria for clinical trials or in our treatment decisions. <i>Critical Care Medicine</i> , 2010 , 38, 283-7	1.4	164
1095	Characteristics and outcomes of patients with cancer requiring admission to intensive care units: a prospective multicenter study. <i>Critical Care Medicine</i> , 2010 , 38, 9-15	1.4	242
1094	Do hospitals provide lower quality of care to black patients for pneumonia?. <i>Critical Care Medicine</i> , 2010 , 38, 759-65	1.4	54
1093	Epidemiology of and factors associated with end-of-life decisions in a surgical intensive care unit. <i>Critical Care Medicine</i> , 2010 , 38, 1060-8	1.4	29
1092	PIRO score for community-acquired pneumonia: a new prediction rule for assessment of severity in intensive care unit patients with community-acquired pneumonia. <i>Critical Care Medicine</i> , 2010 , 38, 1236; author reply 1236-7	1.4	5
1091	Escape from the false dichotomy. <i>Critical Care Medicine</i> , 2010 , 38, 1491-2	1.4	
1090	Clinical outcomes and prognostic factors for patients with <i>Vibrio vulnificus</i> infections requiring intensive care: a 10-yr retrospective study. <i>Critical Care Medicine</i> , 2010 , 38, 1984-90	1.4	31
1089	Association of left ventricular diastolic dysfunction with elevated NT-pro-BNP in general intensive care unit patients with preserved ejection fraction: a complementary role of tissue Doppler imaging parameters and NT-pro-BNP levels for adverse outcome. 2010 , 33, 141-8		31

1088	Apheresis of activated leukocytes with an immobilized polymyxin B filter in patients with septic shock. 2010 , 34, 461-6		35
1087	Delirium as a predictor of long-term cognitive impairment in survivors of critical illness. <i>Critical Care Medicine</i> , 2010 , 38, 1513-20	1.4	1289
1086	The effect of four hemostatic gene polymorphisms on the outcome of septic critically ill patients. 2010 , 21, 175-81		8
1085	Septic shock and nonpulmonary organ dysfunction in pneumonic plague: the role of <i>Yersinia pestis</i> pCD1- vs. pgm- virulence factors. <i>Critical Care Medicine</i> , 2010 , 38, 1574-83	1.4	3
1084	Maternal sepsis: epidemiology, etiology and outcome. 2010 , 23, 249-54		119
1083	T cells are potent early mediators of the host response to sepsis. 2010 , 34, 327-36		54
1082	Impact of the Surviving Sepsis Campaign protocols on hospital length of stay and mortality in septic shock patients: results of a three-year follow-up quasi-experimental study. <i>Critical Care Medicine</i> , 2010 , 38, 1036-43	1.4	364
1081	Infection rate and acute organ dysfunction risk as explanations for racial differences in severe sepsis. 2010 , 303, 2495-503		161
1080	Age-dependent vulnerability to endotoxemia is associated with reduction of anticoagulant factors activated protein C and thrombomodulin. 2010 , 115, 4886-93		48
1079	How to comprehend the pathophysiology of sepsis and treat the patients with endotoxemia?. 2010 , 21, 101-117		
1078	Fibrinogen and antithrombin in hematological patients with neutropenic fever. 2010 , 5, 520-526		
1077	Comparison between procalcitonin and C-reactive protein for early diagnosis of children with sepsis or septic shock. 2010 , 59, 581-6		32
1076	Are the Concepts of SIRS and MODS Useful in Sepsis?. 2010 , 233-239		
1075	Deferred primary anastomosis versus diversion in patients with severe secondary peritonitis managed with staged laparotomies. 2010 , 34, 169-76		25
1074	Beneficial effects of the heme oxygenase-1/carbon monoxide system in patients with severe sepsis/septic shock. 2010 , 36, 42-8		47
1073	Plasma and urine neutrophil gelatinase-associated lipocalin in septic versus non-septic acute kidney injury in critical illness. 2010 , 36, 452-61		261
1072	Combination antibiotic therapy with macrolides improves survival in intubated patients with community-acquired pneumonia. 2010 , 36, 612-20		186
1071	The Surviving Sepsis Campaign: results of an international guideline-based performance improvement program targeting severe sepsis. 2010 , 36, 222-31		1022

1070	Soluble ST2 plasma concentrations predict mortality in severe sepsis. 2010 , 36, 630-7	86
1069	Validation of four prognostic scores in patients with cancer admitted to Brazilian intensive care units: results from a prospective multicenter study. 2010 , 36, 1188-95	42
1068	Effects of fluids on microvascular perfusion in patients with severe sepsis. 2010 , 36, 949-55	319
1067	Increased muscle-to-serum lactate gradient predicts progression towards septic shock in septic patients. 2010 , 36, 1703-9	43
1066	Procalcitonin levels in surgical patients at risk of candidemia. 2010 , 60, 425-30	569
1065	Risk stratification and outcome of cellulitis admitted to hospital. 2010 , 60, 431-9	43
1064	Study of community-acquired pneumonia: incidence, patterns of care, and outcomes in primary and hospital care. 2010 , 61, 364-71	25
1063	Thrombopoietin modulates cardiac contractility in vitro and contributes to myocardial depressing activity of septic shock serum. 2010 , 105, 609-20	23
1062	Positive culture for <i>Klebsiella pneumoniae</i> in relevant sputum samples as a predictor of rapidly fatal outcome in septic patients at medical intensive care units. 2010 , 29, 969-75	2
1061	Rotation of antimicrobial therapy in the intensive care unit: impact on incidence of ventilator-associated pneumonia caused by antibiotic-resistant Gram-negative bacteria. 2010 , 29, 1015-24	21
1060	Blood cultures: key elements for best practices and future directions. 2010 , 16, 301-16	60
1059	Blood coagulation disorders in septic patients. 2010 , 160, 129-38	17
1058	The association between body-mass index and patient outcome in septic shock: a retrospective cohort study. 2010 , 122, 31-6	59
1057	Microalbuminuria: An inexpensive, non invasive bedside tool to predict outcome in critically ill patients. 2010 , 25, 146-52	11
1056	Cerebral autoregulation is influenced by carbon dioxide levels in patients with septic shock. 2010 , 12, 35-42	77
1055	Impact of systemic inflammatory response syndrome on vasospasm, cerebral infarction, and outcome after subarachnoid hemorrhage: exploratory analysis of CONSCIOUS-1 database. 2010 , 13, 182-9	85
1054	Early identification of sepsis. 2010 , 12, 329-35	27
1053	Early antimicrobial therapy in severe sepsis and septic shock. 2010 , 12, 336-44	48

1052 Review of recent guidelines for the management of severe sepsis and septic shock. **2010**, 4, 54-58

1051 Bacteraemic community-acquired pneumonia due to Gram-negative bacteria: incidence, clinical presentation and factors associated with severity during hospital stay. **2010**, 38, 453-8

14

1050 Impact of fulminant hepatic failure in C-reactive protein?. **2010**, 25, 657.e7-12

47

1049 Impact of standardised review of intravenous antibiotic therapy 72 hours after prescription in two internal medicine wards. **2010**, 74, 326-31

18

1048 [Community-acquired pneumonia: a 7-years descriptive study. Usefulness of the IDSA/ATS 2007 in the assessment of ICU admission]. **2010**, 34, 237-45

8

1047 [Blood cultures when fever?]. **2010**, 210, 559-66

2

1046 Vacuum-assisted closure in severe abdominal sepsis with or without retention sutured sequential fascial closure: a clinical trial. **2010**, 148, 947-53

50

1045 Divergent adaptive and innate immunological responses are observed in humans following blunt trauma. **2010**, 11, 4

27

1044 Existing models fail to predict sepsis in an obstetric population with intrauterine infection. **2010**, 203, 573.e1-5

58

1043 Alterations in the brain electrical activity in a rat model of sepsis-associated encephalopathy. **2010**, 1354, 217-26

19

1042 The role of nurses in the recognition and treatment of patients with sepsis in the emergency department: a prospective before-and-after intervention study. **2010**, 47, 1464-73

41

1041 Genomic polymorphisms within alpha 7 nicotinic acetylcholine receptor and severe sepsis in Chinese Han population. **2010**, 37, 361-5

1

1040 Virological and immunological features of active cytomegalovirus infection in nonimmunosuppressed patients in a surgical and trauma intensive care unit. **2010**, 82, 1384-91

43

1039 Accuracy of bedside physical examination in distinguishing categories of shock: a pilot study. **2010**, 5, 471-4

13

1038 Unplanned transfers to the intensive care unit: the role of the shock index. **2010**, 5, 460-5

39

1037 Procalcitonin as a prognostic marker for infectious complications in liver transplant recipients in an intensive care unit. **2010**, 16, 402-10

21

1036 Empirical models for dosage optimization of four beta-lactams in critically ill septic patients based on therapeutic drug monitoring of amikacin. **2010**, 43, 589-98

17

1035 Hypothermia predicts mortality in critically ill elderly patients with sepsis. **2010**, 10, 70

67

1034	Long-term risk of mortality after acute kidney injury in patients with sepsis: a contemporary analysis. 2010 , 11, 9	55
1033	The prevalence of anemia and its association with 90-day mortality in hospitalized community-acquired pneumonia. 2010 , 10, 15	58
1032	Comparison of sustained hemodiafiltration with continuous venovenous hemodiafiltration for the treatment of critically ill patients with acute kidney injury. 2010 , 34, 331-8	47
1031	Anaphylaxis and systemic inflammatory response syndrome induced by inadvertent intravenous administration of mare's milk in a neonatal foal. 2010 , 20, 616-22	4
1030	Procalcitonin in sepsis and systemic inflammation: a harmful biomarker and a therapeutic target. 2010 , 159, 253-64	157
1029	Hyperresistinemia - a novel feature in systemic infection during human pregnancy. 2010 , 63, 358-69	13
1028	Two fatal cases of hidden pneumonia in young people. 2010 , 55, 1380-3	2
1027	Complications and mortality in older surgical patients in Australia and New Zealand (the REASON study): a multicentre, prospective, observational study. 2010 , 65, 1022-30	117
1026	Membrane TLR signaling mechanisms in the gastrointestinal tract during sepsis. 2010 , 22, 232-45	60
1025	Interleukin-33 attenuates sepsis by enhancing neutrophil influx to the site of infection. 2010 , 16, 708-12	338
1024	Impact of preoperative serum sodium concentration in living donor liver transplantation. 2010 , 25, 978-84	13
1023	Preoperative prediction of sepsis after aortic surgery. 2010 , 80, 772-3	
1022	Lactate concentrations in the rectal lumen in patients in early septic shock. 2010 , 54, 827-32	6
1021	Trends and controversies in the management of sepsis. 2010 , 71, M28-31	
1020	Skin collagen synthesis is depressed in patients with severe sepsis. 2010 , 111, 156-63	4
1019	Sepsis. 99-107	
1018	SURGICAL INFECTIOUS DISEASE. 2010 , 117-124	
1017	Endogenous morphine levels are increased in sepsis: a partial implication of neutrophils. 2010 , 5, e8791	55

1016	The effects of age on inflammatory and coagulation-fibrinolysis response in patients hospitalized for pneumonia. 2010 , 5, e13852	25
1015	Evaluation of the clinical performance of an automated procalcitonin assay for the quantitative detection of bloodstream infection. 2010 , 30, 153-9	24
1014	Influenza A triggered status asthmaticus requiring emergency ECMO. 2010 , 73, 162-5	2
1013	Polymorphisms IL10-819 and TLR-2 are potentially associated with sepsis in Brazilian patients. 2010 , 105, 649-56	17
1012	Clinical Characteristics and Prognostic Factors in Patients with Pulmonary Tuberculosis Admitted to Intensive Care Units. 2010 , 68, 259	2
1011	Genotypes coding for low serum levels of mannose-binding lectin are underrepresented among individuals suffering from noninfectious systemic inflammatory response syndrome. 2010 , 17, 447-53	8
1010	Early fish oil supplementation and organ failure in patients with septic shock from abdominal infections: a propensity-matched cohort study. 2010 , 34, 431-7	16
1009	Serum IL-17 and IL-23 levels and autoantigen-specific Th17 cells are elevated in patients with ANCA-associated vasculitis. 2010 , 25, 2209-17	160
1008	Systems engineering medicine: engineering the inflammation response to infectious and traumatic challenges. 2010 , 7, 989-1013	19
1007	Etiology of illness in patients with severe sepsis admitted to the hospital from the emergency department. 2010 , 50, 814-20	87
1006	Phenylethanolamine N-methyltransferase gene polymorphisms and adverse outcomes in acute kidney injury. 2010 , 114, c253-9	17
1005	Candidaemia in adult cancer patients: risks for fluconazole-resistant isolates and death. 2010 , 65, 1042-51	129
1004	Amniotic fluid volume in intra-amniotic inflammation with and without culture-proven amniotic fluid infection in preterm premature rupture of membranes. 2010 , 38, 39-44	39
1003	Rapid-Onset Acute Respiratory Distress Syndrome (ARDS) in a Patient Undergoing Metastatic Liver Resection: A Case Report and Review of the Literature. 2010 , 2010,	7
1002	Urokinase receptor is necessary for bacterial defense against pneumonia-derived septic melioidosis by facilitating phagocytosis. 2010 , 184, 3079-86	43
1001	Signaling through the A2B adenosine receptor dampens endotoxin-induced acute lung injury. 2010 , 184, 5271-9	135
1000	Differences in clinical manifestations of imported versus autochthonous leptospirosis in Austria and Germany. 2010 , 83, 326-35	14
999	Statins in sepsis. 2010 , 23, 38-49	6

998 Circulatory Shock. **2010**, 507-523

997 FXa inhibition and coagulation changes during DVT prophylaxis by enoxaparin over the course of a 15-day follow-up in septic patients. **2010**, 16, 584-90

7

996 Proatrial natriuretic peptide is a better predictor of 28-day mortality in septic shock patients than proendothelin-1. **2010**, 48, 1813-20

8

995 Shock. **2010**, 31, 311-8; quiz 319

9

994 Case records of the Massachusetts General Hospital. Case 25-2010. A 24-year-old woman with abdominal pain and shock. **2010**, 363, 766-77

28

993 Inadequate antibiotic therapy in solid organ transplant recipients is associated with a higher mortality rate. **2010**, 11, 33-9

16

992 Anaesthetic management of patients with severe sepsis. **2010**, 105, 734-43

36

991 Sepsis and septic shock: pathophysiological and cardiovascular background as basis for therapy. **2010**, 65, 323-9

18

990 Role of human recombinant activated protein C and low dose corticosteroid therapy in sepsis. **2010**, 54, 496-503

1

989 Perioperative thrombocytopenia in cardiac surgical patients - incidence of heparin-induced thrombocytopenia, morbidities and mortality. **2010**, 37, 1391-5

28

988 Prognostic value of venoarterial carbon dioxide gradient in patients with severe sepsis and septic shock. **2010**, 51, 501-8

10

987 Serum C-reactive protein as a biomarker for early detection of bacterial infection in the older patient. **2010**, 39, 559-65

39

986 How we treat febrile neutropenia in patients receiving cancer chemotherapy. **2010**, 6, 149-52

26

985 Immunoneutralization of procalcitonin or its component peptides: a promising treatment of sepsis. **2010**, 119, 515-7

4

984 The influence of pre-existing diabetes mellitus on the host immune response and outcome of pneumonia: analysis of two multicentre cohort studies. **2010**, 65, 870-7

68

983 Prediction of outcome in patients with acute respiratory distress syndrome by bronchoalveolar lavage inflammatory mediators. **2010**, 235, 57-65

50

982 Expression and function of macrophage migration inhibitory factor (MIF) in melioidosis. **2010**, 4, e605

14

981 Redox responses in patients with sepsis: high correlation of thioredoxin-1 and macrophage migration inhibitory factor plasma levels. **2010**, 2010, 985614

13

980	Osteopontin impairs host defense during established gram-negative sepsis caused by Burkholderia pseudomallei (melioidosis). 2010 , 4, e806	12
979	What Is the Role of Source Control in Sepsis?. 2010 , 218-226	
978	Prowess-shock trial: a protocol overview and perspectives. 2010 , 34 Suppl 1, 48-53	25
977	Clinical experience with tigecycline in the treatment of carbapenem-resistant Acinetobacter infections. 2010 , 22, 110-4	19
976	Association between a silver-coated endotracheal tube and reduced mortality in patients with ventilator-associated pneumonia. 2010 , 137, 1015-21	55
975	Noninvasive ventilation reduces intubation in chest trauma-related hypoxemia: a randomized clinical trial. 2010 , 137, 74-80	86
974	The era of molecular and other non-culture-based methods in diagnosis of sepsis. 2010 , 23, 235-51	267
973	The host response to sepsis and developmental impact. 2010 , 125, 1031-41	152
972	Dizzy and confused: a step-by-step evaluation of the clinician's favorite chief complaint. 2010 , 28, 453-69	3
971	Mitochondrial dysfunction and resuscitation in sepsis. 2010 , 26, 567-75, x-xi	53
970	Neonatal sepsis and neutrophil insufficiencies. 2010 , 29, 315-48	74
969	Evaluaci3n de la capacidad diagn3stica y pron3stica de procalcitonina, prote3na C reactiva, interleucina-6 y prote3na ligadora del lipopolisac3rido en pacientes con sospecha de sepsis. 2010 , 3, 12-19	1
968	Sepsis biomarkers: a review. 2010 , 14, R15	795
967	Sepsis Syndromes. 2010 , 419-444	
966	The accuracy of the procalcitonin test for the diagnosis of neonatal sepsis: a meta-analysis. 2010 , 42, 723-33	52
965	Sepsis and the heart. 2010 , 104, 3-11	169
964	Maternal serum and vaginal fluid C-reactive protein levels do not predict early-onset neonatal infection in preterm premature rupture of membranes. 2010 , 30, 655-9	4
963	Serial plasma lactate measurements in haematological patients with neutropenic fever. 2010 , 42, 102-8	5

962	Ventilation with lower tidal volumes as compared with conventional tidal volumes for patients without acute lung injury: a preventive randomized controlled trial. 2010 , 14, R1	319
961	Renin-angiotensin system activation correlates with microvascular dysfunction in a prospective cohort study of clinical sepsis. 2010 , 14, R24	79
960	Prediction of hospital outcome in septic shock: a prospective comparison of tissue Doppler and cardiac biomarkers. 2010 , 14, R44	110
959	Revisiting the loading dose of amikacin for patients with severe sepsis and septic shock. 2010 , 14, R53	139
958	4G/5G polymorphism of PAI-1 gene is associated with multiple organ dysfunction and septic shock in pneumonia induced severe sepsis: prospective, observational, genetic study. 2010 , 14, R79	56
957	Reducing mortality in severe sepsis with the implementation of a core 6-hour bundle: results from the Portuguese community-acquired sepsis study (SACiUCI study). 2010 , 14, R83	80
956	Early alterations of the innate and adaptive immune statuses in sepsis according to the type of underlying infection. 2010 , 14, R96	84
955	Influence of genetic variations in TLR4 and TIRAP/Mal on the course of sepsis and pneumonia and cytokine release: an observational study in three cohorts. 2010 , 14, R103	56
954	Risk factors in critical illness myopathy during the early course of critical illness: a prospective observational study. 2010 , 14, R119	82
953	Insufficient β -lactam concentrations in the early phase of severe sepsis and septic shock. 2010 , 14, R126	242
952	Proven infection-related sepsis induces a differential stress response early after ICU admission. 2010 , 14, R131	42
951	Understanding immune dysfunctions in sepsis patients. 2010 , 14, 435	8
950	Interleukin-10 gene down-expression in circulating mononuclear cells during infusion of drotrecogin- α -activated: a pilot study. 2010 , 14, R163	1
949	Comparison of thromboelastometry with procalcitonin, interleukin 6, and C-reactive protein as diagnostic tests for severe sepsis in critically ill adults. 2010 , 14, R178	67
948	Central venous O ₂ saturation and venous-to-arterial CO ₂ difference as complementary tools for goal-directed therapy during high-risk surgery. 2010 , 14, R193	104
947	Pre-hospital cooling of patients following cardiac arrest is effective using even low volumes of cold saline. 2010 , 14, R231	21
946	Thrombocytopenia and outcome in critically ill patients with bloodstream infection. 2010 , 39, 21-6	101
945	Evaluation of vitamin D endocrine system (VDES) status and response to treatment of patients in intensive care units (ICUs) using an on-line SPE-LC-MS/MS method. 2010 , 121, 452-5	76

944	Inferior vena cava diameter correlates with invasive hemodynamic measures in mechanically ventilated intensive care unit patients with sepsis. 2010 , 38, 632-7	79
943	Macrophage migration inhibitory factor (MIF) and manganese superoxide dismutase (MnSOD) as early predictors for survival in patients with severe sepsis or septic shock. 2010 , 164, e163-71	21
942	A murine model of sepsis following smoke inhalation injury. 2010 , 391, 1555-60	29
941	Serum miR-146a and miR-223 as potential new biomarkers for sepsis. 2010 , 394, 184-8	273
940	Association of cell-free plasma DNA with perioperative mortality in patients with suspected acute mesenteric ischemia. 2010 , 411, 1269-74	15
939	Treatment of the critically ill patient with protein C: is it worth the cost?. 2010 , 125, 494-500	4
938	The value of C-reactive protein determination in patients with renal colic to decide urgent urinary diversion. 2010 , 76, 301-6	35
937	Predictors of mortality of Acinetobacter baumannii infections: A 2-year prospective study in a Greek surgical intensive care unit. 2010 , 38, 631-5	13
936	Concurrent diseases and conditions in dogs with splenic vein thrombosis. 2010 , 24, 1298-304	62
935	. 2010 , 10, 3251-3264	1
934	Sepsis y shock séptico. 2010 , 10, 3282-3292	
933	Manejo general y extrahospitalario del paciente con comorbilidad y sospecha de enfermedad infecciosa. Valoración del paciente febril y comorbilidad. 2010 , 10, 3373-3380	
932	Serum soluble triggering receptor expressed on myeloid cells-1 in acute respiratory distress syndrome: a prospective observational cohort study. 2010 , 109, 800-9	5
931	Definición de los estados infecciosos. 2010 , 36, 1-13	
930	Acute kidney injury in non-severe pneumonia is associated with an increased immune response and lower survival. 2010 , 77, 527-35	253
929	Current management of bloodstream infections. 2010 , 8, 815-29	19
928	The Surviving Sepsis Campaign: a history and a perspective. 2010 , 11, 275-81	107
927	Preoperative prognostic factors for mortality in peptic ulcer perforation: a systematic review. 2010 , 45, 785-805	71

926	Acute pyelonephritis during pregnancy changes the balance of angiogenic and anti-angiogenic factors in maternal plasma. 2010 , 23, 167-78	21
925	Design of a probabilistic ontology-based clinical decision support system for classifying temporal patterns in the ICU: A sepsis case study. 2010 ,	0
924	Serum amino-terminal pro-brain natriuretic peptide in hematological patients with neutropenic fever: a prospective comparison with C-reactive protein. 2010 , 51, 1040-6	8
923	On the use of decision trees for ICU outcome prediction in sepsis patients treated with statins. 2011 ,	5
922	Importance of glycated hemoglobin in hyperglycemia diagnosis of patients with sepsis. 2011 , 15,	78
921	Elevated procalcitonin predicts Gram-negative sepsis in haematological patients with febrile neutropenia. 2011 , 43, 471-8	44
920	Variants in the Toll-interacting protein gene are associated with susceptibility to sepsis in the Chinese Han population. 2011 , 15, R12	38
919	Inhibition of caspase-1 activation in Gram-negative sepsis and experimental endotoxemia. 2011 , 15, R27	51
918	C-reactive protein in critically ill cancer patients with sepsis: influence of neutropenia. 2011 , 15, R129	34
917	Impact of timing of renal replacement therapy initiation on outcome of septic acute kidney injury. 2011 , 15, R134	76
916	Relation between mean arterial pressure and renal function in the early phase of shock: a prospective, explorative cohort study. 2011 , 15, R135	98
915	Recommended β -lactam regimens are inadequate in septic patients treated with continuous renal replacement therapy. 2011 , 15, R137	153
914	The microbiological profile and presence of bloodstream infection influence mortality rates in necrotizing fasciitis. 2011 , 15, R152	31
913	Effects of changes in arterial pressure on organ perfusion during septic shock. 2011 , 15, R222	115
912	Serial increase of IL-12 response and human leukocyte antigen-DR expression in severe sepsis survivors. 2011 , 15, R224	31
911	Plasma from septic shock patients induces loss of muscle protein. 2011 , 15, R233	47
910	Early natural killer cell counts in blood predict mortality in severe sepsis. 2011 , 15, R243	63
909	Diagnostic value of urine sTREM-1 for sepsis and relevant acute kidney injuries: a prospective study. 2011 , 15, R250	40

908 Definizioni degli stati infettivi. **2011**, 16, 1-12

907 Audit des pratiques de prescription des anti-infectieux dans un service de réanimation polyvalente. **2011**, 46, 103-109 2

906 Thrombocytopenia in Staphylococcus aureus bacteremia: risk factors and prognostic importance. **2011**, 86, 389-96 50

905 Urosepsis--from the view of the urologist. **2011**, 38 Suppl, 51-7 56

904 Critical review of current definitions of urinary tract infections and proposal of an EAU/ESIU classification system. **2011**, 38 Suppl, 64-70 109

903 Antimicrobial therapy of sepsis and septic shock--when are two drugs better than one?. **2011**, 27, e1-27 13

902 Current management of sepsis in critically ill adult patients. **2011**, 9, 847-56 11

901 Role of preoperative and intraoperative factors in mediating infection complication following percutaneous nephrolithotomy. **2011**, 86, 448-52 57

900 Plasma neutrophil gelatinase-associated lipocalin predicts recovery from acute kidney injury following community-acquired pneumonia. **2011**, 80, 545-52 102

899 Evolving concepts in sepsis definitions. **2011**, 23, 29-39 15

898 Biomarkers in the critically ill patient: C-reactive protein. **2011**, 27, 241-51 63

897 Vasopressors for hypotensive shock. **2011**, CD003709 49

896 Changes in adaptive and innate immunity in patients with acute pancreatitis and systemic inflammatory response syndrome. **2011**, 11, 475-81 23

895 Association of preservative-free propofol use and outcome in critically ill patients. **2011**, 39, 141-7 4

894 Local variations in the epidemiology, microbiology, and outcome of necrotizing soft-tissue infections: a multicenter study. **2011**, 202, 139-45 86

893 Outcome prediction in sepsis combined use of genetic polymorphisms - A study in Japanese population. **2011**, 54, 79-84 25

892 Use of procalcitonin for the detection of sepsis in the critically ill burn patient: a systematic review of the literature. **2011**, 37, 549-58 73

891 Sepsis-induced alterations in sleep of rats. **2011**, 301, R1467-78 26

890	Inflammation-associated autophagy-related programmed necrotic death of human neutrophils characterized by organelle fusion events. 2011 , 186, 6532-42	83
889	Comparing hemodynamics, blood gas analyses and proinflammatory cytokines in endotoxemic and severely septic rats. 2011 , 11, 719-23	8
888	Assessment of plasmatic immunoglobulin G, A and M levels in septic shock patients. 2011 , 11, 2086-90	48
887	Circulating endothelial and endothelial progenitor cells in patients with severe sepsis. 2011 , 81, 216-21	24
886	Community-acquired meningitis due to <i>Staphylococcus capitis</i> in the absence of neurologic trauma, surgery, or implants. 2011 , 40, 467-71	10
885	Vitamin D metabolism and innate immunity. 2011 , 347, 97-105	100
884	C-reactive protein in the diagnosis of postoperative infection in pediatric patients: a prospective observational study of 103 patients. 2011 , 46, 1726-31	12
883	Sepsis and major abdominal surgery lead to flaking of the endothelial glycocalyx. 2011 , 165, 136-41	693
882	Biomarkers for pediatric sepsis and septic shock. 2011 , 9, 71-9	115
881	Degradation of cross-linked fibrin by leukocyte elastase as alternative pathway for plasmin-mediated fibrinolysis in sepsis-induced disseminated intravascular coagulation. 2011 , 127, 349-55	21
880	Long-term fluoroquinolone use before the prostate biopsy may increase the risk of sepsis caused by resistant microorganisms. 2011 , 78, 250-5	57
879	Analysis of peripheral blood lymphocyte subsets and prognosis in patients with septic shock. 2011 , 55, 736-42	18
878	Hospital and long-term outcomes of ICU-treated severe community- and hospital-acquired, and ventilator-associated pneumonia patients. 2011 , 55, 1254-60	27
877	Diagnostic implications of soluble triggering receptor expressed on myeloid cells-1 in patients with acute respiratory distress syndrome and abdominal diseases: a preliminary observational study. 2011 , 15, R50	13
876	Endothelial progenitor cells (EPC) in sepsis with acute renal dysfunction (ARD). 2011 , 15, R94	42
875	C-reactive protein, an early marker of community-acquired sepsis resolution: a multi-center prospective observational study. 2011 , 15, R169	85
874	Effects of discontinuing or continuing ongoing statin therapy in severe sepsis and septic shock: a retrospective cohort study. 2011 , 15, R171	17
873	Diagnostic performance of fractional excretion of urea in the evaluation of critically ill patients with acute kidney injury: a multicenter cohort study. 2011 , 15, R178	49

872	The late phase of sepsis is characterized by an increased microbiological burden and death rate. 2011 , 15, R183	249
871	Pandemic and post-pandemic influenza A (H1N1) infection in critically ill patients. 2011 , 15, R286	49
870	Bench-to-bedside review: Immunoglobulin therapy for sepsis - biological plausibility from a critical care perspective. 2012 , 16, 206	82
869	Inflammation-induced hepcidin-25 is associated with the development of anemia in septic patients: an observational study. 2011 , 15, R9	33
868	Higher than recommended amikacin loading doses achieve pharmacokinetic targets without associated toxicity. 2011 , 38, 146-51	60
867	Impact of molecular mimicry on the clinical course and outcome of sepsis syndrome. 2011 , 49, 512-7	8
866	Predictive value of procalcitonin, interleukin-6, and C-reactive protein for survival in postoperative patients with severe sepsis. 2011 , 26, 54-64	93
865	Performance of sequential organ failure assessment, logistic organ dysfunction and multiple organ dysfunction score in severe sepsis within Chinese intensive care units. 2011 , 39, 55-60	5
864	Effect of statins on the clinical outcomes of patients with sepsis. 2011 , 39, 1051-5	11
863	Prospective Observational Study on Heart Rate Variability in Emergency Department Patients with Sepsis. 2011 , 18, 307-315	1
862	Lactate and base deficit are predictors of mortality in critically ill patients with cancer. 2011 , 66, 2037-42	20
861	Diabetes does not influence activation of coagulation, fibrinolysis or anticoagulant pathways in Gram-negative sepsis (melioidosis). 2011 , 106, 1139-48	13
860	Management of sepsis. 248-252	
859	Análise descritiva dos pacientes com sepse grave ou choque séptico e fatores de risco para mortalidade. 2011 , 32, 127-134	1
858	Association of tumor necrosis factor α genetic polymorphism and sepsis susceptibility. 2011 , 2, 349-356	13
857	Serum and salivary cortisol in the diagnosis of adrenal insufficiency and as a predictor of the outcome in patients with severe sepsis. 2011 , 55, 455-9	7
856	Lipopolysaccharide-binding protein for monitoring of postoperative sepsis: complementary to C-reactive protein or redundant?. 2011 , 6, e23615	22
855	Elevated hemostasis markers after pneumonia increases one-year risk of all-cause and cardiovascular deaths. 2011 , 6, e22847	72

854	Independent predictors of mortality for necrotizing fasciitis: a retrospective analysis in a single institution. 2011 , 71, 467-73; discussion 473		89
853	Improving sepsis outcomes for acutely ill adults using interdisciplinary order sets. 2011 , 25, 180-5		15
852	The effect of resuscitation fluids on neutrophil-endothelial cell interactions in septic shock. 2011 , 36, 440-4		24
851	Immunotherapy after trauma: timing is essential. 2011 , 24, 219-23		11
850	Translating the PIRO staging system concept into clinical practice: where do we go from here?. <i>Critical Care Medicine</i> , 2011 , 39, 408-9	1.4	2
849	The impact of intrarenal nitric oxide synthase inhibition on renal blood flow and function in mild and severe hyperdynamic sepsis. <i>Critical Care Medicine</i> , 2011 , 39, 770-6	1.4	48
848	Comparison of four different vascular occlusion tests for assessing reactive hyperemia using near-infrared spectroscopy. <i>Critical Care Medicine</i> , 2011 , 39, 695-701	1.4	63
847	The intraoperative decrease of selenium is associated with the postoperative development of multiorgan dysfunction in cardiac surgical patients. <i>Critical Care Medicine</i> , 2011 , 39, 1879-85	1.4	63
846	Hypoglycemia at admission is associated with in-hospital mortality in Ugandan patients with severe sepsis. <i>Critical Care Medicine</i> , 2011 , 39, 2271-6	1.4	30
845	The Use of Scoring Systems to Predict Prognosis in Patients With Ventilator-associated Pneumonia. 2011 , 18, 181-185		3
844	Effect of transcutaneous electrical muscle stimulation on muscle volume in patients with septic shock. <i>Critical Care Medicine</i> , 2011 , 39, 456-61	1.4	91
843	Circulating microparticles from septic shock patients exert differential tissue expression of enzymes related to inflammation and oxidative stress. <i>Critical Care Medicine</i> , 2011 , 39, 1739-48	1.4	80
842	Norepinephrine increases cardiac preload and reduces preload dependency assessed by passive leg raising in septic shock patients. <i>Critical Care Medicine</i> , 2011 , 39, 689-94	1.4	106
841	Multiple organ failure in sepsis: prognosis and role of systemic inflammatory response. 2011 , 17, 153-9		169
840	Diagnostic efficacy of activated partial thromboplastin time waveform and procalcitonin analysis in pediatric meningococcal sepsis. 2011 , 12, e322-9		5
839	Prognostic significance of different subgroup classifications of critical illness-related corticosteroid insufficiency in patients with septic shock. 2011 , 36, 345-9		6
838	Late compliance with the sepsis resuscitation bundle: impact on mortality. 2011 , 36, 542-7		21
837	To escalate or to de-escalate? That is the question. <i>Critical Care Medicine</i> , 2011 , 39, 2591	1.4	

836	Computer protocol facilitates evidence-based care of sepsis in the surgical intensive care unit. 2011 , 70, 1153-66; discussion 1166-7		43
835	Procalcitonin-guided interventions against infections to increase early appropriate antibiotics and improve survival in the intensive care unit: a randomized trial. <i>Critical Care Medicine</i> , 2011 , 39, 2048-58	1.4	275
834	Is plasma arginine concentration decreased in patients with sepsis? A systematic review and meta-analysis. <i>Critical Care Medicine</i> , 2011 , 39, 380-5	1.4	65
833	Angiopoietin-1 and angiopoietin-2 as clinically informative prognostic biomarkers of morbidity and mortality in severe sepsis. <i>Critical Care Medicine</i> , 2011 , 39, 702-10	1.4	144
832	Understanding the potential role of statins in pneumonia and sepsis. <i>Critical Care Medicine</i> , 2011 , 39, 1871-8	1.4	96
831	The role of tissue factor in systemic inflammatory response syndrome. 2011 , 22, 451-6		22
830	Comparison of thrombelastometry with simplified acute physiology score II and sequential organ failure assessment scores for the prediction of 30-day survival: a cohort study. 2011 , 35, 339-42		55
829	Hypophosphatemia in Dogs With Presumptive Sepsis: A Retrospective Study (2008-2018). 2021 , 8, 636732		
828	Nanoplatfoms for Sepsis Management: Rapid Detection/Warning, Pathogen Elimination and Restoring Immune Homeostasis. 2021 , 13, 88		2
827	Epidemiology and costs of post-sepsis morbidity, nursing care dependency, and mortality in Germany.		0
826	Effect of angiotensin converting enzyme inhibitor and angiotensin II receptor blocker on the patients with sepsis. 2021 , 36, 371-381		5
825	Comparison of Troponin I levels versus myocardial dysfunction on prognosis in sepsis. 2021 , 1		2
824	Impact of age in critically ill infected patients: a post-hoc analysis of the INFAUCI study. 2021 , 12, 1057-1064		
823	Prognosis and Risk Factors of Sepsis Patients in Chinese ICUs: A Retrospective Analysis of a Cohort Database. 2021 , 56, 921-926		1
822	Effect of ticagrelor on acute kidney injury in septic rats and its underlying mechanism. 2021 , 21, 475		1
821	Quick sequential organ failure assessment versus systemic inflammatory response syndrome criteria for emergency department patients with suspected infection. 2021 , 11, 5347		1
820	The Available Criteria for Different Sepsis Scoring Systems in the Emergency Department-A Retrospective Assessment. 2021 , 13, 91-96		0
819	Untargeted Metabolomic Profiling of the Correlation Between Prognosis Differences and PD-1 Expression in Sepsis: A Preliminary Study. 2021 , 12, 594270		1

818	High Inter-Patient Variability in Sepsis Evolution: A Hidden Markov Model Analysis. 2021 , 201, 105956	0
817	Risk factors and prediction model of urosepsis in patients with diabetes after percutaneous nephrolithotomy. 2021 , 21, 74	3
816	Mortality and associated risk factors in patients with blood culture positive sepsis and acute kidney injury requiring continuous renal replacement therapy-A retrospective study. 2021 , 16, e0249561	4
815	Towards Understanding the Effective Use of Antibiotics for Sepsis. 2021 , 160, 1211-1221	2
814	Effect of norepinephrine challenge on cardiovascular determinants assessed using a mathematical model in septic shock: a physiological study. 2021 , 9, 561	3
813	Cardiovascular Responses During Sepsis. 2021 , 11, 1605-1652	4
812	Incidence, Risk Factors, and Attributable Mortality of Catheter-Related Bloodstream Infections in the Intensive Care Unit After Suspected Catheters Infection: A Retrospective 10-year Cohort Study. 2021 , 10, 985-999	5
811	Delta-Procalcitonin and Vitamin D Can Predict Mortality of Internal Medicine Patients with Microbiological Identified Sepsis. 2021 , 57,	2
810	Diagnostic value of neutrophil CD64, procalcitonin, and interleukin-6 in sepsis: a meta-analysis. 2021 , 21, 384	7
809	Risk Factors for Intra-Abdominal Infections Caused by Carbapenemase-Producing in a Surgical Setting. 2021 , 22, 864-870	1
808	The Advancement in Detecting Sepsis and Its Outcome: Usefulness of Procalcitonin in Diagnosing Sepsis and Predicting Fatal Outcomes in Patients Admitted to Intensive Care Unit. 2021 , 13, e14439	2
807	The effect of ideal urine culture time on urinary infections after flexible ureteroscopy: A match-pair case-control study. 2021 , 75, e14212	
806	Fibrinolytic Alterations in Sepsis: Biomarkers and Future Treatment Targets. 2021 , 47, 589-600	1
805	Independent predictors for 90-day readmission of emergency department patients admitted with sepsis: a prospective cohort study. 2021 , 21, 315	3
804	Circadian rhythms in septic shock patients. 2021 , 11, 64	3
803	Sepsis after cardiac surgery: The clinical challenge. Review article. 2021 , 21, 167-178	
802	A new tool for sepsis screening in the Emergency Department. 2021 , 59, 1600-1605	8
801	Clinical factors associated with rapid treatment of sepsis. 2021 , 16, e0250923	0

800	Elevation of Circulating LIGHT (TNFSF14) and Interleukin-18 Levels in Sepsis-Induced Multi-Organ Injuries. 2021 ,	1
799	Matrix metalloproteinase MMP-8, TIMP-1 and MMP-8/TIMP-1 ratio in plasma in methicillin-sensitive <i>Staphylococcus aureus</i> bacteremia. 2021 , 16, e0252046	2
798	Intensive care unit model and in-hospital mortality among patients with severe sepsis and septic shock: A secondary analysis of a multicenter prospective observational study. 2021 , 100, e26132	
797	Incidence and Impact of Dysglycemia in Patients with Sepsis Under Moderate Glycemic Control. 2021 , 56, 507-513	1
796	Progressive endothelial cell damage in correlation with sepsis severity. Defibrotide as a contender. 2021 , 19, 1948-1958	3
795	Time to administration of antibiotics and mortality in sepsis. 2021 , 2, e12435	0
794	Clinical and Economic Impact of Community-Onset Urinary Tract Infections Caused by ESBL-Producing Requiring Hospitalization in Spain: An Observational Cohort Study. 2021 , 10,	3
793	Histidine-rich glycoprotein as a prognostic biomarker for sepsis. 2021 , 11, 10223	2
792	The timing of amputation of mangled lower extremities does not predict post-injury outcomes and mortality: A retrospective analysis from the ACS TQIP database. 2021 , 91, 447-456	1
791	Right-Sided Infective Endocarditis: The Importance of Vegetation Size. 2021 , 30, 741-750	3
790	Plasma Ferritin as Marker of Macrophage Activation-Like Syndrome in Critically Ill Patients With Community-Acquired Pneumonia. <i>Critical Care Medicine</i> , 2021 , 49, 1901-1911	1.4 0
789	The JAID/JSC guidelines for management of infectious diseases 2017 - Sepsis and catheter-related bloodstream infection. 2021 , 27, 657-677	0
788	Significance of detailed and careful morphological evaluation of organs in sepsis related deaths. 2021 , 6, 76-80	
787	Effect of focused cardiopulmonary ultrasonography on clinical outcome of septic shock: a randomized study. 2021 , 49, 3000605211013176	1
786	Impact of the timeliness of antibiotic therapy on the outcome of patients with sepsis and septic shock. 2021 , 82, 125-134	5
785	Most emergency department patients meeting sepsis criteria are not diagnosed with sepsis at discharge. 2021 , 28, 745-752	3
784	[A central role for the home care nurse in the assessment of the severity of sepsis]. 2021 , 66, 11-13	
783	Impact of Sex Differences on Mortality in Patients With Sepsis After Trauma: A Nationwide Cohort Study. 2021 , 12, 678156	1

782	Antibiotic Timing and Progression to Septic Shock Among Patients in the ED With Suspected Infection. 2021 ,	3
781	Population Pharmacokinetics and Significant Under-Dosing of Anti-Tuberculosis Medications in People with HIV and Critical Illness. 2021 , 10,	2
780	Assessment of a Cellular Host Response Test as a Sepsis Diagnostic for Those With Suspected Infection in the Emergency Department. 2021 , 3, e0460	2
779	A COMPARATIVE STUDY OF q SOFA(Quick SOFA) SCORE AGAINST SIRS CRITERION AS A PROGNOSTIC TOOL IN INFECTED PATIENTS REQUIRING EMERGENCY ADMISSION.. 2021 , 58-62	
778	Impact of Right Ventricular Dysfunction on Short-term and Long-term Mortality in Sepsis: A Meta-analysis of 1,373 Patients. 2021 , 159, 2254-2263	4
777	Effect of Ultrashort-Acting β -Blockers on Mortality in Patients With Sepsis With Persistent Tachycardia Despite Initial Resuscitation: A Systematic Review and Meta-analysis of Randomized Controlled Trials. 2021 , 159, 2289-2300	7
776	The diagnostic accuracy of mid-regional pro-adrenomedullin for sepsis: a systematic review and meta-analysis. 2021 , 87, 1117-1127	5
775	A Transcriptomic Severity Metric that Predicts Clinical Outcomes in Critically Ill Surgical Sepsis Patients.	
774	Prediction of Impending Septic Shock in Children With Sepsis. 2021 , 3, e0442	2
773	An Artificial Intelligence Approach to Bloodstream Infections Prediction. 2021 , 10,	3
772	Meropenem Pharmacokinetics and Target Attainment in Critically Ill Patients Are Not Affected by Extracorporeal Membrane Oxygenation: A Matched Cohort Analysis. 2021 , 9,	3
771	Cytokine production and outcome in MDR non-MDR gram-negative bacteraemia and sepsis. 2021 , 53, 764-771	0
770	Pre-transplant T-cell Clonality: An Observational Study of a Biomarker for Prediction of Sepsis in Liver Transplant Recipients. 2021 , 274, 411-418	1
769	Prevalence and risk factors for post-traumatic stress, anxiety, and depression in sepsis survivors after ICU discharge. 2021 , 43, 269-276	3
768	Monocyte distribution width (MDW) performance as an early sepsis indicator in the emergency department: comparison with CRP and procalcitonin in a multicenter international European prospective study. 2021 , 25, 227	9
767	Next-generation sequencing diagnostics of bacteremia in pediatric sepsis. 2021 , 100, e26403	1
766	Clinical characteristics and outcome of bacteraemia caused by <i>Enterobacter cloacae</i> and <i>Klebsiella aerogenes</i> : more similarities than differences. 2021 , 25, 351-358	4
765	Predicting mortality in adult patients with sepsis in the emergency department by using combinations of biomarkers and clinical scoring systems: a systematic review. 2021 , 21, 70	1

764	Group IIA secretory phospholipase 2 independently predicts mortality and positive blood culture in emergency department sepsis patients. 2021 , 2, e12460	2
763	Disorders of Consciousness in Hospitalized Patients with COVID-19: The Role of the Systemic Inflammatory Response Syndrome. 2021 , 1	2
762	The β polymorphism could protect against development of severe sepsis. 2021 , 27, 409-420	1
761	The impact of infection complications after trauma differs according to trauma severity. 2021 , 11, 13803	1
760	Revisiting the epidemiology of bloodstream infections and healthcare-associated episodes: results from a multicentre prospective cohort in Spain (PRO-BAC Study). 2021 , 58, 106352	1
759	Serum caspase-cleaved cytokeratin-18 fragment as a prognostic biomarker in hematological patients with febrile neutropenia. 2021 , 1	
758	Predictive Model for Systemic Infection After Percutaneous Nephrolithotomy and Related Factors Analysis. 2021 , 8, 696463	1
757	Changes in plasma HDL and its subcomponents HDL2b and HDL3 regulate inflammatory response by modulating SOCS1 signaling to affect severity degree and prognosis of sepsis. 2021 , 91, 104804	1
756	Incidence and Time Point of Sepsis Detection as Related to Different Sepsis Definitions in Severely Burned Patients and Their Accompanying Time Course of Pro-Inflammatory Biomarkers. 2021 , 11,	3
755	A new molecular method for rapid etiological diagnosis of sepsis with improved performance. 2021 , 16, 741-751	1
754	The role of mitophagy in pulmonary sepsis. 2021 , 59, 63-75	7
753	Development and validation of a score to predict mortality in ICU patients with sepsis: a multicenter retrospective study. 2021 , 19, 322	2
752	Prediction rules for ruling out endocarditis in patients with Staphylococcus aureus bacteremia. 2021 ,	2
751	The Surviving Sepsis Campaign: research priorities for the administration, epidemiology, scoring and identification of sepsis. 2021 , 9, 34	6
750	Cytokine storm syndrome in SARS-CoV-2: a review. 2021 ,	0
749	Deep vein thrombosis in acute respiratory distress syndrome caused by bacterial pneumonia. 2021 , 21, 264	1
748	Propensity Score and Desirability of Outcome Ranking Analysis of Ertapenem for Treatment of Nonsevere Bacteremic Urinary Tract Infections Due to Extended-Spectrum-Beta-Lactamase-Producing in Kidney Transplant Recipients. 2021 , 65, e0110221	0
747	Which Septic Shock Patients With Non-Overt DIC Progress to DIC After Admission? Point-of-Care Thromboelastography Testing.. 2022 , 57, 168-174	1

746	Corticosteroids for Treating Sepsis in Adult Patients: A Systematic Review and Meta-Analysis. 2021 , 12, 709155		3
745	Carbapenemase-producing infections in COVID-19 patients. 2021 , 1-10		5
744	[SEPSIS-3.0-Is intensive care medicine ready for ICD-11?]. 2021 , 1		0
743	Risk of Dementia and Structural Brain Changes Following Nonneurological Infections During 9-Year Follow-Up. <i>Critical Care Medicine</i> , 2021 ,	1.4	0
742	Biomarkers for the Early Diagnosis of Sepsis in Burns: Systematic Review and Meta-analysis.. 2022 , 275, 654-662		2
741	Heart rate n-variability (HRnV) measures for prediction of mortality in sepsis patients presenting at the emergency department. 2021 , 16, e0249868		1
740	Comparison of qSOFA and Hospital Early Warning Scores for prognosis in suspected sepsis in emergency department patients: a systematic review. 2021 ,		4
739	The Japanese Clinical Practice Guidelines for Management of Sepsis and Septic Shock 2020 (J-SSCG 2020). 2021 , 9, 53		19
738	Diagnostic Accuracy and Prognostic Value of Neutrophil-to-Lymphocyte and Platelet-to-Lymphocyte Ratios in Septic Patients outside the Intensive Care Unit. 2021 , 57,		3
737	Effectiveness of the National Early Warning Score in the diagnosis of sepsis as defined by Sepsis-3 criteria in cancer patients. 2021 , 133, 109-112		
736	Reflections on Critical Care's Past, Present, and Future. <i>Critical Care Medicine</i> , 2021 , 49, 1855-1865	1.4	3
735	Low-Density Granulocyte Contamination From Peripheral Blood Mononuclear Cells of Patients With Sepsis and How to Remove It - A Technical Report. 2021 , 12, 684119		1
734	Lipid-Free Parenteral Nutrition Is Associated with an Increased Risk of Hepatic Dysfunction in Surgical Critically Ill Patients: A Retrospective Observational Study. 2021 , 9,		1
733	Immunotherapy-on-Chip Against an Experimental Sepsis Model. 2021 , 44, 2333-2345		0
732	Circulating lymphocyte subsets as promising biomarkers to identify septic patients at higher risk of unfavorable outcome. 2021 , 21, 780		1
731	Initial Fluid Balance Associated Outcomes in Children With Severe Sepsis and Septic Shock. 2021 ,		1
730	IFN- β signature in the plasma proteome distinguishes pediatric hemophagocytic lymphohistiocytosis from sepsis and SIRS. 2021 , 5, 3457-3467		3
729	Infection in Patients with Suspected Thrombotic Microangiopathy Based on Clinical Presentation. 2021 , 16, 1355-1364		0

728	Lipid-Free PN is Associated with an Increased Risk of Hyperbilirubinemia in Surgical Critically Ill Patients with Admission Hepatic Disorder: A Retrospective Observational Study. 2021 , 17, 1001-1010		
727	Effect of IV High-Dose Vitamin C on Mortality in Patients With Sepsis: A Systematic Review and Meta-Analysis of Randomized Controlled Trials. <i>Critical Care Medicine</i> , 2021 , 49, 2121-2130	1.4	9
726	Changes in central venous-to-arterial carbon dioxide tension induced by fluid bolus in critically ill patients. 2021 , 16, e0257314		0
725	WSES/GAIS/SIS-E/WSIS/AAST global clinical pathways for patients with intra-abdominal infections. 2021 , 16, 49		5
724	Nursing Care for the Initial Resuscitation of Severe Sepsis Patients. 2021 , 33, 263-274		1
723	Integrins, a predictive biomarker for antibiotic resistance in acute sepsis: the IRIS study. 2021 ,		2
722	Amino Acid Composition and Charge Based Prediction of Antisepsis Peptides by Random Forest Machine Learning Algorithm.		
721	Highlighting the Relevance of CD8 T Cells in Filarial Infections. 2021 , 12, 714052		0
720	LOX-1-Expressing Immature Neutrophils Identify Critically-Ill COVID-19 Patients at Risk of Thrombotic Complications. 2021 , 12, 752612		1
719	Effects of CRRT on renal function and toxin clearance in patients with sepsis: a case-control study. 2021 , 49, 3000605211042981		1
718	Which Biomarkers Can Be Used as Diagnostic Tools for Infection in Suspected Sepsis?. 2021 , 42, 662-671		1
717	Linear Association Between Hypoalbuminemia and Increased Risk of Acute Respiratory Distress Syndrome in Critically Ill Adults. 2021 , 3, e0527		1
716	Sepsis-3: new edition bld problems. analysis from the perspective of general pathology. 2021 , 11, 649-662		2
715	A bacteraemia risk prediction model: development and validation in an emergency medicine population. 2021 , 1		0
714	What Is the Utility of Measuring Lactate Levels in Patients with Sepsis and Septic Shock?. 2021 , 42, 650-661		2
713	Molecular pathways in sepsis-induced cardiomyocyte pyroptosis: Novel finding on long non-coding RNA ZFAS1/miR-138-5p/SES2 axis. 2021 , 238, 47-56		4
712	Increase in the incidence of chronic critical disease in a University Hospital over eight years. 2021 , 45, e22-e24		
711	COVID-19, what could sepsis, severe acute pancreatitis, gender differences, and aging teach us?. 2021 , 148, 155628		3

710	Early hemodynamic assessment using NICOM in patients at risk of developing Sepsis immediately after emergency department triage. 2021 , 29, 23	
709	Downregulation of miR-574-5p inhibits HK-2 cell viability and predicts the onset of acute kidney injury in sepsis patients. 2021 , 43, 942-948	3
708	The relationship between the degree of malnutrition and changes in selected parameters of the immune response in critically ill patients. 2021 , 46, 82-91	
707	Deregulated microRNA-22-3p in patients with sepsis-induced acute kidney injury serves as a new biomarker to predict disease occurrence and 28-day survival outcomes. 2021 , 53, 2107-2116	6
706	Secular trends in the epidemiology and clinical characteristics of Enterococcus faecalis infective endocarditis at a referral center (2007-2018). 2021 , 40, 1137-1148	7
705	Liberal versus conservative fluid therapy in adults and children with sepsis or septic shock. 2018 , 12, CD0105935	
704	Plasma interleukin-6 concentration for the diagnosis of sepsis in critically ill adults. 2019 , 4, CD011811	22
703	Shock. 1-21	4
702	Implementation of the Surviving Sepsis Campaign guidelines. 2006 , 525-533	1
701	Severe Sepsis and Septic Shock. 2008 , 287-304	1
700	The Inflammatory Response to Brain Death. 2013 , 107-119	5
699	Innate Immune Responses in Ventilator-Associated Pneumonia. 2013 , 185-212	2
698	Clinical aspects of sepsis: an overview. 2015 , 1237, 17-33	4
697	Inflammatory Mediators in Neonatal Asphyxia and Infection. 2016 , 1-20	1
696	Organ Dysfunction in the ICU: A Clinical Perspective. 2007 , 238-245	1
695	PIRO: The Key to Success?. 2009 , 1-9	1
694	A Markov Analysis of Patients Developing Sepsis Using Clusters. 2011 , 85-100	1
693	Predict Sepsis Level in Intensive Medicine [Data Mining Approach]. 2013 , 201-211	5

692	Research Advances in Biomarker for Sepsis. 2017 , 235-251	3
691	Blood Glucose and Sepsis Score on Sepsis Patients Requiring Insulin Therapy. 2018 , 265-269	1
690	Sepsis and Related Considerations. 2006 , 156-177	3
689	Sepsis. 2006 , 589-602	1
688	Sepsis, Severe Sepsis, and Septic Shock. 2010 , 987-1010	14
687	Postoperative Intravascular Fluid Therapy. 2010 , 2783-2803	1
686	Shock States. 2006 , 394-410	3
685	Pediatric Multiple Organ Dysfunction Syndrome. 2006 , 1494-1507	2
684	The systemic inflammatory response syndrome. 2007 , 292-309	2
683	Cytokines and Inflammatory Response in the Fetus and Neonate. 2011 , 1652-1671	1
682	Infections of the Urinary Tract. 2012 , 257-326.e12	21
681	Septic Shock. 2011 , 992-997	1
680	Sepsis. 2005 , 671-689	3
679	Ability of procalcitonin to differentiate true bacteraemia from contaminated blood cultures in an emergency department. 2019 , 37, 560-568	4
678	Acute kidney injury following contrast media administration in the septic patient: A retrospective propensity-matched analysis. 2019 , 51, 111-116	13
677	Serum albumin as a risk factor for death in patients with prolonged sepsis: An observational study. 2019 , 51, 139-144	23
676	Sepsis and Septic Shock - Basics of diagnosis, pathophysiology and clinical decision making. 2020 , 104, 573-585	34
675	Enhancing sepsis management through machine learning techniques: A review. 2020 , 46, 140-140	2

674	Mitochondria-mediated pathways of organ failure upon inflammation. 2017 , 13, 170-181	75
673	Diagnostic methods in sepsis: the need of speed. 2012 , 58, 498-504	14
672	Expression and function of IL-1R8 (TIR8/SIGIRR): a regulatory member of the IL-1 receptor family in platelets. 2016 , 111, 373-84	17
671	Life after sepsis: an international survey of survivors to understand the post-sepsis syndrome. 2019 , 31, 191-198	27
670	Importance of Toll-like receptor 2 in mitochondrial dysfunction during polymicrobial sepsis. 2014 , 121, 1236-47	16
669	MR-proADM: A New Biomarker for Early Diagnosis of Sepsis in Burned Patients. 2017 , 38, 290-298	19
668	Evaluating the Timeliness and Specificity of CD69, CD64, and CD25 as Biomarkers of Sepsis in Mice. 2021 , 55, 507-518	5
667	A MATHEMATICAL SIMULATION OF THE INFLAMMATORY RESPONSE TO ANTHRAX INFECTION. 2008 , 29, 104-111	52
666	Clinical Trajectories of Acute Kidney Injury in Surgical Sepsis: A Prospective Observational Study. 2020 ,	4
665	PLACTA testing may not improve treatment decisions made with MALDI-TOF MS-informed antimicrobial stewardship advice for patients with Gram-negative bacteraemia: a prospective comparative study. 2018 , 67, 183-189	5
664	To what extent are the terminal stages of sepsis, septic shock, SIRS, and multiple organ dysfunction syndrome actually driven by a prion/amyloid form of fibrin?.	5
663	LOX-1+ immature neutrophils predict severe COVID-19 patients at risk of thrombotic complications.	5
662	Assessment of plasma endostatin to predict acute kidney injury in critically ill patients. 2017 , 61, 1286-1295	10
661	Clinical features and outcome of septic shock in dogs: 37 Cases (2008-2015). 2021 , 31, 360-370	4
660	Austrian syndrome. 2011 , 2011,	4
659	A phase I trial of low-dose inhaled carbon monoxide in sepsis-induced ARDS. 2018 , 3,	52
658	The enigma of sepsis. 2003 , 112, 460-7	216
657	The enigma of sepsis. 2003 , 112, 460-467	433

656	Heme oxygenase-1-derived carbon monoxide enhances the host defense response to microbial sepsis in mice. 2008 , 118, 239-47	246
655	An interpretable risk prediction model for healthcare with pattern attention. 2020 , 20, 307	2
654	Diastolic shock index and clinical outcomes in patients with septic shock. 2020 , 10, 41	14
653	Treatment variables associated with outcome in emergency department patients with suspected sepsis. 2020 , 10, 136	4
652	Biomarkers and clinical scores to aid the identification of disease severity and intensive care requirement following activation of an in-hospital sepsis code. 2020 , 10, 7	12
651	Mortality Associated with Severe Sepsis Among Age-Similar Women with and without Pregnancy-Associated Hospitalization in Texas: A Population-Based Study. 2016 , 22, 1976-86	3
650	Systemic Inflammatory Response Syndrome (SIRS) and the Pattern and Risk of Sepsis Following Gastrointestinal Perforation. 2018 , 24, 3888-3894	2
649	Detecting Sepsis: Are Two Opinions Better Than One?. 2017 , 12, 256-258	4
648	Sepsis Presenting in Hospitals versus Emergency Departments: Demographic, Resuscitation, and Outcome Patterns in a Multicenter Retrospective Cohort. 2019 , 14, 340-348	4
647	Excess circulating angiopoietin-2 may contribute to pulmonary vascular leak in sepsis in humans. 2006 , 3, e46	373
646	Toll-like receptor 2 impairs host defense in gram-negative sepsis caused by <i>Burkholderia pseudomallei</i> (Meliodosis). 2007 , 4, e248	118
645	Serum lipopolysaccharide binding protein levels predict severity of lung injury and mortality in patients with severe sepsis. 2009 , 4, e6818	46
644	Outer membrane vesicles derived from <i>Escherichia coli</i> induce systemic inflammatory response syndrome. 2010 , 5, e11334	115
643	Common variants of TLR1 associate with organ dysfunction and sustained pro-inflammatory responses during sepsis. 2010 , 5, e13759	37
642	Cytokine profiles in sepsis have limited relevance for stratifying patients in the emergency department: a prospective observational study. 2011 , 6, e28870	39
641	An analysis of 332 fatalities infected with pandemic 2009 influenza A (H1N1) in Argentina. 2012 , 7, e33670	14
640	Transcriptome kinetics of circulating neutrophils during human experimental endotoxemia. 2012 , 7, e38255	32
639	Neurodegenerative evidence in mice brains with cecal ligation and puncture-induced sepsis: preventive effect of the free radical scavenger edaravone. 2012 , 7, e51539	29

638	The predisposition, infection, response and organ failure (Piro) sepsis classification system: results of hospital mortality using a novel concept and methodological approach. 2013 , 8, e53885	30
637	Distinctive cytokines as biomarkers predicting fatal outcome of severe Staphylococcus aureus bacteremia in mice. 2013 , 8, e59107	17
636	Multiplex PCR system for rapid detection of pathogens in patients with presumed sepsis - a systemic review and meta-analysis. 2013 , 8, e62323	153
635	Trends of mortality due to septicemia in Greece: an 8-year analysis. 2013 , 8, e67621	1
634	Nephrology referral and outcomes in critically ill acute kidney injury patients. 2013 , 8, e70482	46
633	Soluble tumor necrosis factor related apoptosis inducing ligand level as a predictor of severity of sepsis and the risk of mortality in septic patients. 2013 , 8, e82204	14
632	Using data-driven rules to predict mortality in severe community acquired pneumonia. 2014 , 9, e89053	11
631	Recombinant human activated protein C in the treatment of acute respiratory distress syndrome: a randomized clinical trial. 2014 , 9, e90983	28
630	Plasma HSPA12B is a potential predictor for poor outcome in severe sepsis. 2014 , 9, e101215	8
629	The importance of intraoperative selenium blood levels on organ dysfunction in patients undergoing off-pump cardiac surgery: a randomised controlled trial. 2014 , 9, e104222	12
628	The role of whole blood impedance aggregometry and its utilisation in the diagnosis and prognosis of patients with systemic inflammatory response syndrome and sepsis in acute critical illness. 2014 , 9, e108589	24
627	Acid sphingomyelinase serum activity predicts mortality in intensive care unit patients after systemic inflammation: a prospective cohort study. 2014 , 9, e112323	11
626	Effect of performance improvement programs on compliance with sepsis bundles and mortality: a systematic review and meta-analysis of observational studies. 2015 , 10, e0125827	129
625	The Cold-Inducible RNA-Binding Protein (CIRP) Level in Peripheral Blood Predicts Sepsis Outcome. 2015 , 10, e0137721	39
624	Procalcitonin Identifies Cell Injury, Not Bacterial Infection, in Acute Liver Failure. 2015 , 10, e0138566	36
623	Early Standard Electroencephalogram Abnormalities Predict Mortality in Septic Intensive Care Unit Patients. 2015 , 10, e0139969	63
622	Prognosis Biomarkers of Severe Sepsis and Septic Shock by 1H NMR Urine Metabolomics in the Intensive Care Unit. 2015 , 10, e0140993	52
621	Neutrophil Extracellular Traps Induce Organ Damage during Experimental and Clinical Sepsis. 2016 , 11, e0148142	186

620	The Impact of HIV Co-Infection on the Genomic Response to Sepsis. 2016 , 11, e0148955	7
619	Evaluation of a Mixing versus a Cycling Strategy of Antibiotic Use in Critically-Ill Medical Patients: Impact on Acquisition of Resistant Microorganisms and Clinical Outcomes. 2016 , 11, e0150274	13
618	Inflammatory Kidney and Liver Tissue Response to Different Hydroxyethylstarch (HES) Preparations in a Rat Model of Early Sepsis. 2016 , 11, e0151903	6
617	Increased Plasma Levels of Heparin-Binding Protein on Admission to Intensive Care Are Associated with Respiratory and Circulatory Failure. 2016 , 11, e0152035	17
616	Prognostic Value of Lactate and Central Venous Oxygen Saturation after Early Resuscitation in Sepsis Patients. 2016 , 11, e0153305	15
615	Quantitative Real-Time Polymerase Chain Reaction Measurement of HLA-DRA Gene Expression in Whole Blood Is Highly Reproducible and Shows Changes That Reflect Dynamic Shifts in Monocyte Surface HLA-DR Expression during the Course of Sepsis. 2016 , 11, e0154690	20
614	Predictive Value of C-Reactive Protein (CRP) in Identifying Fatal Outcome and Deep Infections in Staphylococcus aureus Bacteremia. 2016 , 11, e0155644	6
613	Open Surgical versus Minimal Invasive Necrosectomy of the Pancreas-A Retrospective Multicenter Analysis of the German Pancreatitis Study Group. 2016 , 11, e0163651	28
612	Outcomes in Critically Ill Patients with Cancer-Related Complications. 2016 , 11, e0164537	20
611	Timing and Location of Medical Emergency Team Activation Is Associated with Seriousness of Outcome: An Observational Study in a Tertiary Care Hospital. 2016 , 11, e0168729	6
610	"RàNet", the Internet utilization among surrogates of critically ill patients with sepsis. 2017 , 12, e0174292	4
609	Correlation between plasma endothelin-1 levels and severity of septic liver failure quantified by maximal liver function capacity (LiMax test). A prospective study. 2017 , 12, e0178237	8
608	Heart rate variability as predictor of mortality in sepsis: A prospective cohort study. 2017 , 12, e0180060	47
607	Early decreased neutrophil responsiveness is related to late onset sepsis in multitrauma patients: An international cohort study. 2017 , 12, e0180145	29
606	Intensive care discharge delay is associated with increased hospital length of stay: A multicentre prospective observational study. 2017 , 12, e0181827	21
605	Development and validation of immune dysfunction score to predict 28-day mortality of sepsis patients. 2017 , 12, e0187088	13
604	Comparison of the Mortality in Emergency Department Sepsis Score, Modified Early Warning Score, Rapid Emergency Medicine Score and Rapid Acute Physiology Score for predicting the outcomes of adult splenic abscess patients in the emergency department. 2017 , 12, e0187495	18
603	Utility of quick sepsis-related organ failure assessment (qSOFA) to predict outcome in patients with pneumonia. 2017 , 12, e0188913	19

602	Clinical profile and outcomes of acute cardiorenal syndrome type-5 in sepsis: An eight-year cohort study. 2018 , 13, e0190965	21
601	A PROSPECTIVE, RANDOMIZED STUDY USING ULINASTATIN FOR THE TREATMENT OF PATIENTS WITH SEVERE SEPSIS. 2014 , 3, 12241-12246	3
600	Evolving trends in the epidemiology, resource utilization, and outcomes of pregnancy-associated severe sepsis: a population-based cohort study. 2015 , 7, 400-16	35
599	Patterns of the Demographics, Clinical Characteristics, and Resource Utilization Among Maternal Decedents in Texas, 2001 - 2010: A Population-Based Cohort Study. 2015 , 7, 937-46	8
598	Risk Factors of Readmission to Hospital for Pneumonia in Children. 2017 , 24, 146	1
597	The Value of the "Lab-Score" Method in Identifying Febrile Infants at Risk for Serious Bacterial Infections. 2015 , 1, 11-17	2
596	Phycotoxins by Harmful Algal Blooms (HABS) and Human Poisoning: An Overview. 2016 , 2,	13
595	Trends in Epidemiology and Microbiology of Severe Sepsis and Septic Shock in Children. 2020 , 10, 1021-1030	7
594	Impact of timely antibiotic administration on outcomes in patients with severe sepsis and septic shock in the emergency department. 2014 , 1, 35-40	31
593	Quick Sepsis-related Organ Failure Assessment score is not sensitive enough to predict 28-day mortality in emergency department patients with sepsis: a retrospective review. 2019 , 6, 77-83	8
592	[Actual problems of the pathology of sepsis: 25 years in search of a consensus]. 2016 , 78, 3-8	5
591	Necroptosis regulated proteins expression is an early prognostic biomarker in patient with sepsis: a prospective observational study. 2017 , 8, 84066-84073	15
590	Treatment Guidelines of Severe Sepsis and Septic Shock. 2015 , 8, 9-15	1
589	Exploring plasma metabolomic changes in sepsis: a clinical matching study based on gas chromatography-mass spectrometry. 2020 , 8, 1568	9
588	From static to dynamic: a sepsis-specific dynamic model from clinical criteria in polytrauma patients. 2016 , 4, 492	4
587	Comparison of PCR, Fluorescent in Situ Hybridization and Blood Cultures for Detection of Bacteremia in Children and Adolescents During Antibiotic Therapy. 2018 , 67, 479-486	3
586	Treatment of severe sepsis: where next? Current and future treatment approaches after the introduction of drotrecogin alfa. 2006 , 2, 3-18	8
585	The Potential of Receptor for Advanced Glycation End Products (RAGE) as a Therapeutic Target for Lung Associated Diseases. 2019 , 20, 679-689	8

584	Sepsis: From Historical Aspects to Novel Vistas. Pathogenic and Therapeutic Considerations. 2019 , 19, 490-502	8
583	Novel pharmacologic approaches to the management of sepsis: targeting the host inflammatory response. 2009 , 3, 96-112	43
582	Validation of a prediction rule for prognosis of severe community-acquired pneumonia. 2008 , 2, 67-71	3
581	Additional Telemedicine Rounds as a Successful Performance-Improvement Strategy for Sepsis Management: Observational Multicenter Study. 2019 , 21, e11161	13
580	Detection of Bacteremia in Surgical In-Patients Using Recurrent Neural Network Based on Time Series Records: Development and Validation Study. 2020 , 22, e19512	6
579	Accuracy of the pre-hospital triage tools (qSOFA, NEWS, and PRESEP) in predicting probable COVID-19 patients' outcomes transferred by Emergency Medical Services. 2020 , 11, 536-543	5
578	[The serum level of C-reactive protein in neonatal sepsis]. 2008 , 136, 253-7	4
577	[Infection and inflammation in sepsis]. 2006 , 63, 163-8	2
576	Kinetics of C-reactive protein, interleukin-6 and -10, and phospholipase A2-II in severely traumatized septic patients. 2010 , 67, 893-7	8
575	Assessment of Nursing Response to a Real-Time Alerting Tool for Sepsis: A Provider Survey. 2017 , 1,	3
574	Sepsis: Issues of Terminology, Classification and Epidemiology. 2018 , 17, 80-84	3
573	The German quality indicators in intensive care medicine 2013--second edition. 2013 , 11, Doc09	11
572	Procalcitonin testing to guide antibiotic therapy for the treatment of sepsis in intensive care settings and for suspected bacterial infection in emergency department settings: a systematic review and cost-effectiveness analysis. 2015 , 19, v-xxv, 1-236	82
571	Sepsis: the LightCycler SeptiFast Test MGRADE , SepsiTst and IRIDICA BAC BSI assay for rapidly identifying bloodstream bacteria and fungi - a systematic review and economic evaluation. 2016 , 20, 1-246	36
570	Variability of mitochondrial respiration in relation to sepsis-induced multiple organ dysfunction. 2018 , 67, S577-S592	10
569	Prognostic factors in older patients admitted in ICU with diagnosis of abdominal sepsis (sepsis-3 criteria). 2020 , 68, 152-158	1
568	[Predictive factors of bacteraemia in the patients seen in emergency departments due to infections]. 2020 , 33, 32-43	5
567	[Diagnostic value of assay of brain natriuretic peptide in patients with sepsis of blood-stasis syndrome]. 2008 , 6, 266-9	6

566	Presepsin teardown - pitfalls of biomarkers in the diagnosis and prognosis of bacterial infection in cirrhosis. 2016 , 22, 9172-9185	12
565	IL-18 and IL-35 in the serum of patients with sepsis thrombocytopenia and the clinical significance. 2020 , 19, 1251-1258	4
564	A combination of early warning score and lactate to predict intensive care unit transfer of inpatients with severe sepsis/septic shock. 2015 , 30, 471-7	16
563	Clinical significance of positive polymerase chain reaction in non-human immunodeficiency virus immunocompromised patients in a real practice. 2017 , 32, 478-485	5
562	Clinical value of procalcitonin for suspected nosocomial bloodstream infection. 2018 , 33, 176-184	3
561	Effects of recombinant human soluble thrombomodulin and danaparoid sodium for sepsis-induced disseminated intravascular coagulation. 2012 , 19, 603-608	2
560	Septic shock due to candidemia: outcomes and predictors of shock development. 2011 , 3, 65-71	27
559	Physiological Monitoring for Critically Ill Patients: Testing a Predictive Model for the Early Detection of Sepsis. 2007 , 16, 122-130	22
558	Advances in Treating Patients With Severe Sepsis. 2003 , 23, 16-29	23
557	Severe Sepsis Management. 2003 , 23, S2-S15	4
556	Cardiovascular Aspects of Septic Shock. 2005 , 25, 14-40	21
555	PIRO concept: staging of sepsis. 2015 , 61, 235-42	20
554	Development of a mortality prediction formula due to sepsis/severe sepsis in a medical intensive care unit. 2015 , 32, 313-9	9
553	Role of edaravone in management of septic peritonitis. 2016 , 32, 465-469	5
552	Pregnancy-related acute kidney injury: An analysis of 165 cases. 2017 , 27, 113-117	17
551	Pharmacologic agents for acute hemodynamic instability: recent advances in the management of perioperative shock- a systematic review. 2015 , 18, 543-54	9
550	Impact of positive fluid balance on mortality and length of stay in septic shock patients. 2015 , 19, 708-13	18
549	Exploration of eosinopenia as a diagnostic parameter to differentiate sepsis from systemic inflammatory response syndrome: Results from an observational study. 2016 , 20, 285-90	6

548	Dynamic Changes of Plasma Neutrophil Gelatinase-Associated Lipocalin Predicted Mortality in Critically Ill Patients with Systemic Inflammatory Response Syndrome. 2017 , 21, 23-29	5
547	Clinical course and spectrum of intensive care unit patients reactivating herpes simplex-1 virus: a retrospective analysis. 2008 , 12, 145-52	7
546	Severe sepsis bundles. 2010 , 14, 8-13	11
545	Microalbuminuria: A novel biomarker of sepsis. 2010 , 14, 22-8	25
544	Prophylaxis and Incidence of Symptomatic Deep Vein Thrombosis in Indian Patients with Sepsis: DETECT-Deep Vein Thrombosis Registry. 2017 , 21, 765-771	1
543	Elevated Red Cell Distribution Width as a Prognostic Marker in Severe Sepsis: A Prospective Observational Study. 2017 , 21, 552-562	22
542	Intra- and Inter-observer Reliability of Quadriceps Muscle Thickness Measured with Bedside Ultrasonography by Critical Care Physicians. 2017 , 21, 448-452	14
541	Levels and Diagnostic Value of Model-based Insulin Sensitivity in Sepsis: A Preliminary Study. 2018 , 22, 402-407	4
540	Prognostic significance of nonthyroidal illness syndrome in critically ill adult patients with sepsis. 2018 , 8, 165-172	15
539	Utility of quick sepsis-related organ failure assessment (qSOFA) score to predict outcomes in out-of-ICU patients with suspected infections. 2020 , 9, 3251-3255	2
538	Correlation analysis of compromised immune function with perioperative sepsis in HIV-positive patient. 2012 , 04, 190-195	1
537	New Onset of Atrial Fibrillation in a Medical ICU: Prevalence and Risk Factors. 2012 , 03, 582-586	2
536	Timing and Associated Factors for Sepsis-3 in Severe Trauma Patients: A 3-Year Single Trauma Center Experience. 2018 , 33, 130-134	10
535	Application of Sepsis-3 Criteria to Korean Patients with Critical Illnesses. 2019 , 34, 30-37	1
534	The Characteristics and Prognostic Factors of Severe Sepsis in Patients Who Were Admitted to a Medical Intensive Care Unit of a Tertiary Hospital. 2009 , 24, 28	7
533	Clinical Application of the Quick Sepsis-Related Organ Failure Assessment Score at Intensive Care Unit Admission in Patients with Bacteremia: A Single-Center Experience of Korea. 2017 , 32, 247-255	2
532	Severe sepsis bundles. 2010 , 14, 8-13	10
531	The soluble tumor necrosis factor receptor 1 as a potential early diagnostic and prognostic markers in intensive care unit patients with severe infections. 2020 , 45, 160-169	2

530	Association between pre-biopsy white blood cell count and prostate biopsy - related sepsis. 2015 , 68, 86-90	1
529	Thrombocytopenia: A Risk Factor of Mortality for Patients with Sepsis in the Intensive Care Unit. 2016 , 17, 7-14	6
528	Flow Cytometry of CD64, HLA-DR, CD25, and TLRs for Diagnosis and Prognosis of Sepsis in Critically Ill Patients Admitted to the Intensive Care Unit: A Review Article. 2018 , 8, e83128	8
527	Diagnostic role of soluble triggering receptor expressed on myeloid cell-1 in patients with sepsis. 2011 , 2, 190-4	14
526	Relationships between genetic polymorphisms of triggering receptor expressed on myeloid cells-1 and septic shock in a Chinese Han population. 2015 , 6, 123-30	9
525	Effect of sedation on short-term and long-term outcomes of critically ill patients with acute respiratory insufficiency. 2015 , 6, 147-52	6
524	Passive leg raising as an indicator of fluid responsiveness in patients with severe sepsis. 2012 , 3, 191-6	16
523	Neutrophil CD64 is an improved indicator of infection or sepsis in emergency department patients. 2006 , 130, 654-61	102
522	Systematic screening is essential for early diagnosis of severe sepsis and septic shock. 2015 , 27, 96-101	9
521	Use of reactive hyperemia - peripheral arterial tonometry and circulating biological markers to predict outcomes in sepsis. 2016 , 28, 387-396	5
520	Perfusion index for assessing microvascular reactivity in septic shock after fluid resuscitation. 2018 , 30, 135-143	5
519	Role of interleukin-3 as a prognostic marker in septic patients. 2018 , 30, 443-452	5
518	The impact of tracheotomy on levels of procalcitonin in patients without sepsis: a prospective study. 2015 , 70, 612-7	2
517	Response patterns of routinely measured inflammatory and coagulatory parameters in sepsis. 2019 , 7, e7147	1
516	A preoperative nomogram for sepsis in percutaneous nephrolithotomy treating solitary, unilateral and proximal ureteral stones. 2020 , 8, e9435	7
515	Diagnostic Value and Prognostic Use of Presepsin Versus Procalcitonin in Sepsis. 2019 , 11, e5151	5
514	Recognition and management of sepsis by junior doctors. 2016 , 3, 99-102	3
513	Sepsis in end-stage renal disease patients: are they at an increased risk of mortality?. 2021 , 53, 1737-1743	0

512	Research Progress in Chinese Herbal Medicines for Treatment of Sepsis: Pharmacological Action, Phytochemistry, and Pharmacokinetics. 2021 , 22,		3
511	DNA binding to TLR9 expressed by red blood cells promotes innate immune activation and anemia. 2021 , 13, eabj1008		22
510	Evaluation of early antibiotic use in patients with non-severe COVID-19 without bacterial infection. 2021 , 106462		2
509	Association Between Hyperlactatemia, Perfusional Parameters and Lymphocyte Mitochondrial Dysfunction in Septic Shock Patients. 2021 ,		
508	Infectious diseases specialist consultation in Staphylococcus lugdunensis bacteremia. 2021 , 16, e0258511		0
507	APOL1 risk variants in individuals of African genetic ancestry drive endothelial cell defects that exacerbate sepsis. 2021 , 54, 2632-2649.e6		7
506	Surviving Sepsis Campaign: International Guidelines for Management of Sepsis and Septic Shock 2021. <i>Critical Care Medicine</i> , 2021 , 49, e1063-e1143	1.4	131
505	Maternal Sepsis: A Review of National and International Guidelines. 2021 ,		0
504	Long-Term Functional Outcomes After Sepsis for Adult and Pediatric Critical Care Patients-Protocol for a Systematic Review. 2021 , 9, 734205		0
503	A Transcriptomic Severity Metric That Predicts Clinical Outcomes in Critically Ill Surgical Sepsis Patients. 2021 , 3, e0554		0
502	A panel of urine-derived biomarkers to identify sepsis and distinguish it from systemic inflammatory response syndrome. 2021 , 11, 20794		0
501	Machine learning identification of specific changes in myeloid cell phenotype during bloodstream infections. 2021 , 11, 20288		
500	Lemierre's Syndrome: Case Presentation of a Rare and Possibly Life-Threatening Condition. 2021 , 57,		
499	Surviving sepsis campaign: international guidelines for management of sepsis and septic shock 2021. 2021 , 47, 1181-1247		199
498	Sepsis: The Systemic Inflammatory Response. 2005 , 3-10		
497	Stress Response and Multiple Organ Failure. 2005 , 3-19		
496	Re: stone and pelvic urine culture and sensitivity are better than bladder urine as predictors of urosepsis following percutaneous nephrolithotomy: a prospective clinical study. 2005 , 174, 2069; author reply 2069-70		1
495	Die Diagnose der Sepsis. 2006 , 1-12		

- 494 Infectious Diseases and Bioterrorism. **2006**, 377-411 0
- 493 Role of Exogenous Arginine Vasopressin in the Management of Catecholamine-Refractory Septic Shock. **2006**, 26, 17-23 3
- 492 Sepsis. **2007**, 739-744
- 491 Initial Assessment and Early Resuscitation. **2007**, 3-23
- 490 Septicaemic Shock. 1
- 489 Postoperative Infection in Cardiac Surgery. **2008**, 361-388
- 488 Sepsis. 97-118
- 487 Long-Term Complications and Management. **2008**, 688-708
- 486 Sepsis. **2008**, 1085-1101
- 485 Management of Infectious Diseases. 63-71
- 484 Sepsis. **2008**, 791-809
- 483 SEPSIS, SEPTIC SHOCK, AND ITS TREATMENT. **2008**, 670-676
- 482 Sepsis: Clinical Approach, Evidence-Based at the Bedside. **2009**, 299-313
- 481 Septic Shock. **2009**, 831-834
- 480 A PIRO-Based Approach for Severity Assessment in Community-Acquired Pneumonia. **2009**, 51-63
- 479 Rethinking Sepsis: New Insights from Gene Expression Profiling Studies. **2009**, 3-13
- 478 Severe sepsis. **2009**, 709-717
- 477 Community-Acquired Pneumonia Management Based on the PIRO System. A New Therapeutic Paradigm. **2009**, 23-38

476 Rethinking Sepsis: New Insights from Gene Expression Profiling Studies. **2009**, 3-13

475 The Usefulness of Lactate Clearance Adjusted to Time as a Predictive Index in Patients with Severe Sepsis and Septic Shock. **2009**, 24, 134

1

474 What Is Acute Kidney Injury?. **2009**, 67-71

473 Critical Illness in Pregnancy. **2009**, 331-354

472 Activated Protein C Therapy and Sepsis-Associated Acute Kidney Injury. **2009**, 1717-1722

471 Microbiological Considerations in the Intensive Care Patient. **2009**, 763-767

470 Intensive Care Monitoring of the Critically Ill Pregnant Patient. **2009**, 1167-1194

469 Development of Immunopathobiogenesis on SIRS-Sepsis. **2009**, 1, 32

468 Essentials in Critical Care Medicine. **2010**, 259-265

467 Sepsis. **2010**, 472-482

466 The Acutely Ill Patient with Fever and Rash. **2010**, 791-807

1

465 Fall 2 Luxationsfraktur des Ellbogens. **2010**, 9-20

464 Shock. **2010**, 34-41

463 Shock. **2010**, 53-66

462 General Principles of Sepsis. **2010**, 121-137

461 Multiple Organ Dysfunction: The Systemic Host Response to Critical Surgical Illness. **2010**, 93-107

460 Sdation et tat de choc. **2010**, 183-195

459 Sepsis Syndromes. **2010**, 1848-1858

1

458 Infectious complications following surgery and trauma. **2010**, 702-710

457 Multi-analytical Approaches Informing the Risk of Sepsis. **2010**, 394-406

1

456 ?????????????? ?????**2010**, 17, 479-489

1

455 ??????????,??,?????????????. **2010**, 17, 163-172

454 Haemodynamic Management of Severe Sepsis. 218-233

453 Pathophysiology and Management of Shock. **2010**, 182-202

452 **2010**, 58-65

451 Predicting Sepsis: A Comparison of Analytical Approaches. **2011**, 95-102

1

450 Long-Term Complications and Management. **2011**, 1086-1106

1

449 Source Control. **2011**, 227-233

448 Wochenbett. **2011**, 1097-1104

447 Lethal Infections, Sepsis, and Shock. **2011**, 303-331

446 A New Approach to Ventilator-associated Pneumonia Based on the PIRO System. **2011**, 481-492

445 Fever and Hypothermia. **2011**, 14-16

444 Drotrecogin Alfa Activated (Recombinant Human Activated Protein C, Xigris).

443 Luxationsfraktur des Ellbogens. **2012**, 11-22

442 Sepsis und Multiorganversagen. **2012**, 231-244

441 Clinical Efficacy of Recombinant Human Thrombomodulin in Patients with Disseminated Intravascular Coagulation Associated with Colorectal Perforation. **2012**, 37, 906-911

440 Favorable Outcomes in Septic Shock Patients without Hyperlactatemia or Severe Organ Failure. **2012**, 27, 224

439 Will clinical studies using the PIRO score lead to improvement of sepsis treatment?. **2012**, 19, 569-577

438 Proteomic updates on sepsis. **2012**, 58, 376-382

437 Sepsis. 383-406

436 Translational Equation-Based Modeling. **2013**, 11-28

435 [Aminoglycosides can reduce the risk]. **2013**, 133, 1554

434 Monitoring the Patient with Infection and Related Systemic Inflammatory Response. 281-301

433 Loss of Homeostasis. **2014**, 133-150

432 Sepsis Protocol Design Project. **2014**, 261-284

431 Fall 2 Luxationsfraktur des Ellbogens. **2014**, 11-23

430 SIRS, Sepsis und Multiorganversagen. **2014**, 453-482

429 Severe sepsis. **2014**, 716-723.e2

428 Shock. **2014**, 159-271

427 Sepsis. **2014**, 273-312

426 Case 2: Elbow Dislocation with Fracture. **2014**, 9-19

425 Sepsis. **2014**, 453-479

424 Shock. **2014**, 41-45

423 Sepsis in Sub-Saharan Africa. 223-239

422 Ulinastatin and thymosin as immune modulators for the treatment of sepsis.

421 The Alterations of Microcirculation in Burns. **2015**, 7-29

420 Sepsis. **2015**, 107-148

0

419 APPLICATION PROCEDURE EARLY DIFFERENTIAL DIAGNOSIS OF DIFFERENT FORMS OF ODONTOGENIC SEPSIS IN THE KURSK REGIONAL CLINICAL HOSPITAL WITH INTEGRATED SCALES APACHE-2 SOFA SAPS-2 SIRS. **2014**, 10, 28-30

418 Encyclopedia of Trauma Care. **2015**, 1473-1478

417 PIRO and sepsis stratification: reality or a mirage?. **2015**, 27, 196-8

3

416 Sepsis und Multiorganversagen. **2015**, 253-266

415 The Acutely Ill Patient with Fever and Rash. **2015**, 732-747.e4

1

414 [Again about sepsis: philosophy of dialectical unity of definition and clinical practice]. **2015**, 84-87

0

413 Community-Acquired Severe Sepsis: A Prospective Cohort Study. **2015**, 05, 37-49

412 Encyclopedia of Inflammatory Diseases. **2015**, 1-6

411 Sepsis, Severe Sepsis, and Septic Shock. **2015**, 914-934.e6

0

410 Where were we able to clarify to?: the production mechanism and role of procalcitonin. **2015**, 22, 495-497

409 Definition, Epidemiologie und Ökonomische Aspekte der Sepsis. **2016**, 3-16

408 Tumorerkrankungen und Neutropenie. **2016**, 299-308

407 Shock. **2016**, 61-79

406 A New Prediction System of Sepsis: A Retrospective, Clinical Study. **2016**, 05, 63-76

1

405 Compendium of Inflammatory Diseases. **2016**, 1188-1193

404 Shock and Sepsis. **2016**, III-2-42-III-2-47

403 Clinical Features and Haematological Indices of Neonatal Septicaemia in Poor Resource Setting. **2016**, 06, 60-68

0

402 PROCALCITONIN AS MARKER OF THE SEVERITY OF SEPSIS IN CRITICALLY ILL CHILDREN. **2016**, 03, 102-105

401 How Do I Manage the Septic Urologic Patient?. **2017**, 69-77

400 Big data to the rescue of systemic inflammatory response syndrome: is electronic data mining the way of the future?. **2016**, 4, 465

1

399 Prognostic Value of Venous to Arterial Carbon Dioxide Difference during Early Resuscitation in Critically Ill Patients with Septic Shock. **2017**, 21, 589-593

2

398 Incidence, Etiology, and Implications of Shock in Therapeutic Hypothermia. **2017**, 1, 19-23

397 Septic Shock and Resuscitation Strategies. **2017**, 291-308

396 Recent advances in diagnosis and treatment of disseminated intravascular coagulation in sepsis and trauma. **2017**, 28, 492-501

395 Controversies Regarding the New Definition of Sepsis. **2017**, 92, 342-348

2

394 Risk and outcome of Sepsis Associated Encephalopathy after Acute Gastrointestinal Perforation. **2017**, 3, 050-053

393 Manifestations of Sepsis in Older Adults. **2018**, 1-27

392 Systemic Inflammatory Response-Syndrome (SIRS), Sepsis und Multiorganversagen. **2018**, 1-19

391 JAID/JSC ??????????2017 ?????????????????2018, 92, 10-45

1

390 Acute Pyelonephritis: A Single-center Experience. **2018**, 28, 454-461

5

389 Depuraci3n de procalcitonina en pacientes con respuesta inflamatoria sist3mica y su asociaci3n con el desarrollo de delirium. **2018**, 32, 225-231

388 Sepsis Associated Encephalopathy Predicts Poor Outcome among Acute Supratentorial Intracerebral Hemorrhage with Coma. **2018**, 09, 123-134

387 Spectrum of Diseases/conditions Exhibiting Hemostatic Abnormalities in Patients Admitted to a Medical Intensive Care Unit of a Tertiary Care Hospital. **2018**, 22, 711-717

386 Akut böbrek hasarlanmasında yeni bir gösterge: Nütrofil-lenfosit oranı. **2018**, 57, 8-13

385 Characteristics and Clinical Outcomes of Critically Ill Cancer Patients Admitted to Korean Intensive Care Units. **2018**, 33, 121-129 1

384 [Screening for sepsis, the central role of the nurse]. **2018**, 63, 18-21

383 Effect of a Sepsis Prediction Algorithm on Patient Mortality, Length of Stay, and Readmission. 2

382 ACUTE KIDNEY INJURY IN SEPSIS PATIENTS- AN OBSERVATIONAL STUDY. **2018**, 5, 3374-3380

381 Actualité sur le sepsis et le choc septique de l'enfant. **2019**, 28, 239-248

380 Initial septic shock therapy in obstetrics (clinical guidelines). **2019**, 5

379 Circulatory Failure and Support in the ACS Patient: What Are the Optimal Methods of Providing Circulatory Monitoring and Support?. **2019**, 73-87

378 Early Detection of Sepsis Induced Deterioration Using Machine Learning. **2019**, 1-15

377 Role of central venous oxygen saturation in prognostication of patients with severe sepsis and septic shock in emergency medical services. **2019**, 9, 164-171 0

376 Manifestations of Sepsis in Older Adults. **2019**, 1913-1938

375 Study of ischemia-modified albumin as a biomarker in critically ill patients with sepsis. **2019**, 3, 104

374 Estimating the Capacity of Nucleated Cells to Produce Cytokines using APACHE II Score for Septic Patients in a Clinical Setting. **2019**, 78, 7-13

373 Aspectos clínicos e procedência de pacientes sépticos atendidos em um hospital universitário. **2019**, 32, 65-71

372 Time to blood cultures positivity of microorganisms using a continuous-monitoring automated blood cultures system. **2019**, 13, 61-69 1

371 Positive Role of Procalcitonin Level in the Diagnosis of Infectious Diseases After Liver Transplantation. **2019**, In Press,

370 Sepsis-3: renewed determinations, potential problems and further practical foot steps. **2019**, 86, 60-72

369 A case of septic pulmonary embolism and subdural abscess caused by odontogenic infection. **2019**, 65, 467-473

- 368 Evaluation and prognostic value of Cv-aCO/Da-vO in patients with septic shock receiving fluid resuscitation Cv-aCO/Ca-vO. **2019**, 18, 3631-3635 1
- 367 Serum vitamin D level variation in SIRS, sepsis and septic shock. 0
- 366 [Bacteraemia in adult patients discharged from Emergency department]. **2019**, 45, 467-473
- 365 C Reactive Protein and Procalcitonine as Diagnostic Markers in Critically Ill Patients with Suspected Sepsis. **2019**,
- 364 Treatment outcomes in patients with febrile neutropenia progressing to a critical condition. **2019**, 9, 31-37
- 363 Which rating system is better qSOFA or SIRS?. **2020**, 51, 19
- 362 Sepsis. **2019**, 94, 495-499
- 361 Prediction for serious bacterial infection in febrile children aged 3 years or younger: comparison of inflammatory markers, the Laboratory-score, and a new laboratory combined model. **2019**, 6, 42-49
- 360 Sepsis and cirrhosis in growing animals: description of a new experimental model and its pathological and immunological reliability. **2020**, 75, e1858
- 359 Role of C-Reactive Protein (CRP) in Sepsis: Severity and Outcome. **2020**, 249-290
- 358 Effect of Pentoxifylline on Organ Dysfunction and Mortality in Severe Sepsis. **2020**, 14, 14-21
- 357 SIGLEC5: An immune checkpoint ligand in sepsis. 2
- 356 Spinal Injury Without Neurological Symptoms in Severely Injured Patients: Impact on the Length of Stay?. **2021**, 159, 421-429
- 355 Liver cirrhosis affects serum lactate level measurement while assessing disease severity in patients with sepsis. **2021**, 33, 1201-1208 0
- 354 Platelet count as a predictor of outcome of hospitalized patients with community-acquired pneumonia at Zagazig University Hospitals, Egypt. **2020**, 14, 0
- 353 Influence of the extracorporeal detoxication methods on the levels of nonessential amino acids in the blood plasma of patients with sepsis (Communicated by Corresponding Member Nikolay S. Serduchenko). **2020**, 64, 457-465
- 352 Characteristics of Sepsis-2 septic shock patients failing to satisfy the Sepsis-3 septic shock definition: an analysis of real-time collected data. **2021**, 11, 154 1
- 351 Predictive Models of Fever, ICU Transfer, and Mortality in Hospitalized Patients With Neutropenia. **2020**, 2, e0289 0

350 Early prediction of impending septic shock in children using age-adjusted Sepsis-3 criteria.

349 Evaluation of Biomarkers in Sepsis: High Dimethylarginine (ADMA and SDMA) Concentrations Are Associated with Mortality. **2021**, 6, 592-605 3

348 Association between disease-related malnutrition and innate immunity gene expression in critically ill patients at intensive care unit admission. **2020**, 45, 414-424

347 Neutrophil activity in sepsis: a systematic review. **2020**, 53, e7851 2

346 Sepsis in Pregnancy. **2020**, 767-770

345 The usefulness of neutrophil/lymphocyte count ratio in the diagnosis and prognosis of bacterial sepsis [An old parameter with new implications. **2020**, 28, 39-48

344 Comparison of Epidemiology and Outcomes of Acute Kidney Injury in Critically Ill Patients with and without Sepsis. **2020**, 24, 258-262 3

343 Differences between Risk Factors for Sepsis and Septic Shock in Obstructive Urolithiasis. **2020**, 35, e359 2

342 Clinical impact of healthcare-associated acquisition in cirrhotic patients with community-onset spontaneous bacterial peritonitis. **2020**, 35, 215-221 5

341 Medicina de precision en sepsis: Utilidad de los biomarcadores en pacientes criticamente enfermos. 9

340 Dynamics of essential amino acids plasma levels in patients with sepsis treated by the extracorporeal blood purification methods. **2020**, 17, 64-69

339 Characterization of human peripheral blood T cells in patients with sepsis. **2020**, 19, 3698-3706 1

338 Unanticipated critical findings on echocardiography in septic patients. **2020**, 12, 12 0

337 Detection of Bacteremia in Surgical In-Patients Using Recurrent Neural Network Based on Time Series Records: Development and Validation Study (Preprint).

336 Bacterial and Fungal Infections After Liver Transplantation: Microbial Epidemiology, Risk Factors for Infection and Death with Infection. **2020**, 25, e921591 3

335 Evaluation of procalcitonin (PCT) as a marker of infection in early post living donated liver transplant period.. **2021**, 100053

334 The Autoimmune Risk R262W Variant of the Adaptor SH2B3 Improves Survival in Sepsis. **2021**, 207, 2710-2719 1

333 Disordered peptides impair neutrophil bacterial clearance and enhance tissue damage in septic patients.

- 332 Effects of prostaglandin E combined with continuous renal replacement therapy on septic acute kidney injury. **2020**, 8, 2738-2748 1
- 331 Traqueobronquitis y neumonía asociadas a ventilación mecánica en unidades de cuidado intensivo de Latinoamérica: epidemiología, curso clínico y desenlaces (Estudio LATINAIVE). **2016**,
- 330 Sepsis Occurrence and Its Prognosis in Latin America. **2006**, 11-24
- 329 Novel Therapies in Critically Ill Septic Patients. **2006**, 25-32
- 328 Définitions du sepsis (Conférence commune SCCM/Esicm/ACCP/ATS/Sis, 2001) et concept PIRO. **2005**, 13-22
- 327 Évaluation hémodynamique. **2005**, 141-166
- 326 Neue Aspekte der Sepsisbehandlung. **2005**, 235-242
- 325 ICU Research—One Decade From Now. **2006**, 291-309
- 324 Diaphragmatic fatigue during sepsis and septic shock. **2006**, 323-329
- 323 Organ dysfunction during sepsis. **2006**, 345-356 o
- 322 Haemodynamic monitoring of septic patients with pressure recording analytical method: preliminary observations. **2006**, 323-339
- 321 Organ Dysfunction in the ICU: A Clinical Perspective. **2007**, 238-245
- 320 Diagnostic and Prognostic Value of Hormokines as Biomarkers in Severe Infections. **2007**, 22-31
- 319 A Practical Approach to Animal Models of Sepsis. **2008**, 473-482 o
- 318 Rein et sepsis. **2007**, 107-126
- 317 Sepsis und Multiorganversagen. **2008**, 241-254
- 316 LDL-apheresis as an alternate method for plasma LPS purification in healthy volunteers, dyslipidemic and septic patients.
- 315 Mortality difference between early-identified sepsis and late-identified sepsis. **2020**, 7, 150-160 o

314	Changes in volatile organic compounds provoked by lipopolysaccharide- or alpha toxin-induced inflammation in ventilated rats. 2020 , 15, 016003	0
313	A comparison of machine learning models versus clinical evaluation for mortality prediction in patients with sepsis.	
312	Translational Equation-Based Modeling. 2021 , 13-30	
311	PLATELET COUNT IN CULTURE POSITIVE NEONATAL SEPSIS AND ITS CORRELATION WITH SPECIFIC CAUSATIVE ORGANISM- A PROSPECTIVE COHORT STUDY.. 2020 , 1-4	
310	Colistimethate sodium and acute kidney injury: Incidence, risk factors, outcome and prognosis of renal function. 2020 , 40, 647-654	
309	Performance evaluation of MR-proadrenomedullin and other scoring systems in severe sepsis with pneumonia. 2014 , 6, 921-9	13
308	Sepsis syndrome in Croatian intensive care units: piloting a national comparative clinical database. 2006 , 47, 404-9	6
307	Septic cardiomyopathy - A not yet discovered cardiomyopathy?. 2006 , 11, 226-36	55
306	The role of endothelium and endogenous vasoactive substances in sepsis. 2010 , 14, 88-93	19
305	Systemic Inflammatory Response Syndrome Predicts Mortality in Acute Coronary Syndrome without Congestive Heart Failure. 2010 , 11, 373-8	5
304	Comparison of oxidative stress & leukocyte activation in patients with severe sepsis & burn injury. 2011 , 134, 69-78	7
303	A study on biomarkers, cytokines, and growth factors in children with burn injuries. 2007 , 20, 89-100	32
302	Two-stage resection for malignant colonic obstructions: the timing of early resection and possible predictive factors. 2012 , 18, 3267-71	4
301	Surviving Sepsis in High HIV Prevalence Settings. 2010 , 37, 104-110	1
300	Soluble ST2 levels in patients with cardiogenic and septic shock are not predictors of mortality. 2012 , 17, 205-9	15
299	Using quality improvement principles to improve the care of patients with severe sepsis and septic shock. 2013 , 13, 359-66	17
298	Mitochondrial mechanisms of sepsis-induced organ failure. 2008 , 13, 5030-41	40
297	TRAF6 polymorphisms not associated with the susceptibility to and severity of sepsis in a Chinese population. 2010 , 1, 169-75	2

296	Construction and management of ARDS/sepsis registry with REDCap. 2014 , 6, 1293-9	6
295	Alpha1-microglobulin as an early biomarker of sepsis-associated acute kidney injury: a prospective cohort study. 2014 , 18, 262-8	7
294	Biomarkers, diagnosis and management of sepsis-induced acute kidney injury: a narrative review. 2015 , 7, 64-73	15
293	Clinical evaluation of circulating microRNA-25 level change in sepsis and its potential relationship with oxidative stress. 2015 , 8, 7675-84	31
292	20 Years On: Is It Time to Redefine the Systemic Inflammatory Response to Cardiothoracic Surgery?. 2015 , 47, 5-9	4
291	Different regulation of Toll-like receptor 4 expression on blood CD14(+) monocytes by simvastatin in patients with sepsis and severe sepsis. 2015 , 8, 13830-5	1
290	Extended leukocyte differential count and C-reactive protein in septic patients with liver impairment: diagnostic approach to evaluate sepsis in intensive care unit. 2015 , 3, 244	2
289	Diabetes, a risk factor for both infectious and major complications after percutaneous nephrolithotomy. 2015 , 8, 16620-6	7
288	The utility of C-reactive protein and procalcitonin for sepsis diagnosis in critically burned patients: A preliminary study. 2015 , 23, 239-43	2
287	Why we need a new definition of sepsis. 2015 , 3, 296	5
286	Roles of PD-1, Tim-3 and CTLA-4 in immunoregulation in regulatory T cells among patients with sepsis. 2015 , 8, 18998-9005	10
285	Reproducing a Prospective Clinical Study as a Computational Retrospective Study in MIMIC-II. 2015 , 2015, 804-13	2
284	Sepsis in Buraidah Central Hospital, Qassim, Kingdom of Saudi Arabia. 2016 , 10, 175-81	1
283	Procalcitonin: a diagnostic and prognostic biomarker of sepsis in burned patients. 2015 , 28, 116-20	18
282	[Not Available]. 2015 , 28, 94-104	2
281	Implementation of a procalcitonin-guided algorithm for antibiotic therapy in the burn intensive care unit. 2015 , 28, 163-70	9
280	Adenosine promotes Foxp3 expression in Treg cells in sepsis model by activating JNK/AP-1 pathway. 2016 , 8, 2284-92	17
279	Development and Validation of a Disease Severity Scoring Model for Pediatric Sepsis. 2016 , 45, 875-84	3

- 278 Epidemiology and outcome of elderly admitted to the ward for sepsis. **2016**, 20, 274-278
- 277 A sirs-based automated alarm system for the diagnosis of sepsis after burn injury. **2017**, 30, 177-184 3
- 276 [Recommendations for the care of patients with community-acquired pneumonia in the Emergency Department]. **2018**, 31, 186-202 3
- 275 The Incidence and Outcome Differences in Severe Sepsis with and without Lactic Acidosis. **2018**, 11, 165-169 2
- 274 Contrasting qSOFA and SIRS Criteria for Early Sepsis Identification in a Veteran Population. **2019**, 36, S21-S24 0
- 273 Staphylococcus aureus Bacteremia in Patients not Meeting Sepsis Criteria: Clinical Features, Host Immune Response and Outcomes. **2017**, 2, 3
- 272 Organ Dysfunction in Sepsis: An Ominous Trajectory From Infection To Death. **2019**, 92, 629-640 27
- 271 [Predictive value of red blood cell distribution width for acute kidney injury in children with sepsis]. **2018**, 20, 559-562 4
- 270 Intravenous Immunoglobulin G Modulates the Expression of Sepsis-Induced Coagulopathy Factors and Increases Serum IgM Levels: A Prospective, Single-Center Intervention Study. **2020**, 66, E32-E39
- 269 Detecting Sepsis in an Emergency Department: SIRS vs. qSOFA. **2021**, 118, 253-258 1
- 268 Implementation and evaluation of sepsis surveillance and decision support in medical ICU and emergency department. **2021**, 51, 378-383 0
- 267 Infectious Disease. **2022**, 463-501
- 266 Epidemiology and Costs of Postsepsis Morbidity, Nursing Care Dependency, and Mortality in Germany, 2013 to 2017. **2021**, 4, e2134290 2
- 265 N-Terminal Pro-C-Type Natriuretic Peptide: The Novel Marker in Selected Disease Units. **2021**,
- 264 Circulating Microvesicle-Associated Inducible Nitric Oxide Synthase Is a Novel Therapeutic Target to Treat Sepsis: Current Status and Future Considerations. 2
- 263 Bacterial translocation in patients undergoing major gastrointestinal surgery and its role in postoperative sepsis. **2021**, 12, 106-114 2
- 262 Initial Derivation of a Predictive Model for Left Ventricular Longitudinal Strain (LS) in Early Sepsis. **2021**, 8850666211053796
- 261 Effect of the Lymphocyte Activation Gene 3 Polymorphism rs951818 on Mortality and Disease Progression in Patients with Sepsis-A Prospective Genetic Association Study. **2021**, 10, 1

260 [Sepsis in out-of-hospital emergency medicine]. **2021**, 1-11

259 Effect of Premorbid Beta-Blockers on Mortality in Patients With Sepsis: A Systematic Review and Meta-Analysis. **2021**, 8850666211052926

258 Signaling pathways and intervention therapies in sepsis. **2021**, 6, 407

257 Stones. **2022**, 105-154

256 HAEMATOLOGICAL PARAMETERS AND C-REACTIVE PROTEIN IN PREDICTION OF DISEASE SEVERITY AND MORTALITY IN PATIENTS WITH SEPSIS. **2021**, 4, 13-26

255 Autonomic Disbalance During Systemic Inflammation is Associated with Oxidative Stress Changes in Sepsis Survivor Rats.. **2022**, 1

254 Temporal trends in the epidemiology, management and outcome of sepsis - a nationwide observational study.. **2022**,

253 Meropenem Target Attainment and Population Pharmacokinetics in Critically Ill Septic Patients with Preserved or Increased Renal Function.. **2022**, 15, 53-62

252 The Role of Peroxiredoxins in the Regulation of Sepsis.. **2022**, 11,

251 Validation of a predictive model for bacteraemia (MPB5-Toledo) in the patients seen in emergency departments due to infections.. **2022**, 40, 102-102

250 Intricate relationship between SARS-CoV-2-induced shedding and cytokine storm generation: A signaling inflammatory pathway augmenting COVID-19.. **2022**, 100011

249 Determinants of mortality and long-term outcome in children with refractory and super refractory status epilepticus.. **2022**, 97, 12-16

248 Shock. **2010**, 31, 311-319

247 Impact of Comorbidities on Beneficial Effect of Lactated Ringers vs. Saline in Sepsis Patients.. **2021**, 8, 758902

246 Plasma Levels of Mid-Regional Proadrenomedullin Accurately Identify H1N1pdm09 Influenza Virus Patients with Risk of Intensive Care Admission and Mortality in the Emergency Department.. **2022**, 12,

245 Ground truth labels challenge the validity of sepsis consensus definitions in critical illness.. **2022**, 20, 27

244 A combined risk model for the multi-encompassing identification of heterogeneities of prognoses, biological pathway variations and immune states for sepsis patients.. **2022**, 22, 16

243 Circulating LIGHT (TNFSF14) and Interleukin-18 Levels in Sepsis-Induced Multi-Organ Injuries.. **2022**, 10,

- 242 Granulocyte microvesicles with a high plasmin generation capacity promote clot lysis and improve outcome in septic shock.. **2022**, 1
- 241 Atypical skin manifestation in severe acute chikungunya infection in a pregnant woman: a case report.. **2022**, 16, 5 0
- 240 Growth factor expression is enhanced and extracellular matrix proteins are depressed in healing skin wounds in septic patients compared with healthy controls.. **2021**,
- 239 Severe secondary peritonitis: impact of inappropriate initial antimicrobial therapy on prognosis and potential carbapenem-sparing.. **2022**, 0
- 238 Early Changes and Predictive Value of Serum Histone H3 Concentration in Urosepsis: A Prospective Observational Study.. **2022**, 39, 1310
- 237 Hesperidin Alleviates Cecal Ligation and Puncture-Induced Lung and Kidney Injuries. **2022**, 8, 1-8
- 236 Vasoplegic Syndrome Post-cardiopulmonary Bypass in a Renal Transplant Patient: The Brain Is Not the Index Organ.. **2022**, 14, e21280
- 235 Study of risk factors for healthcare-associated infections in acute cardiac patients using categorical principal component analysis (CATPCA).. **2022**, 12, 28 0
- 234 Are Baseline Levels of Gas6 and Soluble Mer Predictors of Mortality and Organ Damage in Patients with Sepsis? The Need-Speed Trial Database.. **2022**, 10, 1
- 233 IL-33 regulates age-dependency of long-term immune dysfunction induced by sepsis.
- 232 Albumin levels predict mortality in sepsis patients with acute kidney injury undergoing continuous renal replacement therapy: a secondary analysis based on a retrospective cohort study.. **2022**, 23, 52 1
- 231 Evaluation of procalcitonin (PCT) as a marker of infection in early post living donated liver transplant period.. **2022**, 101549 1
- 230 An Introduction to the Clinical and Diagnostic Features, and CoViD19 Complications. **2022**, 27-45
- 229 The Value of SEP-1.. **2022**, 161, 303-304
- 228 Modified Shock Index as an Indicator for Prognosis Among Sepsis Patients With and Without Comorbidities Presenting to the Emergency Department.. **2021**, 13, e20283 0
- 227 Prospective international validation of the predisposition, infection, response and organ dysfunction (PIRO) clinical staging system among intensive care and general ward patients.. **2021**, 11, 180 1
- 226 The incidence and outcome differences in severe sepsis with and without lactic acidosis. **2018**, 11, 165 2
- 225 Shengjiang Powder ameliorates myocardial injury in septic rats by downregulating the phosphorylation of P38-MAPK. **2019**, 44, 4

- 224 MOF in Pregnancy and Its Relevance to Eclampsia. **2022**, 205-239
- 223 AN OBSERVATIONAL STUDY TO EVALUATE THE USEFULNESS OF PROCALCITONIN AS A BIOMARKER OF SEPSIS IN THE EARLY STRATIFICATION OF ADULT PATIENTS ADMITTED TO THE INTENSIVE CARE UNIT WITH SUSPECTED INFECTION.. **2022**, 24-27
- 222 New clinical prediction model for early recognition of sepsis in adult primary care patients: a prospective diagnostic cohort study of development and external validation.. **2022**, 1
- 221 A retrospective observational cohort study of the clinical epidemiology of bloodstream infections due to carbapenem-resistant *Klebsiella pneumoniae* in an OXA-48 endemic setting.. **2022**, 106554 1
- 220 Development and validation of a novel nomogram for predicting systemic inflammatory response syndrome's occurrence in patients undertaking flexible ureteroscopy.. **2022**, 11, 228-237
- 219 Preoperative Risk Factors Affecting Outcome in Surgically Treated Pyogenic Spondylodiscitis.. **2022**, 21925682221077918
- 218 Methodological Aspects of Indirect Calorimetry in Patients with Sepsis-Possibilities and Limitations.. **2022**, 14, 1
- 217 Bacteriemia, sepsis y shock séptico. **2022**, 13, 2864-2872 0
- 216 Pancreatic Stone Protein: Review of a New Biomarker in Sepsis.. **2022**, 11, 4
- 215 Statistics in diagnostic medicine.. **2022**, 3
- 214 Genetic variants associated with sepsis.. **2022**, 17, e0265052
- 213 Predictive Value of Preoperative High-Sensitive C-reactive Protein (hs-CRP)/Albumin Ratio in Systemic Inflammatory Response Syndrome (SIRS) After Semi-rigid Ureteroscopy.. **2022**, 14, e23117 1
- 212 A neutrophil - B-cell axis governs disease tolerance during sepsis via Cxcr4.
- 211 Association between Preoperative hs-crp/Albumin Ratio and Postoperative sirs in Elderly Patients: A Retrospective Observational Cohort Study.. **2022**, 26, 352-359 0
- 210 Retrospective Identification of Infection in the Emergency Department: A Significant Challenge in Sepsis Clinical Trials.. **2022**,
- 209 Performance of NEWS, qSOFA, and SIRS Scores for Assessing Mortality, Early Bacterial Infection, and Admission to ICU in COVID-19 Patients in the Emergency Department.. **2022**, 9, 779516 1
- 208 Negative Immune Checkpoint Protein, VISTA, Regulates the CD4 T Population During Sepsis Progression to Promote Acute Sepsis Recovery and Survival.. **2022**, 13, 861670 0
- 207 Nomogram for predicting risk factor of urosepsis in patients with diabetes after percutaneous nephrolithotomy.. **2022**, 22, 87 0

- 206 Application of Suctioning Ureteral Access Sheath during Flexible Ureteroscopy for Renal Stones Decreases the Risk of Postoperative Systemic Inflammatory Response Syndrome. **2022**, 2022, 1-7 1
- 205 The Potential Diagnostic and Predictive Role of HbA1c in Diabetic, Septic Patients: A Retrospective Single-Center Study.. **2022**, 2022, 8543232
- 204 Ineffective Erythropoietin Response to Anemia in Sepsis.. **2021**, 0
- 203 Early Empirical Use of Broad-Spectrum Antibiotics in Sepsis. 1 1
- 202 Enhancing sepsis management through machine learning techniques: A review.. **2022**, 46, 140-156
- 201 Inhibition of microRNA-665 Alleviates Septic Acute Kidney Injury by Targeting Bcl-2.. **2022**, 2022, 2961187 1
- 200 The Physical Examination to Assess for Anemia and Hypovolemia.. **2022**, 106, 509-518 0
- 199 Antiplatelet pretreatment and mortality in patients with severe sepsis: A secondary analysis from a multicenter, prospective survey of severe sepsis in Japan.. **2022**, 69, 154015
- 198 Assessment of Metabolic Dysfunction in Sepsis in a Retrospective Single-Centre Cohort.. **2021**, 2021, 3045454
- 197 Continuous Renal Replacement Therapy Using Membranes with Increased Adsorption Capacity in Patients with Septic Shock after Neurosurgical Interventions. **2022**, 18, 48-56
- 196 Circulating Microvesicle-Associated Inducible Nitric Oxide Synthase Is a Novel Therapeutic Target to Treat Sepsis: Current Status and Future Considerations.. **2021**, 22, 0
- 195 Role of heparinase in the gastrointestinal dysfunction of sepsis (Review).. **2022**, 23, 119
- 194 STUDY OF MICROALBUMINURIA IN SEPSIS WITH REFERENCE TO APACHE II SCORE. **2021**, 87-90
- 193 A Genetic Variation of Lipopolysaccharide Binding Protein Affects the Inflammatory Response and Is Associated with Improved Outcome during Sepsis.. **2021**, 5, 972-982
- 192 Novel clinical risk scoring model for predicting mortality in patients with necrotizing fasciitis: The MNF scoring system.. **2021**, 100, e28219 0
- 191 Sepsis in Burns-Lessons Learnt from Developments in the Management of Septic Shock.. **2021**, 58, 1
- 190 [Prognostic power of soluble urokinase plasminogen activator receptor (suPAR) for short-term mortality in patients seen in Emergency Departments due to infections]. **2021**,
- 189 Keywords reflecting sepsis presentation based on mode of emergency department arrival: a retrospective cross-sectional study.. **2021**, 14, 78 0

188 For Patients With Acute PJI Treated With Debridement, Antibiotics, and Implant Retention, What Factors Are Associated With Systemic Sepsis and Recurrent or Persistent Infection in Septic Patients?. **2022**, o

187 A Novel Nomogram for Predicting Post-Operative Sepsis for Patients With Solitary, Unilateral and Proximal Ureteral Stones After Treatment Using Percutaneous Nephrolithotomy or Flexible Ureteroscopy.. **2022**, 9, 814293 o

186 A comparison of qSOFA, SIRS and NEWS in predicting the accuracy of mortality in patients with suspected sepsis: A meta-analysis.. **2022**, 17, e0266755 o

185 CORR Insights® : For Patients With Acute PJI Treated With Debridement, Antibiotics, and Implant Retention, What Factors are Associated With Systemic Sepsis and Recurrent or Persistent Infection in Septic Patients?. **2022**,

184 Gynecological and surgical sepsis. 382-398

183 data_sheet_1.docx. **2018**,

182 Image_1.pdf. **2019**,

181 Image_2.pdf. **2019**,

180 Image_3.pdf. **2019**,

179 Image_4.pdf. **2019**,

178 Table_1.pdf. **2019**,

177 Image_1.pdf. **2018**,

176 Image_2.pdf. **2018**,

175 Image_1.TIFF. **2019**,

174 Image_2.TIFF. **2019**,

173 Image_3.TIFF. **2019**,

172 Image_4.tiff. **2019**,

171 Image_5.TIFF. **2019**,

170 Table_1.pdf. **2019**,

169 Table_2.pdf. **2019**,

168 Table_3.pdf. **2019**,

167 Table_4.pdf. **2019**,

166 Data_Sheet_1.PDF. **2019**,

165 Table_1.docx. **2019**,

164 Data_Sheet_1.PDF. **2018**,

163 Patient, Public, and Healthcare Professional's Sepsis Awareness, Knowledge, and Information Seeking Behaviors: A Scoping Review.. *Critical Care Medicine*, **2022**,

1.4 ○

162 A real-world prospective study on dialysis-requiring acute kidney injury.. **2022**, 17, e0267712

161 Association of immediate reinsertion of new catheters with subsequent mortality among patients with suspected catheter infection: a cohort study.. **2022**, 12, 38

○

160 Prevalence, Clinical Characteristics, and Outcomes of Sepsis Caused by Severe Acute Respiratory Syndrome Coronavirus 2 Versus Other Pathogens in Hospitalized Patients With COVID-19. **2022**, 4, e0703

1

159 ?????????????????VIA ECMO????????????(Venoarterial extracorporeal membrane oxygenation for severe sepsis and septic shock in adults: a retrospective study). **2017**, 28, 904-909

3

158 Chronic Critical Illness in Patients With Sepsis is Associated With Persistent Anemia, Inflammation, and Impaired Functional Outcomes.. **2022**, 31348221104252

157 Web-based application for predicting the potential target phenotype for recombinant human thrombomodulin therapy in patients with sepsis: analysis of three multicentre registries.. **2022**, 26, 145

156 Sepsis Management for the Nephrologist.. **2022**,

○

155 *Pseudomonas aeruginosa* Community-Onset Bloodstream Infections: Characterization, Diagnostic Predictors, and Predictive Score DevelopmentResults from the PRO-BAC Cohort. **2022**, 11, 707

○

154 Systematic review and meta-Analysis of Xingnaojing Treatment for sepsis associated encephalopathy. **2022**, 100119

153 Detection of Hemodynamic Status Using an Analytic Based on an Electrocardiogram Lead Waveform. **2022**, 4, e0693

152 Early ICU Management of Polytrauma Patients Who Develop Sepsis. **2022**, 503-518

151 Combination of C-reactive protein, procalcitonin, IL -6, IL -8, and IL -10 for early diagnosis of hyperinflammatory state and organ dysfunction in pediatric sepsis. **2022**, 149, 1

150 The Current and Future State of Pediatric Sepsis Definitions: An International Survey. **2022**, 149, 0

149 Sepsis and Thrombocytopenia: A Nowadays Problem. **2022**, 0

148 Perspectives on the Immune System in Sepsis.

147 Utilidad del modelo SMPB-Toledo para predecir bacteriemia en el paciente con infección del tracto urinario en el servicio de urgencias. **2022**,

146 Vasoactive use in early goal-directed therapy in dogs with severe sepsis and septic shock: survivors versus non-survivors.

145 Is Prehospital Assessment of qSOFA Parameters Associated with Earlier Targeted Sepsis Therapy? A Retrospective Cohort Study. **2022**, 11, 3501

144 Baicalein self-microemulsion based on drug-phospholipid complex for the alleviation of cytokine storm.

143 Ureteral calculi lithotripsy for single ureteral calculi: can DNN-assisted model help preoperatively predict risk factors for sepsis?.

142 Protocol for a scoping review of sepsis epidemiology. **2022**, 11, 0

141 Development of the Sepsis-Associated Adverse Outcomes in Pregnancy Score.

140 Multidrug-Resistant *Acinetobacter baumannii* May Cause Patients to Develop Polymicrobial Bloodstream Infection. **2022**, 2022, 1-9

139 EARLY DIAGNOSIS AND PREVENTION OF INFECTIONS IN CIRRHOSIS. 0

138 Lycorine and organ protection: Review of its potential effects and molecular mechanisms. **2022**, 104, 154266 1

137 An outbreak of postoperative rapidly developing and multidrug-resistant *Klebsiella pneumoniae* urosepsis due to a contaminated ureteroscope. **2022**, 64, 401-407

136 [18F]FDG-PET-CT compared with CT for persistent or recurrent neutropenic fever in high-risk patients (PIPPIN): a multicentre, open-label, phase 3, randomised, controlled trial. **2022**, 0

135 A nationwide study on characteristics and outcome of cancer patients with sepsis requiring intensive care. 1-9

- 134 Epidemiology, Management, and Outcomes of Sepsis in Intensive Care Units Among Countries of Differing National Wealth Across Asia. 1
- 133 Perspectives on the Immune System in Sepsis.
- 132 Mortality Prediction in Sepsis With an Immune-Related Transcriptomics Signature: A Multi-Cohort Analysis. 9, 0
- 131 Biomarkers of sepsis in pigs, horses and cattle: from acute phase proteins to procalcitonin. **2022**, 23, 82-99 2
- 130 Comparison of Short- and Long-Term Mortality in Patients with or without Cancer Admitted to the ICU for Septic Shock: A Retrospective Observational Study. **2022**, 14, 3196 0
- 129 Key Signature Genes of Early Terminal Granulocytic Differentiation Distinguish Sepsis From Systemic Inflammatory Response Syndrome on Intensive Care Unit Admission. 13,
- 128 Integrated host-microbe metagenomics for sepsis diagnosis in critically ill adults.
- 127 Presymptomatic diagnosis of postoperative infection and sepsis using gene expression signatures. 0
- 126 Association between smoking and risk of death in patients with sepsis: A systematic review and meta-analysis. **2022**, 20, 1-9
- 125 An Iron Refractory Phenotype in Obese Adipose Tissue Macrophages Leads to Adipocyte Iron Overload. **2022**, 23, 7417 0
- 124 Axial light loss of monocytes as a readily available prognostic biomarker in patients with suspected infection at the emergency department. **2022**, 17, e0270858
- 123 Establishment of blood glycosidase activities and their excursions in sepsis.
- 122 Association of vancomycin plus piperacillin-tazobactam with early changes in creatinine versus cystatin C in critically ill adults: a prospective cohort study. 2
- 121 Hospital-related costs of sepsis around the world: A systematic review exploring the economic burden of sepsis. **2022**, 71, 154096 4
- 120 Predicting Unplanned Intensive Care Unit Admission for Trauma Patients: The CRASH Score. **2022**, 279, 505-510
- 119 Validation of SeptiCyte RAPID to discriminate sepsis from non-infectious systemic inflammation.
- 118 Comparison between clinical characteristics and laboratory findings among patients with complicated and noncomplicated SARS-CoV-2 infection: A single-center experience from Shebin Al-Kom, Egypt. **2022**, 10,
- 117 Immune suppression is associated with enhanced systemic inflammatory, endothelial and procoagulant responses in critically ill patients. **2022**, 17, e0271637

- 116 nCD64 index as a novel inflammatory indicator for the early prediction of prognosis in infectious and non-infectious inflammatory diseases: An observational study of febrile patients. 13, 0
- 115 The role of proteomics and metabolomics in severe infections. Publish Ahead of Print,
- 114 High-throughput mass spectrometry maps the sepsis plasma proteome and differences in response. 1
- 113 Modified cardiovascular SOFA score in sepsis: development and internal and external validation. 2022, 20, 0
- 112 Advanced Triage Protocol: The Role of an Automated Lactate Order in Expediting Rapid Identification of Patients at Risk of Sepsis in the Emergency Department. 2022, 4, e0736
- 111 Risk Factors for Mortality and Outcomes in Hematological Malignancy Patients with Carbapenem-Resistant *Klebsiella pneumoniae* Bloodstream Infections. Volume 15, 4241-4251 1
- 110 Time from hospital admission to onset of septic shock is associated with higher in-hospital mortality.. Publish Ahead of Print,
- 109 The Effect of Different Colistin Dosing Regimens on Nephrotoxicity: A Cohort Study. 2022, 11, 1066
- 108 Effect of timing of coronary revascularization in patients with post-infectious myocardial infarction. 2022, 17, e0272258
- 107 Case report: Early detection of mesenteric ischemia by intravital microscopy in a patient with septic shock. 9,
- 106 Sepsis-induced AKI: From pathogenesis to therapeutic approaches. 13, 1
- 105 Association of Hypernatremia with Immune Profiles and Clinical Outcomes in Adult Intensive Care Unit Patients with Sepsis. 2022, 10, 2285 0
- 104 Clinical evaluation of cell-direct polymerase chain reaction-based nucleic acid lateral flow immunoassay for rapid detection of bacterial pathogens in clinically suspected sepsis: A multi-center study in Japan. 2022, 201, 106566 0
- 103 Cystatin C and derived measures of renal function as risk factors for mortality and acute kidney injury in sepsis [A post-hoc analysis of the FINNAKI cohort. 2022, 72, 154148 0
- 102 Immunotherapy to treat sepsis induced-immunosuppression: Immune eligibility or outcome criteria, a systematic review. 2022, 72, 154137 0
- 101 Changes in Sequential Organ Failure Assessment sub-scores as predictors of mortality in patients with septic acute kidney injury requiring continuous renal replacement therapy. 2022, 34, 159-175 0
- 100 Evaluation of time to death after admission to an intensive care unit and factors associated with mortality: A retrospective longitudinal study. 2022, 12, 121 0
- 99 Postoperative Care and Quality of Life After Flexible Ureteroscopy. 2022, 195-207 0

- 98 Complications of Flexible Ureteroscopy. **2022**, 167-194 o
- 97 Sepsis in Older Adults. **2022**, 463-483 o
- 96 Application of Biomarkers in the Diagnostic Distinction of Bacterial and Viral Infections. **2022**, 655-678 o
- 95 RBM3 is associated with acute lung injury in septic mice and patients via NF- κ B/NLRP3 pathway. o
- 94 The Utility of NATEM Assay in Predicting Bleeding Risk in Critically Ill Neonates. o
- 93 Improving Compliance with the CMS SEP-1 Sepsis Bundle at a Community-Based Teaching Hospital Emergency Department. **2022**, 7, o
- 92 A Historical Review of the Evolution of the Systemic Inflammatory Response Syndrome Criteria in the Diagnosis of Sepsis: Should it Continue to be Used and Could Nurses Have a More Prominent Role in Identifying Sepsis?. **2022**, o
- 91 Aetiological factors, outcomes and mortality risk of acute kidney injury in hospitalized patients in a tertiary health centre in Nigeria: An eleven year review. **2022**, 3, o
- 90 The Predictive Value of Preoperative Albumin:Globulin Ratio for Systemic Inflammatory Response Syndrome After Percutaneous Nephrolithotomy. Volume 15, 7407-7415 o
- 89 Advances in Sepsis Care. **2022**, 43, 489-498 o
- 88 A neutrophil:IL-6 axis impacts tissue damage control in a mouse model of intraabdominal bacterial infection via Cxcr4. 11, o
- 87 The End of One Size Fits All: Sepsis Therapies: Toward an Individualized Approach. **2022**, 10, 2260 1
- 86 Kalsiyum, D vitamini ve paratiroid hormon düzeylerinin kritik hastaların prognozuna etkisi. **2022**, 47, 1129-1136 o
- 85 CIITA PROMOTER POLYMORPHISM IMPAIRS MONOCYTES HLA-DR EXPRESSION IN PATIENTS WITH SEPTIC SHOCK. **2022**, 105291 1
- 84 Serum lactate is associated with increased illness severity in immunocompromised pediatric hematology oncology patients presenting to the emergency department with fever. 12, o
- 83 Development and validation of a sepsis diagnostic scoring model for neonates with suspected sepsis. 10, 1
- 82 Epidemiology of Community-Acquired Sepsis: Data from an E-Sepsis Registry of a Tertiary Care Center in South India. **2022**, 11, 1226 o
- 81 A prospective clinical study on the mechanisms underlying critical illness myopathy: A time-course approach. 1

80	Predictive Value of Combination of Procalcitonin and Predisposition, Infection, Response, and Organ Dysfunction (PIRO) System in Septic Patients with Positive Blood Cultures in the Emergency Department. Volume 15, 6189-6202	o
79	The Effect of Post-acute Rehabilitation on Mortality, Chronic Care Dependency, Health Care Use and Costs in Sepsis Survivors.	o
78	A Proposal for a Classification Guiding the Selection of Appropriate Antibiotic Therapy for Intra-Abdominal Infections. 2022 , 11, 1394	1
77	Usefulness of the 5MPB-Toledo model to predict bacteremia in patients with urinary tract infections in the emergency department. 2022 ,	o
76	Additive effectiveness of acrylonitrile-co-methallyl sulfonate surface-treated membranes in treatment of pneumonia: A propensity score-matched retrospective cohort study.	o
75	Integrated host-microbe plasma metagenomics for sepsis diagnosis in a prospective cohort of critically ill adults. 2022 , 7, 1805-1816	1
74	All-cause mortality in cancer patients treated for sepsis in intensive care units: a systematic review and meta-analysis.	o
73	Impact of COVID-19 Pandemic on Management and Outcomes in Patients with Septic Shock in the Emergency Department. 2022 , 12, 1803	o
72	The Survival of the Surviving Sepsis Campaign. 2022 , 106, 1109-1117	o
71	Premorbid angiotensin converting enzyme inhibitors or angiotensin II receptor blockers in patients with sepsis. 2022 , 62, 69-77	o
70	Knowledge, Practice and Attitudes to the Management of Sepsis in Jamaica. 2022 , 8, 232-241	o
69	Pathway to zero surgical site infections. 2022 , 6, S2-S8	o
68	Evolution of the Concept of Sepsis. 2022 , 11, 1581	o
67	Urinary Cysteinyl Leukotrienes as Biomarkers of Endothelial Activation, Inflammation and Oxidative Stress and Their Relationship with Organ Dysfunction in Human Septic Shock. 2022 , 10, 2845	o
66	Occurrence and significance of fluoroquinolone-resistant and ESBL-producing Escherichia coli and Klebsiella pneumoniae complex of the rectal flora in Ghanaian patients undergoing prostate biopsy. 2022 , 4,	o
65	Results of the 2018 Japan Society for Blood Purification in Critical Care survey: current status and outcomes. 2022 , 8,	o
64	Hemadsorption in patients requiring V-A ECMO support: comparison of Cytosorb vs Jafron H330.	o
63	NONO regulates multiple cytokine production in sepsis via the ERK1/2 signaling pathway. 2023 , 153, 94-105	o

- 62 Public Awareness of Sepsis and Stroke in Singapore: A Population-Based Survey. **2013**, 42, 269-277 1
- 61 Investigation of Serum Ferritin for the Prediction of COVID-19 Severity and Mortality: A Cross-Sectional Study. **2022**, 0
- 60 Accuracy of International Classification of Diseases, 10th Revision Codes for Identifying Sepsis: A Systematic Review and Meta-Analysis. **2022**, 4, e0788 0
- 59 Sequential organ failure assessment scores to predict outcomes: from adults to neonates. Publish Ahead of Print, 0
- 58 Is prehospital intubation of severely injured children in accordance with guidelines?. **2022**, 22, 0
- 57 Effects of Fluids on the Sublingual Microcirculation in Sepsis. **2022**, 11, 7277 0
- 56 Comparison of the pharmacokinetics of continuous and intermittent infusions of ampicillin-sulbactam in dogs with septic peritonitis. **2022**, 1-7 0
- 55 The prevalence, presentation and outcome of colistin susceptible-only *Acinetobacter Baumannii*-associated pneumonia in intensive care unit: a multicenter observational study. **2023**, 13, 1
- 54 Pathophysiologie der Sepsis. **2023**, 58, 13-27 0
- 53 Factores pronósticos de mortalidad por sepsis severa en unidades de cuidado crítico del área metropolitana de Bucaramanga. **2012**, 15, 7-13 0
- 52 C-reactive protein as a tool for monitoring response to treatment in dogs with acute hemorrhagic diarrhea syndrome. 9, 0
- 51 Early prediction of sepsis using double fusion of deep features and handcrafted features. 0
- 50 Short-Term Delta-SOFA: is there a prognostic role in septic patients?. **2022**, 11, 0
- 49 Metabolites as signalling molecules. 1
- 48 Combined use of CRP with neutrophil-to-lymphocyte ratio in differentiating between infectious and noninfectious inflammation in hemodialysis patients. 0
- 47 Prospective Audit of Post-chemotherapy Febrile Neutropenia in Patients with Solid Cancer and Lymphoma in Two Singaporean Cancer Centres. **2012**, 41, 287-293 0
- 46 Patients with Bacterial Sepsis Are Heterogeneous with Regard to Their Systemic Lipidomic Profiles. **2023**, 13, 52 1
- 45 Predictive Score for Carbapenem-Resistant Gram-Negative Bacilli Sepsis: Single-Center Prospective Cohort Study. **2023**, 12, 21 0

- 44 Impact of severe lymphopenia on the early prediction of clinical outcome in hospitalized patients with pneumococcal community-acquired pneumonia. o
- 43 Infectious protection and antimicrobial support for cardiopulmonary bypass. **2023**, 787-807 o
- 42 ENDOTHELIAL GLYCOCALYX SHEDDING IN INTRA-ABDOMINAL SEPSIS: A FEASIBILITY STUDY. Publish Ahead of Print, o
- 41 Systemic Metabolomic Profiles in Adult Patients with Bacterial Sepsis: Characterization of Patient Heterogeneity at the Time of Diagnosis. **2023**, 13, 223 2
- 40 Predisposition, Insult, Response, and Organ Dysfunction: A Well-constructed Score!. **2023**, 27, 150-150 o
- 39 National early warning score 2 is superior to quick sequential organ failure assessment in predicting mortality in sepsis patients presenting to the emergency department in India: A prospective observational study. **2023**, 13, 26 o
- 38 New Approaches and Understanding of Sepsis. **2023**, 99-104 o
- 37 Utility of monocyte HLA-DR and rationale for therapeutic GM-CSF in sepsis immunoparalysis. 14, o
- 36 Association between ROX index with 28-day mortality in sepsis: A retrospective cohort study. o
- 35 Clinical significance of thrombocytopenia in patients with septic shock: An observational retrospective study. **2023**, 76, 154293 o
- 34 Application of urinary biomarkers for diagnosing acute kidney injury in critically ill patients without baseline renal function data. **2023**, 77, 154312 o
- 33 Diagnosing sepsis in the ICU: Comparison of a gene expression signature to pre-existing biomarkers. **2023**, 76, 154286 o
- 32 Identification of a novel gene signature for the prognosis of sepsis. **2023**, 106958 o
- 31 Machine Learning for Early Outcome Prediction in Septic Patients in the Emergency Department. **2023**, 16, 76 o
- 30 Prognostic Impact of the International Society on Thrombosis and Hemostasis Disseminated Intravascular Coagulation Score in Sepsis: A Systematic Review. o
- 29 The factors associated with the trend in incidence of Bacteraemia and associated mortality over 30 years. **2023**, 23, o
- 28 Aneurysmal Subarachnoid Hemorrhage in Hospitalized Patients on Anticoagulants: A Two Center Matched Case-Control Study. **2023**, 12, 1476 o
- 27 RBM3 is associated with acute lung injury in septic mice and patients via the NF- κ B/NLRP3 pathway. o

- 26 Complement activation in severely ill patients with sepsis: no relationship with inflammation and disease severity. **2023**, 27, ○
- 25 Concordance Between Initial Presumptive and Final Adjudicated Diagnoses of Infection Among Patients Meeting Sepsis-3 Criteria in the Emergency Department. ○
- 24 Research Progress of Sepsis. **2023**, 13, 2588-2593 ○
- 23 A comparison of the Sepsis-2 and Sepsis-3 definitions for assessment of mortality risk in dogs with parvovirus. **2023**, 33, 208-216 ○
- 22 Diagnosis and Monitoring of Sepsis. **2023**, 55-64 ○
- 21 Sepsis Definitions: A Historical Perspective. **2023**, 7-10 ○
- 20 Fluid management in septic patients with pulmonary hypertension, review of the literature. 10, ○
- 19 Transperineal vs. transrectal biopsy to reduce postinterventional sepsis. **2023**, 33, 193-199 ○
- 18 Recognition and Early Management of Sepsis in Frail Patients. **2023**, 163-167 ○
- 17 Sepsis and infection: Two words that should not be confused. 10, ○
- 16 Development of a machine learning-based prediction model for systemic inflammatory response syndrome after percutaneous nephrolithotomy and comparison with nomogram model. ○
- 15 Comparative effectiveness of β -lactams for empirical treatment of methicillin-susceptible *Staphylococcus aureus* bacteraemia: a prospective cohort study. ○
- 14 Infection as an under-recognized precipitant of acute heart failure: prognostic and therapeutic implications. ○
- 13 Anti-cytokine Therapy in Critical Illness: Is There a Role?. **2023**, 277-297 ○
- 12 Acute pancreatitis after pancreateoduodenectomy: A prospective study of diffusion-weighted magnetic resonance imaging, serum biomarkers, and clinical features. **2023**, ○
- 11 Sepsis. **2023**, 360-376 ○
- 10 The Regulation of Neutrophil Migration in Patients with Sepsis: The Complexity of the Molecular Mechanisms and Their Modulation in Sepsis and the Heterogeneity of Sepsis Patients. **2023**, 12, 1003 ○
- 9 Consistently low levels of histidine-rich glycoprotein as a new prognostic biomarker for sepsis: A multicenter prospective observational study. **2023**, 18, e0283426 ○

- 8 Predicting deterioration of patients with early sepsis at the emergency department using continuous heart rate variability analysis: a model-based approach. **2023**, 31, ○
- 7 Combined use of CRP with neutrophil-to-lymphocyte ratio in differentiating between infectious and noninfectious inflammation in hemodialysis patients. **2023**, 13, ○
- 6 Sepsis in Pregnancy and the Puerperium: A Comparative Review of Major Guidelines. **2023**, 78, 237-248 ○
- 5 Procalcitonin for the diagnosis of sepsis in neonates: a diagnostic test accuracy review. **2023**, 2023, ○
- 4 Development of a Nomogram for Predicting Mortality Risk in Sepsis Patients During Hospitalization: A Retrospective Study. Volume 16, 2311-2320 ○
- 3 Identification of a sub-group of critically ill patients with high risk of intensive care unit-acquired infections and poor clinical course using a transcriptomic score. **2023**, 27, ○
- 2 Predictive Modeling Using Artificial Intelligence and Machine Learning Algorithms on Electronic Health Record Data. **2023**, ○
- 1 Association of Sex Differences with Mortality and Organ Dysfunction in Patients with Sepsis and Septic Shock. **2023**, 13, 836 ○