

CITATION REPORT

List of articles citing

A risk score for predicting stroke or death in individuals with new-onset atrial fibrillation in the community: the Framingham Heart Study

DOI: 10.1001/jama.290.8.1049

JAMA - Journal of the American Medical Association, 2003, 290, 1049-56.

Source: <https://exaly.com/paper-pdf/35689054/citation-report.pdf>

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
620	Multiple flavonoid-binding sites within multidrug resistance protein MRP1. 2003 , 60, 2164-77		60
619	Selecting patients with atrial fibrillation for anticoagulation: stroke risk stratification in patients taking aspirin. 2004 , 110, 2287-92		616
618	Atrial fibrillation and its association with type 2 diabetes and hypertension in a Swedish community. 2004 , 6, 367-74		92
617	Warfarin for atrial fibrillation: the end of an era?. 2004 , 3, 305-8		25
616	Comparison of the impact of atrial fibrillation on the risk of stroke and cardiovascular death in women versus men (The Copenhagen City Heart Study). <i>American Journal of Cardiology</i> , 2004 , 94, 889-94 ³		199
615	Electrical cardioversion of emergency department patients with atrial fibrillation. 2004 , 44, 20-30		69
614	Secondary prevention of stroke: a practical guide to drug treatment. 2004 , 18, 221-41		10
613	Antithrombotic therapy in atrial fibrillation: the Seventh ACCP Conference on Antithrombotic and Thrombolytic Therapy. 2004 , 126, 429S-456S		427
612	Oral anticoagulants for preventing stroke in patients with non-valvular atrial fibrillation and no previous history of stroke or transient ischemic attacks. 2005 , CD001927		73
611	In defence of current treatment options: where are we now?. 2005 , 7, E4-E9		4
610	USE OF ANTICOAGULANT AGENTS FOR STROKE PREVENTION. 2005 , 11, 97-127		
609	RISK FACTORS FOR STROKE, ASSESSING RISK, AND THE MASS AND HIGH-RISK APPROACHES FOR STROKE PREVENTION. 2005 , 11, 18-34		8
608	Economic factors associated with antithrombotic treatments for stroke prevention in patients with atrial fibrillation. 2005 , 7, C41-C54		7
607	Differences among clinical classification schemes for predicting stroke in atrial fibrillation: implications for therapy in daily practice. 2005 , 12, 828-34		7
606	Psychosocial risk factors for adverse outcomes in patients with nonvalvular atrial fibrillation receiving warfarin. 2005 , 20, 1114-9		33
605	Relation of interleukin-6 levels and prothrombin fragment 1+2 to a point-based score for stroke risk in atrial fibrillation. <i>American Journal of Cardiology</i> , 2005 , 95, 881-2	3	24
604	Epidemiological profile of atrial fibrillation: a contemporary perspective. 2005 , 48, 1-8		75

603	Antithrombotic therapy for stroke prevention in atrial fibrillation. 2005 , 48, 108-24	9
602	New frontiers in interventional cardiology. 2005 , 111, 671-81	33
601	Evaluation of the pattern of treatment, level of anticoagulation control, and outcome of treatment with warfarin in patients with non-valvar atrial fibrillation: a record linkage study in a large British population. 2005 , 91, 472-7	229
600	Effects of congestive heart failure on plasma von Willebrand factor and soluble P-selectin concentrations in patients with non-valvar atrial fibrillation. 2005 , 91, 759-63	32
599	Emerging role of direct thrombin inhibitors in nonvalvular atrial fibrillation: potential and peril. 2005 , 10, 11-21	7
598	Gender differences in the risk of ischemic stroke and peripheral embolism in atrial fibrillation: the AnTicoagulation and Risk factors In Atrial fibrillation (ATRIA) study. 2005 , 112, 1687-91	357
597	The prevalence of atrial fibrillation among acute medical admissions in Kuwait. 2005 , 14, 136-9	6
596	Perindopril-based blood pressure-lowering reduces major vascular events in patients with atrial fibrillation and prior stroke or transient ischemic attack. 2005 , 36, 2164-9	92
595	Time trends of ischemic stroke incidence and mortality in patients diagnosed with first atrial fibrillation in 1980 to 2000: report of a community-based study. 2005 , 36, 2362-6	82
594	A trial of self-adhesive patch electrodes and hand-held paddle electrodes for external cardioversion of atrial fibrillation (MOBIPAPA). 2005 , 26, 1292-7	62
593	Nonpharmacologic stroke prevention in atrial fibrillation. 2005 , 3, 619-33	41
592	[Preventing cerebrovascular accidents during atrial fibrillation]. 2005 , 34, 1315-24	4
591	Strategies for stroke prevention in atrial fibrillation. 2005 , 2, 103-6	3
590	A risk score predicted coronary heart disease and stroke in a Chinese cohort. 2005 , 58, 951-8	53
589	Correlation of plasma von Willebrand factor levels, an index of endothelial damage/dysfunction, with two point-based stroke risk stratification scores in atrial fibrillation. 2005 , 116, 321-5	31
588	Targeted pharmacological reversal of electrical remodeling after cardioversion--rationale and design of the Flecainide Short-Long (Flec-SL) trial. 2005 , 150, 899	16
587	Antiplatelet therapy for preventing stroke in patients with non-valvular atrial fibrillation and no previous history of stroke or transient ischemic attacks. 2005 , CD001925	34
586	To anticoagulate or not to anticoagulate? A common dilemma for the provider: physicians' opinion poll based on a case study of an older long-term care facility resident with dementia and atrial fibrillation. 2006 , 7, 23-8	44

585	Biomarkers of cardiovascular disease: molecular basis and practical considerations. 2006 , 113, 2335-62		862
584	The role of global risk assessment in hypertension therapy. <i>Canadian Journal of Cardiology</i> , 2006 , 22, 606-13	3.8	24
583	Antithrombotic therapy in atrial fibrillation. 2006 , 22, 155-66, x		6
582	Reduction of atrial tachyarrhythmia episodes during the overdrive pacing period using the post-mode switch overdrive pacing (PMOP) algorithm. 2006 , 3, 1164-71		14
581	ACC/AHA/ESC 2006 Guidelines for the Management of Patients With Atrial Fibrillation: A Report of the American College of Cardiology/American Heart Association Task Force on Practice Guidelines and the European Society of Cardiology Committee for Practice Guidelines (Writing Committee to Revise the 2001 Guidelines for the Management of Patients With Atrial Fibrillation) Developed in		261
580	Relationship of atrial fibrillation and stroke after coronary artery bypass graft surgery: when is anticoagulation indicated?. 2006 , 82, 515-23		26
579	Clinical classification schemes for predicting hemorrhage: results from the National Registry of Atrial Fibrillation (NRAF). 2006 , 151, 713-9		732
578	Antiplatelet versus anticoagulant therapies in advanced age: an unfinished task. 2006 , 110, 271-2		3
577	Oral anticoagulants versus antiplatelet therapy for preventing stroke in patients with non-valvular atrial fibrillation and no history of stroke or transient ischemic attacks. 2006 ,		5
576	Temporal trends in the prescription of vitamin K antagonists in patients with atrial fibrillation. 2006 , 259, 173-8		28
575	Atrial fibrillation. 2006 , 24, 509-22		4
574	Anticoagulation for stroke prevention in atrial fibrillation: is gender important?. 2006 , 27, 1893-4		16
573	Optimising stroke prevention in non-valvular atrial fibrillation. 2006 , 7, 2079-94		2
572	Anticoagulation in women with non-valvular atrial fibrillation in the stroke prevention using an oral thrombin inhibitor (SPORTIF) trials. 2006 , 27, 1947-53		83
571	Modelling the health benefits and economic implications of implanting dual-chamber vs. single-chamber ventricular pacemakers in the UK. <i>Europace</i> , 2006 , 8, 449-55	3.9	16
570	Primary prevention of ischemic stroke: a guideline from the American Heart Association/American Stroke Association Stroke Council: cosponsored by the Atherosclerotic Peripheral Vascular Disease Interdisciplinary Working Group; Cardiovascular Nursing Council; Clinical Cardiology Council; Nutrition, Physical Activity, and Metabolism Council; and the Quality of Care and Outcomes		869
569	Evaluation of survival and ischaemic and thromboembolic event rates in patients with non-valvular atrial fibrillation in the general population when treated and untreated with warfarin. 2006 , 92, 196-200		30
568	ACC/AHA/ESC 2006 Guidelines for the Management of Patients with Atrial Fibrillation: a report of the American College of Cardiology/American Heart Association Task Force on Practice Guidelines and the European Society of Cardiology Committee for Practice Guidelines (Writing Committee to Revise the 2001 Guidelines for the Management of Patients with Atrial Fibrillation), developed in collaboration with the European Heart Rhythm Association and the Heart Rhythm Society. 2006 , 114, e257-354		1653

567	Left atrial appendage closure for stroke prevention in atrial fibrillation: state of the art and current challenges. 2007 , 4, 428-35	25
566	ASHP therapeutic position statement on antithrombotic therapy in chronic atrial fibrillation. 2007 , 64, 2281-91	3
565	Cardioembolism. 2007 , 235-240	1
564	Blood pressure and estimated risk of stroke in the elderly population of Spain: the PREV-ICTUS study. 2007 , 38, 1167-73	20
563	Can patients at elevated risk of stroke treated with anticoagulants be further risk stratified?. 2007 , 38, 2459-63	59
562	Age and risk of stroke in atrial fibrillation: evidence for guidelines?. 2007 , 28, 109-15	15
561	Anticoagulation in women with nonvalvular atrial fibrillation: insights from clinical trials. 2007 , 3, 673-8	1
560	Secondary prevention of ischemic stroke: evolution from a stepwise to a risk stratification approach to care. 2007 , 10, 273-84	3
559	A cautionary note on data sources for evidence-based clinical decisions: warfarin and stroke prevention. 2007 , 27, 438-47	2
558	Advances in surgical treatment of atrial fibrillation. 2007 , 38, 618-23	35
557	Alcohol consumption and risk and prognosis of atrial fibrillation among older adults: the Cardiovascular Health Study. 2007 , 153, 260-6	63
556	Outpatient use of anticoagulants, rate-controlling drugs, and antiarrhythmic drugs for atrial fibrillation. 2007 , 154, 893-8	19
555	Death and disability from warfarin-associated intracranial and extracranial hemorrhages. 2007 , 120, 700-5	378
554	Guías de práctica clínica sobre diabetes, prediabetes y enfermedades cardiovasculares: versión resumida. 2007 , 60, 525.e1-525.e64	7
553	Atrial fibrillation in the elderly. 2007 , 120, 481-7	57
552	Gender differences in dementia risk factors. 2007 , 4, 120-9	120
551	Quelles précautions chez un patient en arythmie complé par fibrillation auriculaire avant une anesthésie ?. 2007 , 11, 290-300	
550	[Prevention of atrial fibrillation in hypertensive patients]. 2007 , 128, 148-54	5

549	Gender-related differences in presentation, treatment, and outcome of patients with atrial fibrillation in Europe: a report from the Euro Heart Survey on Atrial Fibrillation. 2007 , 49, 572-7	301
548	Mortality trends in patients diagnosed with first atrial fibrillation: a 21-year community-based study. 2007 , 49, 986-92	322
547	Stroke in atrial fibrillation: update on pathophysiology, new antithrombotic therapies, and evolution of procedures and devices. 2007 , 39, 371-91	68
546	Oral anticoagulants versus antiplatelet therapy for preventing stroke in patients with non-valvular atrial fibrillation and no history of stroke or transient ischemic attacks. 2007 , CD006186	99
545	Comprehensive management of cardiometabolic risk factors. 2007 , 8, 69-80	2
544	Atrial fibrillation and stroke prevention. 2007 , 6, 981-93	174
543	[Treatment of atrial fibrillation]. 2007 , 48, 819-29; quiz 830-1	1
542	[Anticoagulation for stroke prevention. An update]. 2007 , 78, 1124-9	
541	Blood pressure control and stroke mortality across populations. 2007 , 9, 440-1	0
540	The German Competence Network on Atrial Fibrillation (AFNET). 2008 , 33, 548-55	7
539	The Framingham study and treatment guidelines for stroke prevention. 2008 , 10, 207-15	3
538	Termination of equine atrial fibrillation by quinidine: an optical mapping study. 2008 , 10, 87-103	18
537	Initiation and persistence of warfarin or aspirin as thromboprophylaxis in chronic atrial fibrillation in general practice. 2008 , 6, 1622-4	
536	Sex differences in stroke: epidemiology, clinical presentation, medical care, and outcomes. 2008 , 7, 915-26	737
535	Comparison of risk stratification schemes to predict thromboembolism in people with nonvalvular atrial fibrillation. 2008 , 51, 810-5	257
534	Cardio-embolic stroke. 2009 , 93, 719-49	1
533	The Maze procedure: a surgical intervention for ablation of atrial fibrillation. 2008 , 37, 432-9	2
532	Safety considerations in the pharmacological management of atrial fibrillation. 2008 , 127, 299-306	48

531	Risk factors and stroke risk stratification for atrial fibrillation: limitations and new possibilities. 2008 , 156, 1-3	50
530	Chronic atrial fibrillation: Incidence, prevalence, and prediction of stroke using the Congestive heart failure, Hypertension, Age >75, Diabetes mellitus, and prior Stroke or transient ischemic attack (CHADS2) risk stratification scheme. 2008 , 156, 57-64	172
529	DronedArone for the control of ventricular rate in permanent atrial fibrillation: the Efficacy and safety of dRonedArone for the cOntrol of ventricular rate during atrial fibrillation (ERATO) study. 2008 , 156, 527.e1-9	152
528	Stroke risk prediction model: a risk profile from the Korean study. 2008 , 197, 318-25	40
527	Prevalent depressive symptoms as a risk factor for conversion to mild cognitive impairment in an elderly Italian cohort. 2008 , 16, 834-43	43
526	Status of the epidemiology of atrial fibrillation. 2008 , 92, 17-40, ix	230
525	Anticoagulation: stroke prevention in patients with atrial fibrillation. 2008 , 92, 143-59, xi	8
524	Risk factor management to prevent first stroke. 2008 , 26, 1007-45, ix	39
523	Reducing the risk for stroke in patients who have atrial fibrillation. 2008 , 26, 267-75, vii	13
522	Quality of anticoagulation monitoring in nonvalvular atrial fibrillation patients: comparison of anticoagulation clinic versus usual care. 2008 , 42, 62-70	41
521	The Registry of the German Competence NETwork on Atrial Fibrillation: patient characteristics and initial management. <i>Europace</i> , 2009 , 11, 423-34	3.9 263
520	Comparison of 12 risk stratification schemes to predict stroke in patients with nonvalvular atrial fibrillation. 2008 , 39, 1901-10	217
519	Disparate stroke rates on warfarin among contemporaneous cohorts with atrial fibrillation: potential insights into risk from a comparative analysis of SPORTIF III versus SPORTIF V. 2008 , 39, 3009-14	30
518	Antithrombotic therapy in atrial fibrillation: American College of Chest Physicians Evidence-Based Clinical Practice Guidelines (8th Edition). 2008 , 133, 546S-592S	595
517	Gender-Related Differences in Presentation, Treatment, and Outcome of Patients With Atrial Fibrillation in Europe: A Report From the Euro Heart Survey on Atrial Fibrillation. 2008 , 2008, 495-496	1
516	Clinical epidemiology of atrial fibrillation and related cerebrovascular events in the United States. 2008 , 14, 143-50	36
515	Economic and health consequences of managing bradycardia with dual-chamber compared to single-chamber ventricular pacemakers in Italy. 2008 , 9, 43-50	14
514	Stroke awareness among cardiovascular disease patients. 2008 , 66, 209-12	4

513	Cardioembolic stroke in atrial fibrillation-rationale for preventive closure of the left atrial appendage. 2009 , 39, 443-58	20
512	Basic epidemiology of stroke and risk assessment. 77-88	1
511	Sex differences in stroke epidemiology: a systematic review. 2009 , 40, 1082-90	592
510	AHA/ACCF [corrected] 2009 performance measures for primary prevention of cardiovascular disease in adults: a report of the American College of Cardiology Foundation/American Heart Association task force on performance measures (writing committee to develop performance	92
509	Lipoprotein-associated phospholipase A2 and high-sensitivity C-reactive protein improve the stratification of ischemic stroke risk in the Atherosclerosis Risk in Communities (ARIC) study. 2009 , 40, 376-81	68
508	Current status of stroke risk stratification in patients with atrial fibrillation. 2009 , 40, 2607-10	53
507	Statin use is associated with lower risk of atrial fibrillation in women with coronary disease: the HERS trial. 2009 , 95, 704-8	33
506	Heart disease and stroke statistics--2009 update: a report from the American Heart Association Statistics Committee and Stroke Statistics Subcommittee. 2009 , 119, e21-181	1705
505	[Atrial fibrillation: challenge of antithrombotic treatment]. 2009 , 58 Suppl 1, S25-30	1
504	Antithrombotic therapy for the treatment of atrial fibrillation in the elderly. 2009 , 25, 19-23	11
503	Association of obesity and atrial fibrillation among middle-aged and elderly Chinese. 2009 , 33, 1318-25	46
502	A review on sex differences in stroke treatment and outcome. 2010 , 121, 359-69	83
501	[Indications of vitamin K antagonists and aspirin in the atrial fibrillation of the elderly]. 2009 , 30, 671-7	
500	External cardioversion of atrial fibrillation: the role of electrode position on cardioversion success. 2009 , 137, e8-10	10
499	ACCF/AHA 2009 performance measures for primary prevention of cardiovascular disease in adults: a report of the American College of Cardiology Foundation/American Heart Association Task Force on Performance Measures (Writing Committee to Develop Performance Measures for Primary Prevention of Cardiovascular Disease) developed in collaboration with the American Academy of	66
498	Family Physicians; American Association of Cardiovascular and Pulmonary Rehabilitation; and Preventive Cardiovascular Nurses Association: en. 2009 , 54, 1364-405	27
497	Surgery for atrial fibrillation. 2009 , 6, 505-13	
497	Secondary stroke prevention strategies for the oldest patients: possibilities and challenges. 2009 , 26, 209-30	12
496	Modelizaci3n del beneficio cl3nico y del impacto econ3mico del implante de marcapasos con modo de estimulaci3n ventricular minimizada. 2009 , 6, 115-125	

495	Current perceptions of the epidemiology of atrial fibrillation. 2009 , 27, 13-24, vii		86
494	Anticoagulation: stroke prevention in patients with atrial fibrillation. 2009 , 27, 125-35, ix		5
493	The intersection of risk and benefit: is warfarin anticoagulation suitable for atrial fibrillation in patients on hemodialysis?. 2009 , 136, 1128-1133		34
492	Assessment of left atrial appendage function with transthoracic tissue Doppler echocardiography. 2009 , 10, 363-71		44
491	Constructing the prediction model for the risk of stroke in a Chinese population: report from a cohort study in Taiwan. 2010 , 41, 1858-64		48
490	Antithrombotic therapy in cardiac embolism. 2010 , 6, 227-37		7
489	An international survey of physician and patient understanding, perception, and attitudes to atrial fibrillation and its contribution to cardiovascular disease morbidity and mortality. <i>Europace</i> , 2010 , 12, 626-33	3.9	89
488	Refining clinical risk stratification for predicting stroke and thromboembolism in atrial fibrillation using a novel risk factor-based approach: the euro heart survey on atrial fibrillation. 2010 , 137, 263-72		4353
487	Association of the Ottawa Aggressive Protocol with rapid discharge of emergency department patients with recent-onset atrial fibrillation or flutter. 2010 , 12, 181-91		92
486	Sex-related differences in the risk factor profile and medications of patients with atrial fibrillation recruited in J-TRACE. 2010 , 74, 650-4		21
485	Antithrombotic therapy. ESC guidelines vs JCS guidelines. 2010 , 74, 2542-5		6
484	Sex Differences in Atrial Fibrillation and Its Complications. 2010 , 4, 237-243		1
483	Loco-regional anaesthesia for ocular surgery: Anticoagulant and antiplatelet drugs. 2010 , 21, 158-163		6
482	Brain proton magnetic resonance spectroscopic study of insight among elders with late-life depression in remission. 2010 , 127, 153-9		3
481	Left ventricular lateral annulus and left atrial free-wall velocity time integral indicate thromboembolism in patients with rheumatic atrial fibrillation. 2010 , 27, 1038-48		
480	Dronedarone therapy in atrial fibrillation: a summary of recent controlled trials. 2010 , 15, 19S-23S		4
479	Individualized medical decision making: necessary, achievable, but not yet attainable. 2010 , 170, 566-9		32
478	Simplifying stroke risk stratification in atrial fibrillation patients: implications of the CHA2DS2-VASc risk stratification scores. 2010 , 39, 533-5		36

477	The assessment of stroke and bleeding risk in atrial fibrillation: where are we now?. 2010 , 8, 1703-10		2
476	Stroke in paroxysmal atrial fibrillation: report from the Stockholm Cohort of Atrial Fibrillation. 2010 , 31, 967-75		254
475	Genetic polymorphisms and atrial fibrillation: Insights into the prothrombotic state and thromboembolic risk. 2010 , 42, 562-75		10
474	The effects of blood pressure lowering on P-wave dispersion in patients with hypertensive crisis in emergency setting. 2010 , 32, 486-9		4
473	General anaesthesia for external electrical cardioversion of atrial fibrillation: experience of an exclusively cardiological procedural management. <i>Europace</i> , 2010 , 12, 1558-63	3.9	15
472	Ischemic stroke and secondary prevention in clinical practice: a cohort study of 14,529 patients in the Swedish Stroke Register. 2010 , 41, 1338-42		55
471	Identifying patients at high risk for stroke despite anticoagulation: a comparison of contemporary stroke risk stratification schemes in an anticoagulated atrial fibrillation cohort. 2010 , 41, 2731-8		368
470	Stroke prevention in atrial fibrillation patients. 2010 , 11, 2331-50		4
469	Atrial fibrillation in congestive heart failure. 2010 , 6, 187-200		89
468	Plasma homocysteine levels and major depressive disorders in Alzheimer disease. 2010 , 18, 1045-8		9
467	Age as a risk factor for stroke in atrial fibrillation patients: implications for thromboprophylaxis. 2010 , 56, 827-37		168
466	Characteristics and management of outpatients with history of or current atrial fibrillation: the observational French EPHA study. 2010 , 103, 376-87		22
465	Survival after stroke--the impact of CHADS2 score and atrial fibrillation. 2010 , 141, 18-23		98
464	Should all patients with non-valvular atrial fibrillation be anticoagulated?. 2010 , 143, 8-15		5
463	[Atrial fibrillation: who should be anticoagulated?]. 2010 , 39, 669-81		
462	Stroke in women. 2010 , 20, 419-25		9
461	Predicting left atrial thrombi in atrial fibrillation. 2010 , 159, 665-71		63
460	Underuse of oral anticoagulants in atrial fibrillation: a systematic review. 2010 , 123, 638-645.e4		677

459	Heart disease and stroke statistics--2010 update: a report from the American Heart Association. 2010 , 121, e46-e215		3147
458	New antithrombotics for atrial fibrillation. 2010 , 28, 278-86		12
457	Surgical workload, risk factors and complications in patients on warfarin with gastrointestinal bleeding. 2010 , 8, 52-5		4
456	Cardiovascular involvement in patients with different causes of hyperthyroidism. 2010 , 6, 431-43		115
455	Subtypes of mild cognitive impairment among the elderly with major depressive disorder in remission. 2011 , 19, 923-31		38
454	2011 ACCF/AHA/HRS focused updates incorporated into the ACC/AHA/ESC 2006 Guidelines for the management of patients with atrial fibrillation: a report of the American College of Cardiology Foundation/American Heart Association Task Force on Practice Guidelines developed in partnership with the European Society of Cardiology and in collaboration with the European Heart		645
453	Heart disease and stroke statistics--2011 update: a report from the American Heart Association. 2011 , 123, e18-e209		3795
452	Brain biochemical correlates of the plasma homocysteine level: a proton magnetic resonance spectroscopy study in the elderly subjects. 2011 , 19, 618-26		15
451	Guidelines for the primary prevention of stroke: a guideline for healthcare professionals from the American Heart Association/American Stroke Association. 2011 , 42, 517-84		1148
450	P wave duration is associated with cardiovascular and all-cause mortality outcomes: the National Health and Nutrition Examination Survey. 2011 , 8, 93-100		82
449	The CHADS2 score predicts ischemic stroke in the absence of atrial fibrillation among subjects with coronary heart disease: data from the Heart and Soul Study. 2011 , 162, 555-61		78
448	Canadian Cardiovascular Society atrial fibrillation guidelines 2010: management of recent-onset atrial fibrillation and flutter in the emergency department. <i>Canadian Journal of Cardiology</i> , 2011 , 27, 38-46	3.8	88
447	Inflammatory pathways underlying atrial fibrillation. 2011 , 17, 556-63		100
446	Prognostic impact of atrial fibrillation progression in a community study: AFBAR Study (Atrial Fibrillation in the Barbanza Area Study). 2011 , 153, 68-73		22
445	Impact of new criteria for anticoagulant treatment in atrial fibrillation. 2011 , 64, 649-53		22
444	Impact of vascular disease in predicting stroke and death in patients with atrial fibrillation: the Danish Diet, Cancer and Health cohort study. 2011 , 9, 1301-7		32
443	Impact of New Criteria for Anticoagulant Treatment in Atrial Fibrillation. 2011 , 64, 649-653		1
442	Risk factors and incidence of ischemic stroke in Taiwanese with nonvalvular atrial fibrillation-- a nation wide database analysis. 2011 , 217, 292-5		95

441	Antithrombotic medication for cardioembolic stroke prevention. 2011 , 2011, 607852		11
440	Ischaemic cardiovascular mortality in patients with non-valvular atrial fibrillation according to CHADS ₂ score. 2011 , 105, 712-20		16
439	Cost efficiency of anticoagulation with warfarin to prevent stroke in medicare beneficiaries with nonvalvular atrial fibrillation. 2011 , 42, 112-8		69
438	Atrial fibrillation is a major risk factor for stroke, especially in women: the Jichi Medical School cohort study. 2011 , 21, 95-101		18
437	A comparison of risk stratification schemes for stroke in 79,884 atrial fibrillation patients in general practice. 2011 , 9, 39-48		193
436	Bleeding risk in 'real world' patients with atrial fibrillation: comparison of two established bleeding prediction schemes in a nationwide cohort. 2011 , 9, 1460-7		151
435	Atrial fibrillation hospitalization is not increased with short-term elevations in exposure to fine particulate air pollution. 2011 , 34, 1475-9		31
434	Stroke risk stratification in a "real-world" elderly anticoagulated atrial fibrillation population. 2011 , 22, 25-30		56
433	Patients treated with catheter ablation for atrial fibrillation have long-term rates of death, stroke, and dementia similar to patients without atrial fibrillation. 2011 , 22, 839-45		259
432	Determinants of a reduced heart rate variability in chronic atrial fibrillation. 2011 , 16, 321-6		9
431	Comparison of mortality and morbidity in patients with atrial fibrillation and heart failure with preserved versus decreased left ventricular ejection fraction. <i>American Journal of Cardiology</i> , 2011 , 108, 1283-8	3	37
430	Geospatial patterns of hospitalization rates for stroke with comorbid hypertension in relation to environmental sources of persistent organic pollutants: results from a 12-year population-based study. 2011 , 18, 576-85		13
429	Stroke prevention in atrial fibrillation. 2011 , 25, 561-70		4
428	Biomarkers of structural remodelling and endothelial dysfunction for prediction of cardiovascular events or death in patients with atrial fibrillation. 2011 , 100, 1029-36		28
427	Rhythm control strategies and the role of antiarrhythmic drugs in the management of atrial fibrillation: focus on clinical outcomes. 2011 , 26, 531-7		9
426	Development of a tool to improve the quality of decision making in atrial fibrillation. 2011 , 11, 59		9
425	A clinical prediction model to estimate risk for 30-day adverse events in emergency department patients with symptomatic atrial fibrillation. 2011 , 57, 1-12		51
424	Variation in management of recent-onset atrial fibrillation and flutter among academic hospital emergency departments. 2011 , 57, 13-21		93

423	Secondary stroke prevention in women. 2011 , 7, 391-7		2
422	The golden age of minimally invasive cardiothoracic surgery: current and future perspectives. 2011 , 7, 333-46		79
421	Performance of stroke risk scores in older people with atrial fibrillation not taking warfarin: comparative cohort study from BAFTA trial. 2011 , 342, d3653		36
420	Surgical treatment for isolated atrial fibrillation: minimally invasive vs. classic cut and sew maze. 2011 , 6, 373-7		23
419	Ascertainment of individual risk of mortality for patients with idiopathic pulmonary fibrosis. 2011 , 184, 459-66		294
418	Risk of death and cardiovascular events in initially healthy women with new-onset atrial fibrillation. <i>JAMA - Journal of the American Medical Association</i> , 2011 , 305, 2080-7	27.4	237
417	Low-energy multistage atrial defibrillation therapy terminates atrial fibrillation with less energy than a single shock. 2011 , 4, 917-25		31
416	2011 ACCF/AHA/HRS focused updates incorporated into the ACC/AHA/ESC 2006 guidelines for the management of patients with atrial fibrillation: a report of the American College of Cardiology Foundation/American Heart Association Task Force on practice guidelines. 2011 , 123, e269-367		643
415	The relative cost-effectiveness of anticoagulants: obvious, except for the cost and the effectiveness. 2011 , 123, 2519-21		28
414	Lifetime risk of stroke and impact of hypertension: estimates from the adult health study in Hiroshima and Nagasaki. 2011 , 34, 649-54		20
413	Acute cardioembolic stroke: an update. 2011 , 9, 367-79		56
412	The link between atrial fibrillation and stroke in women. 2011 , 7, 375-82		10
411	Sleep apnea and cognitive function in heart failure. 2012 , 2012, 402079		15
410	Long-Term Costs of Ischemic Stroke and Major Bleeding Events among Medicare Patients with Nonvalvular Atrial Fibrillation. 2012 , 2012, 645469		36
409	Why is warfarin underused for stroke prevention in atrial fibrillation? A detailed review of electronic medical records. 2012 , 28, 1407-14		21
408	Anticoagulation for atrial fibrillation in patients on dialysis: are the benefits worth the risks?. 2012 , 21, 600-6		23
407	Effects of postmenopausal hormone therapy on incident atrial fibrillation: the Women's Health Initiative randomized controlled trials. 2012 , 5, 1108-16		35
406	New oral anticoagulants for stroke prevention in atrial fibrillation: impact of gender, heart failure, diabetes mellitus and paroxysmal atrial fibrillation. 2012 , 10, 1471-80		37

405	Evaluation of risk stratification schemes for ischaemic stroke and bleeding in 182 678 patients with atrial fibrillation: the Swedish Atrial Fibrillation cohort study. 2012 , 33, 1500-10	732
404	Assessment of female sex as a risk factor in atrial fibrillation in Sweden: nationwide retrospective cohort study. 2012 , 344, e3522	172
403	Stroke prophylaxis with warfarin or dabigatran for patients with non-valvular atrial fibrillation-cost analysis. 2012 , 41, 681-4	12
402	Which risk factors are more associated with ischemic stroke than intracerebral hemorrhage in patients with atrial fibrillation?. 2012 , 43, 2048-54	31
401	A 12-year follow-up study of patients with newly diagnosed lone atrial fibrillation: implications of arrhythmia progression on prognosis: the Belgrade Atrial Fibrillation study. 2012 , 141, 339-347	91
400	Stroke prevention in atrial fibrillation. 2012 , 13, 73-85	10
399	Stroke risk assessment in atrial fibrillation. 2012 , 10-29	1
398	Short-term versus long-term antiarrhythmic drug treatment after cardioversion of atrial fibrillation (Flec-SL): a prospective, randomised, open-label, blinded endpoint assessment trial. 2012 , 380, 238-46	113
397	Female sex as a risk factor for stroke in atrial fibrillation: a nationwide cohort study. 2012 , 10, 1745-51	85
396	Fibrosis in Atrial Fibrillation - Role of Reactive Species and MPO. 2012 , 3, 214	53
395	Atrial Fibrillation: Focus on Anticoagulant Pharmacotherapy. 2012 , 8, 560-565	0
394	Can we predict the occurrence of atrial fibrillation?. 2012 , 35 Suppl 1, 5-9	12
393	Restoring sinus rhythm results in blood pressure reduction in patients with persistent atrial fibrillation and a history of hypertension. 2012 , 23, 722-6	13
392	Initial hyperlactatemia in the ED is associated with poor outcome in patients with ischemic stroke. 2012 , 30, 449-55	13
391	C-reactive protein and transesophageal echocardiographic markers of thromboembolism in patients with atrial fibrillation. 2012 , 159, 40-6	26
390	Gender-related differences in presentation, treatment and long-term outcome in patients with first-diagnosed atrial fibrillation and structurally normal heart: the Belgrade atrial fibrillation study. 2012 , 161, 39-44	57
389	Temporal trends in ischemic and hemorrhagic strokes in Northern Italy: results from the cardiovascular monitoring unit in Northern Italy population-based register, 1998-2004. 2012 , 39, 35-42	3
388	Rate versus rhythm control in atrial fibrillation and clinical outcomes: updated systematic review and meta-analysis of randomized controlled trials. 2012 , 105, 226-38	48

387	Type 2 diabetes mellitus and risk of incident atrial fibrillation in women. 2012 , 60, 1421-8	70
386	Left atrial strain is reduced in patients with atrial fibrillation, stroke or TIA, and low risk CHADS(2) scores. 2012 , 25, 1327-32	65
385	The risk stratification in atrial fibrillation. 2012 , 7 Suppl 3, S233-40	6
384	Resource use and cost implications of switching among warfarin formulations in atrial fibrillation patients. 2012 , 46, 1609-16	6
383	Medical cost reductions associated with the usage of novel oral anticoagulants vs warfarin among atrial fibrillation patients, based on the RE-LY, ROCKET-AF, and ARISTOTLE trials. 2012 , 15, 776-85	74
382	Antithrombotic therapy for atrial fibrillation: Antithrombotic Therapy and Prevention of Thrombosis, 9th ed: American College of Chest Physicians Evidence-Based Clinical Practice Guidelines. 2012 , 141, e531S-e575S	763
381	Heart disease and stroke statistics--2012 update: a report from the American Heart Association. 2012 , 125, e2-e220	3532
380	The CHADS ₂ versus the new CHA ₂ DS ₂ -VASc scoring systems for guiding antithrombotic treatment of patients with atrial fibrillation: review of the literature and recommendations for use. 2012 , 32, 285-96	34
379	Healthcare utilization and expenditures in patients with atrial fibrillation treated with catheter ablation. 2012 , 23, 1-8	35
378	Thromboembolic risk evaluation in patients with atrial fibrillation using a modified CHADS(2) scoring system. 2012 , 23, 155-62	7
377	Dabigatran efficacy-safety assessment for stroke prevention in patients with atrial fibrillation. 2012 , 10, 966-8	7
376	[Social impact of stroke due to atrial fibrillation]. 2012 , 27 Suppl 1, 10-4	1
375	Use of evidence-based cardiac prevention therapy among outpatients with atrial fibrillation. 2013 , 126, 625-32.e1	31
374	Gender and the risk of stroke in atrial fibrillation: impact of old and new anticoagulation regimens. 2013 , 8, 38-45	1
373	Women hospitalized with atrial fibrillation: gender differences, trends and outcome from a 20-year registry in a Middle Eastern country (1991-2010). 2013 , 168, 975-80	16
372	Comparative assessment of published atrial fibrillation stroke risk stratification schemes for predicting stroke, in a non-atrial fibrillation population: the Chin-Shan Community Cohort Study. 2013 , 168, 414-9	52
371	Comparison of the reliability and validity of four contemporary risk stratification schemes to predict thromboembolism in non-anticoagulated patients with atrial fibrillation. 2013 , 166, 205-9	21
370	Effects of sex difference on clinical features of acute ischemic stroke in Japan. 2013 , 22, 1070-5	31

369	Predictors of regional variations in hospitalizations following emergency department visits for atrial fibrillation. <i>American Journal of Cardiology</i> , 2013 , 112, 1410-6	3	24
368	Does CHA2DS2-VASc improve stroke risk stratification in postmenopausal women with atrial fibrillation?. 2013 , 126, 1143.e1-8		13
367	Risk assessment for incident heart failure in individuals with atrial fibrillation. 2013 , 15, 843-9		60
366	Atherosclerosis and thromboembolic risk in atrial fibrillation: focus on peripheral vascular disease. 2013 , 45, 274-90		17
365	Heart disease and stroke statistics--2013 update: a report from the American Heart Association. 2013 , 127, e6-e245		3837
364	Sexual dimorphism in cerebral ischemia injury. 2013 , 711, 73-9		30
363	The evolving role of stroke prediction schemes for patients with atrial fibrillation. <i>Canadian Journal of Cardiology</i> , 2013 , 29, 1173-80	3.8	7
362	The incidence, pattern, and prognostic value of left ventricular myocardial scar by late gadolinium enhancement in patients with atrial fibrillation. 2013 , 62, 2205-14		49
361	Thromboembolism in patients with nonvalvular atrial fibrillation: comparison between Asian and Western countries. 2013 , 61, 1-7		20
360	Relation of renal dysfunction to the increased risk of stroke and death in female patients with atrial fibrillation. 2013 , 168, 1502-8		22
359	The change in the atrial fibrillation type as a prognosis marker in a community study: long-term data from AFBAR (Atrial Fibrillation in the BARbanza) study. 2013 , 168, 2146-52		13
358	Management of asymptomatic carotid artery stenosis. 2013 , 15, 252-63		1
357	Anticoagulation in patients with kidney disease: one size does not fit all. 2013 , 131, 469-71		2
356	Decreased glomerular filtration rate and markers of left atrial stasis in patients with nonvalvular atrial fibrillation. 2013 , 124, 3-10		25
355	Alternatives to warfarin for stroke prevention in patients with nonvalvular atrial fibrillation: a look back at the state of the field in 2012. 2013 , 125, 146-57		
354	Simple risk model predicts incidence of atrial fibrillation in a racially and geographically diverse population: the CHARGE-AF consortium. 2013 , 2, e000102		425
353	Novel oral anticoagulants for stroke prevention in patients with atrial fibrillation. 2013 , 41, 37-48		1
352	Atrial fibrillation patterns and risks of subsequent stroke, heart failure, or death in the community. 2013 , 2, e000126		40

351	The unappreciated importance of blood pressure in recent and older atrial fibrillation trials. 2013 , 31, 2109-17; discussion 2117	14
350	"R" for "renal" and for "risk": refining risk stratification for stroke in atrial fibrillation. 2013 , 127, 169-71	12
349	Stable cystatin C serum levels confirm normal renal function in patients with dronedarone-associated increase in serum creatinine. 2013 , 18, 109-12	9
348	Is atrial fibrillation always a culprit of stroke in patients with atrial fibrillation plus stroke?. <i>Cerebrovascular Diseases</i> , 2013 , 36, 373-82	3.2 24
347	The impact of atherosclerotic vascular disease in predicting a stroke, thromboembolism and mortality in atrial fibrillation patients: a systematic review. 2013 , 11, 975-87	34
346	Stroke risk stratification scores in atrial fibrillation: current recommendations for clinical practice and future perspectives. 2013 , 11, 77-90	7
345	Stroke and bleeding risk assessment in atrial fibrillation: when, how, and why?. 2013 , 34, 1041-9	108
344	Association between endothelial dysfunction and acute brain dysfunction during critical illness. 2013 , 118, 631-9	71
343	A multidisciplinary atrial fibrillation clinic. 2013 , 9, 55-62	5
342	Arrhythmias in Women: Atrial Fibrillation and Sudden Cardiac Death. 2013 , 1039-1053	
341	Oral anticoagulation to reduce risk of stroke in patients with atrial fibrillation: current and future therapies. 2013 , 8, 75-84	19
340	Atrial fibrillation and thromboprophylaxis in heart failure: the need for patient-centered approaches to address adherence. 2013 , 9, 3-11	12
339	Female sex as an independent risk factor for stroke in atrial fibrillation: possible mechanisms. 2014 , 111, 385-91	69
338	Basic epidemiology of stroke and risk assessment. 102-118	
337	Linking brain stroke risk factors to human movement features for the development of preventive tools. 2014 , 6, 150	13
336	Female sex as a risk factor for thromboembolism and death in patients with incident atrial fibrillation. The prospective Danish Diet, Cancer and Health study. 2014 , 112, 789-95	10
335	Is female sex a risk factor for stroke and thromboembolism in patients with atrial fibrillation? A systematic review and meta-analysis. 2014 , 107, 955-67	97
334	Evaluation on the compliance with secondary prevention and influence factors of ischemic stroke in Hainan province, China. 2014 , 22, 181-7	5

333	Comparison of CHADS2 and CHA2DS2-VASC anticoagulation recommendations: evaluation in a cohort of atrial fibrillation ablation patients. <i>Europace</i> , 2014 , 16, 195-201	3.9	9
332	Neurologic complications of cardiomyopathies and other myocardial disorders. 2014 , 119, 111-28		3
331	Multiple analytical approaches demonstrate a complex relationship of genetic and nongenetic factors with cisplatin- and carboplatin-induced nephrotoxicity in lung cancer patients. 2014 , 2014, 937429		11
330	Absence of gender-based differences in the atrial and pulmonary vein substrate: a detailed electroanatomic mapping study. 2014 , 25, 1065-70		11
329	Heart disease and stroke statistics--2014 update: a report from the American Heart Association. 2014 , 129, e28-e292		3912
328	Guidelines for the prevention of stroke in women: a statement for healthcare professionals from the American Heart Association/American Stroke Association. 2014 , 45, 1545-88		560
327	Stroke hospitalizations over three decades: lower for men, unchanged for women. A population-based study. 2014 , 23, 296-301		7
326	Update on transient ischemic attack nursing care. 2014 , 45, e71-3		2
325	Relation of red cell distribution width with CHA2DS2-VASc score in patients with nonvalvular atrial fibrillation. 2014 , 20, 687-92		19
324	Safe use of antithrombotics for stroke prevention in atrial fibrillation: consideration of risk assessment tools to support decision-making. 2014 , 5, 21-37		11
323	Patient-centered medical homes and oral anticoagulation therapy initiation. 2014 , 71, 174-91		4
322	Extreme deep white matter hyperintensity volumes are associated with African American race. <i>Cerebrovascular Diseases</i> , 2014 , 37, 244-50	3.2	35
321	Addressing barriers to optimal oral anticoagulation use and persistence among patients with atrial fibrillation: Proceedings, Washington, DC, December 3-4, 2012. 2014 , 168, 239-247.e1		41
320	Atrial fibrillation in heart failure: stroke risk stratification and anticoagulation. 2014 , 19, 305-13		17
319	Heart rate variability findings as a predictor of atrial fibrillation in middle-aged population. 2014 , 25, 719-24		31
318	Practical considerations in the use of novel oral anticoagulants for stroke prevention in nonvalvular atrial fibrillation. 2014 , 32, 74-81		6
317	Increased risk of first-ever stroke in younger patients with atrial fibrillation not recommended for antithrombotic therapy by current guidelines: a population-based study in an East Asian cohort of 22 million people. 2014 , 89, 1487-97		12
316	Guidelines for the primary prevention of stroke: a statement for healthcare professionals from the American Heart Association/American Stroke Association. 2014 , 45, 3754-832		921

315	Blood spot-based measures of glucose homeostasis and diabetes prevalence in a nationally representative population of young US adults. 2014 , 24, 903-9.e1	14
314	Clinical use of rivaroxaban: pharmacokinetic and pharmacodynamic rationale for dosing regimens in different indications. 2014 , 74, 1587-603	27
313	Comparison of clinical risk stratification for predicting stroke and thromboembolism in atrial fibrillation. 2014 , 45, 426-31	23
312	The paradox of atrial fibrillation in African Americans. 2014 , 47, 804-8	19
311	Secondary prevention of stroke in the elderly: focus on drug therapy. 2014 , 31, 721-30	12
310	Implementing electronic health care predictive analytics: considerations and challenges. 2014 , 33, 1148-54	90
309	Comment Valuer le risque ischémique et hémorragique cérébral dans la fibrillation atriale ? Place des approches morphologiques et biologiques. 2014 , 6, 120-131	
308	Adherence to guidelines and mortality in atrial fibrillation. 2014 , 176, 430-6	13
307	Drug Therapies for Stroke Prevention in Atrial Fibrillation: An Historical Perspective. 2014 , 6, 61-78	
306	Prognostic value of myocardial scar in atrial fibrillation. 2014 , 63, 2055	
305	Meta-analysis of gender differences in residual stroke risk and major bleeding in patients with nonvalvular atrial fibrillation treated with oral anticoagulants. <i>American Journal of Cardiology</i> , 2014 , 113, 485-90	3 137
304	Atrial fibrillation: stroke prevention in focus. 2014 , 27, 92-8	15
303	Posttraumatic stress disorder in adults: impact, comorbidity, risk factors, and treatment. 2014 , 59, 460-7	169
302	Greater physical activity is associated with better cognitive function in heart failure. 2014 , 33, 1337-43	12
301	Stroke and bleeding risk in atrial fibrillation: navigating the alphabet soup of risk-score acronyms (CHADS2, CHA2DS2-VASc, R2 CHADS2, HAS-BLED, ATRIA, and more). 2014 , 37, 634-44	35
300	Sex- and gender-specific research priorities for the emergency management of heart failure and acute arrhythmia: proceedings from the 2014 Academic Emergency Medicine Consensus Conference Cardiovascular Research Workgroup. 2014 , 21, 1361-9	7
299	Effect of sex and age interactions on functional outcome after stroke. 2015 , 21, 327-36	28
298	Validation of Risk Scoring System Excluding Female Sex From CHA2DS2-VASc in Japanese Patients With Nonvalvular Atrial Fibrillation [Subanalysis of the J-RHYTHM Registry]. 2015 , 79, 1719-26	30

297	Five-Year Risk of Mechanical Ventilation in Community-Dwelling Adults: The Framingham-Intermountain Anticipating Life Support Study. 2015 , 63, 2082-8		2
296	CHA2 DS2 VASc Score as a Predictor of Cardiovascular Events in Ambulatory Patients without Atrial Fibrillation. 2015 , 38, 1412-7		14
295	Emerging roles of frailty and inflammaging in risk assessment of age-related chronic diseases in older adults: the intersection between aging biology and personalized medicine. 2015 , 5, 1		46
294	Utilization of Dabigatran for Atrial Fibrillation at 3 Tertiary Care Centres. 2015 , 68, 369-77		2
293	Stroke risk in atrial fibrillation: Do we anticoagulate CHADS2 or CHA2DS2-VASc \geq 1, or higher?. 2015 , 113, 1165-9		40
292	Epidemiology, diagnosis, and management of atrial fibrillation in women. 2015 , 7, 605-14		23
291	Visualizing Risk Prediction Models. <i>PLoS ONE</i> , 2015 , 10, e0132614	3-7	18
290	Clinical characteristics and impact of diabetes mellitus on outcomes in patients with nonvalvular atrial fibrillation. <i>Yonsei Medical Journal</i> , 2015 , 56, 62-71	3	9
289	Atrial Fibrillation: Pathophysiology and Therapeutic Options. 2015 , 29, 1333-40		17
288	Management and prognosis of atrial fibrillation in the diabetic patient. 2015 , 13, 643-51		16
287	Atrial fibrillation and female sex. 2015 , 16, 795-801		19
286	Prediction of individual combined benefit and harm for patients with atrial fibrillation considering warfarin therapy: a study protocol. 2015 , 5, e009518		6
285	The WATCHMAN device for stroke prophylaxis in atrial fibrillation: an evolving niche. 2015 , 43, 13-21		1
284	Cause of death in patients with atrial fibrillation admitted to French hospitals in 2012: a nationwide database study. 2015 , 2, e000290		36
283	A Circulating Biomarker Risk-Prediction Model Correlates with CHADS-2 Risk Score in Chronic Atrial Fibrillation. 2015 , 6, 24-26		4
282	Thromboembolic prevention in frail elderly patients with atrial fibrillation: a practical algorithm. 2015 , 16, 358-64		33
281	Heart disease and stroke statistics--2015 update: a report from the American Heart Association. 2015 , 131, e29-322		5259
280	Validity of international classification of disease codes to identify ischemic stroke and intracranial hemorrhage among individuals with associated diagnosis of atrial fibrillation. 2015 , 8, 8-14		95

279	Risk of ischaemic stroke according to pattern of atrial fibrillation: analysis of 6563 aspirin-treated patients in ACTIVE-A and AVERROES. 2015 , 36, 281-7a	196
278	The significance of atrial fibrillation in patients aged \geq 5 years undergoing abdominal surgery. 2015 , 39, 113-20	6
277	Long-term outcomes of secondary atrial fibrillation in the community: the Framingham Heart Study. 2015 , 131, 1648-55	105
276	Usefulness of brain natriuretic peptide for predicting left atrial appendage thrombus in patients with unanticoagulated nonvalvular persistent atrial fibrillation. 2015 , 31, 307-12	8
275	Left atrial appendage closure is preferred to chronic warfarin therapy: the pro perspective. 2015 , 7, 403-13	3
274	Secondhand Smoke Exposure and Stroke: The Reasons for Geographic and Racial Differences in Stroke (REGARDS) Study. 2015 , 49, e89-97	40
273	Dietary Fat Intake Is Differentially Associated with Risk of Paroxysmal Compared with Sustained Atrial Fibrillation in Women. 2015 , 145, 2092-101	8
272	Challenges and misconceptions in the aetiology and management of atrial fibrillation-related strokes. 2015 , 26, 461-7	7
271	Atrial Fibrillation and Risk of ST-Segment-Elevation Versus Non-ST-Segment-Elevation Myocardial Infarction: The Atherosclerosis Risk in Communities (ARIC) Study. 2015 , 131, 1843-50	101
270	Female sex is associated with a lower risk of stroke in patients with heart failure. 2015 , 169, 396-403.e2	3
269	Gender differences in stroke, mortality, and hospitalization among patients with atrial fibrillation: A systematic review. 2015 , 44, 189-98	15
268	Age differences in periventricular and deep white matter lesions. 2015 , 36, 1653-1658	29
267	Sex-related predictors for thromboembolic events after catheter ablation of atrial fibrillation: The Leipzig Heart Center AF Ablation Registry. 2015 , 104, 603-10	15
266	Is diabetes a hypercoagulable state? A critical appraisal. 2015 , 52, 1007-16	35
265	Oral Anticoagulant Prescription in Patients With Atrial Fibrillation and a Low Risk of Thromboembolism: Insights From the NCDR PINNACLE Registry. 2015 , 175, 1062-5	17
264	Sex Differences in Dabigatran Use, Safety, And Effectiveness In a Population-Based Cohort of Patients With Atrial Fibrillation. 2015 , 8, 593-9	45
263	Burden of stroke in Puerto Rico. 2015 , 10, 117-9	9
262	United States trends in thrombolysis for older adults with acute ischemic stroke. 2015 , 139, 16-23	5

261	Effect of white matter lesions on manual dexterity in healthy middle-aged persons. 2015 , 84, 1920-6	13
260	PATH OPTIMIZATION AND CONTROL OF A SHAPE MEMORY ALLOY ACTUATED CATHETER FOR ENDOCARDIAL RADIOFREQUENCY ABLATION. 2015 , 65, 88-97	3
259	Cerebrovascular Accident. 2015 , 293-310	
258	Greater Severity of Neurological Defects in Women Admitted With Atrial Fibrillation-Related Stroke. 2016 , 80, 250-5	16
257	Atrial fibrillation in women: epidemiology, pathophysiology, presentation, and prognosis. 2016 , 13, 321-32	150
256	Insertable cardiac monitors in the diagnosis of syncope and the detection of atrial fibrillation: A systematic review and meta-analysis. 2016 , 23, 1261-72	17
255	Comprehensive interpretation of hyperglycemia and hyperosmolality on the clinical outcomes among ischemic stroke patients. 2016 , 34, 2343-2350	5
254	Pitfalls in the Acute Management of Atrial Fibrillation. 2016 , 145-173	
253	2016 ESC Guidelines for the management of atrial fibrillation developed in collaboration with EACTS. 2016 , 50, e1-e88	589
252	Prognostic Implications of Left Ventricular Scar Determined by Late Gadolinium Enhanced Cardiac Magnetic Resonance in Patients With Atrial Fibrillation. <i>American Journal of Cardiology</i> , 2016 , 118, 991-7 ³	10
251	2016 ESC Guidelines for the management of atrial fibrillation developed in collaboration with EACTS. 2016 , 37, 2893-2962	4465
250	2016 ESC Guidelines for the management of atrial fibrillation developed in collaboration with EACTS. <i>Europace</i> , 2016 , 18, 1609-1678	3.9 1293
249	Atrial Fibrillation Research in the Observation Unit and the Emergency Department. 2016 , 239-247	
248	Update on specificities of stroke in women. 2016 , 45, e409-e418	6
247	Predicting Atrial Fibrillation and Its Complications. 2016 , 80, 1061-6	24
246	In vivo target bio-imaging of cerebral ischemic stroke by real-time labeling of zinc. 2016 , 6, 110525-110534	5
245	European Heart Rhythm Association (EHRA)/European Association of Cardiovascular Prevention and Rehabilitation (EACPR) position paper on how to prevent atrial fibrillation endorsed by the Heart Rhythm Society (HRS) and Asia Pacific Heart Rhythm Society (APHS). <i>Europace</i> , 2017 , 19, 190-225	3.9 44
244	The State of the Art: Atrial Fibrillation Epidemiology, Prevention, and Treatment. 2016 , 91, 1778-1810	82

243	Dabigatran in real-world atrial fibrillation. Meta-analysis of observational comparison studies with vitamin K antagonists. 2016 , 116, 754-63		66
242	Rationale and design of the ODIn-AF Trial: randomized evaluation of the prevention of silent cerebral thromboembolism by oral anticoagulation with dabigatran after pulmonary vein isolation for atrial fibrillation. 2016 , 105, 95-105		5
241	Detecting nonvalvular atrial fibrillation and anticoagulant therapy in cardioembolic ischemic stroke. 2016 , 128, 620-8		3
240	Blood pressure control and stroke or bleeding risk in anticoagulated patients with atrial fibrillation: Results from the ROCKET AF Trial. 2016 , 178, 74-84		32
239	Field Synopsis of the Role of Sex in Stroke Prediction Models. 2016 , 5,		6
238	Heart Disease and Stroke Statistics-2016 Update: A Report From the American Heart Association. 2016 , 133, e38-360		4504
237	Gender Differences of Thromboembolic Events in Atrial Fibrillation. <i>American Journal of Cardiology</i> , 2016 , 117, 1021-7	3	36
236	Modifiable Risk Factors and Determinants of Stroke. 2016 , 217-233		2
235	Comorbidity of atrial fibrillation and heart failure. 2016 , 13, 131-47		88
234	New-onset atrial fibrillation and thromboembolic risk: Cardiovascular syzygy?. 2016 , 13, 1355-61		11
233	Medical Practice Variations in Stroke. 2016 , 259-296		
232	The impact of atrial fibrillation type on the risk of thromboembolism, mortality, and bleeding: a systematic review and meta-analysis. 2016 , 37, 1591-602		190
231	An Integrated Management Approach to Atrial Fibrillation. 2016 , 5,		53
230	Preventing a First Stroke. 2016 , 280-291		1
229	Risk stratification in acute upper GI bleeding: comparison of the AIMS65 score with the Glasgow-Blatchford and Rockall scoring systems. 2016 , 83, 1151-60		70
228	Chromosome 4q25 Variants rs2200733, rs10033464, and rs1906591 Contribute to Ischemic Stroke Risk. 2016 , 53, 3882-3890		5
227	Gender differences in management and clinical outcomes of atrial fibrillation patients. 2017 , 69, 195-200		15
226	Revisiting sex differences in outcomes in non-valvular atrial fibrillation: a population-based cohort study. 2017 , 38, 1473-1479		25

225	Balancing thromboembolic and bleeding risk with non-vitamin K antagonist oral anticoagulants (NOACs): A systematic review and meta-analysis on gender differences. 2017 , 117, 274-282		13
224	Heart Disease and Stroke Statistics-2017 Update: A Report From the American Heart Association. 2017 , 135, e146-e603		5568
223	Interleukin-37 elevation in patients with atrial fibrillation. 2017 , 40, 66-72		9
222	CHADS-VASc Score: A Predictor of Thromboembolic Events and Mortality in Patients With an Implantable Monitoring Device Without Atrial Fibrillation. 2017 , 92, 360-369		25
221	Stroke Risk Factors, Genetics, and Prevention. 2017 , 120, 472-495		459
220	Sex-Specific Comparative Effectiveness of Oral Anticoagulants in Elderly Patients With Newly Diagnosed Atrial Fibrillation. 2017 , 10,		22
219	Risk of stroke and heart failure attributable to atrial fibrillation in middle-aged and elderly people: Results from a five-year prospective cohort study of Japanese community dwellers. 2017 , 27, 360-367		10
218	Implications of CHA2DS2-VASc Score in Stroke Patients with Atrial Fibrillation: An Analysis of 938 Korean Patients. 2017 , 77, 307-315		3
217	Relationship of meteorological factors and acute stroke events in Kaunas (Lithuania) in 2000-2010. 2017 , 24, 9286-9293		12
216	CHADS-VASc Score (Congestive Heart Failure, Hypertension, Age \geq 5 [Doubled], Diabetes Mellitus, Prior Stroke or Transient Ischemic Attack [Doubled], Vascular Disease, Age 65-74, Female) for Stroke in Asian Patients With Atrial Fibrillation: A Korean Nationwide Sample Cohort Study. 2017 , 48, 1524-1530		76
215	Predictors of near-term fracture in osteoporotic women aged \geq 5 years, based on data from the study of osteoporotic fractures. 2017 , 28, 2565-2571		21
214	Female gender as a risk factor for stroke associated with atrial fibrillation. 2017 , 38, 1480-1484		14
213	Gender Differences in the Trends of Hospitalizations for Acute Stroke Among Patients With Atrial Fibrillation in the United States: 2005 to 2014. <i>American Journal of Cardiology</i> , 2017 , 120, 1541-1548	3	7
212	Stratifying Stroke Risk in Atrial Fibrillation: Beyond Clinical Risk Scores. 2017 , 48, 2665-2670		31
211	Real-World Adherence and Persistence with Direct Oral Anticoagulants in Adults with Atrial Fibrillation. 2017 , 37, 1221-1230		60
210	Association of Ambulatory Blood Pressure Monitoring parameters with the Framingham Stroke Risk Profile. 2017 , 380, 106-111		4
209	Are Centers for Disease Control and Prevention Guidelines for Preexposure Prophylaxis Specific Enough? Formulation of a Personalized HIV Risk Score for Pre-Exposure Prophylaxis Initiation. 2017 , 44, 48-56		26
208	Considerations and treatment options for patients with comorbid atrial fibrillation and diabetes mellitus. 2017 , 18, 1101-1114		7

207	Association between Low-density lipoprotein cholesterol and occipital periventricular hyperintensities in a group of Chinese patients: an observational study. 2017 , 16, 48	0
206	European Heart Rhythm Association (EHRA)/European Association of Cardiovascular Prevention and Rehabilitation (EACPR) position paper on how to prevent atrial fibrillation endorsed by the Heart Rhythm Society (HRS) and Asia Pacific Heart Rhythm Society (APHRs). 2017 , 24, 4-40	43
205	Wide Variation in Reported Rates of Stroke Across Cohorts of Patients With Atrial Fibrillation. 2017 , 135, 208-219	73
204	Structure and Function of the Left Atrium and Left Atrial Appendage: AF and Stroke Implications. 2017 , 70, 3157-3172	69
203	Sex-Related Differences in the Clinical Events of Patients With Atrial Fibrillation - The Fushimi AF Registry. 2017 , 81, 1403-1410	12
202	Sex Differences in Outcomes among Stroke Survivors with Non-Valvular Atrial Fibrillation in China. 2017 , 8, 166	9
201	Stroke Prevention for Patients with Atrial Fibrillation: Beyond the Guidelines. 2017 , 9, 1475	16
200	Optimum Risk Assessment for Stroke in Atrial Fibrillation: Should We Hold the Status Quo or Consider Magnitude Synergism and Left Atrial Appendage Anatomy?. 2017 , 6, 161-166	8
199	The CHADS-VASc score: Not as simple as it seems. 2018 , 257, 92-96	4
198	Anticoagulant mechanism, pharmacological activity, and assessment of preclinical safety of a novel fibrin(ogen)olytic serine protease from leaves of <i>Leucas indica</i> . 2018 , 8, 6210	11
197	Characteristics and outcomes of ischemic stroke in patients with known atrial fibrillation or atrial fibrillation diagnosed after stroke. 2018 , 261, 68-72	14
196	Establishment and validation of a prediction model for ischemic stroke risks in patients with type 2 diabetes. 2018 , 138, 220-228	9
195	Female Sex Is a Risk Modifier Rather Than a Risk Factor for Stroke in Atrial Fibrillation: Should We Use a CHADS-VA Score Rather Than CHADS-VASc?. 2018 , 137, 832-840	93
194	Heart Disease and Stroke Statistics-2018 Update: A Report From the American Heart Association. 2018 , 137, e67-e492	3848
193	Management of atrial fibrillation in diabetes. 2018 , 35, 27-31	4
192	Stroke Prediction Rules in Atrial Fibrillation. 2018 , 71, 133-134	1
191	Current Evidence-Based Understanding of the Epidemiology, Prevention, and Treatment of Atrial Fibrillation. 2018 , 43, 241-283	7
190	Von Willebrand Factor: Multimeric Structure and Functional Activity in Patients With Atrial Fibrillation With and Without Oral Anticoagulation. 2018 , 24, 647-654	5

189	Temporal pattern/episode duration-based classification of atrial fibrillation as paroxysmal vs. persistent: is it time to develop a more integrated prognostic score to optimize management?. <i>Europace</i> , 2018 , 20, f288-f298	3.9	9
188	Advances in Cardiovascular Health in Women over the Past Decade: Guideline Recommendations for Practice. 2018 , 27, 128-139		7
187	Predicting in a predicament: Stroke and hemorrhage risk prediction in dialysis patients with atrial fibrillation. 2018 , 31, 37-47		8
186	Sex Differences in Atrial Fibrillation. <i>Canadian Journal of Cardiology</i> , 2018 , 34, 429-436	3.8	33
185	Factors associated with confidence in decision making and satisfaction with risk communication among patients with atrial fibrillation. 2018 , 17, 446-455		6
184	Do Women Have a Higher Risk of Adverse Events after Carotid Revascularization?. 2018 ,		1
183	Applying deep learning for adverse pregnancy outcome detection with pre-pregnancy health data. 2018 , 189, 10014		2
182	2018 Korean Guideline of Atrial Fibrillation Management. 2018 , 48, 1033-1080		68
181	Hypertension Is Associated with White Matter Disruption in Apparently Healthy Middle-Aged Individuals. 2018 , 39, 2243-2248		19
180	Atrial-like Engineered Heart Tissue: An In Vitro Model of the Human Atrium. 2018 , 11, 1378-1390		74
179	Female Sex as a Risk Factor for Ischemic Stroke and Systemic Embolism in Chinese Patients With Atrial Fibrillation: A Report From the China-AF Study. 2018 , 7, e009391		6
178	Glomerular filtration rate: A prognostic marker in atrial fibrillation-A subanalysis of the AntiThrombotic Agents Atrial Fibrillation. 2018 , 41, 1570-1577		5
177	Predicting Thromboembolic and Bleeding Event Risk in Patients with Non-Valvular Atrial Fibrillation: A Systematic Review. 2018 , 118, 2171-2187		96
176	Cerebral thrombolysis in patients with ischemic stroke and heart failure. 2018 , 52, 593-598		2
175	Comparing Management and Outcomes in Men and Women With Nonvalvular Atrial Fibrillation: Data From a Population-Based Cohort. 2018 , 4, 604-614		4
174	Computed Tomography for Left Atrial Appendage Occlusion Case Planning. 2018 , 7, 367-378		1
173	Cardiovascular disease and brain health: Focus on white matter hyperintensities. <i>IJC Heart and Vasculature</i> , 2018 , 19, 63-69	2.4	41
172	Sex differences in cardiac arrhythmia: a consensus document of the European Heart Rhythm Association, endorsed by the Heart Rhythm Society and Asia Pacific Heart Rhythm Society. <i>Europace</i> , 2018 , 20, 1565-1565ao	3.9	108

171	Potential Impact of Oral Inflammations on Cardiac Functions and Atrial Fibrillation. 2018 , 8,		11
170	Gender-related Difference in Clinical Outcome of the Patient with Atrial Fibrillation after Radiofrequency Catheter Ablation. 2018 , 48, 605-618		6
169	Sex differences in stroke and major adverse clinical events in patients with atrial fibrillation: A systematic review and meta-analysis of 993,600 patients. 2018 , 269, 182-191		31
168	Sex differences in stroke: Challenges and opportunities. 2018 , 38, 2179-2191		87
167	Atrial high-rate episodes: prevalence, stroke risk, implications for management, and clinical gaps in evidence. <i>Europace</i> , 2019 , 21, 1459-1467	3.9	24
166	Association Between Medicaid Coverage and Income Status on Health Care Use and Costs Among Hypertensive Adults After Enactment of the Affordable Care Act. 2019 , 32, 1030-1038		4
165	Percutaneous devices for left atrial appendage occlusion: A contemporary review. 2019 , 11, 57-70		15
164	Cost-effectiveness of transcatheter aortic valve implantation compared to surgical aortic valve replacement in the intermediate surgical risk population. 2019 , 294, 17-22		11
163	Verdades y controversias de la anticoagulaci3n en fibrilaci3n auricular no valvular. 2019 , 26, 279-285		0
162	Basic Epidemiology of Stroke and Risk Assessment. 2019 , 109-129		
161	Risk of ischemic stroke and utility of CHA DS -VASc score in women and men with atrial fibrillation. 2019 , 42, 1003-1009		12
160	Recurrent atrial fibrillation/flutter detection after ablation or cardioversion using the AliveCor KardiaMobile device: iHEART results. 2019 , 30, 2220-2228		27
159	Evidence-based prediction of Atrial Fibrillation using physiological signals. 2019 ,		1
158	Cerebral ischemic attack, epilepsy and hospital admitted patients with types of headaches attributed to PM10 mass concentration in Abadan, Iran. 2019 , 41, 100541		12
157	Heart Disease and Stroke Statistics-2019 Update: A Report From the American Heart Association. 2019 , 139, e56-e528		3937
156	Risk Assessment of Stroke in Patients with Atrial Fibrillation: Current Shortcomings and Future Directions. 2019 , 33, 105-117		1
155	Resting Heart Rate and the Risk of Atrial Fibrillation. 2019 , 60, 805-811		14
154	The Principles of Disease and Disability Prevention and Health Promotion with Increasing Age. 2019 , 15-22		

153	Impact of adding a video to patient education on quality of life among adults with atrial fibrillation: a randomized controlled trial. 2019 , 102, 1490-1498		5
152	Atrial Fibrillation and Other Arrhythmias in Hypertensive Heart Disease. 2019 , 217-229		
151	Assessment of Sex Differences in the Initial Symptom Burden, Applied Treatment Strategy, and Quality of Life in Japanese Patients With Atrial Fibrillation. 2019 , 2, e191145		19
150	Healthcare costs of stroke and major bleeding in patients with atrial fibrillation treated with non-vitamin K antagonist oral anticoagulants. 2019 , 22, 751-759		5
149	Blood Pressure Control and Cardiovascular Outcomes in Patients With Atrial Fibrillation (From the ORBIT-AF Registry). <i>American Journal of Cardiology</i> , 2019 , 123, 1628-1636	3	5
148	Association Between Patient and Physician Sex and Physician-Estimated Stroke and Bleeding Risks in Atrial Fibrillation. <i>Canadian Journal of Cardiology</i> , 2019 , 35, 160-168	3.8	3
147	Sex Differences in Risk Factors for Incident Atrial Fibrillation (from the Reasons for Geographic and Racial Differences in Stroke [REGARDS] Study). <i>American Journal of Cardiology</i> , 2019 , 123, 1453-1457	3	11
146	Modified Time Delay of Arrival for Biomedical and Environmental Applications. 2019 ,		
145	Young-onset atrial fibrillation: Sex differences in clinical profile, progression rate and cardiovascular outcome. <i>IJC Heart and Vasculature</i> , 2019 , 25, 100429	2.4	5
144	Atrial fibrillation hospitalization is associated with exposure to fine particulate air pollutants. 2019 , 18, 117		9
143	Atrial Fibrillation and Multimorbidity. 2019 , 94, 2381-2382		
142	Should Every Patient With Atrial Fibrillation and a CHA2DS2-VASc Score of 1 Be Anticoagulated? A Systematic Review of 37,030 Patients. 2019 , 27, 249-255		2
141	How do aging and comorbidities impact risk of ischemic stroke in patients with atrial fibrillation. 2019 , 29, 386-391		1
140	Effect of hypertension duration and blood pressure level on ischaemic stroke risk in atrial fibrillation: nationwide data covering the entire Korean population. 2019 , 40, 809-819		51
139	Impact of Participation in a Telestroke Network on Clinical Outcomes. 2019 , 12, e005147		15
138	Systematic review of the predictors of statin adherence for the primary prevention of cardiovascular disease. <i>PLoS ONE</i> , 2019 , 14, e0201196	3.7	37
137	Usefulness of High-Sensitivity Troponin I to Predict Outcome in Patients With Newly Detected Atrial Fibrillation. <i>American Journal of Cardiology</i> , 2020 , 125, 744-750	3	4
136	Sex-related differences in risk factors, outcome, and quality of life in patients with permanent atrial fibrillation: results from the RACE II study. <i>Europace</i> , 2020 , 22, 1619-1627	3.9	7

135	Association of neuronal repair biomarkers with delirium among survivors of critical illness. 2020 , 56, 94-99	2
134	Gender medicine: Towards a gender-specific treatment of neuropsychiatric disorders. 2020 , 175, 437-448	4
133	Real-world cost-effectiveness of rivaroxaban and apixaban vs VKA in stroke prevention in non-valvular atrial fibrillation in the UK. 2020 , 8, 1782164	2
132	Perception of atrial fibrillation in dependence of neuroticism. 2020 , 138, 110225	1
131	Risk stratification of patients with atrial fibrillation in the emergency department. 2020 , 38, 1807-1815	2
130	Association of White Matter Hyperintensities and Cardiovascular Disease: The Importance of Microcirculatory Disease. 2020 , 13, e010460	10
129	Feasibility and evaluation of a large-scale external validation approach for patient-level prediction in an international data network: validation of models predicting stroke in female patients newly diagnosed with atrial fibrillation. 2020 , 20, 102	10
128	Non-vitamin K antagonist oral anticoagulants for stroke prevention in atrial fibrillation: safety issues in the elderly. 2020 , 13, 1309-1327	2
127	Sex Differences in Oral Anticoagulation and Outcomes of Stroke and Intracranial Bleeding in Newly Diagnosed Atrial Fibrillation. 2020 , 9, e015689	15
126	A method to validate scoring systems based on logistic regression models to predict binary outcomes via a mobile application for Android with an example of a real case. 2020 , 196, 105570	2
125	The Euro Heart Survey and EURObservational Research Programme (EORP) in atrial fibrillation registries: contribution to epidemiology, clinical management and therapy of atrial fibrillation patients over the last 20 years. 2020 , 15, 1183-1192	16
124	Outcomes of incident atrial fibrillation in heart failure with preserved or reduced ejection fraction: A community-based study. 2020 , 31, 2275-2283	3
123	An Elderly Health Monitoring System Using Machine Learning and In-Depth Analysis Techniques on the NIH Stroke Scale. 2020 , 8, 1115	7
122	Data-driven stochastic optimization approaches to determine decision thresholds for risk estimation models. 2020 , 52, 1098-1121	0
121	Real-world cost-effectiveness of rivaroxaban compared with vitamin K antagonists in the context of stroke prevention in atrial fibrillation in France. <i>PLoS ONE</i> , 2020 , 15, e0225301	3.7 7
120	Heart Disease and Stroke Statistics-2020 Update: A Report From the American Heart Association. 2020 , 141, e139-e596	2824
119	A systematic review and external validation of stroke prediction models demonstrates poor performance in dialysis patients. 2020 , 123, 69-79	10
118	Cardiovascular Disease Risk Assessment: Insights from Framingham. 2013 , 8, 11-23	146

117	Screen-detected atrial fibrillation predicts mortality in elderly subjects. <i>Europace</i> , 2021 , 23, 29-38	3.9	11
116	Cost-Effectiveness of Transcatheter Versus Surgical Aortic Valve Replacement in Low-Risk Patients With Severe Aortic Stenosis. 2021 , 30, 547-554		3
115	2020 ESC Guidelines for the diagnosis and management of atrial fibrillation developed in collaboration with the European Association for Cardio-Thoracic Surgery (EACTS): The Task Force for the diagnosis and management of atrial fibrillation of the European Society of Cardiology (ESC) Developed with the special contribution of the European Heart Rhythm Association (EHRA) of the ESC 2021 , 42, 373-498		1676
114	[Infections and inflammation in the development of stroke]. 2021 , 121, 11-21		2
113	Impaired coronary flow reserve evaluated by phase-contrast cine magnetic resonance imaging in patients with atrial fibrillations. 2021 , 36, 775-781		1
112	Pre-Diabetes Increases Stroke Risk in Patients With Nonvalvular Atrial Fibrillation. 2021 , 77, 875-884		4
111	Impact of left atrial appendage location on risk of thrombus formation in patients with atrial fibrillation. 2021 , 20, 1431-1443		5
110	Challenges of antithrombotic therapy in the management of cardiovascular disease in patients with inherited bleeding disorders: A single-centre experience. 2021 , 27, 425-433		1
109	Incident Strokes Among American Indian Individuals With Atrial Fibrillation. 2021 , 10, e019581		3
108	Left atrial appendage morphology and the risk of stroke. 2021 , 31, 46-51		
107	Comparative Analysis of Risk Stratification Scores in Atrial Fibrillation. 2021 , 27, 1298-1310		1
106	Beyond the 2020 guidelines on atrial fibrillation of the European society of cardiology. 2021 , 86, 1-11		12
105	Highlights and comments on EHRA/HRS/APHRS/LAHR expert consensus on risk assessment in cardiac arrhythmias: use the right tool for the right outcome. 2021 , 62, 461-467		
104	Antithrombotic Therapy for Stroke Patients with Cardiovascular Disease. 2021 , 41, 365-387		0
103	Guía ESC 2020 sobre el diagnóstico y tratamiento de la fibrilación auricular, desarrollada en colaboración de la European Association of Cardio-Thoracic Surgery (EACTS). 2021 , 74, 437.e1-437.e116		3
102	Sex Differences in Risk Factors for Transient Ischemic Attack in a Chinese Population. 2021 , 12, 615399		1
101	A patient with atrial fibrillation and diabetes: selecting the optimal anticoagulant therapy regimen. 2021 , 26, 4508		1
100	Novel model-based point scoring system for predicting stroke risk in atrial fibrillation patients: Results from a nationwide cohort study with validation. <i>IJC Heart and Vasculature</i> , 2021 , 34, 100787	2.4	0

99	Left Atrial Strain to Predict Stroke in Patients With Acute Heart Failure and Sinus Rhythm. 2021 , 10, e020414		4
98	Risk of Stroke in Atrial Fibrillation According to Sex in Patients Aged Younger Than 75 Years: A Large-Scale, Observational Study Using Real-World Data. 2021 , 30, 963-970		0
97	Refined atrial fibrillation screening and cost-effectiveness in the German population. 2021 ,		1
96	CE: Acute Ischemic Stroke. 2021 , 121, 26-33		1
95	Survey on atrial fibrillation detection from a single-lead ECG wave for Internet of Medical Things. 2021 , 178, 245-258		8
94	The use of cardiac computed tomography angiography in the assessment of percutaneous left atrial appendage closure - Review and experts recommendations endorsed by the Société française d'imagerie cardiaque et vasculaire diagnostique et interventionnelle. 2021 , 102, 586-592		0
93	Risk Factors and Prevention. 2022 , 187-206.e6		
92	Neurologic complications of atrial fibrillation: Pharmacologic and interventional approaches to stroke prevention. 2021 , 177, 143-149		0
91	Antithrombotic Treatment and Cardioversion of Patients with Atrial Fibrillation. 2008 , 169-183		1
90	Atrial Fibrillation and Stroke Prevention. 2015 , 261-276		1
89	Gender differences in anticoagulation and antithrombotic therapy. 2012 , 523-42		8
88	Epidemiology of Stroke. 2011 , 198-218		1
87	Antiarrhythmic Drugs and Strategies. 2009 , 235-292		2
86	Stroke and bleeding risk stratification in atrial fibrillation: a critical appraisal. 2020 , 22, O14-O27		5
85	Association between big endothelin-1 and CHADS/CHADS-VASc scores in non-valvular atrial fibrillation. 2019 , 16, 812-817		2
84	Epidemiology and Primary Prevention of Stroke. 2020 , 26, 260-267		10
83	Effect of lifestyle interventions on cardiovascular risk factors among adults without impaired glucose tolerance or diabetes: A systematic review and meta-analysis. <i>PLoS ONE</i> , 2017 , 12, e0176436	3.7	47
82	Why do authors derive new cardiovascular clinical prediction rules in the presence of existing rules? A mixed methods study. <i>PLoS ONE</i> , 2017 , 12, e0179102	3.7	4

81	[Atrial Fibrillation and Diabetes Mellitus: the Control of Thromboembolic Risk]. 2020 , 60, 108-114	2
80	A Nurse-led Approach to Improving Cardiac Lifestyle Modification in an Atrial Fibrillation Population. 2019 , 10, 3826-3835	1
79	Feasibility and Evaluation of a Large-Scale External Validation Approach for Patient-Level Prediction in an International Data Network: Validation of models predicting stroke in female patients newly diagnosed with atrial fibrillation..	1
78	Novel oral anticoagulants for stroke prevention in atrial fibrillation: a focus on the older patient. 2013 , 6, 167-80	13
77	Trials of novel oral anticoagulants for stroke prevention in patients with non-valvular atrial fibrillation. 2014 , 10, 297-302	8
76	Atrial Fibrillation Screening in Nonmetropolitan Areas Using a Telehealth Surveillance System With an Embedded Cloud-Computing Algorithm: Prospective Pilot Study. 2017 , 5, e135	3
75	The clinical effectiveness and cost-effectiveness of point-of-care tests (CoaguChek system, INRatio2 PT/INR monitor and ProTime Microcoagulation system) for the self-monitoring of the coagulation status of people receiving long-term vitamin K antagonist therapy, compared with standard UK practice: systematic review and economic evaluation. 2015 , 19, 1-172	22
74	Dual-chamber pacemakers for treating symptomatic bradycardia due to sick sinus syndrome without atrioventricular block: a systematic review and economic evaluation. 2015 , 19, 1-210	11
73	Age as a Risk Factor for Stroke in Atrial Fibrillation Patients: Implications in Thromboprophylaxis in the Era of Novel Oral Anticoagulants. 2013 , 6, 783	11
72	Practical Issues to Prevent Stroke Associated with Non-valvular Atrial Fibrillation. 2013 , 15, 144-52	7
71	Cardiac Embolism. 2004 , 187-198	
70	Zerebrale und spinale Ischämie. 2005 , 465-506	
69	Stroke Prevention. 2006 , 545-584	
68	Current alternatives to anticoagulation therapy in patients with atrial fibrillation. 2008 , 50, 465-469	
67	Gender Differences in Stroke. 2010 , 129-135	1
66	Epidemiology and Primary Prevention of Stroke. 2010 , 362-368	
65	Novel Biomarkers and the Assessment of Cardiovascular Risk. 2011 , 54-63	
64	Primary Prevention of Stroke. 2011 , 242-251	

- 63 Precardioversion Transesophageal Echocardiography in Atrial Fibrillation. **2011**, 158-163
- 62 Surgical Treatment for Isolated Atrial Fibrillation Minimally Invasive vs Classic Cut and Sew Maze. **2011**, 6, 373-377
- 61 Implications of Atrial Fibrillation in Heart Failure Management. **2012**, 237-252
- 60 Atrial Fibrillation. 143-173
- 59 Peri-device Implantation Anticoagulation Management: Evidence and Clinical Implications. **2014**, 653-664
- 58 Detection and Management of Atrial Fibrillation in Patients with Stroke or TIA in Clinical Practice. **2014**, 221-236
- 57 Antithrombotic Issues in Women. **2014**, 321-357
- 56 Medical Practice Variations in Stroke. **2014**, 1-40
- 55 Atrial Fibrillation and Stroke Epidemiology. **2016**, 3-16
- 54 Epidemiology of Aging: Racial/Ethnic Specific Disease Prevalence. **2017**, 115-144
- 53 Thromboembolism and bleeding risk scores and predictors of cardiac death in a population with atrial fibrillation. **2017**, 109, 5-13 2
- 52 Implications of Atrial Fibrillation in Heart Failure Management. **2017**, 269-284
- 51 The Prevalence of Atrial Fibrillation Among Acute Medical Admission in Kuwait University Hospital in Sana'a City. **2018**, 5-7
- 50 Scoring systems stratifying the risk of bleeding, thromboembolism in patients with atrial fibrillation and haemorrhagic shock of the patient with triple therapy. **2019**, 21, 100-104
- 49 Sequential Modeling for Polyps Identification from the Vocal Data. **2020**, 945-954
- 48 Feasibility and Evaluation of a Large-Scale External Validation Approach for Patient-Level Prediction in an International Data Network: Validation of models predicting stroke in female patients newly diagnosed with atrial fibrillation..
- 47 Técnicas quirúrgicas de exclusión de la orejuela auricular izquierda: revisión a propósito de un caso. **2020**, 3, 1-6
- 46 Feasibility and Evaluation of a Large-Scale External Validation Approach for Patient-Level Prediction in an International Data Network: Validation of models predicting stroke in female patients newly diagnosed with atrial fibrillation..

45	Stroke Disease Prediction based on Deep Learning using the Elderly Cohort DB. 2020 , 21, 1191-1200	2
44	Utilisation du scanner cardiaque dans le bilan de fermeture percutan�e de l'auricule gauche. 2020 , 3, 365-374	
43	Do payor-based outreach programs reduce medical cost and utilization?. 2020 , 29, 671-682	1
42	Estimating the center of a rotor for AFib Ablation. 2020 ,	
41	Binary Classification Techniques: An Application on Simulated and Real Bio-medical Data. 2020 , 145-175	
40	Cardiovascular Disease in Women and in Pregnancy. 2021 , 155-173	
39	Anticoagulation for atrial fibrillation. 2005 , 51, 1629	
38	The use of antithrombotics in patients presenting with stroke and atrial fibrillation. 2007 , 3, 491-8	5
37	Gender and tachycardia: independent modulation of platelet reactivity in patients with atrial fibrillation. 2016 , 13, 202-8	3
36	The Cost of Thromboembolic Events and their Prevention among Patients with Atrial Fibrillation. 2011 , 3, 340	
35	Stroke And Bleeding Risk Assessment: Where Are We Now?. 2014 , 6, 1042	0
34	Necessity of Repeat Ablations to Eliminate Atrial Fibrillation. 2012 , 4, 469	
33	Adverse Outcomes from Atrial Fibrillation;Mechanisms, Risks, and Insights Learned from Therapeutic Options. 2012 , 4, 477	
32	Catheter Ablation of Atrial Fibrillation in Females. 2013 , 6, 893	1
31	The Relationship Between Atrial Fibrillation and Chronic Kidney Disease : Epidemiologic and Pathophysiologic Considerations for a Dual Epidemic. 2012 , 5, 442	3
30	AF and Venous Thromboembolism - Pathophysiology, Risk Assessment and CHADS-VASc score. 2012 , 5, 649	8
29	Solutions to Reduce Cardiovascular Events in Patients with Atrial Fibrillation. 2012 , 5, 672	
28	Integrated Machine Learning Approaches for Predicting Ischemic Stroke and Thromboembolism in Atrial Fibrillation. 2016 , 2016, 799-807	10

27	Integrating Temporal Pattern Mining in Ischemic Stroke Prediction and Treatment Pathway Discovery for Atrial Fibrillation. 2017 , 2017, 122-130		3
26	Use of dabigatran and rivaroxaban in non-valvular atrial fibrillation: one-year follow-up experience in an Italian centre. 2018 , 16, 209-214		3
25	Bootstrap-based Feature Selection to Balance Model Discrimination and Predictor Significance: A Study of Stroke Prediction in Atrial Fibrillation. 2017 , 2017, 1130-1139		2
24	Association of Diabetes With Atrial Fibrillation Phenotype and Cardiac and Neurological Comorbidities: Insights From the Swiss-AF Study. 2021 , 10, e021800		1
23	CHADS-VASc score stratifies mortality risk in patients with and without atrial fibrillation. 2021 , 8,		4
22	Clinical Impact of Hormone Replacement Therapy on Atrial Fibrillation in Postmenopausal Women: A Nationwide Cohort Study. 2021 , 10,		1
21	Atrial Fibrillation With Decompensated Heart Failure Complicated With Non-ST Elevation Myocardial Infarction.. 2022 , 14, e21050		
20	Representation of Females in Atrial Fibrillation Clinical Practice Guidelines.. <i>Canadian Journal of Cardiology</i> , 2022 ,	3.8	0
19	Left Atrial Dysfunction, Fibrosis and the Risk of Thromboembolism in Patients With Paroxysmal and Persistent Atrial Fibrillation. <i>International Journal of Heart Failure</i> , 2022 , 4, 42	1.3	3
18	Can left atrial appendage thromboembolic risk be quantified by transoesophageal echocardiography in patients with atrial fibrillation scheduled for catheter ablation or electrical cardioversion?. <i>Journal of Clinical Ultrasound</i> , 2022 , 50, 159-161	1	1
17	Stroke and Systemic Thromboembolism according to CHADS-VASc Score in Contemporary Korean Patients with Atrial Fibrillation.. <i>Yonsei Medical Journal</i> , 2022 , 63, 317-324	3	0
16	Relation of Hemoglobin A1C Levels to Risk of Ischemic Stroke and Mortality in Patients With Diabetes Mellitus and Atrial Fibrillation.. <i>American Journal of Cardiology</i> , 2022 ,	3	0
15	Developing a Stroke Risk Prediction Model Using Cardiovascular Risk Factors: The Suita Study. <i>Cerebrovascular Diseases</i> , 2021 , 1-8	3.2	0
14	Real-world cost-effectiveness analysis of NOACs versus VKA for stroke prevention in Spain.. <i>PLoS ONE</i> , 2022 , 17, e0266658	3.7	0
13	Antiarrhythmic drugs and strategies. 2013 , 272-331		2
12	Egg consumption and risk of acute stroke in the Million Veteran Program. <i>Clinical Nutrition ESPEN</i> , 2022 ,	1.3	1
11	Better prediction of stroke in atrial fibrillation with incorporation of cancer in CHA2DS2VASC score: CCHA2DS2VASC score. <i>IJC Heart and Vasculature</i> , 2022 , 41, 101072	2.4	
10	Comprehensive comparison of stroke risk score performance: a systematic review and meta-analysis among 6 267 728 patients with atrial fibrillation. <i>Europace</i> ,	3.9	1

- 9 A STUDY ON ATRIAL FIBRILLATION AND ITS CORRELATION WITH LEFT ATRIAL SIZE. **2022**, 54-57
- 8 Risk Detection of Stroke Using Classifier Algorithms. **2022**, ○
- 7 Sex differences in the inflammatory response to stroke. ○
- 6 An updated meta-analysis of device related thrombus following left atrial appendage closure in patients with atrial fibrillation. 9, ○
- 5 Sex-specific Long-term Outcomes of Watchman Left Atrial Appendage Closure for Stroke Prevention in Atrial Fibrillation. **2023**, 100541 ○
- 4 Real-life Data on the Effect of Medical Therapy for Amiodarone-induced Thyrotoxicosis on CV Events and Hospitalizations. ○
- 3 Atrial Fibrillation and Cardiovascular Risk Assessment among COVID-19 Patients Using Different Scores. **2022**, 115, 921-925 ○
- 2 The Relationship Between the Neutrophil Percentage-to-Albumin Ratio and Rates of 28-Day Mortality in Atrial Fibrillation Patients 80 Years of Age or Older. Volume 16, 1629-1638 ○
- 1 Sex Differences in Oral Anticoagulation Therapy in Patients Hospitalized With Atrial Fibrillation: A Nationwide Cohort Study. **2023**, 12, 1