CITATION REPORT
List of articles citing

Monitoring manual control of electric lighting and blinds

#	Paper	IF	Citations
226	Lightswitch-2002: a model for manual and automated control of electric lighting and blinds. **2004**, 77, 15-28		406
225	Lightswitch-2002: a model for manual and automated control of electric lighting and blinds. **2004**, 77, 15-15		1
224	The potential of simplified concepts for daylight harvesting. *Lighting Research and Technology*, **2005**, 37, 21-38	2	27
223	Occupant preferences and satisfaction with the luminous environment and control systems in daylit offices: a literature review. *Energy and Buildings*, **2006**, 38, 728-742	7	331
222	Using field measurements of desktop illuminance in European offices to investigate its dependence on outdoor conditions and its effect on occupant satisfaction, and the use of lights and blinds. *Energy and Buildings*, **2006**, 38, 802-813	7	74
221	A field investigation of the intermediate light switching by users. *Energy and Buildings*, **2006**, 38, 790-801	7	58
220	The use of shading systems in VDU task offices: A pilot study. *Energy and Buildings*, **2006**, 38, 780-789	7	100
219	Energy efficient office buildings with passive cooling Results and experiences from a research and demonstration programme. **2007**, 81, 424-434		46
218	Prospective techniques of effective daylight harvesting in commercial buildings by employing window glazing, dynamic shading devices and dimming control literature review. **2008**, 1, 279		23
217	Lighting energy savings in offices using different control systems and their real consumption. *Energy and Buildings*, **2008**, 40, 514-523	7	146
216	Electrochromic glazing and facade photovoltaic panels: a strategic assessment of the potential energy benefits. *Lighting Research and Technology*, **2008**, 40, 55-76	2	18
215	Monitoring and modelling of manually-controlled Venetian blinds in private offices: a pilot study. **2008**, 1, 75-89		43
214	An intelligent simulation model for blind position control in daylighting schemes in buildings. **2009**, 2, 253		7
213	AUTOMATIC BLIND CONTROL RESPONDING WEATHER CONDITION. **2009**, 74, 1339-1345		1
212	Experimental Validation of Autodesk 3ds Max Design 2009 and Daysim 3.0. *LEUKOS - Journal of Illuminating Engineering Society of North America*, **2009**, 6, 7-35	3.5	78
211	Daylighting performance evaluation of a bottom-up motorized roller shade. **2010**, 84, 2120-2131		13
210	Advanced External Shading Device to Maximize Visual and View Performance. **2010**, 19, 65-72		38

191	Research and development on aspects of daylighting fundamentals. **2013**, 21, 494-505		68
190	Occupants interaction with electric lighting and shading systems in real single-occupied offices: Results from a monitoring campaign. *Building and Environment*, **2013**, 64, 152-168	6.5	84
189	Effect of Occupants Behaviour of Daylight Controls on Residential Visual Environment. **2013**, 22, 191-202		13
188	Self-Report Diary: A Method to Measure Use of Office Lighting. *LEUKOS - Journal of Illuminating Engineering Society of North America*, **2013**, 9, 291-306	3.5	8
187	Visual Comfort, Discomfort Glare, and Occupant Fenestration Control: Developing a Research Agenda. *LEUKOS - Journal of Illuminating Engineering Society of North America*, **2014**, 10, 207-221	3.5	35
186	Coupling stochastic occupant models to building performance simulation using the discrete event system specification formalism. **2014**, 7, 457-478		39
185	On adaptive occupant-learning window blind and lighting controls. **2014**, 42, 739-756		53
184	Design of Curtain Wall Facades for Improved Solar Potential and Daylight Distribution. **2014**, 57, 1815-1824		8
183	Adaptive System Development for Secondary Skin. **2014**, 534, 125-130		1
182	The contextual factors contributing to occupants' adaptive comfort behaviors in offices A review and proposed modeling framework. *Building and Environment*, **2014**, 77, 77-87	6.5	161
181	Simple prompts reduce inadvertent energy consumption from lighting in office buildings. *Building and Environment*, **2014**, 81, 234-242	6.5	31
180	Shortest-prediction-horizon model-based predictive control for individual offices. *Building and Environment*, **2014**, 82, 408-419	6.5	33
179	User satisfaction and interaction with automated dynamic facades: A pilot study. *Building and Environment*, **2014**, 78, 44-52	6.5	68
178	Determining the energy performance of manually controlled solar shades: A stochastic model based co-simulation analysis. **2014**, 127, 64-80		55
177	Building automation and perceived control: A field study on motorized exterior blinds in Dutch offices. *Building and Environment*, **2014**, 79, 66-77	6.5	71
176	Internal Versus External Shading Devices Performance in Office Buildings. **2014**, 45, 463-472		49
175	Net ZEB design processes and tools. **2015**, 107-174		2
174	. **2015**,		28

155	Satisfaction based Q-learning for integrated lighting and blind control. *Energy and Buildings*, **2016**, 127, 43-55	7	66
154	Adaptive lighting controllers using smart sensors. **2016**, 35, 537-553		3
153	Shape morphing solar shadings: A review. **2016**, 55, 863-884		71
152	Occupant interactions with shading and lighting systems using different control interfaces: A pilot field study. *Building and Environment*, **2016**, 97, 177-195	6.5	86
151	Dynamic operation of daylighting and shading systems: A literature review. **2016**, 60, 268-283		94
150	Solar shading control strategy for office buildings in cold climate. *Energy and Buildings*, **2016**, 118, 316-328	7	44
149	A generalized probabilistic formula relating occupant behavior to environmental conditions. *Building and Environment*, **2016**, 95, 53-62	6.5	50
148	Implementation and comparison of existing occupant behaviour models in EnergyPlus. **2016**, 9, 567-588		56
147	Use of dynamic occupant behavior models in the building design and code compliance processes. *Energy and Buildings*, **2016**, 117, 260-271	7	35
146	GlareShade: a visual comfort-based approach to occupant-centric shading systems. **2016**, 9, 351-365		5
145	Optimization of thermal and daylight performance of school buildings based on a multi-objective genetic algorithm in the cold climate of China. *Energy and Buildings*, **2017**, 139, 371-384	7	91
144	Lighting preference profiles of users in an open office environment. *Building and Environment*, **2017**, 116, 89-107	6.5	41
143	Use of immersive virtual environments for occupant behaviour monitoring and data collection. **2017**, 10, 484-498		22
142	A literature review on driving factors and contextual events influencing occupants' behaviours in buildings. *Building and Environment*, **2017**, 118, 40-66	6.5	107
141	A preliminary study of representing the inter-occupant diversity in occupant modelling. **2017**, 10, 509-526		49
140	Determination of requirements on occupant behavior models for the use in building performance simulations. **2017**, 10, 861-874		12
139	IEA EBC Annex 66: Definition and simulation of occupant behavior in buildings. *Energy and Buildings*, **2017**, 156, 258-270	7	206
138	Shading control strategy to avoid visual discomfort by using a low-cost camera: A field study of two cases. *Building and Environment*, **2017**, 125, 26-38	6.5	28

137	Field data and simulations to estimate the role of standby energy use of lighting control systems in individual offices. *Energy and Buildings*, **2017**, 155, 390-403	7	12
136	Energy conservation through flexible HVAC management in large spaces: An IPS-based demand-driven control (IDC) system. *Automation in Construction*, **2017**, 83, 91-107	9.6	18
135	Evaluating energy consumption saving from translucent concrete building envelope. *Energy and Buildings*, **2017**, 153, 448-460	7	18
134	The promise of BIM for improving building performance. *Energy and Buildings*, **2017**, 153, 525-548	7	81
133	Lighting energy consumption in ultra-low energy buildings: Using a simulation and measurement methodology to model occupant behavior and lighting controls. **2017**, 10, 799-810		15
132	On occupant-centric building performance metrics. *Building and Environment*, **2017**, 122, 373-385	6.5	59
131	Review of current methods, opportunities, and challenges for in-situ monitoring to support occupant modelling in office spaces. **2017**, 10, 444-470		44
130	Energy efficient HVAC control for an IPS-enabled large space in commercial buildings through dynamic spatial occupancy distribution. **2017**, 207, 305-323		39
129	A Bayesian modeling approach of human interactions with shading and electric lighting systems in private offices. *Energy and Buildings*, **2017**, 134, 185-201	7	23
128	International survey on current occupant modelling approaches in building performance simulationIsabella Gaetani, Sara Gilani, and Salvatore Carlucci contributed equally to this work.View all notes. **2017**, 10, 653-671		36
127	Automated blind control based on glare prevention with dimmable light in open-plan offices. *Building and Environment*, **2017**, 113, 232-246	6.5	26
126	Development and implementation of an adaptive lighting and blinds control algorithm. *Building and Environment*, **2017**, 113, 185-199	6.5	98
125	On the simulation repetition and temporal discretization of stochastic occupant behaviour models in building performance simulation. **2017**, 10, 612-624		15
124	Appropriate activation threshold of the external blind for visual comfort and lighting energy saving in different climate conditions. *Building and Environment*, **2017**, 113, 247-266	6.5	25
123	Optimization of indoor lighting by automatic control. **2017**,		0
122	Building Applications, Opportunities and Challenges of Active Shading Systems: A State-of-the-Art Review. **2017**, 10, 1672		49
121	Bayesian classification and inference of occupant visual preferences in daylit perimeter private offices. *Energy and Buildings*, **2018**, 166, 505-524	7	17
120	Simulating occupants' impact on building energy performance at different spatial scales. *Building and Environment*, **2018**, 132, 327-337	6.5	41

119	A systematic workflow for retrofitting office façades with large window-to-wall ratios based on automatic control and building simulations. *Building and Environment*, **2018**, 132, 104-113	6.5	13
118	A review of open loop control strategies for shades, blinds and integrated lighting by use of real-time daylight prediction methods. *Building and Environment*, **2018**, 135, 352-364	6.5	49
117	Users experiences of lighting controls: A case-study. *Lighting Research and Technology*, **2018**, 50, 1091-1106		4
116	The human dimensions of energy use in buildings: A review. **2018**, 81, 731-742		181
115	A preliminary study of occupants use of manual lighting controls in private offices: A case study. *Energy and Buildings*, **2018**, 159, 572-586	7	30
114	Experimental study on occupants' interaction with windows and lights in Mediterranean offices during the non-heating season. *Building and Environment*, **2018**, 127, 221-238	6.5	28
113	Automated Light Intensity Control Circuit. **2018**,		
112	New Daylighting Metrics. **2018**,		1
111	Measuring Occupants Behaviour for Buildings Dynamic Cosimulation. **2018**, 2018, 1-17		12
110	Potencial do uso da iluminação natural com dimmers e persianas automatizadas: estudo de edifício de pequeno porte com uso comercial para diferentes orientações em clima tropical. **2018**, 18, 217-235		1
109	Developing a design framework to facilitate adaptive behaviours. *Energy and Buildings*, **2018**, 179, 360-373		13
108	Modeling occupancy and behavior for better building design and operation A critical review. **2018**, 11, 899-921		84
107	Solar radiation entering through openings: Coupled assessment of luminous and thermal aspects. *Energy and Buildings*, **2018**, 175, 208-218	7	2
106	Be active and consume less The effect of venetian blind use patterns on energy consumption in single-family houses. **2019**, 12, 787-801		2
105	Understanding the influence of orientation, time-of-day and blind use on users lighting choices and energy consumption using immersive virtual environments. **2019**, 1-27		5
104	Eight-month experimental study of energy impact of integrated control of sun shading and lighting system based on HDR vision sensor. *Energy and Buildings*, **2019**, 203, 109443	7	6
103	Access to daylight and view in an office improves cognitive performance and satisfaction and reduces eyestrain: A controlled crossover study. *Building and Environment*, **2019**, 165, 106379	6.5	29
102	Energy-consumption simulation of a distributed air-conditioning system integrated with occupant behavior. **2019**, 256, 113914		10

101	Comparison of the energy saving potential of adaptive and controllable smart windows: A state-of-the-art review and simulation studies of thermochromic, photochromic and electrochromic technologies. **2019**, 200, 109828		91
100	Full-scale experimental testing of integrated dynamically-operated roller shades and lighting in perimeter office spaces. **2019**, 186, 17-28		12
99	A workflow for retrofitting façade systems for daylight, comfortable and energy efficient buildings. **2019**, 225, 012034		2
98	Dynamic shading systems: A review of design parameters, platforms and evaluation strategies. *Automation in Construction*, **2019**, 102, 195-216	9.6	34
97	A personalized daylighting control approach to dynamically optimize visual satisfaction and lighting energy use. *Energy and Buildings*, **2019**, 193, 111-126	7	26
96	Daylighting performance of three-dimensional textiles. *Energy and Buildings*, **2019**, 190, 202-215	7	7
95	Some flow patterns within ventilation strategy coupled to energy efficiency. **2019**, 88, 10902		
94	Shaping light to influence occupants experience of space: a kinetic shading system with composite materials. **2019**, 1343, 012162		1
93	Responsive building envelope concepts in zero emission neighborhoods and smart cities - A roadmap to implementation. *Building and Environment*, **2019**, 149, 446-457	6.5	39
92	Luminance and vertical eye illuminance thresholds for occupants visual comfort in daylit office environments. *Building and Environment*, **2019**, 148, 107-115	6.5	44
91	Buildings.Occupants: a Modelica package for modelling occupant behaviour in buildings. **2019**, 12, 433-444		18
90	A comparison of lighting control strategies for open offices. *Building and Environment*, **2019**, 149, 68-78	6.5	6
89	A library of building occupant behaviour models represented in a standardised schema. **2019**, 12, 637-651		12
88	Influence of indoor temperature and daylight illuminance on visual perception. *Lighting Research and Technology*, **2020**, 52, 350-370	2	16
87	Self-commissioning glare-based control system for integrated venetian blind and electric lighting. *Building and Environment*, **2020**, 171, 106642	6.5	14
86	Developing quantitative insights on building occupant behaviour: Supporting modelling tools and datasets. **2020**, 283-319		1
85	The uncertainty of manual shade control on west-facing facades and its influence on energy performance. **2020**, 165, 114611		2
84	Minimum number of simulation runs for reliable building energy and peak load prediction at different building scales: a study on stochastic shade adjustment. **2020**, 19, 527-540		3

83	Augmenting building performance predictions during design using generative adversarial networks and immersive virtual environments. *Automation in Construction*, **2020**, 119, 103350	9.6	4
82	New sustainability assessment model for Intelligent Faḍde Layers when applied to refurbish school buildings skins. **2020**, 42, 100839		2
81	Simulating energy savings potential with high-resolution daylight and occupancy sensing in open-plan offices. **2020**, 13, 606-619		2
80	An international review of occupant-related aspects of building energy codes and standards. *Building and Environment*, **2020**, 179, 106906	6.5	38
79	Innovative control approaches to assess energy implications of adaptive facades based on simulation using EnergyPlus. **2020**, 206, 256-268		13
78	Review of multi-domain approaches to indoor environmental perception and behaviour. *Building and Environment*, **2020**, 176, 106804	6.5	66
77	A review of automatic control strategies based on simulations for adaptive facades. *Building and Environment*, **2020**, 175, 106801	6.5	21
76	Feasibility of METSI UGM office as a workplace in natural lighting availability and its occupants adaptive behavior. **2020**,		
75	Occupant action patterns regarding spatial and human factors in office environments. *Energy and Buildings*, **2020**, 214, 109889	7	7
74	Uncertainty of building energy performance at spatio-temporal scales: A comparison of aggregated and disaggregated behavior models of solar shade control. **2020**, 195, 117079		2
73	Occupant-Facade interaction: a review and classification scheme. *Building and Environment*, **2020**, 177, 106880	6.5	20
72	A user detective adaptive facade towards improving visual and thermal comfort. **2021**, 33, 101554		10
71	Energy in buildings and districts. **2021**, 81-108		
70	A review of occupant-centric control strategies for adaptive facades. *Automation in Construction*, **2021**, 122, 103464	9.6	4
69	Melanopic Limits of Metamer Spectral Optimisation in Multi-Channel Smart Lighting Systems. **2021**, 14, 527		8
68	Quantifying the impact of occupants spatial distributions on office buildings energy and comfort performance. *Energy and Buildings*, **2021**, 233, 110695	7	5
67	Forecasting the impact of climate change on thermal comfort using a weighted ensemble of supervised learning models. *Building and Environment*, **2021**, 190, 107522	6.5	3
66	Assessment of control strategy of adaptive faḍdes for heating, cooling, lighting energy conservation and glare prevention. *Energy and Buildings*, **2021**, 235, 110739	7	3

65   Intelligent Agents to Improve Thermal Satisfaction by Controlling Personal Comfort Systems Under Different Levels of Automation. **2021**, 8, 7089-7100   7

64   Assessment of occupant adaptive behavior and visual comfort in educational facilities: A cross-sectional field survey. **2021**, 61, 153-167   3

63   Illumination distribution and daylight glare evaluation within different windows for comfortable lighting. **2021**, 3, 100080   3

62   Analyzing occupants' control over lighting systems in office settings using immersive virtual environments. *Building and Environment*, **2021**, 196, 107823   6.5   4

61   The impacts of occupant behavior on building energy consumption: A review. **2021**, 45, 101212   14

60   Energy and Daylight Optimization of Shading Devices, Window Size, and Orientation for Educational Spaces in Tehran, Iran. *Journal of Architectural Engineering*, **2021**, 27, 04021011   1.5   1

59   Simulation-assisted data-driven method for glare control with automated shading systems in office buildings. *Building and Environment*, **2021**, 196, 107801   6.5   1

58   THE EFFECT OF SPATIAL AND TEMPORAL FACTORS ON OCCUPANTS⬚BLIND USE BEHAVIORS IN MULTIFAMILY RESIDENTIAL BUILDINGS. **2021**, 16, 13-35   1

57   Analysis of the impact of automatic shading control scenarios on occupants⬚comfort and energy load. **2021**, 294, 116904   8

56   A review on the approaches in analysing energy-related occupant behaviour research. **2021**, 40, 102630   3

55   Quantifying occupant's adaptive actions for controlling indoor environment in naturally ventilated buildings under composite climate of India. **2021**, 41, 102399   3

54   The Use of Key Enabling Technologies in the Nearly Zero Energy Buildings Monitoring, Control and Intelligent Management. **2021**, 14, 5524   4

53   Energy related performance of manual shading devices in private offices: An occupant behavior-based comparative study using modeling approaches. **2021**, 27, 101336

52   An international survey on residential lighting: Analysis of winter-term results. *Building and Environment*, **2021**, 206, 108294   6.5   4

51   A review of occupancy-based building energy and IEQ controls and its future post-COVID. **2022**, 804, 150249   12

50   Indoor Lighting Workplaces. **2021**, 243-258   1

49   Encyclopedia of Sustainability Science and Technology. **2012**, 2804-2846   1

48   Sustainable Built Environments. **2013**, 69-111   2

| 47 | Impact of Blinds Usage on Energy Consumption: Automatic Versus Manual Control. **2014**, 158-173 | | 2 |

| 46 | Occupancy and Occupants Actions. **2018**, 7-38 | | 10 |

| 45 | Introduction to Occupant Research Approaches. **2018**, 107-127 | | 2 |

| 44 | In Situ Approaches to Studying Occupants. **2018**, 129-167 | | 2 |

| 43 | A prediction model coupling occupant lighting and shading behaviors in private offices. *Energy and Buildings*, **2020**, 216, 109939 | 7 | 9 |

| 42 | IDENTIFYING OCCUPANTS' APPROPRIATE SEATING POSITION AND VIEW DIRECTION IN OFFICE BUILDINGS: A STOCHASTIC SHADE CONTROL BASED MULTIOBJECTIVE VISUAL COMFORT OPTIMIZATION. **2020**, 15, 15-36 | | 2 |

| 41 | Research Context. **2013**, 9-22 | | |

| 40 | References. **2014**, 611-666 | | |

| 39 | History and State of the Art. **2017**, 21-49 | | |

| 38 | Validation and Ground Truths. **2018**, 239-260 | | |

| 37 | Occupants Adaptive Actions. **2018**, 31-46 | | |

| 36 | Triggers for Users Behaviours. **2018**, 19-29 | | |

| 35 | Experimental Data Acquisition. **2018**, 47-61 | | |

| 34 | Why Did You Turn On That Light?. **2021**, | | |

| 33 | Stochastic Prediction of Residents Activities and Related Energy Management. **2021**, 543-604 | | |

| 32 | Data-driven occupant-centric rules of automated shade adjustments: Luxembourg case study. **2021**, 2042, 012126 | | |

| 31 | A Window View Quality Assessment Framework. *LEUKOS - Journal of Illuminating Engineering Society of North America*, 1-26 | 3.5 | 9 |

| 30 | The influence mechanism of daylight visual evaluation in college classrooms under visual field physiological characteristics of student group: Case study. *Building and Environment*, **2022**, 209, 108655 | 6.5 | 0 |

29	Dynamic façades An exploratory campaign to assess occupant multi-domain environmental satisfaction and façade interaction. *Building and Environment*, **2022**, 211, 108703	6.5	0
28	Advanced control strategy to maximize view and control discomforting glare: a complex adaptive façade. 1-21		1
27	Solar energy density as a benchmark to improve daylight availability and energy performance in buildings: A single metric for a single-objective optimization. **2022**, 234, 304-318		0
26	Current Trajectories and New Challenges for Visual Comfort Assessment in Building Design and Operation: A Critical Review. *Applied Sciences (Switzerland)*, **2022**, 12, 3018	2.6	
25	Energy and Demand Saving Potential due to Integrated HVAC, Lighting, and Shading Controls in Small Office Building. **2022**,		0
24	Advocating for view and daylight in buildings: Next steps. *Energy and Buildings*, **2022**, 112079	7	1
23	Study of ime-lag of occupant behavior occurrences for establishing an occupant-centric building control system. *Building and Environment*, **2022**, 216, 109005	6.5	0
22	Visual Discomfort Analysis as a Tool to Support Façade Shading Design: A Case Study in the Architectural Design Studio. *Journal of Architectural Engineering*, **2022**, 28,	1.5	
21	Simulation-based personalized real-time control of adaptive facades in shared office spaces. *Automation in Construction*, **2022**, 138, 104246	9.6	0
20	The Information Gap in Occupant-Centric Building Operations: Lessons Learned from Interviews with Building Operators in Germany. *Frontiers in Built Environment*, **2022**, 8,	2.2	0
19	Window View Quality: Why It Matters and What We Should Do. *LEUKOS - Journal of Illuminating Engineering Society of North America*, **2022**, 18, 259-267	3.5	0
18	Comparison of Thermal Energy Saving Potential and Overheating Risk of Four Adaptive Façade Technologies in Office Buildings. *Sustainability*, **2022**, 14, 6106	3.6	1
17	Understanding occupants behaviour, engagement, emotion, and comfort indoors with heterogeneous sensors and wearables. *Scientific Data*, **2022**, 9,	8.2	3
16	Effectiveness of low-cost non-invasive solutions for daylight and electric lighting integration to improve energy efficiency in historical buildings. *Energy and Buildings*, **2022**, 270, 112281	7	0
15	On the Optical Characterization of Architectural Three-Dimensional Skins and Their Solar Control Potential. **2022**, 12, 1103		
14	Occupancy Data Sensing, Collection, and Modeling for Residential Buildings. **2022**, 103-121		0
13	Introduction. **2022**, 1-7		0
12	Exploring the environmental performance of liquid glass coating using Sol-Gel technology and responsive Venetian blinds in the tropics. **2022**, 105329		0

11	Experimental study on the impact of double tilted Venetian blinds on indoor daylight conditions. **2022**, 225, 109675	1
10	Inter-building effect on building energy consumption in high-density city contexts. **2023**, 278, 112632	0
9	Categorising the existing irradiance based blind control occupant behavior models (BC-OBMs) using unsupervised machine learning approach: A case of office building in India. **2023**, 279, 112700	0
8	Consideration of occupant preferences and habits during the establishment of occupant-centric buildings: A critical review. **2023**, 280, 112720	0
7	How can a daylighting and user-oriented control system be configured? A state-of-the-art critical review. **2023**, 64, 105704	0
6	Quantifying the Effect of Index-Based Operation Logic for Building Environmental Control SystemTaking Shading as Example. **2022**, 12, 2043	0
5	Adaptive Faﬁdes: Review of Designs, Performance Evaluation, and Control Systems. **2022**, 12, 2112	0
4	Occupant Behavior Impact on Building Sustainability Performance: A Literature Review. **2023**, 15, 2440	0
3	Semi-automated vs manually controlled dynamic facades: assessment through a field study on multi-domain occupant satisfaction. **2023**, 286, 112912	0
2	Implementation of ISO/DIS 52016-3 for adaptive faﬁdes: A case study of an office building. **2023**, 235, 110195	0
1	A hierarchical multi-purpose roller shade controller to enhance indoor comfort and energy efficiency.	0