

CITATION REPORT

List of articles citing

An aminopeptidase, ARTS-1, is required for interleukin-6 receptor shedding

DOI: 10.1074/jbc.m300456200

Journal of Biological Chemistry, 2003, 278, 28677-85.

Source: <https://exaly.com/paper-pdf/35713629/citation-report.pdf>

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
111	Shedding of the type II IL-1 decoy receptor requires a multifunctional aminopeptidase, aminopeptidase regulator of TNF receptor type 1 shedding. 2003 , 171, 6814-9		151
110	The oxytocinase subfamily of M1 aminopeptidases. 2005 , 1751, 9-18		123
109	Regulation of the human leukocyte-derived arginine aminopeptidase/endoplasmic reticulum-aminopeptidase 2 gene by interferon-gamma. 2005 , 272, 916-28		23
108	Complexity, contradictions, and conundrums: studying post-proteasomal proteolysis in HLA class I antigen presentation. 2005 , 207, 42-59		40
107	L-selectin: mechanisms and physiological significance of ectodomain cleavage. 2005 , 9, 255-66		186
106	Identification of transcriptional networks during liver regeneration. <i>Journal of Biological Chemistry</i> , 2005 , 280, 3715-22	5.4	96
105	Identification of human aminopeptidase O, a novel metalloprotease with structural similarity to aminopeptidase B and leukotriene A4 hydrolase. <i>Journal of Biological Chemistry</i> , 2005 , 280, 14310-7	5.4	33
104	Bacterial induction of TNF-alpha converting enzyme expression and IL-6 receptor alpha shedding regulates airway inflammatory signaling. 2005 , 175, 1930-6		59
103	Reduced activity of the hypertension-associated Lys528Arg mutant of human adipocyte-derived leucine aminopeptidase (A-LAP)/ER-aminopeptidase-1. 2006 , 580, 1833-8		88
102	In vivo role of ER-associated peptidase activity in tailoring peptides for presentation by MHC class Ia and class Ib molecules. 2006 , 203, 647-59		137
101	Laeverin/aminopeptidase Q, a novel bestatin-sensitive leucine aminopeptidase belonging to the M1 family of aminopeptidases. <i>Journal of Biological Chemistry</i> , 2007 , 282, 20088-96	5.4	31
100	Association scan of 14,500 nonsynonymous SNPs in four diseases identifies autoimmunity variants. 2007 , 39, 1329-37		1130
99	Physiopathologie de la spondylarthrite ankylosante. <i>Actualit�s</i> . 2008 , 75, 925-930		
98	Altered expression of endoplasmic reticulum aminopeptidases ERAP1 and ERAP2 in transformed non-lymphoid human tissues. 2008 , 216, 742-9		73
97	Peptides: the cornerstone of HLA-B27 biology and pathogenetic role in spondyloarthritis. 2008 , 71, 495-506		52
96	Pathophysiology of ankylosing spondylitis: what's new?. 2008 , 75, 656-60		25
95	Joint expedition: linking gut inflammation to arthritis. 2008 , 1, 364-71		50

94	The contribution of genes outside the major histocompatibility complex to susceptibility to ankylosing spondylitis. 2008 , 20, 384-91	31
93	Investigating the genetic association between ERAP1 and ankylosing spondylitis. 2009 , 18, 4204-12	110
92	HLA-B27 misfolding and spondyloarthropathies. 2009 , 3, 15-26	30
91	An overview of genetics of paediatric rheumatic diseases. 2009 , 23, 589-97	20
90	The genetic background of ankylosing spondylitis. 2009 , 76, 623-8	26
89	Association of a specific ERAP1/ARTS1 haplotype with disease susceptibility in ankylosing spondylitis. 2009 , 60, 1317-23	87
88	Association of ERAP1, but not IL23R, with ankylosing spondylitis in a Han Chinese population. 2009 , 60, 3263-8	116
87	Origine g�n�tique de la spondylarthrite ankylosante. 2009 , 76, 1278-1283	
86	Regulation of the proteolytic disintegrin metalloproteinases, the sheddases. 2009 , 20, 138-45	80
85	Genetics of rheumatic disease. 2009 , 11, 248	18
84	HLA-B27 misfolding and spondyloarthropathies. 2009 , 649, 217-34	22
83	Genetics and the pathogenesis of ankylosing spondylitis. 2009 , 21, 318-23	46
82	Thiol isomerases negatively regulate the cellular shedding activity of ADAM17. 2010 , 428, 439-50	135
81	Interactions between gut inflammation and arthritis/spondylitis. 2010 , 22, 368-74	23
80	Molecular and cellular mechanisms of ectodomain shedding. 2010 , 293, 925-37	127
79	Genetics and genomics of ankylosing spondylitis. 2010 , 233, 162-80	117
78	From HLA-B27 to spondyloarthritis: a journey through the ER. 2010 , 233, 181-202	132
77	Association of ARTS1 gene polymorphisms with ankylosing spondylitis in the Hungarian population: the rs27044 variant is associated with HLA-B*2705 subtype in Hungarian patients with ankylosing spondylitis. 2010 , 37, 379-84	43

76	Endoplasmic reticulum aminopeptidases: Biology and pathogenic potential. 2010 , 6, 461-7	80
75	Serum cytokine receptors in ankylosing spondylitis: relationship to inflammatory markers and endoplasmic reticulum aminopeptidase polymorphisms. 2010 , 37, 1907-10	43
74	The role of HLA-B27 in spondyloarthritis. 2010 , 37, 2606-16	44
73	Morphine-mediated alteration of hypertension-related gene expression in human white blood cells and multilineage progenitor cells. 2010 , 24, 713-20	7
72	Immunogénétique de la spondylarthrite ankylosante. 2010 , 25, 123-128	1
71	Pathogenesis of ankylosing spondylitis. 2010 , 6, 399-405	129
70	ERAP1 polymorphisms and haplotypes are associated with ankylosing spondylitis susceptibility and functional severity in a Spanish population. 2011 , 50, 1969-75	38
69	Interaction between ERAP1 and HLA-B27 in ankylosing spondylitis implicates peptide handling in the mechanism for HLA-B27 in disease susceptibility. 2011 , 43, 761-7	646
68	Post-proteasomal and proteasome-independent generation of MHC class I ligands. 2011 , 68, 1553-67	68
67	ERAP1 is associated with ankylosing spondylitis in Han Chinese. 2011 , 38, 317-21	25
66	Crystal structures of the endoplasmic reticulum aminopeptidase-1 (ERAP1) reveal the molecular basis for N-terminal peptide trimming. 2011 , 108, 7745-50	181
65	Secretion of endoplasmic reticulum aminopeptidase 1 is involved in the activation of macrophages induced by lipopolysaccharide and interferon-gamma. <i>Journal of Biological Chemistry</i> , 2011 , 286, 21906-14	57
64	Role of endoplasmic reticulum aminopeptidases in health and disease: from infection to cancer. 2012 , 13, 8338-52	51
63	Interleukin-6 trans-signaling and colonic cancer associated with inflammatory bowel disease. 2012 , 30, 492-9	24
62	Endoplasmic reticulum aminopeptidase 1 and interleukin-23 receptor in ankylosing spondylitis. 2012 , 14, 383-9	10
61	The genetics of ankylosing spondylitis and axial spondyloarthritis. 2012 , 38, 539-53	38
60	The putative role of endoplasmic reticulum aminopeptidases in autoimmunity: insights from genomic-wide association studies. 2012 , 12, 281-8	55
59	ERAP1 genetic variations associated with HLA-B27 interaction and disease severity of syndesmophytes formation in Taiwanese ankylosing spondylitis. 2012 , 14, R125	36

58	Susceptibility to ankylosing spondylitis: evidence for the role of ERAP1, TGFb1 and TLR9 gene polymorphisms. 2012 , 32, 2517-21	13
57	Radiographic severity of ankylosing spondylitis is associated with polymorphism of the large multifunctional peptidase 2 gene in the Spondyloarthritis Research Consortium of Canada cohort. 2012 , 64, 1119-26	32
56	The association between seven ERAP1 polymorphisms and ankylosing spondylitis susceptibility: a meta-analysis involving 8,530 cases and 12,449 controls. 2012 , 32, 909-14	18
55	Functional variants of ERAP1 gene are associated with HLA-B27 positive spondyloarthritis. 2013 , 82, 192-6	14
54	Peptidases trimming MHC class I ligands. 2013 , 25, 90-6	57
53	Ankylosing spondylitis: from cells to genes. 2013 , 2013, 501653	36
52	Endoplasmic reticulum aminopeptidases: biochemistry, physiology and pathology. 2013 , 154, 219-28	45
51	ERAP1 in ankylosing spondylitis: genetics, biology and pathogenetic role. 2013 , 25, 419-25	10
50	Genetic association with ERAP1 in psoriasis is confined to disease onset after puberty and not dependent on HLA-C*06. 2013 , 133, 411-7	40
49	Immunopathogenesis of ankylosing spondylitis. 2013 , 8, 265-274	20
48	Epistatic interaction of ERAP1 and HLA-B in Behçet disease: a replication study in the Spanish population. 2014 , 9, e102100	23
47	ERAP1 in the pathogenesis of ankylosing spondylitis. 2014 , 60, 257-69	23
46	A role for naturally occurring alleles of endoplasmic reticulum aminopeptidases in tumor immunity and cancer pre-disposition. 2014 , 4, 363	44
45	Genetics of ankylosing spondylitis. 2014 , 57, 2-11	96
44	TLR-mediated secretion of endoplasmic reticulum aminopeptidase 1 from macrophages. 2014 , 192, 4443-52	25
43	ERAP1 structure, function and pathogenetic role in ankylosing spondylitis and other MHC-associated diseases. 2014 , 57, 12-21	59
42	Differences between disease-associated endoplasmic reticulum aminopeptidase 1 (ERAP1) isoforms in cellular expression, interactions with tumour necrosis factor receptor 1 (TNF-R1) and regulation by cytokines. 2015 , 180, 289-304	6
41	Substrate-dependent nitric oxide synthesis by secreted endoplasmic reticulum aminopeptidase 1 in macrophages. 2015 , 157, 439-49	17

40	Endoplasmic reticulum aminopeptidases in the pathogenesis of ankylosing spondylitis. 2015 , 54, 1549-56	28
39	ERAP1 Gene Expression Is Influenced by Nonsynonymous Polymorphisms Associated With Predisposition to Spondyloarthritis. 2015 , 67, 1525-34	40
38	The influence of ERAP1 gene variants on clinical phenotype in ankylosing spondylitis. 2016 , 45, 474-479	7
37	Functional Genomics and Its Bench-to-Bedside Translation Pertaining to the Identified Susceptibility Alleles and Loci in Ankylosing Spondylitis. 2016 , 18, 63	5
36	ERAP1/ERAP2 and RUNX3 polymorphisms are not associated with ankylosing spondylitis susceptibility in Chinese Han. 2018 , 193, 95-102	10
35	Contribution of the exosome-associated form of secreted endoplasmic reticulum aminopeptidase 1 to exosome-mediated macrophage activation. 2018 , 1865, 874-888	16
34	The role of polymorphic ERAP1 in autoinflammatory disease. 2018 , 38,	27
33	Regulation of ERAP1 and ERAP2 genes and their dysfunction in human cancer. 2019 , 80, 318-324	25
32	The role of ERAP1 in autoinflammation and autoimmunity. 2019 , 80, 302-309	7
31	Acute-phase protein-like properties of endoplasmic reticulum aminopeptidase 1. 2019 , 165, 159-165	3
30	Variant in ERAP1 promoter region is associated with low expression in a patient with a Behçet-like MHC-I-opathy. 2020 , 65, 325-335	1
29	A New ERAP2/Iso3 Isoform Expression Is Triggered by Different Microbial Stimuli in Human Cells. Could It Play a Role in the Modulation of SARS-CoV-2 Infection?. 2020 , 9,	11
28	An Overview on ERAP Roles in Infectious Diseases. 2020 , 9,	15
27	The roles of ERAP1 and ERAP2 in autoimmunity and cancer immunity: New insights and perspective. 2020 , 121, 7-19	18
26	Endoplasmic Reticulum Aminopeptidase 1 beyond Antigenic Peptide-Processing Enzyme in the Endoplasmic Reticulum. 2020 , 43, 207-214	2
25	ERAP1 polymorphisms interactions and their association with Behçet's disease susceptibility: Application of Model-Based Multifactor Dimension Reduction Algorithm (MB-MDR). 2020 , 15, e0227997	2
24	Expression and role of ERAP1 in placental tissues of preeclampsia. 2020 , 39, 165-171	3
23	Genetic association of ERAP1 and ERAP2 with eclampsia and preeclampsia in northeastern Brazilian women. 2021 , 11, 6764	1

22	Genomewide screens in ankylosing spondylitis. 2009 , 649, 148-58		2
21	Identification of novel susceptibility Loci for kawasaki disease in a Han chinese population by a genome-wide association study. 2011 , 6, e16853		82
20	Endoplasmic reticulum aminopeptidase-1 functions regulate key aspects of the innate immune response. 2013 , 8, e69539		23
19	Inhibitors of ER Aminopeptidase 1 and 2: From Design to Clinical Application. 2019 , 26, 2715-2729		25
18	Selective modulation of cell surface proteins during vaccinia infection: implications for immune evasion strategies.		
17	ERAP, KIR, and HLA-C Profile in Recurrent Implantation Failure. <i>Frontiers in Immunology</i> , 2021 , 12, 755628.4		2
16	ERAP1 and MHC Class I Antigen Presentation. 2004 , 145-178		
15	Physiological roles of M1 aminopeptidase family. 2006 , 17, 20-28		
14	Genome-wide association studies and musculoskeletal diseases. 2008 , 3, 537-542		
13	Genetics of ankylosing spondylitis. 2011 , 1141-1144		
12	Pathogenesis of Ankylosing Spondylitis and Reactive Arthritis. 2013 , 1193-1201		1
11	Genetics of axial spondyloarthritis. 2015 , 956-959		1
10	Association of ERAP1 Allelic Variants with Risk of Ankylosing Spondylitis. <i>Acta Naturae</i> , 2010 , 2, 72-7	2.1	3
9	Single-cell genome-wide association reveals a nonsynonymous variant in ERAP1 confers increased susceptibility to influenza virus.		0
8	ERAP1 is a critical regulator of inflammasome-mediated proinflammatory and ER stress responses.. <i>BMC Immunology</i> , 2022 , 23, 9	3.7	1
7	Selective modulation of cell surface proteins during vaccinia infection: A resource for identifying viral immune evasion strategies. <i>PLoS Pathogens</i> , 2022 , 18, e1010612	7.6	0
6	To Be or Not to Be: The Case of Endoplasmic Reticulum Aminopeptidase 2. <i>Frontiers in Immunology</i> , 13,	8.4	1
5	The emerging multifunctional roles of ERAP1, ERAP2 and IRAP between antigen processing and renin-angiotensin system modulation. 13,		0

- 4 Single-cell genome-wide association reveals that a nonsynonymous variant in ERAP1 confers increased susceptibility to influenza virus. **2022**, 2, 100207
- 3 Characterization of immune responses associated with ERAP-1 expression in HSV-induced Behçet's disease mouse model. **2023**, 250, 109305
- 2 The role of endoplasmic reticulum aminopeptidases in type 1 diabetes mellitus. **2023**, 323, 121701
- 1 Shedding new light on the role of ERAP1 in Type 1 diabetes: A perspective on disease management. **2023**, 22, 103291