## CITATION REPORT List of articles citing

Heritability and genetic linkage of plasma natriuretic peptide levels

DOI: 10.1161/01.cir.0000081657.83724.a7 Circulation, 2003, 108, 13-6.

Source: https://exaly.com/paper-pdf/35717511/citation-report.pdf

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
88	Plasma B-type natriuretic peptide levels in ambulatory patients with established chronic symptomatic systolic heart failure. <i>Circulation</i> , <b>2003</b> , 108, 2964-6	16.7	182
87	[Natriuretic peptidesnew diagnostic markers in heart disease]. Herz, 2004, 29, 609-17	2.6	16
86	Les nouveaux marqueurs biologiques de cardiologie (peptide natriurtique de type B et troponine): intflen ranimation. <i>Reanimation: Journal De La Societe De Reanimation De Langue Francaise</i> , <b>2004</b> , 13, 112-119		
85	Current World Literature. Current Opinion in Nephrology and Hypertension, 2004, 13, 123-143	3.5	
84	Current World Literature. Current Opinion in Nephrology and Hypertension, 2004, 13, 365-395	3.5	
83	Characterization of brain natriuretic peptide in long-term follow-up of pulmonary arterial hypertension. <i>Chest</i> , <b>2005</b> , 128, 2368-74	5.3	100
82	Cardiac natriuretic peptides for cardiac health. <i>Clinical Science</i> , <b>2005</b> , 108, 23-36	6.5	74
81	Plasma N-terminal pro-brain natriuretic peptide as an independent predictor of mortality in diabetic nephropathy. <i>Diabetologia</i> , <b>2005</b> , 48, 149-55	10.3	45
80	Assessing cardiovascular risk in children with chronic kidney disease. B-type natriuretic peptide: a potential new marker. <i>Pediatric Nephrology</i> , <b>2005</b> , 20, 1701-7	3.2	3
79	Biomarker bei Herzinsuffizienz. <i>Kardiologie Up2date</i> , <b>2005</b> , 1, 23-40	O	
78	Neurohormonal upregulation in heart failure. <i>Heart Failure Clinics</i> , <b>2005</b> , 1, 1-9	3.3	7
77	B-type natriuretic peptide levels are not a surrogate marker for invasive hemodynamics during management of patients with severe heart failure. <i>American Heart Journal</i> , <b>2005</b> , 149, 363-9	4.9	62
76	Unexpected BNP levels in patients with advanced heart failure: a tale of caution and promise. <i>American Heart Journal</i> , <b>2005</b> , 149, 187-9	4.9	11
75	Cardiovascular Biomarkers. <b>2006</b> ,		2
74	BNP for clinical monitoring of heart failure. <i>Heart Failure Clinics</i> , <b>2006</b> , 2, 333-43	3.3	9
73	Natriuretic peptides in screening for cardiac dysfunction. <i>Heart Failure Clinics</i> , <b>2006</b> , 2, 323-32	3.3	1
72	B-type natriuretic peptide and the stressed heart. <i>Journal of the American College of Cardiology</i> , <b>2006</b> , 47, 749-51	15.1	7

## (2008-2006)

71	Use of N-terminal prohormone brain natriuretic peptide assay for etiologic diagnosis of acute dyspnea in elderly patients. <i>American Heart Journal</i> , <b>2006</b> , 151, 690-8	4.9	40
70	Natriuretic peptide receptor 3 genotype modulates the relationship between B-type natriuretic peptide and left ventricular end-diastolic pressure. <i>Therapy: Open Access in Clinical Medicine</i> , <b>2006</b> , 3, 765-771		4
69	Relation of body fluid status to B-type natriuretic peptide levels in patients with chronic heart failure during long-term follow-up. <i>Clinical Cardiology</i> , <b>2006</b> , 29, 457-61	3.3	13
68	Association of plasma natriuretic peptide levels with metabolic risk factors in ambulatory individuals. <i>Circulation</i> , <b>2007</b> , 115, 1345-53	16.7	166
67	Role of cardiac biomarkers in assessment of RV function and prognosis in chronic pulmonary hypertension. <i>Country Review Ukraine</i> , <b>2007</b> , 9, H41-H47		8
66	Disease monitoring of patients with chronic heart failure. <i>Heart</i> , <b>2007</b> , 93, 519-23	5.1	4
65	Multimarker approach to evaluate the incidence of the metabolic syndrome and longitudinal changes in metabolic risk factors: the Framingham Offspring Study. <i>Circulation</i> , <b>2007</b> , 116, 984-92	16.7	153
64	Role of NT-proBNP and 6MWD in chronic thromboembolic pulmonary hypertension. <i>Respiratory Medicine</i> , <b>2007</b> , 101, 2254-62	4.6	42
63	National Academy of Clinical Biochemistry Laboratory Medicine practice guidelines: Clinical utilization of cardiac biomarker testing in heart failure. <i>Circulation</i> , <b>2007</b> , 116, e99-109	16.7	186
62	Genome-wide association with select biomarker traits in the Framingham Heart Study. <i>BMC Medical Genetics</i> , <b>2007</b> , 8 Suppl 1, S11	2.1	94
61	Diagnostic, prognostic, and therapeutic implications of brain natriuretic peptide in dialysis and nondialysis-dependent chronic renal failure. <i>Seminars in Dialysis</i> , <b>2007</b> , 20, 40-9	2.5	6
60	B-type natriuretic peptide: a critical review. <i>Congestive Heart Failure</i> , <b>2007</b> , 13, 48-52		14
59	Interpretation of B-type natriuretic peptide in cardiac disease and other comorbid conditions. <i>Heart Failure Reviews</i> , <b>2007</b> , 12, 23-36	5	77
58	Genetic variation in the B-type natiuretic peptide pathway affects BNP levels. <i>Cardiovascular Drugs and Therapy</i> , <b>2007</b> , 21, 55-62	3.9	33
57	National Academy of Clinical Biochemistry Laboratory Medicine Practice Guidelines: clinical utilization of cardiac biomarker testing in heart failure. <i>Clinical Biochemistry</i> , <b>2008</b> , 41, 210-21	3.5	53
56	Diastolic Heart Failure. <b>2008</b> ,		3
55	Biomarkers for cardiovascular disease: challenges and future directions. <i>Trends in Molecular Medicine</i> , <b>2008</b> , 14, 261-7	11.5	31
54	Association of a polymorphism in the lipin 1 gene with systolic blood pressure in men. <i>American Journal of Hypertension</i> , <b>2008</b> , 21, 539-45	2.3	26

53	Systematic, genome-wide, sex-specific linkage of cardiovascular traits in French Canadians. <i>Hypertension</i> , <b>2008</b> , 51, 1156-62	8.5	46
52	Genetics of the Framingham Heart Study population. Advances in Genetics, 2008, 62, 33-65	3.3	66
51	Natriuretic Peptides for Disease Monitoring in Patients with Chronic Heart Failure. 140-158		
50	. 2008,		1
49	Biomarkers in heart failure. Frontiers in Bioscience - Landmark, 2009, 14, 2484-93	2.8	8
48	Comparison of the cardiac markers B-type natriuretic peptide and N-terminal pro B-type natriuretic peptide. <i>Biomarkers in Medicine</i> , <b>2009</b> , 3, 465-81	2.3	11
47	Biosynthesis of cardiac natriuretic peptides. <i>Results and Problems in Cell Differentiation</i> , <b>2010</b> , 50, 97-17	201.4	35
46	Association of common variants in NPPA and NPPB with circulating natriuretic peptides and blood pressure. <i>Nature Genetics</i> , <b>2009</b> , 41, 348-53	36.3	286
45	Respuesta de los autores. Revista Espanola De Geriatria Y Gerontologia, <b>2009</b> , 44, 292	1.7	
44	Insuficiencia card\( \text{d} \text{ca} \) y NT-proBNP. Respuesta de los autores. <i>Revista Espanola De Geriatria Y Gerontologia</i> , <b>2009</b> , 44, 291-292	1.7	
43	A quantitative trait locus for SBP maps near KCNB1 and PTGIS in a population isolate. <i>American Journal of Hypertension</i> , <b>2009</b> , 22, 663-8	2.3	4
42	Natriuretic peptides in the diagnosis and management of chronic heart failure. <i>Heart Failure Clinics</i> , <b>2009</b> , 5, 501-14	3.3	44
41	Evaluation of plasma hormone concentrations using Enzyme-Immunoassay/Enzyme-linked Immunosorbent assay in healthy Indian men: Effect of ethnicity. <i>Indian Journal of Clinical Biochemistry</i> , <b>2010</b> , 25, 153-7	2.2	6
40	Genetic variation in the natriuretic peptide system and heart failure. <i>Heart Failure Reviews</i> , <b>2010</b> , 15, 219-28	5	34
39	Plasma proANP1-98 response during high altitude stress: effect of age and ethnicity. <i>Wilderness and Environmental Medicine</i> , <b>2010</b> , 21, 11-6	1.4	1
38	High Plasma Levels of the B-type Natriuretic Peptide in Patients Without Heart Failure: Is There Clinical Significance?. <i>Korean Circulation Journal</i> , <b>2010</b> , 40, 141-2	2.2	1
37	N-Terminal Pro-B-type Natriuretic Peptide Levels in the Korean General Population. <i>Korean Circulation Journal</i> , <b>2010</b> , 40, 645-50	2.2	5
36	Gender-specific risk stratification with plasma B-type natriuretic peptide for future onset of congestive heart failure and mortality in the Japanese general population. <i>International Journal of Cardiology</i> , <b>2010</b> , 143, 124-9	3.2	11

35	The effect of the brain-type natriuretic peptide single-nucleotide polymorphism rs198389 on test characteristics of common assays. <i>Mayo Clinic Proceedings</i> , <b>2011</b> , 86, 210-8	6.4	18
34	Effects of oral contraceptives on natriuretic peptide levels in women with hypothalamic amenorrhea: a pilot study. <i>Fertility and Sterility</i> , <b>2011</b> , 95, 2605-7	4.8	
33	Genome-wide association analysis and fine mapping of NT-proBNP level provide novel insight into the role of the MTHFR-CLCN6-NPPA-NPPB gene cluster. <i>Human Molecular Genetics</i> , <b>2011</b> , 20, 1660-71	5.6	38
32	A genetic variant of the atrial natriuretic peptide gene is associated with left ventricular hypertrophy in a non-diabetic populationthe Malm[preventive project study. <i>BMC Medical Genetics</i> , <b>2013</b> , 14, 64	2.1	8
31	Association of genetic variation with gene expression and protein abundance within the natriuretic peptide pathway. <i>Journal of Cardiovascular Translational Research</i> , <b>2013</b> , 6, 826-33	3.3	4
30	Pharmacogenomics and heart failure in congenital heart disease. <i>Canadian Journal of Cardiology</i> , <b>2013</b> , 29, 779-85	3.8	1
29	Racial/Ethnic differences in B-type natriuretic peptide levels and their association with care and outcomes among patients hospitalized with heart failure: findings from Get With The Guidelines-Heart Failure. <i>JACC: Heart Failure</i> , <b>2013</b> , 1, 345-352	7.9	28
28	A genome-wide association study of the human metabolome in a community-based cohort. <i>Cell Metabolism</i> , <b>2013</b> , 18, 130-43	24.6	188
27	Genotype versus phenotype in cardiology: just a new coat of paint?. <i>Biomarkers in Medicine</i> , <b>2013</b> , 7, 50	1-233	1
26	Clinical utility of natriuretic peptides in left ventricular failure. Southern Medical Journal, 2013, 106, 182	- <b>7</b> .6	3
25	Natriuretic peptide and cardiovascular risk: is it about "U"?. <i>Journal of the American Heart Association</i> , <b>2015</b> , 4,	6	1
24	Genetic Factors Influencing B-type Natriuretic Peptide-Mediated Production of Cyclic Guanosine Monophosphate and Blood Pressure Effects in Heart Failure Patients. <i>Journal of Cardiovascular Translational Research</i> , <b>2015</b> , 8, 545-53	3.3	4
23	Genome-wide association analysis of plasma B-type natriuretic peptide in blacks: the Jackson Heart Study. <i>Circulation: Cardiovascular Genetics</i> , <b>2015</b> , 8, 122-30		26
22	Racial Differences in Natriuretic Peptide Levels: The Dallas Heart Study. <i>JACC: Heart Failure</i> , <b>2015</b> , 3, 513-519	7.9	51
21	Early management of patients with acute heart failure: state of the art and future directionsa consensus document from the SAEM/HFSA acute heart failure working group. <i>Academic Emergency Medicine</i> , <b>2015</b> , 22, 94-112	3.4	30
20	Early management of patients with acute heart failure: state of the art and future directions. A consensus document from the society for academic emergency medicine/heart failure society of America acute heart failure working group. <i>Journal of Cardiac Failure</i> , <b>2015</b> , 21, 27-43	3.3	55
19	Intramyocardial Injection of siRNAs Can Efficiently Establish Myocardial Tissue-Specific Renalase Knockdown Mouse Model. <i>BioMed Research International</i> , <b>2016</b> , 2016, 1267570	3	2
18	Differences in Natriuretic Peptide Levels by Race/Ethnicity (From the Multi-Ethnic Study of Atherosclerosis). <i>American Journal of Cardiology</i> , <b>2017</b> , 120, 1008-1015	3	33

17	Role of NT-proANP and NT-proBNP in patients with atrial fibrillation: Association with atrial fibrillation progression phenotypes. <i>Heart Rhythm</i> , <b>2018</b> , 15, 1132-1137	6.7	30
16	Association of Natriuretic Peptides With Cardiovascular Prognosis in Heart Failure With Preserved Ejection Fraction: Secondary Analysis of the TOPCAT Randomized Clinical Trial. <i>JAMA Cardiology</i> , <b>2018</b> , 3, 1000-1005	16.2	24
15	Race, Natriuretic Peptides, and High-Carbohydrate Challenge: A Clinical Trial. <i>Circulation Research</i> , <b>2019</b> , 125, 957-968	15.7	21
14	Natriuretic Peptides in Heart Failure with Preserved Left Ventricular Ejection Fraction: From Molecular Evidences to Clinical Implications. <i>International Journal of Molecular Sciences</i> , <b>2019</b> , 20,	6.3	23
13	NT-proBNP incorporated in prediction rule of major peri-operative adverse cardiac event in non-cardiac surgery. <i>Journal of the Royal College of Surgeons of Edinburgh</i> , <b>2019</b> , 17, 127-132	2.5	3
12	Racial/ethnic differences in circulating natriuretic peptide levels: The Diabetes Prevention Program. <i>PLoS ONE</i> , <b>2020</b> , 15, e0229280	3.7	4
11	Cyclic Guanosine Monophosphate and Risk of Incident Heart Failure and Other Cardiovascular Events: the ARIC Study. <i>Journal of the American Heart Association</i> , <b>2020</b> , 9, e013966	6	7
10	Genetic association analysis of the cardiovascular biomarker: N-terminal fragment of pro-B-type natriuretic peptide (NT-proBNP). <i>PLoS ONE</i> , <b>2021</b> , 16, e0248726	3.7	O
9	The Endocrine Heart. <i>Endocrinology</i> , <b>2016</b> , 1-26	0.1	1
8	PRKCB is associated with calcineurin inhibitor-induced renal dysfunction in heart transplant recipients. <i>Pharmacogenetics and Genomics</i> , <b>2012</b> , 22, 336-43	1.9	8
7	Plasma B-type natriuretic peptide levels and risk factors for congestive heart failure in a Japanese general population. <i>International Heart Journal</i> , <b>2005</b> , 46, 465-75	1.8	14
6	Biology of Natriuretic Peptides. <b>2006</b> , 347-372		
5	Cardiac Function. <b>2012</b> , 1457-1522		1
4	The Endocrine Heart. <i>Endocrinology</i> , <b>2018</b> , 533-558	0.1	
3	Heart Failure. <b>2020</b> , 201-212		
2	Natriuretic Peptides in the Diagnosis of Diastolic Heart Failure. <b>2008</b> , 175-185		
1	Natriuretic peptide receptor 3 genotype modulates the relationship between B-type natriuretic peptide and left ventricular end-diastolic pressure. <i>Therapy: Open Access in Clinical Medicine</i> , <b>2006</b> , 3, 765-771		