

CITATION REPORT

List of articles citing

Role of the hepatic ABCA1 transporter in modulating intrahepatic cholesterol and plasma HDL cholesterol concent

DOI: 10.1194/jlr.m200414-jlr200

Journal of Lipid Research, 2003, 44, 296-302.

Source: <https://exaly.com/paper-pdf/35722467/citation-report.pdf>

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
188	New insights into the role of the adenosine triphosphate-binding cassette transporters in high-density lipoprotein metabolism and reverse cholesterol transport. 2003 , 91, 3E-11E		61
187	Clinical significance of high-density lipoproteins and the development of atherosclerosis: focus on the role of the adenosine triphosphate-binding cassette protein A1 transporter. 2003 , 92, 10K-16K		200
186	Molecular-genetics of the hypoalphalipoproteinemias in Italy. 2003 , 1253, 85-92		
185	Regulation and mechanisms of ATP-binding cassette transporter A1-mediated cellular cholesterol efflux. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2003 , 23, 1178-84	9.4	202
184	The lipidation by hepatocytes of human apolipoprotein A-I occurs by both ABCA1-dependent and -independent pathways. <i>Journal of Biological Chemistry</i> , 2003 , 278, 10119-27	5.4	69
183	Administration of tyrosyl radical-oxidized HDL inhibits the development of atherosclerosis in apolipoprotein E-deficient mice. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2003 , 23, 1583-8	9.4	33
182	Alterations of plasma lipids in mice via adenoviral-mediated hepatic overexpression of human ABCA1. <i>Journal of Lipid Research</i> , 2003 , 44, 1470-80	6.3	74
181	Enlargement of high density lipoprotein in mice via liver X receptor activation requires apolipoprotein E and is abolished by cholesteryl ester transfer protein expression. <i>Journal of Biological Chemistry</i> , 2003 , 278, 49072-8	5.4	42
180	The LXR ligand T0901317 induces severe lipogenesis in the db/db diabetic mouse. <i>Journal of Lipid Research</i> , 2003 , 44, 2039-48	6.3	151
179	Study of ABCA1 function in transgenic mice. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2003 , 23, 965-71	9.4	89
178	Quantitative trait loci that determine lipoprotein cholesterol levels in an intercross of 129S1/SvImJ and CAST/Ei inbred mice. 2004 , 17, 60-8		24
177	Hepatic ABCG5 and ABCG8 overexpression increases hepatobiliary sterol transport but does not alter aortic atherosclerosis in transgenic mice. <i>Journal of Biological Chemistry</i> , 2004 , 279, 22913-25	5.4	62
176	High-density lipoproteins: a new potential therapeutic target for the prevention of cardiovascular disease. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2004 , 24, 387-91	9.4	107
175	The ins and outs of reverse cholesterol transport. 2004 , 36, 135-45		54
174	Disturbed cholesterol homeostasis in a peroxisome-deficient PEX2 knockout mouse model. 2004 , 24, 1-13		48
173	The ATP-binding cassette transporter 1 mediates lipid efflux from Sertoli cells and influences male fertility. <i>Journal of Lipid Research</i> , 2004 , 45, 1040-50	6.3	70
172	Molecular and cellular physiology of apolipoprotein A-I lipidation by the ATP-binding cassette transporter A1 (ABCA1). <i>Journal of Biological Chemistry</i> , 2004 , 279, 7384-94	5.4	80

171	Expression of caveolin-1 enhances cholesterol efflux in hepatic cells. <i>Journal of Biological Chemistry</i> , 2004 , 279, 14140-6	5.4	82
170	Targeted deletion of hepatic CTP:phosphocholine cytidyltransferase alpha in mice decreases plasma high density and very low density lipoproteins. <i>Journal of Biological Chemistry</i> , 2004 , 279, 47402-10	5.4	134
169	ABCA1-dependent lipid efflux to apolipoprotein A-I mediates HDL particle formation and decreases VLDL secretion from murine hepatocytes. <i>Journal of Lipid Research</i> , 2004 , 45, 1122-31	6.3	73
168	ATP-binding cassette transporter A1 contains a novel C-terminal VFNFA motif that is required for its cholesterol efflux and ApoA-I binding activities. <i>Journal of Biological Chemistry</i> , 2004 , 279, 48477-85	5.4	58
167	Disruption of hepatic C/EBPalpha results in impaired glucose tolerance and age-dependent hepatosteatosis. <i>Journal of Biological Chemistry</i> , 2004 , 279, 44740-8	5.4	57
166	Effects of pravastatin on the expression of ATP-binding cassette transporter A1. 2004 , 311, 420-5		33
165	Association of coronary heart disease with pre-beta-HDL concentrations in Japanese men. 2004 , 50, 589-95		25
164	Characterization of oligomeric human ATP binding cassette transporter A1. Potential implications for determining the structure of nascent high density lipoprotein particles. <i>Journal of Biological Chemistry</i> , 2004 , 279, 41529-36	5.4	58
163	Statins inhibit synthesis of an oxysterol ligand for the liver x receptor in human macrophages with consequences for cholesterol flux. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2004 , 24, 2365-71	9.4	121
162	Peroxisome proliferator-activated receptor beta/delta regulates very low density lipoprotein production and catabolism in mice on a Western diet. <i>Journal of Biological Chemistry</i> , 2004 , 279, 20874-81	5.4	77
161	Regulation of plasma high-density lipoprotein levels by the ABCA1 transporter and the emerging role of high-density lipoprotein in the treatment of cardiovascular disease. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2004 , 24, 1755-60	9.4	144
160	HDL metabolic activities in a boy with lipoprotein lipase deficiency and his family. 2004 , 34, 467-74		4
159	Treating low HDL--from bench to bedside. 2004 , 37, 649-59		5
158	Liver-directed gene therapy for dyslipidemia and diabetes. 2004 , 6, 203-9		6
157	Relevance of hereditary defects in lipid transport proteins for the pathogenesis of cholesterol gallstone disease. 2004 , 60-9		16
156	Effect of pitavastatin on apolipoprotein A-I production in HepG2 cell. <i>Biochemical and Biophysical Research Communications</i> , 2004 , 324, 835-9	3.4	80
155	Focus on high-density lipoproteins in reducing cardiovascular risk. 2004 , 148, S14-8		32
154	Familial HDL deficiency due to ABCA1 gene mutations with or without other genetic lipoprotein disorders. <i>Atherosclerosis</i> , 2004 , 172, 309-20	3.1	33

153	High-density lipoprotein cholesterol levels and cholesterol efflux: a missing link?. <i>Current Opinion in Lipidology</i> , 2004 , 15, 81-4	4.4	1
152	Scavenger receptor BI and ATP-binding cassette transporter A1 in reverse cholesterol transport and atherosclerosis. <i>Current Opinion in Lipidology</i> , 2005 , 16, 307-15	4.4	129
151	ATP-binding cassette transporter AI and its role in HDL formation. <i>Current Opinion in Lipidology</i> , 2005 , 16, 19-25	4.4	149
150	A biphasic response of hepatobiliary cholesterol metabolism to dietary fat at the onset of obesity in the mouse. <i>Hepatology</i> , 2005 , 41, 887-95	11.2	9
149	Altered hepatic cholesterol metabolism compensates for disruption of phosphatidylcholine transfer protein in mice. 2005 , 289, G456-61		7
148	Phosphatidylcholine transfer protein regulates size and hepatic uptake of high-density lipoproteins. 2005 , 289, G1067-74		14
147	Reduced cholesterol absorption upon PPARdelta activation coincides with decreased intestinal expression of NPC1L1. <i>Journal of Lipid Research</i> , 2005 , 46, 526-34	6.3	147
146	HDLs in apoA-I transgenic Abca1 knockout mice are remodeled normally in plasma but are hypercatabolized by the kidney. <i>Journal of Lipid Research</i> , 2005 , 46, 2233-45	6.3	29
145	Structural modification of plasma HDL by phospholipids promotes efficient ABCA1-mediated cholesterol release. <i>Journal of Lipid Research</i> , 2005 , 46, 1457-65	6.3	26
144	ApoA-I lipidation in primary mouse hepatocytes. Separate controls for phospholipid and cholesterol transfers. <i>Journal of Biological Chemistry</i> , 2005 , 280, 21612-21	5.4	25
143	Alternate transcripts expressed in response to diet reflect tissue-specific regulation of ABCA1. <i>Journal of Lipid Research</i> , 2005 , 46, 2061-71	6.3	20
142	Complete functional rescue of the ABCA1 ^{-/-} mouse by human BAC transgenesis. <i>Journal of Lipid Research</i> , 2005 , 46, 1113-23	6.3	11
141	Denaturing high-performance liquid chromatography in the detection of ABCA1 gene mutations in familial HDL deficiency. <i>Journal of Lipid Research</i> , 2005 , 46, 817-22	6.3	12
140	Gene therapy for lipoprotein disorders. 2005 , 5, 1029-38		7
139	Unsaturated fatty acids phosphorylate and destabilize ABCA1 through a phospholipase D2 pathway. <i>Journal of Biological Chemistry</i> , 2005 , 280, 35896-903	5.4	82
138	Purification of ATP-binding cassette transporter A1 and associated binding proteins reveals the importance of beta1-syntrophin in cholesterol efflux. <i>Journal of Biological Chemistry</i> , 2005 , 280, 39653-64	5.4	51
137	Knockdown of hepatic ABCA1 by RNA interference decreases plasma HDL cholesterol levels and influences postprandial lipemia in mice. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2005 , 25, 1433-8	9.4	49
136	Soy protein reduces hepatic lipotoxicity in hyperinsulinemic obese Zucker fa/fa rats. <i>Journal of Lipid Research</i> , 2005 , 46, 1823-32	6.3	118

135	Biogenesis and speciation of nascent apoA-I-containing particles in various cell lines. <i>Journal of Lipid Research</i> , 2005 , 46, 1668-77	6.3	62
134	New insights into the regulation of HDL metabolism and reverse cholesterol transport. 2005 , 96, 1221-32		787
133	Diet induced regulation of genes involved in cholesterol metabolism in rat liver parenchymal and Kupffer cells. 2005 , 42, 400-7		25
132	Current understanding of the role of high-density lipoproteins in atherosclerosis and senescence. 2005 , 3, 1071-86		35
131	Characterization of nascent HDL particles and microparticles formed by ABCA1-mediated efflux of cellular lipids to apoA-I. <i>Journal of Lipid Research</i> , 2006 , 47, 832-43	6.3	151
130	LDL-cholesterol lowering or HDL-cholesterol raising for cardiovascular prevention. A lesson from cholesterol turnover studies and others. <i>Atherosclerosis</i> , 2006 , 186, 1-11	3.1	30
129	HIV infection and high-density lipoprotein: the effect of the disease vs the effect of treatment. <i>Metabolism: Clinical and Experimental</i> , 2006 , 55, 90-5	12.7	77
128	Overexpression of SND p102, a rat homologue of p100 coactivator, promotes the secretion of lipoprotein phospholipids in primary hepatocytes. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2006 , 1761, 698-708	5	32
127	Enhanced ABCG1 expression increases atherosclerosis in LDLr-KO mice on a western diet. <i>Biochemical and Biophysical Research Communications</i> , 2006 , 351, 398-404	3.4	47
126	Emerging roles of the intestine in control of cholesterol metabolism. <i>World Journal of Gastroenterology</i> , 2006 , 12, 6429-39	5.6	102
125	New insights into the biogenesis of human high-density lipoproteins. <i>Current Opinion in Lipidology</i> , 2006 , 17, 258-67	4.4	40
124	Hollis Bryan Brewer, Jr., MD: a conversation with the editor. 2006 , 97, 1791-804		2
123	Assessing the effects of LXR agonists on cellular cholesterol handling: a stable isotope tracer study. <i>Journal of Lipid Research</i> , 2006 , 47, 1250-60	6.3	24
122	Cholesterol 7alpha-hydroxylase deficiency in mice on an APOE*3-Leiden background increases hepatic ABCA1 mRNA expression and HDL-cholesterol. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2006 , 26, 2724-30	9.4	8
121	Liver X receptor (LXR)-beta regulation in LXRAalpha-deficient mice: implications for therapeutic targeting. 2006 , 70, 1340-9		110
120	Studies on LXR- and FXR-mediated effects on cholesterol homeostasis in normal and cholic acid-depleted mice. <i>Journal of Lipid Research</i> , 2006 , 47, 421-30	6.3	47
119	Macrophage ATP-binding cassette transporter A1 overexpression inhibits atherosclerotic lesion progression in low-density lipoprotein receptor knockout mice. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2006 , 26, 929-34	9.4	147
118	ABCA1 overexpression in the liver of LDLr-KO mice leads to accumulation of pro-atherogenic lipoproteins and enhanced atherosclerosis. <i>Journal of Biological Chemistry</i> , 2006 , 281, 33053-65	5.4	65

117	Sterol regulatory element-binding protein-2- and liver X receptor-driven dual promoter regulation of hepatic ABC transporter A1 gene expression: mechanism underlying the unique response to cellular cholesterol status. <i>Journal of Biological Chemistry</i> , 2007 , 282, 21090-9	5.4	79
116	Hepatic ABCG5/G8 overexpression reduces apoB-lipoproteins and atherosclerosis when cholesterol absorption is inhibited. <i>Journal of Lipid Research</i> , 2007 , 48, 114-26	6.3	49
115	Functional polymorphism in ABCA1 influences age of symptom onset in coronary artery disease patients. 2007 , 16, 1412-22		23
114	Minimal lipidation of pre-beta HDL by ABCA1 results in reduced ability to interact with ABCA1. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2007 , 27, 1828-36	9.4	98
113	Unsaturated fatty acids phosphorylate and destabilize ABCA1 through a protein kinase C delta pathway. <i>Journal of Lipid Research</i> , 2007 , 48, 1062-8	6.3	77
112	The Effects of Dietary Fatty Acids on Lipid Metabolism. 2007 , 591-630		2
111	Sirolimus modifies cholesterol homeostasis in hepatic cells: a potential molecular mechanism for sirolimus-associated dyslipidemia. 2007 , 84, 1029-36		35
110	Increasing apoA-I production as a target for CHD risk reduction. 2007 , 17, 616-28		27
109	Treadmill exercise enhances ABCA1 expression in rat liver. <i>Biochemical and Biophysical Research Communications</i> , 2007 , 361, 841-6	3.4	49
108	HDL in Health and Disease: Effects of Exercise and HIV Infection on HDL Metabolism. 2007 , 355-374		
107	Characterization of liver disease and lipid metabolism in the Niemann-Pick C1 mouse. 2007 , 101, 498-516		48
106	Human adenovirus modulates surfactant phospholipid trafficking. 2007 , 8, 1765-1777		11
105	Gender-specific programmed hepatic lipid dysregulation in intrauterine growth-restricted offspring. 2007 , 196, 477.e1-7		47
104	Down-regulation of transcription factor peroxisome proliferator-activated receptor in programmed hepatic lipid dysregulation and inflammation in intrauterine growth-restricted offspring. 2008 , 199, 271.e1-5		55
103	Cholesterol-lowering effect of bezafibrate is independent of peroxisome proliferator-activated receptor activation in mice. 2008 , 76, 108-19		16
102	ABCA1 expression in humans is associated with physical activity and alcohol consumption. <i>Atherosclerosis</i> , 2008 , 197, 197-203	3.1	32
101	Quantitative analysis of ABCA1-dependent compartmentalization and trafficking of apolipoprotein A-I: implications for determining cellular kinetics of nascent high density lipoprotein biogenesis. <i>Journal of Biological Chemistry</i> , 2008 , 283, 11164-75	5.4	46
100	Disturbed cholesterol homeostasis in hormone-sensitive lipase-null mice. 2008 , 295, E820-31		18

99	Identification of upregulators of human ATP-binding cassette transporter A1 via high-throughput screening of a synthetic and natural compound library. 2008 , 13, 648-56		32
98	Reduced plasma high-density lipoprotein cholesterol in hyperthyroid mice coincides with decreased hepatic adenosine 5'-triphosphate-binding cassette transporter 1 expression. 2008 , 149, 3708-12		20
97	HDL-replacement therapy: mechanism of action, types of agents and potential clinical indications. 2008 , 6, 1203-15		59
96	Expression and biological activity of ABCA1 in alveolar epithelial cells. 2008 , 38, 283-92		30
95	Effects of fibrate drugs on expression of ABCA1 and HDL biogenesis in hepatocytes. 2008 , 51, 258-66		44
94	A 9-cis beta-carotene-enriched diet inhibits atherogenesis and fatty liver formation in LDL receptor knockout mice. 2008 , 138, 1923-30		69
93	Tissue-specific roles of ABCA1 influence susceptibility to atherosclerosis. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2009 , 29, 548-54	9.4	85
92	ABCA1 expression and statins: inhibitory effect in peripheral blood mononuclear cells. 2009 , 10, 997-1005		8
91	Effects of niacin and chromium on the expression of ATP-binding cassette transporter A1 and apolipoprotein A-1 genes in HepG2 cells. <i>Journal of Nutritional Biochemistry</i> , 2009 , 20, 261-8	6.3	12
90	Adaptation of neuronal cells to chronic oxidative stress is associated with altered cholesterol and sphingolipid homeostasis and lysosomal function. 2009 , 111, 669-82		35
89	Eicosapentaenoic acid reduces ABCA1 serine phosphorylation and impairs ABCA1-dependent cholesterol efflux through cyclic AMP/protein kinase A signaling pathway in THP-1 macrophage-derived foam cells. <i>Atherosclerosis</i> , 2009 , 204, e35-43	3.1	79
88	High-density lipoproteins, inflammation and oxidative stress. <i>Clinical Science</i> , 2009 , 116, 87-98	6.5	112
87	Pre β 1-HDL, a key element of reverse cholesterol transport: its potential as a biomarker. <i>Clinical Lipidology</i> , 2010 , 5, 355-365		1
86	P2Y13 receptor is critical for reverse cholesterol transport. <i>Hepatology</i> , 2010 , 52, 1477-83	11.2	81
85	SR-BI, CD36, and caveolin-1 contribute positively to cholesterol efflux in hepatic cells. <i>Cell Biochemistry and Function</i> , 2010 , 28, 480-9	4.2	21
84	MicroRNA-33 encoded by an intron of sterol regulatory element-binding protein 2 (Srebp2) regulates HDL in vivo. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010 , 107, 17321-6	11.5	299
83	RVX-208: a small molecule that increases apolipoprotein A-I and high-density lipoprotein cholesterol in vitro and in vivo. <i>Journal of the American College of Cardiology</i> , 2010 , 55, 2580-9	15.1	178
82	Sterol metabolism and SREBP activation. <i>Archives of Biochemistry and Biophysics</i> , 2010 , 501, 177-81	4.1	203

81	ABCA1, Tangier Disease, and Lipid Flopping. 2011 , 353-377		
80	Effect of Eight Weeks of Wrestling and Circuit Fitness Training on APO Lipoprotein A-I and Lymphocyte ABCA1 Gene Expression in Well-Trained Wrestlers. <i>International Journal of Wrestling Science</i> , 2011 , 1, 48-53		3
79	Identification of dehydroxytrichostatin A as a novel up-regulator of the ATP-binding cassette transporter A1 (ABCA1). <i>Molecules</i> , 2011 , 16, 7183-98	4.8	14
78	A single session of circuit-resistance exercise effects on human peripheral blood lymphocyte ABCA1 expression and plasma HDL-C level. <i>Regulatory Peptides</i> , 2011 , 166, 42-7		24
77	Aerobic exercise improves reverse cholesterol transport in cholesteryl ester transfer protein transgenic mice. <i>Lipids</i> , 2011 , 46, 617-25	1.6	19
76	Hepatic deficiency of low density lipoprotein receptor-related protein-1 reduces high density lipoprotein secretion and plasma levels in mice. <i>Journal of Biological Chemistry</i> , 2011 , 286, 13079-87	5.4	34
75	A-Subclass ATP-Binding Cassette Proteins in Brain Lipid Homeostasis and Neurodegeneration. <i>Frontiers in Psychiatry</i> , 2012 , 3, 17	5	32
74	ATP-binding cassette transporter A1 and HDL metabolism: effects of fatty acids. <i>Journal of Nutritional Biochemistry</i> , 2012 , 23, 1-7	6.3	32
73	Adeno-associated virus serotype 2 mediated transduction and coexpression of the human apoAI and SR-BI gene in HepG2 cells. <i>Molecular Biology Reports</i> , 2012 , 39, 25-32	2.8	
72	Northern analysis of gene expression. <i>Methods in Molecular Biology</i> , 2013 , 1027, 85-121	1.4	2
71	Atherosclerosis: lessons from LXR and the intestine. <i>Trends in Endocrinology and Metabolism</i> , 2013 , 24, 120-8	8.8	51
70	BIG1, a brefeldin A-inhibited guanine nucleotide-exchange protein modulates ATP-binding cassette transporter A-1 trafficking and function. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2013 , 33, e31-8	9.4	15
69	Statins and lipid metabolism: an update. <i>Current Opinion in Lipidology</i> , 2013 , 24, 221-6	4.4	24
68	Liver-specific phospholipid transfer protein deficiency reduces high-density lipoprotein and non-high-density lipoprotein production in mice. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2013 , 33, 2058-64	9.4	22
67	Homocysteine-mediated cholesterol efflux via ABCA1 and ACAT1 DNA methylation in THP-1 monocyte-derived foam cells. <i>Acta Biochimica Et Biophysica Sinica</i> , 2013 , 45, 220-8	2.8	25
66	HIV protein Nef causes dyslipidemia and formation of foam cells in mouse models of atherosclerosis. <i>FASEB Journal</i> , 2014 , 28, 2828-39	0.9	34
65	Cubilin maintains blood levels of HDL and albumin. <i>Journal of the American Society of Nephrology: JASN</i> , 2014 , 25, 1028-36	12.7	37
64	A novel gene regulator, pyrrole-imidazole polyamide targeting ABCA1 gene increases cholesterol efflux from macrophages and plasma HDL concentration. <i>Journal of Molecular Medicine</i> , 2014 , 92, 509-21	5.5	12

63	ABCA1 and nascent HDL biogenesis. <i>BioFactors</i> , 2014 , 40, 547-54	6.1	85
62	MicroRNA-33b knock-in mice for an intron of sterol regulatory element-binding factor 1 (Srebf1) exhibit reduced HDL-C in vivo. <i>Scientific Reports</i> , 2014 , 4, 5312	4.9	32
61	Lipidomic Profiling of Liver Tissue from Obesity-Prone and Obesity-Resistant Mice Fed a High Fat Diet. <i>Scientific Reports</i> , 2015 , 5, 16984	4.9	42
60	Selective oxidative stress and cholesterol metabolism in lipid-metabolizing cell classes: Distinct regulatory roles for pro-oxidants and antioxidants. <i>BioFactors</i> , 2015 , 41, 273-88	6.1	5
59	Lipoprotein (a) upregulates ABCA1 in liver cells via scavenger receptor-B1 through its oxidized phospholipids. <i>Journal of Lipid Research</i> , 2015 , 56, 1318-28	6.3	20
58	Low-density lipoprotein receptor affects the fertility of female mice. <i>Reproduction, Fertility and Development</i> , 2015 , 27, 1222-32	1.8	33
57	Genetic variants in ABCA1 promoter affect transcription activity and plasma HDL level in pigs. <i>Gene</i> , 2015 , 555, 414-20	3.8	7
56	Ecto-F1-ATPase/P2Y pathways in metabolic and vascular functions of high density lipoproteins. <i>Atherosclerosis</i> , 2015 , 238, 89-100	3.1	29
55	Hydrogen Sulfide Up-Regulates the Expression of ATP-Binding Cassette Transporter A1 via Promoting Nuclear Translocation of PPAR α . <i>International Journal of Molecular Sciences</i> , 2016 , 17,	6.3	11
54	Chemotherapy Agents Alter Plasma Lipids in Breast Cancer Patients and Show Differential Effects on Lipid Metabolism Genes in Liver Cells. <i>PLoS ONE</i> , 2016 , 11, e0148049	3.7	40
53	Hepatic miR-33a/miR-144 and their target gene ABCA1 are associated with steatohepatitis in morbidly obese subjects. <i>Liver International</i> , 2016 , 36, 1383-91	7.9	52
52	TSH increases synthesis of hepatic ATP-binding cassette subfamily A member 1 in hypercholesterolemia. <i>Biochemical and Biophysical Research Communications</i> , 2016 , 476, 75-81	3.4	2
51	Testosterone differentially regulates targets of lipid and glucose metabolism in liver, muscle and adipose tissues of the testicular feminised mouse. <i>Endocrine</i> , 2016 , 54, 504-515	4	41
50	Hypoxanthine induces cholesterol accumulation and incites atherosclerosis in apolipoprotein E-deficient mice and cells. <i>Journal of Cellular and Molecular Medicine</i> , 2016 , 20, 2160-2172	5.6	16
49	RVX 208: A novel BET protein inhibitor, role as an inducer of apo A-I/HDL and beyond. <i>Cardiovascular Therapeutics</i> , 2017 , 35, e12265	3.3	23
48	Bilirubin Decreases Macrophage Cholesterol Efflux and ATP-Binding Cassette Transporter A1 Protein Expression. <i>Journal of the American Heart Association</i> , 2017 , 6,	6	17
47	Current and future therapies for addressing the effects of inflammation on HDL cholesterol metabolism. <i>British Journal of Pharmacology</i> , 2017 , 174, 3986-4006	8.6	9
46	Increased hepatic ABCA1 transporter is associated with hypercholesterolemia in a cholestatic rat model and primary biliary cholangitis patients. <i>Medical Molecular Morphology</i> , 2017 , 50, 227-237	2.3	9

45	Exposure to High Glucose Concentration Decreases Cell Surface ABCA1 and HDL Biogenesis in Hepatocytes. <i>Journal of Atherosclerosis and Thrombosis</i> , 2017 , 24, 1132-1149	4	5
44	Reverse Cholesterol Transport in HDL Metabolism. 2017 , 97-119		
43	Natural products as modulators of the nuclear receptors and metabolic sensors LXR, FXR and RXR. <i>Biotechnology Advances</i> , 2018 , 36, 1657-1698	17.8	59
42	Regulation of genes related to cholesterol metabolism in rainbow trout (<i>Oncorhynchus mykiss</i>) fed a plant-based diet. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2018 , 314, R58-R70	3.2	18
41	Dietary supplementation of defatted kenaf (<i>Hibiscus cannabinus</i> L.) seed meal and its phenolics-saponins rich extract effectively attenuates diet-induced hypercholesterolemia in rats. <i>Food and Function</i> , 2018 , 9, 925-936	6.1	7
40	Therapeutic Intranasal Vaccine HB-ATV-8 Prevents Atherogenesis and Non-alcoholic Fatty Liver Disease in a Pig Model of Atherosclerosis. <i>Archives of Medical Research</i> , 2018 , 49, 456-470	6.6	5
39	trans-Chalcone prevents insulin resistance and hepatic inflammation and also promotes hepatic cholesterol efflux in high-fat diet-fed rats: modulation of miR-34a-, miR-451-, and miR-33a-related pathways. <i>Food and Function</i> , 2018 , 9, 4292-4298	6.1	12
38	Role of Liver X Receptor in Mastitis Therapy and Regulation of Milk Fat Synthesis. <i>Journal of Mammary Gland Biology and Neoplasia</i> , 2019 , 24, 73-83	2.4	6
37	The role of adiponectin in cholesterol efflux and HDL biogenesis and metabolism. <i>Metabolism: Clinical and Experimental</i> , 2019 , 100, 153953	12.7	23
36	Carvedilol Ameliorates Experimental Atherosclerosis by Regulating Cholesterol Efflux and Exosome Functions. <i>International Journal of Molecular Sciences</i> , 2019 , 20,	6.3	12
35	Changes in lipid profiles during and after (neo)adjuvant chemotherapy in women with early-stage breast cancer: A retrospective study. <i>PLoS ONE</i> , 2019 , 14, e0221866	3.7	19
34	Therapeutic FGF19 promotes HDL biogenesis and transhepatic cholesterol efflux to prevent atherosclerosis. <i>Journal of Lipid Research</i> , 2019 , 60, 550-565	6.3	17
33	Enhanced cellular cholesterol efflux by naringenin is mediated through inhibiting endoplasmic reticulum stress - ATF6 activity in macrophages. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2019 , 1864, 1472-1482	5	15
32	Repression of hepatocyte nuclear factor 4 alpha by AP-1 underlies dyslipidemia associated with retinoic acid. <i>Journal of Lipid Research</i> , 2019 , 60, 794-804	6.3	0
31	Investigation of the Lipid-Lowering Mechanisms and Active Ingredients of Danhe Granule on Hyperlipidemia Based on Systems Pharmacology. <i>Frontiers in Pharmacology</i> , 2020 , 11, 528	5.6	8
30	Role of ATP-binding cassette transporter A1 in suppressing lipid accumulation by glucagon-like peptide-1 agonist in hepatocytes. <i>Molecular Metabolism</i> , 2020 , 34, 16-26	8.8	9
29	Structure and Function of Hepatobiliary ATP Binding Cassette Transporters. <i>Chemical Reviews</i> , 2021 , 121, 5240-5288	68.1	9
28	Efficacy of Polyphenols in the Management of Dyslipidemia: A Focus on Clinical Studies. <i>Nutrients</i> , 2021 , 13,	6.7	12

27	Hepatic cholesterol transport and its role in non-alcoholic fatty liver disease and atherosclerosis. <i>Progress in Lipid Research</i> , 2021 , 83, 101109	14.3	16
26	Phytosterolemia. 2007 , 291-319		1
25	Targeted inactivation of hepatic Abca1 causes profound hypoalipoproteinemia and kidney hypercatabolism of apoA-I. <i>Journal of Clinical Investigation</i> , 2005 , 115, 1333-1342	15.9	373
24	Targeted inactivation of hepatic Abca1 causes profound hypoalipoproteinemia and kidney hypercatabolism of apoA-I. <i>Journal of Clinical Investigation</i> , 2005 , 115, 1333-42	15.9	190
23	Intestinal ABCA1 directly contributes to HDL biogenesis in vivo. <i>Journal of Clinical Investigation</i> , 2006 , 116, 1052-62	15.9	389
22	Evidence for host genetic regulation of altered lipid metabolism in experimental toxoplasmosis supported with gene data mining results. <i>PLoS ONE</i> , 2017 , 12, e0176700	3.7	7
21	Dysfunctional HDL as a Therapeutic Target for Atherosclerosis Prevention. <i>Current Medicinal Chemistry</i> , 2019 , 26, 1610-1630	4.3	16
20	High-Density Lipoprotein Cholesterol. <i>Fundamental and Clinical Cardiology</i> , 2006 , 295-340		2
19	Genome-based nutrition: an intervention strategy for the prevention and treatment of obesity and nonalcoholic steatohepatitis. <i>World Journal of Gastroenterology</i> , 2015 , 21, 3449-61	5.6	24
18	Downregulation of ABCA1 and ABCG1 transporters by simvastatin in cholangiocarcinoma cells. <i>Oncology Letters</i> , 2019 , 18, 5173-5184	2.6	7
17	Vitamin A-enriched diet modulates reverse cholesterol transport in hypercholesterolemic obese rats of the WNIN/Ob strain. <i>Journal of Atherosclerosis and Thrombosis</i> , 2014 , 21, 1197-207	4	6
16	Rosmarinic Acid Exhibits a Lipid-Lowering Effect by Modulating the Expression of Reverse Cholesterol Transporters and Lipid Metabolism in High-Fat Diet-Fed Mice. <i>Biomolecules</i> , 2021 , 11,	5.9	3
15	Mechanisms of Bile Secretion. 2006 , 67-85		
14	Cellular Lipid Traffic and Lipid Transporters: Regulation of Efflux and HDL Formation. 2009 , 73-106		
13	PPAR γ /LXR α axis mediated phenotypic plasticity of lung fibroblasts in silica-induced experimental silicosis. <i>Environmental Pollution</i> , 2022 , 292, 118272	9.3	0
12	The Effects of Polyphenol-Rich Black Elderberry on Oxidative Stress and Hepatic Cholesterol Metabolism. <i>Applied Sciences (Switzerland)</i> , 2021 , 11, 10018	2.6	0
11	Intestinally Active Therapies for Hypercholesterolemia: Ezetimibe, Bile Acid Resins, and Plant Sterols. <i>Contemporary Cardiology</i> , 2021 , 219-268	0.1	
10	miR-33 inhibition attenuates the effect of liver X receptor agonist T0901317 on expression of liver X receptor alpha in mice liver. <i>ARYA Atherosclerosis</i> , 2017 , 13, 257-263	0.7	5

9	H-NMR Plasma Lipoproteins Profile Analysis Reveals Lipid Metabolism Alterations in HER2-Positive Breast Cancer Patients. <i>Cancers</i> , 2021 , 13,	6.6	1
8	Approaches to Visualising Endocytosis of LDL-Related Lipoproteins.. <i>Biomolecules</i> , 2022 , 12,	5.9	2
7	DataSheet_1.docx. 2020 ,		
6	DataSheet_2.pdf. 2020 ,		
5	The effects of brewers spent grain on high-fat diet-induced fatty liver. <i>Biochemical and Biophysical Research Communications</i> , 2022 , 616, 49-55	3-4	
4	Mechanisms of Lipoproteins and Reverse Cholesterol Transport in Atherosclerotic Cardiovascular Disease. 2022 , 343-365		○
3	Hepatic nonvesicular cholesterol transport is critical for systemic lipid homeostasis.		○
2	Air Pollution: Another Threat to HDL Function. 2023 , 24, 317		○
1	HDL and chronic kidney disease. 2023 ,		○