

CITATION REPORT

List of articles citing

Binding and internalization of lipopolysaccharide by Cla-1, a human orthologue of rodent scavenger receptor B1

DOI: 10.1074/jbc.m211032200

Journal of Biological Chemistry, 2003, 278, 22771-80.

Source: <https://exaly.com/paper-pdf/35728935/citation-report.pdf>

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
122	Oxidized low density lipoprotein and innate immune receptors. 2003 , 14, 437-45		138
121	TLR4 is the signaling but not the lipopolysaccharide uptake receptor. 2004 , 173, 1166-70		129
120	Targeting of scavenger receptor class B type I by synthetic amphipathic alpha-helical-containing peptides blocks lipopolysaccharide (LPS) uptake and LPS-induced pro-inflammatory cytokine responses in THP-1 monocyte cells. <i>Journal of Biological Chemistry</i> , 2004 , 279, 36072-82	5.4	51
119	High density lipoprotein uptake by scavenger receptor SR-BII. <i>Journal of Biological Chemistry</i> , 2004 , 279, 14372-81	5.4	87
118	Toll-like receptor 4 functions intracellularly in human coronary artery endothelial cells: roles of LBP and sCD14 in mediating LPS responses. 2004 , 18, 1117-9		119
117	Scavenger receptor BI: a scavenger receptor with a mission to transport high density lipoprotein lipids. 2004 , 15, 287-95		124
116	The hepatoadrenal syndrome: a common yet unrecognized clinical condition. 2005 , 33, 1254-9		169
115	Response of rat fasciculata-reticularis cells in primary culture to bacterial lipopolysaccharide. 2005 , 7, 1077-86		8
114	Toll-like receptor signaling in the liver. 2006 , 125-142		
113	A role for hydroxy-methylglutaryl coenzyme a reductase in pulmonary inflammation and host defense. 2005 , 171, 606-15		93
112	Serum amyloid A binding to CLA-1 (CD36 and LIMP2 analogues-1) mediates serum amyloid A protein-induced activation of ERK1/2 and p38 mitogen-activated protein kinases. <i>Journal of Biological Chemistry</i> , 2005 , 280, 8031-40	5.4	135
111	Biochemistry and cell biology of mammalian scavenger receptors. 2005 , 182, 1-15		273
110	Endocytosis is not required for the selective lipid uptake mediated by murine SR-BI. 2005 , 1734, 44-51		58
109	Toll-like receptor signaling in the liver. 2006 , 130, 1886-900		335
108	The O-antigen affects replication of <i>Salmonella enterica</i> serovar Typhimurium in murine macrophage-like J774-A.1 cells through modulation of host cell nitric oxide production. 2006 , 8, 1826-38		9
107	SR-BI-mediated high density lipoprotein (HDL) endocytosis leads to HDL resecretion facilitating cholesterol efflux. <i>Journal of Biological Chemistry</i> , 2006 , 281, 11193-204	5.4	98
106	Serum amyloid A generates high density lipoprotein with cellular lipid in an ABCA1- or ABCA7-dependent manner. 2006 , 47, 1542-50		43

105	Role of scavenger receptors in the binding and internalization of heat shock protein 70. 2006 , 177, 8604-11	131
104	CLA-1 and its splicing variant CLA-2 mediate bacterial adhesion and cytosolic bacterial invasion in mammalian cells. 2006 , 103, 16888-93	62
103	The inhibition of endocytosis affects HDL-lipid uptake mediated by the human scavenger receptor class B type I. 2007 , 24, 442-54	20
102	Regulation of SR-BI-mediated selective lipid uptake in Chinese hamster ovary-derived cells by protein kinase signaling pathways. 2007 , 48, 405-16	25
101	Systemic and specific delivery of small interfering RNAs to the liver mediated by apolipoprotein A-I. 2007 , 15, 1145-52	137
100	Mechanisms and clinical consequences of critical illness associated adrenal insufficiency. 2007 , 13, 363-9	46
99	Adsorbed proteins influence the biological activity and molecular targeting of nanomaterials. 2007 , 100, 303-15	385
98	MAC1 mediates LPS-induced production of superoxide by microglia: the role of pattern recognition receptors in dopaminergic neurotoxicity. 2007 , 55, 1362-73	78
97	Gene expression profiling of liver from dairy cows treated intra-mammary with lipopolysaccharide. 2008 , 9, 443	47
96	Role of human CD36 in bacterial recognition, phagocytosis, and pathogen-induced JNK-mediated signaling. 2008 , 181, 7147-56	125
95	Liver X Receptor: Crosstalk Node for the Signaling of Lipid Metabolism, Carbohydrate Metabolism, and Innate Immunity. 2008 , 3, 75-81	10
94	Scavenger Receptor BI Protects against Septic Death through Its Role in Modulating Inflammatory Response. <i>Journal of Biological Chemistry</i> , 2009 , 284, 19826-34	5-4 76
93	Ex vivo effects of high-density lipoprotein exposure on the lipopolysaccharide-induced inflammatory response in patients with severe cirrhosis. 2009 , 49, 175-84	52
92	Scavenger receptors: role in innate immunity and microbial pathogenesis. 2009 , 11, 1160-9	228
91	Chylomicrons promote intestinal absorption of lipopolysaccharides. 2009 , 50, 90-7	413
90	SR-BI-mediated HDL cholesteryl ester delivery in the adrenal gland. 2009 , 300, 83-8	38
89	Kupffer cells in non-alcoholic fatty liver disease: the emerging view. 2009 , 51, 212-23	340
88	Toll-like receptors in liver ischemia reperfusion injury: a novel target for therapeutic modulation?. 2009 , 13, 427-42	28

87	Relative Adrenal Insufficiency in Patients With Chronic Liver Disease. 2010 , 17, 232-238	2
86	Apolipoprotein CI enhances the biological response to LPS via the CD14/TLR4 pathway by LPS-binding elements in both its N- and C-terminal helix. 2010 , 51, 1943-52	25
85	Assessment of cholesteryl ester transfer protein inhibitors for interaction with proteins involved in the immune response to infection. 2010 , 51, 967-74	22
84	CD36 is a novel serum amyloid A (SAA) receptor mediating SAA binding and SAA-induced signaling in human and rodent cells. <i>Journal of Biological Chemistry</i> , 2010 , 285, 8492-506	5-4 71
83	Cell-surface nucleolin is involved in lipopolysaccharide internalization and signalling in alveolar macrophages. 2011 , 35, 677-85	23
82	Scavenger receptor class B type I and the hypervariable region-1 of hepatitis C virus in cell entry and neutralisation. 2011 , 13, e13	32
81	Characterization of woodchuck apolipoprotein A-I: a new tool for drug delivery and identification of altered isoforms in the woodchuck chronic hepatitis model. 2011 , 83, 1221-9	5
80	Scavenger receptor class B, type I: a promising immunotherapy target. 2011 , 3, 395-406	14
79	Further Chemotherapy with Lipid Nanoemulsions: Targeting Certain Hyperproliferative Diseases, as well as Neoplasias, via Lipoprotein Receptor-Mediated Endocytosis. 2011 , 25, 305-321	
78	Annexin A5 binds to lipopolysaccharide and reduces its endotoxin activity. 2012 , 3,	35
77	Class B scavenger receptor types I and II and CD36 targeting improves sepsis survival and acute outcomes in mice. 2012 , 188, 2749-58	46
76	Macrophage SR-BI regulates LPS-induced pro-inflammatory signaling in mice and isolated macrophages. 2012 , 53, 1472-81	49
75	Crosstalk between reverse cholesterol transport and innate immunity. 2012 , 23, 169-78	59
74	Class B scavenger receptor types I and II and CD36 mediate bacterial recognition and proinflammatory signaling induced by <i>Escherichia coli</i> , lipopolysaccharide, and cytosolic chaperonin 60. 2012 , 188, 1371-80	67
73	An interplay between scavenger receptor A and CD14 during activation of J774 cells by high concentrations of LPS. 2013 , 218, 1217-26	20
72	HDL endocytosis and resecretion. 2013 , 1831, 1626-33	60
71	SAA does not induce cytokine production in physiological conditions. 2013 , 61, 506-12	39
70	TLR2 & Co: a critical analysis of the complex interactions between TLR2 and coreceptors. 2013 , 94, 885-902	92

69	High density lipoprotein protects against polymicrobe-induced sepsis in mice. <i>Journal of Biological Chemistry</i> , 2013 , 288, 17947-53	5.4	84
68	Scavenger receptor-BI is a receptor for lipoprotein(a). 2013 , 54, 2450-7		69
67	Update on adrenal insufficiency in patients with liver cirrhosis. <i>World Journal of Gastroenterology</i> , 2013 , 19, 445-56	5.6	57
66	Global consequences of liver ischemia/reperfusion injury. 2014 , 2014, 906965		155
65	HDL in innate and adaptive immunity. 2014 , 103, 372-83		144
64	Scavenger receptor class B type I and immune dysfunctions. 2014 , 21, 121-8		14
63	Adrenocortical scavenger receptor class B type I deficiency exacerbates endotoxic shock and precipitates sepsis-induced mortality in mice. 2014 , 193, 817-26		25
62	Hepatic scavenger receptor BI protects against polymicrobial-induced sepsis through promoting LPS clearance in mice. <i>Journal of Biological Chemistry</i> , 2014 , 289, 14666-73	5.4	31
61	HDL in sepsis - risk factor and therapeutic approach. 2015 , 6, 244		56
60	HDL cholesterol as a predictor for the incidence of lower extremity amputation and wound-related death in patients with diabetic foot ulcers. 2015 , 239, 465-9		20
59	Key role for scavenger receptor B-I in the integrative physiology of host defense during bacterial pneumonia. 2015 , 8, 559-71		14
58	Lack of LCAT reduces the LPS-neutralizing capacity of HDL and enhances LPS-induced inflammation in mice. 2015 , 1852, 2106-15		23
57	Modification of pro-inflammatory signaling by dietary components: The plasma membrane as a target. 2015 , 37, 789-801		17
56	Formation of a protein corona on silver nanoparticles mediates cellular toxicity via scavenger receptors. 2015 , 143, 136-46		98
55	Targeting SR-BI for Cancer Diagnostics, Imaging and Therapy. 2016 , 7, 326		25
54	Evaluation of reconstituted high-density lipoprotein (rHDL) as a drug delivery platform - a detailed survey of rHDL particles ranging from biophysical properties to clinical implications. 2016 , 12, 2161-2179		46
53	Gastrointestinal and hepatic mechanisms limiting entry and dissemination of lipopolysaccharide into the systemic circulation. 2016 , 311, G1-G15		83
52	Synthetic high-density lipoprotein-like nanoparticles potently inhibit cell signaling and production of inflammatory mediators induced by lipopolysaccharide binding Toll-like receptor 4. 2016 , 100, 67-75		40

51	Invited review: Role of bacterial endotoxins in the etiopathogenesis of periparturient diseases of transition dairy cows. 2016 , 99, 5967-5990		59
50	Emerging hepatic syndromes: pathophysiology, diagnosis and treatment. 2016 , 11, 905-16		5
49	Advances in high-density lipoprotein physiology: surprises, overturns, and promises. 2016 , 310, E1-E14		25
48	Gut microbiota-derived lipopolysaccharide uptake and trafficking to adipose tissue: implications for inflammation and obesity. 2016 , 17, 297-312		142
47	Expression of pattern recognition receptors and activation of the non-canonical inflammasome pathway in brain pericytes. 2017 , 64, 220-231		31
46	Lipid testing in infectious diseases: possible role in diagnosis and prognosis. 2017 , 45, 575-588		28
45	The Changing Face of HDL and the Best Way to Measure It. 2017 , 63, 196-210		64
44	Nanotherapy for Alzheimer's Disease and Vascular Dementia: Targeting Senile Endothelium. 2017 ,		
43	Human SR-BII mediates SAA uptake and contributes to SAA pro-inflammatory signaling in vitro and in vivo. <i>PLoS ONE</i> , 2017 , 12, e0175824	3-7	14
42	Alzheimer's Disease, Brain Injury, and C.N.S. Nanotherapy in Humans: Sonoporation Augmenting Drug Targeting. 2017 , 5, 29		2
41	Nanotherapy for Early Dementia: Targeting Senile Endothelium. 2017 ,		
40	Rumen-derived lipopolysaccharide provoked inflammatory injury in the liver of dairy cows fed a high-concentrate diet. 2017 , 8, 46769-46780		32
39	High-Density Lipoproteins: Effects on Vascular Function and Role in the Immune Response. 2018 , 36, 317-327		12
38	Role of microbiota-derived lipopolysaccharide in adipose tissue inflammation, adipocyte size and pyroptosis during obesity. 2018 , 31, 153-163		74
37	Apolipoprotein A-I: A favorable prognostic marker in infective endocarditis. 2018 , 12, 498-505		5
36	Nanotherapy for Alzheimer's disease and vascular dementia: Targeting senile endothelium. 2018 , 251, 44-54		6
35	Inflammaging: a new immune-metabolic viewpoint for age-related diseases. 2018 , 14, 576-590		831
34	Targeting Early Dementia: Using Lipid Cubic Phase Nanocarriers to Cross the Blood-Brain Barrier. 2018 , 3,		3

33	Scavenger receptor B type 1: expression, molecular regulation, and cholesterol transport function. 2018 , 59, 1114-1131		55
32	Serum amyloid A promotes LPS clearance and suppresses LPS-induced inflammation and tissue injury. 2018 , 19,		52
31	Oral vancomycin treatment does not alter markers of postprandial inflammation in lean and obese subjects. 2019 , 7, e14199		4
30	The possible structural changes in the adrenal gland cortex after induction of hepatic ischemia-reperfusion injury in male albino rats: Light and electron microscopic study. 2019 , 234, 15487		2
29	Mast Cell Cytonemes as a Defense Mechanism against <i>Coxiella burnetii</i> . 2019 , 10,		15
28	Dysbiosis of Gut Microbiota Contributes to the Development of Diabetes Mellitus. 2019 , 1, 43-48		3
27	Cholesteryl Ester Transfer Protein Influences High-Density Lipoprotein Levels and Survival in Sepsis. 2019 , 199, 854-862		44
26	Targeting the gut microbiota by dietary nutrients: A new avenue for human health. 2019 , 59, 181-195		22
25	High-Density Lipoproteins as Homeostatic Nanoparticles of Blood Plasma. 2020 , 21,		9
24	Lipids, inflammasomes, metabolism, and disease. 2020 , 297, 108-122		29
23	Characterization of class B scavenger receptor type 1 (SRB1) in turbot (<i>Scophthalmus maximus</i> L.). 2020 , 100, 358-367		6
22	Endothelial Cell Receptors in Tissue Lipid Uptake and Metabolism. <i>Circulation Research</i> , 2021 , 128, 433-457		11
21	The role of high-density lipoprotein in the regulation of the immune response: implications for atherosclerosis and autoimmunity. <i>Immunology</i> , 2021 , 164, 231-241	7.8	2
20	The role of high-density lipoprotein cholesterol, apolipoprotein A and paraoxonase-1 in the pathophysiology of neuroprogressive disorders. <i>Neuroscience and Biobehavioral Reviews</i> , 2021 , 125, 244-263	9.263	4
19	Class B Scavenger Receptors BI and BII Protect against LPS-Induced Acute Lung Injury in Mice by Mediating LPS. <i>Infection and Immunity</i> , 2021 , 89, e0030121	3.7	2
18	HDL in infectious diseases and sepsis. <i>Handbook of Experimental Pharmacology</i> , 2015 , 224, 483-508	3.2	99
17	High-Density Lipoproteins and Acute Kidney Injury. <i>Seminars in Nephrology</i> , 2020 , 40, 232-242	4.8	3
16	SR-BI protects against endotoxemia in mice through its roles in glucocorticoid production and hepatic clearance. <i>Journal of Clinical Investigation</i> , 2008 , 118, 364-75	15.9	119

15	Clustering of Tir during enteropathogenic E. coli infection triggers calcium influx-dependent pyroptosis in intestinal epithelial cells. <i>PLoS Biology</i> , 2020 , 18, e3000986	9.7	3
14	Scavenger receptor BI: a multi-purpose player in cholesterol and steroid metabolism. <i>World Journal of Gastroenterology</i> , 2010 , 16, 5916-24	5.6	36
13	Obesity and diabetes as comorbidities for COVID-19: Underlying mechanisms and the role of viral-bacterial interactions. <i>ELife</i> , 2020 , 9,	8.9	37
12	Targeting Interferon- β to the Liver: Apolipoprotein A-I as a Scaffold for Protein Delivery. 441-452		
11	Macrophages: Microbial Recognition and Response. 27-50		
10	SR-BI mediates neutral lipid sorting from LDL to lipid droplets and facilitates their formation. <i>PLoS ONE</i> , 2020 , 15, e0240659	3.7	2
9	Internalization and Transport of PEGylated Lipid-Based Mixed Micelles across Caco-2 Cells Mediated by Scavenger Receptor B1.. <i>Pharmaceutics</i> , 2021 , 13,	6.4	
8	Scavenger receptors in host defense: from functional aspects to mode of action.. <i>Cell Communication and Signaling</i> , 2022 , 20, 2	7.5	4
7	Deletion of the scavenger receptor Scarb1 in osteoblast progenitors does not affect bone mass.. <i>PLoS ONE</i> , 2022 , 17, e0265893	3.7	0
6	EPEC-induced activation of the Ca transporter TRPV2 leads to pyroptotic cell death.. <i>Molecular Microbiology</i> , 2021 ,	4.1	0
5	HDL and Sepsis.. <i>Advances in Experimental Medicine and Biology</i> , 2022 , 1377, 129-139	3.6	0
4	Cholesterol supports bovine granulosa cell inflammatory responses to lipopolysaccharide. 2022 , 164, 109-123		0
3	Scavenger receptor B1 facilitates the endocytosis of Escherichia coli via TLR4 signaling in mammary gland infection.		0
2	Scavenger receptor B1 facilitates the endocytosis of Escherichia coli via TLR4 signaling in mammary gland infection. 2023 , 21,		0
1	Requirement of scavenger receptors for activation of the IRF-3/IFN- γ /STAT-1 pathway in TLR4-mediated production of NO by LPS-activated macrophages. 2023 ,		0