

A Serine Protease Inhibitor Prevents Endoplasmic Reticulum Not Transport of the Membrane-bound Transcription Factor

Journal of Biological Chemistry

278, 31024-31032

DOI: [10.1074/jbc.m300923200](https://doi.org/10.1074/jbc.m300923200)

Citation Report

#	ARTICLE	IF	CITATIONS
1	Activation of Mammalian Unfolded Protein Response Is Compatible with the Quality Control System Operating in the Endoplasmic Reticulum. <i>Molecular Biology of the Cell</i> , 2004, 15, 2537-2548.	0.9	92
2	Effect on Tumor Cells of Blocking Survival Response to Glucose Deprivation. <i>Journal of the National Cancer Institute</i> , 2004, 96, 1300-1310.	3.0	205
3	Development of Protein-based Inhibitors of the Proprotein of Convertase SKI-1/S1P. <i>Journal of Biological Chemistry</i> , 2004, 279, 17338-17347.	1.6	51
4	Dependence of Site-2 Protease Cleavage of ATF6 on Prior Site-1 Protease Digestion Is Determined by the Size of the Luminal Domain of ATF6. <i>Journal of Biological Chemistry</i> , 2004, 279, 43046-43051.	1.6	118
5	Differential Contributions of ATF6 and XBP1 to the Activation of Endoplasmic Reticulum Stress-Responsive cis-Acting Elements ERSE, UPRE and ERSE-II. <i>Journal of Biochemistry</i> , 2004, 136, 343-350.	0.9	347
6	Aminoethyl benzenesulfonyl fluoride and its hexapeptide (Ac-VFRSLK) conjugate are both in vitro inhibitors of subtilisin kexin isozyme-1. <i>FEBS Letters</i> , 2004, 573, 186-194.	1.3	11
7	Gene expression in response to endoplasmic reticulum stress in <i>Arabidopsis thaliana</i> . <i>FEBS Journal</i> , 2005, 272, 3461-3476.	2.2	179
8	Proteomics profiling of nuclear proteins for kidney fibroblasts suggests hypoxia, meiosis, and cancer may meet in the nucleus. <i>Proteomics</i> , 2005, 5, 2819-2838.	1.3	39
9	Hyperhomocysteinemia induces hepatic cholesterol biosynthesis and lipid accumulation via activation of transcription factors. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2005, 288, E1002-E1010.	1.8	97
10	Stable Binding of ATF6 to BiP in the Endoplasmic Reticulum Stress Response. <i>Molecular and Cellular Biology</i> , 2005, 25, 921-932.	1.1	194
11	Endoplasmic reticulum stress signaling transmitted by ATF6 mediates apoptosis during muscle development. <i>Journal of Cell Biology</i> , 2005, 169, 555-560.	2.3	182
12	SpvB-mediated ADP-ribosylation as an activator for host cell actin degradation. <i>International Journal of Medical Microbiology</i> , 2005, 295, 201-212.	1.5	16
13	ER stress signaling by regulated proteolysis of ATF6. <i>Methods</i> , 2005, 35, 382-389.	1.9	92
14	Activation of the endoplasmic reticulum stress pathway is associated with survival of myeloma cells. <i>Leukemia and Lymphoma</i> , 2006, 47, 531-539.	0.6	54
15	Peering down the kaleidoscope of thiol proteomics and unfolded protein response in studying the anticancer action of selenium. , 2006, , 265-276.		0
16	XBP1 is Critical to Protect Cells from Endoplasmic Reticulum Stress: Evidence from Site-2 Protease-deficient Chinese Hamster Ovary Cells. <i>Cell Structure and Function</i> , 2006, 31, 117-125.	0.5	80
17	Analysis of ATF6 Activation in Site-2 Protease-deficient Chinese Hamster Ovary Cells. <i>Cell Structure and Function</i> , 2006, 31, 109-116.	0.5	26
18	Reduction of Disulfide Bridges in the Luminal Domain of ATF6 in Response to Glucose Starvation. <i>Cell Structure and Function</i> , 2006, 31, 127-134.	0.5	49

#	ARTICLE	IF	CITATIONS
19	Cleavage of the membrane-bound transcription factor OASIS in response to endoplasmic reticulum stress. <i>Journal of Neurochemistry</i> , 2006, 96, 1090-1100.	2.1	125
20	Enhanced selenium effect on growth arrest by BiP/GRP78 knockdown in p53-null human prostate cancer cells. <i>Oncogene</i> , 2006, 25, 546-554.	2.6	100
21	Adaptation to ER Stress Is Mediated by Differential Stabilities of Pro-Survival and Pro-Apoptotic mRNAs and Proteins. <i>PLoS Biology</i> , 2006, 4, e374.	2.6	694
22	Cleavage of Misfolded Nuclear Receptor Corepressor Confers Resistance to Unfolded Protein Response-Induced Apoptosis. <i>Cancer Research</i> , 2006, 66, 9903-9912.	0.4	19
23	The Proprotein Convertase SKI-1/S1P. <i>Journal of Biological Chemistry</i> , 2006, 281, 23471-23481.	1.6	57
24	Geranylgeranylacetone, an Inducer of the 70-kDa Heat Shock Protein (HSP70), Elicits Unfolded Protein Response and Coordinates Cellular Fate Independently of HSP70. <i>Molecular Pharmacology</i> , 2007, 72, 1337-1348.	1.0	53
25	Association of Specific Proteolytic Processing of Bone Sialoprotein and Bone Acidic Glycoprotein-75 with Mineralization within Biomineralization Foci. <i>Journal of Biological Chemistry</i> , 2007, 282, 26002-26013.	1.6	33
26	The Proprotein Convertase SKI-1/S1P. <i>Journal of Biological Chemistry</i> , 2007, 282, 27402-27413.	1.6	30
27	Trans-10, cis-12 conjugated linoleic acid activates the integrated stress response pathway in adipocytes. <i>Physiological Genomics</i> , 2007, 31, 544-553.	1.0	36
28	Role of Disulfide Bridges Formed in the Luminal Domain of ATF6 in Sensing Endoplasmic Reticulum Stress. <i>Molecular and Cellular Biology</i> , 2007, 27, 1027-1043.	1.1	217
29	Nucleobindin 1 Controls the Unfolded Protein Response by Inhibiting ATF6 Activation. <i>Journal of Biological Chemistry</i> , 2007, 282, 29264-29272.	1.6	64
30	Transcriptional activation of ATF6 by endoplasmic reticulum stressors. <i>Biochemical and Biophysical Research Communications</i> , 2007, 355, 543-548.	1.0	44
31	ER Stress Triggers Apoptosis by Activating BH3-Only Protein Bim. <i>Cell</i> , 2007, 129, 1337-1349.	18.5	1,235
32	ATF6 β Optimizes Long-Term Endoplasmic Reticulum Function to Protect Cells from Chronic Stress. <i>Developmental Cell</i> , 2007, 13, 351-364.	3.1	588
33	Endoplasmic reticulum stress causes the activation of sterol regulatory element binding protein-2. <i>International Journal of Biochemistry and Cell Biology</i> , 2007, 39, 1843-1851.	1.2	163
34	Atypical, bidirectional regulation of cadmium-induced apoptosis via distinct signaling of unfolded protein response. <i>Cell Death and Differentiation</i> , 2007, 14, 1467-1474.	5.0	137
35	Geldanamycin induces CHOP expression through a 4-(2-aminoethyl)-benzenesulfonyl fluoride-responsive serine protease. <i>Cell Research</i> , 2007, 17, 184-186.	5.7	7
36	Cellular response to unfolded proteins in the endoplasmic reticulum of plants. <i>FEBS Journal</i> , 2007, 274, 1152-1171.	2.2	112

#	ARTICLE	IF	CITATIONS
37	Inhibitory effect of 4-(2-aminoethyl)-benzenesulfonyl fluoride, a serine protease inhibitor, on PI3K inhibitor-induced CHOP expression. <i>European Journal of Pharmacology</i> , 2007, 554, 8-11.	1.7	6
38	Etoposide-resistant HT-29 human colon carcinoma cells during glucose deprivation are sensitive to piperidin A, a GRP78 down-regulator. <i>Journal of Cellular Physiology</i> , 2008, 215, 243-250.	2.0	38
39	GRP78 and Raf-1 cooperatively confer resistance to endoplasmic reticulum stress-induced apoptosis. <i>Journal of Cellular Physiology</i> , 2008, 215, 627-635.	2.0	63
40	Endoplasmic reticulum stress and the unfolded protein response are linked to synergistic IFN- γ induction via XBP1. <i>European Journal of Immunology</i> , 2008, 38, 1194-1203.	1.6	278
41	Loss of c/EBP- β activity promotes the adaptive to apoptotic switch in hypoxic cortical neurons. <i>Molecular and Cellular Neurosciences</i> , 2008, 38, 125-137.	1.0	27
42	Post-translational regulation of plant bZIP factors. <i>Trends in Plant Science</i> , 2008, 13, 247-255.	4.3	132
43	Membrane-bound transcription factors in plants. <i>Trends in Plant Science</i> , 2008, 13, 550-556.	4.3	199
44	The Mechanism of Cystic Fibrosis Transmembrane Conductance Regulator Transcriptional Repression during the Unfolded Protein Response. <i>Journal of Biological Chemistry</i> , 2008, 283, 12154-12165.	1.6	66
45	Potential Role of Proprotein Convertase SKI-1 in the Mineralization of Primary Bone. <i>Cells Tissues Organs</i> , 2009, 189, 25-32.	1.3	21
46	The Sterol-sensing Endoplasmic Reticulum (ER) Membrane Protein TRC8 Hampers ER to Golgi Transport of Sterol Regulatory Element-binding Protein-2 (SREBP-2)/SREBP Cleavage-activated Protein and Reduces SREBP-2 Cleavage. <i>Journal of Biological Chemistry</i> , 2009, 284, 28995-29004.	1.6	57
47	Unconventional splicing of XBP1 mRNA occurs in the cytoplasm during the mammalian unfolded protein response. <i>Journal of Cell Science</i> , 2009, 122, 2877-2886.	1.2	133
48	Urokinase activates macrophage PON2 gene transcription via the PI3K/ROS/MEK/SREBP-2 signalling cascade mediated by the PDGFR- β . <i>Cardiovascular Research</i> , 2009, 84, 145-154.	1.8	42
49	Activation of the Akt-NF- κ B Pathway by Subtilase Cytotoxin through the ATF6 Branch of the Unfolded Protein Response. <i>Journal of Immunology</i> , 2009, 183, 1480-1487.	0.4	249
50	N-glycosylation of ATF6 β is essential for its proteolytic cleavage and transcriptional repressor function to ATF6 α . <i>Journal of Cellular Biochemistry</i> , 2009, 108, 825-831.	1.2	19
51	SREBPs: protein interaction and SREBPs. <i>FEBS Journal</i> , 2009, 276, 622-627.	2.2	31
52	Coordination of the secretory compartments via inter-organelle signalling. <i>Seminars in Cell and Developmental Biology</i> , 2009, 20, 801-809.	2.3	34
53	Astragalus polysaccharides decreased the expression of PTP1B through relieving ER stress induced activation of ATF6 in a rat model of type 2 diabetes. <i>Molecular and Cellular Endocrinology</i> , 2009, 307, 89-98.	1.6	91
54	Isolation stress for 30 days alters hepatic gene expression profiles, especially with reference to lipid metabolism in mice. <i>Physiological Genomics</i> , 2009, 37, 79-87.	1.0	21

#	ARTICLE	IF	CITATIONS
55	Palmitate induces insulin resistance without significant intracellular triglyceride accumulation in HepG2 cells. <i>Metabolism: Clinical and Experimental</i> , 2010, 59, 927-934.	1.5	67
56	Incorporating significant amino acid pairs to identify O-linked glycosylation sites on transmembrane proteins and non-transmembrane proteins. <i>BMC Bioinformatics</i> , 2010, 11, 536.	1.2	34
57	Induction of Liver Steatosis and Lipid Droplet Formation in ATF6 ^{1±} -Knockout Mice Burdened with Pharmacological Endoplasmic Reticulum Stress. <i>Molecular Biology of the Cell</i> , 2010, 21, 2975-2986.	0.9	254
58	ATF6 is important under both pathological and physiological states in the heart. <i>Journal of Molecular and Cellular Cardiology</i> , 2010, 49, 113-120.	0.9	65
59	Endoplasmic Reticulum Calcium Depletion Impacts Chaperone Secretion, Innate Immunity, and Phagocytic Uptake of Cells. <i>Journal of Immunology</i> , 2011, 187, 919-931.	0.4	85
60	Selective Abrogation of BiP/GRP78 Blunts Activation of NF- κ B through the ATF6 Branch of the UPR: Involvement of C/EBP β and mTOR-Dependent Dephosphorylation of Akt. <i>Molecular and Cellular Biology</i> , 2011, 31, 1710-1718.	1.1	91
61	Inhibition of the Unfolded Protein Response by metformin in renal proximal tubular epithelial cells. <i>Biochemical and Biophysical Research Communications</i> , 2011, 409, 500-505.	1.0	20
62	Serine protease inhibitor, 4-(2-aminoethyl)-benzene sulfonyl fluoride, impairs IL-12-induced activation of pSTAT4 β , NF- κ B, and select pro-inflammatory mediators from estrogen-treated mice. <i>Immunobiology</i> , 2011, 216, 1264-1273.	0.8	3
63	Luminal Domain of ATF6 Alone Is Sufficient for Sensing Endoplasmic Reticulum Stress and Subsequent Transport to the Golgi Apparatus. <i>Cell Structure and Function</i> , 2011, 36, 35-47.	0.5	41
64	Use of Chemical Genomics in Assessment of the UPR. <i>Methods in Enzymology</i> , 2011, 491, 327-341.	0.4	8
65	Small GTPase Signaling and the Unfolded Protein Response. <i>Methods in Enzymology</i> , 2011, 491, 343-360.	0.4	4
66	N-Glycosylation controls trafficking, zymogen activation and substrate processing of proprotein convertases PC1/3 and subtilisin kexin isozyme-1. <i>Glycobiology</i> , 2011, 21, 1290-1300.	1.3	19
67	Proprotein Convertase PC7 Enhances the Activation of the EGF Receptor Pathway through Processing of the EGF Precursor. <i>Journal of Biological Chemistry</i> , 2011, 286, 9185-9195.	1.6	26
68	The Role of Nogo and the Mitochondria-Endoplasmic Reticulum Unit in Pulmonary Hypertension. <i>Science Translational Medicine</i> , 2011, 3, 88ra55.	5.8	193
69	Phosphatidylethanolamines Modified by β -Ketoaldehyde (β KA) Induce Endoplasmic Reticulum Stress and Endothelial Activation. <i>Journal of Biological Chemistry</i> , 2011, 286, 18170-18180.	1.6	46
70	Endoplasmic reticulum stress in glomerular epithelial cell injury. <i>American Journal of Physiology - Renal Physiology</i> , 2011, 301, F496-F508.	1.3	21
71	The ATF6 branch of unfolded protein response and apoptosis are activated to promote African swine fever virus infection. <i>Cell Death and Disease</i> , 2012, 3, e341-e341.	2.7	84
72	Identification of Toyocamycin, an agent cytotoxic for multiple myeloma cells, as a potent inhibitor of ER stress-induced XBP1 mRNA splicing. <i>Blood Cancer Journal</i> , 2012, 2, e79-e79.	2.8	149

#	ARTICLE	IF	CITATIONS
73	Homocysteine Upregulates Soluble Epoxide Hydrolase in Vascular Endothelium In Vitro and In Vivo. <i>Circulation Research</i> , 2012, 110, 808-817.	2.0	80
74	Selective Activation of ATF6 and PERK Endoplasmic Reticulum Stress Signaling Pathways Prevent Mutant Rhodopsin Accumulation. , 2012, 53, 7159.		86
75	DangER: protein ovERload. Targeting protein degradation to treat myeloma. <i>Haematologica</i> , 2012, 97, 1119-1130.	1.7	61
76	ER stress contributes to renal proximal tubule injury by increasing SREBP-2-mediated lipid accumulation and apoptotic cell death. <i>American Journal of Physiology - Renal Physiology</i> , 2012, 303, F266-F278.	1.3	59
77	Endoplasmic Reticulum Stress Regulates the Innate Immunity Critical Transcription Factor IRF3. <i>Journal of Immunology</i> , 2012, 189, 4630-4639.	0.4	108
78	A Thrombospondin-Dependent Pathway for Protective ER Stress Response. <i>Cell</i> , 2012, 149, 1257-1268.	13.5	178
79	Activation status of integrated stress response pathways in neurones and astrocytes of HIV-associated neurocognitive disorders (HAND) cortex. <i>Neuropathology and Applied Neurobiology</i> , 2012, 38, 175-200.	1.8	39
80	Endoplasmic reticulum stress leads to lipid accumulation through upregulation of SREBP-1c in normal hepatic and hepatoma cells. <i>Molecular and Cellular Biochemistry</i> , 2013, 381, 127-137.	1.4	89
81	Small-molecule inhibitors of SREBP activation – potential for new treatment of metabolic disorders. <i>MedChemComm</i> , 2013, 4, 1422.	3.5	10
82	Targeting the IRE1/XBP1 and ATF6 Arms of the Unfolded Protein Response Enhances VEGF Blockade to Prevent Retinal and Choroidal Neovascularization. <i>American Journal of Pathology</i> , 2013, 182, 1412-1424.	1.9	50
83	The unfolded protein response in plants: A fundamental adaptive cellular response to internal and external stresses. <i>Journal of Proteomics</i> , 2013, 93, 356-368.	1.2	49
84	Involvement of caspase-12-dependent apoptotic pathway in ionic radiocontrast urografin-induced renal tubular cell injury. <i>Toxicology and Applied Pharmacology</i> , 2013, 266, 167-175.	1.3	18
85	ATF6 β -mediated adjustment of ER chaperone levels is essential for development of the notochord in medaka fish. <i>Molecular Biology of the Cell</i> , 2013, 24, 1387-1395.	0.9	51
86	Site-1 Protease. , 2013, , 3265-3270.		2
87	Perilipin-Mediated Lipid Droplet Formation in Adipocytes Promotes Sterol Regulatory Element-Binding Protein-1 Processing and Triacylglyceride Accumulation. <i>PLoS ONE</i> , 2013, 8, e64605.	1.1	48
88	Cyclophilin B is involved in p300-mediated degradation of CHOP in tumor cell adaptation to hypoxia. <i>Cell Death and Differentiation</i> , 2014, 21, 438-450.	5.0	34
89	Cellular Mechanisms of Endoplasmic Reticulum Stress Signaling in Health and Disease. 1. An overview. <i>American Journal of Physiology - Cell Physiology</i> , 2014, 307, C582-C594.	2.1	147
90	A novel processing system of sterol regulatory element-binding protein-1c regulated by polyunsaturated fatty acid. <i>Journal of Biochemistry</i> , 2014, 155, 301-313.	0.9	30

#	ARTICLE	IF	CITATIONS
91	ERp29 deficiency affects sensitivity to apoptosis via impairment of the ATF6-CHOP pathway of stress response. <i>Apoptosis: an International Journal on Programmed Cell Death</i> , 2014, 19, 801-815.	2.2	53
92	Switching between humoral and cellular immune responses in <i>Drosophila</i> is guided by the cytokine GBP. <i>Nature Communications</i> , 2014, 5, 4628.	5.8	64
93	Open Reading Frame 3 of Genotype 1 Hepatitis E Virus Inhibits Nuclear Factor- κ B Signaling Induced by Tumor Necrosis Factor- α in Human A549 Lung Epithelial Cells. <i>PLoS ONE</i> , 2014, 9, e100787.	1.1	30
94	Crosstalk between the Unfolded Protein Response and NF- κ B-Mediated Inflammation in the Progression of Chronic Kidney Disease. <i>Journal of Immunology Research</i> , 2015, 2015, 1-10.	0.9	27
95	The unfolded protein response in glioblastomas: targetable or trouble?. <i>Future Science OA</i> , 2015, 1, FSO45.	0.9	8
96	The transrepression arm of glucocorticoid receptor signaling is protective in mutant huntingtin-mediated neurodegeneration. <i>Cell Death and Differentiation</i> , 2015, 22, 1388-1396.	5.0	17
97	Down-regulation of E2F1 during ER stress is required to induce apoptosis. <i>Journal of Cell Science</i> , 2015, 128, 1166-79.	1.2	42
98	Endoplasmic Reticulum Stress Signaling in Mammalian Oocytes and Embryos: Life in Balance. <i>International Review of Cell and Molecular Biology</i> , 2015, 316, 227-265.	1.6	48
99	Enediynyl peptides and iso-coumarinyl methyl sulfones as inhibitors of proprotein convertases PCSK8/SKI-1/S1P and PCSK4/PC4: Design, synthesis and biological evaluations. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2015, 25, 2225-2237.	1.0	10
100	Controlling the unfolded protein response-mediated life and death decisions in cancer. <i>Seminars in Cancer Biology</i> , 2015, 33, 57-66.	4.3	82
101	Oxidative Stress, Unfolded Protein Response, and Apoptosis in Developmental Toxicity. <i>International Review of Cell and Molecular Biology</i> , 2015, 317, 1-66.	1.6	65
102	Hypoxic preconditioning and cell death from oxygen/glucose deprivation co-opt a subset of the unfolded protein response in hippocampal neurons. <i>Neuroscience</i> , 2015, 310, 306-321.	1.1	13
103	PAQR3 modulates cholesterol homeostasis by anchoring Scap/SREBP complex to the Golgi apparatus. <i>Nature Communications</i> , 2015, 6, 8100.	5.8	68
104	Ceapins are a new class of unfolded protein response inhibitors, selectively targeting the ATF6 branch. <i>ELife</i> , 2016, 5, .	2.8	144
105	Ceapins inhibit ATF6 signaling by selectively preventing transport of ATF6 to the Golgi apparatus during ER stress. <i>ELife</i> , 2016, 5, .	2.8	107
106	PERK Is a Haploinsufficient Tumor Suppressor: Gene Dose Determines Tumor-Suppressive Versus Tumor Promoting Properties of PERK in Melanoma. <i>PLoS Genetics</i> , 2016, 12, e1006518.	1.5	41
107	Unfolded protein response induced by Brefeldin A increases collagen type I levels in hepatic stellate cells through an IRE1, p38 MAPK and Smad-dependent pathway. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2016, 1863, 2115-2123.	1.9	33
109	The rise of proteostasis promoters. <i>IUBMB Life</i> , 2016, 68, 943-954.	1.5	29

#	ARTICLE	IF	CITATIONS
110	Tumor progression and the different faces of the PERK kinase. <i>Oncogene</i> , 2016, 35, 1207-1215.	2.6	52
111	Activation of unfolded protein response pathway is important for valproic acid mediated increase in immunoglobulin G productivity in recombinant Chinese hamster ovary cells. <i>Journal of Bioscience and Bioengineering</i> , 2017, 124, 459-468.	1.1	10
112	Endoplasmic Reticulum Stress in Mice Increases Hepatic Expression of Genes Carrying a Premature Termination Codon via a Nutritional Status-Independent GRP78-Independent Mechanism. <i>Journal of Cellular Biochemistry</i> , 2017, 118, 3810-3824.	1.2	4
113	Cancer-specific PERK signaling drives invasion and metastasis through CREB3L1. <i>Nature Communications</i> , 2017, 8, 1079.	5.8	95
114	SREBP-regulated lipid metabolism: convergent physiology – divergent pathophysiology. <i>Nature Reviews Endocrinology</i> , 2017, 13, 710-730.	4.3	696
115	Aspirin metabolite sodium salicylate selectively inhibits transcriptional activity of ATF6 β and downstream target genes. <i>Scientific Reports</i> , 2017, 7, 9190.	1.6	6
116	Emerging Role of the Unfolded Protein Response in Tumor Immunosurveillance. <i>Trends in Cancer</i> , 2017, 3, 491-505.	3.8	32
117	Sublethal endoplasmic reticulum stress caused by the mutation of immunoglobulin heavy chain-binding protein induces the synthesis of a mitochondrial protein, pyrroline-5-carboxylate reductase 1. <i>Cell Stress and Chaperones</i> , 2017, 22, 77-85.	1.2	2
118	Emerging Metabolic Therapies in Pulmonary Arterial Hypertension. <i>Journal of Clinical Medicine</i> , 2017, 6, 43.	1.0	40
119	Protein Localization at Mitochondria-ER Contact Sites in Basal and Stress Conditions. <i>Frontiers in Cell and Developmental Biology</i> , 2017, 5, 107.	1.8	15
120	IRE1-XBP1 pathway regulates oxidative proinsulin folding in pancreatic β cells. <i>Journal of Cell Biology</i> , 2018, 217, 1287-1301.	2.3	89
121	A novel role of ER stress signal transducer ATF6 in regulating enterovirus A71 viral protein stability. <i>Journal of Biomedical Science</i> , 2018, 25, 9.	2.6	8
122	ER Stress, Human Health and Role of Ca ²⁺ -Binding Chaperones. <i>Heat Shock Proteins</i> , 2018, , 219-249.	0.2	0
123	Pharmacologic inhibition of S1P attenuates ATF6 expression, causes ER stress and contributes to apoptotic cell death. <i>Toxicology and Applied Pharmacology</i> , 2018, 349, 1-7.	1.3	23
124	Mutual interaction between oxidative stress and endoplasmic reticulum stress in the pathogenesis of diseases specifically focusing on non-alcoholic fatty liver disease. <i>World Journal of Biological Chemistry</i> , 2018, 9, 1-15.	1.7	57
125	The Unfolded Protein Response in Breast Cancer. <i>Cancers</i> , 2018, 10, 344.	1.7	62
126	Cholesterol Homeostatic Regulator SCAP-SREBP2 Integrates NLRP3 Inflammasome Activation and Cholesterol Biosynthetic Signaling in Macrophages. <i>Immunity</i> , 2018, 49, 842-856.e7.	6.6	184
127	The UPR Activator ATF6 Responds to Proteotoxic and Lipotoxic Stress by Distinct Mechanisms. <i>Developmental Cell</i> , 2018, 46, 327-343.e7.	3.1	115

#	ARTICLE	IF	CITATIONS
128	Dynamic changes in complexes of IRE1 β , PERK, and ATF6 β during endoplasmic reticulum stress. <i>Molecular Biology of the Cell</i> , 2018, 29, 1376-1388.	0.9	48
129	The unfolded protein response as a target for anticancer therapeutics. <i>Critical Reviews in Oncology/Hematology</i> , 2018, 127, 66-79.	2.0	102
130	Endoplasmic reticulum stress signalling – from basic mechanisms to clinical applications. <i>FEBS Journal</i> , 2019, 286, 241-278.	2.2	568
131	Serine protease inhibitor AEBSF reduces dengue virus infection via decreased cholesterol synthesis. <i>Virus Research</i> , 2019, 271, 197672.	1.1	9
132	SILAC-based quantitative mass spectrometry-based proteomics quantifies endoplasmic reticulum stress in whole HeLa cells. <i>DMM Disease Models and Mechanisms</i> , 2019, 12, .	1.2	10
133	Atf6 β impacts cell number by influencing survival, death and proliferation. <i>Molecular Metabolism</i> , 2019, 27, S69-S80.	3.0	23
134	IRE1 Signaling As a Putative Therapeutic Target in Influenza Virus-induced Pneumonia. <i>American Journal of Respiratory Cell and Molecular Biology</i> , 2019, 61, 537-540.	1.4	4
135	Unfolded Protein Response (UPR) in Survival, Dormancy, Immunosuppression, Metastasis, and Treatments of Cancer Cells. <i>International Journal of Molecular Sciences</i> , 2019, 20, 2518.	1.8	81
136	Protein arginine methyltransferase-1 induces ER stress and epithelial-mesenchymal transition in renal tubular epithelial cells and contributes to diabetic nephropathy. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2019, 1865, 2563-2575.	1.8	21
137	Activation of the Endoplasmic Reticulum Stress Response Impacts the NOD1 Signaling Pathway. <i>Infection and Immunity</i> , 2019, 87, .	1.0	21
138	KSHV activates unfolded protein response sensors but suppresses downstream transcriptional responses to support lytic replication. <i>PLoS Pathogens</i> , 2019, 15, e1008185.	2.1	36
139	Reinvestigation of Disulfide-bonded Oligomeric Forms of the Unfolded Protein Response Transducer ATF6. <i>Cell Structure and Function</i> , 2020, 45, 9-21.	0.5	11
140	VIP conditions human endometrial receptivity by privileging endoplasmic reticulum stress through ATF6 β pathway. <i>Molecular and Cellular Endocrinology</i> , 2020, 516, 110948.	1.6	7
141	Stbd1 promotes glycogen clustering during endoplasmic reticulum stress and supports survival of mouse myoblasts. <i>Journal of Cell Science</i> , 2020, 133, .	1.2	12
142	Small molecule strategies to harness the unfolded protein response: where do we go from here?. <i>Journal of Biological Chemistry</i> , 2020, 295, 15692-15711.	1.6	70
143	ALA protects against ERS-mediated apoptosis in a cochlear cell model with low citrate synthase expression. <i>Archives of Biochemistry and Biophysics</i> , 2020, 688, 108402.	1.4	6
144	Rescue of HSP70 in Spinal Neurons Alleviates Opioids-Induced Hyperalgesia via the Suppression of Endoplasmic Reticulum Stress in Rodents. <i>Frontiers in Cell and Developmental Biology</i> , 2020, 8, 269.	1.8	14
145	Pharmacological induction of selective endoplasmic reticulum retention as a strategy for cancer therapy. <i>Nature Communications</i> , 2020, 11, 1304.	5.8	22

#	ARTICLE	IF	CITATIONS
146	Sledgehammer to Scalpel: Broad Challenges to the Heart and Other Tissues Yield Specific Cellular Responses via Transcriptional Regulation of the ER-Stress Master Regulator ATF6 β . International Journal of Molecular Sciences, 2020, 21, 1134.	1.8	7
147	The PAR2 signal peptide prevents premature receptor cleavage and activation. PLoS ONE, 2020, 15, e0222685.	1.1	3
148	The Impact of the ER Unfolded Protein Response on Cancer Initiation and Progression: Therapeutic Implications. Advances in Experimental Medicine and Biology, 2020, 1243, 113-131.	0.8	17
149	Dysregulation of the unfolded protein response (UPR) in the dorsolateral prefrontal cortex in elderly patients with schizophrenia. Molecular Psychiatry, 2021, 26, 1321-1331.	4.1	27
150	Amino Acids in Endoplasmic Reticulum Stress and Redox Signaling. Advances in Experimental Medicine and Biology, 2021, 1332, 35-49.	0.8	7
151	Molecular Mechanism of the ATF6 β /S1P/S2P Signaling Pathway in Hippocampal Neuronal Apoptosis in SPS Rats. Journal of Molecular Neuroscience, 2021, 71, 2487-2499.	1.1	3
152	Manipulation of the unfolded protein response: A pharmacological strategy against coronavirus infection. PLoS Pathogens, 2021, 17, e1009644.	2.1	55
153	Roles of XBP1s in Transcriptional Regulation of Target Genes. Biomedicines, 2021, 9, 791.	1.4	89
154	Unfolded protein response inhibitors cure group A streptococcal necrotizing fasciitis by modulating host asparagine. Science Translational Medicine, 2021, 13, .	5.8	6
155	The Proprotein Convertases, 20 Years Later. Methods in Molecular Biology, 2011, 768, 23-57.	0.4	140
156	MZB1 enables efficient interferon β secretion in stimulated plasmacytoid dendritic cells. Scientific Reports, 2020, 10, 21626.	1.6	12
157	Transcription factor old astrocyte specifically induced substance is a novel regulator of kidney fibrosis. FASEB Journal, 2021, 35, e21158.	0.2	12
160	Klotho Ameliorates Chemically Induced Endoplasmic Reticulum (ER) Stress Signaling. Cellular Physiology and Biochemistry, 2013, 31, 659-672.	1.1	38
161	Insulin demand regulates β cell number via the unfolded protein response. Journal of Clinical Investigation, 2015, 125, 3831-3846.	3.9	175
162	Coxsackievirus B3 Infection Triggers Autophagy through 3 Pathways of Endoplasmic Reticulum Stress. Biomedical and Environmental Sciences, 2018, 31, 867-875.	0.2	14
163	Ceapins block the unfolded protein response sensor ATF6 β by inducing a neomorphic inter-organelle tether. ELife, 2019, 8, .	2.8	46
164	Non-canonical activation of the ER stress sensor ATF6 by <i>Legionella pneumophila</i> effectors. Life Science Alliance, 2021, 4, e202101247.	1.3	8
165	Pharmacological targeting of endoplasmic reticulum stress in disease. Nature Reviews Drug Discovery, 2022, 21, 115-140.	21.5	162

#	ARTICLE	IF	CITATIONS
166	Proteotoxic Stress as an Exploitable Vulnerability in Cells with Hyperactive AKT. <i>International Journal of Molecular Sciences</i> , 2021, 22, 11376.	1.8	2
167	JNK-Mediated SREBP-2 Processing by Genistein up-regulates LDLR Expression in HepG2 Cells. <i>Journal of Nutrition & Food Sciences</i> , 2014, 04, .	1.0	1
169	Endoplasmic Reticulum Stress Signalling During Development. <i>Cancer Drug Discovery and Development</i> , 2019, , 17-47.	0.2	1
173	PERK signaling through C/EBP β contributes to ER stress-induced expression of immunomodulatory and tumor promoting chemokines by cancer cells. <i>Cell Death and Disease</i> , 2021, 12, 1038.	2.7	16
174	The Interplay between the Unfolded Protein Response, Inflammation and Infection in Cystic Fibrosis. <i>Cells</i> , 2021, 10, 2980.	1.8	12
175	Regulation of the Homeostatic Unfolded Protein Response in Diabetic Nephropathy. <i>Pharmaceuticals</i> , 2022, 15, 401.	1.7	7
187	Linking unfolded protein response to ovarian cancer cell fusion. <i>BMC Cancer</i> , 2022, 22, .	1.1	8
188	Evaluation of aminopyrrolidine amide to improve chloride transport in CFTR-defective cells. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2022, 72, 128866.	1.0	2
189	Targeting IRE1 α and PERK in the endoplasmic reticulum stress pathway attenuates fatty acid-induced insulin resistance in bovine hepatocytes. <i>Journal of Dairy Science</i> , 2022, 105, 6895-6908.	1.4	7
190	Capturing the conversion of the pathogenic alpha-1-antitrypsin fold by ATF6 enhanced proteostasis. <i>Cell Chemical Biology</i> , 2023, 30, 22-42.e5.	2.5	6
191	ER stress induces upregulation of transcription factor Tbx20 and downstream Bmp2 signaling to promote cardiomyocyte survival. <i>Journal of Biological Chemistry</i> , 2023, 299, 103031.	1.6	1