

# CITATION REPORT

List of articles citing

European Scleroderma Study Group to define disease activity criteria for systemic sclerosis. III. Assessment of the construct validity of the preliminary activity criteria

DOI: 10.1136/ard.62.9.901

Annals of the Rheumatic Diseases, 2003, 62, 901-3.

**Source:** <https://exaly.com/paper-pdf/35734310/citation-report.pdf>

**Version:** 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
109	Circulating endothelial cells as a marker of ongoing vascular disease in systemic sclerosis. <b>2004</b> , 50, 1296-304		125
108	Peripheral blood stem cell transplantation in 16 patients with POEMS syndrome, and a review of the literature. <b>2004</b> , 104, 3400-7		174
107	Infrared-monitored cold response in the assessment of Raynaud's phenomenon. <b>2006</b> , 31, 6-12		21
106	Human cytomegalovirus pp65 lower matrix protein: a humoral immunogen for systemic lupus erythematosus patients and autoantibody accelerator for NZB/W F1 mice. <b>2006</b> , 143, 167-79		29
105	[Systemic sclerosis - diagnosis and classification]. <b>2006</b> , 65, 268-74		8
104	Bone marrow endothelial progenitors are defective in systemic sclerosis. <b>2006</b> , 54, 2605-15		140
103	What does the clinician need to improve patient care in systemic sclerosis?. <i>Annals of the Rheumatic Diseases</i> , <b>2007</b> , 66, 1129-31	2.4	1
102	Clinical risk assessment of organ manifestations in systemic sclerosis: a report from the EULAR Scleroderma Trials And Research group database. <i>Annals of the Rheumatic Diseases</i> , <b>2007</b> , 66, 754-63	2.4	555
101	Chapter 9 Juvenile Systemic Sclerosis. <b>2007</b> , 6, 107-118		
100	Sjögren's Syndrome Disease Damage Index and disease activity index: scoring systems for the assessment of disease damage and disease activity in Sjögren's syndrome, derived from an analysis of a cohort of Italian patients. <b>2007</b> , 56, 2223-31		145
99	Update on indices of disease activity in systemic sclerosis. <i>Seminars in Arthritis and Rheumatism</i> , <b>2007</b> , 37, 93-8	5.3	48
98	Sclérodémie systémique: État des lieux en 2008. <b>2008</b> , 75, 918-924		
97	[Systemic sclerosis]. <b>2008</b> , 49, 278-85		2
96	Quality of life in systemic sclerosis: psychometric properties of the World Health Organization Disability Assessment Schedule II. <b>2008</b> , 59, 270-8		64
95	Systemic sclerosis: an update in 2008. <b>2008</b> , 75, 650-5		48
94	Comment on: disease activity criteria in scleroderma. <i>Seminars in Arthritis and Rheumatism</i> , <b>2008</b> , 37, 271-2; author reply 272	5.3	1
93	Early atherosclerosis in systemic sclerosis and its relation to disease or traditional risk factors. <b>2008</b> , 10, R49		48

92	Patients with systemic autoimmune diseases could not distinguish comorbidities from their index disease. <b>2008</b> , 61, 654-62	8
91	Establishment and partial validation of a patient skin self-assessment questionnaire in systemic sclerosis. <b>2009</b> , 48, 309-14	5
90	Autologous progenitor cell implantation as a novel therapeutic intervention for ischaemic digits in systemic sclerosis. <b>2009</b> , 48, 61-4	43
89	The EULAR Scleroderma Trials and Research Group (EUSTAR): an international framework for accelerating scleroderma research. <b>2008</b> , 20, 703-6	8
88	Antibodies against PM/Scl-75 and PM/Scl-100 are independent markers for different subsets of systemic sclerosis patients. <b>2009</b> , 11, R22	87
87	Diagnostic value of anti-topoisomerase I antibodies in a large monocentric cohort. <b>2009</b> , 11, R28	32
86	Coronary atherosclerosis using computed tomography coronary angiography in patients with systemic sclerosis. <b>2009</b> , 38, 381-5	17
85	What is the relationship between disease activity, severity and damage in a large Canadian systemic sclerosis cohort? Results from the Canadian Scleroderma Research Group (CSRG). <b>2010</b> , 30, 1205-10	15
84	The current state of biomarkers in systemic sclerosis. <b>2010</b> , 12, 34-9	17
83	The association between disease activity and duration in systemic sclerosis. <b>2010</b> , 37, 2299-306	6
82	Cost-of-illness of patients with systemic sclerosis in a tertiary care centre. <b>2010</b> , 49, 1920-8	33
81	Construct validity evaluation of the European Scleroderma Study Group activity index, and investigation of possible new disease activity markers in systemic sclerosis. <b>2010</b> , 49, 1133-45	25
80	Antiendothelial cell antibodies induce apoptosis of bone marrow endothelial progenitors in systemic sclerosis. <b>2010</b> , 37, 2053-63	32
79	The Role of Ultrasonography in the Assessment of Skeletal Hand Involvement in Systemic Sclerosis. <b>2011</b> , 19, 141-142	1
78	Biomarkers in the management of scleroderma: an update. <b>2011</b> , 13, 4-12	20
77	Systemic sclerosis is an independent risk factor for increased coronary artery calcium deposition. <b>2011</b> , 63, 1387-95	42
76	Registries in systemic sclerosis: a worldwide experience. <b>2011</b> , 50, 60-8	31
75	Skin autofluorescence, as marker of accumulation of advanced glycation endproducts and of cumulative metabolic stress, is not increased in patients with systemic sclerosis. <b>2011</b> , 2011, 417813	4

74	Association of C-reactive protein with high disease activity in systemic sclerosis: results from the Canadian Scleroderma Research Group. <b>2012</b> , 64, 1405-14	72
73	Erectile dysfunction is frequent in systemic sclerosis and associated with severe disease: a study of the EULAR Scleroderma Trial and Research group. <b>2012</b> , 14, R37	28
72	Dysexecutive syndrome: a specific pattern of cognitive impairment in systemic sclerosis. <b>2012</b> , 25, 57-62	7
71	The association of illness perceptions with physical and mental health in systemic sclerosis patients: an exploratory study. <b>2012</b> , 10, 18-28	22
70	Exaggerated increase of exercise-induced pulmonary artery pressure in systemic sclerosis patients predominantly results from left ventricular diastolic dysfunction. <b>2013</b> , 102, 813-20	9
69	Nailfold capillaroscopy in systemic sclerosis: data from the EULAR scleroderma trials and research (EUSTAR) database. <b>2013</b> , 89, 122-8	73
68	Esclerodermia. <b>2013</b> , 11, 1981-1990	
67	Low socioeconomic status (measured by education) and outcomes in systemic sclerosis: data from the Canadian Scleroderma Research Group. <b>2013</b> , 40, 447-54	14
66	Stress Doppler echocardiography in systemic sclerosis: evidence for a role in the prediction of pulmonary hypertension. <b>2013</b> , 65, 2403-11	38
65	Clinical correlates of a subset of anti-CENP-A antibodies cross-reacting with FOXE3p53-62 in systemic sclerosis. <b>2013</b> , 15, R72	5
64	Rosuvastatin improves impaired endothelial function, lowers high sensitivity CRP, complement and immunocomplex production in patients with systemic sclerosis--a prospective case-series study. <b>2013</b> , 15, R105	31
63	IL-17A induces endothelial inflammation in systemic sclerosis via the ERK signaling pathway. <b>2013</b> , 8, e85032	44
62	Heart diastolic dysfunction in patients with systemic sclerosis. <b>2014</b> , 10, 445-54	11
61	Nailfold videocapillaroscopy micro-haemorrhage and giant capillary counting as an accurate approach for a steady state definition of disease activity in systemic sclerosis. <b>2014</b> , 16, 462	24
60	Clinical usefulness of measuring red blood cell distribution width in patients with systemic sclerosis. <b>2014</b> , 53, 1439-45	19
59	Serum endothelin-1 and NT-proBNP, but not ADMA, endoglin and TIMP-1 levels, reflect impaired right ventricular function in patients with systemic sclerosis. <b>2014</b> , 33, 83-9	16
58	Musculoskeletal involvement in systemic sclerosis. <b>2014</b> , 43, e315-28	20
57	Clinical correlates of human leucocyte antigen (HLA)-G in systemic sclerosis. <b>2015</b> , 181, 100-9	10

56	A comparative study between ultrasonographic hand features in systemic sclerosis and rheumatoid arthritis patients: Relation to disease activity, clinical and radiological findings. <i>Egyptian Rheumatologist</i> , <b>2015</b> , 37, 177-184	1	14
55	Update on biomarkers in systemic sclerosis: tools for diagnosis and treatment. <b>2015</b> , 37, 475-87		40
54	Evaluation of differences in carotid intima-media thickness in patients affected by systemic rheumatic diseases. <b>2015</b> , 10, 823-30		2
53	Skin Involvement and Pulmonary Hypertension Are Associated with Vitamin D Insufficiency in Scleroderma. <b>2016</b> , 17,		10
52	Juvenile Systemic Sclerosis. <b>2016</b> , 11, 249-266		
51	Clopidogrel treatment may associate with worsening of endothelial function and development of new digital ulcers in patients with systemic sclerosis: results from an open label, proof of concept study. <b>2016</b> , 17, 213		7
50	Validation of disease activity indices using the 28 joint counts in systemic sclerosis. <b>2016</b> , 55, 1849-58		10
49	The association of low complement with disease activity in systemic sclerosis: a prospective cohort study. <b>2016</b> , 18, 246		10
48	Serum prealbumin is an independent predictor of mortality in systemic sclerosis outpatients. <b>2016</b> , 55, 315-9		28
47	The European Scleroderma Trials and Research group (EUSTAR) task force for the development of revised activity criteria for systemic sclerosis: derivation and validation of a preliminarily revised EUSTAR activity index. <i>Annals of the Rheumatic Diseases</i> , <b>2017</b> , 76, 270-276	2.4	79
46	Elevated levels of TL1A are associated with disease activity in patients with systemic sclerosis. <b>2017</b> , 36, 1317-1324		8
45	Serum alarm antiproteases in systemic sclerosis patients. <b>2017</b> , 78, 559-564		3
44	Predictive value of European Scleroderma Group Activity Index in an early scleroderma cohort. <b>2017</b> , 56, 1111-1122		7
43	Na <sup>+</sup> deposition in the fibrotic skin of systemic sclerosis patients detected by <sup>23</sup> Na-magnetic resonance imaging. <b>2017</b> , 56, 556-560		22
42	The cumulative number of micro-haemorrhages and micro-thromboses in nailfold videocapillaroscopy is a good indicator of disease activity in systemic sclerosis: a validation study of the NEMO score. <b>2017</b> , 19, 133		18
41	Measures of disease status in systemic sclerosis: A systematic review. <i>Seminars in Arthritis and Rheumatism</i> , <b>2017</b> , 46, 473-487	5.3	13
40	Autologous hematopoietic stem cell transplantation has better outcomes than conventional therapies in patients with rapidly progressive systemic sclerosis. <b>2017</b> , 52, 53-58		37
39	Illness representations of systemic lupus erythematosus and systemic sclerosis: a comparison of patients, their rheumatologists and their general practitioners. <b>2017</b> , 4, e000232		8

38	The emerging application of semi-quantitative and quantitative capillaroscopy in systemic sclerosis. <b>2018</b> , 118, 113-120		13
37	Prevalence and Clinical Associations of Antiphospholipid Antibodies in Systemic Sclerosis: New Data From a French Cross-Sectional Study, Systematic Review, and Meta-Analysis. <b>2018</b> , 9, 2457		11
36	Autologous Hematopoietic Stem Cell Transplantation for Treatment of Systemic Sclerosis. <b>2018</b> , 9, 2390		31
35	Global longitudinal strain measured by speckle tracking identifies subclinical heart involvement in patients with systemic sclerosis. <b>2018</b> , 25, 1598-1606		20
34	Prospective associations between illness perceptions and health outcomes in patients with systemic sclerosis and systemic lupus erythematosus: a cross-lagged analysis. <b>2018</b> , 2, rky007		4
33	Possible role of adipocytokines in systemic sclerosis-associated small pericardial effusion.. <b>2018</b> , 3, 153-158		
32	Differences associated with age at onset in early systemic sclerosis patients: a report from the EULAR Scleroderma Trials and Research Group (EUSTAR) database. <b>2019</b> , 48, 42-51		11
31	Vasodilators and low-dose acetylsalicylic acid are associated with a lower incidence of distinct primary myocardial disease manifestations in systemic sclerosis: results of the DeSScipher inception cohort study. <i>Annals of the Rheumatic Diseases</i> , <b>2019</b> , 78, 1576-1582	2.4	18
30	Role of lectin pathway complement proteins and genetic variants in organ damage and disease severity of systemic sclerosis: a cross-sectional study. <b>2019</b> , 21, 76		5
29	Revised European Scleroderma Trials and Research Group Activity Index is the best predictor of short-term severity accrual. <i>Annals of the Rheumatic Diseases</i> , <b>2019</b> , 78, 1681-1685	2.4	3
28	NEMO score in nailfold videocapillaroscopy is a good tool to assess both steady state levels and overtime changes of disease activity in patients with systemic sclerosis: a comparison with the proposed composite indices for this disease status entity. <b>2019</b> , 21, 258		8
27	Factors related to alexithymia in patients with systemic sclerosis: a tight relationship with facial image dissatisfaction. <b>2019</b> , 39, 461-467		2
26	Performance of the 2017 EUSTAR activity index in an scleroderma cohort. <b>2020</b> , 39, 3701-3705		0
25	High NEMO score values in nailfold videocapillaroscopy are associated with the subsequent development of ischaemic digital ulcers in patients with systemic sclerosis. <b>2020</b> , 22, 237		2
24	An Update of Outcome Measures in Systemic Sclerosis. <b>2020</b> , 72 Suppl 10, 110-133		
23	The power of the EUSTAR cohort: key findings to date and implications for management of systemic sclerosis patients. <b>2020</b> , 16, 1065-1074		1
22	Quantification of Ground Glass Opacities Can Be Useful to Describe Disease Activity in Systemic Sclerosis. <b>2020</b> , 10,		1
21	Subclinical atherosclerosis in systemic sclerosis: Different risk profiles among patients according to clinical manifestations. <b>2021</b> , 24, 502-509		1

20	Agreement between physician evaluation and the Composite Response Index in Diffuse Cutaneous Systemic Sclerosis (CRISS).		1
19	Increased Frequency of Activated Switched Memory B Cells and Its Association With the Presence of Pulmonary Fibrosis in Diffuse Cutaneous Systemic Sclerosis Patients. <b>2021</b> , 12, 686483		3
18	Systemic Sclerosis and the Scleroderma-Spectrum Disorders. <b>2009</b> , 1311-1351		8
17	Systemic Sclerosis. <b>2009</b> , 1155-1168		
16	Kollagenosen. <b>2012</b> , 103-131		
15	Sklerodermie und Sharp-Syndrom. <b>2014</b> , 367-383		
14	Biomarkers in Systemic Sclerosis. <b>2017</b> , 245-260		
13	BONE MINERAL DENSITY IN FEMALE PATIENTS WITH SYSTEMIC SCLEROSIS AND DIFFERENT SEROLOGICAL STATUS OF DISEASE. <b>2017</b> , 56, 108-113		
12	Assessment of severity and pattern of irreversible organ damage in patients with systemic lupus erythematosus and systemic scleroderma. <b>2019</b> , 1, 30-33		
11	Sklerodermie und Sharp-Syndrom. <b>2007</b> , 347-362		
10	Age-associated alteration in Th17 cell response is related to endothelial cell senescence and atherosclerotic cerebral infarction. <b>2017</b> , 9, 5160-5168		6
9	Characteristics of musculoskeletal ultrasound and its relationship with systemic inflammation in systemic sclerosis patients. <i>Egyptian Rheumatologist</i> , <b>2022</b> , 44, 133-138	1	0
8	Female Sexual Dysfunction and Pelvic Floor Muscle Function Associated with Systemic Sclerosis: A Cross-Sectional Study.. <i>International Journal of Environmental Research and Public Health</i> , <b>2022</b> , 19,	4.6	0
7	Associations between the Composite Response Index in Diffuse Cutaneous Systemic Sclerosis (CRISS), survival and other disease measures.. <i>Seminars in Arthritis and Rheumatism</i> , <b>2022</b> , 53, 151973	5.3	0
6	Methods of assessment of joint involvement in various systemic connective tissue diseases. <i>Reumatologia</i> , <b>2022</b> , 60, 53-62	1.7	
5	COVID-19 Vaccine Does Not Increase the Risk of Disease Flare-Ups among Patients with Autoimmune and Immune-Mediated Diseases.. <i>Journal of Personalized Medicine</i> , <b>2021</b> , 11,	3.6	5
4	Data_Sheet_1.docx. <b>2018</b> ,		
3	Assessment of disease outcome measures in systemic sclerosis. <i>Nature Reviews Rheumatology</i> ,	8.1	0

- 2 Patient and physician global assessments of disease status in systemic sclerosis. ○
- 1 Pleuropulmonary involvement in patients with collagen vascular diseases: A cross-sectional study in a cohort of Egyptian population. **2022**, 71, 531 ○