# CITATION REPORT List of articles citing

Impact of glucose intolerance and insulin resistance on cardiac structure and function: sex-related differences in the Framingham Heart Study

DOI: 10.1161/01.cir.0000045671.62860.98 Circulation, 2003, 107, 448-54.

Source: https://exaly.com/paper-pdf/35735868/citation-report.pdf

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

| #   | Paper   | IF  | Citations |
|-----|---|-----|-----------|
| 424 | Silent myocardial infarction in women with impaired glucose tolerance: the Northern Sweden MONICA study. <i>Cardiovascular Diabetology</i> , <b>2003</b> , 2, 9   | 8.7 | 17        |
| 423 | Glycation end-product cross-link breaker reduces collagen and improves cardiac function in aging diabetic heart. <b>2003</b> , 285, H2587-91  |     | 103       |
| 422 | Mechanisms in the pathogenesis of diabetic cardiomyopathy. <b>2003</b> , 10, 251-255  |     | 4         |
| 421 | Morning rise in blood pressure is a predictor of left ventricular hypertrophy in treated hypertensive patients. <b>2004</b> , 27, 939-46  |     | 44        |
| 420 | Left ventricular mass increases with deteriorating glucose tolerance, especially in women: independence of increased arterial stiffness or decreased flow-mediated dilation: the Hoorn study. <b>2004</b> , 27, 522-9 |     | 44        |
| 419 | Continuous positive airway pressure treatment rapidly improves insulin sensitivity in patients with obstructive sleep apnea syndrome. <b>2004</b> , 169, 156-62   |     | 446       |
| 418 | Atrial fibrillation and its association with type 2 diabetes and hypertension in a Swedish community. <b>2004</b> , 6, 367-74   |     | 92        |
| 417 | Adiponectin-mediated modulation of hypertrophic signals in the heart. <b>2004</b> , 10, 1384-9  |     | 568       |
| 416 | Is it important to examine gender differences in the epidemiology and outcome of severe heart failure?. <b>2004</b> , 127, 1247-52  |     | 47        |
| 415 | Is the nocturnal fall in blood pressure reduced in essential hypertensive patients with metabolic syndrome?. <b>2004</b> , 13, 230-5  |     | 15        |
| 414 | What is the relationship between exercise and metabolic abnormalities? A review of the metabolic syndrome. <b>2004</b> , 34, 371-418  |     | 201       |
| 413 | Diabetic cardiomyopathy: evidence, mechanisms, and therapeutic implications. <b>2004</b> , 25, 543-67   |     | 711       |
| 412 | Current World Literature. 2004, 7, 493-512  |     |           |
| 411 | Sucrose-induced cardiomyocyte dysfunction is both preventable and reversible with clinically relevant treatments. <b>2004</b> , 286, E718-24  |     | 48        |
| 410 | Metabolic syndrome and target organ damage in untreated essential hypertensives. <b>2004</b> , 22, 1991-8   |     | 137       |
| 409 | Regional body composition as a determinant of arterial stiffness in the elderly: The Hoorn Study. <b>2004</b> , 22, 2339-47   |     | 88        |
| 408 | Left ventricular hypertrophy and preclinical impaired glucose tolerance and diabetes mellitus contribute to abnormal left ventricular diastolic function in hypertensive patients. <b>2005</b> , 10, 231-8            |     | 10        |

# (2005-2005)

| 407 | Metabolic syndrome score and ambulatory blood pressure in untreated essential hypertension. <b>2005</b> , 10, 175-80   | 14  |
|-----|--|-----|
| 406 | Prevalence and correlates of left atrial enlargement in essential hypertension: role of ventricular geometry and the metabolic syndrome: the Evaluation of Target Organ Damage in Hypertension study. <b>2005</b> , 23, 875-82 | 83  |
| 405 | Insulin resistance and risk of congestive heart failure. <b>2005</b> , 294, 334-41   | 396 |
| 404 | Oxidative stress and stress signaling: menace of diabetic cardiomyopathy. <b>2005</b> , 26, 908-17   | 141 |
| 403 | Mild renal insufficiency is associated with increased left ventricular mass in men, but not in women: an arterial stiffness-related phenomenonthe Hoorn Study. <b>2005</b> , 68, 673-9   | 37  |
| 402 | Influence of metabolic syndrome on hypertension-related target organ damage. <b>2005</b> , 257, 503-13   | 99  |
| 401 | [Risk stratification in congestive heart failure]. <b>2005</b> , 54, 172-8   | 2   |
| 400 | Hyperglycemia during cardiopulmonary bypass is an independent risk factor for mortality in patients undergoing cardiac surgery. <b>2005</b> , 130, 1144  | 274 |
| 399 | Hypertrophy in the female heart. <b>2005</b> , 7, 173-7  | 1   |
| 398 | Echocardiography-based left ventricular mass estimation. How should we define hypertrophy?. <b>2005</b> , 3, 17  | 160 |
| 397 | [Diastolic dysfunction in diabetic normotensive patients, regardless of the presence of microangiopathy]. <b>2005</b> , 84, 461-6  | 3   |
| 396 | Exacerbation of heart failure in adiponectin-deficient mice due to impaired regulation of AMPK and glucose metabolism. <b>2005</b> , 67, 705-13  | 174 |
| 395 | Metabolic syndrome and echocardiographic left ventricular mass in blacks: the Atherosclerosis Risk in Communities (ARIC) Study. <i>Circulation</i> , <b>2005</b> , 112, 819-27   | 81  |
| 394 | Insulin resistance and inflammatory activation in older patients with systolic and diastolic heart failure. <b>2005</b> , 91, 32-7   | 51  |
| 393 | End stage ischaemic heart failure. <b>2005</b> , 91, 37  |     |
| 392 | Glucose abnormalities and heart failure predict poor prognosis in the population-based Reykjav® Study. <b>2005</b> , 12, 465-71  | 31  |
| 391 | The European Association for the Study of Diabetes. <b>2005</b> , 28, 1250-7   | 3   |
| 390 | Electrocardiographic left atrial abnormalities and risk of ischemic stroke. <b>2005</b> , 36, 2481-3   | 54  |

| 389 | Blood glucose and heart failure in nondiabetic patients. <b>2005</b> , 28, 607-11  | 51  |
|-----|--|-----|
| 388 | Increased left ventricular mass in obese adolescents. <b>2005</b> , 26, 201-2  |     |
| 387 | Association between cigarette smoking, metabolic syndrome, and carotid arteriosclerosis in Japanese individuals. <b>2005</b> , 181, 381-8  | 96  |
| 386 | Therapy insight: heart disease and the insulin-resistant patient. <b>2005</b> , 2, 252-60  | 9   |
| 385 | Association between serum uric acid, metabolic syndrome, and carotid atherosclerosis in Japanese individuals. <b>2005</b> , 25, 1038-44  | 234 |
| 384 | Contribution of impaired glucose tolerance in subjects with the metabolic syndrome: Baltimore Longitudinal Study of Aging. <b>2005</b> , 54, 542-7   | 26  |
| 383 | Type 2 diabetes is associated with left ventricular concentric remodeling in hypertensive patients. <b>2005</b> , 18, 23-9   | 24  |
| 382 | Relation of genetic predisposition and insulin resistance to left ventricular hypertrophy in hypertension. <b>2005</b> , 18, 457-63  | 7   |
| 381 | Is low-risk hypertension fact or fiction? cardiovascular risk profile in the TROPHY study. 2005, 18, 980-5   | 25  |
| 380 | Hypertension is the most common component of metabolic syndrome and the greatest contributor to carotid arteriosclerosis in apparently healthy Japanese individuals. <b>2005</b> , 28, 27-34 | 76  |
| 379 | Novel metabolic risk factors for heart failure. <i>Journal of the American College of Cardiology</i> , <b>2005</b> , 46, 2054-60   | 82  |
| 378 | Obesity cardiomyopathy: is it a reality? An ultrasonic tissue characterization study. 2006, 19, 1063-71  | 67  |
| 377 | Diabetic cardiomyopathy: the search for a unifying hypothesis. <b>2006</b> , 98, 596-605   | 465 |
| 376 | Effect of strain at low-frequency loading on peri-implant bone (re)modelling: a guinea-pig experimental study. <b>2008</b> , 19, 733-9   | 7   |
| 375 | Improvements in systemic metabolism, anthropometrics, and left ventricular geometry 3 months after bariatric surgery. <b>2006</b> , 2, 592-9   | 44  |
| 374 | Heart Failure. Are Women Different?. <b>2006</b> , 59, 725-735   | 2   |
| 373 | Insuficiencia cardiaca. ¿Son diferentes las mujeres?. <b>2006</b> , 59, 725-735  | 4   |
| 372 | [Diabetic miocardiopathy]. <b>2006</b> , 127, 584-94   | 7   |

# (2006-2006)

| 371 | Diastolic dysfunction and diabetic cardiomyopathy: evaluation by Doppler echocardiography.<br>Journal of the American College of Cardiology, <b>2006</b> , 48, 1548-51  | 15.1 | 190  |
|-----|---|------|------|
| 370 | Impaired myocardial functional reserve in hypertension and diabetes mellitus without coronary artery disease: Searching for the possible link with congestive heart failure in the myocardial Doppler in diabetes (MYDID) study II. <b>2006</b> , 19, 851-7; discussion 858 |      | 24   |
| 369 | [Glucose transporters in the metabolic syndrome]. <b>2006</b> , 50, 177-89  |      | 16   |
| 368 | Adiponectin: a key adipocytokine in metabolic syndrome. <b>2006</b> , 110, 267-78   |      | 329  |
| 367 | Review Article. Journal of the American College of Cardiology, 2006, 48, 1548-1551  | 15.1 | 166  |
| 366 | Prevalence and correlates of aortic root dilatation in patients with essential hypertension: relationship with cardiac and extracardiac target organ damage. <b>2006</b> , 24, 573-80   |      | 69   |
| 365 | Admission blood glucose level and mortality among hospitalized nondiabetic patients with heart failure. <b>2006</b> , 166, 1613-9   |      | 79   |
| 364 | The prevention and treatment of metabolic syndrome and high-risk obesity. <b>2006</b> , 21, 479-85  |      | 18   |
| 363 | Target organ damage and cardiovascular complications in patients with hypertension and type 2 diabetes in Spain: a cross-sectional study. <i>Cardiovascular Diabetology</i> , <b>2006</b> , 5, 23   | 8.7  | 29   |
| 362 | Diabetes, gender, and left ventricular structure in African-Americans: the atherosclerosis risk in communities study. <b>2006</b> , 4, 43   |      | 10   |
| 361 | Mechanisms linking obesity with cardiovascular disease. <b>2006</b> , 444, 875-80   |      | 1898 |
| 360 | Left ventricular hypertrophy determined by Sokolow-Lyon criteria: a different predictor in women than in men?. <b>2006</b> , 20, 451-9  |      | 22   |
| 359 | Sex-related differences in the relations of insulin resistance and obesity to left ventricular hypertrophy in Japanese hypertensive patients. <b>2006</b> , 29, 499-504   |      | 13   |
| 358 | Comment on: White PJ, Marette A (2006) is omega-3 key to unlocking inflammation in obesity? Diabetologia 49:1999-2001. <b>2006</b> , 49, 2813-4   |      | 2    |
| 357 | Prevalence and determinants of electrocardiographic left ventricular hypertrophy among a multiethnic population of postmenopausal women (The Women's Health Initiative). <b>2006</b> , 97, 512-9  |      | 23   |
| 356 | Cardioprotection by adiponectin. <b>2006</b> , 16, 141-6  |      | 180  |
| 355 | Hyperglycemia during cardiac surgery. <b>2006</b> , 131, 11-3   |      | 16   |
| 354 | Targeting adiponectin for cardioprotection. <b>2006</b> , 10, 573-81  |      | 24   |

| 353 | Metabolic syndrome and risk for heart failure in middle-aged men. <b>2006</b> , 92, 1409-13   | 88  |
|-----|---|-----|
| 352 | Treatment of Advanced Heart Disease. <b>2006</b> ,  | 1   |
| 351 | Different impact of the metabolic syndrome on left ventricular structure and function in hypertensive men and women. <b>2006</b> , 47, 881-6  | 94  |
| 350 | Metabolic derangements in the insulin-resistant heart. <b>2006</b> , 1, 102-6   | 7   |
| 349 | The role of sex in cardiac function and disease. <b>2006</b> , 84, 93-109   | 50  |
| 348 | Diabetic cardiomyopathy and subclinical cardiovascular disease: the Multi-Ethnic Study of Atherosclerosis (MESA). <b>2006</b> , 29, 588-94  | 80  |
| 347 | Metabolic syndrome is associated with abnormal left ventricular diastolic function independent of left ventricular mass. <b>2007</b> , 28, 553-9  | 111 |
| 346 | Diet, Metabolic Syndrome, and Obesity. <b>2006</b> , 37-58  |     |
| 345 | Adiponectin level and left ventricular hypertrophy in Japanese men. 2007, 49, 1448-54   | 46  |
| 344 | Deleterious effects of sugar and protective effects of starch on cardiac remodeling, contractile dysfunction, and mortality in response to pressure overload. <b>2007</b> , 293, H1853-60   | 36  |
| 343 | Adiponectin actions in the cardiovascular system. <b>2007</b> , 74, 11-8  | 220 |
| 342 | Potential impact of carbohydrate and fat intake on pathological left ventricular hypertrophy. <b>2007</b> , 73, 257-68  | 49  |
| 341 | Impact of diabetes on left ventricular diastolic function in patients with arterial hypertension. <b>2007</b> , 9, 469-76   | 23  |
| 340 | Metabolic syndrome and left ventricular hypertrophy in a general population. Results from the Gubbio Study. <b>2007</b> , 21, 795-801   | 36  |
| 339 | Morning rise of blood pressure assessed by home blood pressure monitoring is associated with left ventricular hypertrophy in hypertensive patients receiving long-term antihypertensive medication. <b>2007</b> , 30, 903-11          | 27  |
| 338 | Add-on effect of bedtime dosing of the alpha(1)-adrenergic receptor antagonist doxazosin on morning hypertension and left ventricular hypertrophy in patients undergoing long-term amlodipine monotherapy. <b>2007</b> , 30, 1097-105 | 14  |
| 337 | Potential of adiponectin as a cardioprotective agent. <b>2007</b> , 3, 647-56   | 7   |
| 336 | Sex-specific determinants of left ventricular mass in pre-diabetic and type 2 diabetic subjects: the Augsburg Diabetes Family Study. <b>2007</b> , 30, 946-52   | 18  |

# (2007-2007)

| 335 | Left ventricular hypertrophy in severe obesity: interactions among blood pressure, nocturnal hypoxemia, and body mass. <b>2007</b> , 49, 34-9  | 144 |
|-----|--|-----|
| 334 | Association between cigarette smoking, white blood cell count, and metabolic syndrome as defined by the Japanese criteria. <b>2007</b> , 46, 1167-70   | 38  |
| 333 | Nocturnal blood pressure fall and metabolic syndrome score in hypertensive patients. 2007, 12, 351-6   | 21  |
| 332 | Adiponectin protects against the development of systolic dysfunction following myocardial infarction. <b>2007</b> , 42, 1065-74  | 192 |
| 331 | Role of PC-1 and ACE genes on insulin resistance and cardiac mass in never-treated hypertensive patients. Suggestive evidence for a digenic additive modulation. <b>2007</b> , 17, 181-7               | 12  |
| 330 | Impaired inotropic response in type 2 diabetes mellitus: a strain rate imaging study. <b>2007</b> , 20, 548-55   | 43  |
| 329 | Adiponectin as an anti-inflammatory factor. <b>2007</b> , 380, 24-30   | 555 |
| 328 | Left ventricular diastolic (dys)function in type 2 diabetes: time for a critical reappraisal. <b>2007</b> , 33, 1-2  | 24  |
| 327 | Heart failure in diabetes and related conditions. 2007, 13, 861-73   | 25  |
| 326 | Cardiac remodeling rather than disturbed myocardial energy metabolism is associated with cardiac dysfunction in diabetic rats. <b>2007</b> , 114, 195-201  | 31  |
| 325 | Impact of metabolic syndrome on left ventricular mass in overweight and obese hypertensive subjects. <b>2007</b> , 121, 267-75   | 13  |
| 324 | Congestive heart failure and cardiovascular death in patients with prediabetes and type 2 diabetes given thiazolidinediones: a meta-analysis of randomised clinical trials. <b>2007</b> , 370, 1129-36 | 547 |
| 323 | Glucose levels predict hospitalization for congestive heart failure in patients at high cardiovascular risk. <i>Circulation</i> , <b>2007</b> , 115, 1371-5  | 146 |
| 322 | Congestive heart failure in the elderly diabetic. <b>2007</b> , 33 Suppl 1, S32-9  | 15  |
| 321 | Cardiovascular morbidity and mortality of the metabolic syndrome. <b>2007</b> , 91, 1169-84, x   | 62  |
| 320 | Metabolic syndrome, organ damage and cardiovascular disease in treated hypertensive patients. The ERIC-HTA study. <b>2007</b> , 16, 20-7   | 26  |
| 319 | Cardioprotective Actions of Adiponectin. <b>2007</b> , 14, 69-73   | 1   |
| 318 | Metabolic aspects of bariatric surgery. <b>2007</b> , 91, 393-414, x   | 17  |

| 317 | Influencia del sexo en el perfil clūico y pron\textstico de la insuficiencia cardiaca tras el alta hospitalaria. <b>2007</b> , 60, 1135-1143   |      | 4   |
|-----|--|------|-----|
| 316 | Influence of Gender on the Clinical Characteristics and Prognosis of Patients Hospitalized for Heart Failure. <b>2007</b> , 60, 1135-1143  |      | 1   |
| 315 | Diabetes and heart failure: the role of thiazolidinediones in managing these partners in crime. <i>Journal of the American College of Cardiology</i> , <b>2007</b> , 50, 37-9          | 15.1 | 5   |
| 314 | The Fate of Older Diabetic Patients on Peritoneal Dialysis: Myths and Mysteries and Suggestions for Further Research. <b>2007</b> , 27, 611-618  |      | 12  |
| 313 | The association between metabolic syndrome and its components and heart failure in patients referred to a primary care facility. <b>2007</b> , 89, 42-51                               |      | 3   |
| 312 | . 2007,  |      | 2   |
| 311 | Diabetes, Left Ventricular Systolic Dysfunction and Chronic Heart Failure. 93-134  |      |     |
| 310 | Ectopic fat accumulation and metabolic syndrome. <b>2007</b> , 9, 1-10   |      | 105 |
| 309 | Association between fasting plasma glucose and left ventricular mass and left ventricular hypertrophy over 4 years in a healthy population aged 60 and older. <b>2007</b> , 55, 717-24 |      | 13  |
| 308 | Diabetic cardiomyopathy. <b>2007</b> , 9, 467-73   |      | 28  |
| 307 | Ectopic fat and insulin resistance. <b>2008</b> , 8, 185-91  |      | 68  |
| 306 | Associations of insulin resistance and type 2 diabetes to heart failure: Epidemiology, potential mechanisms, and clinical perspectives. <b>2008</b> , 2, 60-65                         |      | 1   |
| 305 | Cardiometabolic risk: a Framingham perspective. <b>2008</b> , 32 Suppl 2, S17-20   |      | 48  |
| 304 | Thiazolidinedione insulin sensitizers and the heart: a tale of two organs?. 2008, 10, 312-28   |      | 21  |
| 303 | Relation of childhood risk factors to left ventricular hypertrophy (eccentric or concentric) in relatively young adulthood (from the Bogalusa Heart Study). <b>2008</b> , 101, 1621-5  |      | 84  |
| 302 | Association between diabetes mellitus and left ventricular hypertrophy in a multiethnic population. <b>2008</b> , 101, 1787-91   |      | 124 |
| 301 | Hyperglycemia predicts mortality after CABG: postoperative hyperglycemia predicts dramatic increases in mortality after coronary artery bypass graft surgery. <b>2008</b> , 22, 365-70 |      | 70  |
| 300 | Factors responsible for age-related elevation in fasting plasma glucose: a cross-sectional study in Japanese men. <b>2008</b> , 57, 299-303  |      | 9   |

### (2008-2008)

| 299 | No gender survival difference in a population of patients with chronic heart failure related to left ventricular systolic dysfunction and receiving optimal medical therapy. <b>2008</b> , 101, 242-8 | 3   |
|-----|---|-----|
| 298 | Diastolic Heart Failure. 2008,  | 3   |
| 297 | Diabetic cardiomyopathy: insights into pathogenesis, diagnostic challenges, and therapeutic options. <b>2008</b> , 121, 748-57  | 356 |
| 296 | Left ventricular structure and function in long-term kidney transplantation: the influence of glucose metabolism and oxidative stress. <b>2008</b> , 40, 2912-5                                       | 5   |
| 295 | Low-carbohydrate/high-fat diet attenuates pressure overload-induced ventricular remodeling and dysfunction. <b>2008</b> , 14, 327-35  | 37  |
| 294 | Presence of fatty-acid-binding protein 4 expression in human epicardial adipose tissue in metabolic syndrome. <b>2008</b> , 17, 392-8   | 65  |
| 293 | Diabetic heart disease. <b>2006</b> , 92, 296-300   | 52  |
| 292 | Blood pressure-independent relations of left ventricular geometry to the metabolic syndrome and insulin resistance: a population-based study. <b>2008</b> , 94, 874-8                                 | 37  |
| 291 | Risk of type 2 diabetes mellitus and coronary heart disease: a pivotal role for metabolic factors. <b>2008</b> , 10, B11-B15  | 4   |
| 290 | Effects of bariatric surgery on early myocardial alterations in adult severely obese subjects. <b>2008</b> , 109, 241-8   | 30  |
| 289 | Diastolic dysfunction is associated with insulin resistance, but not with aldosterone level in normotensive offspring of hypertensive families. <b>2008</b> , 111, 8-15                               | 3   |
| 288 | Metabolic syndrome and target organ damage: role of blood pressure. 2008, 6, 731-43   | 13  |
| 287 | Cardiac remodeling in obesity. <b>2008</b> , 88, 389-419  | 497 |
| 286 | American College of Endocrinology Pre-Diabetes Consensus Conference: part three. <b>2008</b> , 31, 2404-9   | 9   |
| 285 | Diastolic stiffness of the failing diabetic heart: importance of fibrosis, advanced glycation end products, and myocyte resting tension. <i>Circulation</i> , <b>2008</b> , 117, 43-51                | 509 |
| 284 | Early overnutrition impairs insulin signaling in the heart of adult Swiss mice. 2008, 198, 591-8  | 20  |
| 283 | Evidence that the gene encoding insulin degrading enzyme influences human lifespan. 2008, 17, 2370-8  | 8   |
| 282 | Subclinical impairment of left ventricular function in young obese women: contributions of polycystic ovary disease and insulin resistance. <b>2008</b> , 93, 3748-54                                 | 32  |

| 281 | Olmesartan prevents cardiovascular injury and hepatic steatosis in obesity and diabetes, accompanied by apoptosis signal regulating kinase-1 inhibition. <b>2008</b> , 52, 573-80   | 84 |
|-----|---|----|
| 280 | Relation among left ventricular mass, insulin resistance, and hemodynamic parameters in type 2 diabetes. <b>2008</b> , 31, 425-32   | 16 |
| 279 | n-3 Polyunsaturated fatty acids and trans fatty acids in patients with the metabolic syndrome: a case-control study in Korea. <b>2008</b> , 100, 609-14   | 20 |
| 278 | The role of statins in preventing the progression of congestive heart failure in patients with metabolic syndrome. <b>2008</b> , 14, 2605-12  | 6  |
| 277 | Nonischemic heart failure in diabetes mellitus. <b>2008</b> , 23, 241-8   | 30 |
| 276 | Nocturnal blood pressure fall and metabolic syndrome score in patients with white coat hypertension. <b>2008</b> , 13, 251-6  | 15 |
| 275 | Myocardial scar and insulin resistance predict cardiovascular events in severe ischaemic myocardial dysfunction: a perfusion-metabolism positron emission tomography study. <b>2008</b> , 29, 448-54  | 8  |
| 274 | ADIPONECTIN AND LEPTIN LEVELS CORRELATE WITHBODY MASS INDEX AND LIPID FRACTIONS BUT NOT WITHDISTURBANCES OF GLUCOSE METABOLISM. <b>2009</b> , 5, 329-335  | 3  |
| 273 | Review article: Left ventricular dysfunction and heart failure in metabolic syndrome and diabetes without overt coronary artery disease-do we need to screen our patients?. <i>Diabetes and Vascular Disease Research</i> , <b>2009</b> , 6, 153-63 | 33 |
| 272 | Metabolic syndrome and biventricular hypertrophy in essential hypertension. <b>2009</b> , 23, 168-75  | 24 |
| 271 | Latent development of occlusive coronary atherosclerosis as a cause of decompensation of non-ischemic dilated cardiomyopathy. <b>2009</b> , 112, 69-73  | 2  |
| 270 | The influence of insulin resistance and obesity on left atrial size in Japanese hypertensive patients. <b>2009</b> , 32, 500-4  | 19 |
| 269 | Left ventricular hypertrophy by Sokolow-Lyon voltage criterion predicts mortality in overweight hypertensive subjects. <b>2009</b> , 23, 20-6   | 6  |
| 268 | Dietary pattern, the metabolic syndrome, and left ventricular mass and systolic function: the Multi-Ethnic Study of Atherosclerosis. <b>2009</b> , 90, 362-8  | 46 |
| 267 | Diabetic myocardial disease: pathophysiology, early diagnosis and therapeutic options. <b>2009</b> , 23, 273-82   | 27 |
| 266 | Guiding clinical decisions on abdominal obesity and cardiometabolic risk. <b>2009</b> , 9, 43-52; discussion 53-4   | 2  |
| 265 | ACE gene polymorphism and cardiac structure in patients with insulin resistance. <b>2009</b> , 36, 623-9  | 11 |
| 264 | Impact of waist circumference on cardiac phenotype in hypertensives according to gender. <b>2009</b> , 17, 177-82   | 18 |

## (2010-2009)

| 263 | The impact of metabolic syndrome on left ventricular function: evaluated by using the index of myocardial performance. <b>2009</b> , 132, 382-6  | 18  |
|-----|--|-----|
| 262 | Adverse association between diabetic retinopathy and cardiac structure and function. 2009, 157, 563-8  | 18  |
| 261 | Insulin resistance: marker or mediator?. <b>2009</b> , 122, e13; author reply e15  | 1   |
| 260 | Effect of obesity on atrial size in older women with non-valvular paroxysmal atrial fibrillation. <b>2009</b> , 21, 344-8  | 2   |
| 259 | Cardiovascular Endocrinology. <b>2009</b> ,  | 2   |
| 258 | Deterioration in cardiac systolic and diastolic function late in normal human pregnancy. <b>2009</b> , 116, 599-606  | 46  |
| 257 | Diabetic cardiomyopathy. <b>2009</b> , 116, 741-60   | 123 |
| 256 | Cardiac adiposity and global cardiometabolic risk: new concept and clinical implication. 2009, 73, 27-34   | 69  |
| 255 | Adiponectin and cardiovascular disease. <b>2009</b> , 73, 608-14   | 173 |
| 254 | Lack of association between insulin-like growth factor-1 or insulin-like growth factor-binding protein-3 and left ventricular hypertrophy: results of the Study of Health in Pomerania. <b>2010</b> , 28, 856-64 | 12  |
| 253 | Diabetes mellitus, glycemic control, and risk of atrial fibrillation. <b>2010</b> , 25, 853-8  | 170 |
| 252 | High-fructose diet elevates myocardial superoxide generation in mice in the absence of cardiac hypertrophy. <b>2010</b> , 26, 842-8  | 46  |
| 251 | The impact of metabolic syndrome on left ventricular myocardial performance. <b>2010</b> , 26, 121-7   | 24  |
| 250 | Is there a link between glucose levels and heart failure? An update. <b>2010</b> , 54, 488-97  | 8   |
| 249 | The inter-relationship of diabetes and left ventricular systolic function on outcome after high-risk myocardial infarction. <b>2010</b> , 12, 1229-37  | 37  |
| 248 | Longitudinal tracking of left atrial diameter over the adult life course: Clinical correlates in the community. <i>Circulation</i> , <b>2010</b> , 121, 667-74   | 70  |
| 247 | Abnormal myocardial insulin signalling in type 2 diabetes and left-ventricular dysfunction. <b>2010</b> , 31, 100-11   | 106 |
| 246 | Heart failure events with rosiglitazone in type 2 diabetes: data from the RECORD clinical trial. <b>2010</b> , 31, 824-31  | 176 |

| 245   | Common variants in HSPB7 and FRMD4B associated with advanced heart failure. <b>2010</b> , 3, 147-54  | 103                        |
|---|--|----------------------------|
| 244   | Relations of insulin resistance and glycemic abnormalities to cardiovascular magnetic resonance measures of cardiac structure and function: the Framingham Heart Study. <b>2010</b> , 3, 257-63  | 75                         |
| 243   | Cardiac Complications and Management. 355-376  |                            |
| 242   | The development of heart failure in patients with diabetes mellitus and pre-clinical diastolic dysfunction a population-based study. <i>Journal of the American College of Cardiology</i> , <b>2010</b> , 55, 300-5  | j.1 319                    |
| 241   | Myocardial structure and function by echocardiography in relation to glucometabolic status in elderly subjects from 2 population-based cohorts: a cross-sectional study. <b>2010</b> , 159, 414-420.e4   | 32                         |
| 240   | The link between diabetes and atrial fibrillation: cause or correlation?. <b>2010</b> , 1, 10-1  | 32                         |
| 239   | Age and gender differences in the association between Nt-proBNP and glucometabolic disturbances. <b>2011</b> , 45, 294-300   | 1                          |
| 238   | Thiazolidinediones and risk of heart failure in patients with or at high risk of type 2 diabetes mellitus: a meta-analysis and meta-regression analysis of placebo-controlled randomized clinical trials. <b>2011</b> , 11, 115-28   | 128                        |
| 237   | Effect of diabetes on alteration of metabolism in cardiac myocytes: therapeutic implications. <b>2011</b> , 13, 1155-60  | 31                         |
|   |  |                            |
| 236   | Metabolic Basis of Obesity. <b>2011</b> ,  | 3                          |
| 236<br>235  | Metabolic Basis of Obesity. <b>2011</b> ,  Regulation of murine cardiac function by phosphodiesterases type 3 and 4. <b>2011</b> , 11, 714-9   | 12                         |
|   |  |                            |
| 235   | Regulation of murine cardiac function by phosphodiesterases type 3 and 4. <b>2011</b> , 11, 714-9  | 12                         |
| 235   | Regulation of murine cardiac function by phosphodiesterases type 3 and 4. <b>2011</b> , 11, 714-9  Obesity phenotype and cardiovascular changes. <b>2011</b> , 29, 1765-72  In hemodialysis, adiponectin, and pro-brain natriuretic peptide levels may be subjected to   | 12<br>44                   |
| <ul><li>235</li><li>234</li><li>233</li></ul>                         | Regulation of murine cardiac function by phosphodiesterases type 3 and 4. <b>2011</b> , 11, 714-9  Obesity phenotype and cardiovascular changes. <b>2011</b> , 29, 1765-72  In hemodialysis, adiponectin, and pro-brain natriuretic peptide levels may be subjected to variations in body mass index. <b>2011</b> , 15, 477-84   | 12<br>44<br>10             |
| <ul><li>235</li><li>234</li><li>233</li><li>232</li></ul>             | Regulation of murine cardiac function by phosphodiesterases type 3 and 4. <b>2011</b> , 11, 714-9  Obesity phenotype and cardiovascular changes. <b>2011</b> , 29, 1765-72  In hemodialysis, adiponectin, and pro-brain natriuretic peptide levels may be subjected to variations in body mass index. <b>2011</b> , 15, 477-84  Systemic hemodynamics in relation to glucose tolerance: the Health 2000 Survey. <b>2011</b> , 60, 557-63  Meta-analysis of cohort and case-control studies of type 2 diabetes mellitus and risk of atrial  | 12<br>44<br>10             |
| <ul><li>235</li><li>234</li><li>233</li><li>232</li><li>231</li></ul> | Regulation of murine cardiac function by phosphodiesterases type 3 and 4. <b>2011</b> , 11, 714-9  Obesity phenotype and cardiovascular changes. <b>2011</b> , 29, 1765-72  In hemodialysis, adiponectin, and pro-brain natriuretic peptide levels may be subjected to variations in body mass index. <b>2011</b> , 15, 477-84  Systemic hemodynamics in relation to glucose tolerance: the Health 2000 Survey. <b>2011</b> , 60, 557-63  Meta-analysis of cohort and case-control studies of type 2 diabetes mellitus and risk of atrial fibrillation. <b>2011</b> , 108, 56-62 | 12<br>44<br>10<br>7<br>315 |

| 227 | Obesity can break your heart and more so when you are a woman. <b>2011</b> , 29, 1295-7  | 1  |
|-----|--|----|
| 226 | High prevalence of subclinical left ventricular dysfunction in patients with psoriatic arthritis. <b>2011</b> , 38, 1363-70  | 38 |
| 225 | One-hour postload plasma glucose levels and left ventricular mass in hypertensive patients. <b>2011</b> , 34, 1406-11  | 68 |
| 224 | Relationship of brain natriuretic peptide with metabolic syndrome parameters: an observational study. <b>2011</b> , 11, 678-84   | 2  |
| 223 | Association of adiponectin with left ventricular mass in blacks: the Jackson Heart Study. <b>2011</b> , 4, 747-53  | 30 |
| 222 | Echocardiographic abnormalities in the assessment of cardiac organ damage in never-treated hypertensive patients. <b>2012</b> , 34, 463-9  | 2  |
| 221 | The metabolic syndrome and left ventricular hypertrophythe influence of gender and physical activity. <b>2012</b> , 21, 153-60   | 15 |
| 220 | Protective role of adiponectin in cardiovascular disease. <b>2012</b> , 19, 5459-66  | 26 |
| 219 | Left ventricular mass and function with reduced-fat or reduced-carbohydrate hypocaloric diets in overweight and obese subjects. <b>2012</b> , 59, 70-5                                       | 51 |
| 218 | Care and outcomes of Hispanic patients admitted with heart failure with preserved or reduced ejection fraction: findings from get with the guidelines-heart failure. <b>2012</b> , 5, 167-75 | 39 |
| 217 | Obesity, diabetes and atrial fibrillation; epidemiology, mechanisms and interventions. 2012, 8, 253-64   | 59 |
| 216 | Hot potatoes in AF. <b>2012</b> , 8, 251-2   |    |
| 215 | Dietary fat and heart failure: moving from lipotoxicity to lipoprotection. 2012, 110, 764-76   | 90 |
| 214 | Diabetic cardiomyopathy: ongoing controversies in 2012. <b>2012</b> , 37, 880-6  | 16 |
| 213 | Diabetes and the risk of heart failure. <b>2012</b> , 8, 125-33  | 43 |
| 212 | Sex and Gender Differences in Endocrinology. <b>2012</b> , 125-149   | 7  |
| 211 | Sex and type 2 diabetes: obesity-independent effects on left ventricular substrate metabolism and relaxation in humans. <b>2012</b> , 20, 802-10   | 60 |
| 210 | Diabetes and cardiovascular disease: changing the focus from glycemic control to improving long-term survival. <b>2012</b> , 110, 58B-68B  | 55 |

| 209 | Evolution of left ventricular mass in renal transplant recipients: the influence of glucose homeostasis and oxidative stress. <b>2012</b> , 44, 2063-6                                   | 2   |
|-----|--|-----|
| 208 | Advanced glycation end products promote proliferation of cardiac fibroblasts by upregulation of KCa3.1 channels. <b>2012</b> , 464, 613-21   | 29  |
| 207 | Prevalence of left ventricular hypertrophy and determinants of left ventricular mass in obese women. <b>2012</b> , 19, 33-9  | 9   |
| 206 | Use of a new high-sensitivity assay for cardiac troponin T to stratify the risk of cardiovascular disease in outpatients with type-2 diabetes. <b>2012</b> , 3, 29-36                    | 5   |
| 205 | Atrial fibrillation and diabetes mellitus. Correlation, co-existence, and coagulation therapy. <b>2012</b> , 37, 258-63  | 4   |
| 204 | Diabetic cardiomyopathy: understanding the molecular and cellular basis to progress in diagnosis and treatment. <b>2012</b> , 17, 325-44   | 240 |
| 203 | Diabetic cardiovascular disease: getting to the heart of the matter. <b>2012</b> , 5, 436-45   | 18  |
| 202 | Cardiac performance is impaired in morbidly obese pregnant females. <b>2012</b> , 38, 258-65   | 5   |
| 201 | Relations of circulating resistin and adiponectin and cardiac structure and function: the Framingham Offspring Study. <b>2012</b> , 20, 1882-6   | 51  |
| 200 | Early impairment of contractility reserve in patients with insulin resistance in comparison with healthy subjects. <i>Cardiovascular Diabetology</i> , <b>2013</b> , 12, 66              | 16  |
| 199 | New echocardiographic techniques in the evaluation of left ventricular function in obesity. <b>2013</b> , 21, 881-92   | 7   |
| 198 | 17-IDestradiol prevents cardiovascular dysfunction in post-menopausal metabolic syndrome by affecting SIRT1/AMPK/H3 acetylation. <b>2013</b> , 170, 779-95                               | 47  |
| 197 | Insulin resistance and incident heart failure the ARIC study (Atherosclerosis Risk in Communities). <b>2013</b> , 1, 531-6   | 44  |
| 196 | Diabetic cardiomyopathy: pathophysiology and clinical features. <b>2013</b> , 18, 149-66   | 298 |
| 195 | The limited clinical value of a specific diabetic cardiomyopathy. <b>2013</b> , 23, 599-605  | 3   |
| 194 | Creatinine and insulin predict cardiac mass in drug-nalle hypertensive patients. <b>2013</b> , 167, 519-24   | 6   |
| 193 | Renal insufficiency in non-diabetic subjects: relationship of MTHFR C677t gene polymorphism and left ventricular hypertrophy. <b>2013</b> , 35, 615-23                                   | 3   |
| 192 | Cardiac insulin-resistance and decreased mitochondrial energy production precede the development of systolic heart failure after pressure-overload hypertrophy. <b>2013</b> , 6, 1039-48 | 142 |

# (2014-2013)

| 191 | Obesity and insulin resistance induce early development of diastolic dysfunction in young female mice fed a Western diet. <b>2013</b> , 154, 3632-42  | 81 |
|-----|---|----|
| 190 | Taking diabetes to heartderegulation of myocardial lipid metabolism in diabetic cardiomyopathy. <b>2013</b> , 2, e000433  | 88 |
| 189 | Cardiovascular characteristics in subjects with increasing levels of abnormal glucose regulation: the Strong Heart Study. <b>2013</b> , 36, 992-7   | 24 |
| 188 | Gender influence on left ventricular structure and function in metabolic syndrome. Are women at greater risk?. <b>2013</b> , 41, 538-45   | 8  |
| 187 | Metabolic syndrome, left ventricular hypertrophy and carotid atherosclerosis in hypertension: a gender-based study. <b>2013</b> , 22, 138-43  | 12 |
| 186 | Maternal undernutrition around the time of conception and embryo number each impact on the abundance of key regulators of cardiac growth and metabolism in the fetal sheep heart. <b>2013</b> , 4, 377-90 | 18 |
| 185 | Left ventricular systolic and diastolic function in children with overweight and obesity. 2013, 114, 526-30   | 4  |
| 184 | Mice long-term high-fat diet feeding recapitulates human cardiovascular alterations: an animal model to study the early phases of diabetic cardiomyopathy. <b>2013</b> , 8, e60931                        | 97 |
| 183 | Left ventricular hypertrophy and insulin resistance in adults from an urban community in The Gambia: cross-sectional study. <b>2014</b> , 9, e93606   | 8  |
| 182 | Molecular Mechanisms of Retinoid Receptors in Diabetes-Induced Cardiac Remodeling. <b>2014</b> , 3, 566-94  | 15 |
| 181 | The Metabolic Syndrome and Cardiovascular Diseases: An Update of Medical Treatment. 2014, 03,   |    |
| 180 | Diabetes Mellitus and Heart Failure. <b>2014</b> , 9, 37-42   | 18 |
| 179 | Subjects with impaired fasting glucose: evolution in a period of 6 years. <b>2014</b> , 2014, 710370  | 7  |
| 178 | Fasting blood glucose at admission and survival in patients with dilated cardiomyopathy: a single-center cohort study. <b>2014</b> , 122, 457-62  | 4  |
| 177 | Impact of diabetes on survival and right ventricular compensation in pulmonary arterial hypertension. <b>2014</b> , 4, 311-8  | 40 |
| 176 | Cardiovascular risk in women with type 2 diabetes mellitus and prediabetes: is it indeed higher than men?. <b>2014</b> , 171, R245-55   | 18 |
| 175 | Determinants of left ventricular hypertrophy in patients with recent diagnosis of essential hypertension. <b>2014</b> , 32, 166-73  | 23 |
| 174 | Lipid profile and correlation to cardiac risk factors and cardiovascular function in type 1 adolescent diabetics from a developing country. <b>2014</b> , 2014, 513460                                    | 6  |

| 173 | Advanced glycation end products: role in pathology of diabetic cardiomyopathy. <b>2014</b> , 19, 49-63  |     | 130 |
|-----|---|-----|-----|
| 172 | The prevalence of diabetic cardiomyopathy: a population-based study in Olmsted County, Minnesota. <b>2014</b> , 20, 304-9   |     | 88  |
| 171 | Ca(2+) mishandling and cardiac dysfunction in obesity and insulin resistance: role of oxidative stress. <b>2014</b> , 56, 408-15  |     | 26  |
| 170 | Sinoatrial node dysfunction induces cardiac arrhythmias in diabetic mice. <i>Cardiovascular Diabetology</i> , <b>2014</b> , 13, 122   | 8.7 | 19  |
| 169 | Diabetic Cardiomyopathy: Distinct and Preventable Entity or Inevitable Consequence?. <b>2014</b> , 8, 1   |     | 1   |
| 168 | Co-activation of nuclear factor- <b>B</b> and myocardin/serum response factor conveys the hypertrophy signal of high insulin levels in cardiac myoblasts. <b>2014</b> , 289, 19585-98   |     | 19  |
| 167 | Impact of metabolic syndrome on global left ventricular function: As evaluated by the myocardial performance index. <b>2014</b> , 26, 145-51  |     | 2   |
| 166 | Poor preoperative left ventricular function is associated with decreased insulin sensitivity during cardiac surgery. <b>2014</b> , 28, 631-4  |     | 1   |
| 165 | Fasting plasma glucose and incident heart failure risk: a population-based cohort study and new meta-analysis. <b>2014</b> , 20, 584-92   |     | 12  |
| 164 | Greater body mass index is a better predictor of subclinical cardiac damage at long-term follow-up in men than is insulin sensitivity: a prospective, population-based cohort study. <b>2015</b> , 15, 168                            |     | 5   |
| 163 | Altered myocardial response in patients with diabetic retinopathy: an exercise echocardiography study. <i>Cardiovascular Diabetology</i> , <b>2015</b> , 14, 123  | 8.7 | 11  |
| 162 | Diabetic Cardiomyopathy; Summary of 41 Years. <b>2015</b> , 45, 266-72  |     | 50  |
| 161 | Cardiac diastolic function is impaired at rest and worsens with exercise in otherwise healthy individuals with insulin resistance. <b>2015</b> , 56, 345-8  |     | 3   |
| 160 | New-onset diabetes and glucose regulation are significant determinants of left ventricular hypertrophy in renal transplant recipients. <b>2015</b> , 2015, 293896   |     | 1   |
| 159 | Untreated diabetes mellitus, but not impaired fasting glucose, is associated with increased left ventricular mass and concentric hypertrophy in an elderly, healthy, Swedish population. <b>2015</b> , 9, 39-47                       |     | 5   |
| 158 | Metformin and its effects on myocardial dimension and left ventricular hypertrophy in normotensive patients with coronary heart disease (the MET-REMODEL study): rationale and design of the MET-REMODEL study. <b>2015</b> , 33, 1-8 |     | 13  |
| 157 | Individuals with impaired glucose tolerance demonstrate normal cardiac sympathetic innervation using I-123 mIBG scintigraphy. <b>2015</b> , 22, 1262-8  |     | 3   |
| 156 | ACE2 Deficiency Worsens Epicardial Adipose Tissue Inflammation and Cardiac Dysfunction in Response to Diet-Induced Obesity. <b>2016</b> , 65, 85-95   |     | 138 |

155 Systemic diseases. **2015**, 459-488

| 154 | Metabolic syndrome, atrial fibrillation, and stroke: Tackling an emerging epidemic. <b>2015</b> , 12, 2332-43  | 21  |
|-----|--|-----|
| 153 | Mineralocorticoid receptor blockade prevents Western diet-induced diastolic dysfunction in female mice. <b>2015</b> , 308, H1126-35  | 52  |
| 152 | Myocardial metabolism in diabetic cardiomyopathy: potential therapeutic targets. <b>2015</b> , 22, 1606-30   | 35  |
| 151 | Impaired fasting glucose and left ventricular diastolic dysfunction in middle-age adults: a retrospective cross-sectional analysis of 2971 subjects. <i>Cardiovascular Diabetology</i> , <b>2015</b> , 14, 119 | 17  |
| 150 | Cardiac structure and function across the glycemic spectrum in elderly men and women free of prevalent heart disease: the Atherosclerosis Risk In the Community study. <b>2015</b> , 8, 448-54                 | 47  |
| 149 | Heart Failure in WomenInsights from the Framingham Heart Study. <b>2015</b> , 29, 377-90   | 39  |
| 148 | Endothelial Mineralocorticoid Receptor Deletion Prevents Diet-Induced Cardiac Diastolic Dysfunction in Females. <b>2015</b> , 66, 1159-1167  | 87  |
| 147 | Relationship between CHA2DS2-VASc score and atrial electromechanical function in patients with paroxysmal atrial fibrillation: A pilot study. <b>2015</b> , 66, 382-7  | 10  |
| 146 | Omentin functions to attenuate cardiac hypertrophic response. <b>2015</b> , 79, 195-202  | 38  |
| 145 | Present Insights on Cardiomyopathy in Diabetic Patients. <b>2016</b> , 12, 384-395   | 22  |
| 144 | Diabetic Cardiomyopathy: Does the Type of Diabetes Matter?. <b>2016</b> , 17,  | 82  |
| 143 | Prenatal programming: adverse cardiac programming by gestational testosterone excess. <b>2016</b> , 6, 28335   | 26  |
| 142 | Congestive Heart Failure. <b>2016</b> , 659-672  |     |
| 141 | The metabolic vascular syndrome - guide to an individualized treatment. <b>2016</b> , 17, 5-17   | 25  |
| 140 | Association of Impaired Glucose Regulation and Insulin Resistance With Cardiac Structure and Function: Results From ECHO-SOL (Echocardiographic Study of Latinos). <b>2016</b> , 9,                            | 14  |
| 139 | Insulin resistance and hyperinsulinaemia in diabetic cardiomyopathy. <b>2016</b> , 12, 144-53  | 383 |
| 138 | Heart Failure Prevention: Special Considerations for Women. <b>2016</b> , 10, 1  |     |

| 137 | Endothelial Mineralocorticoid Receptor Mediates Diet-Induced Aortic Stiffness in Females. <b>2016</b> , 118, 935-943   |     | 109 |
|-----|--|-----|-----|
| 136 | Association of Gestational Diabetes Mellitus With Left Ventricular Structure and Function: The CARDIA Study. <b>2016</b> , 39, 400-7   |     | 31  |
| 135 | Left and right ventricular systolic function impairment in type 1 diabetic young adults assessed by 2D speckle tracking echocardiography. <b>2016</b> , 17, 438-46   |     | 31  |
| 134 | Epicardial Fat in Nonalcoholic Fatty Liver Disease: Properties and Relationships With Metabolic Factors, Cardiac Structure, and Cardiac Function. <b>2016</b> , 67, 41-8   |     | 18  |
| 133 | DPP-4 Inhibitor and Estrogen Share Similar Efficacy Against Cardiac Ischemic-Reperfusion Injury in Obese-Insulin Resistant and Estrogen-Deprived Female Rats. <b>2017</b> , 7, 44306                                       |     | 13  |
| 132 | Sodium glucose transporter 2 (SGLT2) inhibition with empagliflozin improves cardiac diastolic function in a female rodent model of diabetes. <i>Cardiovascular Diabetology</i> , <b>2017</b> , 16, 9                       | 8.7 | 134 |
| 131 | Atrial Fibrillation: Epidemiology, Pathophysiology, and Clinical Outcomes. <b>2017</b> , 120, 1501-1517  |     | 370 |
| 130 | Pathophysiological Fundamentals of Diabetic Cardiomyopathy. <b>2017</b> , 7, 693-711   |     | 50  |
| 129 | Prevalence of arrhythmias in patients with type 2 diabetes and the role of structural changes in myocardium in their development. <b>2017</b> , 11 Suppl 2, S567-S576  |     | 5   |
| 128 | Combined oral contraceptive and nitric oxide synthesis inhibition synergistically causes cardiac hypertrophy and exacerbates insulin resistance in female rats. <b>2017</b> , 52, 54-61                                    |     | 9   |
| 127 | Role of mineralocorticoid receptor activation in cardiac diastolic dysfunction. <b>2017</b> , 1863, 2012-2018  |     | 14  |
| 126 | Comparison of the Incidence of Major Bleeding With Rivaroxaban Use Among Nonvalvular Atrial Fibrillation Patients With Versus Without Diabetes Mellitus. <b>2017</b> , 119, 753-759  |     | 11  |
| 125 | Pathological Effects of Exosomes in Mediating Diabetic Cardiomyopathy. <b>2017</b> , 998, 113-138  |     | 23  |
| 124 | Exogenous HS facilitating ubiquitin aggregates clearance via autophagy attenuates type 2 diabetes-induced cardiomyopathy. <b>2017</b> , 8, e2992   |     | 24  |
| 123 | Dipeptidyl peptidase-4 (DPP-4) inhibition with linagliptin reduces western diet-induced myocardial TRAF3IP2 expression, inflammation and fibrosis in female mice. <i>Cardiovascular Diabetology</i> , <b>2017</b> , 16, 61 | 8.7 | 38  |
| 122 | Association of Insulin Resistance and Glycemic Metabolic Abnormalities With LV Structure and Function in Middle Age: The CARDIA Study. <b>2017</b> , 10, 105-114   |     | 44  |
| 121 | Daily exercise prevents diastolic dysfunction and oxidative stress in a female mouse model of western diet induced obesity by maintaining cardiac heme oxygenase-1 levels. <b>2017</b> , 66, 14-22                         |     | 19  |
| 120 | Overfat Adults and Children in Developed Countries: The Public Health Importance of Identifying Excess Body Fat. <b>2017</b> , 5, 190  |     | 20  |

| 119 | Development of a Basic Risk Score for Incident Atrial Fibrillation in a Japanese General Population - The Suita Study. <b>2017</b> , 81, 1580-1588   |     | 59  |  |
|-----|--|-----|-----|--|
| 118 | Does dapagliflozin regress left ventricular hypertrophy in patients with type 2 diabetes? A prospective, double-blind, randomised, placebo-controlled study. <b>2017</b> , 17, 229   |     | 18  |  |
| 117 | Admission blood glucose and 10-year mortality among patients with or without pre-existing diabetes mellitus hospitalized with heart failure. <i>Cardiovascular Diabetology</i> , <b>2017</b> , 16, 102                                   | 8.7 | 16  |  |
| 116 | Impact of hypertension with or without diabetes on left ventricular remodeling in rural Chinese population: a cross-sectional study. <b>2017</b> , 17, 206   |     | 15  |  |
| 115 | Type 2 diabetes mellitus and heart failure: a position statement from the Heart Failure Association of the European Society of Cardiology. <b>2018</b> , 20, 853-872   |     | 264 |  |
| 114 | Heart Failure With Preserved Ejection Fraction in Diabetes: Mechanisms and Management. <b>2018</b> , 34, 632-643   |     | 41  |  |
| 113 | Relation Between Wrist Circumference and Left Ventricular Structure in Overweight Children. <b>2018</b> , 121, 1624-1628   |     | 6   |  |
| 112 | Pathophysiology and Prevention of Heart Disease in Diabetes Mellitus. <b>2018</b> , 43, 68-110   |     | 15  |  |
| 111 | Echocardiographic feature of diabetic cardiomyopathy: where are we now?. 2018, 8, 47-56  |     | 18  |  |
| 110 | Dietary intervention with a specific micronutrient combination for the treatment of patients with cardiac arrhythmias: the impact on insulin resistance and left ventricular function. <b>2018</b> , 18, 220                             |     | 1   |  |
| 109 | OBSOLETE: Stage A Heart Failure: Identification and Management of Heart Failure Risk Factors. <b>2018</b> ,  |     |     |  |
| 108 | Stage A Heart Failure: Identification and Management of Heart Failure Risk Factors. <b>2018</b> , 446-455  |     |     |  |
| 107 | Association of obesity phenotypes with electrocardiographic left ventricular hypertrophy in the general population. <b>2018</b> , 51, 1125-1130  |     | 3   |  |
| 106 | Association of glycemic status and segmental left ventricular wall thickness in subjects without prior cardiovascular disease: a cross-sectional study. <b>2018</b> , 18, 162  |     | 11  |  |
| 105 | Diabetes mellitus and insulin resistance associate with left ventricular shape and torsion by cardiovascular magnetic resonance imaging in asymptomatic individuals from the multi-ethnic study of atherosclerosis. <b>2018</b> , 20, 53 |     | 11  |  |
| 104 | Loss of Metabolic Flexibility in the Failing Heart. Frontiers in Cardiovascular Medicine, 2018, 5, 68  | 5.4 | 139 |  |
| 103 | Inhibition of calcium/calmodulin-dependent kinase II restores contraction and relaxation in isolated cardiac muscle from type 2 diabetic rats. <i>Cardiovascular Diabetology</i> , <b>2018</b> , 17, 89                                  | 8.7 | 22  |  |
| 102 | Cardiac Structural Remodeling, Longitudinal Systolic Strain, and Torsional Mechanics in Lean and Nonlean Dysglycemic Chinese Adults. <b>2018</b> , 11, e007047   |     | 14  |  |
|     |  |     |     |  |

| 101 | Body mass index, type 2 diabetes, and left ventricular function. <i>Cardiovascular Diabetology</i> , <b>2018</b> , 17, 3  | 3.7  | 4   |
|-----|---|------|-----|
| 100 | The role of dipeptidylpeptidase-4 inhibitors in management of cardiovascular disease in diabetes; focus on linagliptin. <i>Cardiovascular Diabetology</i> , <b>2018</b> , 17, 59  | B.7  | 20  |
| 99  | Double trouble: managing diabetic emergencies in patients with heart failure. <b>2018</b> , 35, 139-143   |      | 2   |
| 98  | Data Linking Diabetes Mellitus and Atrial Fibrillation-How Strong Is the Evidence? From Epidemiology and Pathophysiology to Therapeutic Implications. <b>2018</b> , 34, 1492-1502   |      | 18  |
| 97  | Association Between Pre-Ablation Glycemic Control and Outcomes Among Patients With Diabetes Undergoing Atrial Fibrillation Ablation. <b>2019</b> , 5, 897-903   |      | 28  |
| 96  | Cardiac Insulin Resistance in Heart Failure: The Role of Mitochondrial Dynamics. <b>2019</b> , 20,  |      | 19  |
| 95  | Type 2 Diabetes Mellitus and Heart Failure: A Scientific Statement From the American Heart Association and the Heart Failure Society of America: This statement does not represent an update of the 2017 ACC/AHA/HFSA heart failure guideline update. <i>Circulation</i> , <b>2019</b> , 140, e294-e324 | 16.7 | 168 |
| 94  | Type 2 Diabetes Mellitus and Heart Failure, A Scientific Statement From the American Heart Association and Heart Failure Society of America. <b>2019</b> , 25, 584-619  |      | 30  |
| 93  | Dysglycemia and increased left ventricle mass in normotensive patients admitted with a first myocardial infarction: prognostic implications of dysglycemia during 14 years of follow-up. <b>2019</b> , 19, 103  |      | 1   |
| 92  | A randomized controlled trial of metformin on left ventricular hypertrophy in patients with coronary artery disease without diabetes: the MET-REMODEL trial. <b>2019</b> , 40, 3409-3417  |      | 56  |
| 91  | Sex-specific clinical outcomes of impaired glucose status: A long follow-up from the Tehran Lipid and Glucose Study. <b>2019</b> , 26, 1080-1091  |      | 14  |
| 90  | Glycemic Markers and Subclinical Cardiovascular Disease: The Jackson Heart Study. <b>2019</b> , 12, e008641   |      | 3   |
| 89  | Proteomics Profiling and Risk of New-Onset Atrial Fibrillation: Framingham Heart Study. <b>2019</b> , 8, e01097   | 6    | 24  |
| 88  | The caveolin-3 P104L mutation in LGMD-1C patients inhibits non-insulin-stimulated glucose metabolism and growth but promotes myocyte proliferation. <b>2019</b> , 43, 669-677   |      | 3   |
| 87  | Gender-Dependent Alteration of Ca and TNF ignaling in / Mice, an Obesity-Linked Type 2 Diabetic Model. <b>2019</b> , 10, 40   |      | 3   |
| 86  | Elevated 1-h post-load plasma glucose is associated with right ventricular morphofunctional parameters in hypertensive patients. <b>2019</b> , 64, 525-535  |      | 2   |
| 85  | Role of Cytochrome p450 and Soluble Epoxide Hydrolase Enzymes and Their Associated Metabolites in the Pathogenesis of Diabetic Cardiomyopathy. <b>2019</b> , 74, 235-245  |      | 8   |
| 84  | Estrogen-Dependent Disruption of Adiponectin-Connexin43 Signaling Underlies Exacerbated Myocardial Dysfunction in Diabetic Female Rats. <b>2019</b> , 368, 208-217  |      | 4   |

## (2021-2019)

| 83        | The impact of diabetes mellitus on the clinical phenotype of hypertrophic cardiomyopathy. <b>2019</b> , 40, 1671-1677  | 15  |
|-----------|--|-----|
| 82        | MediYoga as a part of a self-management programme among patients with paroxysmal atrial fibrillation - a randomised study. <b>2020</b> , 19, 74-82   | 4   |
| 81        | Differential prognostic impact of type 2 diabetes mellitus in women and men with heart failure with preserved ejection fraction. <b>2020</b> , 73, 463-470   | 8   |
| 80        | Determining Early Remodeling Patterns in Diabetes and Hypertension Using Cardiac Computed Tomography: The Feasibility of Assessing Early LV Geometric Changes. <b>2020</b> , 33, 496-504                                   |     |
| 79        | Diabetes Mellitus Is an Independent Predictor for the Development of Heart Failure: A Population Study. <b>2020</b> , 95, 124-133  | 11  |
| 78        | The role of insulin resistance in the relation of visceral, abdominal subcutaneous and total body fat to cardiovascular function. <b>2020</b> , 30, 2230-2241  | 2   |
| 77        | Association of diet with left ventricular wall thickness, troponin I and IGF-1 in cats with subclinical hypertrophic cardiomyopathy. <b>2020</b> , 34, 2197-2210   | 2   |
| 76        | Sex-specific pattern of left ventricular hypertrophy and diastolic function in patients with type 2 diabetes mellitus. <b>2021</b> , 22, 930-940   | 2   |
| <i>75</i> | Epidemiology of Atrial Fibrillation in the 21st Century: Novel Methods and New Insights. <b>2020</b> , 127, 4-20   | 143 |
| 74        | A randomized controlled trial of dapagliflozin on left ventricular hypertrophy in people with type two diabetes: the DAPA-LVH trial. <b>2020</b> , 41, 3421-3432   | 55  |
| 73        | Different Patterns of Left Ventricular Hypertrophy in Metabolically Healthy and Insulin-Resistant Obese Subjects. <b>2020</b> , 12,  | 8   |
| 72        | Effect of antidiabetic drugs on the risk of atrial fibrillation: mechanistic insights from clinical evidence and translational studies. <b>2021</b> , 78, 923-934  | 3   |
| 71        | Impact of insulin resistance on subclinical left ventricular dysfunction in normal weight and overweight/obese japanese subjects in a general community. <i>Cardiovascular Diabetology</i> , <b>2021</b> , 20, 22          | 4   |
| 70        | Impact of diabetes mellitus and cardiometabolic syndrome on the risk of Alzheimer's disease among postmenopausal women. <b>2021</b> , 12, 69-83  | 2   |
| 69        | Development of a nomogram for screening the risk of left ventricular hypertrophy in Chinese hypertensive patients. <b>2021</b> , 23, 1176-1185   | 2   |
| 68        | Mineralocorticoid receptors in the pathogenesis of insulin resistance and related disorders: from basic studies to clinical disease. <b>2021</b> , 320, R276-R286  | 5   |
| 67        | Risk factors for electrocardiographic left ventricular hypertrophy in a young Chinese general population: the Hanzhong adolescent cohort study. <b>2021</b> , 21, 159  | O   |
| 66        | Sex-specific differences in left ventricular mass and myocardial energetic efficiency in non-diabetic, pre-diabetic and newly diagnosed type 2 diabetic subjects. <i>Cardiovascular Diabetology</i> , <b>2021</b> , 20, 60 | 3   |

| 65 | Prediabetes and the risk of heart failure: A meta-analysis. <b>2021</b> , 23, 1746-1753  | 40 |
|----|--|----|
| 64 | Sex Differences of the Diabetic Heart. <b>2021</b> , 12, 661297  | 3  |
| 63 | The TRIB3 R84 variant is associated with increased left ventricular mass in a sample of 2426 White individuals. <i>Cardiovascular Diabetology</i> , <b>2021</b> , 20, 115  | O  |
| 62 | The Diabetic Cardiomyopathy: The Contributing Pathophysiological Mechanisms. <b>2021</b> , 8, 695792   | 16 |
| 61 | Diagnostic Thresholds for Pre-Diabetes Mellitus and Diabetes Mellitus and Subclinical Cardiac Disease in the General Population:. <b>2021</b> , 10, e020447  | 4  |
| 60 | Histone Deacetylases in the Pathogenesis of Diabetic Cardiomyopathy. <b>2021</b> , 12, 679655  | 3  |
| 59 | Elevated Plasma Homocysteine Level Associated with Further Left Ventricular Structure and Function Damages in Type 2 Diabetic Patients: A Three-Dimensional Speckle Tracking Echocardiography Study. <b>2021</b> , 19, 443-451 | 0  |
| 58 | Disturbed Glucose Metabolism and Left Ventricular Geometry in the General Population. <b>2021</b> , 10,  | 1  |
| 57 | Obesity cardiomyopathy: evidence, mechanisms, and therapeutic implications. 2021, 101, 1745-1807   | 29 |
| 56 | A high triglyceride-glucose index is associated with left ventricular dysfunction and atherosclerosis. <b>2021</b> , 18, 1051-1057   | 7  |
| 55 | Diastolic Disturbances in Diabetes Mellitus. <b>2008</b> , 271-284   | 2  |
| 54 | Efecto pron\(\text{Btico}\) diferencial de la diabetes mellitus tipo 2 en mujeres y varones con insuficiencia cardiaca y fracci\(\text{B}\) de eyecci\(\text{B}\) conservada. <b>2020</b> , 73, 463-470                        | 5  |
| 53 | Associations among echocardiography, cardiac biomarkers, insulin metabolism, morphology, and inflammation in cats with asymptomatic hypertrophic cardiomyopathy. <b>2020</b> , 34, 591-599                                     | 6  |
| 52 | Label-free and noninvasive method for assessing the metabolic status in type 2 diabetic rats with myocardium diastolic dysfunction. <b>2021</b> , 12, 480-493  | 3  |
| 51 | Linking atrial fibrillation with non-alcoholic fatty liver disease: potential common therapeutic targets. <b>2017</b> , 8, 60673-60683   | 10 |
| 50 | Insulin resistance and plasma triglyceride level are differently related to cardiac hypertrophy and arterial stiffening in hypertensive subjects. <b>2006</b> , 2, 485-90  | 7  |
| 49 | Macrovascular Complications of Type 2 Diabetes Mellitus. <b>2020</b> , 18, 110-116   | 41 |
| 48 | Heart failure in North America. <b>2013</b> , 9, 128-46  | 44 |

### (2009-2020)

| 47                         | SIRT3 is a downstream target of PPAR-Amplicated in high glucose-induced cardiomyocyte injury in AC16 cells. <b>2020</b> , 20, 1261-1268  | 2      |
|----------------------------|--|--------|
| 46                         | Metabolic Crosstalk between the Heart and Fat. <b>2020</b> , 50, 379-394   | 4      |
| 45                         | Increased myofilament calcium sensitivity is associated with decreased cardiac troponin I phosphorylation in the diabetic rat heart. <b>2021</b> , 106, 2235-2247  | O      |
| 44                         | Heart Failure and Obesity: The Risk of Development and the Treatment of Heart Failure in Obese<br>Patients. <b>2006</b> , 403-428  |        |
| 43                         | Atrial fibrillation and its association with type 2 diabetes. <b>2008</b> , 63, 53-57  |        |
| 42                         | Congestive Heart Failure. 684-697  |        |
| 41                         | Obesity and Cardiac Dysfunction. <b>2011</b> , 257-292   |        |
| 40                         | The Endothelium, Cardiovascular Disease, and Therapy. 409-467  |        |
| 39                         | Postmenopausal Hypertension and Coronary Artery Disease Risk. <b>2016</b> , 329-350  |        |
| 38                         | The impact of diabetes on left ventricular diastolic function in patients with arterial hypertension.  |        |
|                            | <b>2015</b> , 2, 177-181   | 4      |
| 37                         | 2015, 2, 177-181  Heart Failure Prevention. 2017, 267-284  | 2      |
|                            |  |        |
| 37                         | Heart Failure Prevention. <b>2017</b> , 267-284  MORPHOLOGICAL AND FUNCTIONAL MYOCARDIAL ABNORMALITIES IN THE CHORNOBYL NPP ACCIDENT CLEAN-UP WORKERS OF «IODINE» PERIOD HAVING GOT TYPE 2 DIABETES MELLITUS.  |        |
| 37                         | Heart Failure Prevention. 2017, 267-284  MORPHOLOGICAL AND FUNCTIONAL MYOCARDIAL ABNORMALITIES IN THE CHORNOBYL NPP ACCIDENT CLEAN-UP WORKERS OF «IODINE» PERIOD HAVING GOT TYPE 2 DIABETES MELLITUS. 2018, 23, 302-330  EFFICACY OF CATHETER ABLATION FOR PERSISTENT ATRIAL FIBRILLATION IN PATIENTS WITH   | 2      |
| 37<br>36<br>35             | Heart Failure Prevention. 2017, 267-284  MORPHOLOGICAL AND FUNCTIONAL MYOCARDIAL ABNORMALITIES IN THE CHORNOBYL NPP ACCIDENT CLEAN-UP WORKERS OF «IODINE» PERIOD HAVING GOT TYPE 2 DIABETES MELLITUS. 2018, 23, 302-330  EFFICACY OF CATHETER ABLATION FOR PERSISTENT ATRIAL FIBRILLATION IN PATIENTS WITH DIABETES MELLITUS PRESENT WITH TACHY-BRADY SYNDROME. 2018, 7, 24-32   | 2      |
| 37<br>36<br>35<br>34       | Heart Failure Prevention. 2017, 267-284  MORPHOLOGICAL AND FUNCTIONAL MYOCARDIAL ABNORMALITIES IN THE CHORNOBYL NPP ACCIDENT CLEAN-UP WORKERS OF &IODINE® PERIOD HAVING GOT TYPE 2 DIABETES MELLITUS. 2018, 23, 302-330  EFFICACY OF CATHETER ABLATION FOR PERSISTENT ATRIAL FIBRILLATION IN PATIENTS WITH DIABETES MELLITUS PRESENT WITH TACHY-BRADY SYNDROME. 2018, 7, 24-32  Making sense of subclinical cardiac alterations in patients with diabetes. 2019, 19, 312-314   | 2<br>O |
| 37<br>36<br>35<br>34<br>33 | MORPHOLOGICAL AND FUNCTIONAL MYOCARDIAL ABNORMALITIES IN THE CHORNOBYL NPP ACCIDENT CLEAN-UP WORKERS OF &IODINES PERIOD HAVING GOT TYPE 2 DIABETES MELLITUS. 2018, 23, 302-330  EFFICACY OF CATHETER ABLATION FOR PERSISTENT ATRIAL FIBRILLATION IN PATIENTS WITH DIABETES MELLITUS PRESENT WITH TACHY-BRADY SYNDROME. 2018, 7, 24-32  Making sense of subclinical cardiac alterations in patients with diabetes. 2019, 19, 312-314  Atrial Fibrillation IAn Orchestra of Classic and Modern Risk Factors. 2019, 65, 80-86 | 2<br>O |

| 29 | Atrial conduction delay and its association with left atrial dimension, left atrial pressure and left ventricular diastolic dysfunction in patients at risk of atrial fibrillation. <b>2007</b> , 12, 197-201                                |                     | 12 |
|----|--|---------------------|----|
| 28 | Postprandial insulin resistance as an early predictor of cardiovascular risk. <b>2007</b> , 3, 761-70  |                     | 24 |
| 27 | Sitagliptin Modulates the Electrical and Mechanical Characteristics of Pulmonary Vein and Atrium. <b>2014</b> , 30, 29-37  |                     | 1  |
| 26 | Sex Differences in Heart Failure. <b>2021</b> ,  |                     | 3  |
| 25 | Diastolic function in patients with heart failure with preserved ejection fraction and atrial fibrillation: impact of diabetes. <b>2021</b> , 11, 564-575  |                     |    |
| 24 | Glycemic control and atrial fibrillation: an intricate relationship, yet under investigation <i>Cardiovascular Diabetology</i> , <b>2022</b> , 21, 39  | 8.7                 | 0  |
| 23 | Pathophysiological aspects of insulin resistance in Atrial Fibrillation: novel therapeutic approaches. <i>International Journal of Arrhythmia</i> , <b>2022</b> , 23,  | 2.4                 | 0  |
| 22 | The Effect of Obesity, Hypertension, Diabetes Mellitus, Alcohol, and Sleep Apnea on the Risk of Atrial Fibrillation. <i>Physiological Research</i> , <b>2021</b> , S511-S525   | 2.1                 | 1  |
| 21 | Association of diabetes with atrial fibrillation types: a systematic review and meta-analysis. <i>Cardiovascular Diabetology</i> , <b>2021</b> , 20, 230   | 8.7                 | 1  |
| 20 | Double life: How GRK2 and Earrestin signaling participate in diseases Cellular Signalling, 2022, 110333  | 4.9                 | 0  |
| 19 | The effect of obesity, hypertension, diabetes mellitus, alcohol, and sleep apnea on the risk of atrial fibrillation <i>Physiological Research</i> , <b>2021</b> , 70, S511-S525  | 2.1                 |    |
| 18 | Ovariektomize S目nlarda Liraglutidfh Kalp Fonksiyonlar圈erine Etkisi. <i>Turkish Journal of Diabetes and Obesity</i> , <b>2022</b> , 6, 1-9  | 0.2                 |    |
| 17 | Impact of insulin therapy on outcomes of diabetic patients with heart failure: A systematic review and meta-analysis <i>Diabetes and Vascular Disease Research</i> , <b>2022</b> , 19, 14791641221093175                                     | 3.3                 | 1  |
| 16 | Effect of Preablation Glycemic Control on Outcomes of Atrial Fibrillation Patients With Diabetes Mellitus Following Valvular Surgery Combined With the Cox-Maze IV Procedure. <i>Frontiers in Cardiovascular Medicine</i> , <b>2022</b> , 9, | 5.4                 |    |
| 15 | The role of progranulin in ischemic heart disease and its related risk factors. <i>European Journal of Pharmaceutical Sciences</i> , <b>2022</b> , 106215  | 5.1                 |    |
| 14 | Association of ambulatory blood pressure with coronary microvascular and cardiac dysfunction in asymptomatic type 2 diabetes. <i>Cardiovascular Diabetology</i> , <b>2022</b> , 21,  | 8.7                 | 0  |
| 13 | Patients phenotypes and cardiovascular risk in type 2 diabetes: the Jackson Heart Study. <i>Cardiovascular Diabetology</i> , <b>2022</b> , 21,   | 8.7                 | 0  |
| 12 | Diabetes and Progression of Heart Failure. <i>Journal of the American College of Cardiology</i> , <b>2022</b> , 79, 2285   | -2 <del>3</del> .93 | O  |

### CITATION REPORT

| 11 | Determinants of Left Atrial Compliance in the Metabolic Syndrome: Insights from the <b>L</b> inosa Study ( <i>Journal of Personalized Medicine</i> , <b>2022</b> , 12, 1044 | 3.6 |   |
|----|---|-----|---|
| 10 | A New Hope: Sodium-Glucose Cotransporter-2 Inhibition to Prevent Atrial Fibrillation. <i>Journal of Cardiovascular Development and Disease</i> , <b>2022</b> , 9, 236       | 4.2 | 1 |
| 9  | Why take organ damage in hypertension seriously?. <b>2022</b> , 68, 303-308   |     |   |
| 8  | Triglyceride glucose index and its combination with the Get with the Guidelines-Heart Failure score in predicting the prognosis in patients with heart failure. 9,          |     | 0 |
| 7  | The Complex Relation between Atrial Cardiomyopathy and Thrombogenesis. 2022, 11, 2963   |     | 0 |
| 6  | Value of estimated glucose disposal rate to detect prevalent left ventricular hypertrophy: implications from a general population. 1-9                                      |     | 1 |
| 5  | COMPLICATIONS IN DIABETES : A REVIEW. <b>2022</b> , 19-31   |     | 0 |
| 4  | Effect of sodium-glucose cotransporter protein-2 inhibitors on left ventricular hypertrophy in patients with type 2 diabetes: A systematic review and meta-analysis. 13,    |     | 0 |
| 3  | Metabolic syndrome and risk of incident heart failure in non-diabetic patients with established cardiovascular disease. <b>2023</b> , 379, 66-75                            |     | 0 |
| 2  | The Framingham Study on Cardiovascular Disease Risk and Stress-Defenses: A Historical Review. <b>2023</b> , 2, 122-164  |     | O |
| 1  | The interplay of inflammation, exosomes and Ca2+ dynamics in diabetic cardiomyopathy. <b>2023</b> , 22,   |     | O |