

Updating the Beers Criteria for Potentially Inappropriate

Archives of Internal Medicine

163, 2716

DOI: [10.1001/archinte.163.22.2716](https://doi.org/10.1001/archinte.163.22.2716)

Citation Report

#	ARTICLE	IF	CITATIONS
1	Drugs and the Elderly. , 0, , 77-95.		0
2	Beers 2003 Update: An Advance or More of the Same?. The Consultant Pharmacist, 2004, 19, 364-370.	0.4	1
3	Identifying Potentially Inappropriate Drugs for Geriatric Patients: Updating the Beers List; More Evidence for Treating Systolic Hypertension in the Elderly. Hospital Pharmacy, 2004, 39, 210-214.	0.4	2
4	Alternatives for Potentially Inappropriate Medications in the Elderly Population: Treatment Algorithms for Use in the Fleetwood Phase III Study. The Consultant Pharmacist, 2004, 19, 1011-1028.	0.4	10
5	Poisoning in Older Adults: A 5-Year Experience of US Poison Control Centers. Annals of Pharmacotherapy, 2004, 38, 2005-2011.	0.9	20
6	A Brief History of Geriatrics. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2004, 59, 1132-1152.	1.7	116
7	Geriatric Pharmacology. Journal of the American Podiatric Medical Association, 2004, 94, 90-97.	0.2	13
9	Inappropriate Medication Use in Older Adults: Does Nitrofurantoin Belong on the List for the Reasons Stated?. Archives of Internal Medicine, 2004, 164, 1701.	4.3	17
10	Effects Of Generic-Only Drug Coverage In A Medicare HMO. Health Affairs, 2004, 23, W4-455-W4-468.	2.5	21
11	Mind Your P's and Q's: Transcription Errors and Elderly Patients. Annals of Pharmacotherapy, 2004, 38, 1317-1317.	0.9	29
12	The Concurrent Use of Anticholinergics and Cholinesterase Inhibitors: Rare Event or Common Practice?. Journal of the American Geriatrics Society, 2004, 52, 2082-2087.	1.3	114
13	Influence of socioeconomic status on the quality of prescribing in the elderly - a population based study. British Journal of Clinical Pharmacology, 2004, 58, 496-502.	1.1	57
14	Potentially inappropriate prescriptions for older patients in long-term care. BMC Geriatrics, 2004, 4, 9.	1.1	106
15	Effective Pain Management in the Long-Term Care Setting. Journal of the American Medical Directors Association, 2004, 5, 342-352.	1.2	14
16	Use of potentially inappropriate pain-related medications in older adults with painful neuropathic disorders. American Journal of Geriatric Pharmacotherapy, 2004, 2, 163-170.	3.0	22
17	Comparison of the association between disease burden and inappropriate medication use across three cohorts of older adults. American Journal of Geriatric Pharmacotherapy, 2004, 2, 239-247.	3.0	24
18	Oxybutynin Extended-Release. Drugs, 2004, 64, 885-912.	4.9	42
19	The Quality of Pharmacologic Care for Vulnerable Older Patients. Annals of Internal Medicine, 2004, 140, 714.	2.0	198

#	ARTICLE	IF	CITATIONS
22	Update on drug-related problems in the elderly. American Journal of Geriatric Pharmacotherapy, 2004, 2, 201-205.	3.0	0
23	Impact of inappropriate drug use on health services utilization among representative older community-dwelling residents. American Journal of Geriatric Pharmacotherapy, 2004, 2, 92-101.	3.0	66
24	Teaching Geriatrics to Generation Y. American Journal of Pharmaceutical Education, 2004, 68, 67.	0.7	11
25	Le bon usage du médicament chez le sujet âgé de 80 ans et plus. Therapie, 2005, 60, 367-371.	0.6	2
26	Appropriate Medication Use in Individuals Aged 80 or More Years. Therapie, 2005, 60, 373-377.	0.6	0
27	Delirium. Journal of Nursing Care Quality, 2005, 20, 244-250.	0.5	14
28	Medication Errors in Nursing Homes. Journal of Patient Safety, 2005, 1, 181-189.	0.7	11
29	PALLIATIVE CARE IN SPECIFIC NEUROLOGICAL DISEASES. CONTINUUM Lifelong Learning in Neurology, 2005, 11, 33-77.	0.4	5
30	Anticoagulation in Elderly Patients Who Fall Frequently: A Therapeutic Dilemma. The Consultant Pharmacist, 2005, 20, 601-605.	0.4	6
31	Nine key questions to address polypharmacy in the elderly. JAAPA: Official Journal of the American Academy of Physician Assistants, 2005, 18, 32-37.	0.1	22
32	Complexity of Medication Use in the Veterans Affairs Healthcare System: Part II. Antidepressant Use Among Younger and Older Outpatients. Journal of Psychiatric Practice, 2005, 11, 16-26.	0.3	40
34	Extended-release formulations of oxybutynin and tolterodine exhibit similar central nervous system tolerability profiles: A subanalysis of data from the OPERA trial. American Journal of Obstetrics and Gynecology, 2005, 192, 1849-1854.	0.7	35
35	Potentially Inappropriate Prescribing in Elderly Veterans: Are We Using the Wrong Drug, Wrong Dose, or Wrong Duration?. Journal of the American Geriatrics Society, 2005, 53, 1282-1289.	1.3	69
36	Drugs with anticholinergic properties and cognitive performance in the elderly: results from the PAQUID Study. British Journal of Clinical Pharmacology, 2005, 59, 143-151.	1.1	178
37	Inappropriate drug prescribing in older adults: the updated 2002 Beers criteria - a population-based cohort study. British Journal of Clinical Pharmacology, 2005, 60, 137-144.	1.1	146
38	Usage of paracetamol-containing combination analgesics remains high in primary care. British Journal of Clinical Pharmacology, 2005, 60, 050913044129001.	1.1	9
39	Potentially Inappropriate Medication Use by Elderly Persons in U.S. Health Maintenance Organizations, 2000-2001. Journal of the American Geriatrics Society, 2005, 53, 227-232.	1.3	90
40	Treatment of Overactive Bladder in the Older Patient: Pooled Analysis of Three Phase III Studies of Darifenacin, an M3 Selective Receptor Antagonist. European Urology, 2005, 48, 471-477.	0.9	75

#	ARTICLE	IF	CITATIONS
41	Developing Quality Indicators for Elderly Patients Undergoing Abdominal Operations. <i>Journal of the American College of Surgeons</i> , 2005, 201, 870-883.	0.2	55
42	Pharmacology update: Inappropriate prescribing in the long-term care setting. <i>Geriatric Nursing</i> , 2005, 26, 233.	0.9	2
43	A Case Study: Inappropriate Use of Amitriptyline in the Elderly. <i>Geriatric Nursing</i> , 2005, 26, 317-320.	0.9	3
44	Polypharmacy trends in office visits by the elderly in the United States, 1990 and 2000. <i>Research in Social and Administrative Pharmacy</i> , 2005, 1, 446-459.	1.5	55
45	Pharmacy Practice, Research, Education, and Advocacy for Older Adults. <i>Pharmacotherapy</i> , 2005, 25, 1396-1430.	1.2	46
46	Methods for Assessing Drug-Related Anticholinergic Activity. <i>Pharmacotherapy</i> , 2005, 25, 1592-1601.	1.2	59
47	Decreased Persistence to Cholinesterase Inhibitor Therapy with Concomitant Use of Drugs That Can Impair Cognition. <i>Pharmacotherapy</i> , 2005, 25, 1729-1735.	1.2	25
48	Costs Associated with the Management of Overactive Bladder and Related Comorbidities. <i>Pharmacotherapy</i> , 2005, 25, 511-519.	1.2	85
49	Development and assessment of indicators of rheumatoid arthritis severity: Results of a Delphi panel. <i>Arthritis and Rheumatism</i> , 2005, 53, 61-66.	6.7	47
50	Patterns of drug prescription in a geriatric evaluation and management unit as compared with the general medical wards: a randomised study. <i>European Journal of Clinical Pharmacology</i> , 2005, 61, 921-928.	0.8	64
51	Impact of inappropriate drug use among hospitalized older adults. <i>European Journal of Clinical Pharmacology</i> , 2005, 61, 453-459.	0.8	160
53	Effect of Prescriber Education on the Use of Medications Contraindicated in Older Adults in a Managed Medicare Population. <i>Journal of Managed Care Pharmacy</i> , 2005, 11, 211-219.	2.2	16
55	Adverse drug reactions in older Australians, 1981â€“2002. <i>Medical Journal of Australia</i> , 2005, 182, 267-270.	0.8	103
56	Qualidade do uso de medicamentos por idosos: uma revisÃ£o dos mÃ©todos de avaliaÃ§Ã£o disponÃveis. <i>Ciencia E Saude Coletiva</i> , 2005, 10, 1037-1045.	0.1	21
57	Pharmacist Interventions in Geriatric Nursing Facility NSAID Therapy: A One-Year Follow-up Study of Costs and Outcomes. <i>The Consultant Pharmacist</i> , 2005, 20, 492-497.	0.4	7
58	Patterns of Potentially Inappropriate Medication Use Across Three Cohorts of Older Medicaid Recipients. <i>Annals of Pharmacotherapy</i> , 2005, 39, 1175-1181.	0.9	23
59	Continuity of care in medication management: Review of issues and considerations for pharmacy. <i>American Journal of Health-System Pharmacy</i> , 2005, 62, 1714-1720.	0.5	27
60	A regional audit of the use of COX-2 selective non-steroidal anti-inflammatory drugs (NSAIDs) in rheumatology clinics in the West Midlands, in relation to NICE guidelines. <i>Rheumatology</i> , 2005, 44, 921-924.	0.9	17

#	ARTICLE	IF	CITATIONS
61	Risk of adverse drug events by patient destination after hospital discharge. American Journal of Health-System Pharmacy, 2005, 62, 1883-1889.	0.5	8
62	Pharmacokinetic dosage guidelines for elderly subjects. Expert Opinion on Drug Metabolism and Toxicology, 2005, 1, 33-48.	1.5	19
63	Guided Prescription of Psychotropic Medications for Geriatric Inpatients. Archives of Internal Medicine, 2005, 165, 802.	4.3	113
64	Strategies for Benzodiazepine Withdrawal in Seniors. Canadian Pharmacists Journal, 2005, 138, 38-40.	0.4	2
65	Potential Drug-Disease Interactions in Frail, Hospitalized Elderly Veterans. Annals of Pharmacotherapy, 2005, 39, 412-417.	0.9	37
66	The Exclusion of Benzodiazepine Coverage in Medicare: Simple Steps for Avoiding a Public Health Crisis. Psychiatric Services, 2005, 56, 1143-1146.	1.1	31
67	Helping Medicare Patients Benefit From the New Medicare Drug Benefit: An Overview With Practice Tips. The American Journal of Geriatric Cardiology, 2005, 14, 291-297.	0.7	1
68	A Prescribing Cascade Involving Cholinesterase Inhibitors and Anticholinergic Drugs. Archives of Internal Medicine, 2005, 165, 808.	4.3	194
69	Potentially Inappropriate Medication Use Among Elderly Home Care Patients in Europe. JAMA - Journal of the American Medical Association, 2005, 293, 1348.	3.8	562
70	The Quality of Prescribing for the Elderly: A Forgotten Issue?. American Journal of Medical Quality, 2005, 20, 177-178.	0.2	3
72	Update on drug-related problems in the elderly. American Journal of Geriatric Pharmacotherapy, 2005, 3, 50-54.	3.0	0
73	Essentials of prescribing in the era of the Medicare Prescription Drug Improvement and Modernization Act. American Journal of Geriatric Pharmacotherapy, 2005, 3, 123-126.	3.0	2
74	Factors associated with potentially inappropriate drug utilization in a sample of rural community-dwelling older adults. American Journal of Geriatric Pharmacotherapy, 2005, 3, 168-179.	3.0	43
75	National trends in and predictors of propoxyphene use in community-dwelling older adults. American Journal of Geriatric Pharmacotherapy, 2005, 3, 186-195.	3.0	12
76	Self-reported medication use in community-residing older adults: A pilot study. American Journal of Geriatric Pharmacotherapy, 2005, 3, 196-204.	3.0	61
77	Update on drug-related problems in the elderly. American Journal of Geriatric Pharmacotherapy, 2005, 3, 205-210.	3.0	1
78	Combination Drug Therapy. Journal of the American Medical Directors Association, 2005, 6, 406-409.	1.2	7
79	The Age/Gender Interface in Geriatric Pharmacotherapy. Journal of Women's Health, 2005, 14, 68-72.	1.5	20

#	ARTICLE	IF	CITATIONS
80	Medication Use and Prescribing Considerations for Elderly Patients. <i>Dental Clinics of North America</i> , 2005, 49, 411-427.	0.8	12
81	Antimuscarinic agents: Implications and concerns in the management of overactive bladder in the elderly. <i>Clinical Therapeutics</i> , 2005, 27, 127-138.	1.1	85
82	Prevalence and correlates of potentially inappropriate prescribing among ambulatory older patients in the year 2001: Comparison of three explicit criteria. <i>Clinical Therapeutics</i> , 2005, 27, 88-99.	1.1	45
83	Central nervous system safety of anticholinergic drugs for the treatment of overactive bladder in the elderly. <i>Clinical Therapeutics</i> , 2005, 27, 144-153.	1.1	142
84	Effect of Concomitant Use of Benzodiazepines and Other Drugs on the Risk of Injury in a Veterans Population. <i>Drug Safety</i> , 2005, 28, 1141-1150.	1.4	35
85	National Adherence to Evidence-Based Guidelines for the Prescription of Nonsteroidal Anti-Inflammatory Drugs. <i>Gastroenterology</i> , 2005, 129, 1171-1178.	0.6	133
86	Update on Drug-Induced Depression in the Elderly. <i>American Journal of Geriatric Pharmacotherapy</i> , 2005, 3, 288-300.	3.0	27
87	Potentially inappropriate prescribing before and after nursing home admission among patients with and without dementia. <i>American Journal of Geriatric Pharmacotherapy</i> , 2005, 3, 246-254.	3.0	32
89	Approaches to Appropriate Drug Prescribing for the Older Adult. <i>Primary Care - Clinics in Office Practice</i> , 2005, 32, 755-775.	0.7	24
90	American Medical Directors Association and American Society of Consultant Pharmacists Joint Position Statement on the Beers List of Potentially Inappropriate Medications in Older Adults*. <i>Journal of the American Medical Directors Association</i> , 2005, 6, 80-86.	1.2	22
91	Outpatient Medications and Hip Fractures in the US. <i>Drugs and Aging</i> , 2005, 22, 877-885.	1.3	61
92	Adverse Drug Reactions in an Elderly Hospitalised Population. <i>Drugs and Aging</i> , 2005, 22, 767-777.	1.3	272
93	Use of Psychotropic Drugs in Elderly Nursing Home Residents with and without Dementia in Helsinki, Finland. <i>Drugs and Aging</i> , 2005, 22, 793-800.	1.3	87
94	Medication-Related Problems in the Elderly. <i>Drugs and Aging</i> , 2005, 22, 559-569.	1.3	117
95	Dextropropoxyphene. <i>Drugs and Aging</i> , 2005, 22, 419-432.	1.3	16
96	Administrative Initiatives for Reducing Inappropriate Prescribing of Psychotropic Drugs in Nursing Homes. <i>Drugs and Aging</i> , 2005, 22, 339-351.	1.3	70
97	Potentially Inappropriate Medication Prescribing for Elderly Outpatients in Emilia Romagna, Italy. <i>Drugs and Aging</i> , 2006, 23, 915-924.	1.3	66
98	Prevalence of Potentially Inappropriate Medication Use in Elderly Patients. <i>Drugs and Aging</i> , 2006, 23, 823-837.	1.3	83

#	ARTICLE	IF	CITATIONS
99	Inappropriate Medication Use in Elderly Lebanese Outpatients. <i>Drugs and Aging</i> , 2006, 23, 743-752.	1.3	42
100	Use of Inappropriate Medications and Their Prognostic Significance Among In-Hospital and Nursing Home Patients with and without Dementia in Finland. <i>Drugs and Aging</i> , 2006, 23, 333-343.	1.3	41
101	Medication Nonadherence and Subsequent Risk of Hospitalisation and Mortality among Older Adults. <i>Drugs and Aging</i> , 2006, 23, 345-356.	1.3	75
102	Impact of Hospitalisation in an Acute Medical Geriatric Unit on Potentially Inappropriate Medication Use. <i>Drugs and Aging</i> , 2006, 23, 49-59.	1.3	91
103	Elderly patients need ongoing assessment and support to avoid risk of medication-related problems. <i>Drugs and Therapy Perspectives</i> , 2006, 22, 23-26.	0.3	0
104	Osteoporosis update: effective prevention and treatment. <i>Expert Review of Pharmacoeconomics and Outcomes Research</i> , 2006, 6, 525-540.	0.7	0
105	Factors associated with use of medications with potential to impair cognition or cholinesterase inhibitors among Alzheimer's disease patients. , 2006, 2, 314-321.		10
106	Use of Place Mats to Provide Seniors with Information on Depression. <i>The Consultant Pharmacist</i> , 2006, 21, 139-142.	0.4	0
107	The Application of Evidence-Based Principles of Care in Older Persons (Issue 4): Pain Management. <i>Journal of the American Medical Directors Association</i> , 2006, 7, 514-522.	1.2	6
108	Cookbook medicine: Recipe for disaster?. <i>Journal of the American Medical Directors Association</i> , 2006, 7, 470-472.	1.2	8
109	Poor Effect of Family Practice Physician Training at the Organizational Level in Long-Term Care Facilities in Flanders, Belgium. <i>Journal of the American Medical Directors Association</i> , 2006, 7, 470.	1.2	3
110	Pharmacologic Issues in Geriatric Emergency Medicine. <i>Emergency Medicine Clinics of North America</i> , 2006, 24, 449-465.	0.5	14
111	Drug-Related Problems in the Community Setting. <i>Clinical Drug Investigation</i> , 2006, 26, 415-425.	1.1	57
113	Prescribing to older ED patients. <i>American Journal of Emergency Medicine</i> , 2006, 24, 468-478.	0.7	48
114	Polypharmacy as a risk factor for adverse drug reactions in geriatric nursing home residents. <i>American Journal of Geriatric Pharmacotherapy</i> , 2006, 4, 36-41.	3.0	212
115	Types of medication errors in north carolina nursing homes: A target for quality improvement. <i>American Journal of Geriatric Pharmacotherapy</i> , 2006, 4, 52-61.	3.0	43
116	Anticholinergic medications in community-dwelling older veterans: Prevalence of anticholinergic symptoms, symptom burden, and adverse drug events. <i>American Journal of Geriatric Pharmacotherapy</i> , 2006, 4, 42-51.	3.0	141
117	Management of chronic insomnia in elderly persons. <i>American Journal of Geriatric Pharmacotherapy</i> , 2006, 4, 168-192.	3.0	99

#	ARTICLE	IF	CITATIONS
118	Potentially inappropriate medication use in elderly patients receiving home health care: A retrospective data analysis. <i>American Journal of Geriatric Pharmacotherapy</i> , 2006, 4, 134-143.	3.0	79
119	Psychotropic use in community residential care facilities: A prospective cohort study. <i>American Journal of Geriatric Pharmacotherapy</i> , 2006, 4, 227-235.	3.0	26
120	The risk of adverse drug events and hospital-related morbidity and mortality among older adults with potentially inappropriate medication use. <i>American Journal of Geriatric Pharmacotherapy</i> , 2006, 4, 297-305.	3.0	151
121	Drugs and falls in community-dwelling older people: a national veterans study. <i>Clinical Therapeutics</i> , 2006, 28, 619-630.	1.1	68
122	Clinically important drug-disease interactions and their prevalence in older adults. <i>Clinical Therapeutics</i> , 2006, 28, 1133-1143.	1.1	108
123	Cost-effectiveness of pregabalin for the management of neuropathic pain associated with diabetic peripheral neuropathy and postherpetic neuralgia: A Canadian perspective. <i>Clinical Therapeutics</i> , 2006, 28, 1922-1934.	1.1	79
124	The Anticholinergic Drug Scale as a Measure of Drug-Related Anticholinergic Burden: Associations With Serum Anticholinergic Activity. <i>Journal of Clinical Pharmacology</i> , 2006, 46, 1481-1486.	1.0	521
125	Antiepileptic drug use in nursing home residents: A cross-sectional, regional study. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2006, 15, 194-197.	0.9	34
126	Comparison of Rates of Potentially Inappropriate Medication Use According to the Zhan Criteria for VA Versus Private Sector Medicare HMOs. <i>Journal of Managed Care Pharmacy</i> , 2006, 12, 362-370.	2.2	31
128	Assessing Potentially Inappropriate Prescribing in the Elderly Veterans Affairs Population Using the HEDIS 2006 Quality Measure. <i>Journal of Managed Care Pharmacy</i> , 2006, 12, 537-545.	2.2	85
129	The Use of Anticholinergic Medications in Homebound Elderly Patients with Dementia. <i>The Consultant Pharmacist</i> , 2006, 21, 391-399.	0.4	10
130	Counter Sampling Combined With Medical Provider Education: Do They Alter Prescribing Behavior?. <i>The Consultant Pharmacist</i> , 2006, 21, 636-642.	0.4	1
131	Polypharmacy in a 75-Year-Old Patient with Schizoaffective Disorder. <i>The Consultant Pharmacist</i> , 2006, 21, 229-234.	0.4	1
132	Keep your older patients out of medication trouble. <i>Nursing</i> , 2006, 36, 44-47.	0.2	8
133	Geriatric Outcomes Are Improved by a Geriatric Trauma Consultation Service. <i>Journal of Trauma</i> , 2006, 61, 1040-1046.	2.3	113
134	The Relationship of Classes of Commonly Prescribed Medications to Functional Status and Quality of Life for Frail Home-Based Older Adults. <i>Physical and Occupational Therapy in Geriatrics</i> , 2006, 24, 25-44.	0.2	5
135	National Veterans Health Administration Hospitalizations for Syncope Compared to Acute Myocardial Infarction, Fracture, or Pneumonia in Community-Dwelling Elders: Outpatient Medication and Comorbidity Profiles. <i>Journal of Clinical Pharmacology</i> , 2006, 46, 613-619.	1.0	4
136	Drug Therapy for Dementia—Affecting More Than Just the Mind. <i>Topics in Geriatric Rehabilitation</i> , 2006, 22, 243-255.	0.2	1

#	ARTICLE	IF	CITATIONS
137	Pharmacotherapeutics in Older Adults. <i>Journal of Wound, Ostomy and Continence Nursing</i> , 2006, 33, 630-635.	0.6	7
138	Introducing Nursing Students to Quality Assurance Activities in Skilled Nursing Facilities. <i>Journal of Nursing Care Quality</i> , 2006, 21, 121-123.	0.5	7
139	Inappropriate Drug Use and Risk of Transition to Nursing Homes Among Community-Dwelling Older Adults. <i>Medical Care</i> , 2006, 44, 722-730.	1.1	49
140	Drugs in the Elderly. <i>Obstetrics and Gynecology</i> , 2006, 107, 946-947.	1.2	0
141	Prevalence of Meperidine Use in Older Surgical Patients. <i>Archives of Surgery</i> , 2006, 141, 76.	2.3	14
142	Prevalence of inappropriate medication using Beers criteria in Japanese long-term care facilities. <i>BMC Geriatrics</i> , 2006, 6, 1.	1.1	102
143	Perception of potentially inappropriate medication in elderly patients by Slovak physicians. <i>Pharmacoepidemiology and Drug Safety</i> , 2006, 15, 829-834.	0.9	17
144	Multiple consultations and polypharmacy of patients attending geriatric outpatient units of university hospitals. <i>Geriatrics and Gerontology International</i> , 2006, 6, 244-247.	0.7	31
145	Antiretroviral treatment and age-related comorbidities in a cohort of older HIV-infected patients. <i>HIV Medicine</i> , 2006, 7, 549-557.	1.0	70
146	Inappropriate prescribing in the elderly: a comparison of the Beers criteria and the improved prescribing in the elderly tool (IPET) in acutely ill elderly hospitalized patients. <i>Journal of Clinical Pharmacy and Therapeutics</i> , 2006, 31, 617-626.	0.7	114
147	General practitioners' ranking of evidence-based prescribing quality indicators: a comparative study with a prescription database. <i>British Journal of Clinical Pharmacology</i> , 2006, 62, 218-224.	1.1	17
148	Benzodiazepine Use and Physical Disability in Community-Dwelling Older Adults. <i>Journal of the American Geriatrics Society</i> , 2006, 54, 224-230.	1.3	114
149	Characteristics of drug-related problems discussed by hospital pharmacists in multidisciplinary teams. <i>International Journal of Clinical Pharmacy</i> , 2006, 28, 152-158.	1.4	76
150	Inappropriate drug use by Portuguese elderly outpatients – effect of the Beers criteria update. <i>International Journal of Clinical Pharmacy</i> , 2006, 28, 296-301.	1.4	46
152	Increasing use of medicines in elderly persons: a five-year follow-up of the Kuopio 75+Study. <i>European Journal of Clinical Pharmacology</i> , 2006, 62, 151-158.	0.8	117
153	Use of tricyclic antidepressants in older patients with painful neuropathies. <i>European Journal of Clinical Pharmacology</i> , 2006, 62, 757-764.	0.8	16
154	Managing osteoarthritis pain when your patient fails simple analgesics and NSAIDs and is not a candidate for surgery. <i>Current Rheumatology Reports</i> , 2006, 8, 22-29.	2.1	12
155	AIDES to Improving Medication Adherence in Older Adults. <i>Geriatric Nursing</i> , 2006, 27, 174-182.	0.9	62

#	ARTICLE	IF	CITATIONS
156	Management of Urinary Incontinence in Older Persons. <i>Geriatric Nursing</i> , 2006, 27, 265-270.	0.9	1
157	Oral Solid Potassium Chloride and Anticholinergic Medications: A New Drug Interaction for an Old Drug?. <i>Geriatric Nursing</i> , 2006, 27, 329-333.	0.9	13
158	A cluster-randomized educational intervention to reduce inappropriate prescription patterns for elderly patients in general practice – The Prescription Peer Academic Detailing (Rx-PAD) study [NCT00281450]. <i>BMC Health Services Research</i> , 2006, 6, 72.	0.9	36
159	Potentially Inappropriate Drug Use and Health-Related Quality of Life in the Elderly. <i>Pharmacotherapy</i> , 2006, 26, 768-778.	1.2	41
160	Problems with Medication Use in the Elderly: An Australian Perspective. <i>Journal of Pharmacy Practice and Research</i> , 2006, 36, 58-66.	0.5	110
161	Underappreciated Predictors for Postdischarge Mortality in Acute Hospitalized Oldest-Old Patients. <i>Gerontology</i> , 2006, 52, 92-98.	1.4	34
162	Therapy Insight: how changes in renal function with increasing age affect cardiovascular drug prescribing. <i>Nature Clinical Practice Cardiovascular Medicine</i> , 2006, 3, 102-109.	3.3	15
163	Effect on health outcomes of a community-based medication therapy management program for seniors with limited incomes. <i>American Journal of Health-System Pharmacy</i> , 2006, 63, 372-379.	0.5	18
164	Adverse drug reactions and therapeutic errors in older adults: A hazard factor analysis of poison center data. <i>American Journal of Health-System Pharmacy</i> , 2006, 63, 2228-2234.	0.5	25
165	The Impact of Prescribing Safety Alerts for Elderly Persons in an Electronic Medical Record. <i>Archives of Internal Medicine</i> , 2006, 166, 1098.	4.3	132
166	Potentially Inappropriate Prescribing for Elderly Patients in 2 Outpatient Settings. <i>American Journal of Medical Quality</i> , 2006, 21, 162-168.	0.2	20
167	Potentially inappropriate medications in hospitalized senior patients. <i>American Journal of Health-System Pharmacy</i> , 2006, 63, 1161-1165.	0.5	18
168	A cross-sectional survey of health state impairment and treatment patterns in patients with postherpetic neuralgia. <i>Age and Ageing</i> , 2006, 35, 132-137.	0.7	96
169	Geriatric Syndromes in Elderly Patients Admitted to an Oncology – Acute Care for Elders Unit. <i>Journal of Clinical Oncology</i> , 2006, 24, 2298-2303.	0.8	125
170	Frameworks for Approaching Prescribing at the End of Life. <i>Archives of Internal Medicine</i> , 2006, 166, 2404.	4.3	11
171	Reconsidering Medication Appropriateness for Patients Late in Life. <i>Archives of Internal Medicine</i> , 2006, 166, 605.	4.3	356
172	Elderly Patients Have Become the Leading Drug Consumers: It's High Time to Properly Evaluate New Drugs Within the Real Targeted Population. <i>Journal of Clinical Oncology</i> , 2006, 24, e62-e63.	0.8	18
173	Healthcare Outcomes Associated with Beers' Criteria: A Systematic Review. <i>Annals of Pharmacotherapy</i> , 2007, 41, 438-448.	0.9	239

#	ARTICLE	IF	CITATIONS
175	Adverse drug events in the elderly. <i>British Medical Bulletin</i> , 2007, 83, 259-274.	2.7	75
176	Pharmacy team providing enhanced services to a transitional care unit. <i>American Journal of Health-System Pharmacy</i> , 2007, 64, 647-651.	0.5	3
177	High prevalence of central nervous system medications in community-dwelling older adults with dementia over a three-year period. <i>Aging and Mental Health</i> , 2007, 11, 588-595.	1.5	31
178	Evaluation of the quality of drug therapy among elderly patients in nursing homes. <i>Scandinavian Journal of Primary Health Care</i> , 2007, 25, 9-14.	0.6	90
179	Association of Suboptimal Prescribing and Change in Lower Extremity Physical Function over Time. <i>Gerontology</i> , 2007, 53, 445-453.	1.4	31
180	A Drug Burden Index to Define the Functional Burden of Medications in Older People. <i>Archives of Internal Medicine</i> , 2007, 167, 781.	4.3	548
181	Appropriate prescribing in older people. <i>Reviews in Clinical Gerontology</i> , 2007, 17, 139-151.	0.5	3
182	Pain Management in Elderly Patients. <i>Journal of Pharmacy Practice</i> , 2007, 20, 49-63.	0.5	6
183	START (screening tool to alert doctors to the right treatment) an evidence-based screening tool to detect prescribing omissions in elderly patients. <i>Age and Ageing</i> , 2007, 36, 632-638.	0.7	299
184	Treatment of Cognitive Decline and Psychiatric Disturbances Associated With Alzheimer's Dementia. <i>Journal of Pharmacy Practice</i> , 2007, 20, 13-28.	0.5	2
185	Measuring Drug Burden. <i>Archives of Internal Medicine</i> , 2007, 167, 753.	4.3	11
186	Inappropriate Drug Use in the Elderly: a Nationwide Register-Based Study. <i>Annals of Pharmacotherapy</i> , 2007, 41, 1243-1248.	0.9	95
187	Pharmacist's intervention for older hospitalized patients. <i>American Journal of Health-System Pharmacy</i> , 2007, 64, 1794-1796.	0.5	9
188	Dementia and Comorbidities: An Overview of Diagnosis and Management. <i>Journal of Pharmacy Practice</i> , 2007, 20, 296-317.	0.5	13
189	The Long-Term Prescription of Benzodiazepines, Psychotropic Agents, to the Elderly at a University Hospital in Japan. <i>Tohoku Journal of Experimental Medicine</i> , 2007, 212, 239-246.	0.5	8
190	Medication Use Leading to Emergency Department Visits for Adverse Drug Events in Older Adults. <i>Annals of Internal Medicine</i> , 2007, 147, 755.	2.0	530
191	Use of Tricyclic Antidepressants in Older Patients With Diabetic Peripheral Neuropathy. <i>Clinical Journal of Pain</i> , 2007, 23, 251-258.	0.8	20
192	Preventing adverse drug events in nursing home residents. <i>Aging Health</i> , 2007, 3, 15-22.	0.3	1

#	ARTICLE	IF	CITATIONS
193	Perception and Use of Guidelines and Interprofessional Dynamics. <i>Quality Management in Health Care</i> , 2007, 16, 135-145.	0.4	7
194	Potentially Inappropriate Medication Use and Healthcare Expenditures in the US Community-Dwelling Elderly. <i>Medical Care</i> , 2007, 45, 472-476.	1.1	132
195	A Description of Adverse Events in Home Healthcare. <i>Home Healthcare Nurse</i> , 2007, 25, 191-197.	0.4	46
196	Beyond the Bladder: Management of Urinary Incontinence in Older Women. <i>Clinical Obstetrics and Gynecology</i> , 2007, 50, 720-734.	0.6	31
197	Conflicts and Concordance Between Measures of Medication Prescribing Quality. <i>Medical Care</i> , 2007, 45, 95-99.	1.1	50
198	Inappropriate prescribing in an older ED population. <i>American Journal of Emergency Medicine</i> , 2007, 25, 804-807.	0.7	52
199	Falls in Older Adults: Risk Assessment, Management and Prevention. <i>American Journal of Medicine</i> , 2007, 120, 493.e1-493.e6.	0.6	131
200	Is the number of prescribing physicians an independent risk factor for adverse drug events in an elderly outpatient population?. <i>American Journal of Geriatric Pharmacotherapy</i> , 2007, 5, 31-39.	3.0	134
201	Medication errors in older adults: A review of recent publications. <i>American Journal of Geriatric Pharmacotherapy</i> , 2007, 5, 75-84.	3.0	16
202	Sex differences in inappropriate prescribing among elderly veterans. <i>American Journal of Geriatric Pharmacotherapy</i> , 2007, 5, 147-161.	3.0	71
204	A Retrospective Evaluation of the Use of Gabapentin and Pregabalin in Patients with Postherpetic Neuralgia in Usual-Care Settings. <i>Clinical Therapeutics</i> , 2007, 29, 1655-1670.	1.1	52
205	Appropriate prescribing in elderly people: how well can it be measured and optimised?. <i>Lancet, The</i> , 2007, 370, 173-184.	6.3	893
206	The challenge of managing drug interactions in elderly people. <i>Lancet, The</i> , 2007, 370, 185-191.	6.3	445
209	The Application of Evidence-Based Principles of Care in Older Persons (Issue 4): Pain Management. <i>Journal of the American Medical Directors Association</i> , 2007, 8, e77-e85.	1.2	10
210	Proteja a su paciente anciano de los problemas con la medicaci3n. <i>Nursing (Ed Espa±ola)</i> , 2007, 25, 22-25.	0.0	0
211	A Composite Screening Tool for Medication Reviews of Outpatients. <i>Drugs and Aging</i> , 2007, 24, 733-760.	1.3	39
212	Age-Related Differences in the Prevalence of Potential Drug-Drug Interactions in Ambulatory Dyslipidaemic Patients Treated with Statins. <i>Drugs and Aging</i> , 2007, 24, 429-440.	1.3	59
213	Use of Laxatives among Older Nursing Home Residents in Helsinki, Finland. <i>Drugs and Aging</i> , 2007, 24, 147-154.	1.3	45

#	ARTICLE	IF	CITATIONS
214	The Future History of Long Term Care. Journal of the American Medical Directors Association, 2007, 8, 553-556.	1.2	4
215	Clinical consequences of polypharmacy in elderly: expect the unexpected, think the unthinkable. Expert Opinion on Drug Safety, 2007, 6, 695-704.	1.0	126
216	Potentially Inappropriate Medication Use by Medicaid+Choice Beneficiaries in the Last Year of Life. Journal of Palliative Medicine, 2007, 10, 686-695.	0.6	16
217	Changes in Pharmacokinetics and Pharmacodynamics in the Elderly Patient. Journal of Pharmacy Practice, 2007, 20, 4-12.	0.5	62
218	Using Nurse Practitioners to Implement Best Practice Care for the Elderly During Hospitalization: The NICHE Journey at the University of Virginia Medical Center. Critical Care Nursing Clinics of North America, 2007, 19, 321-337.	0.4	15
219	Polypharmacy and the Geriatric Patient. Clinics in Geriatric Medicine, 2007, 23, 371-390.	1.0	98
220	The Application of Evidence-Based Principles of Care in Older Persons (Issue 6): Urinary Incontinence. Journal of the American Medical Directors Association, 2007, 8, 35-45.	1.2	6
221	Is Drug Therapy for Urinary Incontinence Used Optimally in Long-Term Care Facilities?. Journal of the American Medical Directors Association, 2007, 8, 98-104.	1.2	20
222	Multifaceted Approach to Reduce Use of Meperidine in an Acute Care Setting. Hospital Pharmacy, 2007, 42, 331-336.	0.4	2
223	Characteristics of Older Adults Who Meet the Annual Prescription Drug Expenditure Threshold for Medicare Medication Therapy Management Programs. Journal of Managed Care Pharmacy, 2007, 13, 142-154.	2.2	31
224	Adherence to Clinical Practice Guidelines for 7 Chronic Conditions in Long-term-Care Patients Who Received Pharmacist Disease Management Services Versus Traditional Drug Regimen Review. Journal of Managed Care Pharmacy, 2007, 13, 28-36.	2.2	42
225	Medication Inappropriateness for Older Adults Receiving Hospice Care: A Pilot Survey. The Consultant Pharmacist, 2007, 22, 926-934.	0.4	4
226	State of Confusion: Sorting Out a Complex Medication Regimen for a 79-Year-Old Woman. The Consultant Pharmacist, 2007, 22, 944-948.	0.4	3
227	Consultant Pharmacist Drug Therapy Recommendations Acceptance and Rejection from Monthly Drug Regimen Reviews in a Geriatric Nursing Facility: Fourth Year Results and Cost Analysis. Hospital Pharmacy, 2007, 42, 729-736.	0.4	4
228	Propoxyphene Prescribing Among Populations Older and Younger than Age 65 in a Tertiary Care Hospital. The Consultant Pharmacist, 2007, 22, 141-148.	0.4	2
229	Painful Neuropathic Disorders: An Analysis of the RÃ©gie De L'Assurance Maladie du QuÃ©bec Database. Pain Research and Management, 2007, 12, 31-37.	0.7	32
230	Promoting effective transitions of care at hospital discharge: A review of key issues for hospitalists. Journal of Hospital Medicine, 2007, 2, 314-323.	0.7	665
231	Geriatric syndromes in elderly patients admitted to an inpatient cardiology ward. Journal of Hospital Medicine, 2007, 2, 394-400.	0.7	28

#	ARTICLE	IF	CITATIONS
233	Structuring communication relationships for interprofessional teamwork (SCRIPT): a cluster randomized controlled trial. <i>Trials</i> , 2007, 8, 23.	0.7	27
234	Trends in potentially inappropriate prescribing amongst older UK primary care patients. <i>Pharmacoepidemiology and Drug Safety</i> , 2007, 16, 658-667.	0.9	91
235	Optimizing information on drug exposure by collection of package code information in questionnaire surveys. <i>Pharmacoepidemiology and Drug Safety</i> , 2007, 16, 1024-1030.	0.9	16
236	Randomized Trial to Improve Prescribing Safety in Ambulatory Elderly Patients. <i>Journal of the American Geriatrics Society</i> , 2007, 55, 977-985.	1.3	96
237	Anticholinergic Drugs and Physical Function Among Frail Elderly Population. <i>Clinical Pharmacology and Therapeutics</i> , 2007, 81, 235-241.	2.3	152
238	Potentially inappropriate prescribing among Australian veterans and war widows/widowers. <i>Internal Medicine Journal</i> , 2007, 37, 402-405.	0.5	56
239	Physician characteristics associated with prescription of inappropriate medications using Beers criteria. <i>Geriatrics and Gerontology International</i> , 2007, 7, 380-387.	0.7	3
240	Inappropriate prescribing in the elderly. <i>Journal of Clinical Pharmacy and Therapeutics</i> , 2007, 32, 113-121.	0.7	349
241	Is inappropriate medication use a major cause of adverse drug reactions in the elderly?. <i>British Journal of Clinical Pharmacology</i> , 2007, 63, 177-186.	1.1	260
242	Prescribing in Palliative Care as Death Approaches. <i>Journal of the American Geriatrics Society</i> , 2007, 55, 590-595.	1.3	181
243	The Quality of Pharmacotherapy in Older Veterans Discharged from the Emergency Department or Urgent Care Clinic. <i>Journal of the American Geriatrics Society</i> , 2007, 55, 1339-1348.	1.3	16
244	Assisted Living Nursing Practice: Medication Management: Part 1 Assessing the Resident for Self-Medication Ability. <i>Geriatric Nursing</i> , 2007, 28, 83-89.	0.9	7
245	Comprehensive Fall Prevention Programs Across Settings: A Review of the Literature. <i>Geriatric Nursing</i> , 2007, 28, 306-311.	0.9	32
246	Assisted Living Nursing Practice: Medication Management: Part 2 Supervision and Monitoring of Medication Administration by Unlicensed Assistive Personnel. <i>Geriatric Nursing</i> , 2007, 28, 153-160.	0.9	10
247	Review of prescription medications in home-based older adults with stroke: A pilot study. <i>Research in Social and Administrative Pharmacy</i> , 2007, 3, 104-122.	1.5	11
249	Adverse drug effects in elderly people – a disparity between clinical examination and adverse effects self-reported by the patient. <i>European Journal of Clinical Pharmacology</i> , 2007, 63, 509-515.	0.8	44
250	Impact of inappropriate drug use on physical performance among a frail elderly population living in the community. <i>European Journal of Clinical Pharmacology</i> , 2007, 63, 791-799.	0.8	55
251	Potentially inappropriate medications in the elderly: a French consensus panel list. <i>European Journal of Clinical Pharmacology</i> , 2007, 63, 725-731.	0.8	411

#	ARTICLE	IF	CITATIONS
253	Evaluation of pharmacist clinical interventions in a Dutch hospital setting. <i>International Journal of Clinical Pharmacy</i> , 2007, 30, 31-38.	1.4	62
255	Antimuscarinics for the treatment of overactive bladder: A review of central nervous system effects. <i>Current Bladder Dysfunction Reports</i> , 2007, 2, 227-233.	0.2	2
256	Antimuscarinics for the treatment of overactive bladder: A review of central nervous system effects. <i>Current Urology Reports</i> , 2007, 8, 441-447.	1.0	23
257	The elderly in the emergency department: a critical review of problems and solutions. <i>Internal and Emergency Medicine</i> , 2007, 2, 292-301.	1.0	251
258	The clinical implications of ageing for rational drug therapy. <i>European Journal of Clinical Pharmacology</i> , 2008, 64, 183-199.	0.8	200
259	Anticancer Drug Therapy in the Older Cancer Patient: Pharmacology and Polypharmacy. <i>Current Treatment Options in Oncology</i> , 2008, 9, 191-203.	1.3	49
260	Antimuscarinics for the treatment of overactive bladder: A review of central nervous system effects. <i>Current Bladder Dysfunction Reports</i> , 2008, 3, 161-167.	0.2	1
261	Inappropriate prescribing in geriatric patients. <i>Current Psychiatry Reports</i> , 2008, 10, 37-43.	2.1	34
263	Polypharmacy and inappropriate prescribing in elderly internal-medicine patients in Austria. <i>Wiener Klinische Wochenschrift</i> , 2008, 120, 733-741.	1.0	105
264	Polypharmacy, inappropriate prescribing and adverse drug reactions in Austria. <i>Wiener Klinische Wochenschrift</i> , 2008, 120, 713-714.	1.0	6
265	Risk factors for falls with severe fracture in elderly people living in a middle-income country: a case control study. <i>BMC Geriatrics</i> , 2008, 8, 21.	1.1	65
266	Potentially inappropriate prescribing to hospitalised patients. <i>Pharmacoepidemiology and Drug Safety</i> , 2008, 17, 733-737.	0.9	32
267	The use of central nervous system drugs and analgesics among very old people with and without dementia. <i>Pharmacoepidemiology and Drug Safety</i> , 2008, 17, 912-918.	0.9	63
268	Potentially inappropriate medication use in hospitalized elders. <i>Journal of Hospital Medicine</i> , 2008, 3, 91-102.	0.7	95
269	Inappropriate medication use in hospitalized older adults—Is it time for interventions?. <i>Journal of Hospital Medicine</i> , 2008, 3, 87-90.	0.7	7
270	Medication use in nursing home residents with advanced dementia. <i>International Journal of Geriatric Psychiatry</i> , 2008, 23, 490-496.	1.3	68
271	Characteristics associated with benzodiazepine usage in elderly outpatients in Taiwan. <i>International Journal of Geriatric Psychiatry</i> , 2008, 23, 618-624.	1.3	55
272	Criteria for high-risk medication use in Thai older patients. <i>Archives of Gerontology and Geriatrics</i> , 2008, 47, 35-51.	1.4	67

#	ARTICLE	IF	CITATIONS
273	Analysis of drug-drug interactions (DDIs) in nursing homes in Central Taiwan. Archives of Gerontology and Geriatrics, 2008, 47, 99-107.	1.4	18
274	Health outcomes associated with potentially inappropriate medication use in older adults. Research in Nursing and Health, 2008, 31, 42-51.	0.8	235
275	Prescribing patterns of gerontological nurse practitioners in the United States. Journal of the American Academy of Nurse Practitioners, 2008, 20, 28-34.	1.4	11
276	Clinical practice algorithms: Medication management to reduce fall risk in the elderly—Part 3, benzodiazepines, cardiovascular agents, and antidepressants. Journal of the American Academy of Nurse Practitioners, 2008, 20, 55-62.	1.4	18
277	Clinical practice algorithms: Medication management to reduce fall risk in the elderly—Part 4, Anticoagulants, anticonvulsants, anticholinergics/bladder relaxants, and antipsychotics. Journal of the American Academy of Nurse Practitioners, 2008, 20, 181-190.	1.4	18
278	Drugs with Anticholinergic Properties as a Risk Factor for Psychosis in Patients Affected by Alzheimer's Disease. Clinical Pharmacology and Therapeutics, 2008, 84, 63-68.	2.3	42
279	Quality of Pharmacotherapy and Outcomes for Older Veterans Discharged from the Emergency Department. Journal of the American Geriatrics Society, 2008, 56, 875-880.	1.3	44
280	Dual Use of Bladder Anticholinergics and Cholinesterase Inhibitors: Long-Term Functional and Cognitive Outcomes. Journal of the American Geriatrics Society, 2008, 56, 847-853.	1.3	143
281	Polypharmacy management among Australian veterans: improving prescribing through the Australian Department of Veterans Affairs' prescriber feedback programme. Internal Medicine Journal, 2008, 38, 95-100.	0.5	6
282	Reducing psychotropic medications in elderly rehabilitation inpatients with a fall-related admission: How often is it happening?. Geriatrics and Gerontology International, 2008, 8, 139-142.	0.7	11
283	Comparison of two methods for performing treatment reviews by pharmacists and general practitioners for home-dwelling elderly people. Journal of Evaluation in Clinical Practice, 2008, 14, 446-452.	0.9	12
284	Inappropriate benzodiazepine use in older adults and the risk of fracture. British Journal of Clinical Pharmacology, 2008, 66, 276-282.	1.1	62
285	Factors influencing the use of potentially inappropriate medication in older patients in Slovakia. Journal of Clinical Pharmacy and Therapeutics, 2008, 33, 381-392.	0.7	41
286	Skeletal Muscle Relaxants. Pharmacotherapy, 2008, 28, 207-213.	1.2	63
287	SANDS: A service-oriented architecture for clinical decision support in a National Health Information Network. Journal of Biomedical Informatics, 2008, 41, 962-981.	2.5	49
289	Concomitant Use of Gastroprotective Drugs among Elderly NSAID/COX-2 Selective Inhibitor Users. Clinical Drug Investigation, 2008, 28, 687-695.	1.1	25
293	Prescripción de fármacos en el paciente geriátrico. Seminarios De La Fundació Espanola De Reumatología, 2008, 9, 207-218.	0.1	0
294	ADME-tox issues for the elderly. Expert Opinion on Drug Metabolism and Toxicology, 2008, 4, 1321-1331.	1.5	40

#	ARTICLE	IF	CITATIONS
295	Drug-Drug Interactions in a Geriatric Outpatient Cohort. <i>Drugs and Aging</i> , 2008, 25, 343-355.	1.3	114
296	Les associations thérapeutiques en douleur chronique. <i>Douleurs</i> , 2008, 9, 28-31.	0.0	0
297	Potentially Inappropriate Use of Psychotropic Medications in Hospitalized Elderly Patients in France. <i>Drugs and Aging</i> , 2008, 25, 933-946.	1.3	47
298	Appropriateness of Prescribing among Elderly Patients in a Dutch Residential Home. <i>Drugs and Aging</i> , 2008, 25, 947-954.	1.3	76
299	Inappropriate Medication Use and Prescribing Indicators in Elderly Australians. <i>Drugs and Aging</i> , 2008, 25, 777-793.	1.3	101
300	Exposure to Potentially Inappropriate Drugs and Drug-Drug Interactions in Elderly Nursing Home Residents in Helsinki, Finland. <i>Drugs and Aging</i> , 2008, 25, 683-692.	1.3	115
301	What Factors Predict Potentially Inappropriate Primary Care Prescribing in Older People?. <i>Drugs and Aging</i> , 2008, 25, 693-706.	1.3	88
302	Association of Potentially Inappropriate Medication Use with Adverse Outcomes in Ambulatory Elderly Patients with Chronic Diseases. <i>Drugs and Aging</i> , 2008, 25, 49-59.	1.3	91
303	Peripheral arterial disease and its clinical significance in nonagenarians. <i>Aging Clinical and Experimental Research</i> , 2008, 20, 211-215.	1.4	9
304	Characteristics and outcomes of injury-related ED visits among older adults. <i>American Journal of Emergency Medicine</i> , 2008, 26, 296-303.	0.7	17
305	Inappropriate prescribing in elderly ED patients. <i>American Journal of Emergency Medicine</i> , 2008, 26, 372-373.	0.7	0
306	Potentially inappropriate medications and adverse drug effects in elders in the ED. <i>American Journal of Emergency Medicine</i> , 2008, 26, 697-700.	0.7	38
307	Beers criteria and the ED: an adequate standard for inappropriate prescribing?. <i>American Journal of Emergency Medicine</i> , 2008, 26, 695-696.	0.7	15
308	Inappropriate medication use in the elderly: Results from a quality improvement project in 99 primary care practices. <i>American Journal of Geriatric Pharmacotherapy</i> , 2008, 6, 21-27.	3.0	31
309	Contraindicated medication use among patients in a memory disorders clinic. <i>American Journal of Geriatric Pharmacotherapy</i> , 2008, 6, 147-152.	3.0	30
310	The quality of medication use in older adults: Methods of a longitudinal study. <i>American Journal of Geriatric Pharmacotherapy</i> , 2008, 6, 220-233.	3.0	10
311	Developing a tool for the preparation of GMP audit of pharmaceutical contract manufacturer. <i>European Journal of Pharmaceutics and Biopharmaceutics</i> , 2008, 69, 786-792.	2.0	6
314	Pain Management in the Hospitalized Patient. <i>Medical Clinics of North America</i> , 2008, 92, 371-385.	1.1	19

#	ARTICLE	IF	CITATIONS
315	Acute Hospital Care for the Elderly Patient: Its Impact on Clinical and Hospital Systems of Care. Medical Clinics of North America, 2008, 92, 387-406.	1.1	14
316	Actualisation 2007 de la IIIe Conférence de consensus en médecine d'urgence (Créteil, avril 1993): le traitement médicamenteux de la douleur de l'adulte dans le cadre de l'urgence. Douleurs, 2008, 9, 248-278.	0.0	15
317	Does Oxybutynin Alter Plaques, Amyloid Beta Peptides and Behavior in a Mouse Model of Alzheimer's Disease?. Journal of Urology, 2008, 179, 1173-1177.	0.2	7
318	Pharmacologically inappropriate prescriptions for elderly patients in general practice: How common?. Scandinavian Journal of Primary Health Care, 2008, 26, 80-85.	0.6	53
319	A wide range of issues should be taken into account when conducting medication reviews of elderly outpatients. Drugs and Therapy Perspectives, 2008, 24, 24-26.	0.3	0
320	Multi-dose drug dispensing and inappropriate drug use: A nationwide register-based study of over 700,000 elderly. Scandinavian Journal of Primary Health Care, 2008, 26, 86-91.	0.6	84
321	STOPP (Screening Tool of Older Persons' potentially inappropriate Prescriptions): application to acutely ill elderly patients and comparison with Beers' criteria. Age and Ageing, 2008, 37, 673-679.	0.7	626
322	Differing management of people with advanced cancer and delirium by four sub-specialties. Palliative Medicine, 2008, 22, 633-640.	1.3	20
323	The Anticholinergic Risk Scale and Anticholinergic Adverse Effects in Older Persons. Archives of Internal Medicine, 2008, 168, 508.	4.3	651
324	Are There Alternatives to the Use of Quinine to Treat Nocturnal Leg Cramps?. The Consultant Pharmacist, 2008, 23, 141-156.	0.4	22
325	Evaluating Medication Regimens in the Elderly. The Consultant Pharmacist, 2008, 23, 538-547.	0.4	13
326	Prescribing for older people. BMJ: British Medical Journal, 2008, 336, 606-609.	2.4	217
327	Clinical Predictors of Older Driver Performance on a Standardized Road Test. Traffic Injury Prevention, 2008, 9, 456-462.	0.6	50
328	ASHP Therapeutic Position Statement on the Prevention and Treatment of Osteoporosis in Adults. American Journal of Health-System Pharmacy, 2008, 65, 343-357.	0.5	12
329	Inappropriate prescribing in the older population: need for new criteria. Age and Ageing, 2008, 37, 138-141.	0.7	232
330	Inappropriate prescribing in older people. Reviews in Clinical Gerontology, 2008, 18, 65-76.	0.5	18
331	Assessing Multiple Medication Use With Probabilities of Benefits and Harms. Journal of Aging and Health, 2008, 20, 694-709.	0.9	11
332	Medical illness, medication use and suicide in seniors: a population-based case control study. Journal of Epidemiology and Community Health, 2008, 62, 138-146.	2.0	72

#	ARTICLE	IF	CITATIONS
333	Inappropriate prescribing in an acutely ill population of elderly patients as determined by Beers' Criteria. <i>Age and Ageing</i> , 2008, 37, 96-101.	0.7	199
334	Impact of anticholinergics on the aging brain: a review and practical application. <i>Aging Health</i> , 2008, 4, 311-320.	0.3	531
335	Medication Use in Patients Presenting to a Rural and Remote Memory Clinic. <i>Canadian Journal of Neurological Sciences</i> , 2008, 35, 669-671.	0.3	9
336	How to evaluate balance disorders in patients in the primary care setting. <i>JAAPA: Official Journal of the American Academy of Physician Assistants</i> , 2008, 21, 38-42.	0.1	0
337	Extrinsic Risk Factors for Pressure Ulcers Early in the Hospital Stay: A Nested Case-Control Study. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2008, 63, 408-413.	1.7	49
338	Pharmacokinetic and Pharmacodynamic Alterations in the Geriatric Patient. <i>The Consultant Pharmacist</i> , 2008, 23, 324-334.	0.4	52
339	Polypharmacy and older adults: A role for psychology and psychologists.. <i>Professional Psychology: Research and Practice</i> , 2008, 39, 283-289.	0.6	45
340	Drug utilization and polypharmacy among the elderly: a survey in Rio de Janeiro City, Brazil. <i>Revista Panamericana De Salud Publica/Pan American Journal of Public Health</i> , 2008, 23, 34-43.	0.6	60
341	A Comparison of Benzodiazepine and Related Drug Use in Nova Scotia and Australia. <i>Canadian Journal of Psychiatry</i> , 2008, 53, 545-552.	0.9	19
342	Applying the 2003 Beers update to Medicaid/Medicare enrollees. <i>International Journal of Pharmaceutical and Healthcare Marketing</i> , 2008, 2, 257-272.	0.7	3
343	Geropharmacology. <i>AACN Advanced Critical Care</i> , 2008, 19, 23-35.	0.6	6
344	Geropharmacology. <i>AACN Advanced Critical Care</i> , 2008, 19, 134-149.	0.6	3
345	Going downhill. <i>Nursing</i> , 2008, 38, 62-63.	0.2	0
346	Benzodiazepine Use and Expenditures for Medicare Beneficiaries and the Implications of Medicare Part D Exclusions. <i>Psychiatric Services</i> , 2008, 59, 384-391.	1.1	11
347	Pain Assessment as Intervention. <i>Clinical Journal of Pain</i> , 2008, 24, 697-707.	0.8	104
348	Medication Use by Australian War Veterans in Residential Aged-Care Facilities. <i>Journal of Pharmacy Practice and Research</i> , 2008, 38, 14-18.	0.5	14
349	Polypharmacy in the Elderly. <i>Critical Care Nursing Quarterly</i> , 2008, 31, 40-45.	0.4	61
350	Drugs With Anticholinergic Properties as a Risk Factor for Cognitive Impairment in Elderly People. <i>Journal of Clinical Psychopharmacology</i> , 2008, 28, 654-659.	0.7	62

#	ARTICLE	IF	CITATIONS
351	Geriatric analgesia. , 2008, , 42-51.		1
352	Polypharmacy: Misleading, but manageable. Clinical Interventions in Aging, 2008, Volume 3, 383-389.	1.3	359
354	Frequency of Laboratory Monitoring of Chronic Medications Administered to Nursing Facility Residents: Results of a National Internet-Based Study. The Consultant Pharmacist, 2008, 23, 387-395.	0.4	7
355	LOWER URINARY TRACT DISORDERS IN THE ELDERLY FEMALE. , 2008, , 948-960.		0
356	Geriatrics in Primary Care Residency Training. AMA Journal of Ethics, 2008, 10, 375-378.	0.4	1
357	Revealing Undetected Problems with Medication Therapy Management Services. The Consultant Pharmacist, 2008, 23, 473-476.	0.4	1
358	Geriatric Otolaryngology Toolbox: What you and your Nurse can do to Improve Outcomes for Older Adults. Ear, Nose and Throat Journal, 2009, 88, 1162-1168.	0.4	1
359	Sleep and pain management in the elderly. , 0, , 167-182.		0
360	Pharmacological Management of Glycemic Control in the Geriatric Patient with Type 2 Diabetes Mellitus. The Consultant Pharmacist, 2009, 24, 45-63.	0.4	7
361	Safety of Discharge of Seniors from the Emergency Department to the Community. Healthcare Quarterly, 2009, 12, 24-32.	0.7	45
362	Potentially Inappropriate Prescribing of Benzodiazepines for Older Adults and Risk of Falls During a Hospital Stay: A Descriptive Study. Canadian Journal of Hospital Pharmacy, 2009, 62, 276-83.	0.1	11
363	Oxybutynin extended release for the management of overactive bladder: a clinical review. Drug Design, Development and Therapy, 2009, 3, 151.	2.0	13
364	Implications and Management of Decline for the Elderly Patient. The Consultant Pharmacist, 2009, 24, 611-625.	0.4	5
365	Potential prescription patterns and errors in elderly adult patients attending public primary health care centers in Mexico City. Clinical Interventions in Aging, 2009, 4, 343.	1.3	9
366	Geriatric Assessment in Older Patients with Breast Cancer. Journal of the National Comprehensive Cancer Network: JNCCN, 2009, 7, 226-236.	2.3	33
367	Assessment of the Use of Xerogenic Medications for Chronic Medical and Dental Conditions Among Adult Day Health Participants. The Consultant Pharmacist, 2009, 24, 755-764.	0.4	11
368	Adverse Drug Events in the Elderly: An Ongoing Problem. Journal of Managed Care Pharmacy, 2009, 15, 568-571.	2.2	21
369	Agreement Between Drugs-to-Avoid Criteria and Expert Assessments of Problematic Prescribing. Archives of Internal Medicine, 2009, 169, 1326.	4.3	54

#	ARTICLE	IF	CITATIONS
370	Drug-induced liver injury: Is it somehow foreseeable?. World Journal of Gastroenterology, 2009, 15, 2817.	1.4	114
372	Risk of Fractures with Selective Serotonin-Reuptake Inhibitors or Tricyclic Antidepressants. Annals of Pharmacotherapy, 2009, 43, 98-103.	0.9	36
373	Clinical pharmacology of analgesics in old age and frailty. Reviews in Clinical Gerontology, 2009, 19, 103-118.	0.5	14
374	Sex Differences in Inappropriate Drug Use: a Register-Based Study of Over 600,000 Older People. Annals of Pharmacotherapy, 2009, 43, 1233-1238.	0.9	66
375	Agreement Between Drugs-to-Avoid Criteria and Expert Assessments of Problematic Prescribing—Invited Commentary. Archives of Internal Medicine, 2009, 169, 1332.	4.3	3
376	Editor's Correspondence. Archives of Internal Medicine, 2009, 169, 809.	4.3	1
378	Medication interventions for fall prevention in the older adult. Journal of the American Pharmacists Association: JAPhA, 2009, 49, e70-e84.	0.7	18
379	Pharmacologic Management of the Older Woman Undergoing Surgery. Women's Health, 2009, 5, 205-219.	0.7	1
380	Safety and Efficacy of Duloxetine in the Treatment of Diabetic Peripheral Neuropathic Pain in Older Patients. Current Drug Safety, 2009, 4, 22-29.	0.3	32
381	Psychosis in the Elderly. American Journal of Psychiatry, 2009, 166, 146-150.	4.0	11
382	The Norwegian General Practice (NORGE) criteria for assessing potentially inappropriate prescriptions to elderly patients. Scandinavian Journal of Primary Health Care, 2009, 27, 153-159.	0.6	198
383	Pain assessment and management in older adults: Conceptual issues and clinical challenges.. Canadian Psychology, 2009, 50, 241-254.	1.4	25
384	Number and Dosage of Central Nervous System Medications on Recurrent Falls in Community Elders: The Health, Aging and Body Composition Study. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2009, 64A, 492-498.	1.7	139
385	Chronic headache in the elderly. Aging Health, 2009, 5, 103-112.	0.3	0
386	Geriatrics: Is There an Association Between Inappropriate Prescription Drug use and Adherence in Discharged Elderly Patients?. Annals of Pharmacotherapy, 2009, 43, 177-184.	0.9	40
387	Changes in anticholinergic load from regular prescribed medications in palliative care as death approaches. Palliative Medicine, 2009, 23, 257-265.	1.3	63
388	PHASE-20: Ett nytt instrument för skattning av måttliga läkemedelsrelaterade symtom hos äldre personer i äldreboende. Nordic Journal of Nursing Research, 2009, 29, 9-14.	0.6	14
389	Chronic Pain Management in Older Adults: Special Considerations. Journal of Pain and Symptom Management, 2009, 38, S4-S14.	0.6	57

#	ARTICLE	IF	CITATIONS
390	Incorporating the Beers Criteria May Reduce ED Visits in Elderly Persons. <i>Journal of Emergency Nursing</i> , 2009, 35, 453-454.	0.5	2
391	Dizzy Spells Complicating Hypertension Management. <i>Journal of Clinical Hypertension</i> , 2009, 11, 448-452.	1.0	2
392	Standing on the shoulders of Mark H. Beers: More than a giant in geriatric medicine. <i>Clinical Therapeutics</i> , 2009, 31, 822-824.	1.1	4
393	Prevalence of the prescribing of potentially inappropriate medications at ambulatory care visits by elderly patients covered by the Taiwanese National Health Insurance program. <i>Clinical Therapeutics</i> , 2009, 31, 1859-1870.	1.1	72
394	Analysis of the North Carolina Long-Term Care Polypharmacy Initiative: A multiple-cohort approach using propensity-score matching for both evaluation and targeting. <i>Clinical Therapeutics</i> , 2009, 31, 2018-2037.	1.1	31
395	Prevention, Diagnosis, and Management of Postoperative Delirium in Older Adults. <i>Journal of the American College of Surgeons</i> , 2009, 209, 261-268.	0.2	67
396	Creating and sharing clinical decision support content with Web 2.0: Issues and examples. <i>Journal of Biomedical Informatics</i> , 2009, 42, 334-346.	2.5	94
397	Fármacos que pueden alterar el estado cognitivo del anciano. <i>FMC Formacion Medica Continuada En Atencion Primaria</i> , 2009, 16, 287-293.	0.0	1
398	Use of medications with anticholinergic properties and cognitive function in a young&old community sample. <i>International Journal of Geriatric Psychiatry</i> , 2009, 24, 578-584.	1.3	55
399	The use of benzodiazepines and related drugs amongst older people in Sweden: Associated factors and concomitant use of other psychotropics. <i>International Journal of Geriatric Psychiatry</i> , 2009, 24, 731-738.	1.3	63
400	Drugs with anticholinergic properties: cognitive and neuropsychiatric side-effects in elderly patients. <i>Neurological Sciences</i> , 2009, 30, 87-92.	0.9	93
401	â€œI don't know how many of these [medicines] are necessary.â€ A focus group study among elderly users of multiple medicines. <i>Patient Education and Counseling</i> , 2009, 74, 135-141.	1.0	102
402	Internal medicine/primary care reminder: What are the standards of care for HIV-positive patients aged 50 years and older?. <i>Current HIV/AIDS Reports</i> , 2009, 6, 153-161.	1.1	8
403	La prescription des antipsychotiques chez le sujet Â©. <i>Les Cahiers De L'annee Gerontologique</i> , 2009, 1, 149-163.	0.0	3
404	Le rÃ©le du mÃ©decin gÃ©riatre chez le patient Â© insuffisant rÃ©nal chronique. <i>Les Cahiers De L'annee Gerontologique</i> , 2009, 1, 209-222.	0.0	0
407	To what extent does the indicator â€œconcurrent use of three or more psychotropic drugsâ€ capture use of potentially inappropriate psychotropics among the elderly?. <i>European Journal of Clinical Pharmacology</i> , 2009, 65, 635-642.	0.8	22
408	Potentially inappropriate medication for emergency department visits by elderly patients in Taiwan. <i>Pharmacoepidemiology and Drug Safety</i> , 2009, 18, 53-61.	0.9	39
409	Trends of the potentially inappropriate medication consumption over 10 years in older adults in the East of France. <i>Pharmacoepidemiology and Drug Safety</i> , 2009, 18, 1125-1133.	0.9	50

#	ARTICLE	IF	CITATIONS
410	Central nervous system medication use and incident mobility limitation in community elders: the health, aging, and body composition study. <i>Pharmacoepidemiology and Drug Safety</i> , 2009, 18, 916-922.	0.9	46
411	Psychotropic medication use among nursing home residents in Austria: a cross-sectional study. <i>BMC Geriatrics</i> , 2009, 9, 18.	1.1	70
412	Inappropriate medication use and risk of falls – A prospective study in a large community-dwelling elderly cohort. <i>BMC Geriatrics</i> , 2009, 9, 30.	1.1	165
413	Magnitude of potentially inappropriate prescribing in Germany among older patients with generalized anxiety disorder. <i>BMC Geriatrics</i> , 2009, 9, 31.	1.1	16
414	Inappropriate prescribing and adverse drug events in older people. <i>BMC Geriatrics</i> , 2009, 9, 5.	1.1	171
415	Administrative claims data analysis of nurse practitioner prescribing for older adults. <i>Journal of Advanced Nursing</i> , 2009, 65, 2077-2087.	1.5	9
416	A review of smoking cessation: potentially risky effects on prescribed medications. <i>Journal of Clinical Nursing</i> , 2009, 18, 1533-1540.	1.4	30
417	Appropriate prescribing in the elderly: an investigation of two screening tools, Beers criteria considering diagnosis and independent of diagnosis and improved prescribing in the elderly tool to identify inappropriate use of medicines in the elderly in primary care in Ireland. <i>Journal of Clinical Pharmacy and Therapeutics</i> , 2009, 34, 369-376.	0.7	43
418	Drug Burden Index and physical function in older Australian men. <i>British Journal of Clinical Pharmacology</i> , 2009, 68, 97-105.	1.1	137
419	Medication errors in elderly people: contributing factors and future perspectives. <i>British Journal of Clinical Pharmacology</i> , 2009, 67, 641-645.	1.1	145
420	Potentially inappropriate prescribing in an Irish elderly population in primary care. <i>British Journal of Clinical Pharmacology</i> , 2009, 68, 936-947.	1.1	234
421	Rational Prescribing for Patients With a Reduced Life Expectancy. <i>Clinical Pharmacology and Therapeutics</i> , 2009, 85, 103-107.	2.3	88
422	Inappropriate Medications in the Elderly. <i>Clinical Pharmacology and Therapeutics</i> , 2009, 85, 94-97.	2.3	86
423	The Effects of Polypharmacy in Older Adults. <i>Clinical Pharmacology and Therapeutics</i> , 2009, 85, 86-88.	2.3	273
424	Hypertensive management in the elderly patient at risk for falls. <i>Journal of the American Academy of Nurse Practitioners</i> , 2009, 21, 402-408.	1.4	7
425	Tolterodine extended release is well tolerated in older subjects. <i>International Journal of Clinical Practice</i> , 2009, 63, 1198-1204.	0.8	20
427	Survey of benzodiazepine and antidepressant use in outpatients with mood disorders in Japan. <i>Psychiatry and Clinical Neurosciences</i> , 2009, 63, 244-246.	1.0	20
428	Drug treatment of urological symptoms: estimating the magnitude of unmet need in a community-based sample. <i>BJU International</i> , 2009, 104, 1680-1688.	1.3	31

#	ARTICLE	IF	CITATIONS
429	Cardiovascular morbidity, heart rates and use of antimuscarinics in patients with overactive bladder. <i>BJU International</i> , 2010, 106, 268-274.	1.3	58
430	Beers' criteriaâ€”is it relevant to dentistry?. <i>Special Care in Dentistry</i> , 2009, 29, 189-190.	0.4	1
431	Transforming Long-Term Care Pain Management in North America: The Policyâ€”Clinical Interface: Table 1. <i>Pain Medicine</i> , 2009, 10, 506-520.	0.9	58
432	Special Issues in the Management of Chronic Pain in Older Adults. <i>Pain Medicine</i> , 2009, 10, S67-S78.	0.9	52
433	Opioid-Based Multimodal Care of Patients with Chronic Pain: Improving Effectiveness and Mitigating Risks. <i>Pain Medicine</i> , 2009, 10, S49-S52.	0.9	3
434	Evolving Pharmacological Management of Persistent Pain in Older Persons. <i>Pain Medicine</i> , 2009, 10, 959-961.	0.9	22
435	Consensus Guidelines for Oral Dosing of Primarily Renally Cleared Medications in Older Adults. <i>Journal of the American Geriatrics Society</i> , 2009, 57, 335-340.	1.3	92
437	Falls in the Nursing Home: A Collaborative Approach. <i>Nursing Clinics of North America</i> , 2009, 44, 187-195.	0.7	11
441	Benzodiazepine and antidepressant use in elderly patients with anxiety disorders: A survey of 796 outpatients in Japan. <i>Journal of Anxiety Disorders</i> , 2009, 23, 477-481.	1.5	37
442	Effect of a retrospective drug utilization review on potentially inappropriate prescribing in the elderly. <i>American Journal of Geriatric Pharmacotherapy</i> , 2009, 7, 11-19.	3.0	20
443	Potentially inappropriate medication prescribing in outpatient practices: Prevalence and patient characteristics based on electronic health records. <i>American Journal of Geriatric Pharmacotherapy</i> , 2009, 7, 84-92.	3.0	109
444	Polypharmacy in hospitalized older adult cancer patients: Experience from a prospective, observational study of an Oncology-Acute care for elders unit. <i>American Journal of Geriatric Pharmacotherapy</i> , 2009, 7, 151-158.	3.0	78
445	Pharmacologic management of the older patient with type 2 diabetes mellitus. <i>American Journal of Geriatric Pharmacotherapy</i> , 2009, 7, 324-342.	3.0	64
446	Treatment of Chronic Non-Malignant Pain in the Elderly. <i>Drug Safety</i> , 2009, 32, 457-474.	1.4	92
447	Medication Therapy Management Services. <i>Drugs</i> , 2009, 69, 393-406.	4.9	107
448	Polypharmacy in the Elderly: Focus on Drug Interactions and Adherence in Hypertension. <i>Clinics in Geriatric Medicine</i> , 2009, 25, 221-233.	1.0	54
449	Application of STOPP and START Criteria: Interrater Reliability Among Pharmacists. <i>Annals of Pharmacotherapy</i> , 2009, 43, 1239-1244.	0.9	64
450	Inappropriate Drugs in the Elderly. , 2009, , 37-47.		2

#	ARTICLE	IF	CITATIONS
451	Postoperative Delirium in the Elderly Surgical Patient. <i>Anesthesiology Clinics</i> , 2009, 27, 451-464.	0.6	82
452	Assessment of the Impact of Medication Therapy Management Delivered to Home-Based Medicare Beneficiaries. <i>Annals of Pharmacotherapy</i> , 2009, 43, 603-610.	0.9	37
453	Interventions that can Reduce Inappropriate Prescribing in the Elderly. <i>Drugs and Aging</i> , 2009, 26, 1013-1028.	1.3	249
454	Effects of Potentially Inappropriate Psychoactive Medications on Falls in US Nursing Home Residents. <i>Drugs and Aging</i> , 2009, 26, 853-860.	1.3	23
455	Impact of Residential Medication Management Reviews on Drug Burden Index in Aged-Care Homes. <i>Drugs and Aging</i> , 2009, 26, 677-686.	1.3	95
456	Prescribing Optimization Method for Improving Prescribing in Elderly Patients Receiving Polypharmacy. <i>Drugs and Aging</i> , 2009, 26, 687-701.	1.3	78
457	Prevalence of Polypharmacy, Polyherbacy, Nutritional Supplement Use and Potential Product Interactions among Older Adults Living on the United States-Mexico Border. <i>Drugs and Aging</i> , 2009, 26, 423-436.	1.3	119
458	How Do Different Age Groups Use Benzodiazepines and Antidepressants?. <i>Drugs and Aging</i> , 2009, 26, 113-122.	1.3	34
459	Development of Criteria to Assess Appropriate Medication Use among Elderly Complex Patients (CRIME) Project. <i>Drugs and Aging</i> , 2009, 26, 3-13.	1.3	37
460	Inappropriate Drug Prescriptions among Older Nursing Home Residents. <i>Drugs and Aging</i> , 2009, 26, 15-30.	1.3	29
461	Potentially Inappropriate Medication in Elderly Hospitalized Patients. <i>Drugs and Aging</i> , 2009, 26, 31-39.	1.3	40
462	Polypharmacy in the Nursing Home. <i>Journal of the American Medical Directors Association</i> , 2009, 10, 289-291.	1.2	52
463	Targeting Suboptimal Prescribing in the Elderly: A Review of the Impact of Pharmacy Services. <i>Annals of Pharmacotherapy</i> , 2009, 43, 1096-1106.	0.9	108
464	Review of Insomnia Pharmacotherapy Options for the Elderly: Implications for Managed Care. <i>Population Health Management</i> , 2009, 12, 317-323.	0.8	22
465	The Use of Chemical Restraints for Older Long-Term Hospital Patients: A Case Report from Finland. <i>Journal of Elder Abuse and Neglect</i> , 2009, 21, 89-104.	0.5	8
466	Drugs with anticholinergic properties: a potential risk factor for psychosis onset in Alzheimer's disease?. <i>Expert Opinion on Drug Safety</i> , 2009, 8, 549-557.	1.0	15
467	Falls in the General Hospital: Association With Delirium, Advanced Age, and Specific Surgical Procedures. <i>Psychosomatics</i> , 2009, 50, 218-226.	2.5	100
470	A Preliminary Study of Anticholinergic Burden and Relationship to a Quality of Life Indicator, Engagement in Activities, in Nursing Home Residents With Dementia. <i>Journal of the American Medical Directors Association</i> , 2009, 10, 252-257.	1.2	63

#	ARTICLE	IF	CITATIONS
471	Medication Management in Assisted Living: A National Survey of Policies and Practices. Journal of the American Medical Directors Association, 2009, 10, 107-114.	1.2	29
472	Pharmacologic Consideration of Commonly Used Gastrointestinal Drugs in the Elderly. Gastroenterology Clinics of North America, 2009, 38, 547-562.	1.0	10
473	Un problema double cuando el delirio complica la demencia. Nursing (Ed Espa�ola), 2009, 27, 18-23.	0.0	1
474	Implementing a Pain Management Program in a Long-Term Care Facility Using a Quality Improvement Approach. Journal of the American Medical Directors Association, 2009, 10, 67-73.	1.2	48
475	How are all those medications affecting your older patient?. Nursing, 2009, 39, 56hn1-56hn2.	0.2	2
476	Use and misuse of antipsychotic drugs in patients with dementia in Alzheimer special care units. International Clinical Psychopharmacology, 2009, 24, 97-104.	0.9	24
477	How to try this. American Journal of Nursing, 2009, 109, 68-78.	0.2	7
478	Research on Patient Safety. Home Healthcare Nurse, 2009, 27, 555-560.	0.4	3
479	The practicalities and pitfalls of polypharmacy. Nurse Practitioner, 2009, 34, 36-41.	0.2	9
480	Developing Quality Indicators for Elderly Surgical Patients. Annals of Surgery, 2009, 250, 338-347.	2.1	111
481	Kidney Stones: Painful and Common" But Preventable. The Consultant Pharmacist, 2009, 24, 338-350.	0.4	0
482	Reduction of suboptimal prescribing and clinical outcome for dementia patients in a senior behavioral health inpatient unit. International Psychogeriatrics, 2009, 21, 195.	0.6	26
483	National study of medications associated with injury in elderly Medicare/Medicaid dual enrollees during 2003. Journal of the American Pharmacists Association: JAPhA, 2009, 49, 751-759.	0.7	17
484	Development and Implementation of a Pharmacy Fall Prevention Program. Hospital Pharmacy, 2009, 44, 1095-1102.	0.4	19
486	The Relationship Between Variations in Antipsychotic Prescribing Across Nursing Homes and Short-Term Mortality. Medical Care, 2009, 47, 1000-1008.	1.1	38
487	Developing Explicit Positive Beers Criteria for Preferred Central Nervous System Medications in Older Adults. The Consultant Pharmacist, 2009, 24, 601-610.	0.4	22
488	An Active-Learning Course Model to Teach Pharmacotherapy in Geriatrics. American Journal of Pharmaceutical Education, 2010, 74, 38.	0.7	15
489	Practice Guidelines for Assessing Pain in Older Persons with Dementia Residing in Long-Term Care Facilities. Physiotherapy Canada Physiotherapie Canada, 2010, 62, 104-113.	0.3	58

#	ARTICLE	IF	CITATIONS
490	Use of potentially inappropriate medications in the care of frail older people. <i>Aging Health</i> , 2010, 6, 705-716.	0.3	22
491	The Beers criteria; antibiotic and metoprolol dosing. <i>JAAPA: Official Journal of the American Academy of Physician Assistants</i> , 2010, 23, 12.	0.1	1
492	A Biobehavioral Home-Based Intervention and the Well-being of Patients With Dementia and Their Caregivers. <i>JAMA - Journal of the American Medical Association</i> , 2010, 304, 983.	3.8	283
493	Relationship Between Case Question Prompt Format and the Quality of Responses. <i>American Journal of Pharmaceutical Education</i> , 2010, 74, 29.	0.7	10
494	Polypharmacy and Potentially Inappropriate Medication Use Among Community-dwelling Elders With Dementia. <i>Alzheimer Disease and Associated Disorders</i> , 2010, 24, 56-63.	0.6	126
495	Validation of Consensus Panel Diagnosis in Dementia. <i>Archives of Neurology</i> , 2010, 67, 1506-12.	4.9	30
496	Psychotropic drug use among older people in general practice: discrepancies between opinion and practice. <i>British Journal of General Practice</i> , 2010, 60, e156-e162.	0.7	34
497	Adverse Drug Reactions: Part II. <i>Southern Medical Journal</i> , 2010, 103, 1138-1147.	0.3	8
498	Deeply discounted medications: Implications of generic prescription drug wars. <i>Journal of the American Pharmacists Association: JAPhA</i> , 2010, 50, 752-757.	0.7	17
499	Adverse Drug Responses: An Increasing Threat to the Well-being of Older Patients. <i>Archives of Internal Medicine</i> , 2010, 170, 1148-9.	4.3	6
500	Management of chronic kidney disease in older adults. <i>Aging Health</i> , 2010, 6, 41-51.	0.3	2
501	Assessment and management of chronic pain in the older adult. <i>Journal of the American Pharmacists Association: JAPhA</i> , 2010, 50, e89-e102.	0.7	14
502	Medicatie achter de voordeur. <i>Onderwijs En Gezondheidszorg</i> , 2010, 34, 18-21.	0.0	0
507	Arzneimittelinteraktionen. <i>Wiener Klinische Wochenschrift Education</i> , 2010, 5, 1-8.	0.0	1
508	Racial Disparities in the Quality of Medication Use in Older Adults: Baseline Findings from a Longitudinal Study. <i>Journal of General Internal Medicine</i> , 2010, 25, 228-234.	1.3	15
509	Detection of adverse drug reactions through the minimum basic data set. <i>International Journal of Clinical Pharmacy</i> , 2010, 32, 322-328.	1.4	12
510	Socioeconomic determinants of psychotropic drug utilisation among elderly: a national population-based cross-sectional study. <i>BMC Public Health</i> , 2010, 10, 118.	1.2	27
511	Effect of medication review and cognitive behaviour treatment by community pharmacists of patients discharged from the hospital on drug related problems and compliance: design of a randomized controlled trial. <i>BMC Public Health</i> , 2010, 10, 133.	1.2	36

#	ARTICLE	IF	CITATIONS
512	Improving the use of benzodiazepines-Is it possible? A non-systematic review of interventions tried in the last 20 years. BMC Health Services Research, 2010, 10, 321.	0.9	48
515	The Initial Examination of the Efficacy of Low-Dose Promethazine for the Treatment of Nausea and Vomiting in the Hospitalized Elderly. Geriatric Nursing, 2010, 31, 115-122.	0.9	4
516	Benzodiazepine use amongst community dwelling elderly: 10 years on. International Journal of Geriatric Psychiatry, 2010, 25, 650-651.	1.3	4
517	Effects of discontinuing benzodiazepineâ€derivative hypnotics on postural sway and cognitive functions in the elderly. International Journal of Geriatric Psychiatry, 2010, 25, 1259-1265.	1.3	31
518	Impact and recognition of cognitive impairment among hospitalized elders. Journal of Hospital Medicine, 2010, 5, 69-75.	0.7	113
519	A systematic literature review: prescribing indicators related to type 2 diabetes mellitus and cardiovascular risk management. Pharmacoepidemiology and Drug Safety, 2010, 19, 319-334.	0.9	21
520	Drug utilization in Belgian nursing homes: impact of residents' and institutional characteristics. Pharmacoepidemiology and Drug Safety, 2010, 19, 1041-1048.	0.9	51
521	Impact of drug interactions, dosage, and duration of therapy on the risk of hip fracture associated with benzodiazepine use in older adults. Pharmacoepidemiology and Drug Safety, 2010, 19, 1248-1255.	0.9	82
522	An Evaluation of an Adapted U.S. Model of Pharmaceutical Care to Improve Psychoactive Prescribing for Nursing Home Residents in Northern Ireland (Fleetwood Northern Ireland Study). Journal of the American Geriatrics Society, 2010, 58, 44-53.	1.3	103
523	Acute Care for Elders (ACE) Tracker and eâ€Geriatrician: Methods to Disseminate ACE Concepts to Hospitals with No Geriatricians on Staff. Journal of the American Geriatrics Society, 2010, 58, 161-167.	1.3	62
524	COST CONSIDERATION BY MEDICARE PART D PLANS MAY PROMOTE THE USE OF POTENTIALLY INAPPROPRIATE MEDICATIONS. Journal of the American Geriatrics Society, 2010, 58, 979-981.	1.3	5
525	DIAZEPAM CONVERSION IN OLDER ADULTS. Journal of the American Geriatrics Society, 2010, 58, 1204-1205.	1.3	2
526	Targeting and Managing Behavioral Symptoms in Individuals with Dementia: A Randomized Trial of a Nonpharmacological Intervention. Journal of the American Geriatrics Society, 2010, 58, 1465-1474.	1.3	188
527	The Effect of Medication Use on Urinary Incontinence in Communityâ€Dwelling Elderly Women. Journal of the American Geriatrics Society, 2010, 58, 1715-1720.	1.3	36
528	Chronic Care Improvement in Primary Care: Evaluation of an Integrated Payâ€forâ€Performance and Practiceâ€Based Care Coordination Program among Elderly Patients with Diabetes. Health Services Research, 2010, 45, 1763-1782.	1.0	37
529	Anemia and its impact on function in nursing home residents: What do we know?. Journal of the American Academy of Nurse Practitioners, 2010, 22, 3-16.	1.4	12
530	Potentially Inappropriate Medication Utilization in the Emergency Department Visits by Older Adults: Analysis From a Nationally Representative Sample. Academic Emergency Medicine, 2010, 17, 231-237.	0.8	36
531	Potentially inappropriate prescribing and cost outcomes for older people: a national population study. British Journal of Clinical Pharmacology, 2010, 69, 543-552.	1.1	326

#	ARTICLE	IF	CITATIONS
532	Medicine use in older people's inpatient mental health services. <i>Journal of Psychiatric and Mental Health Nursing</i> , 2010, 17, 280-285.	1.2	5
533	Using explicit criteria to evaluate the quality of prescribing in elderly Italian outpatients: a cohort study. <i>Journal of Clinical Pharmacy and Therapeutics</i> , 2010, 35, 219-229.	0.7	61
534	Quality of drug prescribing in older patients: is there a problem and can we improve it?. <i>Internal Medicine Journal</i> , 2010, 40, 7-18.	0.5	59
535	Geriatric Neuropsychological Assessment. , 2010, , 461-501.		2
536	Drug utilization, adherence, and unique side effects of targeted therapy in older adults. , 0, , 41-51.		0
537	Inappropriate prescribing in the hospitalized elderly patient: Defining the problem, evaluation tools, and possible solutions. <i>Clinical Interventions in Aging</i> , 2010, 5, 75.	1.3	177
538	Potentially Inappropriate Medications in the Elderly. <i>Deutsches A&#x0308;rzteblatt International</i> , 2010, 107, 543-51.	0.6	691
539	Adverse drug events leading to emergency department visits in elderly: the role of inappropriate prescription. <i>Einstein (Sao Paulo, Brazil)</i> , 2010, 8, 175-179.	0.3	7
540	The Pharmacology of Aging. , 2010, , 138-144.		2
541	Teaching Strategies for Assessing and Managing Urinary Incontinence in Older Adults. <i>Journal of Gerontological Nursing</i> , 2010, 36, 18-26.	0.3	74
542	Development of a List of Potentially Inappropriate Drugs for the Korean Elderly Using the Delphi Method. <i>Healthcare Informatics Research</i> , 2010, 16, 231.	1.0	31
544	Elderly and drugs: risks and necessity of rational use. <i>Brazilian Journal of Pharmaceutical Sciences</i> , 2010, 46, 617-632.	1.2	17
545	Medicare Part D's Exclusion of Benzodiazepines and Fracture Risk in Nursing Homes. <i>Archives of Internal Medicine</i> , 2010, 170, 693.	4.3	41
546	Factors associated to antidepressant prescription for civil servants of Belo Horizonte, MG. <i>Brazilian Journal of Pharmaceutical Sciences</i> , 2010, 46, 289-296.	1.2	0
547	Possible pharmacological interactions in hypertensive and/or diabetic elderly in family health units at Blumenau (SC). <i>Brazilian Journal of Pharmaceutical Sciences</i> , 2010, 46, 795-804.	1.2	13
548	Instrumentos para avaliaÃ§Ã£o da farmacoterapia do idoso: uma revisÃ£o. <i>Revista Brasileira De Geriatria E Gerontologia</i> , 2010, 13, 487-499.	0.1	11
549	Inappropriate Medications Using the Beers Criteria in Brazilian Hospitalized Elderly Patients. <i>The Consultant Pharmacist</i> , 2010, 25, 36-40.	0.4	17
550	Management of insomnia in elderly patients using eszopiclone. <i>Nature and Science of Sleep</i> , 2010, 2, 151.	1.4	6

#	ARTICLE	IF	CITATIONS
551	Adverse Drug Events in Adult Patients Leading to Emergency Department Visits. <i>Annals of Pharmacotherapy</i> , 2010, 44, 641-649.	0.9	47
552	Benzodiazepine use and quality of sleep in the community-dwelling elderly population. <i>Aging and Mental Health</i> , 2010, 14, 843-850.	1.5	40
553	Medication prescribing and monitoring errors in primary care: a report from the Practice Partner Research Network. <i>BMJ Quality and Safety</i> , 2010, 19, e21-e21.	1.8	14
554	Polypharmacy in Older Adults with Cancer. <i>Oncologist</i> , 2010, 15, 507-522.	1.9	166
555	Comprehensive assessment of depression and behavioral problems in long-term care. <i>International Psychogeriatrics</i> , 2010, 22, 1054-1062.	0.6	22
556	Longitudinal Medication Usage in Alzheimer Disease Patients. <i>Alzheimer Disease and Associated Disorders</i> , 2010, 24, 354-359.	0.6	12
557	Do We Need Different Treatments for Very Elderly COPD Patients?. <i>Respiration</i> , 2010, 80, 357-368.	1.2	25
558	Development of and Recovery From Difficulty With Activities of Daily Living: An Analysis of National Data. <i>Journal of Aging and Health</i> , 2010, 22, 1081-1098.	0.9	14
559	Practical Approaches to Pharmacologic Management of Pain in Older Adults With Cancer. <i>Oncology Nursing Forum</i> , 2010, 37, 17-26.	0.5	12
560	A Pilot Randomized Clinical Trial Utilizing the Drug Burden Index to Reduce Exposure to Anticholinergic and Sedative Medications in Older People. <i>Annals of Pharmacotherapy</i> , 2010, 44, 1725-1732.	0.9	64
561	Anticholinergics for urge incontinence. <i>Reviews in Clinical Gerontology</i> , 2010, 20, 30-41.	0.5	1
562	Medication safety in residential aged-care facilities: a perspective. <i>Therapeutic Advances in Drug Safety</i> , 2010, 1, 11-20.	1.0	17
563	Potentially inappropriate prescribing including under-use amongst older patients with cognitive or psychiatric co-morbidities. <i>Age and Ageing</i> , 2010, 39, 373-381.	0.7	90
564	Use of Psychostimulants in Patients with Dementia. <i>Annals of Pharmacotherapy</i> , 2010, 44, 1624-1632.	0.9	53
565	Managing Medications in Clinically Complex Elders. <i>JAMA - Journal of the American Medical Association</i> , 2010, 304, 1592.	3.8	280
566	Risk for Fractures with Centrally Acting Muscle Relaxants: An Analysis of a National Medicare Advantage Claims Database. <i>Annals of Pharmacotherapy</i> , 2010, 44, 1369-1375.	0.9	30
567	Ten-year trends in hospital admissions for adverse drug reactions in England 1999-2009. <i>Journal of the Royal Society of Medicine</i> , 2010, 103, 239-250.	1.1	137
568	Trends of benzodiazepine prescribing and the risk of hip fracture in elderly patients in Taiwan: A population-based study. <i>International Journal of Psychiatry in Clinical Practice</i> , 2010, 14, 47-52.	1.2	7

#	ARTICLE	IF	CITATIONS
569	Potentially Inappropriate Medication Use in Older Adults With Mild Cognitive Impairment. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2010, 65A, 318-321.	1.7	42
570	Adverse events experienced by homecare patients: a scoping review of the literature. <i>International Journal for Quality in Health Care</i> , 2010, 22, 115-125.	0.9	85
571	Associations between drug burden index and physical function in older people in residential aged care facilities. <i>Age and Ageing</i> , 2010, 39, 503-507.	0.7	52
572	Community-Dwelling Elders' Knowledge of Drug-to-Drug Interactions. <i>Journal of Community Health Nursing</i> , 2010, 27, 61-69.	0.1	2
573	Use of potentially inappropriate medicines in elderly: A prospective study in medicine out-patient department of a tertiary care teaching hospital. <i>Indian Journal of Pharmacology</i> , 2010, 42, 94.	0.4	47
574	Scope of contemporary pharmacy practice: Roles, responsibilities, and functions of pharmacists and pharmacy technicians. <i>Journal of the American Pharmacists Association: JAPhA</i> , 2010, 50, e35-e69.	0.7	114
575	The impact of computerized provider order entry on medication errors in a multispecialty group practice. <i>Journal of the American Medical Informatics Association: JAMIA</i> , 2010, 17, 78-84.	2.2	131
576	An intervention to improve benzodiazepine use—a new approach. <i>Family Practice</i> , 2010, 27, 320-327.	0.8	12
577	Evidence, Ethics and Medication Management in Older People. <i>Journal of Pharmacy Practice and Research</i> , 2010, 40, 148-152.	0.5	17
578	Medication Nonadherence Secondary to Drug-Induced Memory Loss. <i>The Consultant Pharmacist</i> , 2010, 25, 117-121.	0.4	10
579	Age-Related Pharmacokinetic and Pharmacodynamic Changes and Related Risk of Adverse Drug Reactions. <i>Current Medicinal Chemistry</i> , 2010, 17, 571-584.	1.2	280
580	Preventing Potentially Inappropriate Medication Use in Hospitalized Older Patients With a Computerized Provider Order Entry Warning System. <i>Archives of Internal Medicine</i> , 2010, 170, 1331.	4.3	73
581	Risks of Self-Medication Practices. <i>Current Drug Safety</i> , 2010, 5, 315-323.	0.3	288
582	Antipsychotic and Benzodiazepine Use Among Nursing Home Residents: Findings From the 2004 National Nursing Home Survey. <i>American Journal of Geriatric Psychiatry</i> , 2010, 18, 1078-1092.	0.6	89
583	The Impact of Frailty in the Elderly on the Outcome of Surgery in the Aged. <i>Advances in Surgery</i> , 2010, 44, 229-249.	0.6	55
584	Medication Issues in Older Individuals With CKD. <i>Advances in Chronic Kidney Disease</i> , 2010, 17, 320-328.	0.6	16
585	Potentially inappropriate drug prescription in older subjects across health care settings. <i>European Geriatric Medicine</i> , 2010, 1, 9-14.	1.2	60
586	STOPP & START criteria: A new approach to detecting potentially inappropriate prescribing in old age. <i>European Geriatric Medicine</i> , 2010, 1, 45-51.	1.2	159

#	ARTICLE	IF	CITATIONS
587	Reviewing a complicated geriatric drug regimen. <i>European Geriatric Medicine</i> , 2010, 1, 198-202.	1.2	5
589	Diabetes Medications Related to an Increased Risk of Falls and Fall-Related Morbidity in the Elderly. <i>Annals of Pharmacotherapy</i> , 2010, 44, 712-717.	0.9	115
590	Quality of Drug Prescribing in Elderly People in Nursing Homes and Special Care Units for Dementia. <i>Clinical Drug Investigation</i> , 2010, 30, 289-300.	1.1	72
591	Preventability of Drug-Related Harms – Part I. <i>Drug Safety</i> , 2010, 33, 985-994.	1.4	61
592	Monitoring polymedicated elderly patients in a health care unit. <i>Farmacia Hospitalaria (English)</i> Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 58	0.6	1
593	External Assessment of the GEMA2009 Recommendations by a Multidisciplinary Expert Panel on Asthma. <i>Archivos De Bronconeumologia</i> , 2010, 46, 411-419.	0.4	4
594	Retrospective Evaluation of Home Medicines Review by Pharmacists in Older Australian Patients Using the Medication Appropriateness Index. <i>Annals of Pharmacotherapy</i> , 2010, 44, 1922-1929.	0.9	65
595	Adverse Reactions/Medication Safety: Beyond the Beers Criteria: A Comparative Overview of Explicit Criteria. <i>Annals of Pharmacotherapy</i> , 2010, 44, 1968-1975.	0.9	91
596	Inappropriate Prescribing Predicts Adverse Drug Events in Older Adults. <i>Annals of Pharmacotherapy</i> , 2010, 44, 957-963.	0.9	183
598	Patterns in the use of benzodiazepines in British Columbia: Examining the impact of increasing research and guideline cautions against long-term use. <i>Health Policy</i> , 2010, 97, 122-129.	1.4	91
599	Comorbidity in the elderly with diabetes: Identification of areas of potential treatment conflicts. <i>Diabetes Research and Clinical Practice</i> , 2010, 87, 385-393.	1.1	153
600	Adverse drug reactions detected by stimulated spontaneous reporting in an internal medicine department in Romania. <i>European Journal of Internal Medicine</i> , 2010, 21, 453-457.	1.0	28
601	Balancing Analgesic Efficacy with Safety Concerns in the Older Patient. <i>Pain Management Nursing</i> , 2010, 11, S11-S22.	0.4	30
603	Treatment initiation in epilepsy: An expert consensus in Spain. <i>Epilepsy and Behavior</i> , 2010, 19, 332-342.	0.9	34
604	Prescription use and survival among nonagenarians presenting to the ED. <i>American Journal of Emergency Medicine</i> , 2010, 28, 348-353.	0.7	2
605	Medication misadventures in the elderly: A year in review. <i>American Journal of Geriatric Pharmacotherapy</i> , 2010, 8, 77-83.	3.0	22
606	Assessment of a safety enhancement to the hospital medication reconciliation process for elderly patients. <i>American Journal of Geriatric Pharmacotherapy</i> , 2010, 8, 127-135.	3.0	21
607	Potentially inappropriate medication use in elderly Japanese patients. <i>American Journal of Geriatric Pharmacotherapy</i> , 2010, 8, 146-160.	3.0	133

#	ARTICLE	IF	CITATIONS
608	Concerns and beliefs about medicines and inappropriate medications: An internet-based survey on risk factors for self-reported adverse drug events among older adults. <i>American Journal of Geriatric Pharmacotherapy</i> , 2010, 8, 245-257.	3.0	16
609	Prescribing patterns and predictors of high-level polypharmacy in the elderly population: A prospective surveillance study from two teaching hospitals in India. <i>American Journal of Geriatric Pharmacotherapy</i> , 2010, 8, 271-280.	3.0	35
610	A comparison of four methods to quantify the cumulative effect of taking multiple drugs with sedative properties. <i>American Journal of Geriatric Pharmacotherapy</i> , 2010, 8, 460-471.	3.0	35
611	Incident use and outcomes associated with potentially inappropriate medication use in older adults. <i>American Journal of Geriatric Pharmacotherapy</i> , 2010, 8, 562-570.	3.0	96
612	Extrapyramidal symptoms with concomitant use of amitriptyline and amiodarone in an elderly patient. <i>American Journal of Geriatric Pharmacotherapy</i> , 2010, 8, 595-598.	3.0	11
613	Improving health for elderly people: an international health promotion and disease prevention agenda. <i>Aging Clinical and Experimental Research</i> , 2010, 22, 219-230.	1.4	15
614	Comparison of Published Explicit Criteria for Potentially Inappropriate Medications in Older Adults. <i>Drugs and Aging</i> , 2010, 27, 947-957.	1.3	100
615	Prevalence and Predictors of Anticholinergic Medication Use in Elderly Nursing Home Residents with Dementia. <i>Drugs and Aging</i> , 2010, 27, 987-997.	1.3	48
616	Reduction of Inappropriate Medications among Older Nursing-Home Residents. <i>Drugs and Aging</i> , 2010, 27, 1009-1017.	1.3	24
617	Prevalence and Risk of Polypharmacy among the Elderly in an Outpatient Setting. <i>Drugs and Aging</i> , 2010, 27, 1019-1028.	1.3	104
618	Polypharmacy and Combination Therapy in the Management of Hypertension in Elderly Patients with Co-Morbid Diabetes Mellitus. <i>Drugs and Aging</i> , 2010, 27, 871-883.	1.3	41
619	Use of Antipsychotic Drugs in Patients with Alzheimer's Disease Treated with Rivastigmine versus Donepezil. <i>Drugs and Aging</i> , 2010, 27, 903-913.	1.3	9
620	Potentially Inappropriate Drug Prescriptions and Risk of Hospitalization among Older, Italian, Nursing Home Residents. <i>Drugs and Aging</i> , 2010, 27, 747-758.	1.3	102
621	Differences in Medication Use in the Alzheimer's Disease Neuroimaging Initiative. <i>Drugs and Aging</i> , 2010, 27, 677-686.	1.3	19
622	Effects of Medication Assessment as Part of a Comprehensive Geriatric Assessment on Drug Use over a 1-Year Period. <i>Drugs and Aging</i> , 2010, 27, 507-521.	1.3	60
623	Management of Headache in the Elderly. <i>Drugs and Aging</i> , 2010, 27, 377-398.	1.3	27
624	Potentially Inappropriate Medications and Risk of Hospitalization in Retirees. <i>Drugs and Aging</i> , 2010, 27, 407-415.	1.3	80
625	Implications of Opioid Analgesia for Medically Complicated Patients. <i>Drugs and Aging</i> , 2010, 27, 417-433.	1.3	85

#	ARTICLE	IF	CITATIONS
626	Drug Burden Index and Potentially Inappropriate Medications in Community-Dwelling Older People. <i>Drugs and Aging</i> , 2010, 27, 135-148.	1.3	98
627	Reasons for Undertreatment with Oral Anticoagulants in Frail Geriatric Outpatients with Atrial Fibrillation. <i>Drugs and Aging</i> , 2010, 27, 39-50.	1.3	96
628	Predictive Factors of Discontinuation and Switch of Cholinesterase Inhibitors in Community-Dwelling Patients with Alzheimer's Disease. <i>CNS Drugs</i> , 2010, 24, 431-442.	2.7	29
629	National Study of Prescription Poisoning with Psychoactive and Nonpsychoactive Medications in Medicare/Medicaid Dual Enrollees Age 65 or Over. <i>Journal of Psychoactive Drugs</i> , 2011, 43, 229-237.	1.0	5
630	Special considerations for treatment of type 2 diabetes mellitus in the elderly. <i>American Journal of Health-System Pharmacy</i> , 2011, 68, 500-509.	0.5	32
632	Clinical Update on Nursing Home Medicine: 2011. <i>Journal of the American Medical Directors Association</i> , 2011, 12, 615-626.e6.	1.2	7
633	Preventing Postoperative Complications in the Elderly. <i>Anesthesiology Clinics</i> , 2011, 29, 83-97.	0.6	125
634	Onco-Geriatric Approach for the Management of Older Patients with Cancer. <i>Journal of the American Medical Directors Association</i> , 2011, 12, 153-159.	1.2	24
635	Physician Intervention for Medication Reduction in a Nursing Home: The Polypharmacy Outcomes Project. <i>Journal of the American Medical Directors Association</i> , 2011, 12, 326-330.	1.2	62
636	Clinical approach to the treatment of painful diabetic neuropathy. <i>Therapeutic Advances in Endocrinology and Metabolism</i> , 2011, 2, 27-38.	1.4	31
637	Aging and Toxins. <i>Clinics in Geriatric Medicine</i> , 2011, 27, 609-628.	1.0	4
638	Evaluation of the Fleetwood Model of Long-Term Care Pharmacy. <i>Journal of the American Medical Directors Association</i> , 2011, 12, 355-363.	1.2	18
639	Aging and Disease Prevention. <i>Clinics in Geriatric Medicine</i> , 2011, 27, 523-539.	1.0	3
640	Impact of Medicare Part D on Antidepressant Treatment, Medication Choice, and Adherence Among Older Adults With Depression. <i>American Journal of Geriatric Psychiatry</i> , 2011, 19, 989-997.	0.6	33
641	Aplicación de los nuevos criterios de prescripción inadecuada STOPP-START a pacientes geriátricos institucionalizados. <i>Farmaceuticos De Atencion Primaria</i> , 2011, 9, 2-7.	0.0	9
642	Use of Medicines Among a Brazilian Elderly Sample: A Cross-sectional Study. <i>International Journal of Gerontology</i> , 2011, 5, 94-97.	0.7	10
643	Medical licensing for older people. <i>European Geriatric Medicine</i> , 2011, 2, 319-321.	1.2	5
644	Detecting Medication Errors in the New Zealand Pharmacovigilance Database. <i>Drug Safety</i> , 2011, 34, 59-71.	1.4	21

#	ARTICLE	IF	CITATIONS
645	Emergency Hospitalizations for Adverse Drug Events in Older Americans. <i>New England Journal of Medicine</i> , 2011, 365, 2002-2012.	13.9	1,537
646	Polypharmacy in the Elderly. <i>Drugs and Aging</i> , 2011, 28, 509-519.	1.3	145
647	Criteria for Drug Selection in Frail Elderly Persons. <i>Drugs and Aging</i> , 2011, 28, 391-402.	1.3	23
648	Potentially Inappropriate Medication Use Among Finnish Non-Institutionalized People Aged ≥65 Years. <i>Drugs and Aging</i> , 2011, 28, 227-236.	1.3	39
649	Methylxanthines, Seizures, and Excitotoxicity. <i>Handbook of Experimental Pharmacology</i> , 2011, , 251-266.	0.9	66
650	Medications in Long-Term Care: When Less is More. <i>Clinics in Geriatric Medicine</i> , 2011, 27, 171-191.	1.0	10
652	Year in Review: Medication Mishaps in the Elderly. <i>American Journal of Geriatric Pharmacotherapy</i> , 2011, 9, 1-10.	3.0	17
653	Prevalence and Predictors of Antidepressant Prescribing in Nursing Home Residents in the United States. <i>American Journal of Geriatric Pharmacotherapy</i> , 2011, 9, 109-119.	3.0	50
654	Racial Disparities in Quality of Medication Use in Older Adults: Findings From a Longitudinal Study. <i>American Journal of Geriatric Pharmacotherapy</i> , 2011, 9, 250-258.	3.0	17
655	Prevalence and Predictors of Anticholinergic Agents in Elderly Outpatients with Dementia. <i>American Journal of Geriatric Pharmacotherapy</i> , 2011, 9, 434-441.	3.0	32
656	Development and Testing of a Tool for Assessing and Resolving Medication-Related Problems in Older Adults in an Ambulatory Care Setting: The Individualized Medication Assessment and Planning (iMAP) Tool. <i>American Journal of Geriatric Pharmacotherapy</i> , 2011, 9, 451-460.	3.0	23
657	Postoperative falls in the acute hospital setting: characteristics, risk factors, and outcomes in males. <i>American Journal of Surgery</i> , 2011, 201, 197-202.	0.9	46
658	Drug eruptions in the elderly. <i>Clinics in Dermatology</i> , 2011, 29, 43-48.	0.8	20
659	Does cost sharing really reduce inappropriate prescriptions among the elderly?. <i>Health Policy</i> , 2011, 101, 195-208.	1.4	8
661	Beers Criteria as a Proxy for Inappropriate Prescribing of Other Medications Among Older Adults. <i>Annals of Pharmacotherapy</i> , 2011, 45, 1363-1370.	0.9	38
663	New Developments in the Treatment of Osteoarthritis: A Focus on Women. <i>Pain Management Nursing</i> , 2011, 12, S17-S22.	0.4	2
666	Polypharmacy in elderly patients with cancer: clinical implications and management. <i>Lancet Oncology</i> , The, 2011, 12, 1249-1257.	5.1	208
667	Prevalence and risk factors for inappropriate drug use among older people: results from an Indian public outpatient setting. <i>Journal of Pharmaceutical Health Services Research</i> , 2011, 2, 29-34.	0.3	4

#	ARTICLE	IF	CITATIONS
668	Risk of Serious Falls Associated With Oxybutynin and Tolterodine: A Population Based Study. Journal of Urology, 2011, 186, 1340-1344.	0.2	36
669	Pharmacological Management of Persistent Pain in Older Persons: Focus on Opioids and Nonopioids. Journal of Pain, 2011, 12, S14-S20.	0.7	61
670	Pharmacological Management of Persistent Pain in Older Persons. Journal of Pain, 2011, 12, S21-S29.	0.7	30
673	Integrated control of hypertension by olmesartan medoxomil and hydrochlorothiazide and rationale for combination. Integrated Blood Pressure Control, 2011, 4, 73.	0.4	7
675	Quality Improvement Pilot Program for Vulnerable Elderly Surgical Patients. American Surgeon, 2011, 77, 1305-1308.	0.4	16
677	Protecting Patients from Adverse Drug Events: Propoxyphene, PIMs, and Drugs to Avoid in Older Adults. Journal of Managed Care Pharmacy, 2011, 17, 60-69.	2.2	4
678	Sleep in Independently Living and Institutionalized Elderly. , 2011, , 1551-1561.		4
679	Safety Assessment of Potentially Inappropriate Medications Use in Older People and the Factors Associated with Hospital Admission. Journal of Pharmacy and Pharmaceutical Sciences, 2011, 14, 283.	0.9	29
680	Prescribing Patterns and Inappropriate Use of Medications in Elderly Outpatients in a Tertiary Hospital in Nigeria. Tropical Journal of Pharmaceutical Research, 2011, 10, .	0.2	16
681	Potentially inappropriate medication prescribed to elderly outpatients at a general medicine unit. Einstein (Sao Paulo, Brazil), 2011, 9, 18-23.	0.3	12
682	Beers-Fick criteria and drugs available through the Farmácia Dose Certa program. Sao Paulo Medical Journal, 2011, 129, 17-22.	0.4	14
683	Treating nausea and vomiting in palliative care: a review. Clinical Interventions in Aging, 2011, 6, 243.	1.3	125
684	Contemporary Considerations for the Use of Digoxin for Heart Failure in Older Patients. Canadian Pharmacists Journal, 2011, 144, 265-269.	0.4	0
685	Multiple Diseases and Polypharmacy in the Elderly: Challenges for the Internist of the Third Millennium. Journal of Comorbidity, 2011, 1, 28-44.	3.9	192
686	Pharmacist's Role in an Interdisciplinary Falls Clinic. Southern Medical Journal, 2011, 104, 143-146.	0.3	3
687	Ageing and health. , 0, , 87-125.		1
688	High risk prescribing in primary care patients particularly vulnerable to adverse drug events: cross sectional population database analysis in Scottish general practice. BMJ: British Medical Journal, 2011, 342, d3514-d3514.	2.4	179
689	Cultivating Quality: Reducing the Use of Potentially Inappropriate Medications in Older Adults. American Journal of Nursing, 2011, 111, 47-52.	0.2	7

#	ARTICLE	IF	CITATIONS
690	How Is Medication Prescribing Ceased?. Medical Care, 2011, 49, 24-36.	1.1	50
691	Prevalence of Potentially Inappropriate Medication Use in Elderly Hospitalised Patients. Journal of Pharmacy Practice and Research, 2011, 41, 122-125.	0.5	8
692	Novel Approaches to Perioperative Assessment and Intervention May Improve Long-Term Outcomes After Colorectal Cancer Resection in Older Adults. Annals of Surgery, 2011, 253, 867-874.	2.1	82
693	How the medication review can help to reduce risk of falls in older patients. JAAPA: Official Journal of the American Academy of Physician Assistants, 2011, 24, 30-34.	0.1	11
694	The Beers Criteria As an Outpatient Screening Tool for Potentially Inappropriate Medications. The Consultant Pharmacist, 2011, 26, 754-763.	0.4	16
695	The effects of medication assessment on psychotropic drug use in the community-dwelling elderly. International Psychogeriatrics, 2011, 23, 473-484.	0.6	19
696	Assessment of antipsychotic prescribing in Belgian nursing homes. International Psychogeriatrics, 2011, 23, 1240-1248.	0.6	34
697	Understanding Frailty in the Geriatric Population. The Consultant Pharmacist, 2011, 26, 634-645.	0.4	17
698	Comparative Effectiveness of Pain Management Interventions for Hip Fracture: A Systematic Review. Annals of Internal Medicine, 2011, 155, 234.	2.0	180
700	Discontinuation of Unnecessary Medications in Older Adults. The Consultant Pharmacist, 2011, 26, 845-854.	0.4	10
701	Use of Potentially Inappropriate Medications in an Ambulatory Medicare Population. The Consultant Pharmacist, 2011, 26, 913-919.	0.4	7
702	Development of prescribing-safety indicators for GPs using the RAND Appropriateness Method. British Journal of General Practice, 2011, 61, e526-e536.	0.7	66
703	Conjoint analysis of patient preferences on Medicare medication therapy management. Journal of the American Pharmacists Association: JAPhA, 2011, 51, 378-387.	0.7	14
705	National study of injuryâ€”increasing analgesics in the elderly. International Journal of Pharmaceutical and Healthcare Marketing, 2011, 5, 25-42.	0.7	2
706	Survey on geriatricians' experiences of adverse drug reactions caused by potentially inappropriate medications: Commission report of the Japan Geriatrics Society. Geriatrics and Gerontology International, 2011, 11, 3-7.	0.7	24
707	Inappropriate prescribing in older residents of Australian care homes. Journal of Clinical Pharmacy and Therapeutics, 2011, 36, 33-44.	0.7	80
708	Appropriate medication prescribing in elderly patients: how knowledgeable are primary care physicians? A survey study in Parma, Italy. Journal of Clinical Pharmacy and Therapeutics, 2011, 36, 468-480.	0.7	31
709	Quality use of medicines and health outcomes among a cohort of community dwelling older men: an observational study. British Journal of Clinical Pharmacology, 2011, 71, 592-599.	1.1	101

#	ARTICLE	IF	CITATIONS
710	Potentially inappropriate medications in geriatric outpatients with polypharmacy: application of six sets of published explicit criteria. <i>British Journal of Clinical Pharmacology</i> , 2011, 72, 482-489.	1.1	66
711	A retrospective study of drug-related problems in Australian aged care homes: medication reviews involving pharmacists and general practitioners. <i>Journal of Evaluation in Clinical Practice</i> , 2011, 17, 97-103.	0.9	64
712	Are interventions recommended by pharmacists during Home Medicines Review evidence-based?. <i>Journal of Evaluation in Clinical Practice</i> , 2011, 17, 104-110.	0.9	51
713	Potentially inappropriate prescribing in elderly: assessing doctor knowledge, confidence and barriers. <i>Journal of Evaluation in Clinical Practice</i> , 2011, 17, 1153-1159.	0.9	54
714	Factor Structure of Pain Medication Questionnaire in Community-Dwelling Older Adults with Chronic Pain. <i>Pain Practice</i> , 2011, 11, 314-324.	0.9	5
715	Comparison of Prescribing Criteria to Evaluate the Appropriateness of Drug Treatment in Individuals Aged 65 and Older: A Systematic Review. <i>Journal of the American Geriatrics Society</i> , 2011, 59, 1521-1530.	1.3	162
716	Exposure to Potentially Harmful Drug-Disease Interactions in Older Community-Dwelling Veterans Based on the Healthcare Effectiveness Data and Information Set Quality Measure: Who Is at Risk?. <i>Journal of the American Geriatrics Society</i> , 2011, 59, 1673-1678.	1.3	21
717	Trends in Use of High-Risk Medications for Older Veterans: 2004 to 2006. <i>Journal of the American Geriatrics Society</i> , 2011, 59, 1891-1898.	1.3	27
718	Concomitant Use of Cholinesterase Inhibitors and Anticholinergics: Prevalence and Outcomes. <i>Journal of the American Geriatrics Society</i> , 2011, 59, 2069-2076.	1.3	34
719	Central Anticholinergic Syndrome Following Dobutamine-Atropine Stress Echocardiography. <i>Echocardiography</i> , 2011, 28, E205-6.	0.3	9
721	Les médicaments potentiellement inappropriés en gériatrie. <i>Actualites Pharmaceutiques</i> , 2011, 50, 24-29.	0.0	0
722	Development and Validation of the PAIR (Pharmacotherapy Assessment in Chronic Renal Disease) Criteria to Assess Medication Safety and Use Issues in Patients With CKD. <i>American Journal of Kidney Diseases</i> , 2011, 58, 527-535.	2.1	29
723	Improving delirium care in the intensive care unit: The design of a pragmatic study. <i>Trials</i> , 2011, 12, 139.	0.7	25
724	High prevalence and prescription of benzodiazepines for elderly: data from psychiatric consultation to patients from an emergency room of a general hospital. <i>General Hospital Psychiatry</i> , 2011, 33, 45-50.	1.2	20
725	A Case Study Using the Beers List Criteria to Compare Prescribing by Family Practitioners and Geriatric Specialists in a Rural Nursing Home. <i>Geriatric Nursing</i> , 2011, 32, 350-356.	0.9	13
726	Prescribing for Older Adults. <i>Mount Sinai Journal of Medicine</i> , 2011, 78, 613-626.	1.9	42
727	Sleep problems in Parkinson's disease patients. <i>Neurodegenerative Disease Management</i> , 2011, 1, 307-321.	1.2	2
728	Negative health outcomes and adverse events in older people attending emergency departments: A systematic review. <i>Australasian Emergency Nursing Journal</i> , 2011, 14, 141-162.	1.9	67

#	ARTICLE	IF	CITATIONS
729	Do we need individualised prescribing quality assessment? The case of diabetes treatment. <i>International Journal of Clinical Pharmacy</i> , 2011, 33, 145-149.	1.0	3
730	Prerequisites for a new health care model for elderly people with multimorbidity. <i>Zeitschrift Fur Gerontologie Und Geriatrie</i> , 2011, 44, 115-120.	0.8	34
732	Are traditional NSAIDs prescribed appropriately among French elderly with osteoarthritis? Results from the CADEUS cohort. <i>European Journal of Clinical Pharmacology</i> , 2011, 67, 833-838.	0.8	6
733	Knowledge of the pharmacological profile of a patient improves the quality of prescribing, the outcomes of treatment, and the utilization of health services in primary health care. <i>European Journal of Clinical Pharmacology</i> , 2011, 67, 1091-1101.	0.8	5
734	Prevalence of potentially inappropriate prescribing in an acutely ill population of older patients admitted to six European hospitals. <i>European Journal of Clinical Pharmacology</i> , 2011, 67, 1175-1188.	0.8	284
735	Potentially inappropriate drug prescription in the elderly in France: a population-based study from the French National Insurance Healthcare system. <i>European Journal of Clinical Pharmacology</i> , 2011, 67, 1291-1299.	0.8	62
736	A Tipping Point in Drug Dosing in Late-Life Schizophrenia. <i>Current Psychiatry Reports</i> , 2011, 13, 225-233.	2.1	5
737	Sedative load of medications prescribed for older people with dementia in care homes. <i>BMC Geriatrics</i> , 2011, 11, 56.	1.1	23
738	Use of CNS medications and cognitive decline in the aged: a longitudinal population-based study. <i>BMC Geriatrics</i> , 2011, 11, 70.	1.1	43
739	Inappropriate medication use among the elderly: a systematic review of administrative databases. <i>BMC Geriatrics</i> , 2011, 11, 79.	1.1	147
740	Piloting the role of a pharmacist in a community palliative care multidisciplinary team: an Australian experience. <i>BMC Palliative Care</i> , 2011, 10, 16.	0.8	46
741	Early postoperative cognitive dysfunction and postoperative delirium after anaesthesia with various hypnotics: study protocol for a randomised controlled trial - The PINOCCHIO trial. <i>Trials</i> , 2011, 12, 170.	0.7	40
742	The prevalence of polypharmacy in elderly attenders to an emergency department - a problem with a need for an effective solution. <i>International Journal of Emergency Medicine</i> , 2011, 4, 22.	0.6	53
743	Prescribing of inappropriate medication in nursing home residents in Germany according to a French consensus list: a cross-sectional cohort study. <i>Pharmacoepidemiology and Drug Safety</i> , 2011, 20, 12-19.	0.9	20
744	General practitioners' prescribing patterns for the elderly in a province of Iran. <i>Pharmacoepidemiology and Drug Safety</i> , 2011, 20, 482-487.	0.9	21
745	Epidemiology of potentially inappropriate medication use in elderly patients in Japanese acute care hospitals. <i>Pharmacoepidemiology and Drug Safety</i> , 2011, 20, 386-392.	0.9	28
746	Ten ways to improve the care of elderly patients in the hospital. <i>Journal of Hospital Medicine</i> , 2011, 6, 351-357.	0.7	16
747	The association between length of benzodiazepine use and sleep quality in older population. <i>International Journal of Geriatric Psychiatry</i> , 2011, 26, 908-915.	1.3	29

#	ARTICLE	IF	CITATIONS
748	Risk factors of potentially inappropriate medications among older patients visiting the community health center in rural Taiwan. Archives of Gerontology and Geriatrics, 2011, 53, 225-228.	1.4	17
749	Potential drug interactions in elderly cancer patients. Critical Reviews in Oncology/Hematology, 2011, 78, 220-226.	2.0	51
750	Drug consumption among Polish centenarians. Archives of Gerontology and Geriatrics, 2011, 53, e29-e32.	1.4	9
751	Between Scylla and Charybdis: antipsychotic and other psychotropic medications in older nursing home residents. Cmaj, 2011, 183, 778-779.	0.9	6
752	Inappropriate Medications in Elderly ICU Survivors: Where to Intervene?. Archives of Internal Medicine, 2011, 171, 1032.	4.3	55
753	Anticholinergic Drug Use and Mortality Among Residents of Long-Term Care Facilities: A Prospective Cohort Study. Journal of Clinical Pharmacology, 2011, 51, 256-263.	1.0	68
754	Cost-effectiveness analysis of a new 8% capsaicin patch compared to existing therapies for postherpetic neuralgia. Current Medical Research and Opinion, 2011, 27, 939-950.	0.9	23
755	Drugs with anticholinergic properties: a current perspective on use and safety. Expert Opinion on Drug Safety, 2011, 10, 751-765.	1.0	136
756	Pharmacology in End-of-Life Care. Topics in Geriatric Rehabilitation, 2011, 27, 36-52.	0.2	1
757	Medication Assessments by Care Managers Reveal Potential Safety Issues in Homebound Older Adults. Annals of Pharmacotherapy, 2011, 45, 492-498.	0.9	10
758	Antibiotic use in long-term care facilities. Journal of Antimicrobial Chemotherapy, 2011, 66, 2856-2863.	1.3	105
759	Frequency of inappropriate drugs in primary care: analysis of a sample of immobile patients who received periodic home visits. Age and Ageing, 2011, 40, 66-73.	0.7	42
760	Underevaluation of Cardiovascular Risk Factors in Patients With Nonaccidental Falls. Journal of Primary Care and Community Health, 2011, 2, 173-180.	1.0	11
761	Clinical Practice Recommendations. Clinical Diabetes, 2011, 29, 163-166.	1.2	86
762	Potentially Inappropriate Medications Defined by STOPP Criteria and the Risk of Adverse Drug Events in Older Hospitalized Patients. Archives of Internal Medicine, 2011, 171, 1013-9.	4.3	453
763	Functional Decline Associated With Polypharmacy and Potentially Inappropriate Medications in Community-Dwelling Older Adults With Dementia. American Journal of Alzheimer's Disease and Other Dementias, 2011, 26, 606-615.	0.9	45
764	Challenges and Opportunities in Managing the Dizzy Older Adult. Otolaryngology - Head and Neck Surgery, 2011, 144, 651-656.	1.1	23
765	High Yield Research Opportunities in Geriatric Emergency Medicine: Prehospital Care, Delirium, Adverse Drug Events, and Falls. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2011, 66A, 775-783.	1.7	84

#	ARTICLE	IF	CITATIONS
766	Prevalence and outcomes of use of potentially inappropriate medicines in older people: cohort study stratified by residence in nursing home or in the community. <i>BMJ Quality and Safety</i> , 2011, 20, 275-281.	1.8	80
767	Injury in an Elderly Population Before and After Initiating a Skeletal Muscle Relaxant. <i>Annals of Pharmacotherapy</i> , 2011, 45, 485-491.	0.9	20
768	A System-Level Approach to Improving the Care of the Older Critical Care Patient. <i>AACN Advanced Critical Care</i> , 2011, 22, 142-149.	0.6	10
769	The Evaluation of Rapidly Progressive Dementia. <i>Neurologist</i> , 2011, 17, 67-74.	0.4	61
770	Pharmacotherapy Considerations Unique to the Older Patient. , 2011, , 59-71.		2
771	A pilot randomized controlled trial of deprescribing. <i>Therapeutic Advances in Drug Safety</i> , 2011, 2, 37-43.	1.0	62
772	Prescribing in care homes: the role of the geriatrician. <i>Therapeutic Advances in Chronic Disease</i> , 2011, 2, 353-358.	1.1	7
773	Preventive medication use among persons with limited life expectancy. <i>Progress in Palliative Care</i> , 2011, 19, 15-21.	0.7	86
774	Anticholinergic Drugs and Their Effects on Delirium and Mortality in the Elderly. <i>Dementia and Geriatric Cognitive Disorders Extra</i> , 2011, 1, 43-50.	0.6	50
775	Acute postoperative pain management in the older patient. <i>Aging Health</i> , 2011, 7, 813-828.	0.3	15
776	One Home Health Agency's Quality Improvement Project to Decrease Rehospitalizations. <i>Home Healthcare Nurse</i> , 2011, 29, 180-193.	0.4	7
777	Deprescribing in the Last Year of Life. <i>Journal of Pharmacy Practice and Research</i> , 2011, 41, 146-151.	0.5	46
778	Alternatives to potentially inappropriate medications for use in e-prescribing software: triggers and treatment algorithms. <i>BMJ Quality and Safety</i> , 2011, 20, 875-884.	1.8	21
779	Inappropriate drug use and mortality in community-dwelling elderly with impaired kidney function--the Three-City population-based study. <i>Nephrology Dialysis Transplantation</i> , 2011, 26, 2852-2859.	0.4	84
780	Labor Prices and the Treatment of Nursing Home Residents with Dementia. <i>International Journal of the Economics of Business</i> , 2011, 18, 273-292.	1.0	14
781	ASAS recommendations for collecting, analysing and reporting NSAID intake in clinical trials/epidemiological studies in axial spondyloarthritis. <i>Annals of the Rheumatic Diseases</i> , 2011, 70, 249-251.	0.5	208
782	Clinical Pharmacology of Chemotherapy Agents in Older People with Cancer. <i>Current Gerontology and Geriatrics Research</i> , 2011, 2011, 1-6.	1.6	11
783	Short-acting nifedipine and risk of stroke in elderly hypertensive patients. <i>Neurology</i> , 2011, 77, 1229-1234.	1.5	32

#	ARTICLE	IF	CITATIONS
784	Interventions to optimise prescribing in care homes: systematic review. <i>Age and Ageing</i> , 2011, 40, 150-162.	0.7	150
785	Specialist medication review does not benefit short-term outcomes and net costs in continuing-care patients. <i>Age and Ageing</i> , 2011, 40, 307-312.	0.7	30
786	Geriatric pain. , 2011, , 409-422.		1
787	Psychotropic medication use among elderly nursing home residents in Slovenia: cross-sectional study. <i>Croatian Medical Journal</i> , 2011, 52, 16-24.	0.2	24
788	Cognitive Decline and the Default American Lifestyle. <i>Journals of Gerontology - Series B Psychological Sciences and Social Sciences</i> , 2011, 66B, i50-i58.	2.4	14
789	Pharmacotherapy at the end-of-life. <i>Age and Ageing</i> , 2011, 40, 419-422.	0.7	83
790	Polypharmacy and Symptom Management in Older Adults. <i>Clinical Journal of Oncology Nursing</i> , 2011, 15, 27-30.	0.3	3
791	Prescriptions for Potentially Inappropriate Medications Among Elderly American Indian Medicare Beneficiaries. <i>Annals of Pharmacotherapy</i> , 2011, 45, 129-130.	0.9	0
792	Potentially inappropriate medication use among older adults in the USA in 2007. <i>Age and Ageing</i> , 2011, 40, 398-401.	0.7	16
793	Drug use in elderly patients:Are we there yet?. <i>Journal of Pharmacology and Pharmacotherapeutics</i> , 2011, 2, 204.	0.2	3
794	Evaluation of the appropriateness of prescribing in geriatric patients using Beers criteria and Phadke's criteria and comparison thereof. <i>Journal of Pharmacology and Pharmacotherapeutics</i> , 2011, 2, 248.	0.2	15
795	Inappropriate prescribing for older people admitted to an intermediate-care nursing home unit and hospital wards. <i>Scandinavian Journal of Primary Health Care</i> , 2012, 30, 169-175.	0.6	40
796	Complications of Disease and Therapy. , 2012, , 479-513.e5.		0
797	Pharmacoepidemiology in the Postmarketing Assessment of the Safety and Efficacy of Drugs in Older Adults. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2012, 67A, 181-188.	1.7	44
798	Geriatric pharmacology. , 2012, , 38-63.		0
799	Institutionalization as a Risk Factor for Inappropriate Drug Use in the Elderly: A Swedish Nationwide Register-Based Study. <i>Annals of Pharmacotherapy</i> , 2012, 46, 339-346.	0.9	49
800	Medication errors in the ambulatory elderly. <i>Aging Health</i> , 2012, 8, 127-135.	0.3	5
801	Analgesic use in the older person. <i>Current Opinion in Supportive and Palliative Care</i> , 2012, 6, 207-212.	0.5	19

#	ARTICLE	IF	CITATIONS
802	Drug Burden Index associated with function in community-dwelling older people in Finland: A cross-sectional study. <i>Annals of Medicine</i> , 2012, 44, 458-467.	1.5	58
803	Safety and Efficacy of Intravenous Acetaminophen in the Elderly After Major Orthopedic Surgery. <i>American Journal of Therapeutics</i> , 2012, 19, 66-75.	0.5	24
804	Polypharmacy and nutritional status in elderly people. <i>Current Opinion in Clinical Nutrition and Metabolic Care</i> , 2012, 15, 1-6.	1.3	58
805	Falls Risk Assessment and Modification. <i>Home Health Care Management and Practice</i> , 2012, 24, 198-204.	0.4	2
806	A critical analysis of the methods used to develop explicit clinical criteria for use in older people. <i>Age and Ageing</i> , 2012, 41, 441-450.	0.7	32
807	Emergency Hospitalizations for Adverse Drug Events. <i>New England Journal of Medicine</i> , 2012, 366, 858-860.	13.9	37
808	An Advanced Pharmacy Practice Experience in Community Engagement. <i>American Journal of Pharmaceutical Education</i> , 2012, 76, 90.	0.7	12
809	Drug Burden Index and Beers Criteria: Impact on Functional Outcomes in Older People Living in Self-Care Retirement Villages. <i>Journal of Clinical Pharmacology</i> , 2012, 52, 258-265.	1.0	55
810	Medicare Part D Benzodiazepine Exclusion and Use of Psychotropic Medication by Patients With New Anxiety Disorders. <i>Psychiatric Services</i> , 2012, 63, 637-642.	1.1	9
811	Polifarmacia y morbilidad en adultos mayores. <i>Revista Médica Clínica Las Condes</i> , 2012, 23, 31-35.	0.2	2
813	Identifying Barriers to Care for Older Adults with Substance Use Disorders and Cognitive Impairments. <i>Alcoholism Treatment Quarterly</i> , 2012, 30, 211-223.	0.5	5
814	Defining Patient Safety in Hospice: Principles To Guide Measurement and Public Reporting. <i>Journal of Palliative Medicine</i> , 2012, 15, 1120-1123.	0.6	14
815	Evaluation of the appropriateness of prescribing in geriatric patients using Beers' criteria and Phadke's criteria and comparison thereof by Rima Shah and colleagues. <i>Journal of Pharmacology and Pharmacotherapeutics</i> , 2012, 3, 81-82.	0.2	4
816	Substance Abuse and Co-occurring Psychiatric Disorders in Older Adults: A Clinical Case and Review of the Relevant Literature. <i>Journal of Dual Diagnosis</i> , 2012, 8, 74-84.	0.7	12
817	Medication Use and Associated Risk of Falling in a Geriatric Outpatient Population. <i>Annals of Pharmacotherapy</i> , 2012, 46, 1188-1192.	0.9	65
818	High-risk prescribing and monitoring in primary care: how common is it, and how can it be improved?. <i>Therapeutic Advances in Drug Safety</i> , 2012, 3, 175-184.	1.0	13
819	Inappropriate Medication Use in the Elderly. <i>The Consultant Pharmacist</i> , 2012, 27, 583-586.	0.4	2
820	Assessing and Treating Hepatic Encephalopathy in the Older Patient. <i>The Consultant Pharmacist</i> , 2012, 27, 797-802.	0.4	0

#	ARTICLE	IF	CITATIONS
821	Use of Potentially Harmful Medications and Health-Related Quality of Life among People with Dementia Living in Residential Aged Care Facilities. <i>Dementia and Geriatric Cognitive Disorders Extra</i> , 2012, 2, 361-371.	0.6	53
822	Validation of prescribing appropriateness criteria for older Australians using the RAND/UCLA appropriateness method. <i>BMJ Open</i> , 2012, 2, e001431.	0.8	61
823	Protocol for the Effective Feedback to Improve Primary Care Prescribing Safety (EFIPPS) study: a cluster randomised controlled trial using ePrescribing data. <i>BMJ Open</i> , 2012, 2, e002359.	0.8	8
824	Adverse Drug Reactions in Older Adults: a Retrospective Study from Pharmacovigilance. <i>Therapie</i> , 2012, 67, 471-476.	0.6	7
825	Serious Adverse Drug Reactions in Older Adults Notified to Pharmacovigilance. <i>Therapie</i> , 2012, 67, 465-470.	0.6	1
826	Senior Adult Oncology. <i>Journal of the National Comprehensive Cancer Network: JNCCN</i> , 2012, 10, 162-209.	2.3	105
827	Quality of prescribing in care homes and the community in England and Wales. <i>British Journal of General Practice</i> , 2012, 62, e329-e336.	0.7	40
828	The role of family caregivers and inappropriate medication use in the community-dwelling older adults with dementia. <i>Aging Health</i> , 2012, 8, 457-460.	0.3	5
829	Development and Dissemination of a Statewide System to Minimize Use of Potentially Inappropriate Medications (PIMs). <i>Medical Care</i> , 2012, 50, 993-996.	1.1	6
830	Continuity of Care, Potentially Inappropriate Medication, and Health Care Outcomes Among the Elderly. <i>Medical Care</i> , 2012, 50, 1002-1009.	1.1	52
831	Is It Possible to Identify Risks for Injurious Falls in Hospitalized Patients?. <i>Joint Commission Journal on Quality and Patient Safety</i> , 2012, 38, 408-AP3.	0.4	46
832	Contemporary Concepts in the Pharmacotherapy of Depression in Older People. <i>Canadian Pharmacists Journal</i> , 2012, 145, 128-135.e2.	0.4	5
833	Evaluation of a Web-Based Tool in Screening for Medication-Related Problems in Community-Dwelling Older Adults. <i>The Consultant Pharmacist</i> , 2012, 27, 106-113.	0.4	6
834	High-risk prescribing in older people: more harm than good?. <i>Aging Health</i> , 2012, 8, 325-327.	0.3	6
835	What is the point of guidelines? Benzodiazepine and z-hypnotic use by an elderly population. <i>Sleep Medicine</i> , 2012, 13, 893-897.	0.8	50
836	Dementia and Sleep. <i>Neurologic Clinics</i> , 2012, 30, 1213-1248.	0.8	29
837	Polypharmacy in the elderly from the clinical toxicologist perspective. <i>Zeitschrift Fur Gerontologie Und Geriatrie</i> , 2012, 45, 473-478.	0.8	20
839	Inappropriate prescribing in hospitalised Australian elderly as determined by the STOPP criteria. <i>International Journal of Clinical Pharmacy</i> , 2012, 34, 855-862.	1.0	65

#	ARTICLE	IF	CITATIONS
840	External Validation of the Recommendations of the Multidisciplinary Consensus About Inhaled Therapies. <i>Archivos De Bronconeumologia</i> , 2012, 48, 189-196.	0.4	5
841	Detection of potentially inappropriate medication in a French geriatric teaching hospital: A comparison study of the French Beers criteria and the improved prescribing in the elderly tool. <i>European Geriatric Medicine</i> , 2012, 3, 326-329.	1.2	2
842	Changes in trend of antipsychotics prescription in patients treated with cholinesterase inhibitors after warnings from Italian Medicines Agency. Results from the EPIFARM-Elderly Project. <i>European Neuropsychopharmacology</i> , 2012, 22, 569-577.	0.3	24
845	Interdisciplinary Geriatric and Psychiatric Care Reduces Potentially Inappropriate Prescribing in the Hospital: Interventional Study in 150 Acutely Ill Elderly Patients with Mental and Somatic Comorbid Conditions. <i>Journal of the American Medical Directors Association</i> , 2012, 13, 406.e1-406.e7.	1.2	49
846	Tools to Reduce Polypharmacy. <i>Clinics in Geriatric Medicine</i> , 2012, 28, 323-341.	1.0	54
847	Outcomes of Polypharmacy in Nursing Home Residents. <i>Clinics in Geriatric Medicine</i> , 2012, 28, 217-236.	1.0	77
848	Reducing Cost by Reducing Polypharmacy: The Polypharmacy Outcomes Project. <i>Journal of the American Medical Directors Association</i> , 2012, 13, 818.e11-818.e15.	1.2	89
850	A Pharmacist-initiated Project to Reduce Meperidine Use in Surgical Patients. <i>Journal of Experimental and Clinical Medicine</i> , 2012, 4, 245-248.	0.2	3
851	Pharmacologic Issues in Management of Chronic Disease. Primary Care - <i>Clinics in Office Practice</i> , 2012, 39, 345-362.	0.7	15
852	Potentially inappropriate medications in elderly. <i>Revista Da Associação Médica Brasileira (English)</i> Tj ETQq1 1 0.784314 4gBT /Over 0,1	0.1	4
855	Inappropriate Drug Prescription at Nursing Home Admission. <i>Journal of the American Medical Directors Association</i> , 2012, 13, 83.e9-83.e15.	1.2	70
857	Updated 2012 Beers Criteria: What's Noteworthy and Cautionary?. <i>Journal of the American Medical Directors Association</i> , 2012, 13, 768-769.	1.2	6
858	Exploring Variation in Rates of Polypharmacy Across Long Term Care Homes. <i>Journal of the American Medical Directors Association</i> , 2012, 13, 309.e15-309.e21.	1.2	83
859	Drug Utilization Reviews by Community Pharmacists in Japan: Identification of Potential Safety Concerns through the Brown Bag Program. <i>Value in Health Regional Issues</i> , 2012, 1, 98-104.	0.5	9
860	PIH30 Potentially Inappropriate Prescribing and Adverse Health Outcomes in Community Dwelling Older Populations. <i>Value in Health</i> , 2012, 15, A541.	0.1	2
863	Clinical Practice Guidelines for Chronic Diseases—Understanding and Managing Their Contribution to Polypharmacy. <i>Clinics in Geriatric Medicine</i> , 2012, 28, 187-198.	1.0	5
864	Prevalence of Psychotropic Medication Use among German and Austrian Nursing Home Residents: A Comparison of 3 Cohorts. <i>Journal of the American Medical Directors Association</i> , 2012, 13, 187.e7-187.e13.	1.2	83
868	The use of STOPP/START criteria as a screening tool for assessing the appropriateness of medications in the elderly population. <i>Expert Review of Clinical Pharmacology</i> , 2012, 5, 187-197.	1.3	65

#	ARTICLE	IF	CITATIONS
869	Minimizing Inappropriate Medications in Older Populations: A 10-step Conceptual Framework. American Journal of Medicine, 2012, 125, 529-537.e4.	0.6	104
870	Medication Adherence Among Geriatric Outpatients Prescribed Multiple Medications. American Journal of Geriatric Pharmacotherapy, 2012, 10, 61-68.	3.0	47
871	Warfarin Use in Nursing Home Residents: Results from the 2004 National Nursing Home Survey. American Journal of Geriatric Pharmacotherapy, 2012, 10, 25-36.e2.	3.0	21
872	Role of the Pharmacist on a General Medicine Acute Care for the Elderly Unit. American Journal of Geriatric Pharmacotherapy, 2012, 10, 95-100.	3.0	14
873	Commentary on the New American Geriatric Society Beers Criteria for Potentially Inappropriate Medication Use in Older Adults. American Journal of Geriatric Pharmacotherapy, 2012, 10, 151-159.	3.0	41
874	Delirium or Dementia?. AORN Journal, 2012, 96, 114-45.	0.2	0
875	Potentially inappropriate prescribing (IP) for elderly medical inpatients in Taiwan: A hospital-based study. Archives of Gerontology and Geriatrics, 2012, 55, 148-151.	1.4	67
876	Toluene effects on the motor activity of adolescent, young-adult, middle-age and senescent male Brown Norway rats. NeuroToxicology, 2012, 33, 111-118.	1.4	8
878	Efficacy and tolerability of fesoterodine versus tolterodine in older and younger subjects with overactive bladder: A post hoc, pooled analysis from two placebo-controlled trials. Neurourology and Urodynamics, 2012, 31, 1258-1265.	0.8	28
879	A population-based study on the association between acute renal failure (ARF) and the duration of polypharmacy. BMC Nephrology, 2012, 13, 96.	0.8	28
880	Reducing inappropriate, anticholinergic and psychotropic drugs among older residents in assisted living facilities: study protocol for a randomized controlled trial. Trials, 2012, 13, 85.	0.7	13
881	Optimizing Drug Therapy in the Surgical Intensive Care Unit. Surgical Clinics of North America, 2012, 92, 1573-1620.	0.5	2
882	Utilization, Spending, and Price Trends for Benzodiazepines in the US Medicaid Program: 1991-2009. Annals of Pharmacotherapy, 2012, 46, 503-512.	0.9	25
883	High risk of adverse drug reactions in elderly patients taking six or more drugs: Analysis of inpatient database. Geriatrics and Gerontology International, 2012, 12, 761-762.	0.7	133
884	Medication-Related Falls in the Elderly. Drugs and Aging, 2012, 29, 359-376.	1.3	271
885	Low Back Pain. Primary Care - Clinics in Office Practice, 2012, 39, 499-510.	0.7	14
886	Differentiating the Treatment of Asthma and Chronic Obstructive Pulmonary Disease in the Elderly Patient. The Consultant Pharmacist, 2012, 27, 650-659.	0.4	2
887	The Impact of Family Caregivers on Potentially Inappropriate Medication Use in Noninstitutionalized Older Adults With Dementia. American Journal of Geriatric Pharmacotherapy, 2012, 10, 230-241.	3.0	58

#	ARTICLE	IF	CITATIONS
888	Medication Discrepancy and Potentially Inappropriate Medication in Older Chinese-American Home-Care Patients After Hospital Discharge. <i>American Journal of Geriatric Pharmacotherapy</i> , 2012, 10, 284-295.	3.0	28
889	Older US Emergency Department Patients Are Less Likely to Receive Pain Medication Than Younger Patients: Results From a National Survey. <i>Annals of Emergency Medicine</i> , 2012, 60, 199-206.	0.3	112
890	Implementing AORN Recommended Practices for Medication Safety. <i>AORN Journal</i> , 2012, 96, 605-622.	0.2	8
891	Explicit appropriateness prescription criteria in advanced dementia. Are we there yet?. <i>European Geriatric Medicine</i> , 2012, 3, 196-197.	1.2	0
892	2012 Beers Criteria Update: How Should Practicing Nurses Use the Criteria?. <i>Geriatric Nursing</i> , 2012, 33, 253-255.	0.9	6
893	Twelve Reasons for Considering Buprenorphine as a Frontline Analgesic in the Management of Pain. <i>The Journal of Supportive Oncology</i> , 2012, 10, 209-219.	2.3	139
894	Use of the Beers criteria to identify potentially inappropriate drug use by community-dwelling older dental patients. <i>Oral Surgery, Oral Medicine, Oral Pathology and Oral Radiology</i> , 2012, 113, 714-721.	0.2	9
895	Polypharmacy and the Role of Physical Medicine and Rehabilitation. <i>PM and R</i> , 2012, 4, 198-219.	0.9	17
896	Patient characteristics associated with polypharmacy and inappropriate prescribing of medications among older adults with cancer. <i>Journal of Geriatric Oncology</i> , 2012, 3, 228-237.	0.5	125
897	Inappropriate Prescribing and Related Hospital Admissions in Frail Older Persons According to the STOPP and START Criteria. <i>Drugs and Aging</i> , 2012, 29, 829-837.	1.3	134
902	Electronic Prescribing and Other Forms of Technology to Reduce Inappropriate Medication Use and Polypharmacy in Older People: A Review of Current Evidence. <i>Clinics in Geriatric Medicine</i> , 2012, 28, 301-322.	1.0	81
903	Impact d'une r�union de concertation pluridisciplinaire (RCP) sur le risque potentiel d'v�nement ind�sirable m�dicamenteux dans une unit� d'admission de psychog�riatrie. <i>Pharmacien Hospitalier Et.o.3 Clinicien</i> , 2012, 47, 166-176.		1
904	The Use of Antidepressants in Belgian Nursing Homes. <i>Drugs and Aging</i> , 2012, 29, 759-769.	1.3	28
905	Antimuscarinic Treatment in Overactive Bladder. <i>Drugs and Aging</i> , 2012, 29, 539-548.	1.3	30
906	Hospitalization as a Turning Point for Sleep Medication Use in Older Adults. <i>Drugs and Aging</i> , 2012, 29, 565-576.	1.3	20
907	Inappropriate Prescribing. <i>Drugs and Aging</i> , 2012, 29, 437-452.	1.3	245
908	Drug Burden Index and Hospitalization among Community-Dwelling Older People. <i>Drugs and Aging</i> , 2012, 29, 395-404.	1.3	40
909	Explicit Criteria for Potentially Inappropriate Medications to Reduce the Risk of Adverse Drug Reactions in Elderly People. <i>Drug Safety</i> , 2012, 35, 21-28.	1.4	33

#	ARTICLE	IF	CITATIONS
910	Adverse Drug Events as a Cause of Hospitalization in Older Adults. <i>Drug Safety</i> , 2012, 35, 29-45.	1.4	117
911	Impact of prescribed medications on patient safety in older people. <i>Therapeutic Advances in Drug Safety</i> , 2012, 3, 165-174.	1.0	39
912	Diagnostic challenges in the older patient. <i>Chiropractic & Manual Therapies</i> , 2012, 20, 28.	0.6	5
913	Antihypertensive Drug Class Use and Differential Risk of Urinary Incontinence in Community-Dwelling Older Women. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2012, 67, 1373-1378.	1.7	17
914	Interventions to improve the appropriate use of polypharmacy for older people. , 2012, , CD008165.		180
915	Readmission Risk Factors after Hospital Discharge Among the Elderly. <i>Population Health Management</i> , 2012, 15, 338-351.	0.8	37
916	QTc interval prolongation by <i>d</i> -propoxyphene: what about other analgesics?. <i>Expert Opinion on Pharmacotherapy</i> , 2012, 13, 1397-1409.	0.9	20
917	Potentially inappropriate prescribing and cost outcomes for older people: a cross-sectional study using the Northern Ireland Enhanced Prescribing Database. <i>European Journal of Clinical Pharmacology</i> , 2012, 68, 1425-1433.	0.8	144
919	Polypharmacy and Food-Drug Interactions Among Older Persons: A Review. <i>Journal of Nutrition in Gerontology and Geriatrics</i> , 2012, 31, 325-403.	0.4	37
920	Inappropriateness of Medication Prescriptions to Elderly Patients in the Primary Care Setting: A Systematic Review. <i>PLoS ONE</i> , 2012, 7, e43617.	1.1	197
921	2012 Beers Criteria Update: How Should Practicing Nurses Use the Criteria?. <i>Journal of Gerontological Nursing</i> , 2012, 38, 3-5.	0.3	8
922	Prescribing of Potentially Inappropriate Medications for the Elderly. <i>Deutsches A&#x0308;rztblatt International</i> , 2012, 109, 69-75.	0.6	73
923	The Frequency of Prescription of Immediate-Release Nifedipine for Elderly Patients in Germany. <i>Deutsches A&#x0308;rztblatt International</i> , 2012, 109, 215-9.	0.6	10
924	Drug related problems associated with the psychoactive drugs used on geriatric, hospitalized patients. <i>Brazilian Journal of Pharmaceutical Sciences</i> , 2012, 48, 453-460.	1.2	2
925	Prescripci3n en Cascada y Desprescripci3n. <i>Revista Cl3nica De Medicina De Familia</i> , 2012, 5, 111-119.	0.1	1
928	Risco de fragiliza3o e uso de medicamentos em idosos residentes em uma localidade do sul de Santa Catarina. <i>Revista Brasileira De Geriatria E Gerontologia</i> , 2012, 15, 119-126.	0.1	5
929	Evaluation of the acute and medically complex patient. , 2012, , 153-182.		0
930	Perfil de uso de medicamentos por idosos assistidos pelo Programa de Aten3o ao Idoso (P.A.I.) da UNIJU3. <i>Revista Brasileira De Geriatria E Gerontologia</i> , 2012, 15, 51-61.	0.1	2

#	ARTICLE	IF	CITATIONS
931	The Updated Beers Criteria: Promoting Use of Evidence-Based Medications in the Elderly. The Consultant Pharmacist, 2012, 27, 602-612.	0.4	1
932	Long-Term Medicaid Excess Payments from Alleged Price Manipulation of Generic Lorazepam. Journal of Managed Care Pharmacy, 2012, 18, 506-515.	2.2	2
934	Drugs Inducing Insomnia as an Adverse Effect. , 2012, , .		2
936	IdentificaÃ§Ã£o e anÃ¡lise de prescriÃ§Ãµes de medicamentos potencialmente inapropriados para idosos em uma instituiÃ§Ã£o hospitalar. CiÃªncia Cuidado E SaÃºde, 2012, 10, .	0.1	1
937	Prevalence and Predictors of Potential Drug-Drug Interactions in the Elderly: A Cross-Sectional Study in the Brazilian Primary Public Health System. Journal of Pharmacy and Pharmaceutical Sciences, 2012, 15, 344.	0.9	41
939	Assessment of pharmacotherapeutic safety of medical prescriptions for elderly residents in a long-term care facility. Brazilian Journal of Pharmaceutical Sciences, 2012, 48, 477-485.	1.2	8
940	AnÃ¡lise clÃnica e epidemiolÃ³gica das internaÃ§Ãµes hospitalares de idosos decorrentes de intoxicaÃ§Ãµes e efeitos adversos de medicamentos, Brasil, de 2004 a 2008. Revista Brasileira De Epidemiologia, 2012, 15, 828-844.	0.3	19
942	Effectiveness of a Geriatrics and Palliative Care Consultation on Symptom Management and Geriatric Syndromes. Journal of Palliative Care & Medicine, 2012, 02, .	0.1	2
943	Medication Errors: Scope and prevention strategies. Journal of Hospital Administration, 2012, 1, 54.	0.0	6
944	Medical adverse events in elderly hospitalized patients: A prospective study. Clinics, 2012, 67, 1247-1252.	0.6	36
945	The use of medications with anticholinergic properties and risk factors for their use in hospitalised elderly patients. Pharmacoepidemiology and Drug Safety, 2012, 21, 170-176.	0.9	44
946	Polypharmacy of potentially addictive medication in the older personsâ€”quantifying usage. Pharmacoepidemiology and Drug Safety, 2012, 21, 199-206.	0.9	13
947	Prescribing quality for older people in Norwegian nursing homes and home nursing services using multidose dispensed drugs. Pharmacoepidemiology and Drug Safety, 2012, 21, 929-936.	0.9	39
948	Using published criteria to develop a list of potentially inappropriate medications for elderly patients in Taiwan. Pharmacoepidemiology and Drug Safety, 2012, 21, 1269-1279.	0.9	40
949	Evaluation of potentially inappropriate medications among older residents of Malaysian nursing homes. International Journal of Clinical Pharmacy, 2012, 34, 596-603.	1.0	65
950	Factors associated with potentially inappropriate medication use by the elderly in the Brazilian primary care setting. International Journal of Clinical Pharmacy, 2012, 34, 626-632.	1.0	46
951	Comprehensive medication review: development of a collaborative procedure. International Journal of Clinical Pharmacy, 2012, 34, 510-514.	1.0	24
952	Inappropriate Medication in a National Sample of US Elderly Patients Receiving Home Health Care. Journal of General Internal Medicine, 2012, 27, 304-310.	1.3	67

#	ARTICLE	IF	CITATIONS
953	Inappropriate Medication in Home Health Care. <i>Journal of General Internal Medicine</i> , 2012, 27, 490-490.	1.3	1
954	Enhancing Care for Hospitalized Older Adults with Cognitive Impairment: A Randomized Controlled Trial. <i>Journal of General Internal Medicine</i> , 2012, 27, 561-567.	1.3	55
955	Benzodiazepine use in Belgian nursing homes: a closer look into indications and dosages. <i>European Journal of Clinical Pharmacology</i> , 2012, 68, 833-844.	0.8	61
956	Inappropriate prescribing for the elderly—a modern epidemic?. <i>European Journal of Clinical Pharmacology</i> , 2012, 68, 1085-1094.	0.8	67
957	Potentially inappropriate medications in the elderly: a comprehensive protocol. <i>European Journal of Clinical Pharmacology</i> , 2012, 68, 1123-1138.	0.8	38
958	Potentially inappropriate medication in geriatric patients: the Austrian consensus panel list. <i>Wiener Klinische Wochenschrift</i> , 2012, 124, 160-169.	1.0	75
959	Prevalence of Unplanned Hospitalizations Caused by Adverse Drug Reactions in Older Veterans. <i>Journal of the American Geriatrics Society</i> , 2012, 60, 34-41.	1.3	185
960	Which Medications Are Associated With Incident Delirium?. <i>Annals of Emergency Medicine</i> , 2012, 59, 321-322.	0.3	1
961	Validación externa de las recomendaciones del Consenso multidisciplinar sobre Terapia Inhalada. <i>Archivos De Bronconeumología</i> , 2012, 48, 189-196.	0.4	14
962	Drug-related problems (DRPs) identified from geriatric medication safety review clinics. <i>Archives of Gerontology and Geriatrics</i> , 2012, 54, 168-174.	1.4	56
963	Comparison of tools for the assessment of inappropriate prescribing in hospitalized older people. <i>Journal of Evaluation in Clinical Practice</i> , 2012, 18, 1196-1202.	0.9	21
964	Addressing Both Depression and Pain in Late Life: The Methodology of the ADAPT Study. <i>Pain Medicine</i> , 2012, 13, 405-418.	0.9	16
965	American Geriatrics Society Updated Beers Criteria for Potentially Inappropriate Medication Use in Older Adults. <i>Journal of the American Geriatrics Society</i> , 2012, 60, 616-631.	1.3	1,876
966	Potentially Inappropriate Medication Use in Individuals with Mild Cognitive Impairment: Results from the Kerala Einstein Study. <i>Journal of the American Geriatrics Society</i> , 2012, 60, 1369-1370.	1.3	7
967	Effect of Medicare Part D Benzodiazepine Exclusion on Psychotropic Use in Benzodiazepine Users. <i>Journal of the American Geriatrics Society</i> , 2012, 60, 1292-1297.	1.3	20
969	Self-reported responses to medication therapy management services for older adults: Analysis of a 5-year program. <i>Research in Social and Administrative Pharmacy</i> , 2012, 8, 217-227.	1.5	3
970	Dose-response relationship between selective serotonin reuptake inhibitors and injurious falls: a study in nursing home residents with dementia. <i>British Journal of Clinical Pharmacology</i> , 2012, 73, 812-820.	1.1	56
971	First prescription of new elderly patients attending the psychiatry outpatient of a tertiary care institute in North India. <i>Geriatrics and Gerontology International</i> , 2012, 12, 284-291.	0.7	7

#	ARTICLE	IF	CITATIONS
972	Potentially inappropriate medication use in Indian elderly: Comparison of Beers' criteria and Screening Tool of Older Persons' potentially inappropriate Prescriptions. <i>Geriatrics and Gerontology International</i> , 2012, 12, 506-514.	0.7	38
973	Quality and safety of medication use in primary care: consensus validation of a new set of explicit medication assessment criteria and prioritisation of topics for improvement. <i>BMC Clinical Pharmacology</i> , 2012, 12, 5.	2.5	49
974	CONNECT for quality: protocol of a cluster randomized controlled trial to improve fall prevention in nursing homes. <i>Implementation Science</i> , 2012, 7, 11.	2.5	37
975	Cognitive impairment in primary ambulatory health care: pharmacotherapy and the use of potentially inappropriate medicine. <i>International Journal of Geriatric Psychiatry</i> , 2013, 28, 173-181.	1.3	27
976	Effects of a three party healthcare network on the incidence levels of drug related problems. <i>International Journal of Clinical Pharmacy</i> , 2013, 35, 763-771.	1.0	11
977	Patients with advanced lung cancer: is there scope to discontinue inappropriate medication?. <i>International Journal of Clinical Pharmacy</i> , 2013, 35, 181-184.	1.0	25
978	A comparison of the application of STOPP/START to patients' drug lists with and without clinical information. <i>International Journal of Clinical Pharmacy</i> , 2013, 35, 230-235.	1.0	41
979	Development and validation of the patients' attitudes towards deprescribing (PATD) questionnaire. <i>International Journal of Clinical Pharmacy</i> , 2013, 35, 51-56.	1.0	85
980	Potentially inappropriate medication use among patients with Alzheimer disease in the REAL.FR cohort: be aware of atropinic and benzodiazepine drugs!. <i>European Journal of Clinical Pharmacology</i> , 2013, 69, 1589-1597.	0.8	68
981	Potentially inappropriate medications in a large cohort of patients in geriatric units: association with clinical and functional characteristics. <i>European Journal of Clinical Pharmacology</i> , 2013, 69, 975-984.	0.8	20
982	Potentially inappropriate drug use among older persons in Finland: application of a new national categorization. <i>European Journal of Clinical Pharmacology</i> , 2013, 69, 657-664.	0.8	11
983	Different patterns in use of antibiotics for lower urinary tract infection in institutionalized and home-dwelling elderly: a register-based study. <i>European Journal of Clinical Pharmacology</i> , 2013, 69, 665-671.	0.8	8
984	Potentially inappropriate medications in the elderly in France: a study in community pharmacies in 2011-2012. <i>European Journal of Clinical Pharmacology</i> , 2013, 69, 741-742.	0.8	4
985	Quality analysis of research on the use of benzodiazepines by elderly patients in the emergency room: a systematic review. <i>European Journal of Clinical Pharmacology</i> , 2013, 69, 1343-1350.	0.8	3
986	Relationship between anticholinergic drug use and one-year outcome among elderly people hospitalised in medical wards via emergency department: The safes cohort study. <i>Journal of Nutrition, Health and Aging</i> , 2013, 17, 766-771.	1.5	6
987	Early recognition of risk factors for adverse outcomes during hospitalization among Medicare patients: a prospective cohort study. <i>BMC Geriatrics</i> , 2013, 13, 72.	1.1	31
988	Potentially inappropriate medications used by the elderly: prevalence and risk factors in Brazilian care homes. <i>BMC Geriatrics</i> , 2013, 13, 52.	1.1	47
989	High risk prescribing in older adults: prevalence, clinical and economic implications and potential for intervention at the population level. <i>BMC Public Health</i> , 2013, 13, 115.	1.2	32

#	ARTICLE	IF	CITATIONS
990	Variation in medication use in cancer patients at the end of life: a cross-sectional analysis. <i>Supportive Care in Cancer</i> , 2013, 21, 1003-1011.	1.0	47
991	Drug-Induced Liver Injury in the Elderly. <i>Current Gastroenterology Reports</i> , 2013, 15, 299.	1.1	33
993	Prevalence and Determinants of Anticholinergic Medication Use in Elderly Dementia Patients. <i>Drugs and Aging</i> , 2013, 30, 837-844.	1.3	42
994	Potentially Inappropriate Prescribing in Patients on Admission and Discharge from an Older Peoplesâ€™™ Unit of an Acute UK Hospital. <i>Drugs and Aging</i> , 2013, 30, 729-737.	1.3	35
995	The Next Therapeutic Challenge in HIV: Polypharmacy. <i>Drugs and Aging</i> , 2013, 30, 613-628.	1.3	191
996	Polypharmacy and Potentially Inappropriate Medication in the Adult, Community-Dwelling Population in Switzerland. <i>Drugs and Aging</i> , 2013, 30, 561-568.	1.3	59
997	Association of Anticholinergic Burden with Cognitive and Functional Status in a Cohort of Hospitalized Elderly: Comparison of the Anticholinergic Cognitive Burden Scale and Anticholinergic Risk Scale. <i>Drugs and Aging</i> , 2013, 30, 103-112.	1.3	140
998	A Prevalence Study of Potentially Inappropriate Prescribing in Irish Long-Term Care Residents. <i>Drugs and Aging</i> , 2013, 30, 39-49.	1.3	69
1000	AvaliaÃ§Ã£o da adesÃ£o terapÃ©utica em idosos atendidos na atenÃ§Ã£o primÃ¡ria. <i>Revista Da AssociaÃ§Ã£o MÃ©dica Brasileira</i> , 2013, 59, 614-621.	0.3	7
1001	Sharing clinical decisions for multimorbidity case management using social network and open-source tools. <i>Journal of Biomedical Informatics</i> , 2013, 46, 977-984.	2.5	29
1002	SECOT consensus on painful knee replacement. <i>Revista EspaÃ±ola De CirugÃa OrtopÃ©dica Y TraumatologÃa</i> , 2013, 57, 348-358.	0.1	0
1003	Signs and Symptoms Indicative of Potential Adverse Drug Reactions in Homecare Patients. <i>Journal of the American Medical Directors Association</i> , 2013, 14, 920-925.	1.2	20
1005	Inappropriate drug use in hospitalized elderly patients of medicine and cardiology departments at a tertiary care hospital of Northeast India. <i>Apollo Medicine</i> , 2013, 10, 318-323.	0.0	0
1006	Indicators of Benzodiazepine Use in Nursing Home Residents in France: A Cross-Sectional Study. <i>Journal of the American Medical Directors Association</i> , 2013, 14, 29-33.	1.2	22
1007	Inappropriate prescribing in the elderly: A comparison of two validated screening tools. <i>Journal of Clinical Gerontology and Geriatrics</i> , 2013, 4, 109-114.	0.7	18
1008	Inappropriate Medication Prescriptions in Elderly Adults Surviving an Intensive Care Unit Hospitalization. <i>Journal of the American Geriatrics Society</i> , 2013, 61, 1128-1134.	1.3	92
1009	Drug Prescription Suitability: Application of the Screening Tool of Older Personsâ€™™ Prescriptions/Screening Tool to Alert to Right Treatment (STOPP/START) Criteria in a Dayâ€™Care Geriatric Hospital. <i>Journal of the American Geriatrics Society</i> , 2013, 61, 1622-1624.	1.3	3
1010	Perioperative management of delirium and dementia in the geriatric surgical patient. <i>Langenbeck's Archives of Surgery</i> , 2013, 398, 947-955.	0.8	11

#	ARTICLE	IF	CITATIONS
1012	Antidepressant adverse drug reactions in older adults: Implications for RNs and APNs. <i>Geriatric Nursing</i> , 2013, 34, 53-61.	0.9	5
1013	A Comparison of Prescribing Criteria When Applied to Older Community-Based Patients. <i>Drugs and Aging</i> , 2013, 30, 935-943.	1.3	31
1014	Addressing potentially inappropriate prescribing in older patients: development and pilot study of an intervention in primary care (the OPTI-SCRIPT study). <i>BMC Health Services Research</i> , 2013, 13, 307.	0.9	50
1015	General practitioners' views on polypharmacy and its consequences for patient health care. <i>BMC Family Practice</i> , 2013, 14, 119.	2.9	23
1016	Frequency and pattern of Chinese herbal medicine prescriptions for urticaria in Taiwan during 2009: analysis of the national health insurance database. <i>BMC Complementary and Alternative Medicine</i> , 2013, 13, 209.	3.7	19
1017	Drug - related emergency department visits by elderly patients presenting with non-specific complaints. <i>Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine</i> , 2013, 21, 15.	1.1	70
1018	Bridging evidence-practice gaps: improving use of medicines in elderly Australian veterans. <i>BMC Health Services Research</i> , 2013, 13, 514.	0.9	32
1019	Delirium superimposed on dementia is associated with prolonged length of stay and poor outcomes in hospitalized older adults. <i>Journal of Hospital Medicine</i> , 2013, 8, 500-505.	0.7	178
1020	Comprehensive Geriatric Assessment in Oncology. <i>Interdisciplinary Topics in Gerontology</i> , 2013, 38, 85-103.	3.6	39
1021	Medication errors detected in elderly patients admitted to an internal medicine service. <i>International Journal of Clinical Practice</i> , 2013, 67, 282-289.	0.8	10
1022	A Physician-Focused Intervention to Reduce Potentially Inappropriate Medication Prescribing in Older People. <i>Drugs and Aging</i> , 2013, 30, 119-127.	1.3	28
1023	Improving quality of life of elderly people aged 85 and older by improving treatment adherence. , 2013, , .		4
1024	Regional Differences in Prescribing Quality Among Elder Veterans and the Impact of Rural Residence. <i>Journal of Rural Health</i> , 2013, 29, 172-179.	1.6	39
1026	Identifying a standard set of outcome parameters for the evaluation of orthogeriatric co-management for hip fractures. <i>Injury</i> , 2013, 44, 1403-1412.	0.7	114
1027	Surgery in elderly people: Preoperative, operative and postoperative care to assist healing. <i>Best Practice and Research in Clinical Obstetrics and Gynaecology</i> , 2013, 27, 753-765.	1.4	16
1031	Geriatric assessment is associated with completion of chemotherapy, toxicity, and survival in older adults with cancer. <i>Journal of Geriatric Oncology</i> , 2013, 4, 227-234.	0.5	108
1032	Exploration of 100 commonly used drugs and supplements on cognition in older adults. <i>Alzheimer's and Dementia</i> , 2013, 9, 724-732.	0.4	20
1033	Drug related problems in type 2 diabetes patients with hypertension: a cross-sectional retrospective study. <i>BMC Endocrine Disorders</i> , 2013, 13, 2.	0.9	62

#	ARTICLE	IF	CITATIONS
1034	National Trends in Emergency Department Use, Care Patterns, and Quality of Care of Older Adults in the United States. <i>Journal of the American Geriatrics Society</i> , 2013, 61, 12-17.	1.3	260
1035	Prescribing potentially inappropriate medication (PIM) in Germany's elderly as indicated by the PRISCUS list. An analysis based on regional claims data. <i>Pharmacoepidemiology and Drug Safety</i> , 2013, 22, 719-727.	0.9	64
1036	The Quality of Quality Measures: HEDIS [®] Quality Measures for Medication Management in the Elderly and Outcomes Associated with New Exposure. <i>Drugs and Aging</i> , 2013, 30, 645-654.	1.3	21
1037	International Consensus on Periprosthetic Joint Infection: Description of the Consensus Process. <i>Clinical Orthopaedics and Related Research</i> , 2013, 471, 4065-4075.	0.7	94
1038	Application of the STOPP/START criteria: a systematic review of the prevalence of potentially inappropriate prescribing in older adults, and evidence of clinical, humanistic and economic impact. <i>Journal of Clinical Pharmacy and Therapeutics</i> , 2013, 38, 360-372.	0.7	303
1039	Prescribing of potentially inappropriate medications among the elderly population in an ambulatory care setting in a Saudi military hospital: Trend and cost. <i>Geriatrics and Gerontology International</i> , 2013, 13, 616-621.	0.7	29
1040	Prevention of Inappropriate Prescribing in Hospitalized Older Patients Using a Computerized Prescription Support System (INTERcheck [®]). <i>Drugs and Aging</i> , 2013, 30, 821-828.	1.3	76
1041	Identification of Patients with Painful Diabetic Peripheral Neuropathy Who Have a Favorable Cost Profile with Pregabalin Treatment. <i>Pain Practice</i> , 2013, 13, 476-484.	0.9	2
1042	After the Diagnosis of Dementia: Considerations in Disease Management. , 2013, , 59-77.		0
1043	A 3-year survey quantifying the risk of dose escalation of benzodiazepines and congeners to identify risk factors to aid doctors to more rationale prescribing. <i>BMJ Open</i> , 2013, 3, e003296.	0.8	11
1044	Drugs causing adverse events in patients aged 45 or older: a randomised survey of Australian general practice patients. <i>BMJ Open</i> , 2013, 3, e003701.	0.8	14
1045	An investigation into drug-related problems identifiable by commercial. <i>Australasian Medical Journal</i> , 2013, 6, 183-188.	0.1	8
1047	Use of potentially inappropriate medications in hospitalized elderly at a teaching hospital: A comparison between Beers 2003 and 2012 criteria. <i>Indian Journal of Pharmacology</i> , 2013, 45, 603.	0.4	20
1048	Nurse Care Coordination and Technology Effects on Health Status of Frail Older Adults via Enhanced Self-Management of Medication. <i>Nursing Research</i> , 2013, 62, 269-278.	0.8	61
1049	The impact of number of drugs prescribed on the risk of potentially inappropriate medication among outpatient older adults with chronic diseases. <i>QJM - Monthly Journal of the Association of Physicians</i> , 2013, 106, 1009-1015.	0.2	70
1050	Association <sc>B</sc>etween <sc>S</sc>edating <sc>M</sc>edications and <sc>D</sc>elirium in <sc>O</sc>lder <sc>I</sc>npatients. <i>Journal of the American Geriatrics Society</i> , 2013, 61, 923-930.	1.3	59
1051	Role of Muscle Relaxants in the Treatment of Pain. , 2013, , 69-77.		2
1052	Pain treatment and its cost in old people with dementia: a descriptive analysis from the Registry of Dementias of Girona (ReDeGi). <i>International Journal of Neuroscience</i> , 2013, 123, 339-346.	0.8	2

#	ARTICLE	IF	CITATIONS
1053	Physician patient communication failure facilitates medication errors in older polymedicated patients with multiple comorbidities. <i>Family Practice</i> , 2013, 30, 56-63.	0.8	65
1054	Economic Impact of Inappropriate Benzodiazepine Prescribing and Related Drug Interactions Among Elderly Persons. <i>Psychiatric Services</i> , 2013, 64, 331-338.	1.1	31
1055	Potentially inappropriate prescribing in older residents in Irish nursing homes. <i>Age and Ageing</i> , 2013, 42, 116-120.	0.7	76
1056	Health Care Services Use in Assisted Living: A Time Series Analysis. <i>Canadian Journal on Aging</i> , 2013, 32, 173-183.	0.6	12
1057	Clinical implications from drug-drug and drug-disease interactions in older people. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2013, 40, 320-325.	0.9	50
1058	Ten-Year Trajectory of Potentially Inappropriate Medications in Very Old Women: Importance of Cognitive Status. <i>Journal of the American Geriatrics Society</i> , 2013, 61, 258-263.	1.3	48
1059	Development of a Level 1 Geriatric Outpatient Pharmacy Screen. <i>Journal of the American Geriatrics Society</i> , 2013, 61, 654-655.	1.3	3
1060	Association of potentially inappropriate medication use with patient and prescriber characteristics in Medicare Part D. <i>Pharmacoepidemiology and Drug Safety</i> , 2013, 22, 728-734.	0.9	49
1061	Potentially Inappropriate Medication Use in Veterans Residing in Community Living Centers: Have We Gotten Better?. <i>Journal of the American Geriatrics Society</i> , 2013, 61, 1994-1999.	1.3	18
1062	Factors associated with help-seeking behaviors in Mexican older individuals with depressive symptoms: a cross-sectional study. <i>International Journal of Geriatric Psychiatry</i> , 2013, 28, 1260-1269.	1.3	9
1063	Medication review in hospitalised patients to reduce morbidity and mortality. , 2013, , CD008986.		64
1064	The prevalence of potentially inappropriate medication prescribing in elderly patients with chronic kidney disease. <i>Postgraduate Medical Journal</i> , 2013, 89, 247-250.	0.9	60
1065	Clinical and demographic covariates of chronic opioid and non-opioid analgesic use in rural-dwelling older adults: the MoVIES project. <i>International Psychogeriatrics</i> , 2013, 25, 1801-1810.	0.6	10
1066	Improving Staff Reports of Falls in Assisted Living. <i>Clinical Nursing Research</i> , 2013, 22, 448-460.	0.7	6
1067	Identifying Inappropriate Prescribing for Older People. <i>Journal of Pharmacy Practice and Research</i> , 2013, 43, 312-319.	0.5	11
1068	Appropriateness of Medication Prescribing Using the STOPP/START Criteria in Veterans Receiving Home-Based Primary Care. <i>The Consultant Pharmacist</i> , 2013, 28, 361-369.	0.4	12
1069	Improving Medication Management for Older Adult Clients Residing in Long-Term Care Facilities. <i>Journal of Gerontological Nursing</i> , 2013, 39, 11-17.	0.3	3
1070	Underreporting Potentially Inappropriate Prescribing for Older Outpatients: Does It Matter?. <i>Annals of Internal Medicine</i> , 2013, 159, 496.	2.0	0

#	ARTICLE	IF	CITATIONS
1072	Reassessment of the Prevalence, Clinical Characteristics, and Pharmacologic Treatment of Nursing Facility Residents with Parkinson's Disease. <i>The Consultant Pharmacist</i> , 2013, 28, 556-568.	0.4	1
1073	Psychotropic prescribing in the oldest old attending a geriatric psychiatry service: a retrospective, cross-sectional study. <i>Irish Journal of Psychological Medicine</i> , 2013, 30, 187-196.	0.7	4
1074	Postamputation Pain in the Geriatric Population. <i>Topics in Pain Management</i> , 2013, 28, 1-8.	0.1	0
1075	Polypharmacy and Inappropriate Drug Use among Older People—a Systematic Review. <i>Healthy Aging & Clinical Care in the Elderly</i> , 2013, 5, 1-8.	0.7	24
1076	Determining Chemotherapy Tolerance in Older Patients With Cancer. <i>Journal of the National Comprehensive Cancer Network: JNCCN</i> , 2013, 11, 1494-1502.	2.3	36
1077	Consumo de medicamentos por idosos, Goi�nia, Brasil. <i>Revista De Saude Publica</i> , 2013, 47, 94-103.	0.7	60
1078	Treatment of invasive candidiasis in the elderly: a review. <i>Clinical Interventions in Aging</i> , 2013, 8, 1199.	1.3	58
1079	Management of the surgical patient with dementia. , 0, , 396-403.		0
1080	Senile dementia and pharmacological drugs. <i>Dementia E Neuropsychologia</i> , 2013, 7, 176-180.	0.3	0
1081	Pharmacology and Exercise: An Essential Discipline and Research Area in Health Courses. <i>Journal of Novel Physiotherapies</i> , 2013, 03, .	0.1	0
1082	Potentially inappropriate medications among elderly Brazilian outpatients. <i>Sao Paulo Medical Journal</i> , 2013, 131, 19-26.	0.4	27
1083	Problemas relacionados aos medicamentos em idosos fragilizados da Zona da Mata Mineira, Brasil. <i>Revista Brasileira De Geriatria E Gerontologia</i> , 2013, 16, 691-704.	0.1	2
1084	Potentially inappropriate medication use among institutionalized elderly individuals in southeastern Brazil. <i>Brazilian Journal of Pharmaceutical Sciences</i> , 2013, 49, 709-717.	1.2	6
1085	Epidemiologia do uso de medicamentos entre idosos em area urbana do Nordeste do Brasil. <i>Revista De Saude Publica</i> , 2013, 47, 759-768.	0.7	30
1086	Potentially inappropriate medication use: the Beers' Criteria used among older adults with depressive symptoms. <i>Journal of Primary Health Care</i> , 2013, 5, 182.	0.2	19
1088	Initiation of Psychotropic Medication after Partner Bereavement: A Matched Cohort Study. <i>PLoS ONE</i> , 2013, 8, e77734.	1.1	17
1089	Frequency of Inappropriate Medication Prescription in Hospitalized Elderly Patients in Italy. <i>PLoS ONE</i> , 2013, 8, e82359.	1.1	31
1090	The Use of START/STOPP Criteria for Elderly Patients in Primary Care. <i>Scientific World Journal</i> , The, 2013, 2013, 1-4.	0.8	20

#	ARTICLE	IF	CITATIONS
1091	Prescription pattern and prevalence of potentially inappropriate medications among elderly patients in a Nigerian rural tertiary hospital. <i>Therapeutics and Clinical Risk Management</i> , 2013, 9, 115.	0.9	50
1092	Polypharmacy in the HIV-infected older adult population. <i>Clinical Interventions in Aging</i> , 2013, 8, 749.	1.3	64
1093	Use of the Drug Burden Index to identify and reduce potentially inappropriate prescribing of anticholinergic and sedative agents in elderly patients in institutionalized care: a systematic review protocol. <i>JBIC Database of Systematic Reviews and Implementation Reports</i> , 2014, 12, 48-59.	1.7	0
1094	Healthcare Resource Utilization And Costs Of Spinal Cord Injury With Neuropathic Pain In A Medicare Population. <i>Journal of Pain & Relief</i> , 2014, S3, .	0.1	0
1095	POPI (Pediatrics: Omission of Prescriptions and Inappropriate Prescriptions): Development of a Tool to Identify Inappropriate Prescribing. <i>PLoS ONE</i> , 2014, 9, e101171.	1.1	29
1096	Potentially Inappropriate Medication Use in Older Patients in Swiss Managed Care Plans: Prevalence, Determinants and Association with Hospitalization. <i>PLoS ONE</i> , 2014, 9, e105425.	1.1	100
1097	Medication Monitoring for People with Dementia in Care Homes: The Feasibility and Clinical Impact of Nurse-Led Monitoring. <i>Scientific World Journal, The</i> , 2014, 2014, 1-11.	0.8	19
1098	Overview of Four Prescription Monitoring/Review Programs in Canada. <i>Pain Research and Management</i> , 2014, 19, 102-106.	0.7	23
1101	Potentially inappropriate medication use in institutionalized older adults according to the Beers Criteria. <i>Brazilian Journal of Pharmaceutical Sciences</i> , 2014, 50, 827-837.	1.2	2
1102	Prevalence of Self-Medication Among the Elderly in Kermanshah-Iran. <i>Global Journal of Health Science</i> , 2014, 7, 360-5.	0.1	83
1103	Taste alteration, mouth dryness and teeth staining as side effects of medications taken by elderly. <i>Brazilian Journal of Oral Sciences</i> , 2014, 13, 257-260.	0.1	7
1104	Physician practicing preferences for conventional or homeopathic medicines in elderly subjects with musculoskeletal disorders in the EPI3-MSD cohort. <i>Clinical Epidemiology</i> , 2014, 6, 333.	1.5	5
1105	Identification of inappropriate prescribing in a Brazilian nursing home using STOPP/START screening tools and the Beers' Criteria. <i>Brazilian Journal of Pharmaceutical Sciences</i> , 2014, 50, 911-918.	1.2	3
1106	Optimization of Decision Support Tool using Medication Regimens to Assess Rehospitalization Risks. <i>Applied Clinical Informatics</i> , 2014, 05, 773-788.	0.8	16
1107	Safety assessment of essential medicines for elderly people: a bibliographic survey. <i>Brazilian Journal of Pharmaceutical Sciences</i> , 2014, 50, 269-284.	1.2	6
1108	Is There an Association Between the High-Risk Medication Star Ratings and Member Experience CMS Star Ratings Measures?. <i>Journal of Managed Care Pharmacy</i> , 2014, 20, 1129-1136.	2.2	6
1110	High Prevalence of Poor Quality Drug Prescribing in Older Individuals: A Nationwide Report From the Italian Medicines Agency (AIFA). <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2014, 69, 430-437.	1.7	86
1111	Risk-benefit analysis of antidepressant drug treatment in the elderly. <i>Psychogeriatrics</i> , 2014, 14, 261-268.	0.6	38

#	ARTICLE	IF	CITATIONS
1112	Potential effects of racial and ethnic disparities in meeting Medicare medication therapy management eligibility criteria. <i>Journal of Pharmaceutical Health Services Research</i> , 2014, 5, 109-118.	0.3	5
1113	Psychotropic Medicine Utilization in Older People in New Zealand from 2005 to 2013. <i>Drugs and Aging</i> , 2014, 31, 755-768.	1.3	21
1114	Health Outcomes Associated with Polypharmacy in Community-Dwelling Older Adults: A Systematic Review. <i>Journal of the American Geriatrics Society</i> , 2014, 62, 2261-2272.	1.3	478
1115	Utilizing a Meals on Wheels Program to Teach Falls Risk Assessment to Medical Students. <i>Gerontology and Geriatrics Education</i> , 2014, 35, 409-420.	0.6	8
1116	Utilization of potentially inappropriate medications in elderly patients in a tertiary care teaching hospital in India. <i>Perspectives in Clinical Research</i> , 2014, 5, 184.	0.5	21
1117	Description of a systematic pharmaceutical care approach intended to increase the appropriateness of medication use by elderly patients. <i>Medicine and Pharmacy Reports</i> , 2014, 87, 119-129.	0.2	0
1118	Covariates that influence the quality of a medication review: Table 1. <i>European Journal of Hospital Pharmacy</i> , 2014, 21, 18-21.	0.5	2
1119	Lessons Learned From Our Elders: How to Study Polypharmacy in Populations With Intellectual and Developmental Disabilities. <i>Intellectual and Developmental Disabilities</i> , 2014, 52, 60-77.	0.6	33
1120	Quality of prescribing in Belgian nursing homes: an electronic assessment of the medication chart. <i>International Journal for Quality in Health Care</i> , 2014, 26, 93-99.	0.9	23
1121	Developing a complex intervention to improve prescribing safety in primary care: mixed methods feasibility and optimisation pilot study. <i>BMJ Open</i> , 2014, 4, e004153.	0.8	20
1122	Inappropriate Prescribing as a Predictor for Long-Term Mortality after Hip Fracture. <i>Gerontology</i> , 2014, 60, 114-122.	1.4	42
1123	Identification of an updated set of prescribing-safety indicators for GPs. <i>British Journal of General Practice</i> , 2014, 64, e181-e190.	0.7	51
1124	Use of benzodiazepines and related drugs in Manitoba: a population-based study. <i>CMAJ Open</i> , 2014, 2, E208-E216.	1.1	51
1125	Ageing and trajectories of depressive symptoms in community-dwelling men and women. <i>International Journal of Geriatric Psychiatry</i> , 2014, 29, 720-729.	1.3	44
1126	Electronic Medical Record Features and Seven Quality of Care Measures in Physician Offices. <i>American Journal of Medical Quality</i> , 2014, 29, 44-52.	0.2	12
1127	Potentially inappropriate medication use in older people with cancer: Prevalence and correlates. <i>Journal of Geriatric Oncology</i> , 2014, 5, 439-446.	0.5	46
1128	Use of palivizumab in infants and young children with severe respiratory disease: A delphi study. <i>Pediatric Pulmonology</i> , 2014, 49, 490-502.	1.0	31
1129	Are older Western Australians exposed to potentially inappropriate medications according to the Beers criteria? A 13-year prevalence study. <i>Australasian Journal on Ageing</i> , 2014, 33, E39-48.	0.4	28

#	ARTICLE	IF	CITATIONS
1130	Benzodiazepine and Sedative-hypnotic Use Among Older Seriously Ill Veterans: Choosing Wisely?. <i>Clinical Therapeutics</i> , 2014, 36, 1547-1554.	1.1	18
1131	Potentially inappropriate medication in older persons in Austria: A nationwide prevalence study. <i>European Geriatric Medicine</i> , 2014, 5, 399-405.	1.2	6
1132	Effects of hospitalist-directed interdisciplinary medicine floor service on hospital outcomes for seniors with acute medical illness. <i>Geriatrics and Gerontology International</i> , 2014, 14, 71-77.	0.7	15
1133	Evaluating sustained quality improvements: long-term effectiveness of a physician-focused intervention to reduce potentially inappropriate medication prescribing in an older population. <i>Journal of Clinical Pharmacy and Therapeutics</i> , 2014, 39, 266-271.	0.7	17
1134	Medical Therapy in Overactive Bladder of the Elderly. <i>Current Bladder Dysfunction Reports</i> , 2014, 9, 326-335.	0.2	1
1135	Interventions to improve the appropriate use of polypharmacy for older people. <i>The Cochrane Library</i> , 2014, , CD008165.	1.5	409
1136	The Unique Needs of Older Adults Readmitted to the Hospital. <i>Journal of the American Geriatrics Society</i> , 2014, 62, 1378-1380.	1.3	0
1137	Tricyclic Antidepressants: Is Your Patient Taking Them? Observations on Adherence and Unreported Use Using Prescriber-Reported Medication Lists and Urine Drug Testing. <i>Pain Medicine</i> , 2014, 15, 355-363.	0.9	6
1138	Effective Feedback to Improve Primary Care Prescribing Safety (EFIPPS) a pragmatic three-arm cluster randomised trial: designing the intervention (ClinicalTrials.gov registration NCT01602705). <i>Implementation Science</i> , 2014, 9, 133.	2.5	11
1139	Optimizing polypharmacy among elderly hospital patients with chronic diseases study protocol of the cluster randomized controlled POLITE-RCT trial. <i>Implementation Science</i> , 2014, 9, 151.	2.5	31
1140	Evaluation of the nonsteroidal anti-inflammatory drug-sparing effect of etanercept in axial spondyloarthritis: results of the multicenter, randomized, double-blind, placebo-controlled SPARSE study. <i>Arthritis Research and Therapy</i> , 2014, 16, 481.	1.6	27
1141	Effectiveness of Duloxetine Compared With Pregabalin and Gabapentin in Diabetic Peripheral Neuropathic Pain. <i>Clinical Journal of Pain</i> , 2014, 30, 875-885.	0.8	27
1142	High-Risk Medication Use by Nursing Home Residents Before and After Hospitalization. <i>Medical Care</i> , 2014, 52, 884-890.	1.1	10
1146	Cost Analysis of a Home-Based Nurse Care Coordination Program. <i>Journal of the American Geriatrics Society</i> , 2014, 62, 2369-2376.	1.3	18
1147	Long-term Cognitive and Functional Effects of Potentially Inappropriate Medications in Older Women. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2014, 69, 423-429.	1.7	79
1148	Insomnia in Long-Term Care Facilities: A Comparison of Seven European Countries and Israel: The Services and Health for Elderly in Long TERM care Study. <i>Journal of the American Geriatrics Society</i> , 2014, 62, 2033-2039.	1.3	38
1149	Appropriate prescribing in older people. <i>Reviews in Clinical Gerontology</i> , 2014, 24, 58-77.	0.5	9
1150	Defining consensus: A systematic review recommends methodologic criteria for reporting of Delphi studies. <i>Journal of Clinical Epidemiology</i> , 2014, 67, 401-409.	2.4	1,663

#	ARTICLE	IF	CITATIONS
1151	Barriers to discontinuation of chronic benzodiazepine use in nursing home residents: Perceptions of general practitioners and nurses. <i>European Geriatric Medicine</i> , 2014, 5, 181-187.	1.2	19
1152	Automation of a high risk medication regime algorithm in a home health care population. <i>Journal of Biomedical Informatics</i> , 2014, 51, 60-71.	2.5	8
1153	Development and validation of the RASP list (Rationalization of Home Medication by an Adjusted STOPP) Tj ETQq0 0 0 rgBT /Overlock 1 <i>Medicine</i> , 2014, 5, 175-180.	1.2	23
1154	Education to Reduce Potentially Harmful Medication Use Among Residents of Assisted Living Facilities: A Randomized Controlled Trial. <i>Journal of the American Medical Directors Association</i> , 2014, 15, 892-898.	1.2	82
1155	Integrated pharmaceutical care in the community: (how) can we turn vision into reality?. <i>Drugs and Therapy Perspectives</i> , 2014, 30, 65-71.	0.3	0
1156	Consensus-based clinical practice recommendations for the examination and management of falls in patients with Parkinson's disease. <i>Parkinsonism and Related Disorders</i> , 2014, 20, 360-369.	1.1	117
1157	Use of Benzodiazepines and Association with Falls in Older People Admitted to Hospital: A Prospective Cohort Study. <i>Drugs and Aging</i> , 2014, 31, 299-310.	1.3	43
1158	An inter-rater reliability study of the prescribing indicated medications quality indicators of the Assessing Care Of Vulnerable Elders (ACOVE) 3 criteria as a potentially inappropriate prescribing tool. <i>Archives of Gerontology and Geriatrics</i> , 2014, 58, 460-464.	1.4	11
1159	Potentially inappropriate prescribing in elderly outpatients in Croatia. <i>European Journal of Clinical Pharmacology</i> , 2014, 70, 737-744.	0.8	21
1160	Drug-Induced Liver Injury. <i>Mayo Clinic Proceedings</i> , 2014, 89, 95-106.	1.4	325
1161	Associations of drug burden index with falls, general practitioner visits, and mortality in older people. <i>Pharmacoepidemiology and Drug Safety</i> , 2014, 23, 753-758.	0.9	110
1162	Factors associated with potentially inappropriate medications use by the elderly according to Beers criteria 2003 and 2012. <i>International Journal of Clinical Pharmacy</i> , 2014, 36, 316-324.	1.0	58
1163	E-learning to improve the drug prescribing in the hospitalized elderly patients: the ELICADHE feasibility pilot study. <i>Aging Clinical and Experimental Research</i> , 2014, 26, 435-443.	1.4	8
1164	Inappropriate prescribing: a systematic overview of published assessment tools. <i>European Journal of Clinical Pharmacology</i> , 2014, 70, 1-11.	0.8	190
1165	Medication for Alzheimer's Disease and Associated Fall Hazard: A Retrospective Cohort Study from the Alzheimer's Disease Neuroimaging Initiative. <i>Drugs and Aging</i> , 2014, 31, 125-129.	1.3	25
1166	Potentially inappropriate prescribing to the elderly: comparison of new protocol to Beers criteria with relation to hospitalizations for ADRs. <i>European Journal of Clinical Pharmacology</i> , 2014, 70, 483-490.	0.8	27
1167	A Change in Sleep Pattern May Predict Alzheimer Disease. <i>American Journal of Geriatric Psychiatry</i> , 2014, 22, 1262-1271.	0.6	139
1168	Are high-care nursing home residents at greater risk of unplanned hospital admission than other elderly patients when exposed to Beers potentially inappropriate medications?. <i>Geriatrics and Gerontology International</i> , 2014, 14, 934-941.	0.7	14

#	ARTICLE	IF	CITATIONS
1169	2012 American Geriatrics Society Beers Criteria: Enhanced Applicability for Detecting Potentially Inappropriate Medications in European Older Adults? A Comparison with the Screening Tool of Older Person's Potentially Inappropriate Prescriptions. <i>Journal of the American Geriatrics Society</i> , 2014, 62, 1217-1223.	1.3	81
1170	Prevalence of potentially inappropriate medications and risk of adverse clinical outcome in a cohort of hospitalized elderly patients: results from the REPOSI Study. <i>Journal of Clinical Pharmacy and Therapeutics</i> , 2014, 39, 511-515.	0.7	59
1171	Identification of inappropriate medication use in elderly patients with frequent emergency department visits. <i>Canadian Pharmacists Journal</i> , 2014, 147, 248-256.	0.4	15
1173	Inappropriate prescribing to older patients admitted to hospital: A comparison of different tools of misprescribing and underprescribing. <i>European Journal of Internal Medicine</i> , 2014, 25, 710-716.	1.0	47
1174	Alcohol and Medication Use Among Elderly Community-dwelling Brazilians. <i>International Journal of Gerontology</i> , 2014, 8, 133-136.	0.7	2
1175	Specifying ICD9, ICPC and ATC codes for the STOPP/START criteria: a multidisciplinary consensus panel. <i>Age and Ageing</i> , 2014, 43, 773-778.	0.7	19
1176	Combining Quality Improvement and Geriatrics Training: The Nursing Home Polypharmacy Outcomes Project. <i>Gerontology and Geriatrics Education</i> , 2014, 35, 395-408.	0.6	6
1178	Potentially inappropriate prescribing among older people in the United Kingdom. <i>BMC Geriatrics</i> , 2014, 14, 72.	1.1	97
1179	Impact of the Pharmacist Medication Review Services on Drug-Related Problems and Potentially Inappropriate Prescribing of Renally Cleared Medications in Residents of Aged Care Facilities. <i>Drugs and Aging</i> , 2014, 31, 825-835.	1.3	74
1181	Application of drug-related problem (DRP) classification systems: a review of the literature. <i>European Journal of Clinical Pharmacology</i> , 2014, 70, 799-815.	0.8	68
1182	Content validation of a tool for assessing risks for drug-related problems to be used by practical nurses caring for home-dwelling clients aged ≥65 years: a Delphi survey. <i>European Journal of Clinical Pharmacology</i> , 2014, 70, 991-1002.	0.8	22
1183	Inappropriate prescribing in patients accessing specialist palliative day care services. <i>International Journal of Clinical Pharmacy</i> , 2014, 36, 535-543.	1.0	29
1184	Potentially inappropriate medication related to weakness in older acute medical patients. <i>International Journal of Clinical Pharmacy</i> , 2014, 36, 570-580.	1.0	41
1185	Approches d'identification des médicaments potentiellement inappropriés chez la personne âgée. <i>Les Cahiers De L'annee Gerontologique</i> , 2014, 6, 44-52.	0.0	2
1186	Impact of Specific Beers Criteria Medications on Associations between Drug Exposure and Unplanned Hospitalisation in Elderly Patients Taking High-Risk Drugs: A Case-Time-Control Study in Western Australia. <i>Drugs and Aging</i> , 2014, 31, 311-325.	1.3	14
1187	Trends in Inappropriate Drug Therapy Prescription in the Elderly in Sweden from 2006 to 2013: Assessment Using National Indicators. <i>Drugs and Aging</i> , 2014, 31, 379-386.	1.3	47
1188	Prescription of Addictive and Non-Addictive Drugs to Home-Dwelling Elderly. <i>Drugs and Aging</i> , 2014, 31, 453-459.	1.3	5
1189	The Impact of a Structured Pharmacist Intervention on the Appropriateness of Prescribing in Older Hospitalized Patients. <i>Drugs and Aging</i> , 2014, 31, 471-481.	1.3	73

#	ARTICLE	IF	CITATIONS
1190	Decision Making About Change of Medication for Comorbid Disease at the End of Life: An Integrative Review. <i>Drugs and Aging</i> , 2014, 31, 501-512.	1.3	37
1191	Prescriber variation in potentially inappropriate prescribing in older populations in Ireland. <i>BMC Family Practice</i> , 2014, 15, 59.	2.9	22
1192	Impact of a New Senior Emergency Department on Emergency Department Recidivism, Rate of Hospital Admission, and Hospital Length of Stay. <i>Annals of Emergency Medicine</i> , 2014, 63, 517-524.	0.3	43
1193	Association Between Potentially Inappropriate Medications From the Beers Criteria and the Risk of Unplanned Hospitalization in Elderly Patients. <i>Annals of Pharmacotherapy</i> , 2014, 48, 6-16.	0.9	89
1194	Potentially Inappropriate Drug Prescribing and Associated Factors in Nursing Homes. <i>Journal of the American Medical Directors Association</i> , 2014, 15, 850.e1-850.e9.	1.2	56
1195	Dose-Responsive Effect of Psychotropic Drug Use and Subsequent Dementia: A Nationwide Propensity Score Matched Case-Control Study in Taiwan. <i>Journal of the American Medical Directors Association</i> , 2014, 15, 509-513.	1.2	20
1196	Use of Expert Consensus to Improve Atherogenic Dyslipidemia Management. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2014, 67, 36-44.	0.4	7
1197	Development of a questionnaire to assess health profession students' knowledge of older adults. <i>Currents in Pharmacy Teaching and Learning</i> , 2014, 6, 233-244.	0.4	6
1198	Subtypes of potentially inappropriate medications in older Chinese-Americans during care transitions: Cross sectional retrospective study. <i>International Journal of Nursing Studies</i> , 2014, 51, 1221-1229.	2.5	2
1199	Consenso de expertos sobre propuestas para la mejora del manejo de la dislipemia aterogénica. <i>Revista Espanola De Cardiologia</i> , 2014, 67, 36-44.	0.6	26
1200	Effectiveness of the medication safety review clinics for older adults prescribed multiple medications. <i>Journal of the Formosan Medical Association</i> , 2014, 113, 106-113.	0.8	22
1201	Potential health implications of racial and ethnic disparities in meeting MTM eligibility criteria. <i>Research in Social and Administrative Pharmacy</i> , 2014, 10, 106-125.	1.5	9
1202	Risk factors associated with adverse drug events among older adults in emergency department. <i>European Journal of Internal Medicine</i> , 2014, 25, 49-55.	1.0	48
1203	Feasibility and baseline findings of an educational intervention in a randomized trial to optimize drug treatment among residents in assisted living facilities. <i>European Geriatric Medicine</i> , 2014, 5, 195-199.	1.2	1
1204	Interventions for reducing benzodiazepine use in older people: meta-analysis of randomised controlled trials. <i>British Journal of Psychiatry</i> , 2014, 204, 98-107.	1.7	117
1205	Would It Matter to Expose Elderly Patients Who Took Digoxin to Chinese Medications?. <i>Value in Health Regional Issues</i> , 2014, 3, 211-221.	0.5	1
1206	The impact of combined use of fall-risk medications and antithrombotics on injury severity and intracranial hemorrhage among older trauma patients. <i>Geriatric Nursing</i> , 2014, 35, 20-25.	0.9	6
1207	Potentially inappropriate prescribing and adverse health outcomes in community dwelling older patients. <i>British Journal of Clinical Pharmacology</i> , 2014, 77, 201-210.	1.1	172

#	ARTICLE	IF	CITATIONS
1208	Prevalence and determinants of use of potentially inappropriate medications in elderly inpatients: A prospective study in a tertiary healthcare setting. <i>Geriatrics and Gerontology International</i> , 2014, 14, 251-258.	0.7	19
1210	Aging Puerto Ricans™ Experiences of Depression Treatment: A New Ethnographic Exploration. <i>Research in the Sociology of Health Care</i> , 2014, , 275-303.	0.1	3
1212	The development and testing of the quality use of medications in dementia (QUM-D): a tool for quality prescribing for behavioral and psychological symptoms of dementia (BPSD). <i>International Psychogeriatrics</i> , 2015, 27, 1313-1322.	0.6	5
1213	Contraindicated medications administered to inpatients with renal insufficiency in a Saudi Arabian hospital that has a computerized clinical decision support system. <i>Journal of Taibah University Medical Sciences</i> , 2015, 10, 320-326.	0.5	5
1214	Consensus Validated List of Potentially Inappropriate Medication for the Elderly and Their Prevalence in South Korea. <i>International Journal of Gerontology</i> , 2015, 9, 136-141.	0.7	24
1215	Prevalence of Potentially Inappropriate Medication Use in Older Adults Using the 2012 Beers Criteria. <i>Journal of the American Geriatrics Society</i> , 2015, 63, 486-500.	1.3	127
1216	Exposure to High-Risk Medications is Associated With Worse Outcomes in Older Veterans With Chronic Pain. <i>American Journal of the Medical Sciences</i> , 2015, 350, 279-285.	0.4	11
1217	Assessing potentially inappropriate prescribing (PIP) and predicting patient outcomes in Ontario™s older population: a population-based cohort study applying subsets of the STOPP/START and Beers™ criteria in large health administrative databases. <i>BMJ Open</i> , 2015, 5, e010146.	0.8	19
1218	Correlation of Incident Potentially Inappropriate Medication Prescriptions and Hospitalization: An Analysis Based on the PRISCUS List. <i>Drugs - Real World Outcomes</i> , 2015, 2, 249-259.	0.7	30
1219	Applying the Beers and STOPP Criteria to Care of the Critically Ill Older Adult. <i>Critical Care Nursing Quarterly</i> , 2015, 38, 231-236.	0.4	3
1220	NAMS supports judicious use of systemic hormone therapy for women aged 65 years and older. <i>Menopause</i> , 2015, 22, 685-686.	0.8	9
1221	Any versus long-term prescribing of high risk medications in older people using 2012 Beers Criteria: results from three cross-sectional samples of primary care records for 2003/4, 2007/8 and 2011/12. <i>BMC Geriatrics</i> , 2015, 15, 146.	1.1	19
1222	Effect of a patient-centered drug review on polypharmacy in primary care patients: study protocol for a cluster-randomized controlled trial. <i>Trials</i> , 2015, 16, 380.	0.7	18
1223	Prevalence of Potentially Inappropriate Prescribing Among Hong Kong Older Adults: A Comparison of the Beers 2003, Beers 2012, and Screening Tool of Older Person's Prescriptions and Screening Tool to Alert doctors to Right Treatment Criteria. <i>Journal of the American Geriatrics Society</i> , 2015, 63, 1471-1472.	1.3	9
1224	Does ongoing general practitioner care in elderly patients help reduce the risk of unplanned hospitalization related to Beers potentially inappropriate medications?. <i>Geriatrics and Gerontology International</i> , 2015, 15, 1031-1039.	0.7	5
1225	GPs, medications and older people: A qualitative study of general practitioners' approaches to potentially inappropriate medications in older people. <i>Australasian Journal on Ageing</i> , 2015, 34, 134-139.	0.4	27
1226	Diabetes Mellitus Care Provided by Nurse Practitioners vs Primary Care Physicians. <i>Journal of the American Geriatrics Society</i> , 2015, 63, 1980-1988.	1.3	50
1227	Evaluation of a Community Pharmacy™Based Screening Questionnaire to Identify Patients at Risk for Drug Therapy Problems. <i>Pharmacotherapy</i> , 2015, 35, 881-886.	1.2	7

#	ARTICLE	IF	CITATIONS
1228	American Geriatrics Society 2015 Updated Beers Criteria for Potentially Inappropriate Medication Use in Older Adults. <i>Journal of the American Geriatrics Society</i> , 2015, 63, 2227-2246.	1.3	2,172
1229	Traumatic Brain Injury in the Elderly. <i>Journal of Trauma Nursing: the Official Journal of the Society of Trauma Nurses</i> , 2015, 22, 204-208.	0.3	27
1230	A prescription survey about combined use of acetylcholinesterase inhibitors and anticholinergic medicines in the dementia outpatient using electronic medication history data from community pharmacies. <i>Integrated Pharmacy Research & Practice</i> , 2015, 4, 133.	0.9	2
1232	Economic Burden Associated with Adverse Events in Patients with Metastatic Melanoma. <i>Journal of Managed Care & Specialty Pharmacy</i> , 2015, 21, 158-164.	0.5	38
1233	Potential Health Implications of Medication Therapy Management Eligibility Criteria in the Patient Protection and Affordable Care Act Across Racial and Ethnic Groups. <i>Journal of Managed Care & Specialty Pharmacy</i> , 2015, 21, 993-1003.	0.5	9
1234	Potentially inappropriate drug use in older people: a nationwide comparison of different explicit criteria for population-based estimates. <i>British Journal of Clinical Pharmacology</i> , 2015, 80, 315-324.	1.1	68
1235	Role of Muscle Relaxants in the Treatment of Pain. , 2015, , 67-75.		0
1236	The EU(7)-PIM list: a list of potentially inappropriate medications for older people consented by experts from seven European countries. <i>European Journal of Clinical Pharmacology</i> , 2015, 71, 861-875.	0.8	324
1237	Inappropriate prescribing to the oldest old patients admitted to hospital: prevalence, most frequently used medicines, and associated factors. <i>BMC Geriatrics</i> , 2015, 15, 42.	1.1	67
1238	Benzodiazepine Use in the United States. <i>JAMA Psychiatry</i> , 2015, 72, 136.	6.0	582
1239	The quality of outpatient primary care in public and private sectors in Sri Lanka—how well do patient perceptions match reality and what are the implications?. <i>Health Policy and Planning</i> , 2015, 30, i59-i74.	1.0	21
1240	Risk of Dementia Among Elderly Nursing Home Patients Using Paroxetine and Other Selective Serotonin Reuptake Inhibitors. <i>Psychiatric Services</i> , 2015, 66, 1333-1340.	1.1	18
1241	Majority of drug-related problems identified during medication review are not associated with STOPP/START criteria. <i>European Journal of Clinical Pharmacology</i> , 2015, 71, 1255-1262.	0.8	43
1242	Impact of an Innovative Educational Strategy on Medication Appropriate Use and Length of Stay in Elderly Patients. <i>Medicine (United States)</i> , 2015, 94, e918.	0.4	40
1243	Nurse Education to Reduce Harmful Medication Use in Assisted Living Facilities: Effects of a Randomized Controlled Trial on Falls and Cognition. <i>Drugs and Aging</i> , 2015, 32, 947-955.	1.3	15
1244	Promoting Safe Use of Medications: Providing Medication Education to Seniors Receiving Meals on Wheels. <i>The Consultant Pharmacist</i> , 2015, 30, 616-622.	0.4	1
1245	Potentially Inappropriate Prescribing in Disabled Older Patients with Chronic Diseases: A Screening Tool of Older Persons' Potentially Inappropriate Prescriptions versus Beers 2012 Criteria. <i>Medical Principles and Practice</i> , 2015, 24, 565-570.	1.1	12
1246	Medication Use Among Nursing Home Residents With Severe Dementia: Identifying Categories of Appropriateness and Elements of a Successful Intervention. <i>Journal of the American Medical Directors Association</i> , 2015, 16, 629.e1-629.e17.	1.2	33

#	ARTICLE	IF	CITATIONS
1247	The Interaction Between Medical Burden and Anticholinergic Cognitive Burden on Neuropsychological Function in a Geriatric Primary Care Sample. <i>Archives of Clinical Neuropsychology</i> , 2015, 30, 105-113.	0.3	6
1248	Effect of polypharmacy, potentially inappropriate medications and anticholinergic burden on clinical outcomes: a retrospective cohort study. <i>Cmaj</i> , 2015, 187, E130-E137.	0.9	164
1249	Side effects related to potentially inappropriate medications in elderly psychiatric patients under everyday pharmacotherapy. <i>European Journal of Clinical Pharmacology</i> , 2015, 71, 165-172.	0.8	23
1250	Conceptualizing and measuring potentially inappropriate drug therapy. <i>Journal of Clinical Pharmacy and Therapeutics</i> , 2015, 40, 167-176.	0.7	17
1251	Methods to control the pharmaceutical cost impact of chronic conditions in the elderly. <i>Expert Review of Pharmacoeconomics and Outcomes Research</i> , 2015, 15, 425-437.	0.7	2
1252	Potentially Inappropriate Prescribing of Renally Cleared Drugs in Elderly Patients in Community and Aged Care Settings. <i>Drugs and Aging</i> , 2015, 32, 391-400.	1.3	31
1253	Evaluation of the heterogeneity of studies estimating the association between risk factors and the use of potentially inappropriate drug therapy for the elderly: a systematic review with meta-analysis. <i>European Journal of Clinical Pharmacology</i> , 2015, 71, 1037-1050.	0.8	21
1254	A tool for prediction of risk of rehospitalisation and mortality in the hospitalised elderly: secondary analysis of clinical trial data. <i>BMJ Open</i> , 2015, 5, e007259-e007259.	0.8	31
1255	Variability in Antibiotic Use Across Nursing Homes and the Risk of Antibiotic-Related Adverse Outcomes for Individual Residents. <i>JAMA Internal Medicine</i> , 2015, 175, 1331.	2.6	129
1256	<i>Psychology Consult.</i> , 2015, , 107-134.		0
1257	Polypharmacy Among Adults Aged 65 Years and Older in the United States: 1988â€“2010. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2015, 70, 989-995.	1.7	422
1258	Geriatric assessment as an aide to understanding falls in older adults with cancer. <i>Supportive Care in Cancer</i> , 2015, 23, 2273-2280.	1.0	57
1259	Prescription of potentially inappropriate medication in older persons in Switzerland: does the dispensing channel make a difference?. <i>Risk Management and Healthcare Policy</i> , 2015, 8, 73.	1.2	12
1260	National Indicators for Quality of Drug Therapy in Older Persons: the Swedish Experience from the First 10Years. <i>Drugs and Aging</i> , 2015, 32, 189-199.	1.3	65
1261	Impact of Computerized Physician Order Entry Alerts on Prescribing in Older Patients. <i>Drugs and Aging</i> , 2015, 32, 227-233.	1.3	6
1262	Cumulative Use of Strong Anticholinergics and Incident Dementia. <i>JAMA Internal Medicine</i> , 2015, 175, 401.	2.6	843
1263	Potentially Inappropriate Anticholinergic Medication Use in Community-Dwelling Older Adults: A National Cross-Sectional Study. <i>Drugs and Aging</i> , 2015, 32, 379-389.	1.3	36
1264	Potentially inappropriate prescribing in community-dwelling older people across Europe: a systematic literature review. <i>European Journal of Clinical Pharmacology</i> , 2015, 71, 1415-1427.	0.8	226

#	ARTICLE	IF	CITATIONS
1266	Routine deprescribing of chronic medications to combat polypharmacy. <i>Therapeutic Advances in Drug Safety</i> , 2015, 6, 212-233.	1.0	88
1267	Different methods, different results—how do available methods link a patient’s anticholinergic load with adverse outcomes?. <i>European Journal of Clinical Pharmacology</i> , 2015, 71, 1299-1314.	0.8	47
1268	Drug-induced cerebral glucose metabolism resembling Alzheimer’s Disease: a case study. <i>BMC Psychiatry</i> , 2015, 15, 157.	1.1	8
1269	The Norwegian General Practice “Nursing Home criteria (NORGE-P-NH) for potentially inappropriate medication use: A web-based Delphi study. <i>Scandinavian Journal of Primary Health Care</i> , 2015, 33, 134-141.	0.6	58
1270	A comparison of the Beers and STOPP criteria for identifying the use of potentially inappropriate medications among elderly patients in primary care. <i>Journal of Evaluation in Clinical Practice</i> , 2015, 21, 320-325.	0.9	41
1271	Epidemiology of Drug–Disease Interactions in Older Veteran Nursing Home Residents. <i>Journal of the American Geriatrics Society</i> , 2015, 63, 77-84.	1.3	15
1272	Innovative Approach to Measure Delirium in Hospitalized Older Adults Using the Electronic Health Record. <i>Journal of the American Geriatrics Society</i> , 2015, 63, 593-594.	1.3	1
1273	Effect of Hospitalization on Inappropriate Prescribing in Elderly Medicare Beneficiaries. <i>Journal of the American Geriatrics Society</i> , 2015, 63, 699-707.	1.3	18
1274	Potentially inappropriate prescribing (PIP) in long-term care (LTC) patients: validation of the 2014 STOPP-START and 2012 Beers criteria in a LTC population—a protocol for a cross-sectional comparison of clinical and health administrative data. <i>BMJ Open</i> , 2015, 5, e009715.	0.8	9
1275	Diagnosis and Treatment of Anxiety in the Aging Woman. <i>Current Psychiatry Reports</i> , 2015, 17, 93.	2.1	22
1276	Implementation of medication review with follow-up in a Spanish community pharmacy and its achieved outcomes. <i>International Journal of Clinical Pharmacy</i> , 2015, 37, 931-940.	1.0	34
1277	Frailty and Organization of Health and Social Care. <i>Interdisciplinary Topics in Gerontology and Geriatrics</i> , 2015, 41, 161-173.	2.6	2
1278	Polypharmacy in the Elderly: A Marker of Increased Risk of Mortality in a Population-Based Prospective Study (NEDICES). <i>Gerontology</i> , 2015, 61, 301-309.	1.4	109
1279	Cause or Effect? Selective Serotonin Reuptake Inhibitors and Falls in Older Adults: A Systematic Review. <i>American Journal of Geriatric Psychiatry</i> , 2015, 23, 1016-1028.	0.6	64
1280	Use of the Screening Tool of Older Person’s Prescriptions (STOPP) in older people admitted to an Australian hospital. <i>Australasian Journal on Ageing</i> , 2015, 34, 15-20.	0.4	16
1281	A multidisciplinary assessment instrument to predict fall risk in hospitalized patients: A prospective matched pair case study. <i>Journal of Nursing Education and Practice</i> , 2016, 6, .	0.1	1
1282	Patients Aged 80 Years or Older are Encountered More Potentially Inappropriate Medication Use. <i>Chinese Medical Journal</i> , 2016, 129, 22-27.	0.9	29
1284	Does hospital admission provide an opportunity for improving pharmacotherapy among elderly inpatients?. <i>Brazilian Journal of Pharmaceutical Sciences</i> , 2016, 52, 391-401.	1.2	4

#	ARTICLE	IF	CITATIONS
1285	Identification of inappropriate prescribing in a Geriatric outpatient clinic using the Criteria Stopp Start. <i>Revista Brasileira De Geriatria E Gerontologia</i> , 2016, 19, 871-879.	0.1	3
1287	Cross-national comparison of medication use in Australian and Dutch nursing homes. <i>Age and Ageing</i> , 2017, 46, 320-323.	0.7	19
1288	Human immunodeficiency virus in institutionalized elderly people. <i>Sao Paulo Medical Journal</i> , 2016, 134, 528-533.	0.4	0
1289	Assessment of dependence and anxiety among benzodiazepine users in a provincial municipality in Rio Grande do Sul, Brazil. <i>Trends in Psychiatry and Psychotherapy</i> , 2016, 38, 63-70.	0.4	10
1290	Inappropriate prescribing of antithrombotic therapy in Ethiopian elderly population using updated 2015 STOPP/START criteria: a cross-sectional study. <i>Clinical Interventions in Aging</i> , 2016, 11, 819.	1.3	23
1291	Polypharmacy of Potentially Addictive Medications and the Elderly. , 2016, , 850-859.		0
1292	Prevalence of potentially inappropriate medications and prescription cost analysis among older cardiac patients in an outpatient department of a tertiary care hospital in India. <i>Journal of Basic and Clinical Pharmacy</i> , 2016, 7, 110.	9.3	13
1293	Exposure to potentially inappropriate medications in Brazilian elderly outpatients with metabolic diseases. <i>Brazilian Journal of Pharmaceutical Sciences</i> , 2016, 52, 699-707.	1.2	1
1295	Pharmacology, pharmacy, and the aging adult: Implications for occupational therapy. , 2016, , 214-234.		1
1296	Estrategias para optimizar el manejo farmacolÃ³gico en el adulto mayor. <i>Revista Peruana De Medicina De Experimental Y Salud Publica</i> , 2016, 33, 335.	0.1	4
1297	Inappropriate prescribing in elderly people with diabetes admitted to hospital. <i>Diabetic Medicine</i> , 2016, 33, 655-662.	1.2	36
1298	Potentially inappropriate prescribing in older patients admitted to psychiatric hospital. <i>International Journal of Geriatric Psychiatry</i> , 2016, 31, 137-145.	1.3	33
1299	RuralÜrban Differences in Chronic Disease and Drug Utilization in Older Oregonians. <i>Journal of Rural Health</i> , 2016, 32, 269-279.	1.6	21
1300	Root Cause Analysis of Ambulatory Adverse Drug Events That Present to the Emergency Department. <i>Journal of Patient Safety</i> , 2016, 12, 119-124.	0.7	11
1301	Anticholinergic Medication Use and Risk of Pneumonia in Elderly Adults: A Nested CaseÜControl Study. <i>Journal of the American Geriatrics Society</i> , 2016, 64, 394-400.	1.3	41
1302	Potentially inappropriate medications in a sample of Portuguese nursing home residents: Does the choice of screening tools matter?. <i>International Journal of Clinical Pharmacy</i> , 2016, 38, 1103-1111.	1.0	19
1303	Identifying Care Coordination Interventions Provided to Community-Dwelling Older Adults Using Electronic Health Records. <i>CIN - Computers Informatics Nursing</i> , 2016, 34, 303-311.	0.3	4
1304	The effect of pharmacist-led interventions in optimising prescribing in older adults in primary care: A systematic review. <i>SAGE Open Medicine</i> , 2016, 4, 205031211665256.	0.7	64

#	ARTICLE	IF	CITATIONS
1305	Risks of long-term use of nitrofurantoin for urinary tract prophylaxis in the older patient. <i>Urological Science</i> , 2016, 27, 193-198.	0.2	10
1306	Defining polypharmacy in the elderly: a systematic review protocol. <i>BMJ Open</i> , 2016, 6, e010989.	0.8	110
1307	Pilot study to test the feasibility of a trial design and complex intervention on<i>PRI</i>oritising<i>MU</i>ltimedication in<i>M</i>ultimorbidity in general practices (PRIMUM<i>pilot</i></i>. <i>BMJ Open</i> , 2016, 6, e011613.	0.8	30
1308	Potentially Inappropriate Medication in Community-Dwelling Primary Care Patients who were Screened Positive for Dementia. <i>Journal of Alzheimer's Disease</i> , 2016, 55, 691-701.	1.2	40
1309	Development and content validation of an assessment tool for medicine compounding on hospital wards. <i>International Journal of Clinical Pharmacy</i> , 2016, 38, 1457-1463.	1.0	1
1310	Appropriate use of medications in the elderly. , 2016, , 58-68.		0
1311	Differences in Benzodiazepine Receptor Agonist Use in Rural and Urban Older Adults. <i>Drugs - Real World Outcomes</i> , 2016, 3, 289-296.	0.7	8
1312	Delphi consensus on the diagnosis and management of dyslipidaemia in chronic kidney disease patients: A post hoc analysis of the DIANA study. <i>Nefrologia</i> , 2016, 36, 679-686.	0.2	0
1313	Why do family doctors prescribe potentially inappropriate medication to elderly patients?. <i>BMC Family Practice</i> , 2016, 17, 93.	2.9	47
1314	Interventions to optimize pharmacologic treatment in hospitalized older adults: A systematic review. <i>Revista Cl&#x00ed;nica Espan&#x00f5;la</i> , 2016, 216, 205-221.	0.3	7
1315	Aspirin prescribing patterns for primary prevention of cardiovascular disease in geriatric patients with diabetes: Survey of prescribers based on experience. <i>Journal of Clinical Gerontology and Geriatrics</i> , 2016, 7, 33-36.	0.7	1
1317	AUA White Paper on the Beers Criteria for Potentially Inappropriate Medication Use in Older Adults. <i>Urology Practice</i> , 2016, 3, 102-111.	0.2	9
1318	Potentially inappropriate psychotropic prescription at discharge is associated with lower functioning in the elderly psychiatric inpatients. A cross-sectional study. <i>Psychopharmacology</i> , 2016, 233, 2549-2558.	1.5	14
1319	Drug Prescribing in the Elderly Receiving Home Care. <i>American Journal of the Medical Sciences</i> , 2016, 352, 134-140.	0.4	5
1320	As we grow old: nutritional considerations for older patients on dialysis. <i>Nephrology Dialysis Transplantation</i> , 2016, 32, gfw201.	0.4	16
1322	Comprehensive Geriatric Assessment (CGA) based risk factors for increased caregiver burden among elderly Asian patients with cancer. <i>Journal of Geriatric Oncology</i> , 2016, 7, 211-218.	0.5	22
1323	Trends in the Concomitant Prescribing of Opioids and Benzodiazepines, 2002â~2014. <i>American Journal of Preventive Medicine</i> , 2016, 51, 151-160.	1.6	151
1324	Sustained Use of Benzodiazepines and Escalation to High Doses in a Canadian Population. <i>Psychiatric Services</i> , 2016, 67, 1012-1018.	1.1	28

#	ARTICLE	IF	CITATIONS
1325	The impact of medication reviews by community pharmacists. Journal of the American Pharmacists Association: JAPhA, 2016, 56, 513-520.e1.	0.7	31
1326	Consenso Delphi sobre el diagnóstico y manejo de la dislipidemia en pacientes con enfermedad renal crónica: análisis post-hoc del estudio DIANA. Nefrología, 2016, 36, 679-686.	0.2	2
1327	Community pharmacists'™ evaluation of potentially inappropriate prescribing in older community-dwelling patients with polypharmacy: observational research based on the GheOPAS tool. Journal of Public Health, 2016, 39, 583-592.	1.0	16
1328	Identifying Explicit Criteria for the Prevention of Falls. , 2016, , 179-189.		0
1329	Polypharmacy as a risk factor for hospital admission among ambulance-transported older patients. Acute Medicine & Surgery, 2016, 3, 107-113.	0.5	16
1330	Effectiveness of the STOPP/START (Screening Tool of Older Persons' potentially inappropriate) meta-analysis of randomized controlled studies. Journal of Clinical Pharmacy and Therapeutics, 2016, 41, 158-169.	0.7	164
1331	Predictive Validity of the Beers and Screening Tool of Older Persons'™ Potentially Inappropriate Prescriptions (STOPP) Criteria to Detect Adverse Drug Events, Hospitalizations, and Emergency Department Visits in the United States. Journal of the American Geriatrics Society, 2016, 64, 22-30.	1.3	77
1332	Management of persistent pain in older people. Journal of Pharmacy Practice and Research, 2016, 46, 60-67.	0.5	11
1333	Exposure to benzodiazepines (anxiolytics, hypnotics and related drugs) in seven European electronic healthcare databases: a cross-national descriptive study from the PROTECT EU Project. Pharmacoepidemiology and Drug Safety, 2016, 25, 56-65.	0.9	96
1334	Pharmacology of Drugs in Aging. , 2016, , 55-66.		1
1335	Deprescribing in advanced illness. Progress in Palliative Care, 2016, 24, 268-271.	0.7	11
1336	The pharmacotherapy of cirrhosis: concerns and proposed investigations and solutions. Journal of Clinical Pharmacy and Therapeutics, 2016, 41, 587-591.	0.7	4
1337	Benzodiazepine Misuse in the Elderly: Risk Factors, Consequences, and Management. Current Psychiatry Reports, 2016, 18, 89.	2.1	124
1339	Guidance to manage inappropriate polypharmacy in older people: systematic review and future developments. Expert Opinion on Drug Safety, 2017, 16, 203-213.	1.0	56
1341	Medication review in hospitalised patients to reduce morbidity and mortality. The Cochrane Library, 2016, 2016, CD008986.	1.5	179
1342	Drug dispensings among elderly in the year before colon cancer diagnosis versus matched cancer-free controls. Journal of Clinical Pharmacy and Therapeutics, 2016, 41, 538-545.	0.7	3
1343	Antidepressant Drugs in Elderly. , 2016, , 445-463.		0
1344	Family physicians'™ perspectives on memory clinics in primary care. Neurodegenerative Disease Management, 2016, 6, 467-478.	1.2	10

#	ARTICLE	IF	CITATIONS
1345	The Personalization of Drug Therapy for Elderly Patients. AAPS Advances in the Pharmaceutical Sciences Series, 2016, , 589-611.	0.2	0
1346	Future Perspectives in Drug Therapy of Older Adults. AAPS Advances in the Pharmaceutical Sciences Series, 2016, , 737-757.	0.2	0
1347	Risk Factors Associated with the Requirement for Pharmaceutical Intervention in the Hospital Setting: A Systematic Review of the Literature. Drugs - Real World Outcomes, 2016, 3, 241-263.	0.7	34
1348	Is Depression a Predictive Factor for Polypharmacy in Elderly?. Journal of Microbiology and Biotechnology, 2016, 26, 374-381.	0.9	10
1350	Potentially Inappropriate Medication and Health Care Outcomes: An Instrumental Variable Approach. Health Services Research, 2016, 51, 1670-1691.	1.0	11
1351	Trends in Prevalence and Determinants of Potentially Inappropriate Prescribing in the United States: 2007 to 2012. Journal of the American Geriatrics Society, 2016, 64, 788-797.	1.3	105
1352	Quality of pharmacotherapy in old age: focus on lists of Potentially Inappropriate Medications (PIMs). European Journal of Clinical Pharmacology, 2016, 72, 897-904.	0.8	5
1353	Basic Geriatrics Knowledge Among Internal Medicine Trainees in a Teaching Hospital in Saudi Arabia. Journal of Cross-Cultural Gerontology, 2016, 31, 213-220.	0.5	2
1354	Application of STOPP/START and Beers criteria: Compared analysis on identification and relevance of potentially inappropriate prescriptions. European Geriatric Medicine, 2016, 7, 416-423.	1.2	17
1355	Total intravenous anesthesia with propofol is associated with a lower rate of postoperative delirium in comparison with sevoflurane anesthesia in elderly patients. Journal of Clinical Anesthesia, 2016, 33, 428-431.	0.7	46
1356	Identification and team-based interprofessional management of hospitalized vulnerable older adults. Nursing Outlook, 2016, 64, 137-145.	1.5	23
1357	Perioperative Assessment of and Care for the Elderly and Frail. Hospital Medicine Clinics, 2016, 5, 224-241.	0.2	1
1358	Drugs prescribed for patients hospitalized in a geriatric oncology unit: Potentially inappropriate medications and impact of a clinical pharmacist. Journal of Geriatric Oncology, 2016, 7, 463-470.	0.5	43
1359	Polypharmacy in the elderly. InnovAiT, 2016, 9, 69-77.	0.0	25
1360	Potentially inappropriate medication in the elderly in Germany: an economic appraisal of the PRISCUS list. BMC Health Services Research, 2016, 16, 109.	0.9	14
1361	Prevalence of Beers Criteria Medications Among Elderly Patients in a Military Hospital. Gerontology and Geriatric Medicine, 2016, 2, 233372141663779.	0.8	8
1362	Prescription of potentially inappropriate medication in Korean older adults based on 2012 Beers Criteria: a cross-sectional population based study. BMC Geriatrics, 2016, 16, 118.	1.1	47
1363	Inappropriate drug use in elderly patients is associated with prolonged hospital stay and increased postoperative mortality after colorectal cancer surgery: a population-based study. Colorectal Disease, 2016, 18, 155-162.	0.7	15

#	ARTICLE	IF	CITATIONS
1365	The 2015 updated Beers Criteria: The evolution continues. <i>Geriatric Nursing</i> , 2016, 37, 61-62.	0.9	0
1366	Time trends in 20 years of medication use in older adults: Findings from three elderly cohorts in Stockholm, Sweden. <i>Archives of Gerontology and Geriatrics</i> , 2016, 63, 28-35.	1.4	31
1367	Prevention of Adverse Drug Reactions in Hospitalised Older Patients Using a Software-Supported Structured Pharmacist Intervention: A Cluster Randomised Controlled Trial. <i>Drugs and Aging</i> , 2016, 33, 63-73.	1.3	69
1368	Burden of Potentially Harmful Medications and the Association With Quality of Life and Mortality Among Institutionalized Older People. <i>Journal of the American Medical Directors Association</i> , 2016, 17, 276.e9-276.e14.	1.2	19
1369	Development and evaluation of an automated fall risk assessment system. <i>International Journal for Quality in Health Care</i> , 2016, 28, 175-182.	0.9	21
1370	Structured Pharmacist Review of Medication in Older Hospitalised Patients: A Cost-Effectiveness Analysis. <i>Drugs and Aging</i> , 2016, 33, 285-294.	1.3	35
1371	Regular Monitoring of Older Women on Long-term Nitrofurantoin Prophylaxis—What Does it Mean Practically?. <i>Urology Practice</i> , 2016, 3, 7-11.	0.2	5
1372	A four-phase approach for systematically collecting data and measuring medication discrepancies when patients transition between health care settings. <i>Research in Social and Administrative Pharmacy</i> , 2016, 12, 548-558.	1.5	11
1373	Biosimilars and cancer treatment of older patients. <i>Journal of Geriatric Oncology</i> , 2016, 7, S1-S8.	0.5	1
1375	Elderly patients treated with psychotropic medicines admitted to hospital: associated characteristics and inappropriate use. <i>European Journal of Clinical Pharmacology</i> , 2016, 72, 755-764.	0.8	11
1377	Polypharmacy among the elderly in the Republic of Srpska: extent and implications for the future. <i>Expert Review of Pharmacoeconomics and Outcomes Research</i> , 2016, 16, 609-618.	0.7	15
1378	A Multicomponent Intervention to Optimize Psychotropic Drug Prescription in Elderly Nursing Home Residents: An Italian Multicenter, Prospective, Pilot Study. <i>Drugs and Aging</i> , 2016, 33, 143-149.	1.3	26
1379	Predicting risk of adverse drug reactions in older adults. <i>Therapeutic Advances in Drug Safety</i> , 2016, 7, 11-22.	1.0	276
1380	Comparative Cognitive Profile of Second-Generation Antidepressants in Elderly Nursing Home Residents With Depression. <i>Annals of Pharmacotherapy</i> , 2016, 50, 96-105.	0.9	3
1381	Anticholinergic drugs and negative outcomes in the older population: from biological plausibility to clinical evidence. <i>Aging Clinical and Experimental Research</i> , 2016, 28, 25-35.	1.4	156
1382	Inappropriate prescribing of preventative medication in patients with life-limiting illness: a systematic review. <i>BMJ Supportive and Palliative Care</i> , 2017, 7, 113-121.	0.8	94
1383	Médicaments potentiellement inappropriés (MPI) chez la personne âgée: État des lieux dans un service de cardiologie. <i>Pharmacien Hospitalier Et Clinicien</i> , 2017, 52, 3-9.	0.3	1
1385	Associations between conflictual relationships, psychopathology, and the use of psychotropic drugs among older people living in residential facilities. <i>Psychogeriatrics</i> , 2017, 17, 25-32.	0.6	0

#	ARTICLE	IF	CITATIONS
1386	Evaluation of the implementation process and outcomes of a professional pharmacy service in a community pharmacy setting. A case report. <i>Research in Social and Administrative Pharmacy</i> , 2017, 13, 614-627.	1.5	35
1387	Potentially inappropriate medications prescribed for elderly patients through family physicians. <i>Saudi Journal of Biological Sciences</i> , 2017, 24, 200-207.	1.8	21
1388	Evaluating the Impact of Medication Safety Alerts on Prescribing of Potentially Inappropriate Medications for Older Veterans in an Ambulatory Care Setting. <i>Journal of Pharmacy Practice</i> , 2017, 30, 82-88.	0.5	22
1389	Exposure to psychotropics in the French older population living with dementia: a nationwide population-based study. <i>International Journal of Geriatric Psychiatry</i> , 2017, 32, 750-760.	1.3	20
1390	The association of change in medication regimen and use of inappropriate medication based on beers criteria with adverse outcomes in Japanese long-term care facilities. <i>Geriatrics and Gerontology International</i> , 2017, 17, 591-597.	0.7	19
1391	The Association of Potentially Inappropriate Medication at Older Age With Cardiovascular Events and Overall Mortality: A Systematic Review and Meta-Analysis of Cohort Studies. <i>Journal of the American Medical Directors Association</i> , 2017, 18, 211-220.	1.2	104
1392	Comparison of four criteria for potentially inappropriate medications in Brazilian community-dwelling older adults. <i>Geriatrics and Gerontology International</i> , 2017, 17, 1628-1635.	0.7	30
1393	Health Service Use, Costs, and Adverse Events Associated with Potentially Inappropriate Medication in Old Age in Germany: Retrospective Matched Cohort Study. <i>Drugs and Aging</i> , 2017, 34, 289-301.	1.3	48
1394	Potentially inappropriate prescribing and associated factors in elderly patients at hospital discharge in Brazil: a cross-sectional study. <i>International Journal of Clinical Pharmacy</i> , 2017, 39, 386-393.	1.0	12
1395	Geriatric Care Issues. <i>Primary Care - Clinics in Office Practice</i> , 2017, 44, e15-e36.	0.7	7
1397	Prevalence of inappropriate medication use in residential long-term care facilities for the elderly: A systematic review. <i>European Journal of General Practice</i> , 2017, 23, 69-77.	0.9	96
1398	Hospital admissions due to adverse drug reactions in the elderly. A meta-analysis. <i>European Journal of Clinical Pharmacology</i> , 2017, 73, 759-770.	0.8	253
1399	The use of potentially inappropriate medications among the Lithuanian elderly according to Beers and EU(7)-PIM list - a nationwide cross-sectional study on reimbursement claims data. <i>Journal of Clinical Pharmacy and Therapeutics</i> , 2017, 42, 195-200.	0.7	49
1400	Potentially inappropriate medicines in elderly hospitalised patients according to the EU(7)-PIM list, STOPP version 2 criteria and comprehensive protocol. <i>European Journal of Clinical Pharmacology</i> , 2017, 73, 991-999.	0.8	39
1401	Neuropathic pain: a narrative review of etiology, assessment, diagnosis, and treatment for primary care providers. <i>Current Medical Research and Opinion</i> , 2017, 33, 1361-1369.	0.9	17
1402	Potentially Inappropriate Antihypertensive Prescriptions to Elderly Patients: Results of a Prospective, Observational Study. <i>Drugs and Aging</i> , 2017, 34, 453-466.	1.3	20
1403	The effect of probiotics as a treatment for constipation in elderly people: A systematic review. <i>Archives of Gerontology and Geriatrics</i> , 2017, 71, 142-149.	1.4	54
1404	Emergency department visits involving benzodiazepines and non-benzodiazepine receptor agonists. <i>American Journal of Emergency Medicine</i> , 2017, 35, 1414-1419.	0.7	16

#	ARTICLE	IF	CITATIONS
1405	The "geriatric triad": polypharmacy, drug-drug interactions, and potentially inappropriate medications in older adults. <i>International Journal of Clinical Pharmacy</i> , 2017, 39, 818-825.	1.0	50
1406	Combined Use of the Rationalization of Home Medication by an Adjusted STOPP in Older Patients (RASP) List and a Pharmacist-Led Medication Review in Very Old Inpatients: Impact on Quality of Prescribing and Clinical Outcome. <i>Drugs and Aging</i> , 2017, 34, 123-133.	1.3	43
1407	Senior driving under the influence. <i>Forensic Science International</i> , 2017, 277, 10-15.	1.3	2
1408	A systematic review of the effectiveness of interruptive medication prescribing alerts in hospital CPOE systems to change prescriber behavior and improve patient safety. <i>International Journal of Medical Informatics</i> , 2017, 105, 22-30.	1.6	90
1409	Cost analysis for the implementation of a medication review with follow-up service in Spain. <i>International Journal of Clinical Pharmacy</i> , 2017, 39, 750-758.	1.0	13
1410	Using the Beers criteria to identify potentially inappropriate medication use by older adult dental patients. <i>Journal of the American Dental Association</i> , 2017, 148, 298-307.	0.7	13
1411	How Common Are Pulmonary and Hepatic Adverse Effects in Older Adults Prescribed Nitrofurantoin?. <i>Journal of the American Geriatrics Society</i> , 2017, 65, 1316-1320.	1.3	24
1412	Factors associated with changes in exposure to anticholinergic and sedative medications in elderly hospitalized patients: multicentre longitudinal study. <i>European Journal of Neurology</i> , 2017, 24, 483-490.	1.7	10
1413	Potentially Inappropriate Medication Prescription in Elderly Outpatients. , 2017, , .		0
1414	Quality of prescribing in community-dwelling elderly patients in France: an observational study in community pharmacies. <i>International Journal of Clinical Pharmacy</i> , 2017, 39, 1220-1227.	1.0	4
1415	Safety of Antiplatelet Agents: Analysis of "Real-World" Data from the Italian National Pharmacovigilance Network. <i>Clinical Drug Investigation</i> , 2017, 37, 1067-1081.	1.1	7
1416	Assessment of inappropriate medication use in elderly inpatients of a tertiary care hospital in south-eastern India using the modified updated Beers criteria 2003. <i>Drugs and Therapy Perspectives</i> , 2017, 33, 543-549.	0.3	3
1417	High-risk prescribing in an Irish primary care population: trends and variation. <i>British Journal of Clinical Pharmacology</i> , 2017, 83, 2821-2830.	1.1	11
1418	Determinants of Potentially Inappropriate Medication Use in Long-Term and Acute Care Settings: A Systematic Review. <i>Journal of the American Medical Directors Association</i> , 2017, 18, 806.e1-806.e17.	1.2	48
1419	PIM-Check: development of an international prescription-screening checklist designed by a Delphi method for internal medicine patients. <i>BMJ Open</i> , 2017, 7, e016070.	0.8	30
1420	Identifying the prevalence of adverse drug events associated with potentially inappropriate medications using the Screening Tool of Older Persons' Prescriptions criteria. <i>Journal of Pharmaceutical Health Services Research</i> , 2017, 8, 187-192.	0.3	0
1421	Dementia for the Primary Care Provider. <i>Primary Care - Clinics in Office Practice</i> , 2017, 44, 439-456.	0.7	7
1422	Metformin Safety Warnings and Diabetes Drug Prescribing Patterns for Older Nursing Home Residents. <i>Journal of the American Medical Directors Association</i> , 2017, 18, 879-884.e7.	1.2	6

#	ARTICLE	IF	CITATIONS
1424	Use of potentially inappropriate medications among ambulatory home-dwelling elderly patients with dementia: A review of the literature. <i>Canadian Pharmacists Journal</i> , 2017, 150, 169-183.	0.4	20
1425	Development of a core outcome set for effectiveness trials aimed at optimising prescribing in older adults in care homes. <i>Trials</i> , 2017, 18, 175.	0.7	45
1426	Optimizing medication appropriateness in older adults: a randomized clinical interventional trial to decrease anticholinergic burden. <i>Alzheimer's Research and Therapy</i> , 2017, 9, 36.	3.0	40
1427	Consensus on the Statin of Choice in Patients with Impaired Glucose Metabolism: Results of the DIANA Study. <i>American Journal of Cardiovascular Drugs</i> , 2017, 17, 135-142.	1.0	15
1428	Risk Factors for Initiation of Potentially Inappropriate Medications in Community-Dwelling Older Adults with and without Alzheimer's Disease. <i>Drugs and Aging</i> , 2017, 34, 67-77.	1.3	10
1429	Polypharmacy and inappropriate medication use in patients with dementia: an underresearched problem. <i>Therapeutic Advances in Drug Safety</i> , 2017, 8, 31-46.	1.0	76
1430	A Closer Look at the 2015 Beers Criteria. <i>Journal of Pharmacy Practice</i> , 2017, 30, 419-424.	0.5	18
1432	Determinants of Potentially Inappropriate Medication Use among Community-Dwelling Older Adults. <i>Health Services Research</i> , 2017, 52, 1534-1549.	1.0	52
1433	Pharmacogenetics of neurological and psychiatric diseases at older age: has the time come?. <i>Expert Opinion on Drug Metabolism and Toxicology</i> , 2017, 13, 259-277.	1.5	13
1434	The Rural PILL Program: A Postdischarge Telepharmacy Intervention for Rural Veterans. <i>Journal of Rural Health</i> , 2017, 33, 332-339.	1.6	24
1435	Standard-based comprehensive detection of adverse drug reaction signals from nursing statements and laboratory results in electronic health records. <i>Journal of the American Medical Informatics Association: JAMIA</i> , 2017, 24, 697-708.	2.2	20
1437	Potentially inappropriate prescriptions for elderly people taking antidepressant: comparative tools. <i>BMC Geriatrics</i> , 2017, 17, 278.	1.1	17
1438	Modified Delphi Consensus to Suggest Key Elements of Stepping On Falls Prevention Program. <i>Frontiers in Public Health</i> , 2017, 5, 21.	1.3	22
1439	Potentially inappropriate medications in hospitalized older patients: a cross-sectional study using the Beers 2015 criteria versus the 2012 criteria. <i>Clinical Interventions in Aging</i> , 2017, Volume 12, 1697-1703.	1.3	75
1440	Potentially inappropriate medications among older adults in Pelotas, Southern Brazil. <i>Revista De Saude Publica</i> , 2017, 51, 52.	0.7	28
1441	Potentially inappropriate medications use in community-based aged patients: a cross-sectional study using 2012 Beers criteria. <i>Clinical Interventions in Aging</i> , 2017, Volume 12, 65-73.	1.3	41
1442	Drug prescription appropriateness in the elderly: an Italian study. <i>Clinical Interventions in Aging</i> , 2017, Volume 12, 325-333.	1.3	10
1443	Association of benzodiazepine and Z-drug use with the risk of hospitalisation for fall-related injuries among older people: a nationwide nested case-control study in Taiwan. <i>BMC Geriatrics</i> , 2017, 17, 140.	1.1	63

#	ARTICLE	IF	CITATIONS
1444	Effectiveness and patient safety of platelet aggregation inhibitors in the prevention of cardiovascular disease and ischemic stroke in older adults – a systematic review. <i>BMC Geriatrics</i> , 2017, 17, 225.	1.1	10
1445	What is polypharmacy? A systematic review of definitions. <i>BMC Geriatrics</i> , 2017, 17, 230.	1.1	1,706
1446	Medicines and older people: Polypharmacy, adherence and safety. <i>International Diabetes Nursing</i> , 2017, 14, 10-15.	0.1	1
1447	Factors Associated With Potentially Inappropriate Medication Use in Rural, Community-Dwelling Older Adults. <i>Journal of Gerontological Nursing</i> , 2017, 43, 21-30.	0.3	21
1448	Content design and validation of a Standard Operating Procedure to provide pharmacotherapy follow-up for the elderly in Cuba. <i>Brazilian Journal of Pharmaceutical Sciences</i> , 2017, 53, .	1.2	2
1449	Utilization Pattern of Potentially Inappropriate Medications in Geriatric Patients in a Tertiary Care Hospital: A Retrospective Observational Study. <i>Journal of Clinical and Diagnostic Research JCDR</i> , 2017, 11, FC04-FC08.	0.8	5
1450	Applicability of Anticholinergic Risk Scale in hospitalized elderly persons. <i>Revista Brasileira De Geriatria E Gerontologia</i> , 2017, 20, 123-128.	0.1	3
1452	Application of a prescribing indicators tool to assist in identifying drug-related problems in a cohort of older Australians. <i>International Journal of Pharmacy Practice</i> , 2018, 20, 172-182.	0.3	20
1453	European repository of explicit criteria of potentially inappropriate medications in old age. <i>Geriatrics and Gerontology International</i> , 2018, 18, 1293-1297.	0.7	13
1454	Potentially inappropriate medication and hospitalization/emergency department visits among the elderly in Korea. <i>International Journal for Quality in Health Care</i> , 2018, 30, 50-56.	0.9	26
1455	Prescribing for Older Patients. , 2018, , 299-313.		2
1456	Diagnosis and Management of Headache in Older Adults. <i>Mayo Clinic Proceedings</i> , 2018, 93, 252-262.	1.4	34
1457	Trends in the medication reviews of community pharmacies in Japan: a nationwide retrospective study. <i>International Journal of Clinical Pharmacy</i> , 2018, 40, 101-108.	1.0	4
1458	The scope of drug-related problems in the home care setting. <i>International Journal of Clinical Pharmacy</i> , 2018, 40, 325-334.	1.0	39
1460	Preventable ADRs leading to hospitalization – results of a long-term prospective safety study with 6,427 ADR cases focusing on elderly patients. <i>Expert Opinion on Drug Safety</i> , 2018, 17, 125-137.	1.0	33
1461	Impact of New Medications and \$4 Generic Programs on Overactive Bladder Treatment Among Older Adults in the United States, 2000–2015. <i>Medical Care</i> , 2018, 56, 162-170.	1.1	12
1462	Anticholinergic drugs and risk of dementia: case-control study. <i>BMJ: British Medical Journal</i> , 2018, 361, k1315.	2.4	314
1463	Importance of hypersensitivity in adverse reactions to drugs in the elderly. <i>Clinical and Molecular Allergy</i> , 2018, 16, 7.	0.8	12

#	ARTICLE	IF	CITATIONS
1464	Potentially inappropriate medication in the elderly: a systematic review of validated explicit criteria. <i>European Journal of Clinical Pharmacology</i> , 2018, 74, 679-700.	0.8	189
1465	Polypharmacy, potentially inappropriate medications and drug-drug interactions in geriatric patients with hematologic malignancy: Observational single-center study of 122 patients. <i>Journal of Geriatric Oncology</i> , 2018, 9, 60-67.	0.5	27
1466	Complications of Disease and Therapy. , 2018, , 419-448.e8.		0
1467	Potentially Inappropriate Antidepressant Prescriptions Among Older Adults in Office-Based Outpatient Settings: National Trends from 2002 to 2012. <i>Administration and Policy in Mental Health and Mental Health Services Research</i> , 2018, 45, 224-235.	1.2	14
1468	Current strategies to streamline pharmacotherapy for older adults. <i>European Journal of Pharmaceutical Sciences</i> , 2018, 111, 432-442.	1.9	12
1469	The Geriatric Patient. , 2018, , 521-528.		0
1471	Prevalence of potentially serious drug-drug interactions among South African elderly private health sector patients using the Mimica Matanovič/Vlahovič-Palčevski protocol. <i>International Journal of Pharmacy Practice</i> , 2018, 26, 156-164.	0.3	2
1472	Lessons Learned From Implementation of a Geriatric-Friendly Admission Order Set. <i>Journal of Pharmacy Technology</i> , 2018, 34, 181-182.	0.5	0
1474	Improving inappropriate medication and information transfer at hospital discharge: study protocol for a cluster RCT. <i>Implementation Science</i> , 2018, 13, 155.	2.5	10
1475	Complejidad terapéutica: un nuevo reto. <i>Revista Clinica Espanola</i> , 2018, 218, 356-357.	0.2	2
1476	Interventions to improve the appropriate use of polypharmacy for older people. <i>The Cochrane Library</i> , 2018, 2018, CD008165.	1.5	253
1477	Potentially Inappropriate Medications in the Elderly: IFAsPIAM List by Argentinian Consensus Panel. <i>Value in Health Regional Issues</i> , 2018, 17, 38-55.	0.5	5
1478	Managing antiretroviral therapy in the elderly HIV patient. <i>Expert Review of Clinical Pharmacology</i> , 2018, 11, 1171-1181.	1.3	9
1479	Potentially Inappropriate Prescribing of Oral Solid Medications in Elderly Dysphagic Patients. <i>Pharmaceutics</i> , 2018, 10, 280.	2.0	14
1480	Trends in Polypharmacy in Japan: A Nationwide Retrospective Study. <i>Journal of the American Geriatrics Society</i> , 2018, 66, 2267-2273.	1.3	47
1481	County and Physician Variation in Benzodiazepine Prescribing to Medicare Beneficiaries by Primary Care Physicians in the USA. <i>Journal of General Internal Medicine</i> , 2018, 33, 2180-2188.	1.3	14
1482	Polypharmacy and medication deprescribing: A survey among multimorbid older adults in Denmark. <i>Pharmacology Research and Perspectives</i> , 2018, 6, e00431.	1.1	30
1483	Medication regimen complexity: A new challenge. <i>Revista Clínica Espanola</i> , 2018, 218, 356-357.	0.3	0

#	ARTICLE	IF	CITATIONS
1484	Late-Life Anxiety Disorders. , 2018, , 253-264.		1
1485	Association of Anticholinergic Drug Use With Risk for Late Age-Related Macular Degeneration. JAMA Ophthalmology, 2018, 136, 770.	1.4	4
1486	Systematic review of the safety of medication use in inpatient, outpatient and primary care settings in the Gulf Cooperation Council countries. Saudi Pharmaceutical Journal, 2018, 26, 977-1011.	1.2	21
1487	A Preliminary Qualitative Evaluation of an In-home Geriatric Care Elective Experience for Third-year Medical Students. Cureus, 2018, 10, e2415.	0.2	4
1488	Combining prescription monitoring, benchmarking, and educational interventions to reduce benzodiazepine prescriptions among internal medicine inpatients; a multicenter before and after study in a network of Swiss Public Hospitals. Postgraduate Medicine, 2018, 130, 627-636.	0.9	10
1489	The prevalence and determinants of polypharmacy at age 69: a British birth cohort study. BMC Geriatrics, 2018, 18, 118.	1.1	37
1490	GeriMedRisk, a telemedicine geriatric pharmacology consultation service to address adverse drug events in long-term care: a stepped-wedge cluster randomized feasibility trial protocol (ISRCTN17219647). Pilot and Feasibility Studies, 2018, 4, 116.	0.5	10
1491	Pharmacological Treatment of Pain. Perspectives in Nursing Management and Care for Older Adults, 2018, , 65-72.	0.1	0
1492	The impact of potentially inappropriate medication on the development of health care costs and its moderation by the number of prescribed substances. Results of a retrospective matched cohort study. PLoS ONE, 2018, 13, e0198004.	1.1	20
1493	Self-Reported Visual Perceptual Abnormalities Are Strongly Associated with Core Clinical Features in Psychotic Disorders. Frontiers in Psychiatry, 2018, 9, 69.	1.3	32
1494	International Group for Reducing Inappropriate Medication Use & Polypharmacy (IGRIMUP): Position Statement and 10 Recommendations for Action. Drugs and Aging, 2018, 35, 575-587.	1.3	141
1495	The Introduction of a Full Medication Review Process in a Local Hospital: Successes and Barriers of a Pilot Project in the Geriatric Ward. Pharmacy (Basel, Switzerland), 2018, 6, 21.	0.6	12
1496	Health system costs of potentially inappropriate prescribing in Ontario, Canada: a protocol for a population-based cohort study. BMJ Open, 2018, 8, e021727.	0.8	5
1497	Prevalence of potentially inappropriate medications at admission and discharge among hospitalised elderly patients with acute medical illness at a single centre in Japan: a retrospective cross-sectional study. BMJ Open, 2018, 8, e021152.	0.8	31
1498	Potentially Inappropriate Prescribing to Older Patients: Criteria, Prevalence and an Intervention to Reduce It: The Prescription Peer Academic Detailing (<i>Rx</i><sc>PAD</sc>) Study â€” A Clusterâ€”Randomized, Educational Intervention in Norwegian General Practice. Basic and Clinical Pharmacology and Toxicology, 2018, 123, 380-391.	1.2	7
1499	Principles of Geriatric Surgery. , 2018, , 31-46.		0
1500	Medication burden attributable to chronic co-morbid conditions in the very old and vulnerable. PLoS ONE, 2018, 13, e0196109.	1.1	19
1501	Potentially Inappropriate Prescribing in Australian Nursing Home Residents with Advanced Dementia: A Substudy of the IDEAL Study. Journal of Palliative Medicine, 2018, 21, 1472-1479.	0.6	7

#	ARTICLE	IF	CITATIONS
1502	Application of the STOPP criteria in hospitalised elderly patients to detect and optimise inappropriate psychopharmaceutical prescriptions. <i>European Geriatric Medicine</i> , 2018, 9, 597-602.	1.2	2
1503	No Need to Count Sheep: Investigating an Online Insomnia Intervention among Older Adults. <i>American Journal of Geriatric Psychiatry</i> , 2018, 26, S156.	0.6	1
1504	Evaluation of potentially inappropriate medication utilization in elderly patients with cancer at outpatient oncology unit. <i>Journal of Oncology Pharmacy Practice</i> , 2019, 25, 1321-1327.	0.5	9
1505	The Uropathogenic <i>Escherichia coli</i> Subclone Sequence Type 131-H30 Is Responsible for Most Antibiotic Prescription Errors at an Urgent Care Clinic. <i>Clinical Infectious Diseases</i> , 2019, 68, 781-787.	2.9	34
1506	Potentially inappropriate medications prescribing according to Beers criteria among elderly outpatients in Jordan: a cross sectional study. <i>Pharmacy Practice</i> , 2019, 17, 1439.	0.8	39
1507	Potentially inappropriate medication use and frailty phenotype among community-dwelling older adults: A population-based study. <i>Journal of Clinical Nursing</i> , 2019, 28, 3914-3922.	1.4	12
1508	The quality of care in outpatient primary care in public and private sectors in Malaysia. <i>Health Policy and Planning</i> , 2020, 35, 7-15.	1.0	1
1510	Anticholinergic and benzodiazepine medication use and risk of incident dementia: a UK cohort study. <i>BMC Geriatrics</i> , 2019, 19, 276.	1.1	39
1511	Appropriate Use of Laxatives in the Older Person. <i>Drugs and Aging</i> , 2019, 36, 999-1005.	1.3	12
1512	Geriatric Care Issues. <i>Physician Assistant Clinics</i> , 2019, 4, 217-238.	0.1	0
1513	Development and validation of PART (Pharmacotherapy Assessment in Renal Transplant Patients) criteria to assess drug-related problems in an outpatient renal transplant population: A cross-sectional study. <i>Pharmacology Research and Perspectives</i> , 2019, 7, e00453.	1.1	2
1514	Pharmacological treatments for generalised anxiety disorder: a systematic review and network meta-analysis. <i>Lancet, The</i> , 2019, 393, 768-777.	6.3	200
1515	Detection of potentially inappropriate prescribing in older patients with the GheOPâ ³ S-tool: completeness and clinical relevance. <i>Acta Clinica Belgica</i> , 2019, 74, 126-136.	0.5	9
1516	American Geriatrics Society 2019 Updated AGS Beers Criteria® for Potentially Inappropriate Medication Use in Older Adults. <i>Journal of the American Geriatrics Society</i> , 2019, 67, 674-694.	1.3	2,318
1517	Tricyclic Antidepressant and/or Î³-Aminobutyric Acid Analog Use Is Associated With Fall Risk in Diabetic Peripheral Neuropathy. <i>Journal of the American Geriatrics Society</i> , 2019, 67, 1174-1181.	1.3	11
1518	Vestibular Migraine. , 2019, , 255-276.		1
1519	Prescriber Implementation of STOPP/START Recommendations for Hospitalised Older Adults: A Comparison of a Pharmacist Approach and a Physician Approach. <i>Drugs and Aging</i> , 2019, 36, 279-288.	1.3	12
1520	Associations Between Potentially Inappropriate Medications and Adverse Health Outcomes in the Elderly: A Systematic Review and Meta-analysis. <i>Annals of Pharmacotherapy</i> , 2019, 53, 1005-1019.	0.9	96

#	ARTICLE	IF	CITATIONS
1521	Pharmacotherapy in paediatric heart failure: a Delphi process. <i>Cardiology in the Young</i> , 2019, 29, 869-876.	0.4	1
1522	Assessment of potentially inappropriate medications using the EU (7)-PIM list and the Swedish quality indicators. <i>International Journal of Clinical Pharmacy</i> , 2019, 41, 903-912.	1.0	12
1523	Identifying potential prescribing safety indicators related to mental health disorders and medications: A systematic review. <i>PLoS ONE</i> , 2019, 14, e0217406.	1.1	10
1524	Potentially suboptimal prescribing of medicines for older Aboriginal Australians in remote areas. <i>Medical Journal of Australia</i> , 2019, 211, 119-125.	0.8	14
1525	Consequences of ignoring patient diagnoses when using the 2015 Updated Beers Criteria. <i>International Journal of Clinical Pharmacy</i> , 2019, 41, 751-756.	1.0	4
1526	Factors associated with potentially inappropriate medication use in community-dwelling older adults in the United States: a systematic review. <i>International Journal of Pharmacy Practice</i> , 2019, 27, 408-423.	0.3	47
1527	Characteristics of inappropriate multiple medication use in older urological outpatients. <i>Archives of Gerontology and Geriatrics</i> , 2019, 83, 61-65.	1.4	8
1528	Potentially inappropriate medications with risk of cardiovascular adverse events in the elderly: A systematic review of tools addressing inappropriate prescribing. <i>Journal of Clinical Pharmacy and Therapeutics</i> , 2019, 44, 349-360.	0.7	19
1529	Physicians' role in the development of inappropriate polypharmacy among older adults in Iran: a qualitative study. <i>BMJ Open</i> , 2019, 9, e024128.	0.8	8
1530	The Pharmacology of Visual Hallucinations in Synucleinopathies. <i>Frontiers in Pharmacology</i> , 2019, 10, 1379.	1.6	36
1531	Management of Candida Urinary Tract Infection in the Elderly. <i>Urogenital Tract Infection</i> , 2019, 14, 33.	0.1	5
1532	Exploring how pharmacists engage with patients about over-the-counter medications. <i>Journal of the American Pharmacists Association: JAPhA</i> , 2019, 59, 852-856.	0.7	12
1533	Impact of clinical pharmacist's interventions on pharmacotherapy management in elderly patients on polypharmacy with mental health problems including quality of life: A prospective non-randomized study. <i>Scientific Reports</i> , 2019, 9, 16856.	1.6	38
1534	Potentially inappropriate medication in older participants of the Berlin Aging Study II (BASE-II) – Sex differences and associations with morbidity and medication use. <i>PLoS ONE</i> , 2019, 14, e0226511.	1.1	21
1535	Headache in the elderly. <i>Handbook of Clinical Neurology</i> / Edited By P J Vinken and G W Bruyn, 2019, 167, 511-528.	1.0	12
1536	The Blurred Line between Physical Ageing and Mental Health in Older Adults: Implications for the Measurement of Depression. <i>Clinical Medicine Insights Psychiatry</i> , 2019, 10, 117955731988563.	0.4	4
1537	Comparative Analysis Of Anticholinergics Prescribed To Elderly Patients At A Korean Long-Term Care Facility According To Beers Criteria 2003, 2012, And 2015 And Anticholinergic-Burden Rating Scales: A Cross-Sectional Retrospective Study. <i>Clinical Interventions in Aging</i> , 2019, Volume 14, 1963-1974.	1.3	5
1538	Health Outcomes of Deprescribing Interventions Among Older Residents in Nursing Homes: A Systematic Review and Meta-analysis. <i>Journal of the American Medical Directors Association</i> , 2019, 20, 362-372.e11.	1.2	143

#	ARTICLE	IF	CITATIONS
1539	Conceptualizing multiple drug use in patients with comorbidity and multimorbidity: proposal for standard definitions beyond the term polypharmacy. <i>Journal of Clinical Epidemiology</i> , 2019, 106, 98-107.	2.4	12
1540	Identifying potentially inappropriate prescribing in older people with dementia: a systematic review. <i>European Journal of Clinical Pharmacology</i> , 2019, 75, 467-481.	0.8	60
1541	Qualitative analysis of community pharmacists' opinions on their involvement in reducing potentially inappropriate prescribing. <i>European Journal of Clinical Pharmacology</i> , 2019, 75, 265-274.	0.8	11
1542	Use of non-benzodiazepine hypnotics is associated with falls in nursing home residents: a longitudinal cohort study. <i>Aging Clinical and Experimental Research</i> , 2019, 31, 1087-1095.	1.4	10
1543	The Health Communication Advocacy Tool: An Approach Toward Addressing Health Inequity. , 2019, , 175-195.		0
1544	Is Ongoing Anticholinergic Burden Associated With Greater Cognitive Decline and Dementia Severity in Mild to Moderate Alzheimer's Disease?. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2020, 75, 987-994.	1.7	15
1545	Rationalisation of polypharmacy in practice: a survey of physicians and pharmacists. <i>Journal of Pharmacy Practice and Research</i> , 2020, 50, 233-241.	0.5	3
1546	A closer look at the 2019 Beers criteria. <i>Drugs and Therapy Perspectives</i> , 2020, 36, 116-122.	0.3	5
1547	STOPP/START criteria for potentially inappropriate medications/potential prescribing omissions in older people: origin and progress. <i>Expert Review of Clinical Pharmacology</i> , 2020, 13, 15-22.	1.3	121
1548	Response to Propoxyphene Market Withdrawal. <i>Medical Care</i> , 2020, 58, 4-12.	1.1	6
1549	Polypharmacy, potentially inappropriate prescribing and medication complexity in Turkish older patients in the community pharmacy setting. <i>Acta Clinica Belgica</i> , 2022, 77, 273-279.	0.5	9
1550	A patient-centred approach to deprescribing antiretroviral therapy in people living with HIV. <i>Journal of Antimicrobial Chemotherapy</i> , 2020, 75, 3425-3432.	1.3	9
1551	STOPP-START Medication Review: A Non-Randomized Trial in an Indonesian Tertiary Hospital to Improve Medication Appropriateness and to Reduce the Length of Stay of Older Adults. <i>Hospital Pharmacy</i> , 2021, 56, 668-677.	0.4	3
1552	Primary Care Physician Characteristics Associated with Prescribing Potentially Inappropriate Medication for Elderly Patients: Medicare Part D Data. <i>Journal of the American Board of Family Medicine</i> , 2020, 33, 561-568.	0.8	6
1553	Potentially Inappropriate Medications Are Associated with Increased Healthcare Utilization and Costs. <i>Journal of the American Geriatrics Society</i> , 2020, 68, 2542-2550.	1.3	44
1554	Assessment of Physician Prescribing of Muscle Relaxants in the United States, 2005-2016. <i>JAMA Network Open</i> , 2020, 3, e207664.	2.8	28
1555	No impact of a prescription booklet on medication consumption in nursing home residents from 2011 to 2014: a controlled before-after study. <i>Aging Clinical and Experimental Research</i> , 2020, 33, 1599-1607.	1.4	0
1556	Association between pill burden and interdialytic weight gain in patients with hemodialysis: A multicenter cross-sectional study. <i>Therapeutic Apheresis and Dialysis</i> , 2020, 25, 475-482.	0.4	5

#	ARTICLE	IF	CITATIONS
1557	A pharmacist-led pilot using a performance dashboard to improve psychotropic medication use in a skilled nursing facility. <i>BMJ Open Quality</i> , 2020, 9, e000997.	0.4	7
1558	Predictors of Mortality in the Older Population: The Role of Polypharmacy and Other Medication and Chronic Disease-Related Factors. <i>Drugs and Aging</i> , 2020, 37, 767-776.	1.3	11
1559	Potentially Inappropriate Drug Prescribing in French Nursing Home Residents: An Observational Study. <i>Pharmacy (Basel, Switzerland)</i> , 2020, 8, 133.	0.6	8
1560	The Prevalence of Anticholinergic Drugs and Correlation with Pneumonia in Elderly Patients: A Population-Based Study in Taiwan. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 6260.	1.2	8
1561	Association of Self-Reported Medication Adherence with Potentially Inappropriate Medications in Elderly Patients: A Cross-Sectional Pilot Study. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 5940.	1.2	4
1562	Potentially inappropriate prescribing to older patients receiving multidose drug dispensing. <i>BMC Geriatrics</i> , 2020, 20, 272.	1.1	7
1563	Health in Men Study: is frailty a predictor of medication-related hospitalization?. <i>QJM - Monthly Journal of the Association of Physicians</i> , 2022, 115, 84-90.	0.2	3
1564	Less Really Is More in Inappropriate Medication Use in Older Adults: How Can We Improve Prescribing and Deprescribing in Older Adults?. <i>Journal of the American Geriatrics Society</i> , 2020, 68, 1175-1176.	1.3	1
1565	A multifactorial intervention to lower potentially inappropriate medication use in older adults in Argentina. <i>Aging Clinical and Experimental Research</i> , 2021, 33, 3313-3320.	1.4	10
1566	Prevalence and determinants of polypharmacy in cardiovascular patients attending outpatient clinic in Ethiopia University Hospital. <i>PLoS ONE</i> , 2020, 15, e0234000.	1.1	13
1567	Association of Pain and Pain Medication Use with Multiple Characteristics of Older People Living with HIV. <i>AIDS Research and Human Retroviruses</i> , 2020, 36, 663-669.	0.5	3
1568	Integrating the 2019 AGS Beers Criteria into NP practice. <i>Nurse Practitioner</i> , 2020, 45, 40-43.	0.2	0
1569	Consistency between anticholinergic burden scales in the elderly with fractures. <i>PLoS ONE</i> , 2020, 15, e0228532.	1.1	10
1570	Approaches to managing benzodiazepines. <i>Pharmacy Today</i> , 2020, 26, 41-54.	0.0	2
1571	<p>Use of Atypical Antipsychotics in Long-Term Care Residents with Parkinsonâ€™s Disease and Comorbid Depression</p>. <i>Drug, Healthcare and Patient Safety</i> , 2020, Volume 12, 23-30.	1.0	8
1572	Drug burden index, polypharmacy and patient health outcomes in cognitively intact older residents of aged care facilities in Malaysia. <i>Journal of Pharmacy Practice and Research</i> , 2020, 50, 13-21.	0.5	4
1573	Current Bronchodilator Responsiveness Criteria Underestimate Asthma in Older Adults. <i>Respiratory Care</i> , 2020, 65, 1104-1111.	0.8	3
1574	Associations of Polypharmacy and Inappropriate Medications with Adverse Outcomes in Older Adults with Cancer: A Systematic Review and Meta-Analysis. <i>Oncologist</i> , 2020, 25, e94-e108.	1.9	82

#	ARTICLE	IF	CITATIONS
1575	Hypertension and Drug Adherence in the Elderly. <i>Frontiers in Cardiovascular Medicine</i> , 2020, 7, 49.	1.1	41
1576	Potentially inappropriate medication in older psychiatric patients. <i>European Journal of Clinical Pharmacology</i> , 2021, 77, 331-339.	0.8	15
1577	Drug interactions for elderly people with mental and behavioral disorders: a systematic scoping review. <i>Archives of Gerontology and Geriatrics</i> , 2021, 93, 104283.	1.4	7
1578	Special Report from the CDC Antidepressant subclass use and fall risk in community-dwelling older Americans. <i>Journal of Safety Research</i> , 2021, 76, 332-340.	1.7	4
1579	Prevalence of potentially inappropriate prescribing in older adults in Jordan: Application of the STOPP criteria. <i>Australasian Journal on Ageing</i> , 2021, 40, e70-e78.	0.4	1
1580	Potential prescribing issues among older HIV-infected subjects in a Mediterranean cohort: Does the current prevalence give cause for concern?. <i>British Journal of Clinical Pharmacology</i> , 2021, 87, 1310-1317.	1.1	8
1581	Use of the STOPP and START criteria to address polypharmacy for elderly patients in University Hospital Lewisham Clinical Decisions Unit. <i>Hong Kong Journal of Emergency Medicine</i> , 2021, 28, 79-84.	0.4	4
1582	Exploring instruments used to evaluate potentially inappropriate medication use in hospitalised elderly patients in Kosovo. <i>European Journal of Hospital Pharmacy</i> , 2021, 28, 223-228.	0.5	1
1583	Worker Earnings, Service Quality, and Firm Profitability: Evidence from Nursing Homes and Minimum Wage Reforms. <i>SSRN Electronic Journal</i> , 0, , .	0.4	8
1584	From Benzodiazepine Prescription to Dependence: Learning Processes Involved. , 2021, , 213-236.		0
1585	Potentially inappropriate medication prescribing in older adults: American geriatric society updated beers criteria journey. <i>Journal of the Indian Academy of Geriatrics</i> , 2021, 17, 28.	0.0	1
1586	Drug Effects on the Gastrointestinal System: A Physician Perspective. , 2021, , 279-296.		0
1587	Person-centered, non-pharmacological intervention in reducing psychotropic medications use among residents with dementia in Australian rural aged care homes. <i>BMC Psychiatry</i> , 2021, 21, 36.	1.1	6
1588	A Review of Insomnia Treatments for Patients with Mild Cognitive Impairment. , 2021, 12, 1036.		7
1589	Development of an explicit tool assessing potentially inappropriate medication use in Hong Kong elder patients. <i>BMC Geriatrics</i> , 2021, 21, 98.	1.1	6
1591	The Effect of a Comprehensive, Interdisciplinary Medication Review on Quality of Life and Medication Use in Community Dwelling Older People with Polypharmacy. <i>Journal of Clinical Medicine</i> , 2021, 10, 600.	1.0	8
1593	Medication Use Review Tools for Community Dwelling Older Patients: A Systematic Review. <i>Korean Journal of Clinical Pharmacy</i> , 2021, 31, 61-78.	0.0	2
1594	Emerging approaches to polypharmacy among older adults. <i>Nature Aging</i> , 2021, 1, 347-356.	5.3	26

#	ARTICLE	IF	CITATIONS
1596	Potentially inappropriate prescriptions to Brazilian older people with Alzheimer disease. <i>Medicine (United States)</i> , 2021, 100, e25015.	0.4	4
1597	Frailty Status and Polypharmacy Predict All-Cause Mortality in Community Dwelling Older Adults in Europe. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 3580.	1.2	18
1599	Influencing factors and their relationships of risk perception and decision-making behaviour of polypharmacy in patients with chronic diseases: a qualitative descriptive study. <i>BMJ Open</i> , 2021, 11, e043557.	0.8	12
1600	Association between potentially inappropriate medication and adverse drug reactions in hospitalized elderly patients. <i>Journal of Clinical Pharmacy and Therapeutics</i> , 2021, 46, 1139-1147.	0.7	2
1601	Disproportionality by sex in the prescription of drugs capable of inducing parkinsonism for the elderly: A survey using statistics of Japanese national health claims from 2014 to 2017. <i>Neurology and Clinical Neuroscience</i> , 2021, 9, 211-217.	0.2	0
1602	Improving drug prescription in general practice using a novel quality improvement model. <i>Scandinavian Journal of Primary Health Care</i> , 2021, 39, 174-183.	0.6	3
1603	Association of low-income subsidy, medicaid dual eligibility, and disability status with high-risk medication use among Medicare Part D beneficiaries. <i>Research in Social and Administrative Pharmacy</i> , 2022, 18, 2634-2642.	1.5	1
1604	Potentially inappropriate medications and medication combinations before, during and after hospitalizations: an analysis of pathways and determinants in the Swiss healthcare setting. <i>BMC Health Services Research</i> , 2021, 21, 522.	0.9	1
1605	Trends and patterns in EU(7)-PIM prescribing to elderly patients in Germany. <i>European Journal of Clinical Pharmacology</i> , 2021, 77, 1553-1561.	0.8	10
1606	A Community Based Study on the Consequence of Polypharmacy in the Quality of Life among Geriatric Population. <i>International Journal of Research and Review</i> , 2021, 8, 202-220.	0.0	0
1607	Trends and concerns of potentially inappropriate medication use in patients with cardiovascular diseases. <i>Expert Opinion on Drug Safety</i> , 2021, 20, 1191-1206.	1.0	4
1608	Potentially inappropriate medications in Chinese older outpatients in tertiary hospitals according to Beers criteria: A cross-sectional study. <i>International Journal of Clinical Practice</i> , 2021, 75, e14348.	0.8	21
1609	An OMOP-CDM based pharmacovigilance data-processing pipeline (PDP) providing active surveillance for ADR signal detection from real-world data sources. <i>BMC Medical Informatics and Decision Making</i> , 2021, 21, 159.	1.5	5
1610	Development of criteria for identifying potentially inappropriate prescribing in older adults with cancer receiving palliative care (PIP-CPC). <i>Journal of Geriatric Oncology</i> , 2021, 12, 1193-1199.	0.5	3
1611	Geriatric emergency department revisits after discharge with Potentially Inappropriate Medications: A retrospective cohort study. <i>American Journal of Emergency Medicine</i> , 2021, 44, 148-156.	0.7	4
1612	Polypharmacy and the risk of drug-drug interactions and potentially inappropriate medications in hospital psychiatry. <i>Pharmacoepidemiology and Drug Safety</i> , 2021, 30, 1258-1268.	0.9	20
1613	Potentially Inappropriate Medication Use in the Elderly. <i>Canadian Journal on Aging</i> , 2022, 41, 176-183.	0.6	1
1614	Present and Future of Parkinson's Disease in Spain: PARKINSON-2030 Delphi Project. <i>Brain Sciences</i> , 2021, 11, 1027.	1.1	6

#	ARTICLE	IF	CITATIONS
1615	Prevalence and determinants of potentially inappropriate medication use in Hong Kong older patients: a cross-sectional study. <i>BMJ Open</i> , 2021, 11, e051527.	0.8	5
1616	Efficacy and safety of pharmacotherapy for Alzheimer's disease and for behavioural and psychological symptoms of dementia in older patients with moderate and severe functional impairments: a systematic review of controlled trials. <i>Alzheimer's Research and Therapy</i> , 2021, 13, 131.	3.0	23
1617	Potentially inappropriate medication (PIM) use and severe drug interactions (SDIs) in older adults with cancer. <i>Journal of Geriatric Oncology</i> , 2021, 12, 872-880.	0.5	8
1618	Pharmacotherapy, drug-drug interactions and potentially inappropriate medication in depressive disorders. <i>PLoS ONE</i> , 2021, 16, e0255192.	1.1	11
1619	Effect of Interventions With a Clinical Decision Support System for Hospitalized Older Patients: Systematic Review Mapping Implementation and Design Factors. <i>JMIR Medical Informatics</i> , 2021, 9, e28023.	1.3	17
1620	Reported Hearing Loss in Alzheimer's Disease Is Associated With Loss of Brainstem and Cerebellar Volume. <i>Frontiers in Human Neuroscience</i> , 2021, 15, 739754.	1.0	6
1621	Association between number of medications and mortality among older adult patients in a specialized cardiology hospital. <i>Geriatrics and Gerontology International</i> , 2021, 21, 985-995.	0.7	0
1622	Impact of a pilot community pharmacy system redesign on reducing over-the-counter medication misuse in older adults. <i>Journal of the American Pharmacists Association: JAPhA</i> , 2021, 61, 555-564.	0.7	7
1623	NCCN Guidelines® Insights: Older Adult Oncology, Version 1.2021. <i>Journal of the National Comprehensive Cancer Network: JNCCN</i> , 2021, 19, 1006-1019.	2.3	85
1624	The prevalence and risk factors of potentially inappropriate medication use in older Chinese inpatients with multimorbidity and polypharmacy: a cross-sectional study. <i>Annals of Translational Medicine</i> , 2021, 9, 1483-1483.	0.7	16
1627	Polypharmazie in der Gerontopsychiatrie. , 2006, , 139-172.		1
1628	Growing Older: Challenges of Prison and Reentry for the Aging Population. , 2007, , 56-72.		57
1629	Drug Interactions and Polypharmacy. , 2013, , 89-106.		1
1630	Comprehensive Geriatric Assessment. , 2012, , 55-69.		6
1631	Drug Effects on the Gastrointestinal Tract. , 2012, , 73-81.		2
1632	Drug Usage in Surgical Patients: Preventing Medication-Related Problems. , 2011, , 343-358.		2
1633	Managing Drug Therapy of Older Patients in Primary and Secondary Care. <i>AAPS Advances in the Pharmaceutical Sciences Series</i> , 2016, , 629-657.	0.2	2
1634	Arzneiverordnungen für Ältere Patienten. , 2008, , 923-960.		2

#	ARTICLE	IF	CITATIONS
1635	Demenzen. , 2012, , 831-870.		2
1636	â€œGender-Specific Drug Prescription in Germanyâ€•Results from Prescriptions Analyses. Handbook of Experimental Pharmacology, 2013, , 149-167.	0.9	13
1637	Polypharmacy. , 2013, , 319-329.		2
1638	latrogene StÃ¶rungen. , 2009, , 70-83.		1
1640	Geriatric Pharmacotherapy and Polypharmacy. , 2010, , 880-885.		12
1641	Preventing Toxic Drug Interactions and Exposures. , 2010, , 1298-1304.e1.		2
1642	Cardiovascular Disease in the Elderly. , 2012, , 1727-1756.		11
1643	Potentially inappropriate medications in elderly. Revista Da AssociaÃ§Ã£o MÃ©dica Brasileira, 2012, 58, 442-446.	0.3	5
1645	Provision of home medicines reviews in Australia: linking population need with service provision and available pharmacist workforce. Australian Health Review, 2020, 44, 973.	0.5	7
1646	Improper Renal Dosing in Long-Term Care Facilities. Southern Medical Journal, 2008, 101, 802-805.	0.3	13
1647	Physician Perspective on Propoxyphene as a Potentially Inappropriate Medication in Tennessee. Southern Medical Journal, 2011, 104, 533-539.	0.3	1
1648	MedicaciÃ³n potencialmente inapropiada en ancianos en un hospital de cuarto nivel en BogotÃ¡. Revista Universitas Medica, 2016, 52, 149-168.	0.0	1
1649	Patterns of benzodiazepine prescription among older adults in Switzerland: a cross-sectional analysis of claims data. BMJ Open, 2020, 10, e031156.	0.8	21
1650	Antihypertensive drugs for elderly patients: a cross-sectional study. Singapore Medical Journal, 2015, 56, 291-297.	0.3	9
1652	Benzodiazepine Use and Expenditures for Medicare Beneficiaries and the Implications of Medicare Part D Exclusions. Psychiatric Services, 2008, 59, 384-391.	1.1	10
1653	Adverse Events among Winnipeg Home Care Clients. Healthcare Quarterly, 2006, 9, 127-134.	0.7	19
1654	Effects of Pharmacists' Interventions on Appropriateness of Prescribing and Evaluation of the Instruments' (MAI, STOPP and STARTs') Ability to Predict Hospitalizationâ€•Analyses from a Randomized Controlled Trial. PLoS ONE, 2013, 8, e62401.	1.1	95
1655	Potentially Inappropriate Prescribing in Older Primary Care Patients. PLoS ONE, 2014, 9, e95536.	1.1	54

#	ARTICLE	IF	CITATIONS
1656	Therapeutic Conflicts in Emergency Department Patients with Multimorbidity: A Cross-Sectional Study. PLoS ONE, 2014, 9, e110309.	1.1	17
1657	Deprescribing in Frail Older People: A Randomised Controlled Trial. PLoS ONE, 2016, 11, e0149984.	1.1	158
1658	Intervention to Improve Appropriate Prescribing and Reduce Polypharmacy in Elderly Patients Admitted to an Internal Medicine Unit. PLoS ONE, 2016, 11, e0166359.	1.1	44
1661	Calidad de prescripci3n de medicamentos en pacientes geri3tricos. Anales De La Facultad De Medicina, 2013, 66, 195.	0.0	3
1663	Risk factors associated with drug therapy among elderly people with Alzheimer's disease: a cross-sectional study. Sao Paulo Medical Journal, 2020, 138, 216-218.	0.4	7
1664	PSICOF3RMACOS E PSICOTERAPIA COM IDOSOS. Psicologia E Sociedade, 2015, 27, 438-448.	0.1	3
1665	Fatores associados ao uso de psicof3rmacos em idosos asilados. Revista De Psiquiatria Do Rio Grande Do Sul, 2010, 32, 38-43.	0.3	8
1666	Prescri33es geri3tricas inapropriadas e polifarmacoterapia em enfermarias de cl3nica m3dica de um Hospital-Escola. Revista Brasileira De Geriatria E Gerontologia, 2012, 15, 315-324.	0.1	4
1667	Descri33o da atua33o do farmac3utico em equipe multiprofissional com 3nfase no cuidado ao idoso hospitalizado. Revista Brasileira De Geriatria E Gerontologia, 2013, 16, 747-758.	0.1	6
1668	Perfil dos medicamentos prescritos para idosos em uma Unidade B3sica de Sa3de do munic3pio de Iju3-RS. Revista Brasileira De Geriatria E Gerontologia, 2014, 17, 99-114.	0.1	14
1669	Potentially inappropriate medication use in a city of Southeast Brazil. Brazilian Journal of Pharmaceutical Sciences, 2012, 48, 79-86.	1.2	14
1670	The Review on the Studies Using Delphi Method in the Journals of Korean Medicine from 2006 to 2015. Journal of Korean Medicine Rehabilitation, 2015, 25, 59-64.	0.2	2
1671	The prescribing cascade. Australian Prescriber, 2011, 34, 162-166.	0.5	58
1672	Deprescribing in older people. Australian Prescriber, 2020, 43, 114-120.	0.5	20
1673	Tropium chloride: an update on a quaternary anticholinergic for treatment of urge urinary incontinence. Therapeutics and Clinical Risk Management, 2005, 1, 157-166.	0.9	11
1674	A new paradigm of cardiovascular risk factor modification. Vascular Health and Risk Management, 2005, 1, 101-109.	1.0	4
1675	Antimuscarinic Treatment in Overactive Bladder. Drugs and Aging, 2012, 29, 539-548.	1.3	1
1676	Hospitalization as a Turning Point for Sleep Medication Use in Older Adults. Drugs and Aging, 2012, 29, 565-576.	1.3	11

#	ARTICLE	IF	CITATIONS
1677	Poly-Pharmacy Among the Elderly: Analyzing the Co-Morbidity of Hypertension and Diabetes. <i>Current Pharmaceutical Design</i> , 2014, 21, 791-805.	0.9	22
1678	Trends in vascular pharmacology research in the Department of Pharmacology and Clinical Pharmacology, Faculty of Medicine, Comenius University, Bratislava. <i>Interdisciplinary Toxicology</i> , 2011, 4, 40-46.	1.0	2
1679	Development of a Risk Assessment Tool for Falls Prevention in Hospital Inpatients Based on the Medication Appropriateness Index (MAI) and Modified Beer's Criteria. <i>Innovations in Pharmacy</i> , 2012, 3, .	0.2	2
1680	Acceptance Rates for Pharmacist-Initiated Interventions in Long-Term Care Facilities. <i>Innovations in Pharmacy</i> , 2013, 4, .	0.2	4
1681	Emerging trends and challenges of population-based cardiology. <i>Siberian Medical Journal</i> , 2020, 34, 24-38.	0.3	1
1682	Polypharmacy in Older Adults. , 2006, , 667-673.		4
1683	Psychopharmacological Treatment in Older People: Avoiding Drug Interactions and Polypharmacy. <i>Deutsches A&#x0308;rzteblatt International</i> , 2019, 116, 508-518.	0.6	28
1684	Consumo de medicaÃ§Ã£o crÃ³nica: AvaliaÃ§Ã£o da prevalÃancia no norte de Portugal. <i>Revista Portuguesa De CiÃancia Geral</i> , 2011, 27, 20-27.	0.1	1
1685	Assessment of Medications for Geriatric Inpatients based on Revised Inappropriate Medication Criteria and Cost Avoidance by Intervention of Pharmacists. <i>Journal of Korean Society of Health-System Pharmacists</i> , 2014, 31, 629-637.	0.1	3
1686	Measuring prevalence, reliability and variation in high-risk prescribing in general practice using multilevel modelling of observational data in a population database. <i>Health Services and Delivery Research</i> , 2015, 3, 1-140.	1.4	12
1687	Low and Therapeutic Doses of Antidepressants are Associated with Similar Response in the Context of Multimodal Treatment of Pain. <i>Pain Physician</i> , 2009, 5;12, 893-900.	0.3	17
1688	Changes in the Dose of Benzodiazepines and Falls in Elderly Inpatients in an Acute-care Hospital. <i>Japanese Journal of Pharmacoepidemiology/Yakuzai Ekigaku</i> , 2011, 16, 11-20.	0.0	3
1689	Evaluation of Rationality of Geriatric Patients' Prescription Based On Beers Criteria in a Tertiary Care Hospital in India. <i>Open Access Macedonian Journal of Medical Sciences</i> , 2019, 7, 987-991.	0.1	4
1690	Improving Medication Management for Older Adult Clients. <i>Journal of Gerontological Nursing</i> , 2006, 32, 6-14.	0.3	28
1691	Anticholinergic Medications: Use Among Older Adults with Memory Problems. <i>Journal of Gerontological Nursing</i> , 2007, 33, 21-31.	0.3	22
1692	Polymedicine and Aging: Enhancing Older Adult Care Through Advanced Practitioners. <i>Journal of Gerontological Nursing</i> , 2007, 33, 19-24.	0.3	10
1693	Delirium in Early-Stage Alzheimer's Disease: Enhancing Cognitive Reserve as a Possible Preventive Measure. <i>Journal of Gerontological Nursing</i> , 2009, 35, 30-38.	0.3	15
1694	Strategies for Reducing Polypharmacy in Older Adults. <i>Journal of Gerontological Nursing</i> , 2010, 36, 8-12.	0.3	36

#	ARTICLE	IF	CITATIONS
1695	Regulatory Components for Treating Persistent Pain in Long-Term Care. <i>Journal of Gerontological Nursing</i> , 2010, 36, 49-56.	0.3	6
1696	Assessing and Managing Critically Ill Older Adults. <i>Journal of Gerontological Nursing</i> , 2010, 36, 27-35.	0.3	3
1697	Improving Medication Use in Gerontological Nursing: Now Is the Time for Interdisciplinary Collaboration and Translation. <i>Journal of Gerontological Nursing</i> , 2011, 37, 3-4.	0.3	4
1698	Medication Regimens in Older Home Care Patients. <i>Journal of Gerontological Nursing</i> , 2011, 37, 45-55.	0.3	30
1699	Psychotropic Medications and Falls in Older Adults. <i>Journal of Psychosocial Nursing and Mental Health Services</i> , 2010, 48, 35-43.	0.3	6
1700	Considerations in the Treatment of Geriatric Depression. <i>Research in Gerontological Nursing</i> , 2010, 3, 176-186.	0.2	17
1701	Potentially Inappropriate Medications in Community-Dwelling Older Adults. <i>Research in Gerontological Nursing</i> , 2014, 7, 178-192.	0.2	9
1702	Perioperative care of the elderly patient.. <i>Cleveland Clinic Journal of Medicine</i> , 2006, 73, S106-S106.	0.6	13
1703	Psychiatric symptoms of dementia: Treatable, but no silver bullet. <i>Cleveland Clinic Journal of Medicine</i> , 2009, 76, 167-174.	0.6	7
1706	The association between anticholinergic load and cognitive performance, elevated blood pressure and the presence of peripheral anticholinergic side effects.. <i>Australasian Medical Journal</i> , 2009, 1, 1-27.	0.1	1
1707	Survey of Potentially Inappropriate Prescription Using STOPP/START Criteria in Inha University Hospital. <i>Korean Journal of Family Medicine</i> , 2013, 34, 319.	0.4	9
1708	Potentially Inappropriate Medications by Beers Criteria in Older Outpatients: Prevalence and Risk Factors. <i>Korean Journal of Family Medicine</i> , 2016, 37, 329.	0.4	38
1709	Potentially inappropriate medication use in elderly patients. <i>Journal of Postgraduate Medicine</i> , 2010, 56, 186-191.	0.2	55
1710	Polypharmacy and potentially inappropriate medication use as the precipitating factor in readmissions to the hospital. <i>Journal of Family Medicine and Primary Care</i> , 2013, 2, 194.	0.3	76
1711	Beers criteria-based assessment of medication use in hospitalized elderly patients in Southern Brazil. <i>Journal of Family Medicine and Primary Care</i> , 2014, 3, 260.	0.3	5
1712	Prevalence of potentially inappropriate medication and its correlates in elderly hospitalized patients: A cross-sectional study based on Beers criteria. <i>Journal of Family and Community Medicine</i> , 2020, 27, 200.	0.5	22
1713	Racial Differences in Medication Use Among Older, Long-Stay Veterans Affairs Nursing Home Care Unit Patients. <i>The Consultant Pharmacist</i> , 2009, 24, 439-446.	0.4	16
1714	Diabetes in the Elderly: Exercising Your Clinical Skills. <i>The Consultant Pharmacist</i> , 2010, 25, 1-37.	0.4	1

#	ARTICLE	IF	CITATIONS
1715	Polypharmacy in Older Patients Admitted to a General Hospital. Journal of the Korean Geriatrics Society, 2012, 16, 133-140.	0.3	5
1716	Comparison Between Beers Criteria and Screening Tool of Older Person's Prescriptions as a Screening Tool for the Detection of Potentially Inappropriate Medicines and Adverse Drug Events in the Elderly Patients. Journal of the Korean Geriatrics Society, 2013, 17, 28-36.	0.3	5
1717	Potentially Inappropriate Medications in Elderly Outpatients by the 2012 Version of Beers Criteria: A Single Tertiary Medical Center Experience in South Korea. Journal of the Korean Geriatrics Society, 2013, 17, 126-133.	0.3	9
1718	Patterns of Drug Use and Factors Associated with Polypharmacy in Elderly Patients Visiting Psychiatric Outpatient Clinic. Journal of Korean Neuropsychiatric Association, 2012, 51, 312.	0.2	1
1720	Comparison of prescribing criteria in hospitalised Australian elderly. Pharmacy Practice, 2010, 8, 132-8.	0.8	12
1721	Potentially inappropriate prescribing in institutionalised older patients in Spain: the STOPP-START criteria compared with the Beers criteria. Pharmacy Practice, 2012, 10, 83-91.	0.8	54
1722	Can geriatric approaches support the care of old patients in emergency departments?. Swiss Medical Weekly, 2014, 144, w14040.	0.8	8
1723	In-Home Medication Management Performance Evaluation (HOMEâ€“Rx): A Validity Study. American Journal of Occupational Therapy, 2017, 71, 7104190020p1-7104190020p7.	0.1	7
1724	Inappropriate Prescribing in the Elderly Patients. Journal of the Korean Medical Association, 2009, 52, 91.	0.1	5
1725	Evaluation of prescribing quality in nursing homes based on drug-specific indicators: The Bergen district nursing home (BEDNURS) study. Norsk Epidemiologi, 2009, 18, .	0.2	2
1726	Applying the 2003 Beers Update to Elderly Medicare Enrollees in the Part D Program. Medicare & Medicaid Research Review, 2012, 2, .	1.3	4
1727	Survey on Benzodiazepine Prescriptions. Iryo Yakugaku (Japanese Journal of Pharmaceutical Health) Tj ETQq1 1 0.784314 rgBT /Overl	0.0	6
1728	Emergency Department Stay Associated Delirium in Older Patients*. Canadian Geriatrics Journal, 2017, 20, 10-14.	0.7	35
1729	<i>K</i>ey Potentially<i>I</i>nappropriate<i>D</i>rugs in Pediatrics: The KIDs List. Journal of Pediatric Pharmacology and Therapeutics, 2020, 25, 175-191.	0.3	36
1730	Senior Adult Oncology Clinical Practice Guidelines in Oncology. Journal of the National Comprehensive Cancer Network: JNCCN, 2005, 3, 572.	2.3	74
1731	La gestione del rischio iatrogeno nellâ€™anziano. Pratica Medica & Aspetti Legali, 2012, 4, 9-19.	0.0	2
1732	Sveobuhvatna gerijatrijska procjena pacijenata u ambulantom porodniÄne medicine Doma zdravlja FoÄa. , 2013, 4, 13-25.	0.0	3
1733	Is It Safe to Conclude that Beers Criteria Medications Led to Few Adverse Events?. Annals of Internal Medicine, 2008, 148, 628.	2.0	5

#	ARTICLE	IF	CITATIONS
1735	Potentially inappropriate medications in older adults: A review of the 2012 Beers Criteria and the implications in persons with dementia. <i>Mental Health Clinician</i> , 2014, 4, 166-169.	0.5	1
1736	Application of STOPP Criteria and Beers Criteria in an inpatient psychiatric facility and impact on utilization of potentially inappropriate medications and adverse outcomes. <i>Mental Health Clinician</i> , 2014, 4, 201-206.	0.5	1
1737	Polypharmacy and potentially inappropriate medications among elderly patients in the geriatric department at a single-center in China. <i>Medicine (United States)</i> , 2021, 100, e27494.	0.4	14
1738	Growing Older: Challenges of Prison and Reentry for the Aging Population. , 2022, , 63-87.		3
1739	Understanding Cognition in the Elderly. <i>The Consultant Pharmacist</i> , 2004, 19, 487-494.	0.4	0
1741	Clinical Implications of Aging and Characteristics of Illnesses of the Aged. <i>Taehan Uihak Hyophoe Chi the Journal of the Korean Medical Association</i> , 2005, 48, 15.	0.1	0
1742	Medical Management in the Elderly: Do You Know the Risks?. <i>Orthopedics</i> , 2005, 28, 915-917.	0.5	0
1743	Psychopharmakotherapie im hÄrteren Lebensalter. , 2006, , 188-196.		1
1744	Muscle Relaxants. , 2006, , 197-206.		0
1745	The Clinical Issues. , 2006, , 1-31.		0
1746	The Geriatric Patient. , 2007, , 341-360.		0
1748	Medication Management in Chronic Diseases. , 2007, , 104-122.		0
1749	Chapter 13. The Patientâ€™s Role in Preventing Medication Errors. , 2007, , .		0
1750	Medication use. , 2007, , 17-32.		0
1752	Nursing facility care. , 2007, , 93-101.		1
1754	Medication use. , 2007, , xix-xxxviii.		1
1755	Acute care. , 2007, , 85-92.		1
1757	Nutrition in Later Years. , 2007, , 359-371.		0

#	ARTICLE	IF	CITATIONS
1758	Special Populations. , 2008, , 161-184.		0
1761	Polifarmacoterapia: Estrat�gias de racionaliza�o. Revista Portuguesa De Cl�nica Geral, 2008, 24, 625-631.	0.1	3
1763	Adverse drug reactions in Acute Elderly Care Unit. Journal of Korean Society of Health-System Pharmacists, 2008, 25, 1-10.	0.1	2
1764	Polypharmazie in der Gerontopsychiatrie. , 2009, , 155-188.		0
1767	Case 64. Alzheimer�s Disease. , 2009, , .		0
1768	Geriatric Syndromes Defined and Explained for Oncology Practice. , 2009, , 113-134.		0
1769	Case 62. Managing Medication Use in the Geriatric Patient. , 2009, , .		0
1770	Case 69. Generalized Anxiety Disorder. , 2009, , .		0
1772	Case 83. Persistent Pain in the Older Adult. , 2009, , .		0
1776	The Ethics of Prescribing Medications to Older People. , 2010, , 29-42.		0
1777	Pain Management in Long-Term Care: Practical Considerations and New Direction. The Consultant Pharmacist, 2010, 25, 1-26.	0.4	0
1778	Dementia, Delirium, and Depression. , 2011, , 225-245.		0
1779	Medication Management in Long-Term Care. , 2011, , 299-322.		0
1780	Assisted Living and Residential Care. , 2011, , 15-36.		0
1781	Weight and Nutrition. , 2011, , 187-203.		0
1783	The intensive monitoring of adverse drug reaction in the elderly. Journal of Korean Society of Health-System Pharmacists, 2010, 27, 407-416.	0.1	0
1784	Anticholinergic. , 2011, , 195-196.		0
1785	Medication Usage in Older Cardiothoracic Surgical Patients. , 2011, , 241-257.		0

#	ARTICLE	IF	CITATIONS
1786	Delir. , 2011, , 1228-1239.		0
1788	Medicamentos potencialmente inapropriados para idosos e sua presena no SUS: avaliao das listas padronizadas. Revista Brasileira De Geriatria E Gerontologia, 2011, 14, 285-289.	0.1	2
1789	The 3 D's of Geriatric Psychiatry: Depression, Delirium, and Dementia. The Consultant Pharmacist, 2011, 26, 566-578.	0.4	3
1790	Physiologic Changes in the Aging Lung. , 2012, , 3-24.		0
1791	Focus on Incretin-Based Therapies for Elderly Patients with Type 2 Diabetes. Endocrine Practice, 2011, 17, 20-26.	1.1	0
1792	Preserving Cognitive Vitality in Older Adults. Perspectives on Gerontology, 2011, 16, 49-55.	0.2	0
1793	A descriptive-comparative study of medications used by older people prior to and following admission to a continuing care facility. Open Journal of Nursing, 2012, 02, 8-14.	0.2	0
1795	Pharmacologie et personnes ges. Rfrences En Ranimation, 2012, , 165-179.	0.0	0
1796	Drugs available through the Farmcia Dose Certa program and Beers criteria: a further analysis. Sao Paulo Medical Journal, 2012, 130, 267-267.	0.4	0
1797	Rheumatoid Arthritis and Alzheimer Disease: Possible Cellular and Molecular Links. Journal of Gerontology & Geriatric Research, 2012, 01, .	0.1	0
1798	Care of the Elderly Patient. , 2012, , 33-52.		0
1799	Managing critically elderly patients with an evidence-based bundle approach. Rfrences En Ranimation, 2012, , 351-370.	0.0	0
1800	Iron, Copper, and Zinc. , 2012, , 177-183.		1
1801	Psychopharmakotherapie im hheren Lebensalter. , 2012, , 83-87.		0
1802	Recherche clinique et personnes ges: Considrations mthodologiques et statistiques. Rfrences En Ranimation, 2012, , 149-163.	0.0	0
1803	Atrial Fibrillation at Discharge in Older Cardiac Surgery Patients: A Prospective Study of Prevalence and Associated Medication Utilization. Journal of Clinical Trials, 2012, 02, .	0.1	1
1805	Neuropsychiatric Aspects of Aging. , 2012, , 114-116.		0
1806	Managing the Older Cancer Patient at Home. , 2012, , 231-240.		0

#	ARTICLE	IF	CITATIONS
1807	Substance use disorders in older people. , 2012, , 1540-1546.		0
1808	Rational drug prescribing for elderly inpatients in a Brazilian hospital: A pilot study. African Journal of Pharmacy and Pharmacology, 2012, 6, .	0.2	0
1809	Avalia��o do impacto da polimedica��o nas verbas de internamento nas unidades de longa dura��o e manuten��o. Revista De Enfermagem Referencia, 2012, III S��rie, 17-24.	0.4	0
1812	Psychopharmacology concerns in older individuals. Mental Health Clinician, 2012, 1, 285-287.	0.5	0
1814	Polypharmacy and Medicines to Avoid. , 2013, , 361-378.		0
1815	Medications causing emergency department visits due to adverse drug reactions in Korean geriatric patients. Journal of Korean Society of Health-System Pharmacists, 2012, 29, 271-280.	0.1	0
1816	Medication Issues. , 2013, , 33-42.		0
1817	Geriatric Assessment for the Oncologist. , 2013, , 63-82.		0
1818	End-of-Life Care for Elderly Patients with Gynecologic Cancer. , 2013, , 367-390.		1
1819	Weitere Problemfelder der Gerontopharmakotherapie und pragmatische Empfehlungen. , 2013, , 269-290.		0
1820	The examination of geriatric pharmacotherapy. Journal of Basic and Clinical Pharmacy, 2013, 4, 76.	9.3	0
1822	Aspekte der Polypharmazie beim alten Patienten. , 2013, , 473-488.		1
1823	Retrospective Study to Describe and Compare the Application of Select Sections of the STOPP/START and Beers Criteria in Medication Reviews in a Musculoskeletal Specialty Practice. , 2013, , .		0
1828	Nutrition in the Later Years. , 2013, , 347-358.		0
1833	Rela��o entre o Padr��o Postural e o N��vel de Atividade F��sica em Idosas. Revista Brasileira De Ci��ncia E Movimento, 2013, 21, 5-12.	0.0	2
1835	How to Develop, Start, and Sustain an Acute Care for Elders Unit. , 2014, , 97-116.		0
1836	Patterns of Medication Use among Romanian Nursing Home Residents. Pharmacology & Pharmacy, 2014, 05, 560-569.	0.2	0
1838	Uso seguro de los medicamentos en adultos mayores: una lista de chequeo. Revista Peruana De Medicina De Experimental Y Salud Publica, 2014, 30, .	0.1	2

#	ARTICLE	IF	CITATIONS
1839	Drug Use Evaluation and Cost Saving Analysis by Comprehensive Geriatric Assessment for Outpatients based on 2012 SNUBH Inappropriate Medication for Elderly Criteria. Journal of Korean Society of Health-System Pharmacists, 2014, 31, 785-794.	0.1	3
1840	Detección de prescripciones potencialmente inapropiadas en pacientes ancianos: estudio descriptivo en dos farmacias comunitarias. Farmacéuticos Comunitarios, 2014, 6, 20-26.	0.1	1
1841	Hoofdstuk 14 De oudere diabetespatiënt en medicamenteuze behandeling; polyfarmacie. , 2015, , 135-140.		0
1842	Polypharmacy in the Elderly: the Need for Concern and Strategies for its Control. International Journal of Sciences, 2015, 1, 11-18.	0.2	0
1843	Spezifische Aspekte der Arzneimitteltherapie in der Palliativmedizin. , 2015, , 1-63.		0
1844	Quality of prescribing for hypertension and bronchial asthma at a tertiary health care facility, India using Prescription Quality Index tool. Journal of Basic and Clinical Pharmacy, 2015, 6, 1.	9.3	0
1845	INAPPROPRIATE USE OF DIGOXIN IN MEDICAL PRACTICE. Journal of Evidence Based Medicine and Healthcare, 2015, 2, 5082-5089.	0.0	0
1846	Gerontopsychiatrie. , 2016, , 163-186.		0
1848	Pharmaceutical Intervention to Manage Polypharmacy in Elderly Patients based on STOPP Criteria. Iryo Yakugaku (Japanese Journal of Pharmaceutical Health Care and Sciences), 2016, 42, 78-86.	0.0	7
1849	Comparing the Tools to Identify Potentially Inappropriate Medications in the Elderly and Future Research Directions. Journal of Gerontology & Geriatric Research, 2016, 5, .	0.1	1
1850	General Management in the Elderly: Preoperative and ICU. , 2016, , 219-229.		0
1851	Hospice Dementia Care. , 2016, , 261-298.		0
1852	Association between Subjective Memory Complaints and Health Care Utilisation: A Three-Year Follow Up. , 2016, , 45-58.		0
1853	Dangerous drugs in patients with renal injury - when and how to reduce the doses. Medicina Pro Praxi, 2016, 13, 176-179.	0.0	2
1854	Differences of Health Outcome Indicators Including Mortality according to Potentially Inappropriate Drug Utilization in the Elderly Male. Korean Journal of Family Practice, 2016, 6, 682-687.	0.1	0
1855	Evaluation and Management of Hirsutism in Postmenopausal Women. , 2017, , 209-219.		1
1856	Anticholinergic. , 2017, , 1-2.		0
1857	CP-012...Structured pharmacist review of medication in older hospitalised patients: a cost effectiveness analysis. , 2017, , .		0

#	ARTICLE	IF	CITATIONS
1858	La validation d'ordonnance. , 2018, , 19-28.e1.		1
1859	The Mismanagement of Multiple Medications in the Older Adult Population. Handbooks in Health, Work, and Disability, 2018, , 263-278.	0.0	0
1860	MĂ©dicaments et personnes Ă©gĂ©es. , 2018, , 1109-1118.e1.		0
1861	Prescription Analysis: Detection and Auditing in Teaching Hospitals. Annals of SBV, 2018, 7, 28-31.	0.0	0
1862	Drug Interaction Checker in Emergency exam room, Belgrade. OpĂ­ta Medicina, 2018, 24, 91-96.	0.3	0
1863	Anticholinergic. , 2018, , 271-272.		0
1864	Medication-Related Problems in Surgical Patients. , 2018, , 1-29.		0
1865	Arzneimittelinteraktionen â€œ Nebenwirkungen und Wechselwirkungen. , 2018, , 93-155.		0
1866	Over-the-counter medications potentially inappropriate for the elderly. Revista Da AssociaĂŁo MĂ©dica Brasileira, 2018, 64, 869-871.	0.3	1
1867	Preparation of hard gelatin capsules with decreasing diazepam content for treatment of benzodiazepines and Z-hypnotics addiction. PraktickĂ© LĂ©kĂ¡renstvĂ©, 2018, 14, e50-e56.	0.0	1
1868	After the Diagnosis of Dementia: Considerations in Disease Management. Clinical Handbooks in Neuropsychology, 2019, , 335-353.	0.1	1
1869	Antidepressant prescription patterns and associated factors among the elderly with psychiatric illnesses. Taiwanese Journal of Psychiatry, 2019, 33, 204.	0.1	0
1870	Comparison of uropathogens and antibiotic susceptibility patterns in catheterized ambulant middle-aged and elderly Nigerian patients with bladder outlet obstruction. Turkish Journal of Urology, 2019, 45, 48-55.	1.3	5
1871	Evaluation of Polypharmacy and Inappropriate Prescription among Elderly Inpatients at the Department of General Internal Medicine at Sendai Medical Center. An Official Journal of the Japan Primary Care Association, 2019, 42, 9-14.	0.1	0
1872	Understanding the Medication List and Addressing Polypharmacy in Older Adults. , 2020, , 201-209.		1
1873	The effectiveness of integrating clinical pharmacists within general practice to optimise prescribing and health outcomes in primary care patients with polypharmacy: A protocol for a systematic review. HRB Open Research, 2019, 2, 32.	0.3	2
1875	Drug Effects on the Gastrointestinal System: A Physician Perspective. , 2020, , 1-18.		0
1876	Medication-Related Problems in Surgical Patients. , 2020, , 159-187.		0

#	ARTICLE	IF	CITATIONS
1877	Conhecimento de estudantes de medicina sobre medicamentos inapropriados para idosos. PAJAR - Pan-American Journal of Aging Research, 2020, 8, e34163.	0.1	0
1878	The Effect of Beers Criteria-Based Training in General Practitioners on Prescribing Potentially Inappropriate Medications in Elderly Patients. Journal of Pharmaceutical Care, 0, , .	0.0	0
1879	Psychopharmacologic treatment. , 2020, , 315-399.		1
1880	Medication Safety. , 2021, , 435-453.		1
1881	Drug interactions for elderly with respiratory disorders and times of COVID-19: a systematic scoping review. Vitae, 2020, 27, .	0.2	4
1882	The Evaluation of Relationship Between Polypharmacy and Anticholinergic Burden Scales. İstanbul Kuzey Klinikleri, 2020, 8, 139-144.	0.1	8
1883	Uso de plantas medicinais por idosos adscritos à Atenção Primária em Porto Alegre/RS e potenciais interações planta-medicamento. Revista Fitos, 2020, 14, 103-117.	0.0	0
1884	The effectiveness of integrating clinical pharmacists within general practice to optimise prescribing and health outcomes in primary care patients with polypharmacy: A protocol for a systematic review. HRB Open Research, 2019, 2, 32.	0.3	2
1885	Effectiveness of polypharmacy reduction policy in Japan: nationwide retrospective observational study. International Journal of Clinical Pharmacy, 2022, 44, 357-365.	1.0	3
1886	Reviewing Potentially Inappropriate Medication in Hospitalized Patients Over 65 Using Explicit Criteria: A Systematic Literature Review. Drug, Healthcare and Patient Safety, 2021, Volume 13, 183-210.	1.0	13
1887	Trends and variation in benzodiazepine use in nursing homes in the USA. European Journal of Clinical Pharmacology, 2022, 78, 489-496.	0.8	2
1888	Aging Puerto Ricans' Experiences of Depression Treatment: A New Ethnographic Exploration. Research in the Sociology of Health Care, 2014, 32, 275-303.	0.1	1
1890	Anesthetic Implications of Chronic Medications. , 2008, , 197-208.		0
1891	Geriatric Pharmacology: Principles and Implications for Oral Health. , 2008, , 191-208.		0
1892	Organische Störungen, Demenzen. , 2008, , 753-783.		0
1893	Geographic Variation in the Prevalence of High-Risk Medication Use Among Medicare Part D Beneficiaries by Hospital Referral Region. Journal of Managed Care & Specialty Pharmacy, 2020, 26, 1309-1316.	0.5	1
1894	Evaluation of geriatric drug-disease interactions in seniors in long-term care in the Czech Republic. Klinicka Farmakologie A Farmacie, 2020, 34, 99-107.	0.1	2
1895	Drug-age alerting for outpatient geriatric prescriptions: a joint study using interoperable drug standards. AMIA ... Annual Symposium proceedings, 2005, , 886.	0.2	2

#	ARTICLE	IF	CITATIONS
1896	Consensus guidelines for primary health care of adults with developmental disabilities. <i>Canadian Family Physician</i> , 2006, 52, 1410-8.	0.1	66
1897	Treatment reviews of older people on polypharmacy in primary care: cluster controlled trial comparing two approaches. <i>British Journal of General Practice</i> , 2007, 57, 723-31.	0.7	50
1900	Recreational Activities to Reduce Behavioural Symptoms in Dementia. <i>Geriatrics and Aging</i> , 2009, 12, 37-42.	1.0	12
1901	Therapies for insomnia and comorbid chronic obstructive pulmonary disease with a focus on ramelteon (rozerem). <i>P and T</i> , 2009, 34, 502-8.	1.0	0
1902	Benzodiazepines risk, abuse, and dependence: a tsunami in a tea cup. <i>Psychiatry</i> , 2009, 6, 13-5.	0.3	1
1904	Pharmaceutical company influence on nonsteroidal anti-inflammatory drug prescribing behaviors. <i>American Journal of Managed Care</i> , 2009, 15, e9-15.	0.8	7
1905	Investigating drug classes in biomedical terminologies from the perspective of clinical decision support. <i>AMIA ... Annual Symposium proceedings</i> , 2010, 2010, 56-60.	0.2	3
1906	Preparing for an aging population and improving chronic disease management. <i>AMIA ... Annual Symposium proceedings</i> , 2010, 2010, 162-6.	0.2	6
1907	Recognizing the Risks of Chronic Nonsteroidal Anti-Inflammatory Drug Use in Older Adults. <i>Annals of Long-Term Care</i> , 2010, 18, 24-27.	0.2	50
1908	Determining the reasons for medication prescriptions in the EHR using knowledge and natural language processing. <i>AMIA ... Annual Symposium proceedings</i> , 2011, 2011, 768-76.	0.2	19
1909	Promoting drug safety in elderly—needs a proactive approach. <i>Indian Journal of Medical Research</i> , 2012, 136, 362-4.	0.4	0
1911	Postoperative delirium. <i>Minerva Anestesiologica</i> , 2011, 77, 448-56.	0.6	113
1912	Medicare Part D and potentially inappropriate medication use in the elderly. <i>American Journal of Managed Care</i> , 2012, 18, e315-22.	0.8	12
1914	Atrial fibrillation at discharge in older cardiac surgery patients: A prospective study of prevalence and associated medication utilization. <i>Journal of Clinical Trials</i> , 2012, 2, 106.	0.1	0
1915	Polypharmacy in older adults: the role of the advanced practitioner in oncology. <i>Journal of the Advanced Practitioner in Oncology</i> , 2013, 4, 107-12.	0.2	4
1918	Developing a formal representation for medication appropriateness criteria. <i>AMIA ... Annual Symposium proceedings</i> , 2014, 2014, 1911-9.	0.2	0
1919	Predictors of high-risk prescribing among elderly Medicare Advantage beneficiaries. <i>American Journal of Managed Care</i> , 2014, 20, e469-78.	0.8	2
1920	Medication errors: They continue. <i>Journal of Anaesthesiology Clinical Pharmacology</i> , 2019, 35, 1-2.	0.2	2

#	ARTICLE	IF	CITATIONS
1921	Prescribing for geriatrics in Tehran; is it appropriate and rational?. Medical Journal of the Islamic Republic of Iran, 2019, 33, 143.	0.9	0
1922	Calculated parenteral initial therapy of bacterial infections: Antibiotic treatment in the elderly. GMS Infectious Diseases, 2020, 8, Doc05.	0.5	1
1923	Over-The-Counter Remedies in Older Adults. Clinics in Geriatric Medicine, 2022, 38, 99-118.	1.0	2
1924	Geriatric Depression and Inappropriate Medication: Benefits of Interprofessional Team Cooperation in Nursing Homes. International Journal of Environmental Research and Public Health, 2021, 18, 12438.	1.2	4
1925	Machine learning for predicting readmission risk among the frail: Explainable AI for healthcare. Patterns, 2022, 3, 100395.	3.1	20
1927	Deprescribing benzodiazepines: Do Brazilian package inserts address this issue?. Geriatrics Gerontology and Aging, 0, 15, .	0.3	0
1928	Deprescribing clonazepam in primary care older patients: a feasibility study. International Journal of Clinical Pharmacy, 2022, 44, 489-498.	1.0	3
1929	Attitudes toward deprescribing for hospital inpatients. Clinical Medicine, 2022, 22, 58-62.	0.8	5
1930	Emotional and Neuropsychiatric Disorders Associated with Alzheimer's Disease. Neurotherapeutics, 2022, 19, 99-116.	2.1	15
1931	Trends in the Prescription of Benzodiazepine Receptor Agonists from 2009 to 2020: A Retrospective Study Using Electronic Healthcare Record Data of a University Hospital in Japan. Healthcare (Switzerland), 2021, 9, 1724.	1.0	5
1935	The Effect of the NorGePâ€œNH on Quality of Life and Drug Prescriptions in Norwegian Nursing Homes: A Randomized Controlled Trial. Pharmacy (Basel, Switzerland), 2022, 10, 32.	0.6	1
1936	The Sex-Specific Impact of the FORTA (Fit-fOR-The-Aged) List on Medication Quality and Clinical Endpoints in Older Hospitalized Patients: Secondary Analysis of a Randomized Controlled Trial. Drugs - Real World Outcomes, 2022, , 1.	0.7	0
1937	The efficacy of single pharmacist medication review among type II diabetic patients who take six chronic medications or more: a caseâ€œcontrol study. Israel Journal of Health Policy Research, 2022, 11, 15.	1.4	0
1938	Evaluation of the reliability of the criteria for assessing prescription quality in Chinese hospitals among pharmacists in China. BMC Health Services Research, 2022, 22, 455.	0.9	2
1939	Development and consensus testing of quality indicators for geriatric pharmacotherapy in primary care using a modified Delphi study. International Journal of Clinical Pharmacy, 2022, 44, 517-538.	1.0	4
1940	Optimising prescribing practices in older adults with multimorbidity: a scoping review of guidelines. BMJ Open, 2021, 11, e049072.	0.8	5
1941	Impact of Medicare prescription drug (Part D) coverage expansion on utilisation and financial burden of benzodiazepines among older adults: an interrupted time series analysis. BMJ Open, 2021, 11, e053717.	0.8	0
1942	Abordagem da automedicaÃ§Ã£o contra COVID-19 pelo MÃ©dico de FamÃ©lia e Comunidade. Revista Brasileira De Medicina De FamÃ©lia E Comunidade, 2021, 16, 2880.	0.1	0

#	ARTICLE	IF	CITATIONS
1943	Evaluating Potentially Inappropriate Medications in Older Kidney Transplant Recipients. <i>Journal of Patient Safety</i> , 2021, Publish Ahead of Print, .	0.7	0
1958	Medication errors: They continue. <i>Journal of Anaesthesiology Clinical Pharmacology</i> , 2019, 35, 1.	0.2	33
1959	Beers versus STOPP criteria in polypharmacy community-dwelling older patients. <i>Farmacia Hospitalaria</i> , 2016, 40, 150-64.	0.6	8
1960	The Role of the Pharmacist in Clinical Settings (10): The Role of the Pharmacist in Combating Polypharmacy. <i>Nihon Ika Daigaku Igakkai Zasshi</i> , 2022, 18, 202-211.	0.0	0
1961	é~é1/2çè€...ã«ãšãšã,æ€¥æ€šè--ç%©ä,æ'ã@ç¼4çš¶(Present status of acute medication intoxication in elderly). <i>Nihon Kyukyû Igakuka</i> 702-706.	0.0	0
1962	Healthcare Costs Associated with Potentially Inappropriate Medication Prescribing Detected by Computer Algorithm Among Older Patients. <i>Drugs and Aging</i> , 2022, 39, 367-375.	1.3	2
1963	Management of chronic non-cancer pain: a framework. <i>Pain Management</i> , 2022, 12, 751-777.	0.7	7
1964	Proximal femur fractures in patients taking anti-coagulants: has anything changed?. <i>EFORT Open Reviews</i> , 2022, 7, 356-364.	1.8	3
1967	Potentially Inappropriate Medication and Polypharmacy in Nursing Home Residents: A Cross-Sectional Study. <i>Journal of Clinical Medicine</i> , 2022, 11, 3808.	1.0	7
1968	Prevalence and Predictors of Potentially Inappropriate Medications Among Patients Aged â‰¥65 Years on Hospital Admissions in Kuwait. <i>Clinical Interventions in Aging</i> , 0, Volume 17, 1025-1036.	1.3	4
1969	Development and Delphi validation of instrument for the preparation of a GMP audit of a cosmetic contract manufacturer in the UAE. <i>Scientific Reports</i> , 2022, 12, .	1.6	0
1970	Application of Prescription Reviews for Traditional Chinese Medicine to Improve Medical Disputes and Patient Satisfaction. <i>Evidence-based Complementary and Alternative Medicine</i> , 2022, 2022, 1-7.	0.5	1
1972	A Study on the Perceptions of Korean Older Adult Patients and Caregivers about Polypharmacy and Deprescribing. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 11446.	1.2	3
1973	Medication Review in Turkish Older Adults at Community Pharmacy: A Pilot Study by Using Medication Appropriateness Index. <i>Clinical and Experimental Health Sciences</i> , 0, , .	0.1	0
1974	Physiciansâ€™ Knowledge, Attitudes, and Perceived Barriers of Inappropriate Prescribing for Older Patients in Shanghai, China. <i>Frontiers in Pharmacology</i> , 0, 13, .	1.6	0
1975	Mental health care for older adults: recent advances and new directions in clinical practice and research. <i>World Psychiatry</i> , 2022, 21, 336-363.	4.8	49
1976	Prevalence of potentially inappropriate prescribing in older adults in Central and Eastern Europe: a systematic review and synthesis without meta-analysis. <i>Scientific Reports</i> , 2022, 12, .	1.6	9
1977	Complications of disease and therapy. , 2023, , 415-442.e9.		1

#	ARTICLE	IF	CITATIONS
1978	Potentially Inappropriate Medications are Associated With Geriatric Trauma Recidivism. <i>Journal of Surgical Research</i> , 2023, 283, 581-585.	0.8	1
1979	Potenziell inadÄquate Medikation f¼r Ältere Menschen â€“ PRISCUS 2.0. , 2022, , 51-76.		3
1980	Research status and hotspots of medication safety in older adults: A bibliometric analysis. <i>Frontiers in Public Health</i> , 0, 10, .	1.3	0
1981	Polypharmacy and potentially inappropriate medications among hospitalized older adults with COVID-19 in Malaysian tertiary hospitals. <i>Journal of Pharmaceutical Policy and Practice</i> , 2023, 16, .	1.1	8
1982	Knowledge, attitude, and practice of medical interns and postgraduate residents on American Geriatric Society updated Beers criteria. <i>Journal of Education and Health Promotion</i> , 2023, 12, 1.	0.3	0
1983	Co-design of a behaviour change intervention to equip geriatricians and pharmacists to proactively deprescribe medicines that are no longer needed or are risky to continue in hospital. <i>Research in Social and Administrative Pharmacy</i> , 2023, 19, 707-716.	1.5	3
1984	Potentially Inappropriate Medication Use in Older Adults Intensive Care Patients According to TIME-to-STOP Criteria. <i>European Journal of Geriatrics and Gerontology</i> , 2023, 5, 66-77.	0.1	0
1986	Impact of pharmaceutical care interventions on multidisciplinary care of older patients with cancer: A systematic review. <i>Journal of Geriatric Oncology</i> , 2023, 14, 101450.	0.5	7
1987	Impact of Lumbar Surgery on Pharmacological Treatment for Patients with Lumbar Spinal Canal Stenosis: A Single-Center Retrospective Study. <i>Journal of Clinical Medicine</i> , 2023, 12, 2385.	1.0	1
1988	Potentially Inappropriate Medication Use in Community-Dwelling Older Adults Living with Dementia. <i>Journal of Alzheimer's Disease</i> , 2023, 93, 471-481.	1.2	3
1989	Medication errors and approaches for its prevention. , 2023, , 369-391.		1
1990	Effectiveness and safety of pharmacotherapy in elderly patients. Short Review. <i>Ageing & Longevity</i> , 2023, , 16-21.	0.1	0
2005	Potentially inappropriate prescribing in multimorbid and polymedicated older adults with AF: A Systematic Review and Meta-Analysis. <i>Drugs and Aging</i> , 0, , .	1.3	0