

CITATION REPORT

List of articles citing

Development and psychometric evaluation of the Pain Assessment in Advanced Dementia (PAINAD) scale

DOI: 10.1097/01.jam.0000043422.31640.f7
Journal of the American Medical Directors Association,
2003, 4, 9-15.

Source: <https://exaly.com/paper-pdf/35833809/citation-report.pdf>

Version: 2024-04-27

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
779	Management of behavioral symptoms in progressive degenerative dementias. 2003 , 58, M837-45		72
778	Assessing pain in cognitively impaired nursing home residents: the state of the science and the state we're in. <i>Journal of the American Medical Directors Association</i> , 2003 , 4, 50-1	5.9	2
777	Pain assessment in older people: problems and solutions. <i>Nursing and Residential Care</i> , 2004 , 6, 177-180	0.1	2
776	A conceptual model of pain assessment for noncommunicative persons with dementia. 2004 , 44, 807-17		60
775	A clinical trial of the effectiveness of regularly scheduled versus as-needed administration of acetaminophen in the management of discomfort in older adults with dementia. <i>Journal of the American Geriatrics Society</i> , 2004 , 52, 1093-7	5.6	40
774	Using the minimum data set to select nursing home residents for interview about pain. <i>Journal of the American Geriatrics Society</i> , 2004 , 52, 2057-61	5.6	24
773	Alcoholism damages the brain, but does moderate alcohol use?. 2004 , 3, 143-4		23
772	End-of-life care and bereavement: effect on family carers. 2004 , 3, 144		3
771	Exploring the Great Barrier Myth: Another Look at Obstacles to Effective Pain Management. <i>Journal of the American Medical Directors Association</i> , 2004 , 5, 133-134	5.9	
770	Effective Pain Management in the Long-Term Care Setting. <i>Journal of the American Medical Directors Association</i> , 2004 , 5, 342-352	5.9	11
769	No self-report means no pain-intensity rating. 2005 , 105, 50-3		66
768	Discomfort in nursing home patients with severe dementia in whom artificial nutrition and hydration is forgone. 2005 , 165, 1729-35		84
767	Instruments for the assessment of pain in older persons with cognitive impairment. <i>Journal of the American Geriatrics Society</i> , 2005 , 53, 319-26	5.6	100
766	Pain assessment in nonverbal older adults with advanced dementia. 2005 , 41, 99-113		38
765	A model of consequences of need-driven, dementia-compromised behavior. 2005 , 37, 134-40; discussion 140		112
764	Commentary. 2005 , 37, 140-140		
763	Cues for the identification of pain in nursing home residents. <i>International Journal of Nursing Studies</i> , 2005 , 42, 3-12	5.8	26

762	Measuring pain intensity in nursing home residents. <i>Journal of Pain and Symptom Management</i> , 2005 , 30, 519-27	4.8	52
761	[The Heidelberg instrument for the assessment of quality of life in dementia (H. I. L. DE.)--dimensions of quality of life and methods of organization]. 2005 , 38, 108-21		23
760	End-of-life care and dementia. 2005 , 15, 135-148		43
759	End-of-life care for persons with Alzheimer's disease. 2005 , 56, 139-41		16
758	Terminal care: the last weeks of life. <i>Journal of Palliative Medicine</i> , 2005 , 8, 1042-54	2.2	100
757	Assessment of pain in adults with cognitive impairment: A review of the tools. 2005 , 4,		3
756	A standardized quality assessment system to evaluate pain detection and management in the nursing home. <i>Journal of the American Medical Directors Association</i> , 2005 , 6, 1-9	5.9	19
755	Nursing home resident barriers to effective pain management: why nursing home residents may not seek pain medication. <i>Journal of the American Medical Directors Association</i> , 2005 , 6, 10-7	5.9	32
754	Methods of pain assessment in residents of long-term care facilities: a pilot study. <i>Journal of the American Medical Directors Association</i> , 2005 , 6, 137-43	5.9	10
753	Underutilisation of opioids in elderly patients with chronic pain: approaches to correcting the problem. 2005 , 22, 641-54		103
752	A standardized quality assessment system to evaluate pain detection and management in the nursing home. <i>Journal of the American Medical Directors Association</i> , 2006 , 7, S11-9, S10	5.9	12
751	Diagnosis of chronic pain caused by osteoarthritis and prescription of analgesics in patients with cognitive impairment. <i>Journal of the American Medical Directors Association</i> , 2006 , 7, 1-5	5.9	28
750	Application of the Progressively Lowered Stress Threshold Model across the continuum of care. 2006 , 41, 57-81, vi		29
749	Effects of continuous activity programming on behavioral symptoms of dementia. <i>Journal of the American Medical Directors Association</i> , 2006 , 7, 426-31	5.9	77
748	Nursing home resident barriers to effective pain management: why nursing home residents may not seek pain medication. <i>Journal of the American Medical Directors Association</i> , 2006 , 7, S21-8, 20	5.9	6
747	The psychometric quality and clinical usefulness of three pain assessment tools for elderly people with dementia. 2006 , 126, 210-20		140
746	Pain Assessment in Noncommunicative Elderly persons--PAINE. 2006 , 22, 569-75		50
745	Pain in elderly people with severe dementia: a systematic review of behavioural pain assessment tools. <i>BMC Geriatrics</i> , 2006 , 6, 3	4.1	363

744	The Discomfort Behavior Scale: a measure of discomfort in the cognitively impaired based on the Minimum Data Set 2.0. <i>Research in Nursing and Health</i> , 2006 , 29, 576-87	2	31
743	[Assessment of pain in advanced dementia. Construct validity of the German PAINAD]. 2006 , 20, 519-26		91
742	Tools for assessment of pain in nonverbal older adults with dementia: a state-of-the-science review. <i>Journal of Pain and Symptom Management</i> , 2006 , 31, 170-92	4.8	331
741	Transitions of care and changes in distressing pain. <i>Journal of Pain and Symptom Management</i> , 2006 , 32, 104-9	4.8	24
740	Assessment and treatment of persistent pain in persons with cognitive and communicative impairment. 2006 , 62, 1379-87		14
739	Introduction of a pain scale for palliative care patients with cognitive impairment. 2006 , 12, 54-9		29
738	Pain management of older people in care homes: a pilot study. 2006 , 15, 509-14		17
737	Chapter 55 Pain in dementia. 2006 , 81, 817-XX		2
736	The Checklist of Nonverbal Pain Indicators (CNPI): testing of reliability and validity in Norwegian nursing homes. 2006 , 35, 79-81		29
735	Chronic pain in older persons: prevalence, assessment and management. 2006 , 16, 231		10
734	Evaluation of a behavioral assessment tool for the individual unable to self-report pain. 2006 , 23, 328-31		19
733	The use of a self-reported pain measure, a nurse-reported pain measure and the PAINAD in nursing home residents with moderate and severe dementia: a validation study. 2006 , 35, 252-6		71
732	Conceptualizing Alzheimer's disease as a terminal medical illness. 2007 , 24, 77-82		21
731	Use of the certified nursing assistant pain assessment tool (CPAT) in nursing home residents with dementia. 2007 , 22, 112-9		16
730	A 93-year-old man with advanced dementia and eating problems. 2007 , 298, 2527-36		30
729	Development and psychometric testing of an instrument designed to measure chronic pain in dogs with osteoarthritis. 2007 , 68, 631-7		138
728	An interdisciplinary expert consensus statement on assessment of pain in older persons. 2007 , 23, S1-43		419
727	Psychometric properties of the Doloplus-2 observational pain assessment scale and comparison to self-assessment in hospitalized elderly. 2007 , 23, 774-9		48

726	Prevalence of pain in nursing home residents with different cognitive and communicative abilities. 2007 , 23, 119-27		60
725	Assessing pain in the home care environment. 2007 , 25, 470-6		6
724	Observation scales for pain assessment in older adults with cognitive impairments or communication difficulties. 2007 , 56, 34-43		66
723	Encyclopedia of Pain. 2007 , 1984-1984		
722	Encyclopedia of Pain. 2007 , 1841-1841		
721	Psychometric properties of the German "Pain Assessment in Advanced Dementia Scale" (PAINAD-G) in nursing home residents. <i>Journal of the American Medical Directors Association</i> , 2007 , 8, 388-95	5.9	63
720	Encyclopedia of Pain. 2007 , 2030-2032		
719	Nursing staff knowledge and beliefs about pain in elderly nursing home residents with dementia. <i>Pain Research and Management</i> , 2007 , 12, 177-84	2.6	60
718	[The systematic evaluation of instruments designed to assess pain in persons with limited ability to communicate]. <i>Pain Research and Management</i> , 2007 , 12, 195-203	2.6	35
717	Doloplus-2, a valid tool for behavioural pain assessment?. <i>BMC Geriatrics</i> , 2007 , 7, 29	4.1	35
716	Improving the clinical usefulness of a behavioural pain scale for older people with dementia. <i>Journal of Advanced Nursing</i> , 2007 , 58, 493-502	3.1	56
715	A systematic review of measures of end-of-life care and its outcomes. 2007 , 42, 1848-70		133
714	Hidden pain or hidden evidence?. <i>Journal of Pain and Symptom Management</i> , 2007 , 33, 658-60; author reply 660	4.8	7
713	Schmerz und Demenz I. Neuropathologische Veränderungen im Schmerzverarbeitenden System. 2008 , 2, 12-15		1
712	The aged care pain chart: an innovative approach to assessing, managing and documenting pain in older people. 2008 , 27, 93-6		3
711	Pitfalls and recommendations regarding the management of acute pain among hospitalized patients with dementia. 2008 , 9, 581-6		29
710	Atención al paciente con demencia avanzada en atención primaria. 2008 , 15, 132-143		
709	The utility of pain assessment for analgesic use in persons with dementia. 2008 , 134, 16-23		42

708	Assessment of pain in the nonverbal or cognitively impaired older adult. 2008 , 24, 237-62, vi		59
707	Under-treatment of pain in dementia: assessment is key. <i>Journal of the American Medical Directors Association</i> , 2008 , 9, 372-4	5.9	18
706	Vitamin D supplementation has no major effect on pain or pain behavior in bedridden geriatric patients with advanced dementia. 2008 , 20, 316-21		18
705	Nursing2008 Pain management survey report. 2008 , 38, 49-51		
704	Guidance for the assessment of pain in older adults: a literature review. 2008 , 17, 914-8		18
703	Validité et utilité clinique d'une grille d'observation (PACSLAC-F) pour évaluer la douleur chez des aînés atteints de démence vivant en milieu de soins de longue durée*. 2008 , 27, 45-55		16
702	Pain assessment in people with dementia. 2008 , 108, 62-70; quiz 71		36
701	Pain assessment in the recovery room. 2008 , 18, 480-9		12
700	The relationship between different pain assessments in dementia. 2008 , 22, 86-93		18
699	Comparison of self-reported pain and the PAINAD scale in hospitalized cognitively impaired and intact older adults after hip fracture surgery. 2008 , 27, 21-8		66
698	Nursing2008 Pain management survey report. 2008 , 38, 42-9; quiz 49-51		3
697	Assessment and management of pain in older adults with dementia: a review of current practice and future directions. 2008 , 2, 128-32		15
696	Pain and apathy. 2008 , 2, 362-365		
695	[Pain management in patients with cognitive impairment: a research implementation project]. 2008 , 21, 149-56		6
694	ASSESSMENT OF PAIN IN THE NONVERBAL AND/OR COGNITIVELY IMPAIRED OLDER ADULT. 2009 , 24-37		1
693	Assessment of the Older Patient. 14-30		1
692	Behavioral indicators of postoperative pain in older adults with delirium. 2009 , 18, 336-47		9
691	Improving pain management in elderly patients with dementia: validation of the Doloshort observational pain assessment scale. 2009 , 38, 754-7		11

690	Pain assessment and management in older adults: Conceptual issues and clinical challenges.. 2009 , 50, 241-254		19
689	Pain assessment in older people with dementia: literature review. <i>Journal of Advanced Nursing</i> , 2009 , 65, 2-10	3.1	87
688	Transforming long-term care pain management in north america: the policy-clinical interface. 2009 , 10, 506-20		48
687	Methods to improve reliability of video-recorded behavioral data. <i>Research in Nursing and Health</i> , 2009 , 32, 465-74	2	109
686	[Pain and unexpressed symptoms: the other dementia]. 2009 , 44 Suppl 2, 9-14		1
685	Older adult surgical patients: presentation and challenges. 2009 , 90, 223-40; quiz 241-4		11
684	Misinterpretation of the Faces Pain Scale-Revised in adult clinical practice. 2009 , 11, 51-55		4
683	Do we need another dementia pain scale?. <i>Journal of the American Medical Directors Association</i> , 2009 , 10, 450-2	5.9	7
682	Control del dolor: resultados de una encuesta. 2009 , 27, 12-19		
681	Discomfort in dementia patients dying from pneumonia and its relief by antibiotics. 2009 , 41, 143-51		80
680	Prevalencia de dolor en pacientes geriátricos institucionalizados. 2009 , 16, 344-351		7
679	Pain assessment in nursing home residents with dementia: psychometric properties and clinical utility of the CNA Pain Assessment Tool (CPAT). <i>Journal of the American Medical Directors Association</i> , 2009 , 10, 505-10	5.9	17
678	Implementing a pain management program in a long-term care facility using a quality improvement approach. <i>Journal of the American Medical Directors Association</i> , 2009 , 10, 67-73	5.9	37
677	Citation Indexing and JAMDA. <i>Journal of the American Medical Directors Association</i> , 2009 , 10, 447-449	5.9	3
676	Assessing pain in patients with dementia. 2009 , 39, 64		
675	Practice guidelines for assessing pain in older persons with dementia residing in long-term care facilities. 2010 , 62, 104-13		50
674	Treating the person, not dementia. 2010 , 14, 16-18		
673	7 tools to assist hospice and home care clinicians in pain management at end of life. 2010 , 28, 458-68; quiz 469-70		9

672	Use of pain-behavioral assessment tools in the nursing home: expert consensus recommendations for practice. 2010 , 36, 18-29; quiz 30-1		102
671	[Problems of pain measurement and pain therapy in the elderly]. 2010 , 160, 235-46		8
670	Management of unresectable head and neck cancers - a retrospective analysis at a rural medical college of India. 2010 , 62, 49-54		1
669	The psychometric qualities of four observational pain tools (OPTs) for the assessment of pain in elderly people with osteoarthritic pain. <i>Journal of Pain and Symptom Management</i> , 2010 , 40, 582-98	4.8	32
668	The Nociception Coma Scale: a new tool to assess nociception in disorders of consciousness. 2010 , 148, 215-219		115
667	Pain assessment in the elderly. 2010 , 19, 140-8		39
666	On-site electronic observational assessment tool for discomfort and pain. 2010 , 99, 34-42		3
665	Facial expression and pain in the critically ill non-communicative patient: state of science review. 2010 , 26, 343-52		45
664	Reliability study in five languages of the translation of the pain behavioural scale Doloplus. 2010 , 14, 545.e1-10		27
663	Validation of Doloplus-2 among nonverbal nursing home patients--an evaluation of Doloplus-2 in a clinical setting. <i>BMC Geriatrics</i> , 2010 , 10, 9	4.1	20
662	Comparing the psychometric properties of the Checklist of Nonverbal Pain Behaviors (CNPI) and the Pain Assessment in Advanced Dementia (PAIN-AD) instruments. 2010 , 11, 395-404		50
661	Pain in older persons with severe dementia. Psychometric properties of the Mobilization-Observation-Behaviour-Intensity-Dementia (MOBID-2) Pain Scale in a clinical setting. 2010 , 24, 380-91		99
660	Chinese version of the Pain Assessment in Advanced Dementia Scale: initial psychometric evaluation. <i>Journal of Advanced Nursing</i> , 2010 , 66, 2360-8	3.1	15
659	Pain Assessment and Management in Older Adults. 2010 , 647-677		1
658	Comprehensive pain assessment: the integration of biopsychosocial principles. 44-66		3
657	Dying with dementia: what we know after more than a decade of research. 2010 , 22, 37-55		197
656	Correspondence of verbal descriptor and numeric rating scales for pain intensity: an item response theory calibration. 2010 , 65, 778-85		48
655	Challenges in pain assessment in cognitively intact and cognitively impaired older adults with cancer. 2010 , 37 Suppl, 7-16		49

654	An action-based approach to improving pain management in long-term care. 2010 , 29, 503-17		29
653	A Review of Observational Pain Scales in Nonverbal Elderly With Cognitive Impairments. 2010 , 20, 651-664		21
652	Review: verbal agitation in dementia: the role of discomfort. 2010 , 25, 193-201		10
651	Assessment and detection of pain in noncommunicative severely brain-injured patients. 2010 , 10, 1725-31		46
650	Use of fine-needle aspiration for diagnosis of <i>Mycobacterium ulcerans</i> infection. 2010 , 48, 2263-4		9
649	Using Evidence-Based Instruments to Document Eligibility and Improve Quality of Life of Hospice Patients. 2010 , 22, 178-187		1
648	Valoraci3n del dolor en los pacientes con demencia. 2010 , 28, 56		
647	The PEACE project review of clinical instruments for hospice and palliative care. <i>Journal of Palliative Medicine</i> , 2010 , 13, 1253-60	2.2	28
646	Palliative care for patients with dementia in long-term care. 2011 , 27, 153-70		17
645	Adult hypertension is associated with blood pressure variability in childhood in blacks and whites: the bogalusa heart study. 2011 , 24, 77-82		42
644	Interventies bij het signaleren van pijn bij verpleeghuisbewoners met dementie: de pilot implementatie van een pijnbeoordelingsinstrument (PACSLAC-D). 2011 , 42, 67-78		6
643	Pain assessment strategies in older patients. 2011 , 12, S3-S13		161
642	Development and evaluation of the Pain Assessment in the Communicatively Impaired (PACI) tool: part I. 2011 , 17, 387-91		6
641	Abstracts of Papers. 2011 , 39, 739-755		
640	The assessment and management of pain in the demented and non-demented elderly patient. 2011 , 69, 387-94		20
639	A cluster-randomised trial of staff education to improve the quality of life of people with dementia living in residential care: the DIRECT study. 2011 , 6, e28155		25
638	Advanced Dementia Care. 2011 , 13, 70-78		7
637	Pain in the elderly: validity of facial expression components of observational measures. 2011 , 27, 593-601		41

636	Comparative effectiveness of pain management interventions for hip fracture: a systematic review. 2011 , 155, 234-45			139
635	Pain relief strategies for infants taking DPT immunization in health centres. 2011 , 5, 123-127			4
634	Predictors of pain in nursing home residents with dementia: a cross-sectional study. 2011 , 20, 1849-57			33
633	Testing an educational nursing intervention for pain assessment and management in older people. 2011 , 12, 1199-215			19
632	Complicating factors associated with mild traumatic brain injury: impact on pain and posttraumatic stress disorder treatment. 2011 , 18, 145-54			52
631	[Neuropathic and tumour-induced headache: Therapeutic options]. 2011 , 59, 656-63			1
630	[Geriatric assessment. Development, status quo and perspectives]. 2011 , 52, 925-33			4
629	Study protocol: the behaviour and pain in dementia study (BePAID). <i>BMC Geriatrics</i> , 2011 , 11, 61	4.1		17
628	Study protocol for the recreational stimulation for elders as a vehicle to resolve delirium superimposed on dementia (Reserve For DSD) trial. 2011 , 12, 119			13
627	The utility of PAINAD in assessing pain in a UK population with severe dementia. 2011 , 26, 118-26			73
626	Tightening the Regulatory Knot: Hospice Regulatory and Health Care Legislative Reform Converge on Hospice Clinical Management. 2011 , 23, 252-259			
625	Pain Assessment with Cognitively Impaired Older People in the Acute Hospital Setting. 2011 , 5, 18-22			12
624	A sensitive scale to assess nociceptive pain in patients with disorders of consciousness. 2012 , 83, 1233-7			69
623	Improving pain assessment for patients with cognitive impairment: development of a pain assessment toolkit. 2012 , 18, 581-90			5
622	Assessment and management of pain in older patients receiving palliative care. 2012 , 24, 23-9			6
621	Selection bias in family reports on end of life with dementia in nursing homes. <i>Journal of Palliative Medicine</i> , 2012 , 15, 1292-6	2.2		16
620	Psychometric properties of the pain assessment in advanced dementia scale compared to self assessment of pain in elderly patients. 2012 , 34, 38-43			31
619	A comparative investigation of observational pain assessment tools for older adults with dementia. 2012 , 28, 226-37			59

618	Advanced dementia: state of the art and priorities for the next decade. 2012 , 156, 45-51		95
617	What about pain in disorders of consciousness?. 2012 , 14, 437-44		50
616	[Interdisciplinary guidance for pain management in nursing home residents]. 2012 , 45, 505-44		14
615	Can botulinum toxin decrease carer burden in long term care residents with upper limb spasticity? A randomized controlled study. <i>Journal of the American Medical Directors Association</i> , 2012 , 13, 477-84	5.9	34
614	Journal of the American Medical Directors Association: the state of the journal. <i>Journal of the American Medical Directors Association</i> , 2012 , 13, 571-3	5.9	2
613	Which score most likely represents pain on the observational PAINAD pain scale for patients with dementia?. <i>Journal of the American Medical Directors Association</i> , 2012 , 13, 384-9	5.9	60
612	Pain and distress in advanced dementia: choosing the right tools for the job. 2012 , 26, 873-8		52
611	Assessment and treatment of pain in people with dementia. 2012 , 8, 264-74		207
610	Palliative care in dementia. 2012 , 3, 131-140		12
609	Centrally active prescribing for nursing home residents - how are we doing?. 2012 , 3, 304-307		5
608	Pain medication and global cognitive functioning in dementia patients with painful conditions. 2012 , 29, 377-84		13
607	Pain in dementia: recognition and treatment. 2012 , 38, 8-13		19
606	[Brazilian version of the Non-communicative Patient's Pain Assessment Instrument (NOPPAIN): conceptual, item, and semantic equivalence]. 2012 , 28, 1985-92		4
605	The psychometric properties, feasibility and utility of behavioural-observation methods in pain assessment of cognitively impaired elderly people in acute and long-term care: A systematic review. 2012 , 10, 977-1085		11
604	[Pain assessment in patients with dementia]. 2012 , 83, 458-66		3
603	Psychometric properties of instruments to measure the quality of end-of-life care and dying for long-term care residents with dementia. 2012 , 21, 671-84		42
602	Patients with advanced dementia: how do we know if they are in pain?. 2012 , 33, 226-8		12
601	Development and implementation of an observational pain assessment protocol in a nursing home. 2012 , 21, 1789-93		11

600	Environmental determinants of quality of life in nursing home residents with severe dementia. <i>Journal of the American Geriatrics Society</i> , 2012 , 60, 1230-6	5.6	55
599	Doing the right thing: a geriatrician's perspective on medical care for the person with advanced dementia. 2012 , 40, 51-6		15
598	[The pain situation for residents of nursing homes. Results of a study in Münster]. 2012 , 26, 27-35		15
597	Self- and proxy report for the assessment of pain in patients with and without cognitive impairment: experiences gained in a geriatric hospital. 2013 , 46, 214-21		44
596	Potential benefits of palliative care for polysymptomatic patients with late-stage nonmalignant disease in Taiwan. 2013 , 112, 406-15		7
595	Methodology for developing quality indicators for the care of older people in the Emergency Department. 2013 , 13, 23		14
594	Interventions targeting pain or behaviour in dementia: a systematic review. 2013 , 12, 1042-55		88
593	Delirium superimposed on dementia is associated with prolonged length of stay and poor outcomes in hospitalized older adults. 2013 , 8, 500-5		135
592	Managing Behavioral Disturbances with Psychoactive Medications: Dos, Don'ts, and Maybes. 2013 , 93-114		
591	[The assessment of pain intensity using one-dimensional scales]. 2013 , 107, 279-84		6
590	Acute pain management in older adults in the emergency department. 2013 , 29, 151-64		21
589	Behavioral problems of seniors in an emergency department. 2013 , 45, 13-8		3
588	Symptom burden in chronically ill homebound individuals. <i>Journal of the American Geriatrics Society</i> , 2013 , 61, 126-31	5.6	44
587	Providing quality palliative care in end-stage Alzheimer disease. 2013 , 30, 499-502		5
586	Decision-making in older people with dementia. 2013 , 23, 307-316		15
585	The Italian version of the Nociception Coma Scale. 2013 , 36, 182-6		11
584	Patient Outcomes and Satisfaction With Care Following Palliative Care Consultation. 2013 , 15, 225-232		6
583	Effectiveness of post-operative management strategies for adults with dementia following hip fracture surgery. 2013 ,		3

582	Management of Pain in the Emergency Department. 2013 , 2013, 1-19		21
581	Person-centredness and its association with resident well-being in dementia care units. <i>Journal of Advanced Nursing</i> , 2013 , 69, 2196-205	3.1	52
580	Management of delirium in medicine: experience of a Close Observation Unit. 2013 , 32, 60-3		8
579	Changes in the clinical manifestation of fibromyalgia in an individual with dementia. <i>Journal of the American Geriatrics Society</i> , 2013 , 61, 2260-2261	5.6	3
578	Observer-rated pain assessment instruments improve both the detection of pain and the evaluation of pain intensity in people with dementia. 2013 , 17, 1558-68		36
577	Palliative treatment of chronic neurologic disorders. 2013 , 118, 133-9		9
576	Response to Sheehan, B. (2012) Assessment scales in dementia. <i>Ther Adv Neurol Disord</i> 5: 349-358. 2013 , 6, 337-8		1
575	Overview of geriatric emergency medicine. 1-7		
574	Pain management in the elderly. 69-76		1
573	Perioperative pain management. 61-69		
572	Buccal injection of 2% lidocaine with epinephrine for the removal of maxillary third molars. 2013 , 60, 95-8		10
571	Efficacy of Low Level Laser Therapy in Lumbar Discopathy Pain (Randomized Controlled Study). 2014 , 4, s-0034-1376737-s-0034-1376737		
570	Evidence-based practice guideline: wandering. 2014 , 40, 16-23		7
569	Silent and suffering: a pilot study exploring gaps between theory and practice in pain management for people with severe dementia in residential aged care facilities. 2014 , 9, 1767-74		19
568	A randomized, placebo controlled pilot trial of botulinum toxin for paratonic rigidity in people with advanced cognitive impairment. 2014 , 9, e114733		5
567	Implementation of observational pain management protocol to improve pain management for long-term institutionalized older care residents with dementia: study protocol for a cluster-randomized controlled trial. 2014 , 15, 78		14
566	Adherence of pain assessment to the German national standard for pain management in 12 nursing homes. <i>Pain Research and Management</i> , 2014 , 19, 133-40	2.6	2
565	Outcome Measures for Dementia in the Advanced Stage and at the End of Life. 2014 , 2014, 1-10		9

564	Pain assessment in hospitalized older adults with dementia and delirium. 2014 , 40, 10-5		26
563	Instruments for assessing pain in persons with severe dementia. 2014 , 8, 99-106		4
562	[Validity and reliability of the Korean version of the pain assessment checklist for seniors with limited ability to communicate]. 2014 , 44, 398-406		10
561	The Use Of Pain Assessment Tools In Clinical Practice: A Pilot Survey. 2014 , 03,		
560	Towards Multimodal Pain Assessment for Research and Clinical Use. 2014 ,		7
559	Analgesic use, pain and daytime sedation in people with and without dementia in aged care facilities: a cross-sectional, multisite, epidemiological study protocol. <i>BMJ Open</i> , 2014 , 4, e005757	3	29
558	Dolor en el paciente de la tercera edad. 2014 , 25, 674-686		3
557	When pain memories are lost: a pilot study of semantic knowledge of pain in dementia. 2014 , 15, 751-7		20
556	Can adding a standardized observational tool to interdisciplinary evaluation enhance the detection of pain in older adults with cognitive impairments?. 2014 , 15, 32-41		19
555	An evidence-based program to improve analgesic practice and pain outcomes in residential aged care facilities. <i>Journal of the American Geriatrics Society</i> , 2014 , 62, 1583-9	5.6	10
554	An international road map to improve pain assessment in people with impaired cognition: the development of the Pain Assessment in Impaired Cognition (PAIC) meta-tool. 2014 , 14, 229		46
553	Evidence-based development and initial validation of the pain assessment checklist for seniors with limited ability to communicate-II (PACSLAC-II). 2014 , 30, 816-24		47
552	Infrequent assessment of pain in elderly trauma patients. 2014 , 21, 229-35; quiz 236-7		10
551	End-of-life care in advanced dementia. 2014 , 126, 119-28		3
550	Symptoms and treatment when death is expected in dementia patients in long-term care facilities. <i>BMC Geriatrics</i> , 2014 , 14, 99	4.1	37
549	Retrospective and prospective data collection compared in the Dutch End Of Life in Dementia (DEOLD) study. 2014 , 28, 88-94		38
548	[Scales to evaluate pain in elderly patients suffering from dementia. Help-tools for the physiotherapist, doctor, nurse and occupational therapist]. 2014 , 49, 35-41		5
547	[Adaptation and validation of the Spanish version of the Pain Evaluation Scale in patients with advanced dementia: PAINAD-Sp]. 2014 , 49, 10-4		14

546	PC-FACS. <i>Journal of Pain and Symptom Management</i> , 2014 , 47, 819-825	4.8	
545	Correlates of quality of life for individuals with dementia living at home: the role of home environment, caregiver, and patient-related characteristics. 2014 , 22, 587-97		36
544	Pain issues in disorders of consciousness. 2014 , 28, 1202-8		55
543	Effective pain management in patients with dementia: benefits beyond pain?. 2014 , 31, 863-71		37
542	The assessment and management of peri-operative pain in older adults. 2014 , 69 Suppl 1, 54-60		27
541	Palliatieve zorg bij mensen met een dementie. 2014 , 30, 32-39		
540	Pain assessment in elderly adults with dementia. 2014 , 13, 1216-27		182
539	Evidence-based practice for pain identification in cognitively impaired nursing home residents. 2014 , 49, 345-56		3
538	Duration of postoperative delirium is an independent predictor of 6-month mortality in older adults after hip fracture. <i>Journal of the American Geriatrics Society</i> , 2014 , 62, 1335-40	5.6	120
537	Managing chronic pain in adults. 2014 , 29, 50-8		3
536	The influence of sleep disruption and pain perception on indicators of quality of life in individuals living with dementia at home. 2014 , 35, 394-8		15
535	PC-FACS. <i>Journal of Pain and Symptom Management</i> , 2014 , 47, 356-369	4.8	
534	A personalized approach to assessing and managing pain in patients with cancer. 2014 , 32, 1640-6		94
533	Differences in pain measures by mini-mental state examination scores of residents in aged care facilities: examining the usability of the Abbey pain scale-Japanese version. 2014 , 15, 236-45		7
532	Implementation of sustainable evidence-based practice for the assessment and management of pain in residential aged care facilities. 2014 , 15, 819-25		10
531	[Cultural adaptation of the scale Pain Assessment in Advanced Dementia - PAINAD to Brazil]. 2014 , 48, 462-8		7
530	Observational pain assessment in advanced dementia. <i>Nursing and Residential Care</i> , 2014 , 16, 378-382	0.1	
529	Is there scope for an observational pain scoring tool in paramedic practice?. 2014 , 6, 84-88		3

528	Improving the management of disruptive behavior and reducing antipsychotic medications in nursing facility residents. 2014 , 29, 797-812		2
527	Multiple perspectives on quality of life for residents with dementia in long term care facilities: protocol for a comprehensive Australian study. 2015 , 27, 1739-47		11
526	Enabling hospital staff to care for people with dementia. 2015 , 27, 29-32		10
525	Diagnostic accuracy of behavioral, activity, ferritin, and clinical indicators of restless legs syndrome. 2015 , 38, 371-80		8
524	Enhanced rehabilitation and care models for adults with dementia following hip fracture surgery. 2015 , CD010569		23
523	Care and neurorehabilitation in the disorder of consciousness: a model in progress. 2015 , 2015, 463829		7
522	A survey on pain assessment in patients with disorders of consciousness in Dutch hospitals and nursing homes. 2015 , 11, 34-40		1
521	Sources of Discomfort in Persons with Dementia: Scale and Initial Results. 2015 , 2015, 732832		6
520	Pain in dementia: prevalence and associated factors: protocol of a multidisciplinary study. <i>BMC Geriatrics</i> , 2015 , 15, 29	4.1	30
519	Cultural adaptation and reproducibility validation of the Brazilian Portuguese version of the Pain Assessment in Advanced Dementia (PAINAD-Brazil) scale in non-verbal adult patients. 2015 , 13, 14-9		14
518	Autonomic, Behavioral, and Subjective Pain Responses in Alzheimer's Disease. 2015 , 16, 1930-42		23
517	Analgesic Use and Daytime Sleepiness in Residents With and Without Dementia in Residential Aged Care Facilities. 2015 , 32, 1045-53		9
516	Prä-hospitale Analgesie beim Erwachsenen. 2015 , 10, 269-284		4
515	Practice question. Pain assessment and management. 2015 , 27, 14		
514	Pain Assessment Using Self-reported, Nurse-reported, and Observational Pain Assessment Tools among Older Individuals with Cognitive Impairment. 2015 , 16, 595-601		25
513	Nurses' knowledge and attitudes towards pain assessment for people with dementia in a nursing home setting. 2015 , 21, 479-87		21
512	The complexity of pain assessment in older people. 2015 , 27, 16-21		6
511	Study of the relationship of dyspnea with depression and functional status in patients with interstitial lung disease. 2015 , 64, 269-275		1

510	Ultrasound and electrical stimulator-guided obturator nerve block with phenol in the treatment of hip adductor spasticity in long-term care patients: a randomized, triple blind, placebo controlled study. <i>Journal of the American Medical Directors Association</i> , 2015 , 16, 238-46	5.9	14
509	Development of a practice guideline for optimal symptom relief for patients with pneumonia and dementia in nursing homes using a Delphi study. 2015 , 30, 487-96		18
508	Pain, Emotion and Cognition. 2015 ,		2
507	Healthcare providers' accuracy in assessing patients' pain: A systematic review. 2015 , 98, 1197-206		18
506	CLINICAL PRACTICE. Advanced Dementia. 2015 , 372, 2533-40		96
505	Symptom Assessment for a Palliative Care Approach in People With Dementia Admitted to Acute Hospitals: Results From a National Audit. 2015 , 28, 255-9		6
504	[Pain and pain-assessment in nursing homes : Results of the OSiA study]. 2015 , 29, 203-10		10
503	Pain and Alzheimer dementia. 2015 , 13, 17-20		
502	Pain, agitation, and behavioural problems in people with dementia admitted to general hospital wards: a longitudinal cohort study. 2015 , 156, 675-683		108
501	Advanced Dementia. 2015 , 373, 1276-7		14
500	Tools to Assess Pain or Lack of Comfort in Dementia: A Content Analysis. <i>Journal of Pain and Symptom Management</i> , 2015 , 50, 659-75.e3	4.8	32
499	Assessment and Management of Pain in Patients With Disorders of Consciousness. 2015 , 7, S270-S277		20
498	Interventions Associated With the Management of Suspected Infections in Advanced Dementia. <i>Journal of Pain and Symptom Management</i> , 2015 , 50, 806-13	4.8	6
497	Pain, delirium, and physical function in skilled nursing home patients with dementia. <i>Journal of the American Medical Directors Association</i> , 2015 , 16, 37-40	5.9	25
496	EMPOWER: an intervention to address barriers to pain management in hospice. <i>Journal of Pain and Symptom Management</i> , 2015 , 49, 1-12	4.8	42
495	Evaluation of two observational pain assessment scales during the anaesthesia recovery period in Chinese surgical older adults. 2015 , 24, 212-21		9
494	End-of-Life Care in Cardiovascular Disease. 2015 ,		1
493	4. Schmerzassessment bei kognitiv unauffälligen und beeinträchtigten älteren Patienten. 2016 ,		2

492	Low-dose oral prolonged-release oxycodone/naloxone for chronic pain in elderly patients with cognitive impairment: an efficacy-tolerability pilot study. 2016 , 12, 559-69		9
491	Approaches to screening and assessment in gerontological occupational therapy. 2016 , 74-85		
490	Pharmacotherapy of Pain in the Older Population: The Place of Opioids. 2016 , 8, 144		25
489	Identification, assessment, and management of pain in patients with advanced dementia. 2016 , 6, 89-94		3
488	The Management of Dementia in Primary Care. 2016 ,		1
487	Analgesic use and pain in residents with and without dementia in aged care facilities: A cross-sectional study. 2016 , 35, 180-7		17
486	The association between benzodiazepine use and sleep quality in residential aged care facilities: a cross-sectional study. <i>BMC Geriatrics</i> , 2016 , 16, 196	4.1	27
485	The last phase of life with dementia in Swiss nursing homes: the study protocol of the longitudinal and prospective ZULIDAD study. 2016 , 15, 80		3
484	Which Facial Descriptors Do Care Home Nurses Use to Infer Whether a Person with Dementia Is in Pain?. 2017 , 18, 2105-2115		6
483	Acute hospital dementia care: results from a national audit. <i>BMC Geriatrics</i> , 2016 , 16, 113	4.1	54
482	Comprehensive geriatric assessment during emergency admission. 2016 , 28, 16-22		3
481	The use of facial expressions for pain assessment purposes in dementia: a narrative review. 2016 , 6, 119-31		15
480	Validation of a Modified German Version of the Brief Pain Inventory for Use in Nursing Home Residents with Chronic Pain. 2016 , 17, 248-56		9
479	Development and testing of the Dementia Symptom Management at Home (DSM-H) program: An interprofessional home health care intervention to improve the quality of life for persons with dementia and their caregivers. 2016 , 37, 200-6		18
478	Improving comfort in people with dementia and pneumonia: a cluster randomized trial. 2016 , 14, 116		9
477	Interdisciplinary Approaches to Managing Pain in Older Adults. 2016 , 32, 693-704		7
476	Usefulness, feasibility and face validity of the interRAI Palliative Care instrument according to care professionals in nursing homes: A qualitative study. <i>International Journal of Nursing Studies</i> , 2016 , 62, 90-9	5.8	6
475	Palliative Care in the Emergency Department. 2016 , 34, 667-85		10

474	Management of persistent pain in older people. 2016 , 46, 60-67		7
473	Symptom Control at the End of Life. 2016 , 100, 1111-22		3
472	Exploring the prevalence and variance of cognitive impairment, pain, neuropsychiatric symptoms and ADL dependency among persons living in nursing homes; a cross-sectional study. <i>BMC Geriatrics</i> , 2016 , 16, 154	4.1	79
471	Pain assessment tools for older adults with dementia in long-term care facilities: a systematic review. 2016 , 6, 525-538		20
470	Appropriate pain assessment tools for use in patients with dementia in the out-of-hospital environment. 2016 , 8, 533-541		4
469	Deconstructing Chronic Low Back Pain in the Older Adult-Step by Step Evidence and Expert-Based Recommendations for Evaluation and Treatment: Part XI: Dementia. 2016 , 17, 1993-2002		13
468	Pain in Dementia: Use of Observational Pain Assessment Tools by People Who Are Not Health Professionals. 2017 , 18, 1895-1907		12
467	Frailty Levels in Residential Aged Care Facilities Measured Using the Frailty Index and FRAIL-NH Scale. <i>Journal of the American Geriatrics Society</i> , 2016 , 64, e207-e212	5.6	50
466	Pilot Testing of the EIT-4-BPSD Intervention. 2016 , 31, 570-579		7
465	Pain Assessment in Elderly with Behavioral and Psychological Symptoms of Dementia. 2016 , 50, 1217-25		69
464	Pain treatment for nursing home residents differs according to cognitive state - a cross-sectional study. <i>BMC Geriatrics</i> , 2016 , 16, 124	4.1	29
463	Geriatric emergency pain management case. 2016 , 363-385		1
462	Measures to assess commonly experienced symptoms for people with dementia in long-term care settings: a systematic review. 2016 , 14, 38		25
461	Effects of Alzheimer Disease on the Facial Expression of Pain. 2016 , 32, 478-87		27
460	Identifying and Managing Pain in People with Alzheimer's Disease and Other Types of Dementia: A Systematic Review. 2016 , 30, 481-97		83
459	Characteristics of older people with cognitive impairment attending emergency departments: A descriptive study. 2016 , 19, 118-26		12
458	Factors associated with antidepressant use in residents with and without dementia in Australian aged care facilities. 2016 , 7, 79-88		4
457	Practical Guide to Chronic Pain Syndromes. 2016 ,		2

456	Underrecognition and Undertreatment of Pain and Behavioral Symptoms in End-Stage Dementia. 2016 , 33, 276-80		16
455	Schmerzmanagement in der Pflege. 2016 ,		3
454	Subxiphoid (sternal sparing) approach for minimal access coronary artery bypass grafting. 2016 , 32, 5-11		
453	The role of platelet rich plasma in management of fracture neck femur: new insights. 2016 , 40, 1019-24		18
452	Dementia Care. 2016 ,		3
451	Palliative Care and Symptom Management in Older Patients with Cancer. 2016 , 32, 45-62		27
450	Prospective Observations of Discomfort, Pain, and Dyspnea in Nursing Home Residents With Dementia and Pneumonia. <i>Journal of the American Medical Directors Association</i> , 2016 , 17, 128-35	5.9	30
449	Does item overlap render measured relationships between pain and challenging behaviour trivial? Results from a multicentre cross-sectional study in 13 German nursing homes. 2017 , 24, e12182		1
448	Symptom evaluation using observational assessment. 2017 , 25, 17-22		1
447	Implementation of Observational Pain Management Protocol for Residents With Dementia: A Cluster-RCT. <i>Journal of the American Geriatrics Society</i> , 2017 , 65, e56-e63	5.6	17
446	Patient Reluctance to Discuss Pain: Understanding Stoicism, Stigma, and Other Contributing Factors. 2017 , 13, 27-43		20
445	Impact of Hospital-Wide Comprehensive Pain Management Initiatives. 2017 , 32, 591-597		4
444	Prevalence of Pain in Nursing Home Residents: The Role of Dementia Stage and Dementia Subtypes. <i>Journal of the American Medical Directors Association</i> , 2017 , 18, 522-527	5.9	43
443	Exploring healthcare assistants' role and experience in pain assessment and management for people with advanced dementia towards the end of life: a qualitative study. 2017 , 16, 6		27
442	Low back pain in older adults: risk factors, management options and future directions. 2017 , 12, 14		114
441	Dementia in Nursing Homes. 2017 ,		3
440	End of life care for glioblastoma patients at a large academic cancer center. 2017 , 134, 75-81		13
439	Clinimetric properties of the Nociception Coma Scale (-Revised): A systematic review. 2017 , 21, 1463-1474		9

438	Towards personalized treatment of pain using a quantitative systems pharmacology approach. 2017 , 109S, S32-S38		13
437	Memantine for fibromyalgia and Alzheimer's disease: An observational case comparison. 2017 , 6, 29-34		1
436	European Society of Anaesthesiology evidence-based and consensus-based guideline on postoperative delirium. 2017 , 34, 192-214		362
435	Fascia iliaca block for pain control in hip fracture patients. 2017 , 61, 383-389		2
434	Abordaje multifactorial del dolor crónico no neoplásico en Atención Primaria. 2017 , 24, 1-55		
433	Risk Factors for Delirium in Older Medical Inpatients in Tanzania. 2017 , 44, 160-170		4
432	Can We Quickly and Thoroughly Assess Pain with the PACSLAC-II? A Convergent Validity Study in Long-Term Care Residents Suffering from Dementia. 2017 , 18, 410-417		6
431	Implementing the compassion intervention, a model for integrated care for people with advanced dementia towards the end of life in nursing homes: a naturalistic feasibility study. <i>BMJ Open</i> , 2017 , 7, e015515	3	45
430	SOP à Schmerztherapie bei Palliativpatienten. 2017 , 1		
429	Palliative Care in the Management of Pain, Odor, and Exudate in Chronic Wounds at the End of Life. 2017 , 19, 17-25		7
428	The relative impact of symptoms, resident characteristics and features of nursing homes on residents' participation in social occupations: Cross-sectional findings from U-Age Swenis. 2017 , 24, 327-337		7
427	Care of patients with dementia in an acute trauma and orthopaedics unit. 2017 , 31, 44-53		2
426	Postoperative Pain Treatment. 211-219		
425	Comprehensive Psychiatric Assessment Process. 19-42		
424	Major Neurocognitive Disorders. 43-101		
423	Delirium. 102-119		
422	Major Depressive Disorder, Other Mood Disorders, and Suicide. 120-164		
421	Psychotic Disorders and Violence. 165-204		

420	[Interdisciplinary position paper "Perioperative pain management"]. 2017 , 31, 463-482		3
419	Pain Assessment in Older Adults. 2017 , 52, 375-385		15
418	DEMDATA: The Austrian-Czech institutional long term care project - design and protocol of a two-centre cross sectional study. 2017 , 17, 296		4
417	SOP âSchmerztherapie bei Palliativpatienten. 2017 , 23, 555-565		2
416	Initial testing of a behavioural pain assessment tool within trauma units. 2017 , 24, 3-11		9
415	Emergency nurses' evaluation of observational pain assessment tools for older people with cognitive impairment. 2017 , 26, 1281-1290		24
414	A systematic review of observational pain assessment instruments for use with nonverbal intubated critically ill adult patients in the emergency department: an assessment of their suitability and psychometric properties. 2017 , 26, 7-32		21
413	Pain management in older adults. 2017 , 45, 41-45		7
412	An Empirical Comparison of the EQ-5D-5L, DEMQOL-U and DEMQOL-Proxy-U in a Post-Hospitalisation Population of Frail Older People Living in Residential Aged Care. 2017 , 15, 399-412		17
411	Fascia iliaca block for pain control in hip fracture patients. 2017 , 61, 383-389		5
410	Schmerz und Demenz âEine diagnostische Herausforderung. 2017 , 18, 48-56		
409	Caring for people with dementia at end of life. <i>Nursing and Residential Care</i> , 2017 , 19, 331-334	0.1	1
408	Pain Assessment in Dementia: Evaluation of a Point-of-Care Technological Solution. 2017 , 60, 137-150		26
407	Altered Behavioral and Autonomic Pain Responses in Alzheimer's Disease Are Associated with Dysfunctional Affective, Self-Reflective and Salience Network Resting-State Connectivity. 2017 , 9, 297		10
406	Pain assessment tools in critical patients with oral communication difficulties: a scope review. 2017 , 18,		1
405	Evidence and consensus recommendations for the pharmacological management of pain in India. 2017 , 10, 709-736		9
404	Supporting people with dementia at end of life. <i>Nursing and Residential Care</i> , 2017 , 19, 688-692	0.1	1
403	Schmerzerfassung und postoperative Schmerzbehandlung. 2017 , 31, 415-421		1

402	INFLUENCE OF CANCER SEVERITY AND FUNCTIONAL STATUS OF CANCER ON CARDIAC PARASYMPATHETIC INDICATORS. 2017 , 10, 312		2
401	Validity of the Korean Version of the Face, Legs, Activity, Cry, and Consolability Scale for Assessment of Pain in Dementia Patients. 2017 , 32, 1852-1856		1
400	Pain Assessment in Impaired Cognition (PAIC): content validity of the Dutch version of a new and universal tool to measure pain in dementia. 2018 , 13, 25-34		12
399	PAIN. 2018 , 628-647		3
398	Symptomerfassung in der palliativen Betreuung. 2018 , 33, 113-118		
397	The dignity in advanced dementia (diadem) study: Developing an integrated geriatric palliative homecare program. 2018 , 26, 65-72		7
396	Person-Centered Assessment and Care Planning. 2018 , 58, S32-S47		43
395	Dementia: Weight Loss and Mealtime Challenges. 2018 , 14, 153-159		3
394	A relationship-centred approach to managing pain in dementia. 2018 , 30, 27-32		3
393	Pain in severe dementia: A comparison of a fine-grained assessment approach to an observational checklist designed for clinical settings. 2018 , 22, 915-925		19
392	Development of the Japanese version of the Quality of Life in Late-stage Dementia Scale. 2018 , 18, 106-112		5
391	[Provision of palliative care for people with advanced dementia]. 2018 , 89, 524-529		2
390	Dementia. 47-58		
389	Complex Cancer Pain Assessment. 2018 , 32, 353-369		7
388	Using observational facial descriptors to infer pain in persons with and without dementia. <i>BMC Geriatrics</i> , 2018 , 18, 88	4.1	11
387	Assessment of Nociception and Pain in Participants in an Unresponsive or Minimally Conscious State After Acquired Brain Injury: The Relation Between the Coma Recovery Scale-Revised and the Nociception Coma Scale-Revised. 2018 , 99, 1755-1762		14
386	Selective prescribing of statins and the risk of mortality, hospitalizations, and falls in aged care services. 2018 , 12, 652-661		13
385	Reliability and Validity Testing of the Quality of Life in Late-Stage Dementia Scale. 2018 , 33, 277-283		8

384	The Assessment of Pain in Older People: UK National Guidelines. 2018 , 47, i1-i22		81
383	Cognitive Impairment and Pain Among Nursing Home Residents With Cancer. <i>Journal of Pain and Symptom Management</i> , 2018 , 55, 1509-1518	4.8	17
382	Evidence of altered pressure pain thresholds in persons with disorders of consciousness as measured by the Nociception Coma Scale-Italian version. 2018 , 28, 1295-1310		2
381	Psychometric evaluation of the Cohen-Mansfield Agitation Inventory in an acute general hospital setting. 2018 , 33, e158-e165		8
380	Complex Clinical Intersection: Palliative Care in Patients with Dementia. 2018 , 26, 224-234		4
379	Pain Management Concerns From the Hospice Family Caregivers' Perspective. 2018 , 35, 601-611		21
378	Living and dying with advanced dementia: A prospective cohort study of symptoms, service use and care at the end of life. 2018 , 32, 668-681		118
377	Palliative Care for Dementia. 2018 , 41, 141-151		9
376	Advanced dementia pain management protocols. 2018 , 28, 194-204		0
375	Geriatric Basics for the Neurohospitalist. 2018 , 8, 92-101		3
374	Advanced dementia pain management protocols. 2018 , 28, 194-204		4
373	Can an observational pain assessment tool improve time to analgesia for cognitively impaired older persons? A cluster randomised controlled trial. 2018 , 35, 33-38		8
372	The Effect of Flat Dual-Cure Stabilizer Occlusal Splint in Pain Relief of Individuals Suffering from Migraine Headaches. 2018 , 12, 501-509		1
371	Neurological Symptoms. 2018 , 1-18		
370	Evaluation of Pain in the Cognitively Impaired Patient in the Emergency Department. 2018 , 40, 278-284		
369	Clinimetric properties of the electronic Pain Assessment Tool (ePAT) for aged-care residents with moderate to severe dementia. 2018 , 11, 1037-1044		12
368	SOP à Schmerztherapie bei Palliativpatienten. 2018 , 24, 7-17		2
367	Cognitive status and use of analgesics and anxiolytics in residents of nursing homes in the Czech Republic. 2018 , 13, 2511-2515		2

366	Namaste Care in nursing care homes for people with advanced dementia: protocol for a feasibility randomised controlled trial. <i>BMJ Open</i> , 2018 , 8, e026531	3	12
365	Cross-sectional study of prevalence of dementia, behavioural symptoms, mobility, pain and other health parameters in nursing homes in Austria and the Czech Republic: results from the DEMDATA project. <i>BMC Geriatrics</i> , 2018 , 18, 178	4.1	23
364	Effects of play activities program for nursing home residents with dementia on pain and psychological well-being: Cluster randomized controlled trial. 2018 , 18, 1485-1490		4
363	Pragmatic evaluation of an observational pain assessment scale in the emergency department: The Pain Assessment in Advanced Dementia (PAINAD) scale. 2018 , 21, 131-136		5
362	Assessment and Early Management of Pain in Hip Fractures: The Impact of Paracetamol. 2018 , 9, 2151459318806443		10
361	Effects of the Namaste Care Family programme on quality of life of nursing home residents with advanced dementia and on family caregiving experiences: study protocol of a cluster-randomised controlled trial. <i>BMJ Open</i> , 2018 , 8, e025411	3	13
360	A Systematic Assessment and Monitoring Intervention to Improve Pain Management and Quality Reporting Among Home Hospice Patients. <i>Journal of Pain and Symptom Management</i> , 2018 , 56, 957-961	4.8	2
359	Top Ten Tips Palliative Care Clinicians Should Know About Parkinson's Disease and Related Disorders. <i>Journal of Palliative Medicine</i> , 2018 , 21, 1507-1517	2.2	10
358	Pain Assessment in People With Dementia: Remaining Controversies. 2018 , 10, 62		5
357	Perioperative lumbar plexus block and cardiac ischemia in patients with hip fracture: randomized clinical trial. 2018 , 68, 484-491		0
356	An Iceberg Phenomenon in Dementia: Pain. 2018 , 31, 186-193		9
355	Osteoporotic Pelvic Fractures. 2018 , 115, 70-80		34
354	The Case of a Lost Patch. 108-109		
353	Pain Assessment. 2018 , 39-46.e1		10
352	Automatic, Objective, and Efficient Measurement of Pain Using Automated Face Analysis. 2018 , 121-146		8
351	[Perioperative lumbar plexus block and cardiac ischemia in patients with hip fracture: randomized clinical trial]. 2018 , 68, 484-491		1
350	Pain assessment in individuals with dementia and communication problems in Spain. A systematic review. 2018 , 218, 435-444		
349	Quality of primary palliative care for older people with mild and severe dementia: an international mortality follow-back study using quality indicators. 2018 , 47, 824-833		12

348	Association of Comorbid Burden and Patient Outcomes of Residents With Dementia in Jordanian Nursing Homes. 2018 , 44, 50-58		4
347	Schmerz und Demenz –eine diagnostische Herausforderung. 2018 , 34, 22-29		0
346	Reliability and validity of the Turkish version of Pain Assessment Checklist for Seniors with Limited Ability to Communicate (PACSLAC-T). 2018 , 48, 805-810		
345	Pain assessment in individuals with dementia and communication problems in Spain. A systematic review. 2018 , 218, 435-444		
344	Assessment and management of pain in persons with dementia. 2018 , 39, 358-360		1
343	Developing a Training for Certified Nursing Assistants to Recognize, Communicate, and Document Discomfort in Residents With Dementia. 2018 , 20, 120-126		2
342	Advances in the pharmacological management of acute and chronic pain. 2018 , 33, 37-42		1
341	Feasibility of the lifestyle integrated functional exercise concept in cognitively impaired geriatric rehabilitation patients. 2019 , 52, 61-67		2
340	A theory-based hybrid II implementation intervention to improve pain management in Swiss nursing homes: A mixed-methods study protocol. <i>Journal of Advanced Nursing</i> , 2019 , 75, 432-442	3.1	5
339	Pain in Older Age. 2019 , 1-1		
338	Polypharmacy and Rational Prescribing: Changing the Culture of Medicine One Patient at a Time. 2019 , 7, 141-158		3
337	Management of acute pain in dementia: a feasibility study of a robot-assisted intervention. 2019 , 12, 1833-1846		7
336	Investigating the safety and efficacy of nabilone for the treatment of agitation in patients with moderate-to-severe Alzheimer's disease: Study protocol for a cross-over randomized controlled trial. 2019 , 15, 100385		12
335	Training nursing home staff to improve residents' end-of-life care: design and baseline findings from a randomized controlled trial. 2019 , 10, 649-657		3
334	Does assessment of pain vary across age groups?. 2019 , 9, 343-345		
333	Automatic Recognition Methods Supporting Pain Assessment: A Survey. 2019 , 1-1		50
332	Pain Assessment in the Patient Unable to Self-Report: Clinical Practice Recommendations in Support of the ASPMN 2019 Position Statement. 2019 , 20, 404-417		42
331	Do Warmed Blankets Change Pain, Agitation, Mood or Analgesic Use Among Nursing Home Residents?. 2019 , 20, 526-531		2

330	Pain Screening in the Older Adult With Delirium. 2019 , 20, 519-525		7
329	Responding to Varying Levels of Certainty about Pain in People with Dementia after Initial Pain Assessment. <i>Dementia and Geriatric Cognitive Disorders Extra</i> , 2019 , 9, 271-280	2.5	5
328	Analgesie bei Traumapatienten in der Notfallmedizin. <i>Notfall Und Rettungsmedizin</i> , 2019 , 22, 537-552	0.4	1
327	Pain Management in Nursing Home Residents: Findings from a Pilot Effectiveness-Implementation Study. <i>Journal of the American Geriatrics Society</i> , 2019 , 67, 2574-2580	5.6	6
326	[Pain situation among older adults in need of care in the outpatient care setting and cognitively or physically unable to respond : Challenges and recommendations]. 2019 , 33, 523-532		3
325	Medicines management for people with dementia. 2019 , 34, 37-43		0
324	[Consensus statement on the use of acetaminophen/tramadol in patients with moderate-severe pain]. 2019 , 45, 52-62		0
323	Pain in Older Adults with Neuropsychiatric Symptoms. 2019 , 115-134		
322	Intolerance of Uncertainty and Anxiety-Related Dispositions Predict Pain During Upper Endoscopy. 2019 , 10, 1112		10
321	Implementing Evidence-Based Guidelines for Falls Prevention: Observations of Nursing Activities During the Care of Older People With Cognitive Impairment. 2019 , 16, 335-343		3
320	Major Neurocognitive Disorder with Behavioral Disturbance (Behavioral and Psychological Symptoms of DementiaâBPSD). 2019 , 97-128		
319	Resuscitating the Critically Ill Geriatric Emergency Department Patient. 2019 , 37, 569-581		8
318	Randomized Placebo-Controlled Trial of Nabilone for Agitation in Alzheimer's Disease. 2019 , 27, 1161-1173		46
317	Palliative Care in Residential Settings. 2019 , 887-907		
316	Pain Management in the Last 6 Months of Life: Predictors of Opioid and Non-Opioid Use. <i>Journal of the American Medical Directors Association</i> , 2019 , 20, 789-790	5.9	
315	Neurological Symptoms. 2019 , 453-470		
314	Pain Assessment, Management, and Impact Among Older Adults in Assisted Living. 2019 , 20, 192-197		7
313	Impact of a Training Intervention on the Pain Assessment in Advanced Dementia (PAINAD) Scale in Noncommunicative Inpatients. 2019 , 20, 468-474		2

312	Stem length in primary cementless total hip arthroplasty: Does it make a difference in bone remodeling?. 2019 , 29, 1235-1242	6
311	Review of Programs for Persons Facing Death with Dementia. 2019 , 7,	5
310	Cancer Pain Assessment and Measurement. 2019 , 35, 229-234	14
309	A New Scale to Evaluate Motor Function in Rett Syndrome: Validation and Psychometric Properties. 2019 , 100, 80-86	7
308	Neurocognitive Behavioral Disorders. 2019 ,	1
307	Towards AI Welfare Science and Policies. 2019 , 3, 2	6
306	Spontaneous dog osteoarthritis - a One Medicine vision. 2019 , 15, 273-287	34
305	Should we provide outreach rehabilitation to very old people living in Nursing Care Facilities after a hip fracture? A randomised controlled trial. 2019 , 48, 373-380	26
304	Restrictive Ventilatory Patterns in Residents of Continuing Care Retirement Communities. 2019 , 41, 355-371	1
303	Saudi Arabian university students' perceptions of health risk behaviours. 2019 , 119, 291-308	2
302	Pain assessment in impaired cognition: observer agreement in a long-term care setting in patients with dementia. 2019 , 9, 461-473	3
301	Use of pain scales and observational pain assessment tools in hospital settings. 2019 ,	4
300	Treating pain in patients with dementia and the possible concomitant relief of symptoms of agitation. 2019 , 9, 569-582	2
299	Palliative medicine and end-of-life care. 2019 , 167, 545-561	6
298	Pain assessment in advanced dementia. Validity of the German PAINAD-a prospective double-blind randomised placebo-controlled trial. 2019 , 160, 742-753	11
297	A daily multidisciplinary assessment of older adults undergoing elective colorectal cancer surgery is associated with reduced delirium and geriatric syndromes. 2019 , 10, 298-303	15
296	Motor function in Rett syndrome: comparing clinical and parental assessments. 2019 , 61, 957-963	6
295	Validation of the Spanish Version of the Pain Assessment in Advanced Dementia Scale (PAINAD-Sp) in Hospitalized Patients with Neurologic Disorders and Oncologic Patients Unable to Self-Report Their Pain. 2019 , 20, 323-330	3

294	Observational Pain Assessment Instruments for Use With Nonverbal Patients at the End-of-life: A Systematic Review. 2019 , 34, 255-266		9
293	Pilot Evaluation of a Functional Pain Assessment Scale. 2019 , 33, 12-21		7
292	Developing a Pain Intensity Measure for Persons with Dementia: Initial Construction and Testing. 2019 , 20, 1078-1092		6
291	Nociception Coma Scale with personalized painful stimulation versus standard stimulus in non-communicative patients with disorders of consciousness. 2020 , 30, 1893-1904		7
290	Advanced dementia: an integrated homecare programme. 2020 , 10, e40		6
289	Beziehungsgestaltung in der Pflege von Menschen mit Demenz. 2020 ,		
288	The Pain Assessment in Impaired Cognition scale (PAIC15): A multidisciplinary and international approach to develop and test a meta-tool for pain assessment in impaired cognition, especially dementia. 2020 , 24, 192-208		19
287	Low back pain: critical assessment of various scales. <i>European Spine Journal</i> , 2020 , 29, 503-518	2.7	12
286	Opioid Use After Hospital Care due to Hip Fracture Among Community-Dwelling Persons With and Without Alzheimer's Disease. 2020 , 37, 193-203		1
285	[Functional and clinical outcomes in patients admitted to nursing homes after hip fractures. Implementation of a multi-level intervention program]. 2020 , 55, 11-17		0
284	End-of-Life Care of Persons With Alzheimer Disease: An Update for Clinicians. 2020 , 37, 314-317		
283	Cognitive Issues in the Older Adult. 2020 , 425-452		0
282	["Emergency anesthesia" in geriatric patients]. 2020 , 115, 16-21		
281	Clinical factors associated with activities of daily living and their decline in patients with severe dementia. 2020 , 20, 327-336		2
280	Movement-Based Mind&Body Therapies for Older Adults with Dementia and Chronic Pain. 2020 , 26, 189-192		
279	Risk Factors for Mortality in Nursing Home Residents: An Observational Study. 2020 , 5,		3
278	Development and Preliminary Validation of a Pain Scale Specific to Patients With Voice Disorders: The Voice-Related Pain Scale (VRPS). 2020 ,		0
277	Refugee Health Care. 2020 ,		1

276	Care of older people with Cognitive Impairment or Dementia Hospitalized in Traumatology Units (CARExDEM): a quasi-experiment. <i>BMC Geriatrics</i> , 2020 , 20, 246	4.1	
275	The agitated older adult in the emergency department: a narrative review of common causes and management strategies. 2020 , 1, 812-823		7
274	Selecting Outcomes to Ensure Pragmatic Trials Are Relevant to People Living with Dementia. <i>Journal of the American Geriatrics Society</i> , 2020 , 68 Suppl 2, S55-S61	5.6	7
273	Recommendations for Prescribing Opioids for People With Traumatic Brain Injury. 2020 , 101, 2033-2040		1
272	Palliative Care in Advanced Dementia. 2020 , 11, 699		18
271	Nursing Assessment of Wound-Related Pain: An Italian Learning Survey. 2020 , 33, 540-548		0
270	Development, feasibility, and acceptability of an intervention to improve care for agitation in people living in nursing homes with dementia nearing the end-of-life. 2021 , 33, 1069-1081		1
269	Approaching acute pain in emergency settings: European Society for Emergency Medicine (EUSEM) guidelines-part 1: assessment. 2020 , 15, 1125-1139		4
268	Model Testing of the Factors That Influence Performance of Function Focused Care and Function Among Assisted Living Residents.. 2022 , 41, 401-410		
267	Wound Pain and Wound Healing Biomarkers From Wound Exudate: A Scoping Review. 2020 , 47, 559-568		2
266	Recognising pain in dementia: what has changed?. 2020 , 16, 125-130		
265	Prevalence of Pain on Admission by Level of Cognitive Impairment in Nursing Homes. 2020 , 13, 2663-2672		3
264	Provincial legislative and regulatory standards for pain assessment and management in long-term care homes: a scoping review and in-depth case analysis. <i>BMC Geriatrics</i> , 2020 , 20, 458	4.1	5
263	Integrated Management of Pain in Advanced Dementia. 2020 , 21, 331-338		1
262	'Socialised care futility' in the care of older people in hospital who call out repetitively: An ethnographic study. <i>International Journal of Nursing Studies</i> , 2020 , 107, 103589	5.8	1
261	The Effect of Using PARO for People Living With Dementia and Chronic Pain: A Pilot Randomized Controlled Trial. <i>Journal of the American Medical Directors Association</i> , 2020 , 21, 1079-1085	5.9	13
260	Protocol for an embedded pragmatic clinical trial to test the effectiveness of Aliviado Dementia Care in improving quality of life for persons living with dementia and their informal caregivers. 2020 , 93, 106005		1
259	Dementia and Chronic Disease. 2020 ,		

258	Nursing Care for Hospitalized Older Adults With and Without Cognitive Impairment. 2020 , 69, 116-126	2
257	Preoperative cognitive impairment associated with oversedation during recovery from anesthesia. 2020 , 34, 390-396	1
256	E-Learning course for nurses on pain assessment in patients unable to self-report. 2020 , 43, 102728	1
255	Emergency department pain management in older patients. <i>EMA - Emergency Medicine Australasia</i> , 2020 , 32, 840-846	1.5 2
254	Perioperative Management of Elderly patients (PriME): recommendations from an Italian intersociety consensus. 2020 , 32, 1647-1673	17
253	Enhanced rehabilitation and care models for adults with dementia following hip fracture surgery. 2020 , 2, CD010569	15
252	Palliative Care for Dementia: 2020 Update. 2020 , 36, 329-339	3
251	Deficits in pain medication in older adults with chronic pain receiving home care: A cross-sectional study in Germany. 2020 , 15, e0229229	9
250	Differentiating between dementia, delirium and depression in older people. 2019 , 35, 43-50	0
249	Pain in dementia. 2020 , 5, e803	33
248	Virtual Reality for Therapeutic Recreation in Dementia Hospice Care: A Feasibility Study. 2020 , 37, 809-815	10
247	Healthcare utilization and monetary costs associated with agitation in UK care home residents with advanced dementia: a prospective cohort study. 2020 , 32, 359-370	5
246	Nursing Education Intervention Effects on Pain Intensity of Nursing Home Residents with Different Levels of Cognitive Impairment: A Cluster-Randomized Controlled Trial. 2020 , 13, 633-648	7
245	Automatic Detection of Pain from Facial Expressions: A Survey. 2021 , 43, 1815-1831	10
244	Using a clinical judgement model to understand the impact of validated pain assessment tools for burn clinicians and adult patients in the ICU: A multi-methods study. 2021 , 47, 110-126	1
243	Current Psychotropic Medication Use and Contributing Factors Among Nursing Home Residents With Cognitive Impairment. 2021 , 30, 59-69	12
242	Policy Implications for Pain in Advanced Alzheimer's Disease. 2021 , 22, 3-7	2
241	The effectiveness of interventions to improve pain assessment and management in people living with dementia: A systematic review and meta-analyses. <i>Journal of Advanced Nursing</i> , 2021 , 77, 1127-1140 ^{2.1}	5

240	Rehabilitation Concerns in the Geriatric Critically Ill and Injured - Part 1. 2021 , 37, 117-134		2
239	Prognostication in Home-Dwelling Patients with Advanced Dementia: The Palliative Support DEMentia Model (PaS-DEM). <i>Journal of the American Medical Directors Association</i> , 2021 , 22, 312-319.e3 ^{5,9}		1
238	Is Pain Assessment of Community-Dwelling Persons With Advanced Dementia by Family and Paid Care Workers Feasible?. <i>Journal of Pain and Symptom Management</i> , 2021 , 61, 1028-1034	4.8	0
237	Oncologic Emergencies: Palliative Care in the Emergency Department Setting. 2021 , 60, 175-191		2
236	[Pain in dementia]. 2021 , 35, 130-138		1
235	Pain Incidence, Treatment, and Associated Symptoms in Hospitalized Persons with Dementia. 2021 , 22, 158-163		2
234	Portable EEG monitoring for older adults with dementia and chronic pain - A feasibility study. 2021 , 42, 124-128		0
233	Palliative and end-of-life care for the older adult with cancer. 2021 , 15, 23-28		3
232	Pain in older adults. 2021 , 83-98		
231	Geriatric Pain Management. 2021 , 137-150		
230	Holistic pain assessment in older people and older people living with dementia. 2020 ,		
229	Recovery Room Protocols for Nursing in Ambulatory Surgery Centers (ASCs) and Hospital Outpatient Departments (HOPDs). 2021 , 355-367		
228	Addressing Pain for a Proper Rehabilitation Process in Patients With Severe Disorders of Consciousness. 2021 , 12, 628980		1
227	Changes in clinical manifestation of fibromyalgia syndromes after Alzheimer's disease diagnosis. 2021 , 34, 523-526		
226	An Objective Pain Score for Chronic Pain Clinic Patients. <i>Pain Research and Management</i> , 2021 , 2021, 6695741	2.6	0
225	Insights to Identifying and Managing Pain in Persons With Dementia in Long-Term Care: A Mixed Methods Study Comparing the Abbey Pain Scale and Pain Assessment in Advanced Dementia Scale. 2021 , 47, 21-30		2
224	The Frailty In Residential Sector over Time (FIRST) study: methods and baseline cohort description. <i>BMC Geriatrics</i> , 2021 , 21, 99	4.1	3
223	Are Chronic Pain Patients with Dementia Being Undermedicated?. 2021 , 14, 431-439		6

222 Authors' response to Atee et al. **2021**, 145, 87-88

221 Quality of Life in Advanced Dementia with Late Onset, Young Onset, and Very Young Onset. **2021**, 80, 283-297 3

220 Use of Pain Management Champions to Enhance Guideline Implementation by Care Workers in Nursing Homes. **2021**, 18, 138-146 0

219 The outcomes of a person-centered, non-pharmacological intervention in reducing agitation in residents with dementia in Australian rural nursing homes. *BMC Geriatrics*, **2021**, 21, 193 4.1 1

218 Efficacy of transforaminal epidural magnesium administration when combined with a local anaesthetic and steroid in the management of lower limb radicular pain. **2021**, 25, 1274-1282 1

217 Reliability and Feasibility of the Pain Assessment in Advanced Dementia Scale-Korean Version (PAINAD-K). **2021**, 22, 660-667 2

216 Pain Behaviors and Pharmacological Pain Management Among Newly Admitted Nursing Home Residents. **2021**, 70, 273-280

215 Correlation between Biomarkers of Pain in Saliva and PAINAD Scale in Elderly People with Cognitive Impairment and Inability to Communicate. **2021**, 10, 1

214 Current Status of Pain Management in Home Care, with Particular Focus on the Elderly - Indication and Limitations of Nerve Block and Interventional Treatment in Visiting Medical Care -. **2021**, 41, 284-290

213 Rapid Fire: Acute Brain Failure in Older Emergency Department Patients. **2021**, 39, 287-305 1

212 Multiple imputation to quantify misclassification in observational studies of the cognitively impaired: an application for pain assessment in nursing home residents. **2021**, 21, 132 0

211 Interrater Variability in Pain Assessment of Long-term Care Residents with Dementia. **2021**, 22, 377-385 0

210 Spanish adaptation and validation of the Pain Assessment Scale in Advanced Dementia (PAINAD) in patients with dementia and impaired verbal communication: cross-sectional study. *BMJ Open*, **2021**, 11, e049211 3 1

209 How, Why and Where it Hurts-Breaking Down Pain Syndrome Among Nursing Home Patients With Dementia: A Cross-Sectional Analysis of the COSMOS Trial. **2021**, 22, 319-326 3

208 Probable Pain on the Pain Assessment in Impaired Cognition (PAIC15) Instrument: Assessing Sensitivity and Specificity of Cut-Offs against Three Standards. *Brain Sciences*, **2021**, 11, 3-4 1

207 Diagnosis and Management of Pain in Parkinson's Disease: A New Approach. **2021**, 38, 559-577 2

206 Implementation of the Evidence Integration Triangle for behavioral and psychological symptoms of dementia (EIT-4-BPSD) in care communities. **2021**, 4

205 A Latent Approach to Understanding Pain in Nursing Home Residents Who are Unable to Self-Report Pain. **2021**, 14, 2283-2293

204	Supporting older people with dementia to sleep well while in hospital. 2021 , 33, 14-19		
203	Which factors influence treatment decision in fragility fractures of the pelvis? - results of a prospective study. 2021 , 22, 690		2
202	The Relationship Between Pain, Function, Behavioral, and Psychological Symptoms of Dementia and Quality of Life. 2021 ,		1
201	Age- and Sex-Graded Data Evaluation of Vaccination Reactions after Initial Injection of the BNT162b2 mRNA Vaccine in a Local Vaccination Center in Germany. 2021 , 9,		6
200	The Impact of Cognitive impairment on Clinical Symptoms, Physical Activity and Care Interactions among Residents in Assisted Living Settings. 2021 , 10547738211040628		
199	Perioperative Considerations for Patients with a Known Diagnosis of Dementia. 2021 , 39, 113-132		
198	Holistic approach to undifferentiated acute severe behavioural disturbance in older emergency department patients. <i>EMA - Emergency Medicine Australasia</i> , 2021 , 33, 1100-1105		1.5
197	Training Staff in Long-Term Care Facilities-Effects on Residents' Symptoms, Psychological Well-Being, and Proxy Satisfaction. <i>Journal of Pain and Symptom Management</i> , 2021 , 62, e4-e12	4.8	2
196	Encyclopedia of Gerontology and Population Aging. 2021 , 1-16		
195	Assessment and Management of Pain in Patients with Dementia. 2021 , 179-200		
194	Pain in Older Persons: A Brief Clinical Guide. 309-318		0
193	Pain in Dementia. 2017 , 77-87		3
192	Pain in Dementia. 2019 , 311-320		1
191	Palliativmedizin in der geriatrischen Onkologie. 2018 , 137-154		1
190	Schmerzmessung und Schmerztherapie im Alter. 2013 , 341-360		1
189	[Analgesia for trauma patients in emergency medicine]. 2020 , 69, 137-148		5
188	The Measurement of Pain. 2011 , 191-201		1
187	Last Hours of Living. 2011 , 319-342		4

186	Last Hours of Living. 2007 , 267-293		2
185	Pain Assessment and Treatment Challenges in Patients with Dementia 1This article is a modified version of the article "Pain in patients with dementia: An overview of pain assessment and treatment challenges" that will be printed in the Journal of Norsk Epidemiologi.. 2012 , 23, 237-246		14
184	Sequential Pilot Trials of Aliviado Dementia Care to Inform an Embedded Pragmatic Clinical Trial. 2020 ,		5
183	The psychometric properties, feasibility and utility of behavioural-observation methods in pain assessment of cognitively impaired elderly people in acute and long-term care: A systematic review. 2012 , 10, 977-1085		6
182	Development of a senior-specific, citizen-oriented healthcare service system in South Korea based on the Canadian 48/6 model of care. <i>BMC Geriatrics</i> , 2020 , 20, 32	4.1	6
181	Factors associated with self and informant ratings of the quality of life of people with dementia living in care facilities: a cross sectional study. 2010 , 5, e15621		81
180	Can Wound Exudate from Venous Leg Ulcers Measure Wound Pain Status?: A Pilot Study. 2016 , 11, e0167478		8
179	Head movements and postures as pain behavior. 2018 , 13, e0192767		15
178	Procedural Anxiety, Pain Catastrophizing, and Procedure-Related Pain during EGD and Colonoscopy. 2020 , 113, 8-15		4
177	Pain Assessment in Nonverbal Older Adults with Dementia. 2013 , 16, 145-154		3
176	[Multidomain approach in chronic non-specific back pain patient's treatment]. 2020 , 120, 113-120		2
175	Post-operative pain management practices in patients with dementia - the current situation in Finland. 2012 , 6, 71-81		12
174	Neurotechnological assessment of consciousness disorders: five ethical imperatives. 2016 , 18, 155-62		4
173	Evidence and consensus-based German guidelines for the management of analgesia, sedation and delirium in intensive care--short version. 2010 , 8, Doc02		54
172	Evidence and consensus based guideline for the management of delirium, analgesia, and sedation in intensive care medicine. Revision 2015 (DAS-Guideline 2015) - short version. 2015 , 13, Doc19		79
171	The Diagnosis and Treatment of Behavioral Disorders in Dementia. 2017 , 114, 447-454		16
170	A group intervention to improve quality of life for people with advanced dementia living in care homes: the Namaste feasibility cluster RCT. 2020 , 24, 1-140		11
169	Supporting good quality, community-based end-of-life care for people living with dementia: the SEED research programme including feasibility RCT. 2020 , 8, 1-254		2

168	Pain Assessment in Older Adults with Dementia: An Exploratory Pilot Study of Paramedic Students' Perceptions of the Utility of Two Validated Assessment Tools. 2016 , 13,	1
167	Comparison of double pants with single pants on satisfaction with colonoscopy. 2013 , 19, 4177-84	3
166	Clinical guidelines on frailty. 2020 , 11-46	59
165	Clinical guidelines frailty. Part 2. 2020 , 115-130	20
164	The Serial Trial Intervention: an innovative approach to meeting needs of individuals with dementia. 2006 , 32, 18-25; quiz 26-7	61
163	Pain assessment in older adults with dementia: using behavioral observation methods in clinical practice. 2007 , 33, 6-10	32
162	Regulatory components for treating persistent pain in long-term care. 2010 , 36, 49-56	6
161	Pharmacological Approaches for the Management of Persistent Pain in Older Adults: What Nurses Need to Know. 2016 , 42, 49-57	8
160	Use of Body Sensors to Examine Nocturnal Agitation, Sleep, and Urinary Incontinence in Individuals With Alzheimer's Disease. 2018 , 44, 19-26	2
159	Direct observation of behavior: a review of current measures for use with older adults with dementia. 2008 , 1, 52-76	22
158	A Psychometric Analysis Update of Behavioral Pain Assessment Tools for Noncommunicative, Critically Ill Adults. 2019 , 30, 365-387	20
157	Management of osteonecrosis of the femoral head: A novel technique. 2016 , 50, 359-65	15
156	Midazolam premedication for Ketamine-induced emergence phenomenon: A prospective observational study. 2015 , 4, 89-93	24
155	The application of palliative care in dementia. 2019 , 8, 347-351	1
154	The Need for Palliative Care in Pharmacy Education. 2019 , 83, 7410	7
153	Development and Effect of Evidence-based Nursing Practice Guidelines for Pain Management in Patients with Dementia. 2019 , 31, 176	2
152	Non-opiate pharmacotherapy options for the management of pain in older adults. 2015 , 5, 91-101	3
151	Head Movement Dynamics based Pain Detection using Spatio-Temporal Network. 2021 ,	

- 150 Chronic pain in older and senile patients. Clinical guidelines. **2021**, 275-320 2
- 149 Factors Associated With Family Caregiver Burden of Home-Dwelling Patients With Advanced Dementia. *Journal of the American Medical Directors Association*, **2021**, 5-9 0
- 148 Development of an Early Activation Hip Fracture Care Bundle and Implementation Strategy to Improve Adherence to the National Hip Fracture Clinical Care Standard. **2021**, 14, 2891-2903 1
- 147 Factors influencing the quality of life in patients with severe dementia. **2021**,
- 146 Is pijn meten mogelijk bij ouderen met een uitingsbeperking?. **2004**, 72-82
- 145 Case studies in mental health. **2009**, 327-357
- 144 Biopsychosocial model & direct observation of behavior. **2009**, 2, 4-5; author reply 5
- 143 Care of the Dying. **2010**, 838-843
- 142 References. 493-588
- 141 Chapitre 15. Neuropsychologie et douleurs. **2014**, 373
- 140 Palliatieve zorg bij mensen met een dementie. **2014**, 121-131
- 139 Prosthodontic treatment for elderly people with dementia: current perspectives and future prospects. **2014**, 6, 261-265 1
- 138 â I knew My Loved One Was in Painâ **2015**, 21-32
- 137 Pain Evaluation in Patients with Cognitive Impairment. **2015**, 101-121
- 136 Schmerzmanagement bei älteren und kognitiv beeinträchtigten Menschen. **2016**, 45-66
- 135 Schmerzbehandlung bei dementen Menschen. **2016**, 205-214
- 134 Dementia Palliative Care. **2016**, 247-260 1
- 133 Postoperative Schmerztherapie. **2016**, 177-201

- 132 EFFICACY OF TRANSFORAMINAL EPIDURAL STEROID INJECTION IN LUMBOSACRAL RADICULOPATHY. **2016**, 5, 727-731
- 131 Le cancer chez les déficients intellectuels : épidémiologie et prise en charge. **2016**, 200, 589-596
- 130 Schmerzbeurteilung und Schmerzmessmethoden in der Physikalischen Medizin und Rehabilitation. **2017**, 113-126 0
- 129 Pain Management in Older Cancer Patients. **2017**, 1-13
- 128 7i Pijn. **2017**, 280-300
- 127 Geriatric Medicine. **2017**, 339-354
- 126 End-Stage Care of Persons with Alzheimer's Disease. **2017**, 1,
- 125 Palliativmedizin in der geriatrischen Onkologie. **2018**, 1-19
- 124 Pain in Older Adults: Caregiver Challenges. **2018**, 415-429
- 123 Assessing Pain and Unmet Need in Patients with Advanced Dementia: The Role of the Serial Trial Intervention (STI). **2018**, 127-143 1
- 122 When, How, and Why Do We Express Pain?. **2018**, 101-119 1
- 121 Persistent Pain in the Older Adult: Practical Considerations for Evaluation and Management. **2018**, 175-198
- 120 Palliative Care in Residential Settings. **2018**, 1-21 3
- 119 Assessment of Pain: Tools, Challenges, and Special Populations. **2018**, 85-107
- 118 The Turkish Version of Pain Assessment in Advanced Dementia (PAINAD) Scale. **2018**, 55, 271-275 3
- 117 Medicines management for people with dementia. **2018**,
- 116 Dementia. **2019**, 73-87
- 115 Safe and effective management of analgesics in patients presenting to hospital with acute illness. **2018**, 33, 31-37

114 Pain Assessment in Older Adults. **2019**, 13-34

113 Pijn. **2019**, 255-276

112 REPRINTED WITH PERMISSION OF IASP â Pain assessment in advanced dementia. Validity of the German PAINAD â a prospective double-blind randomised placebo-controlled trial. **2019**, 19, 34-49

111 Was das Wohlbefinden stt. **2020**, 127-138

110 Management of Pain Symptoms. **2020**, 523-532

109 Clinical and Research Tools for Pain Assessment. **2020**, 55-65

108 Pain Management in Older Cancer Patients. **2020**, 895-907

107 Palliative and End-of-Life Care. **2020**, 181-192

106 Recognising pain in dementia: what has changed?. *Nursing and Residential Care*, **2020**, 22, 1-5 0.1

105 Dementia-Focused Person-Directed Care Training With Direct Care Workers in Nursing Homes: Effect on Symptom Reduction. **2020**, 46, 7-11

104 Care home residentsâquality of life and its association with CQC ratings and workforce issues: the MiCareHQ mixed-methods study. **2021**, 9, 1-188 1

103 Demenzerkrankungen. **2020**, 295-321

102 Approach to a Geriatric Patient in Pain Clinic. **2020**, 381-396

101 Delivering personal care for people with advanced dementia. **2020**, 32, 18-25 1

100 Treatment of Cancer Pain. **2020**, 636-655

99 Management of Musculoskeletal Pain in Older Adults with Dementia. **2020**, 127-151

98 Encyclopedia of Gerontology and Population Aging. **2020**, 1-16

97 Pain Assessment and Interventions in Later Life. **2020**,

96	Mise au point sur la prise en charge de la douleur chez les patients adultes atteints de dficience intellectuelle. 2020 , 33, 41-48		
95	Partnering to cope with pain: A pilot study of a caregiver-assisted pain coping skills intervention for patients with cognitive impairment and dementia. 1-9		
94	Redefining a minimal assessment protocol for stroke rehabilitation: the new "Protocollo di Minima per l'ICTus" (PMIC2020). 2021 , 57, 669-676		2
93	Study protocol: understanding the pathophysiologic mechanisms underlying delirium in older people undergoing hip fracture surgery. <i>BMC Geriatrics</i> , 2021 , 21, 633	4.1	0
92	Wheelchair Seated Posture and Health Outcomes of Older Veterans in Community Living Centers. 2021 , 46, 52-61		
91	Pain Measurements. 2021 , 173-200		1
90	Supporting people with dementia who mobilise excessively around and outside of the home. 2020 , 30, 36-42		
89	The Association Between Physiological Sources of Pain and Sleep Quality in Older Adults With and Without Dementia. 2020 , 13, 297-308		
88	End-of Life Issues in the Context of Alzheimer's Disease. 2003 , 4, 312-330		13
87	Delirium superimposed on dementia. Assessment and intervention. 2010 , 36, 19-23		5
86	Pain management in the elderly population: a review. 2010 , 10, 179-87		143
85	End-of-life issues in advanced dementia: Part 2: management of poor nutritional intake, dehydration, and pneumonia. 2015 , 61, 337-41		24
84	A comparative study between interlaminar nerve root targeted epidural versus infraneural transforaminal epidural steroids for treatment of intervertebral disc herniation. 2018 , 12, 599-605		0
83	Validation of the Italian version of the Critical Pain Observation Tool in brain-injured critically ill adults. 2017 , 88, 48-54		9
82	Racial Disparities in Care Interactions and Clinical Outcomes in Black Versus White Nursing Home Residents With Dementia. 2021 ,		0
81	Could negative behaviors by patients with dementia be positive communication? Seeking ways to understand and interpret their nonverbal communication. 2021 ,		
80	Virtual reality to promote wellbeing in persons with dementia: A scoping review.. <i>Journal of Rehabilitation and Assistive Technologies Engineering</i> , 2021 , 8, 20556683211053952	1.7	2
79	Encyclopedia of Gerontology and Population Aging. 2021 , 3685-3700		

78	Automated Assessment of Pain: Prospects, Progress, and a Path Forward. 2021 ,		0
77	Automatic Coding of Facial Expressions of Pain: Are We There Yet?. <i>Pain Research and Management</i> , 2022 , 2022, 6635496	2.6	1
76	Oral Care: Focused History and Examination in Patients with Serious Illness #430.. <i>Journal of Palliative Medicine</i> , 2022 , 25, 158-159	2.2	
75	Processes: Implementing Protocols and Policies. 2022 , 63-87		
74	Virtual reality and well-being in older adults: Results from a pilot implementation of virtual reality in long-term care.. <i>Journal of Rehabilitation and Assistive Technologies Engineering</i> , 2022 , 9, 20556683211072384	1.7	3
73	Screening and Assessment for Psychological Distress among Burn Survivors. <i>European Journal of Burn Care</i> , 2022 , 3, 57-88	0	1
72	Virtual Reality for Veteran Relaxation: Can VR Therapy Help Veterans Living With Dementia Who Exhibit Responsive Behaviors?. <i>Frontiers in Virtual Reality</i> , 2022 , 2,	3	0
71	Perioperative Pain Management Issues Unique to Older Adults Undergoing Surgery: A Narrative Review. <i>Annals of Surgery Open</i> , 2021 , 2,	1	
70	Cognitive Impairment in Older Adults with Cancer and Frailty. 2022 , 57-70		
69	Implementation of a Virtual Reality recreation program in long-term care.. <i>Journal of Rehabilitation and Assistive Technologies Engineering</i> , 2022 , 9, 20556683211070994	1.7	0
68	Do difficulties in emotional processing predict procedure pain and shape the patient's colonoscopy experience?. <i>BMJ Open</i> , 2022 , 12, e050544	3	
67	Pain in Persons with Disorders of Consciousness.. <i>Brain Sciences</i> , 2022 , 12,	3.4	0
66	Profile of Patients with Dementia or Cognitive Impairment Hospitalized with a Proximal Femur Fracture Requiring Surgery.. <i>International Journal of Environmental Research and Public Health</i> , 2022 , 19,	4.6	1
65	Resistance to care in people with dementia: challenges, responsibilities and unmet need. <i>Nursing and Residential Care</i> , 2022 , 24, 1-11	0.1	
64	Quality of end-of-life in cancer patients with dementia: using a nationwide inpatient database.. <i>Journal of Pain and Symptom Management</i> , 2022 ,	4.8	0
63	Behaviour-directed interventions for problematic person transfer situations in two dementia care dyads: a single-case design study.. <i>BMC Geriatrics</i> , 2022 , 22, 261	4.1	0
62	Testing Function Focused Care for Acute Care using the Evidence Integration Triangle: Protocol description.. <i>Research in Nursing and Health</i> , 2022 ,	2	3
61	A bitter pill to swallow - Polypharmacy and psychotropic treatment in people with advanced dementia.. <i>BMC Geriatrics</i> , 2022 , 22, 214	4.1	1

60 Pain in older adults: a brief clinical guide. **2022**, 419-431

59	Opioids in the Elderly Patients with Cognitive Impairment: A Narrative Review.. <i>Pain and Therapy</i> , 2022 , 1	3.6	0
58	Perioperative Pain Management Issues Unique to Older Adults Undergoing Surgery. <i>Annals of Surgery Open</i> , 2021 , 2, e072	1	1
57	Translation, Cross-Cultural Adaptation, and Validation of the Portuguese Version of the Rotterdam Elderly Pain Observation Scale.. <i>Dementia and Geriatric Cognitive Disorders Extra</i> , 2021 , 11, 314-323	2.5	
56	Computer mediated automatic detection of pain-related behavior: prospect, progress, perils.. <i>Frontiers in Pain Research</i> , 2021 , 2,	1.4	0
55	Invariance of the PAINAD Scale Between the Black and White Residents Living With Dementia.. <i>Frontiers in Pain Research</i> , 2021 , 2, 757654	1.4	1
54	The pain in the Emergency Department: Choosing and treating wisely before and during the COVID-19 era. <i>Emergency Care Journal</i> , 2021 , 17,	1.2	
53	Pain Management in Oncology. 2022 , 333-373		
52	Successful Dose Titration to Cancer Pain by Continuous Subcutaneous Injection of Hydromorphone Hydrochloride: A Retrospective Analysis. <i>Palliative Care Research</i> , 2022 , 17, 43-49	0.1	0
51	Schmerzmanagement bei älteren und kognitiv beeinträchtigten Menschen. 2022 , 53-78		
50	Development, evaluation, and implementation of an online pain assessment training program for staff in rural long-term care facilities: a case series approach.. <i>BMC Geriatrics</i> , 2022 , 22, 336	4.1	1
49	Documented nursing practices of pain assessment and management when communicating about pain in dementia care.. <i>Journal of Advanced Nursing</i> , 2022 ,	3.1	
48	Characteristics of elderspeak communication in hospital dementia care: Findings from the nurse talk observational study. <i>International Journal of Nursing Studies</i> , 2022 , 104259	5.8	0
47	Organisation und Durchführung der Schmerztherapie in deutschen Notaufnahmen –eine Onlineumfrage. <i>Notfall Und Rettungsmedizin</i> ,	0.4	
46	Clinical and genetic correlations of scoliosis in Rett syndrome.. <i>European Spine Journal</i> , 2022 ,	2.7	
45	Responsive Behaviors and Pain Management in Hospital Dementia Care: A Before and After Comparison of the “Serial Trial Intervention” <i>Frontiers in Pain Research</i> , 2022 , 3,	1.4	
44	Conducting holistic pain assessments in patients with cancer-related pain. <i>Cancer Nursing Practice</i> , 2022 , 21, 34-41	0.6	
43	Life-Space Mobility in Aged Care Residents: Frailty in Residential Aged Care Sector Over Time Study Findings. <i>Journal of the American Medical Directors Association</i> , 2022 ,	5.9	

42	Measurement of clinical outcomes in pain medicine. <i>Anaesthesia and Intensive Care Medicine</i> , 2022 ,	0.3
41	Elderspeak communication and pain severity as modifiable factors to rejection of care in hospital dementia care. <i>Journal of the American Geriatrics Society</i> ,	5.6
40	Pericapsular nerve group block for hip fracture is feasible, safe and effective in the emergency department: A prospective observational comparative cohort study. <i>EMA - Emergency Medicine Australasia</i> ,	1.5
39	Pain, Opioid Analgesics, and Cognition: A Conceptual Framework in Older Adults.	0
38	End-of-life and hospice care for neurologic illness. 2022 , 195-215	0
37	Factors Associated With Sleep Quality in Hospitalized Persons With Dementia. 2022 , 36, 253-258	0
36	Prevalence and Factors Associated with Pain in Nursing Home Residents: A Systematic Review of the Literature. 2022 ,	0
35	Pain in Rett syndrome: a pilot study and a single case study on the assessment of pain and the construction of a suitable measuring scale. 2022 , 17,	0
34	Psychometrics of the Physical Resilience Scale in Older Adults Living with Dementia: Proxy Responses. 089826432211308	0
33	Classification of elderly pain severity from automated video clip facial action unit analysis: A study from a Thai data repository. 5,	0
32	Eficácia e Segurança de Regorafenibe em Pacientes com Características de Bom Prognóstico no Tratamento do Câncer Colorretal Metastático: Análise de Subgrupo do Estudo CORRECT. 2022 , 68,	0
31	Behavior-based pain scales: Validity and interrater reliability of BPS-NI and PAINAD-G on general wards.	1
30	Pain Assessment for Patients Unable to Self-Report for Pain. 2022 , 40, 350-350	0
29	Psychometric evaluation of the Pain Assessment in Advanced Dementia scale in an acute general hospital setting. 2022 , 37,	0
28	Dementia Care at the End of Life: A Clinically Focused Review. 2022 ,	0
27	Nurses' perspectives of pain assessment and management in dementia care in hospital.	0
26	Assessing Pain in Older Adults. 2022 , 122, 42-48	0
25	Chronic pain management in the home setting. 2023 , 185-237	0

- 24 Manejo das demências em fase avançada: recomendações do Departamento Científico de Neurologia Cognitiva e do Envelhecimento da Academia Brasileira de Neurologia. **2022**, 16, 101-120 ○
- 23 Management in severe dementia: recommendations of the Scientific Department of Cognitive Neurology and Aging of the Brazilian Academy of Neurology. **2022**, 16, 101-120 ○
- 22 New guidelines for the perioperative care of people living with frailty undergoing elective and emergency surgery—a commentary. **2022**, 51, ○
- 21 Gender differences in interactions and depressive symptoms among hospitalized older patients living with dementia. 1-11 ○
- 20 Defining numerical cut points for mild, moderate, and severe pain in adult burn survivors: A northwest regional burn model system investigation. **2022**, ○
- 19 Providing person-centred dementia care on general hospital wards. ○
- 18 Acute Pain Management Pearls: A Focused Review for the Hospital Clinician. **2023**, 11, 34 ○
- 17 Cancer care for people with dementia: Literature overview and recommendations for practice and research. ○
- 16 Pressure ulcers in hospital patients: incidence and risk factors. **2023**, 32, 29-34 1
- 15 Palliative care for people with dementia. **2023**, 81-105 ○
- 14 Pain Interventions for people with dementia: a quasi-experimental study. **2022**, 21, ○
- 13 Platelet Membrane Proteins as Pain Biomarkers in Patients with Severe Dementia. **2023**, 11, 380 ○
- 12 A Descriptive Study of Treatment of Pain in Acute Care for Patients Living With Dementia. **2023**, ○
- 11 The association of physical activity and behavioral and psychological symptoms among a sample of hospitalized older adults living with dementia. **2023**, 38, ○
- 10 Pain assessment and management for people with dementia in the community. **2023**, 38, 64-68 ○
- 9 Factitious Disorder Imposed on Another in Palliative Care: A Case Report. ○
- 8 Validation of the PAINAD-K Scale for Nonverbal Pain Assessment in the Post Anesthesia Care Unit. **2023**, 30, 90-101 ○
- 7 Delirium and Behavioral Symptoms in Persons With Dementia at Hospital Admission. Publish Ahead of Print, ○

- 6 Reliable assessment of pain behaviour in adults with profound intellectual and multiple disabilities: The development of an instruction protocol. **2023**, 36, 653-663
- 5 Assessment and management of pain/nociception in patients with disorders of consciousness or locked-in syndrome: A narrative review. 17,
- 4 Dementia and comorbid cancer: challenges and implications for nursing practice.
- 3 Pharmacologic Pain Management: What Radiation Oncologists Should Know. **2023**, 33, 93-103
- 2 The Association of Cognitive Impairment With Depressive Symptoms, Function, and Pain in Hospitalized Older Patients With Dementia. 073346482311684
- 1 Identifying Residents Who May Benefit from an Analgesic Review: Applying Analgesic Indicators in Residential Aged Care Services. **2023**, 40, 449-459