

CITATION REPORT

List of articles citing

The prevalence and etiology of elevated aminotransferase levels in the United States

DOI: 10.1111/j.1572-0241.2003.07486.x

American Journal of Gastroenterology, 2003, 98, 960-7.

Source: <https://exaly.com/paper-pdf/35837545/citation-report.pdf>

Version: 2024-04-25

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
1094	The significance of differences in fatty acid metabolism between obese and non-obese patients with non-alcoholic fatty liver disease. 1998 , 22, 663		3
1093	Cost-effective, risk-free, evidence-based medicine. 2003 , 163, 2795; author reply 2795-6		11
1092	Elevated AST or ALT to nonalcoholic fatty liver disease: accurate predictor of disease prevalence?. <i>American Journal of Gastroenterology</i> , 2003 , 98, 955-6	0.7	62
1091	. 2004 ,		7
1090	Clinical aspects of fatty liver disease. 2004 , 24, 349-62		57
1089	Nonalcoholic steatohepatitis. 2004 , 24, 3-20		338
1088	Hepatitis C and nonalcoholic fatty liver disease. 2004 , 24, 399-413		77
1087	beta-cell function in obesity: effects of weight loss. 2004 , 53 Suppl 3, S26-33		101
1086	Liver function tests: defining what's normal. 2004 , 328, 987		4
1085	Evaluation of abnormal liver-enzyme results in asymptomatic patients. 2004 , 59, 285-9		13
1084	Circulating soluble CD14 monocyte receptor is associated with increased alanine aminotransferase. 2004 , 50, 1456-8		9
1083	Elevations in markers of liver injury and risk of type 2 diabetes: the insulin resistance atherosclerosis study. 2004 , 53, 2623-32		277
1082	Metabolic syndrome and ALT: a community study in adult Koreans. 2004 , 28, 1033-8		39
1081	Liver damage in severely obese patients: a clinical-biochemical-morphologic study on 1,000 liver biopsies. 2004 , 14, 952-8		64
1080	Approach to the pathogenesis and treatment of nonalcoholic steatohepatitis. 2004 , 27, 2057-66		157
1079	Women and men have similar amounts of liver and intra-abdominal fat, despite more subcutaneous fat in women: implications for sex differences in markers of cardiovascular risk. 2004 , 47, 1360-9		232
1078	Oval cells compensate for damage and replicative senescence of mature hepatocytes in mice with fatty liver disease. 2004 , 39, 403-11		124

1077	Prevalence of hepatic steatosis in an urban population in the United States: impact of ethnicity. 2004 , 40, 1387-95	2757
1076	Non-alcoholic fatty liver disease/non-alcoholic steatohepatitis (NAFLD/NASH): diagnosis and clinical course. 2004 , 18, 1089-104	58
1075	Prevention and treatment of the metabolic syndrome. 2004 , 55, 589-612	109
1074	A pilot study of vitamin E versus vitamin E and pioglitazone for the treatment of nonalcoholic steatohepatitis. 2004 , 2, 1107-15	331
1073	Epidemiology of nonalcoholic fatty liver. 2004 , 8, 501-19, vii	131
1072	Lipid metabolism in hepatic steatosis. 2004 , 8, 639-71, xi	88
1071	Thiazolidinediones. 2004 , 351, 1106-18	1697
1070	Nonalcoholic fatty liver disease: a review of current understanding and future impact. 2004 , 2, 1048-58	294
1069	Non-alcoholic steatohepatitis in patients cared in metabolic units. 2004 , 63, 143-51	18
1068	Silent non-alcoholic fatty liver disease-a clinical-histological study. 2004 , 41, 751-7	129
1067	Non-alcoholic fatty liver disease/non-alcoholic steatohepatitis (NAFLD/NASH): diagnosis and clinical course. 2004 , 18, 1089-1104	3
1066	The epidemiology of fatty liver. 2004 , 16, 1087-93	94
1065	HEPATITIS C AND STEATOSIS: DOES FAT MATTER?. 2004 , 5, 30-31	
1064	Evaluation and management of non-alcoholic steatohepatitis. 2004 , 16, 1117-22	8
1063	Non-alcoholic steatohepatitis. 2004 , 16, 1079-85	45
1062	Relationship between unexplained elevations in alanine aminotransferase and serum leptin in U.S. adults: results from the Third National Health and Nutrition Examination Survey (NHANES III). 2004 , 38, 891-7	14
1061	Practical Approach to the Diagnosis and Management of People With Fatty Liver Diseases. 181-193	
1060	The Epidemiology and Risk Factors of NASH. 23-37	10

1059	Nonalcoholic steatohepatitis and the metabolic syndrome. 2005 , 330, 326-35		144
1058	Unexplained elevations in alanine aminotransferase in individuals with the metabolic syndrome: results from the third National Health and Nutrition Survey (NHANES III). 2005 , 329, 111-6		134
1057	Relation between elevated serum alanine aminotransferase and metabolic syndrome in Korean adolescents. 2005 , 82, 1046-51		149
1056	Type 2 diabetes in children is frequently associated with elevated alanine aminotransferase. 2005 , 41, 94-8		101
1055	Proposal for a histological scoring and grading system for non-alcoholic fatty liver disease. <i>Liver International</i> , 2005 , 25, 294-304	7.9	41
1054	Fatty liver and the metabolic syndrome among Shanghai adults. 2005 , 20, 1825-32		139
1053	Body mass index and waist circumference in non-alcoholic fatty liver disease. 2005 , 18, 365-70		67
1052	Review article: type 2 diabetes and chronic liver disease in the Verona diabetes study. 2005 , 22 Suppl 2, 24-7		75
1051	Review article: the treatment of non-alcoholic steatohepatitis with thiazolidinediones. 2005 , 22, 897-905		31
1050	Roux-en-Y gastric bypass improves liver histology in patients with non-alcoholic fatty liver disease. 2005 , 13, 1180-6		139
1049	Bright liver and alanine aminotransferase are associated with metabolic syndrome in adults. 2005 , 13, 1238-45		32
1048	Chronological development of elevated aminotransferases in a nonalcoholic population. 2005 , 41, 64-71		149
1047	Progress in understanding the pathogenesis of nonalcoholic fatty liver disease. 2005 , 41, 204-6		6
1046	Prevalence and etiology of altered liver tests: a population-based survey in a Mediterranean town. 2005 , 41, 1151-9		136
1045	Design and validation of a histological scoring system for nonalcoholic fatty liver disease. 2005 , 41, 1313-21		6503
1044	Endothelial dysfunction and cardiovascular risk profile in nonalcoholic fatty liver disease. 2005 , 42, 473-80		469
1043	Insulin resistance in non-diabetic patients with non-alcoholic fatty liver disease: sites and mechanisms. 2005 , 48, 634-42		510
1042	Obesity and NASH in Japan. 2005 , 33, 83-6		13

1041	Hypertransaminasemia in childhood as a marker of genetic liver disorders. 2005 , 40, 820-6	49
1040	Nonalcoholic fatty liver disease: a clinical review. 2005 , 50, 171-80	200
1039	The diagnostic value of biomarkers (SteatoTest) for the prediction of liver steatosis. 2005 , 4, 10	227
1038	Effect of Chitin-Chitosan Treatment on Fatty Liver in Rats with a High Fat Diet. 2005 , 37, 87-94	2
1037	[The patient with slightly increased liver function tests]. 2005 , 94, 139-43	2
1036	The Liver in Metabolic Syndrome. 2005 , 98, 336-336	
1035	A community-based epidemiological study of elevated serum alanine aminotransferase levels in Kinmen, Taiwan. 2005 , 11, 1616-22	20
1034	Omega-3 fatty acid supplementation prevents hepatic steatosis in a murine model of nonalcoholic fatty liver disease. 2005 , 57, 445-52	167
1033	Fenofibrate: metabolic and pleiotropic effects. 2005 , 3, 87-98	53
1032	Liver enzymes, fatty liver and type 2 diabetes. 2005 , 42, 167-9	2
1031	Iron in nonhemochromatotic liver disorders. 2005 , 25, 461-72	100
1030	Nonalcoholic fatty liver disease: a review. 2005 , 10, 661-70	1
1029	Nonalcoholic fatty liver disease. 2005 , 172, 899-905	364
1028	Cytokines and the pathogenesis of non-alcoholic steatohepatitis. 2005 , 54, 303-6	157
1027	Immune response towards lipid peroxidation products as a predictor of progression of non-alcoholic fatty liver disease to advanced fibrosis. 2005 , 54, 987-93	149
1026	Hypoadiponectinemia predicts the severity of hepatic fibrosis and pancreatic Beta-cell dysfunction in nondiabetic nonobese patients with nonalcoholic steatohepatitis. <i>American Journal of Gastroenterology</i> , 2005 , 100, 2438-46	0.7 171
1025	Plasma adiponectin in nonalcoholic fatty liver is related to hepatic insulin resistance and hepatic fat content, not to liver disease severity. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2005 , 90, 3498-504	56 322
1024	Non-alcoholic fatty liver disease in young adult severely obese non-diabetic patients in South Italy. 2005 , 49, 289-95	59

1023	Magnetic resonance spectroscopy to measure hepatic triglyceride content: prevalence of hepatic steatosis in the general population. 2005 , 288, E462-8	1132
1022	Influence of gender, race, and ethnicity on suspected fatty liver in obese adolescents. 2005 , 115, e561-5	274
1021	Elevated serum aminotransferase level as a predictor of intracerebral hemorrhage: Korea medical insurance corporation study. 2005 , 36, 1642-7	42
1020	The liver in metabolic syndrome. 2005 , 98, 336	
1019	Insulin resistance in HIV-infected men and women in the nutrition for healthy living cohort. 2005 , 40, 202-11	23
1018	Association between elevated liver enzymes and C-reactive protein: possible hepatic contribution to systemic inflammation in the metabolic syndrome. 2005 , 25, 193-7	179
1017	Nonalcoholic steatohepatitis: pathologic features and differential diagnosis. 2005 , 22, 330-8	77
1016	La stéatohépatite non alcoolique. 2005 , 66, 71-80	3
1015	Approach to the diagnosis and treatment of nonalcoholic fatty liver disease. 2005 , 9, 617-34, vi	26
1014	Hepatic complications of obesity. 2005 , 34, 45-61	23
1013	Non-alcoholic Fatty liver disease and malignancy as complications of insulin resistance. 2005 , 3, 316-27	2
1012	Liver markers and development of the metabolic syndrome: the insulin resistance atherosclerosis study. 2005 , 54, 3140-7	329
1011	Is liver disease a threat to patients with metabolic disorders?. 2005 , 37, 333-46	22
1010	Aminotransferase and gamma-glutamyltranspeptidase levels in obesity are associated with insulin resistance and the metabolic syndrome. 2005 , 28, 333-9	112
1009	Dietary fat content modifies liver fat in overweight nondiabetic subjects. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2005 , 90, 2804-9	5.6 280
1008	The histological course of nonalcoholic fatty liver disease: a longitudinal study of 103 patients with sequential liver biopsies. 2005 , 42, 132-8	680
1007	Evaluation and management of non-alcoholic steatohepatitis. 2005 , 42 Suppl, S2-12	64
1006	NASH: a hidden and silent fibroser finally revealed?. 2005 , 42, 12-4	23

1005	Prevalence of and risk factors for fatty liver in a general population of Shanghai, China. 2005 , 43, 508-14	296
1004	Effect of changes on body weight and lifestyle in nonalcoholic fatty liver disease. 2005 , 43, 1060-6	234
1003	Metabolic, hormonal, oxidative, and inflammatory factors in pediatric obesity-related liver disease. 2005 , 147, 62-6	61
1002	The roles of leptin and adiponectin: a novel paradigm in adipocytokine regulation of liver fibrosis and stellate cell biology. 2005 , 166, 1655-69	200
1001	Contribution of metabolic factors to alanine aminotransferase activity in persons with other causes of liver disease. 2005 , 128, 627-35	63
1000	Natural history of NAFLD: remarkably benign in the absence of cirrhosis. 2005 , 129, 375-8	123
999	Fat in the liver and insulin resistance. 2005 , 37, 347-56	202
998	The association between increased alanine aminotransferase activity and metabolic factors in nonalcoholic fatty liver disease. 2006 , 55, 1604-9	93
997	La estenosis hepática está asociada con la arteriosclerosis carotídea. Un estudio caso-control [Nonalcoholic Fatty Liver disease is associated with carotid atherosclerosis], A. Brea, D. Mosquera, E. Martí, A. Arizti, J.L. Cordero, E. Ros, in: <i>Arterioscl Thromb Vasc Biol</i> , 25 (2005), pp. 1045-1050. 2006 , 18, 113-114	
996	Is hyperuricemia another facet of the metabolic syndrome?. 2006 , 69, 104-9	21
995	Hispanic male health disparities. 2006 , 33, 45-60, viii	4
994	Liver diseases in the hemochromatosis and iron overload screening study. 2006 , 4, 918-23; quiz 807	48
993	[Epidemiology and natural history of primary nonalcoholic fatty liver disease]. 2006 , 29, 244-54	6
992	Mechanisms underlying nonalcoholic steatohepatitis. 2006 , 3, 479-488	8
991	Versicherungsmedizinische Risikobeurteilung von pathologischen Leberwerten und aktuellen Entwicklungen bei der chronischen Hepatitis. 2006 , 95, 319-331	
990	The prevalence and predictors of elevated serum aminotransferase activity in the United States in 1999-2002. <i>American Journal of Gastroenterology</i> , 2006 , 101, 76-82	0.7 244
989	Platelet counts differ by sex, ethnicity, and age in the United States. 2006 , 16, 123-30	156
988	The Pregnancy in Polycystic Ovary Syndrome study: baseline characteristics of the randomized cohort including racial effects. 2006 , 86, 914-33	85

987	Hyperglycemia among persons with hepatitis C: not the classical diabetic phenotype. 2006 , 71, 68-74	16
986	Non-alcoholic steatohepatitis: from cell biology to clinical practice. 2006 , 44, 197-208	152
985	'Endocrine NAFLD' a hormonocentric perspective of nonalcoholic fatty liver disease pathogenesis. 2006 , 44, 1196-207	97
984	Normal serum aminotransferase levels and the metabolic syndrome: Korean National Health and Nutrition Examination Surveys. 2006 , 47, 542-50	27
983	Prevalence and risk factors of nonalcoholic fatty liver disease in an adult population of taiwan: metabolic significance of nonalcoholic fatty liver disease in nonobese adults. 2006 , 40, 745-52	215
982	Oxidant stress and antioxidant status among patients with nonalcoholic fatty liver disease (NAFLD). 2006 , 40, 930-5	114
981	Altered hepatic expression of SREBP-1 and PPARGgamma is associated with liver injury in insulin-resistant lipodystrophic HIV-infected patients. 2006 , 20, 387-95	78
980	Prevalence and risk factors of non-alcoholic fatty liver disease among Korean adults. 2006 , 21, 138-43	283
979	Effect of exercise and dietary modification on serum aminotransferase levels in patients with nonalcoholic steatohepatitis. 2006 , 21, 191-8	154
978	PPAR agonists treatment is effective in a nonalcoholic fatty liver disease animal model by modulating fatty-acid metabolic enzymes. 2008 , 23, 102-9	75
977	Pathogenesis of nonalcoholic steatohepatitis (NASH). 2006 , 7, 7-11	18
976	Useful parameters for distinguishing nonalcoholic steatohepatitis with mild steatosis from cryptogenic chronic hepatitis in the Japanese population. <i>Liver International</i> , 2006 , 26, 956-63	7.9 24
975	Nuclear receptors in lipid metabolism: targeting the heart of dyslipidemia. 2006 , 57, 313-29	184
974	Nonalcoholic fatty liver disease and HIV infection. 2006 , 3, 113-7	7
973	Alanine aminotransferase as a marker of non-alcoholic fatty liver disease in relation to type 2 diabetes mellitus and cardiovascular disease. 2006 , 22, 437-43	239
972	Exendin-4, a glucagon-like protein-1 (GLP-1) receptor agonist, reverses hepatic steatosis in ob/ob mice. 2006 , 43, 173-81	551
971	Similarities and differences in outcomes of cirrhosis due to nonalcoholic steatohepatitis and hepatitis C. 2006 , 43, 682-9	381
970	Elevated serum alanine aminotransferase activity and calculated risk of coronary heart disease in the United States. 2006 , 43, 1145-51	178

969	Statins and hepatic steatosis: perspectives from the Dallas Heart Study. 2006 , 44, 466-71		133
968	Long-term follow-up of patients with NAFLD and elevated liver enzymes. 2006 , 44, 865-73		1699
967	Nonalcoholic fatty liver disease and liver transplantation. 2006 , 12, 523-34		108
966	Nonalcoholic steatohepatitis and nonalcoholic Fatty liver disease in young women with polycystic ovary syndrome. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2006 , 91, 1741-7	5.6	174
965	Low prevalence of chronic hepatitis C, but high prevalence of elevated aminotransferases in a cohort of 2026 patients referred for orthopaedic surgery in the eastern part of Germany. <i>Zeitschrift Fur Gastroenterologie</i> , 2006 , 44, 11-4	1.6	12
964	Serum alanine aminotransferase is associated with serum adiponectin, C-reactive protein and apolipoprotein B in young healthy men. 2006 , 38, 119-24		16
963	Serum gamma-glutamyl transpeptidase is a determinant of insulin resistance independently of adiposity in Pima Indian children. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2006 , 91, 1419-22	5.6	49
962	Inhibition of matrix metalloproteinases increases PPAR-alpha and IL-6 and prevents dietary-induced hepatic steatosis and injury in a murine model. 2006 , 291, G1011-9		25
961	Lipid metabolism and liver inflammation. I. Hepatic fatty acid uptake: possible role in steatosis. 2006 , 290, G194-8		228
960	Metabolic syndrome is associated with greater histologic severity, higher carbohydrate, and lower fat diet in patients with NAFLD. <i>American Journal of Gastroenterology</i> , 2006 , 101, 2247-53	0.7	155
959	Gamma-glutamyl transferase: another biomarker for metabolic syndrome and cardiovascular risk. 2007 , 27, 4-7		52
958	The significance of isolated elevation of serum aminotransferases in infants and young children. 2007 , 92, 1109-12		21
957	Non-alcoholic fatty liver disease: the new epidemic and the need for novel nutritional approaches. 2007 , 10, 563-5		9
956	Insulin resistance, adipocyte biology, and thiazolidinediones: a review. 2007 , 5, 103-15		7
955	Alanine aminotransferase and directly measured insulin sensitivity in a multiethnic cohort: the Insulin Resistance Atherosclerosis Study. 2007 , 30, 1819-27		74
954	Re-evaluation of fatty acid metabolism-related gene expression in nonalcoholic fatty liver disease. 2007 , 20, 351		48
953	Total and high molecular weight but not trimeric or hexameric forms of adiponectin correlate with markers of the metabolic syndrome and liver injury in Thai subjects. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2007 , 92, 4313-8	5.6	70
952	Relationship of liver enzymes to insulin sensitivity and intra-abdominal fat. 2007 , 30, 2673-8		41

951	Laboratory Assessment of Liver Function and Injury in Children. 163-176	
950	High prevalence of elevated liver enzymes in blood donors: associations with male gender and central adiposity. 2007 , 19, 281-7	42
949	Liver-Related Complications in HIV-Infected Individuals. 2007 , 15, 38-48	
948	Aminotransferase activity in morbid and uncomplicated obesity: predictive role of fasting insulin. 2007 , 17, 442-7	19
947	Non-alcoholic fatty liver disease (NAFLD) and cardiovascular disease: an open question. 2007 , 17, 684-98	56
946	Evaluation and management of obesity-related nonalcoholic fatty liver disease. 2007 , 4, 432-41	74
945	Nonalcoholic fatty liver disease. 2007 , 17, 863-9	229
944	Association of a polychlorinated dibenzo-p-dioxin, a polychlorinated biphenyl, and DDT with diabetes in the 1999-2002 National Health and Nutrition Examination Survey. 2007 , 103, 413-8	131
943	Cytokines and chronic liver disease. 2007 , 18, 143-57	27
942	Statins in non-alcoholic fatty liver disease and chronically elevated liver enzymes: a histopathological follow-up study. 2007 , 47, 135-41	211
941	Association between abnormal liver function and risk factors for metabolic syndrome among freshmen. 2007 , 41, 132-7	13
940	Esteatosis hepática. 2007 , 14, 230-235	
939	Combination of N-acetylcysteine and metformin improves histological steatosis and fibrosis in patients with non-alcoholic steatohepatitis. 2008 , 38, 159-65	75
938	Prevalence of nonalcoholic fatty liver disease and its association with cardiovascular disease among type 2 diabetic patients. 2007 , 30, 1212-8	709
937	Higher concentrations of alanine aminotransferase within the reference interval predict nonalcoholic fatty liver disease. 2007 , 53, 686-92	164
936	Role of radiologic modalities in the management of non-alcoholic steatohepatitis. 2007 , 11, 37-54, viii	153
935	Liver Immunology. 2007 ,	4
934	Nonalcoholic fatty liver disease as a complication of insulin resistance. 2007 , 91, 1125-49, ix	117

933	Epidemiology and natural history of NAFLD and NASH. 2007 , 11, 1-16, vii	334
932	Liver fat: effect of hepatic iron deposition on evaluation with opposed-phase MR imaging. 2007 , 242, 450-5	134
931	Metabolic conditions of fatty liver in non-diabetic obese women. 2007 , 30, 672-6	1
930	Body fat distribution and insulin resistance: beyond obesity in nonalcoholic fatty liver disease among overweight men. 2007 , 26, 321-6	47
929	Prevalence of nonalcoholic fatty liver disease in women with polycystic ovary syndrome. 2007 , 5, 496-501	126
928	Obesity management. 2007 , 36, 191-210, viii	9
927	Persistent elevation of liver function enzymes within the reference range is associated with increased cardiovascular risk in young adults: the Bogalusa Heart Study. 2007 , 56, 792-8	52
926	Family history of coronary heart disease is associated with a higher incidence of nonalcoholic fatty liver disease: Central obesity the likely link. 2007 , 1, I-II	3
925	Reduction of hepatosteatosis and lipid levels by an adipose differentiation-related protein antisense oligonucleotide. 2007 , 132, 1947-54	127
924	The epidemiology of obesity. 2007 , 132, 2087-102	1101
923	Abnormal lipid and glucose metabolism in obesity: implications for nonalcoholic fatty liver disease. 2007 , 132, 2191-207	242
922	Prevalence of elevated alanine aminotransferase among US adolescents and associated factors: NHANES 1999-2004. 2007 , 133, 1814-20	263
921	Cytokines in Liver Diseases. 371-389	15
920	Association between nonalcoholic hepatic steatosis and hepatic cytochrome P-450 3A activity. 2007 , 5, 388-93	60
919	. 2007 ,	2
918	Role of Immune Response in Nonalcoholic Fatty Liver Disease. 2007 , 337-345	
917	The effects of discontinuing pioglitazone in patients with nonalcoholic steatohepatitis. 2007 , 46, 424-9	193
916	HFE C282Y mutations are associated with advanced hepatic fibrosis in Caucasians with nonalcoholic steatohepatitis. 2007 , 46, 723-9	94

915	A high-fat diet and regulatory T cells influence susceptibility to endotoxin-induced liver injury. 2007 , 46, 1519-29		129
914	Nonalcoholic fatty liver disease: predisposing factors and the role of nutrition. 2007 , 18, 184-95		211
913	Prevalence and factors associated with the presence of non alcoholic fatty liver disease in an apparently healthy adult population in primary care units. 2007 , 7, 41		30
912	Non-alcoholic fatty liver disease: more than 'just a bit of fatty liver' 2007 , 24, 305-308		1
911	Predictors of non-alcoholic fatty liver disease in obese children. 2007 , 61, 877-83		134
910	Pathology of fatty liver disease. 2007 , 20 Suppl 1, S40-8		153
909	Increased serum gamma-glutamyl-transpeptidase concentration is associated with nonalcoholic steatosis and not with cholestasis in patients with chronic hepatitis C. 2007 , 22, 1621-6		10
908	Non-alcoholic fatty liver disease: further expression of the metabolic syndrome. 2007 , 22, 293-303		123
907	The importance of metabolic factors for the increasing prevalence of fatty liver in Shanghai factory workers. 2007 , 22, 663-8		33
906	Ectopic fat accumulation and metabolic syndrome. 2007 , 9, 1-10		105
905	How common is non-alcoholic fatty liver disease in the Asia-Pacific region and are there local differences?. 2007 , 22, 788-93		274
904	Open-label pilot study of folic acid in patients with nonalcoholic steatohepatitis. <i>Liver International</i> , 2007 , 27, 220-6	7.9	14
903	Liver: an alarm for the heart?. <i>Liver International</i> , 2007 , 27, 891-4	7.9	64
902	Aminotransferases are associated with insulin resistance and atherosclerosis in rheumatoid arthritis. 2007 , 7, 31		10
901	Monitoring liver safety in drug development: the GSK experience. 2007 , 49, 90-100		18
900	Non-alcoholic fatty liver disease. 2007 , 35, 86-88		11
899	[Metabolic fatty liver diseases: hepatic consequences of the metabolic syndrome]. 2007 , 31, 1127-34		2
898	Hepatic glycogenesis: an underrecognized source of abnormal liver function tests?. 2007 , 52, 936-8		20

897	Serum leptin levels, hepatic leptin receptor transcription, and clinical predictors of non-alcoholic steatohepatitis in obese bariatric surgery patients. 2007 , 21, 1593-9	27
896	Assessment of lipid, hepatic, and thyroid parameters with serum perfluorooctanoate (PFOA) concentrations in fluorochemical production workers. 2007 , 81, 231-46	188
895	Nonalcoholic fatty liver disease and cardiovascular disease risk. 2007 , 7, 181-7	28
894	Pathological study of 130 cases of nonalcoholic fatty liver disease based on NASH-CRN system. 2007 , 1, 413-7	1
893	Metabolic syndrome is related to nonalcoholic steatohepatitis in severely obese subjects. 2007 , 17, 1457-63	42
892	Ethnicity and nonalcoholic fatty liver disease in an obesity clinic: the impact of triglycerides. 2008 , 53, 1358-63	36
891	Non-alcoholic fatty liver disease is independently associated with an increased prevalence of chronic kidney disease and proliferative/laser-treated retinopathy in type 2 diabetic patients. 2008 , 51, 444-50	242
890	Nonalcoholic fatty liver disease: diagnosis and relation to metabolic syndrome and approach to treatment. 2008 , 8, 25-30	23
889	Nonalcoholic fatty liver disease in a district general hospital: clinical presentation and risk factors. 2008 , 2, 190-5	8
888	Nonalcoholic fatty liver disease in Japanese patients with severe obesity who received laparoscopic Roux-en-Y gastric bypass surgery (LRYGB) in comparison to non-Japanese patients. 2008 , 43, 86-92	18
887	Risk factors associated with non-alcoholic fatty liver disease in subjects from primary care units. A case-control study. 2008 , 8, 44	14
886	Serum aminotransferase activity and mortality risk in a United States community. 2008 , 47, 880-7	119
885	Health-related fitness and physical activity in patients with nonalcoholic fatty liver disease. 2008 , 47, 1158-66	105
884	Cirrhosis and liver failure in nonalcoholic fatty liver disease: Molehill or mountain?. 2008 , 47, 1431-3	52
883	Modest wine drinking and decreased prevalence of suspected nonalcoholic fatty liver disease. 2008 , 47, 1947-54	176
882	Regulatable fatty acid transport mechanisms are central to the pathophysiology of obesity, fatty liver, and metabolic syndrome. 2008 , 48, 1362-76	33
881	Using controlled clinical trials to learn more about acute drug-induced liver injury. 2008 , 48, 1680-9	84
880	Relationship between alanine aminotransferase levels and metabolic syndrome in nonalcoholic fatty liver disease. 2008 , 9, 616-22	61

879	Genetic variation in PNPLA3 confers susceptibility to nonalcoholic fatty liver disease. 2008 , 40, 1461-5		2115
878	Susceptibility to gut leakiness: a possible mechanism for endotoxaemia in non-alcoholic steatohepatitis. <i>Liver International</i> , 2008 , 28, 1026-33	7.9	156
877	Independent and opposite associations of trunk fat and leg fat with liver enzyme levels. <i>Liver International</i> , 2008 , 28, 1381-8	7.9	19
876	Alanine aminotransferase is associated with atherothrombotic risk factors in a British South Asian population. 2008 , 6, 737-41		13
875	Body mass index is a stronger predictor of alanine aminotransaminase levels than alcohol consumption. 2008 , 23, 1089-93		41
874	The population prevalence of adverse concentrations and associations with adiposity of liver tests among Australian adolescents. 2008 , 44, 686-91		16
873	Review article: current management of non-alcoholic fatty liver disease and non-alcoholic steatohepatitis. 2008 , 28, 2-12		114
872	Phospholipid transfer protein activity is determined by type 2 diabetes mellitus and metabolic syndrome, and is positively associated with serum transaminases. 2008 , 68, 375-81		19
871	[Chronic transaminase elevation]. 2008 , 32, S205-9		1
870	Effects of rosiglitazone on body fat distribution and insulin sensitivity in Korean type 2 diabetes mellitus patients. 2008 , 57, 479-87		6
869	[Non-alcoholic hepatic steatosis. An update]. 2008 , 40, 419-24		1
868	Aminotransferase levels and 20-year risk of metabolic syndrome, diabetes, and cardiovascular disease. 2008 , 135, 1935-44, 1944.e1		242
867	Consensus recommendations for managing asymptomatic persistent non-virus non-alcohol related elevation of aminotransferase levels: suggestions for diagnostic procedures and monitoring. 2008 , 40, 585-98		18
866	Association Between Elevated Liver Enzymes and Metabolic Syndrome Among Thai Adults. 2008 , 2, 171-178		22
865	Suspected nonalcoholic fatty liver disease and mortality risk in a population-based cohort study. <i>American Journal of Gastroenterology</i> , 2008 , 103, 2263-71	0.7	255
864	Significant prevalence of histologic disease in patients with chronic hepatitis B and mildly elevated serum alanine aminotransferase levels. 2008 , 6, 569-74		55
863	Fructose consumption as a risk factor for non-alcoholic fatty liver disease. 2008 , 48, 993-9		597
862	Hepcidin and iron-related gene expression in subjects with Dysmetabolic Hepatic Iron Overload. 2008 , 49, 123-33		81

861	Probiotics improve high fat diet-induced hepatic steatosis and insulin resistance by increasing hepatic NKT cells. 2008 , 49, 821-30	310
860	Increased overall mortality and liver-related mortality in non-alcoholic fatty liver disease. 2008 , 49, 608-12	473
859	Dietary resveratrol alters lipid metabolism-related gene expression of mice on an atherogenic diet. 2008 , 49, 1019-28	139
858	Alanine aminotransferase and gamma-glutamyl transferase are associated with the metabolic syndrome but not with angiographically determined coronary atherosclerosis. 2008 , 397, 82-6	30
857	Probable NAFLD, by ALT levels, and diabetes among Filipino-American women. 2008 , 79, 133-40	12
856	Elevaci3n de las transaminasas. 2008 , 12, 1-6	
855	Definition and natural history of metabolic steatosis: clinical aspects of NAFLD, NASH and cirrhosis. 2008 , 34, 634-7	95
854	Fatty liver: a novel component of the metabolic syndrome. 2008 , 28, 27-38	626
853	Emerging drugs for non-alcoholic fatty liver disease. 2008 , 13, 145-58	23
852	The associations between height components (leg and trunk length) and adult levels of liver enzymes. 2008 , 62, 48-53	13
851	Prevalence of elevated liver enzymes in Type 2 diabetes mellitus and its association with the metabolic syndrome. 2008 , 31, 146-52	43
850	Regional adipose tissue and elevations in serum aminotransferases in HIV-infected individuals. 2008 , 48, 169-76	7
849	SREBP-1c, regulated by the insulin and AMPK signaling pathways, plays a role in nonalcoholic fatty liver disease. 2008 ,	42
848	Risk factors for chronic liver disease in Blacks, Mexican Americans, and Whites in the United States: results from NHANES IV, 1999-2004. <i>American Journal of Gastroenterology</i> , 2008 , 103, 2231-8	0.7 106
847	Silencing of hepatic fatty acid transporter protein 5 in vivo reverses diet-induced non-alcoholic fatty liver disease and improves hyperglycemia. 2008 , 283, 22186-92	111
846	Fast-food-based hyper-alimentation can induce rapid and profound elevation of serum alanine aminotransferase in healthy subjects. 2008 , 57, 649-54	135
845	Role of nonalcoholic fatty liver disease in the development of insulin resistance and diabetes. 2008 , 2, 705-11	29
844	Inflammation is associated with liver function markers, independent of other metabolic risk factors in overweight women. 2008 , 8, 73-76	2

843	Body mass index, waist circumference, and chronic disease risk factors in Australian adolescents. 2008 , 162, 566-73		33
842	Answers to the most common questions about the hepatic safety profile of duloxetine. 2008 , 120, 111-8		11
841	The epidemiology of nonalcoholic fatty liver disease: a global perspective. 2008 , 28, 339-50		547
840	Role of fatty acids in the pathogenesis of obesity and fatty liver: impact of bariatric surgery. 2008 , 28, 407-26		63
839	Novel role of IL-13 in fibrosis induced by nonalcoholic steatohepatitis and its amelioration by IL-13R-directed cytotoxin in a rat model. 2008 , 181, 4656-65		55
838	Nonalcoholic fatty liver disease: from clinical recognition to treatment. 2008 , 2, 59-79		10
837	Obesity-associated liver disease. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2008 , 93, S74-80	5.6	199
836	Serum liver enzyme activities in healthy Miniature Schnauzers with and without hypertriglyceridemia. 2008 , 232, 63-7		23
835	Evaluation of risk factors and seroprevalence of hepatitis B and C in diabetic patients in Kutahya, Turkey. 2008 , 56, 858-63		25
834	Metabolic Syndrome Is Associated with Greater Histologic Severity, Higher Carbohydrate, and Lower Fat Diet in Patients with NAFLD. 2008 , 2008, 485-486		
833	Recent advances in nonalcoholic fatty liver disease. 2008 , 24, 320-7		72
832	Quantitation des transaminases. 2008 , 3, 1-6		
831	Nonalcoholic Fatty Liver Disease. 77-97		1
830	Effect of moderate alcohol consumption on liver enzymes increases with increasing body mass index. 2008 , 88, 1097-103		88
829	Liver transplantation trends for older recipients: regional and ethnic variations. 2008 , 86, 104-7		26
828	Impact of geographic location on access to liver transplantation among ethnic minorities. 2008 , 85, 166-70		25
827	Intestinal flora, probiotics, and cirrhosis: Concise Review. 2008 , 7, 120-124		12
826	Imaging techniques for assessing hepatic fat content in nonalcoholic fatty liver disease. 2008 , 7, 212-220		75

825	[Increased transaminases--differential diagnosis and evaluation]. 2008 , 97, 587-96; quiz 596-7		0
824	Molecular Basis of Liver Disease. 2009 , 395-419		
823	Free T4 is Negatively Correlated with Non-alcoholic Fatty Liver Disease in Euthyroid Women. 2009 , 24, 87		
822	Fatty Liver Disease. 2009 , 1087-1114		7
821	Relationship between Elevated Serum Alanine Aminotransferase Concentration and Metabolic Syndrome in Korean Adults. 2009 , 42, 732		2
820	In overweight/obese but not in normal-weight women, polycystic ovary syndrome is associated with elevated liver enzymes compared to controls. 2009 , 8, 199-206		37
819	Alleviation of high-fat diet-induced fatty liver damage in group IVA phospholipase A2-knockout mice. 2009 , 4, e8089		41
818	Epidemiology and natural history of non-alcoholic fatty liver disease (NAFLD). 2009 , 8, S4-S8		199
817	Nonalcoholic Fatty Liver Disease in Pediatric Patients. 2009 , 5, 65-71		
816	The histologic spectrum of liver disease in African-American, non-Hispanic white, and Hispanic obesity surgery patients. <i>American Journal of Gastroenterology</i> , 2009 , 104, 64-9	0.7	58
815	Light and moderate alcohol consumption significantly reduces the prevalence of fatty liver in the Japanese male population. <i>American Journal of Gastroenterology</i> , 2009 , 104, 2189-95	0.7	87
814	Chronic liver disease among Alaska-Native people, 2003-2004. <i>American Journal of Gastroenterology</i> , 2009 , 104, 363-70	0.7	25
813	Chronic liver disease mortality among male prison inmates in Texas, 1989-2003. <i>American Journal of Gastroenterology</i> , 2009 , 104, 1412-9	0.7	15
812	Two-year retention of Bravo capsule in a giant colonic diverticulum. <i>American Journal of Gastroenterology</i> , 2009 , 104, 1062	0.7	3
811	Fatty liver and carotid intimal thickening: a tale of two ages?. <i>American Journal of Gastroenterology</i> , 2009 , 104, 1061	0.7	1
810	Relationship of serum bilirubin concentrations to kidney function and albuminuria in the United States adult population. Findings from the National Health and Nutrition Examination Survey 2001-2006. 2009 , 47, 1055-62		35
809	Rats fed fructose-enriched diets have characteristics of nonalcoholic hepatic steatosis. 2009 , 139, 2067-71		129
808	PPAR and liver injury in HIV-infected patients. 2009 , 2009, 906167		12

807	Age- and ethnic-specific elevation of ALT among obese children at risk for nonalcoholic steatohepatitis (NASH): implications for screening. 2009 , 48, 50-7	11
806	[Diagnosis and management of non alcoholic fatty liver disease]. 2009 , 33, 413-24	3
805	[Nonalcoholic fatty liver disease: 30 years research changed NASH]. 2009 , 33, 850-8	2
804	Nonalcoholic fatty liver disease and nonalcoholic steatohepatitis: Selected practical issues in their evaluation and management. 2009 , 49, 306-17	406
803	Alanine aminotransferase isoenzymes: molecular cloning and quantitative analysis of tissue expression in rats and serum elevation in liver toxicity. 2009 , 49, 598-607	82
802	Increased intestinal permeability and tight junction alterations in nonalcoholic fatty liver disease. 2009 , 49, 1877-87	914
801	Quality of life in adults with nonalcoholic fatty liver disease: baseline data from the nonalcoholic steatohepatitis clinical research network. 2009 , 49, 1904-12	100
800	Long-term outcome of hepatitis B e antigen-negative hepatitis B surface antigen carriers in relation to changes of alanine aminotransferase levels over time. 2009 , 49, 1859-67	118
799	Nutritional model of steatohepatitis and metabolic syndrome in the Ossabaw miniature swine. 2009 , 50, 56-67	156
798	Independent effects of physical activity in patients with nonalcoholic fatty liver disease. 2009 , 50, 68-76	216
797	Association between dietary nutrient composition and the incidence of cirrhosis or liver cancer in the United States population. 2009 , 50, 175-84	114
796	Metabolic syndrome and hepatocellular carcinoma: two growing epidemics with a potential link. 2009 , 115, 5651-61	304
795	Serum transaminases concentrations in obese children and adolescents. 2009 , 65, 51-9	13
794	Use of statins in patients with liver disease. 2009 , 11, 272-8	38
793	Diagnostik bei erhöhten Leberwerten. 2009 , 4, 557-572	3
792	Serum phenylalanine concentration as a marker of liver function in obese patients before and after bariatric surgery. 2009 , 19, 883-9	28
791	Insulin sensitizers in nonalcoholic fatty liver disease and steatohepatitis: Current status. 2009 , 26, 893-907	70
790	Reexamining transaminase elevation in Phase I clinical trials: the importance of baseline and change from baseline. 2009 , 65, 1025-35	22

789	Synergistic association between alcohol intake and body mass index with serum alanine and aspartate aminotransferase levels in older adults: the Rancho Bernardo Study. 2009 , 30, 1137-49		67
788	Fatty liver in adolescents on the U.S.-Mexico border. 2009 , 21, 225-30		9
787	Effect of a lifestyle intervention in patients with abnormal liver enzymes and metabolic risk factors. 2009 , 24, 399-407		74
786	Treatment of non-alcoholic fatty liver disease with metformin versus lifestyle intervention in insulin-resistant adolescents. 2009 , 10, 5-13		68
785	Metabolic syndrome and alanine aminotransferase: a global perspective from the NAVIGATOR screening population. 2009 , 26, 1204-11		9
784	Prevalence and associated factors of non-alcoholic fatty liver disease in patients with type-2 diabetes mellitus. <i>Liver International</i> , 2009 , 29, 113-9	7.9	353
783	Non-alcoholic fatty liver disease prevalence among school-aged children and adolescents in Iran and its association with biochemical and anthropometric measures. <i>Liver International</i> , 2009 , 29, 159-63	7.9	52
782	The challenge of developing novel pharmacological therapies for non-alcoholic steatohepatitis. <i>Liver International</i> , 2010 , 30, 795-808	7.9	48
781	Predictors of severe hepatic steatosis using abdominal ultrasound in HIV-infected patients. 2009 , 10, 53-9		25
780	Pioglitazone versus vitamin E versus placebo for the treatment of non-diabetic patients with non-alcoholic steatohepatitis: PIVENS trial design. 2009 , 30, 88-96		118
779	Effect of moderate intake of sweeteners on metabolic health in the rat. 2009 , 98, 618-24		32
778	Genetic factors contribute to variation in serum alanine aminotransferase activity independent of obesity and alcohol: a study in monozygotic and dizygotic twins. 2009 , 50, 1035-42		103
777	HCV-related mortality among male prison inmates in Texas, 1994-2003. 2009 , 19, 582-9		23
776	Elevated serum ALT in children presenting to the emergency unit: Relationship with NAFLD. 2009 , 41, 749-52		37
775	New diagnostic and treatment approaches in non-alcoholic fatty liver disease (NAFLD). 2009 , 41, 265-78		95
774	Prediction of non-alcoholic fatty liver disease and liver fat using metabolic and genetic factors. 2009 , 137, 865-72		469
773	Adherence to the Mediterranean diet moderates the association of aminotransferases with the prevalence of the metabolic syndrome; the ATTICA study. 2009 , 6, 30		29
772	Nonalcoholic fatty liver disease and low-carbohydrate diets. 2009 , 29, 365-79		47

771	Long-term follow-up of patients with nonalcoholic fatty liver. 2009 , 7, 234-8	554
770	Nonalcoholic fatty liver disease: a practical approach to evaluation and management. 2009 , 13, 249-66	48
769	Nonalcoholic fatty liver disease in women. 2009 , 5, 191-203	95
768	NASH and HCC. 2009 , 13, 631-47	101
767	Liver Transplantation. 2009 ,	1
766	The hospitalized patient with abnormal liver function tests. 2009 , 13, 179-92	4
765	Association between nonalcoholic fatty liver disease and carotid intima-media thickness according to the presence of metabolic syndrome. 2009 , 204, 521-5	103
764	Elevated alanine aminotransferase levels predict mortality from cardiovascular disease and diabetes in Koreans. 2009 , 205, 533-7	96
763	Correlates and heritability of nonalcoholic fatty liver disease in a minority cohort. 2009 , 17, 1240-6	78
762	The asymptomatic outpatient with abnormal liver function tests. 2009 , 13, 167-77	31
761	Effects of liver biopsy sample length and number of readings on sampling variability in nonalcoholic Fatty liver disease. 2009 , 7, 481-6	127
760	Body mass index and serum aminotransferase levels in Korean men and women. 2009 , 43, 869-75	16
759	The metabolic syndrome and nonalcoholic fatty liver disease in children. 2009 , 21, 529-35	65
758	Nonalcoholic fatty liver disease in children. 2009 , 6, 83-91	3
757	Non-Alcoholic Fatty Liver Disease. 2010 , 19, 36-50	4
756	Non-alcoholic fatty liver disease: the hepatic consequence of obesity and the metabolic syndrome. 2010 , 69, 211-20	156
755	1Chapter 5 Intestinal Failure and Liver Disease Related to Parenteral Nutrition and Intestinal Transplantation. 2010 , 251-270	
754	Nonalcoholic Steatohepatitis (NASH). 2010 , 15, 65-71	

753	Prevalence and factors associated with the presence of nonalcoholic fatty liver disease in an adult population in Spain. 2010 , 22, 24-32	135
752	Two routine blood tests-mean corpuscular volume and aspartate aminotransferase-as predictors of delirium tremens in trauma patients. 2010 , 69, 199-201	7
751	Nonalcoholic steatohepatitis: a review of the literature and updates in management. 2010 , 103, 547-50	10
750	The mechanisms underlying the anti-aging activity of the Chinese prescription Kangen-karyu in hydrogen peroxide-induced human fibroblasts. <i>Journal of Pharmacy and Pharmacology</i> , 2005 , 57, 1335-43 ^{4.8}	55
749	Accurate and simple method for quantification of hepatic fat content using magnetic resonance imaging: a prospective study in biopsy-proven nonalcoholic fatty liver disease. 2010 , 45, 1263-71	29
748	Metabolic syndrome and insulin resistance in subjects with morbid obesity. 2010 , 20, 295-301	28
747	Hepatic gene networks in morbidly obese patients with nonalcoholic fatty liver disease. 2010 , 20, 1698-709	25
746	Obesity and diabetic hyperglycemia were associated with serum alanine aminotransferase activity in patients with hepatitis B infection. 2010 , 59, 486-91	16
745	Non-alcoholic and alcoholic fatty liver disease - two diseases of affluence associated with the metabolic syndrome and type 2 diabetes: the FIN-D2D survey. 2010 , 10, 237	49
744	Effect of mipomersen, an apolipoprotein B synthesis inhibitor, on low-density lipoprotein cholesterol in patients with familial hypercholesterolemia. 2010 , 105, 1413-9	151
743	Enhancing the utility of alanine aminotransferase as a reference standard biomarker for drug-induced liver injury. 2010 , 56, 237-46	58
742	Increased fructose consumption is associated with fibrosis severity in patients with nonalcoholic fatty liver disease. 2010 , 51, 1961-71	479
741	Nonalcoholic fatty liver disease and hepatocellular carcinoma: a weighty connection. 2010 , 51, 1820-32	957
740	Correlation of hepatic vein Doppler waveform and hepatic artery resistance index with the severity of nonalcoholic fatty liver disease. 2010 , 38, 346-52	21
739	Frequency and predictors of nonalcoholic fatty liver disease in myotonic dystrophy. 2010 , 41, 197-201	22
738	Prevalence of liver fibrosis and risk factors in a general population using non-invasive biomarkers (FibroTest). 2010 , 10, 40	129
737	Iron stores, liver transaminase levels and metabolic risk in healthy teenagers. 2010 , 40, 155-63	17
736	Effects of metformin and weight loss on serum alanine aminotransferase activity in the diabetes prevention program. 2010 , 18, 1762-7	42

735	Relationship between body mass index and alanine aminotransferase concentration in non-diabetic Korean adults. 2010 , 64, 169-75		29
734	Expansion of hepatic progenitor cell in fatty liver graft after living donor liver transplantation. 2010 , 23, 530-7		5
733	Prevalence of non alcoholic fatty liver disease in premenopausal, postmenopausal and polycystic ovary syndrome women. The role of estrogens. 2010 , 9, 402-409		143
732	Nonalcoholic fatty liver disease in asymptomatic obese women. 2010 , 9, 144-149		8
731	Weight reduction for non-alcoholic fatty liver disease. 2010 ,		2
730	[Patomechanisms of hepatic steatosis]. 2010 , 151, 323-9		0
729	Study on Causes and Ratio of the Liver Function Abnormalities in General Health Check-up. 2010 , 37, 484-489		2
728	Animal models of non-alcoholic steatohepatitis: of mice and man. 2010 , 28, 247-54		114
727	Disparities in liver cancer incidence by nativity, acculturation, and socioeconomic status in California Hispanics and Asians. 2010 , 19, 3106-18		66
726	Drug-induced liver injury in older adults. 2010 , 1, 65-77		25
725	Relationship of hepatic steatosis and alanine aminotransferase with coronary calcification. 2010 , 48, 1829-34		28
724	Polychlorinated biphenyls, lead, and mercury are associated with liver disease in American adults: NHANES 2003-2004. <i>Environmental Health Perspectives</i> , 2010 , 118, 1735-42	8.4	172
723	Non-alcoholic fatty liver disease as a risk factor for hepatocellular carcinoma: mechanisms and implications. 2010 , 59, 1303-7		120
722	Investigation of the associations between low-dose serum perfluorinated chemicals and liver enzymes in US adults. <i>American Journal of Gastroenterology</i> , 2010 , 105, 1354-63	0.7	77
721	Practical management of the increasing burden of non-alcoholic fatty liver disease. 2010 , 1, 149-155		7
720	Hyperandrogenemia is independently associated with elevated alanine aminotransferase activity in young women with polycystic ovary syndrome. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2010 , 95, 3332-41	5.6	45
719	Hepatic steatosis (fatty liver disease) in asymptomatic adults identified by unenhanced low-dose CT. 2010 , 194, 623-8		148
718	Obesity and microvascular invasion in hepatocellular carcinoma. 2010 , 28, 1063-9		20

717	Statins in the treatment of dyslipidemia in the presence of elevated liver aminotransferase levels: a therapeutic dilemma. 2010 , 85, 349-56	105
716	Evaluation of reference intervals for biomarkers sensitive to alcohol consumption, excess body weight and oxidative stress. 2010 , 70, 104-11	11
715	Etiology of and risk factors for transient and persistent aminotransferase elevation in a population of virus-free blood donors: a multicentre study. 2010 , 42, 441-5	2
714	From the metabolic syndrome to NAFLD or vice versa?. 2010 , 42, 320-30	341
713	Risk factors for serum alanine aminotransferase elevation: A cross-sectional study of healthy adult males in Tokyo, Japan. 2010 , 42, 882-7	10
712	Patients included in randomised controlled trials do not represent those seen in clinical practice: focus on antimicrobial agents. 2010 , 36, 1-13	20
711	Metabolic syndrome is linked to a mild elevation in liver aminotransferases in diabetic patients with undetectable non-alcoholic fatty liver disease by ultrasound. 2010 , 2, 65	22
710	Prevalence and factors associated with liver test abnormalities among human immunodeficiency virus-infected persons. 2010 , 8, 183-91	61
709	[Obesity and liver disease]. 2010 , 33, 591-604	1
708	Leukocytosis, thrombosis and early mortality in cancer patients initiating chemotherapy. 2010 , 126, 113-8	91
707	The Adaptive Immune System and Liver Toxicity. 2010 , 275-293	
706	Biomarkers of alcohol consumption and related liver disease. 2010 , 70, 305-12	63
705	Insulin resistance is independently associated with liver aminotransferases in diabetic patients without ultrasound signs of nonalcoholic fatty liver disease. 2011 , 9, 111-7	15
704	Nonalcoholic Fatty Liver Disease. 2011 , 868-907	1
703	Adiponectin isoforms, insulin resistance and liver histology in nonalcoholic fatty liver disease. 2011 , 43, 73-7	14
702	Endoscopic visceral fat removal as therapy for obesity and metabolic syndrome: a sham-controlled pilot study (with video). 2011 , 74, 637-44	8
701	Weight reduction for non-alcoholic fatty liver disease. 2011 , CD003619	35
700	Short-term inhibition of SREBP-1c expression reverses diet-induced non-alcoholic fatty liver disease in mice. 2011 , 46, 1381-8	26

699	Markedly lower follow-up rate after liver biopsy in patients with non-alcoholic fatty liver diseases than those with viral hepatitis in Japan. 2011 , 4, 341		2
698	Gluten-sensitive hypertransaminasemia in celiac disease: an infrequent and often subclinical finding. <i>American Journal of Gastroenterology</i> , 2011 , 106, 1689-96	0.7	31
697	Sphingolipids and hepatic steatosis. 2011 , 721, 87-97		35
696	An Endocrine Perspective of Nonalcoholic Fatty Liver Disease (NAFLD). 2011 , 2, 211-25		26
695	Effects of interventions on intra- and interobserver agreement on interpretation of nonalcoholic fatty liver disease histology. 2011 , 15, 19-24		53
694	An ancient molecule with novel function: Alanine aminotransferase as a lipopolysaccharide binding protein with bacteriocidal activity. 2011 , 35, 94-104		8
693	Elevated alanine aminotransferase is associated with metabolic syndrome but not consistently associated with impaired fasting glucose or type 2 diabetes mellitus. 2011 , 94, 64-70		5
692	Anti-inflammatory effect of genistein on non-alcoholic steatohepatitis rats induced by high fat diet and its potential mechanisms. 2011 , 11, 762-8		85
691	Smoking and severity of hepatic fibrosis in nonalcoholic fatty liver disease. 2011 , 54, 753-9		137
690	Predictors and effects of alcohol use on liver function among young HCV-infected injection drug users in a behavioral intervention. 2011 , 55, 45-52		26
689	NASH: A global health problem. 2011 , 41, 670-4		110
688	Elevación crónica de las transaminasas: hipertransaminasemia crónica. 2011 , 15, 1-8		
687	Olmесartan severely weakened the development of NASH in an animal model of hypercholesterolemia. 2011 , 216, 97-102		14
686	Nonalcoholic fatty liver disease in Brazil. Clinical and histological profile. 2011 , 10, 33-37		34
685	Decrease of aminotransferase levels in obese women is related to body weight reduction, irrespective of type of diet. 2011 , 10, 486-492		33
684	[Pediatric obesity and non-alcoholic fatty liver disease: is it really problematic?]. 2011 , 57, 141-3		1
683	Liver markers, prevalence of the metabolic syndrome abnormalities and effect of Roux-en-Y gastric bypass in morbidly obese subjects. 2011 , 9, 429-35		
682	Abnormalities of Carbohydrate Metabolism and the Liver. 2011 , 795-803.e4		1

681	Prevalence and etiology of abnormal liver tests in an adult population in Jilin, China. 2011 , 8, 254-62	26
680	Prevalence of metabolic syndrome and risks of abnormal serum alanine aminotransferase in Hispanics: a population-based study. 2011 , 6, e21515	35
679	Which clinical and sonographic parameters may be useful to discriminate NASH from steatosis?. 2011 , 45, 59-63	20
678	Generalizability of the nonalcoholic steatohepatitis Clinical Research Network histologic scoring system for nonalcoholic fatty liver disease. 2011 , 45, 55-8	85
677	Prophylactic analgesia before percutaneous liver biopsy: a clinical comparative study. 2011 , 23, 782-6	7
676	Does hepatic steatosis affect drug metabolizing enzymes in the liver?. 2011 , 12, 24-34	49
675	Évaluation chronique des transaminases : hypertransaminasémie chronique. 2011 , 6, 1-8	
674	Alanine Aminotransferase Is Associated With Metabolic Syndrome Independently of Insulin Resistance. 2011 , 75, 2028	
673	Centrizonal arteries and microvessels in nonalcoholic steatohepatitis. 2011 , 35, 1400-4	52
672	Nonalcoholic fatty liver disease across ethno-racial groups: do Asian-American adults represent a new at-risk population?. 2011 , 26, 501-9	17
671	Abnormal liver tests in people aged 75 and above: prevalence and association with mortality. 2011 , 34, 324-34	16
670	Systematic review: the epidemiology and natural history of non-alcoholic fatty liver disease and non-alcoholic steatohepatitis in adults. 2011 , 34, 274-85	2020
669	Metabolic syndrome and hepatic resection: improving outcome. 2011 , 13, 846-59	9
668	Increased coagulation factor VIII, IX, XI and XII activities in non-alcoholic fatty liver disease. <i>Liver International</i> , 2011 , 31, 176-83	7.9 67
667	A new model of interactive effects of alcohol and high-fat diet on hepatic fibrosis. 2011 , 35, 1361-7	61
666	Interruption of triacylglycerol synthesis in the endoplasmic reticulum is the initiating event for saturated fatty acid-induced lipotoxicity in liver cells. 2011 , 278, 519-30	57
665	Cognitive-behavioral treatment of nonalcoholic Fatty liver disease: a propensity score-adjusted observational study. 2011 , 19, 763-70	33
664	Downregulation of hepatic glucose-6-phosphatase in patients with hepatic steatosis. 2011 , 19, 2322-6	6

663	A case-control study on nutritional risk factors in non-alcoholic fatty liver disease in Indian population. 2011 , 65, 533-7	29
662	Cross-sectional and longitudinal association of serum alanine aminotransaminase and γ -glutamyltransferase with metabolic syndrome in middle-aged and elderly Chinese people. 2011 , 3, 38-47	28
661	Lipid in the livers of adolescents with nonalcoholic steatohepatitis: combined effects of pathways on steatosis. 2011 , 60, 1001-11	46
660	How to investigate asymptomatic abnormal liver function tests. 2011 , 39, 529-531	
659	Nonalcoholic fatty liver disease and diabetes mellitus: pathogenesis and treatment. 2011 , 7, 456-65	227
658	Cryptogenic chronic hepatitis and its changing guise in adults. 2011 , 56, 3421-38	36
657	Nonalcoholic fatty liver disease markers are associated with insulin resistance in type 1 diabetes. 2011 , 56, 3655-63	24
656	Diet-induced obesity suppresses ghrelin in rat gastrointestinal tract and serum. 2011 , 355, 299-308	19
655	Gender and age impacts on the correlations between hyperuricemia and metabolic syndrome in Chinese. 2011 , 30, 777-87	61
654	Increased prevalence of non-alcoholic fatty liver disease in European women with a history of gestational diabetes. 2011 , 54, 641-7	49
653	Elevated serum γ -glutamyltransferase predicts the development of impaired glucose metabolism in middle-aged and elderly Chinese. 2011 , 40, 265-72	7
652	Comparison of dietary control and atorvastatin on high fat diet induced hepatic steatosis and hyperlipidemia in rats. 2011 , 10, 23	54
651	A preliminary investigation on the possible association between diminished copper availability and non-alcoholic fatty liver disease in epileptic patients treated with valproic acid. 2011 , 116, 148-54	6
650	Non-alcoholic fatty liver disease and mortality among US adults: prospective cohort study. 2011 , 343, d6891	253
649	Iron overload in nonalcoholic steatohepatitis. 2011 , 55, 105-32	33
648	A selective estrogen receptor β agonist ameliorates hepatic steatosis in the male aromatase knockout mouse. 2011 , 210, 323-34	47
647	Sphingolipids and Metabolic Disease. 2011 ,	3
646	Age-related changes in the hepatic pharmacology and toxicology of paracetamol. 2011 , 2011, 624156	32

645	Carotid intima-media thickness is increased not only in non-alcoholic fatty liver disease patients but also in alcoholic fatty liver patients. 2011 , 84, 149-55		12
644	Liver enzymes: potential cardiovascular risk markers?. 2011 , 17, 3632-43		35
643	Non-cirrhotic portal hypertension in HIV-infected individuals. 2011 , 22, 324-8		24
642	Serum alanine aminotransferase and its association with metabolic syndrome in children: the bogalusa heart study. 2011 , 9, 211-6		19
641	The effect of the Spanish Ketogenic Mediterranean Diet on nonalcoholic fatty liver disease: a pilot study. 2011 , 14, 677-80		37
640	Physical activity recommendations, exercise intensity, and histological severity of nonalcoholic fatty liver disease. <i>American Journal of Gastroenterology</i> , 2011 , 106, 460-8; quiz 469	0.7	271
639	Experimental evidence for therapeutic potential of taurine in the treatment of nonalcoholic fatty liver disease. 2011 , 301, R1710-22		75
638	Relationships between alanine aminotransferase levels, abnormal liver echogenicity, and metabolic syndrome. 2011 , 24, 407-14		11
637	A Primer on Detecting Cirrhosis and Caring for These Patients without Causing Harm. 2011 , 2011, 801983		15
636	Type 2 Diabetes Mellitus-Induced Hyperglycemia in Patients with NAFLD and Normal LFTs: Relationship to Lipid Profile, Oxidative Stress and Pro-Inflammatory Cytokines. 2011 , 79, 623-34		39
635	High-dose frequency beta-interferons increase the risk of liver test abnormalities in multiple sclerosis: a longitudinal study. 2011 , 17, 361-7		16
634	Serum perfluorooctanoate (PFOA) and perfluorooctane sulfonate (PFOS) concentrations and liver function biomarkers in a population with elevated PFOA exposure. <i>Environmental Health Perspectives</i> , 2012 , 120, 655-60	8.4	152
633	Body mass index and risk of primary liver cancer: a meta-analysis of prospective studies. 2012 , 17, 1461-8		41
632	HIV and Liver Disease. 2012 ,		
631	Fat content in liver and skeletal muscle changes in a reciprocal manner in patients with acromegaly during combination therapy with a somatostatin analog and a GH receptor antagonist: a randomized clinical trial. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2012 , 97, 1227-35	5.6	36
630	Serum alanine aminotransferase is correlated with hematocrit in healthy human subjects. 2012 , 72, 258-64		3
629	Antidiabetic and antioxidant effect of Semecarpus anacardium Linn. nut milk extract in a high-fat diet STZ-induced type 2 diabetic rat model. 2012 , 9, 19-33		8
628	Association of reduced renal function with hepatitis B virus infection and elevated alanine aminotransferase. 2012 , 7, 1561-6		12

627	Effect of neoadjuvant chemotherapy in hepatic steatosis. 2012 , 58, 89-94	4
626	Nonalcoholic fatty liver disease in lean individuals in the United States. 2012 , 91, 319-327	319
625	Drug disposition in pathophysiological conditions. 2012 , 13, 1327-44	61
624	Nonalcoholic fatty liver disease and lipids. 2012 , 23, 345-52	42
623	Non-alcoholic fatty liver disease in type 2 diabetes: pathogenesis and treatment options. 2012 , 10, 162-72	42
622	Follow-up of mild alanine aminotransferase elevation identifies hidden hepatitis C in primary care. 2012 , 62, e212-6	13
621	Immune mechanisms of Concanavalin A model of autoimmune hepatitis. 2012 , 18, 119-25	168
620	Toll-like receptors 1-9 are elevated in livers with fructose-induced hepatic steatosis. 2012 , 107, 1727-38	96
619	The diagnosis and management of non-alcoholic fatty liver disease: practice guideline by the American Gastroenterological Association, American Association for the Study of Liver Diseases, and American College of Gastroenterology. 2012 , 142, 1592-609	1208
618	Does this patient with liver disease have cirrhosis?. 2012 , 307, 832-842	116
617	Hepatocellular carcinoma in non-alcoholic steatohepatitis: Growing evidence of an epidemic?. 2012 , 42, 1-14	86
616	Elevation of alanine transaminase and markers of liver fibrosis after a mixed meal challenge in individuals with type 2 diabetes. 2012 , 57, 3017-25	7
615	Lower carotid intima media thickness is predicted by higher serum bilirubin in both non-diabetic and Type 2 diabetic subjects. 2012 , 414, 161-5	29
614	Computed tomography scans in the evaluation of fatty liver disease in a population based study: the multi-ethnic study of atherosclerosis. 2012 , 19, 811-8	106
613	Nonalcoholic fatty liver disease in pediatric patients. 2012 , 36, 43S-8S	8
612	Standards of medical care in diabetes--2012. 2012 , 35 Suppl 1, S11-63	1663
611	Equivalent survival following liver transplantation in patients with non-alcoholic steatohepatitis compared with patients with other liver diseases. 2012 , 14, 625-34	44
610	Spectrum of toxic hepatitis following intentional paraquat ingestion: analysis of 187 cases. <i>Liver International</i> , 2012 , 32, 1400-6	7.9 53

609	Anti-diabetic activity of extract from <i>Persea americana</i> Mill. leaf via the activation of protein kinase B (PKB/Akt) in streptozotocin-induced diabetic rats. 2012 , 141, 517-25		40
608	Presence and severity of non-alcoholic fatty liver disease in a large prospective primary care cohort. 2012 , 56, 234-40		213
607	Carbohydrate but not fat is associated with elevated aminotransferases. 2012 , 35, 1064-72		9
606	Nonalcoholic fatty liver disease. 2012 , 16, 397-419		55
605	Can NASH be diagnosed, graded, and staged noninvasively?. 2012 , 16, 567-85		53
604	Non-alcoholic Fatty Liver Disease: East Versus West. 2012 , 2, 122-34		29
603	Ursodeoxycholic acid with vitamin E in patients with nonalcoholic steatohepatitis: long-term results. 2012 , 36, 146-55		43
602	The lipid accumulation product is highly related to serum alanine aminotransferase level in male adults. 2012 , 32, 581-7		5
601	Severity of fatty liver on ultrasound correlates with metabolic and cardiovascular risk. 2012 , 28, 151-60		13
600	The diagnosis and management of non-alcoholic fatty liver disease: Practice guideline by the American Association for the Study of Liver Diseases, American College of Gastroenterology, and the American Gastroenterological Association. <i>American Journal of Gastroenterology</i> , 2012 , 107, 811-26	0.7	279
599	Fructose-rich diet leads to reduced aerobic capacity and to liver injury in rats. 2012 , 11, 78		25
598	Effect of dietary advanced glycation end products on mouse liver. 2012 , 7, e35143		60
597	Metabolic syndrome and risk factors for non-alcoholic fatty liver disease. 2012 , 49, 89-96		123
596	The effectiveness of liraglutide in nonalcoholic fatty liver disease patients with type 2 diabetes mellitus compared to sitagliptin and pioglitazone. 2012 , 2012, 496453		77
595	Effect of Storing Temperature on Hepatotoxicity and Nephrotoxicity of Ifosfamide in Female Rat. 2012 , 12, 21-26		
594	Anti-oxidative and anti-inflammatory effects of spirulina on rat model of non-alcoholic steatohepatitis. 2012 , 51, 227-34		38
593	Nonalcoholic Fatty Liver Disease. 2012 , 941-968		3
592	The diagnosis and management of non-alcoholic fatty liver disease: practice Guideline by the American Association for the Study of Liver Diseases, American College of Gastroenterology, and the American Gastroenterological Association. 2012 , 55, 2005-23		2285

591	Association between diabetes, family history of diabetes, and risk of nonalcoholic steatohepatitis and fibrosis. 2012 , 56, 943-51	302
590	Alanine aminotransferase regulation by androgens in non-hepatic tissues. 2012 , 29, 1046-56	7
589	Specificity of unenhanced CT for non-invasive diagnosis of hepatic steatosis: implications for the investigation of the natural history of incidental steatosis. 2012 , 22, 1075-82	110
588	Liver dysfunction in chronic heart failure: prevalence, characteristics and prognostic significance. 2012 , 42, 153-63	109
587	Caffeine is protective in patients with non-alcoholic fatty liver disease. 2012 , 35, 76-82	101
586	Nonalcoholic fatty liver disease: the hepatic metabolic syndrome. 2012 , 24, 345-51	6
585	Exercise and diet modification in non-obese non-alcoholic fatty liver disease: analysis of biopsies of living liver donors. 2012 , 27, 1341-7	63
584	Guava leaf extracts alleviate fatty liver via expression of adiponectin receptors in SHRSP.Z-Leprfa/lzm rats. 2012 , 9, 13	10
583	Ethnicity and nonalcoholic fatty liver disease. 2012 , 55, 769-80	145
582	Increased risk of hepatocellular carcinoma in patients with diabetes mellitus: a systematic review and meta-analysis of cohort studies. 2012 , 130, 1639-48	263
581	Clinical significance of serum autoantibodies in patients with NAFLD: results from the nonalcoholic steatohepatitis clinical research network. 2012 , 6, 379-85	81
580	The relationship of liver function tests to mixed exposure to lead and organic solvents. 2013 , 25, 5	20
579	Nonalcoholic fatty liver disease following liver transplantation. 2013 , 7, 400-12	8
578	Fatty liver score and 15-year incidence of type 2 diabetes. 2013 , 7, 610-21	9
577	Transaminases profile in Algerian patients with type 2 diabetes mellitus. 2013 , 28, 25-29	
576	Identifying practice gaps to optimize medical care for patients with nonalcoholic fatty liver disease. 2013 , 58, 2809-16	35
575	Association between high-normal levels of alanine aminotransferase and risk factors for atherogenesis. 2013 , 145, 1271-9.e1-3	61
574	[Liver enzyme elevation secondary to macroenzymes: macro-GOT]. 2013 , 36, 606-7	

573	Clinical and histological determinants of nonalcoholic steatohepatitis and advanced fibrosis in elderly patients. 2013 , 58, 1644-54	109
572	Prevalence of nonalcoholic fatty liver disease in the United States: the Third National Health and Nutrition Examination Survey, 1988-1994. 2013 , 178, 38-45	569
571	NAFLD, NASH and liver cancer. 2013 , 10, 656-65	636
570	Effect of rosiglitazone on liver structure and function in genetically diabetic Akita mice. 2013 , 113, 353-60	12
569	Handbook of Medical and Healthcare Technologies. 2013 ,	11
568	The impact of high fat diets on physiological changes in euthyroid and thyroid altered rats. 2013 , 12, 100	10
567	Elevated ALT and GGT predict all-cause mortality and hepatocellular carcinoma in Taiwanese male: a case-cohort study. 2013 , 7, 1040-9	15
566	Markers in nonalcoholic steatohepatitis. 2013 , 61, 67-125	12
565	Obesity, insulin resistance, NASH and hepatocellular carcinoma. 2013 , 23, 483-91	94
564	The global NAFLD epidemic. 2013 , 10, 686-90	1078
563	Low-normal free thyroxine confers decreased serum bilirubin in type 2 diabetes mellitus. 2013 , 23, 1367-73	12
562	Role of gut microbiota in liver diseases. 2013 , 43, 139-46	53
561	Upper limit of normal for alanine aminotransferase: quo vadis?. 2013 , 422, 29-39	35
560	[Liver enzymes elevation: etiologic study and efficiency of a single-act office visit]. 2013 , 36, 450-6	1
559	Prevalence of coeliac disease in patients with non-alcoholic fatty liver disease. 2013 , 14, 113-5	13
558	Prevalence and associated metabolic factors of fatty liver disease in the elderly. 2013 , 48, 705-9	45
557	Increased risk of type 2 diabetes in subjects with both elevated liver enzymes and ultrasonographically diagnosed nonalcoholic fatty liver disease: a 4-year longitudinal study. 2013 , 44, 115-20	42
556	Liver steatosis correlates with iron overload but not with HFE gene mutations in chronic hepatitis C. 2013 , 12, 377-84	10

555	The overuse of serum ceruloplasmin measurement. 2013 , 126, 926.e1-5		14
554	Multiple classes of environmental chemicals are associated with liver disease: NHANES 2003-2004. 2013 , 216, 703-9		51
553	Transferrin saturation and hospital length of stay and mortality in Medicare beneficiaries. 2013 , 61, 132-6		7
552	Standards of medical care in diabetes--2013. 2013 , 36 Suppl 1, S11-66		2668
551	Hepatic steatosis and severity-related factors in obese children. 2013 , 28, 1532-8		10
550	Serum γ -glutamyltransferase levels correlate with epicardial adipose tissue thickness in patients with coronary artery disease. 2013 , 64, 21-5		9
549	Epidemiology and risk factors of nonalcoholic fatty liver disease (NAFLD). 2013 , 7 Suppl 2, 755-64		36
548	Higher hepatic gene expression and serum levels of matrix metalloproteinase-2 are associated with steatohepatitis in non-alcoholic fatty liver diseases. 2013 , 18, 82-7		17
547	Non-alcoholic steatohepatitis occurs in celiac disease and is associated with cellular stress. <i>Zeitschrift Fur Gastroenterologie</i> , 2013 , 51, 26-31	1.6	4
546	Safety and tolerability of the treatment of youth-onset type 2 diabetes: the TODAY experience. 2013 , 36, 1765-71		31
545	Alanine aminotransferase is associated with an adverse nocturnal blood glucose profile in individuals with normal glucose regulation. 2013 , 8, e56072		7
544	Elevated serum gamma-glutamyltransferase is a strong marker of insulin resistance in obese children. 2013 , 2013, 578693		16
543	Cullin7: a new gene involved in liver carcinogenesis related to metabolic syndrome. 2013 , 62, 911-9		33
542	Acylated and desacylated ghrelin, preptin, leptin, and nesfatin-1 Peptide changes related to the body mass index. 2013 , 2013, 236085		22
541	A complications-based clinical staging of obesity to guide treatment modality and intensity. 2013 , 20, 377-88		42
540	Nonalcoholic fatty liver disease in young adult Egyptian women with polycystic ovary syndrome. 2013 , 3, 15-19		3
539	Liver aminotransferases and risk of incident type 2 diabetes: a systematic review and meta-analysis. 2013 , 178, 159-71		86
538	Imaging of non alcoholic fatty liver disease: A road less travelled. 2013 , 17, 990-5		45

537	Immunological and molecular basis of nonalcoholic steatohepatitis and nonalcoholic fatty liver disease. 2013 , 9, 727-38	7
536	The utility of magnetic resonance cholangiopancreatography for the assessment of patients with elevated liver enzyme levels. 2013 , 25, 1190-4	1
535	Liver enzymes, race, gender and diabetes risk: the Atherosclerosis Risk in Communities (ARIC) Study. 2013 , 30, 926-33	41
534	Epidemiological survey and risk factor analysis of fatty liver disease of adult residents, Beijing, China. 2013 , 28, 1654-9	25
533	Functions of autophagy in normal and diseased liver. 2013 , 9, 1131-58	321
532	Higher fetuin-A level is associated with coexistence of elevated alanine aminotransferase and the metabolic syndrome in the general population. 2013 , 11, 377-84	3
531	Metabolic impact of sex chromosomes. 2013 , 2, 74-9	57
530	Steatosis in the liver. 2013 , 3, 1493-532	27
529	The association between non-alcoholic fatty liver disease and carotid atherosclerosis in subjects with within-reference range alanine aminotransferase levels. 2013 , 60, 1295-301	7
528	Are simple noninvasive scoring systems for fibrosis reliable in patients with NAFLD and normal ALT levels?. 2013 , 25, 652-8	57
527	Upper reference limits for aminotransferase activities and the prevalence of elevated aminotransferase activities in a Korean population. 2013 , 47, 76-82	12
526	The association between dietary lifestyles and hepatocellular injury in Japanese workers. 2013 , 231, 257-63	4
525	Nonalcoholic steatohepatitis in nonalcoholic fatty liver disease patients of Bangladesh. <i>World Journal of Hepatology</i> , 2013 , 5, 281-7	3.4 26
524	[Serum levels of alanine aminotransferase in Chilean population: analysis of results of the national health survey 2009-2010]. 2013 , 141, 909-16	
523	Long-term effect of bariatric surgery on liver enzymes in the Swedish Obese Subjects (SOS) study. 2013 , 8, e60495	55
522	Oroxilin A accelerates liver regeneration in CCl ₄ induced acute liver injury mice. 2013 , 8, e71612	17
521	Elevated alanine aminotransferase is strongly associated with incident metabolic syndrome: a meta-analysis of prospective studies. 2013 , 8, e80596	26
520	Effect of caffeine-containing beverage consumption on serum alanine aminotransferase levels in patients with chronic hepatitis C virus infection: a hospital-based cohort study. 2013 , 8, e83382	4

519	Mild Hypertransaminasemia in Primary Care. 2013 , 2013, 256426	8
518	Epidemiology and natural history of patients with NAFLD. 2013 , 19, 5169-76	106
517	Cholestatic hepatitis induced by atorvastatin: a case-report. 2013 , 29-31	
516	Detailed Distribution of Liver Enzymes according to Gender, Age, and Body Mass Index in Health Check-up Subjects. 2014 , 64, 213	1
515	Clinical implications in the prevalence and associated cardiovascular factors of elevated serum alanine aminotransferase levels among elderly agricultural and fishing population in Taipei, Taiwan: experience at a teaching hospital. 2014 , 62, 88-96	3
514	Low LDL-C and high HDL-C levels are associated with elevated serum transaminases amongst adults in the United States: a cross-sectional study. 2014 , 9, e85366	17
513	Complex association between alanine aminotransferase activity and mortality in general population: a systematic review and meta-analysis of prospective studies. 2014 , 9, e91410	29
512	Alanine aminotransferase and risk of the metabolic syndrome: a linear dose-response relationship. 2014 , 9, e96068	23
511	Non-alcoholic fatty liver disease: epidemiology, clinical course, investigation, and treatment. 2014 , 111, 447-52	98
510	Alanine aminotransferase-old biomarker and new concept: a review. 2014 , 11, 925-35	103
509	Alanine aminotransferase within reference range is associated with metabolic syndrome in middle-aged and elderly Chinese men and women. 2014 , 11, 12767-76	6
508	Epigenetic mechanisms underlying the link between non-alcoholic fatty liver diseases and nutrition. 2014 , 6, 3303-25	74
507	Ginseng, green tea or fibrate: valid options for nonalcoholic steatohepatitis prevention?. 2014 , 51, 255-60	6
506	Review of nonalcoholic fatty liver disease in women with polycystic ovary syndrome. 2014 , 20, 14172-84	54
505	Gender and racial differences in nonalcoholic fatty liver disease. <i>World Journal of Hepatology</i> , 2014 , 6, 274-83	3-4 183
504	Nonalcoholic fatty liver disease and polycystic ovary syndrome. 2014 , 20, 8351-63	80
503	Non-alcoholic fatty liver disease: what the clinician needs to know. 2014 , 20, 12956-80	117
502	The metabolic syndrome and chronic liver disease. 2014 , 20, 5010-24	27

501	The prevalence of nonalcoholic fatty liver disease in the Americas. 2014 , 13, 166-178		89
500	Epidemiology of Nonalcoholic Fatty Liver Disease (NAFLD). 2014 , 357-372		1
499	In vivo efficacy study of milk thistle extract (ETHIS-094) in STAM model of nonalcoholic steatohepatitis. 2014 , 14, 291-9		12
498	Prognostic values of fluctuations in serum levels of alanine transaminase in inactive carrier state of HBV infection. 2014 , 14, e17537		5
497	Ginsenosides Rg1 from Panax ginseng: A Potential Therapy for Acute Liver Failure Patients?. 2014 , 2014, 538059		18
496	Alkaline phosphatase is independently associated with renal function in normoalbuminuric type 1 diabetic patients. 2014 , 36, 372-7		13
495	Sphingolipid regulators of cellular dysfunction in Type 2 diabetes mellitus: a systems overview. <i>Clinical Lipidology</i> , 2014 , 9, 553-569		7
494	Effect of lifetime alcohol consumption on the histological severity of non-alcoholic fatty liver disease. <i>Liver International</i> , 2014 , 34, 129-35	7.9	59
493	Prevalence and risk factors of diabetes and impaired fasting glucose among university applicants in Eastern China: findings from a population-based study. 2014 , 31, 1194-8		10
492	Serum liver enzymes are associated with all-cause mortality in an elderly population. <i>Liver International</i> , 2014 , 34, 296-304	7.9	59
491	Racial differences in nonalcoholic fatty liver disease in the U.S. population. 2014 , 22, 292-9		82
490	Gamma-glutamyltransferase, insulin resistance and cardiometabolic risk profile in a middle-aged African population. 2014 , 21, 1541-8		11
489	The prevalence of elevated alanine transaminase and its possible causes in the general Korean population. 2014 , 48, 534-9		11
488	Sex-specific prevalence of fatty liver disease and associated metabolic factors in Wuhan, south central China. 2014 , 26, 1015-21		25
487	The Interaction between Diabetes, Body Mass Index, Hepatic Steatosis, and Risk of Liver Resection: Insulin Dependent Diabetes Is the Greatest Risk for Major Complications. 2014 , 2014, 586159		9
486	Alanine aminotransferase and metabolic syndrome in adolescents: the Korean National Health and Nutrition Examination Survey Study. 2014 , 9, 411-8		13
485	Associations between blood mercury levels and subclinical changes in liver enzymes among South Korean general adults: analysis of 2008-2012 Korean national health and nutrition examination survey data. 2014 , 130, 14-9		18
484	Low normal thyroid function attenuates serum alanine aminotransferase elevations in the context of metabolic syndrome and insulin resistance in white people. 2014 , 47, 1028-32		12

483	Dietary cocoa ameliorates obesity-related inflammation in high fat-fed mice. 2014 , 53, 149-58	75
482	Probiotic antigens stimulate hepatic natural killer T cells. 2014 , 141, 203-10	29
481	Assessment of liver function in two groups of outdoor workers exposed to arsenic. 2014 , 87, 745-52	2
480	Obesity-associated nonalcoholic fatty liver disease. 2014 , 18, 19-31	59
479	Integrative Weight Management. 2014 ,	2
478	Nonalcoholic Fatty Liver Disease. 2014 , 145-169	1
477	The role of renin-angiotensin system modulation on treatment and prevention of liver diseases. 2014 , 62, 189-96	68
476	Age-related increase in alanine aminotransferase correlates with elevated levels of plasma amino acids, decanoylcarnitine, Lp-PLA2 Activity, oxidative stress, and arterial stiffness. 2014 , 13, 3467-75	12
475	Postnatal overfeeding promotes early onset and exaggeration of high-fat diet-induced nonalcoholic fatty liver disease through disordered hepatic lipid metabolism in rats. 2014 , 25, 1108-1116	20
474	Quantification of hepatic fat and iron with magnetic resonance imaging. 2014 , 22, 397-416	12
473	Serum alanine aminotransferase independently correlates with intrahepatic triglyceride contents in obese subjects. 2014 , 59, 2470-6	14
472	PNPLA3 I148M polymorphism is associated with elevated alanine transaminase levels in Mexican Indigenous and Mestizo populations. 2014 , 41, 4705-11	19
471	Natural history of hepatic steatosis: observed outcomes for subsequent liver and cardiovascular complications. 2014 , 202, 752-8	49
470	Effects of sulfate chitosan derivatives on nonalcoholic fatty liver disease. 2014 , 13, 531-537	3
469	Non-alcoholic fatty liver disease as a cause and a consequence of metabolic syndrome. 2014 , 2, 901-10	634
468	Association of ALT and the metabolic syndrome among Mexican children. 2014 , 8, e79-87	31
467	Prevalence and causes of elevated serum aminotransferase levels in a population-based cohort of persons with chronic hepatitis B virus infection. 2014 , 61, 785-91	32
466	Predicting hepatic steatosis in a racially and ethnically diverse cohort of adolescent girls. 2014 , 165, 319-325.e121	

465	Abdominal obesity validates the association between elevated alanine aminotransferase and newly diagnosed diabetes mellitus. 2014 , 61, 177-83		3
464	Modifiable clinical and lifestyle factors are associated with elevated alanine aminotransferase levels in newly diagnosed type 2 diabetes patients: results from the nationwide DD2 study. 2014 , 30, 707-15		12
463	Obesity and the extent of liver damage among adult New Zealanders: findings from a national survey. 2015 , 1, 67-77		9
462	Genetic analysis of nonalcoholic fatty liver disease within a Caribbean-Hispanic population. 2015 , 3, 558-69		11
461	Interferon gamma-induced protein 10 is associated with insulin resistance and incident diabetes in patients with nonalcoholic fatty liver disease. <i>Scientific Reports</i> , 2015 , 5, 10096	4.9	25
460	ZJU index: a novel model for predicting nonalcoholic fatty liver disease in a Chinese population. <i>Scientific Reports</i> , 2015 , 5, 16494	4.9	44
459	Determination of Fatty Acid Oxidation and Lipogenesis in Mouse Primary Hepatocytes. 2015 , e52982		16
458	Hepatitis B virus reactivation and hepatitis in diffuse large B-cell lymphoma patients with resolved hepatitis B receiving rituximab-containing chemotherapy: risk factors and survival. 2015 , 34, 225-34		19
457	Non-alcoholic fatty liver disease fibrosis score and FIB-4 scoring system could identify patients at risk of systemic complications. 2015 , 45, 667-75		19
456	Declining liver graft quality threatens the future of liver transplantation in the United States. 2015 , 21, 1040-50		66
455	The Effect of General Anesthesia on Aminotransferase Levels in Patients with Elevated Aminotransferase Levels: A Single-Center 5-Year Retrospective Study. 2015 , 121, 1529-33		
454	Population pharmacokinetic analysis of tacrolimus in Mexican paediatric renal transplant patients: role of CYP3A5 genotype and formulation. 2015 , 80, 630-41		22
453	Low-fasting triglyceride levels are associated with non-invasive markers of advanced liver fibrosis among adults in the United States. 2015 , 42, 106-16		13
452	Prevalence of nonalcoholic fatty liver disease and its metabolic risk factors in women of different ages and body mass index. 2015 , 22, 667-73		27
451	Sitagliptin can inhibit the development of hepatic steatosis in high-fructose diet-fed ob/ob mice. 2015 , 57, 244-53		11
450	Cardiovascular risk across the histological spectrum and the clinical manifestations of non-alcoholic fatty liver disease: An update. 2015 , 21, 6820-34		91
449	Genetic background in nonalcoholic fatty liver disease: A comprehensive review. 2015 , 21, 11088-111		59
448	Liver function parameters in hip fracture patients: relations to age, adipokines, comorbidities and outcomes. 2015 , 12, 100-15		8

447	Liraglutide With or Without Metformin Ameliorates Liver Function and Fatty Liver in Obese Patients with Type 2 Diabetes Mellitus. 2015 , 06,		
446	Nutritional Modulation of Non-Alcoholic Fatty Liver Disease and Insulin Resistance. 2015 , 7, 9127-38		100
445	Association of the Nonalcoholic Hepatic Steatosis and Its Degrees With the Values of Liver Enzymes and Homeostasis Model Assessment-Insulin Resistance Index. 2015 , 8, 260-264		20
444	Identification of cytochrome CYP2E1 as critical mediator of synergistic effects of alcohol and cellular lipid accumulation in hepatocytes in vitro. 2015 , 6, 41464-78		22
443	Mouse models of diet-induced nonalcoholic steatohepatitis reproduce the heterogeneity of the human disease. 2015 , 10, e0127991		188
442	Liver enzymes, metabolomics and genome-wide association studies: from systems biology to the personalized medicine. 2015 , 21, 711-25		104
441	Inhibitory effects of eucalyptus and banaba leaf extracts on nonalcoholic steatohepatitis induced by a high-fructose/high-glucose diet in rats. <i>BioMed Research International</i> , 2015 , 2015, 296207	3	3
440	Treatment of Nonalcoholic Fatty Liver Disease: The Role of Medical, Surgical, and Endoscopic Weight Loss. 2015 , 3, 230-8		30
439	Constitutive Activation of the Nlr4 Inflammasome Prevents Hepatic Fibrosis and Promotes Hepatic Regeneration after Partial Hepatectomy. 2015 , 2015, 909827		6
438	Elevation of Serum Aminotransferase Levels and Future Risk of Death from External Causes: A Prospective Cohort Study in Korea. 2015 , 56, 1582-9		2
437	MDCT classification of steatotic liver: a multicentric analysis. 2015 , 27, 290-7		11
436	Low-normal thyroid function and the pathogenesis of common cardio-metabolic disorders. 2015 , 45, 494-503		36
435	Menopausal stages and non-alcoholic fatty liver disease in middle-aged women. 2015 , 190, 65-70		32
434	Low normal thyroid function as a determinant of increased large very low density lipoprotein particles. 2015 , 48, 489-94		12
433	Nonalcoholic Fatty Liver Disease Is Associated With QT Prolongation in the General Population. 2015 , 4,		47
432	Gut microbiota and non-alcoholic fatty liver disease. 2015 , 14, 572-81		45
431	Prevalence of suspected nonalcoholic fatty liver disease in Hispanic/Latino individuals differs by heritage. 2015 , 13, 569-76		62
430	Reproductive history and chronic hepatic steatosis in the Michigan Study of Women's Health Across the Nation. 2015 , 24, 42-8		0

429	Low yield and utilization of confirmatory testing in a cohort of patients with liver disease assessed for alpha-1 antitrypsin deficiency. 2015 , 60, 1589-94		6
428	Prevalence of Non-alcoholic Fatty Liver Disease and Steatohepatitis Risk Factors in Patients Undergoing Bariatric Surgery. 2015 , 25, 2335-43		21
427	Fibrosis in nonalcoholic Fatty liver disease: mechanisms and clinical implications. 2015 , 35, 132-45		75
426	Metabolic syndrome-associated hepatocellular carcinoma: Questions still unanswered. 2015 , 63, 8-9		4
425	Nonalcoholic fatty liver disease and statins. 2015 , 64, 1215-23		47
424	Protective effect of ursodeoxycholic acid, resveratrol, and N-acetylcysteine on nonalcoholic fatty liver disease in rats. 2016 , 54, 1198-208		25
423	Prevalence of abnormal liver function tests in celiac disease and the effect of a gluten-free diet in the US population. <i>American Journal of Gastroenterology</i> , 2015 , 110, 1216-22	0.7	43
422	Effect on Liver Enzymes of Biliopancreatic Diversion: 4 Years of Follow-Up. 2015 , 66, 132-136		6
421	Differences and similarities in hepatic lipogenesis, gluconeogenesis and oxidative imbalance in mice fed diets rich in fructose or sucrose. 2015 , 6, 1684-91		29
420	Clinical Model for NASH and Advanced Fibrosis in Adult Patients With Diabetes and NAFLD: Guidelines for Referral in NAFLD. 2015 , 38, 1347-55		121
419	Nonalcoholic fatty liver disease: update on pathogenesis, diagnosis, treatment and the role of S-adenosylmethionine. 2015 , 240, 809-20		67
418	Non-alcoholic fatty liver disease: The diagnosis and management. <i>World Journal of Hepatology</i> , 2015 , 7, 846-58	3.4	195
417	Childhood obesity and its physical and psychological co-morbidities: a systematic review of Australian children and adolescents. 2015 , 174, 715-46		118
416	Metabolic Aspects of PCOS. 2015 ,		6
415	Prevalence and correlates of suspected nonalcoholic fatty liver disease in Chinese American children. 2015 , 49, 345-9		21
414	Pathogenesis of nonalcoholic fatty liver disease (NAFLD). 2015 , 281-291		1
413	A systematic review of the prevalence of mildly abnormal liver function tests and associated health outcomes. 2015 , 27, 1-7		37
412	Low awareness of nonalcoholic fatty liver disease among patients at high metabolic risk. 2015 , 49, e6-e10		40

411	Trihalomethane exposure and biomonitoring for the liver injury indicator, alanine aminotransferase, in the United States population (NHANES 1999-2006). 2015 , 521-522, 226-34		15
410	[S2k Guideline non-alcoholic fatty liver disease]. <i>Zeitschrift Fur Gastroenterologie</i> , 2015 , 53, 668-723	1.6	85
409	Impact of elevated aspartate and alanine aminotransferase on metabolic syndrome and its components among adult people living in Ningxia, China. 2015 , 1, 124-132		1
408	Epidemiology and Natural History of Nonalcoholic Fatty Liver Disease. 2015 , 35, 221-35		235
407	Clinical and biochemical assessment of symptomatic and asymptomatic liver disease. 2015 , 43, 557-561		2
406	Effect of enforced physical inactivity induced by 60-day of bed rest on hepatic markers of NAFLD in healthy normal-weight women. <i>Liver International</i> , 2015 , 35, 1700-6	7.9	8
405	Prognostic Significance of Muscle Attenuation in Pancreatic Cancer Patients Treated with Neoadjuvant Chemoradiotherapy. 2015 , 39, 2975-82		35
404	Association of Abnormal Liver Function Parameters with HIV Serostatus and CD4 Count in Antiretroviral-Naive Rwandan Women. 2015 , 31, 723-30		12
403	Caring for children with NAFLD and navigating their care into adulthood. 2015 , 12, 617-28		16
402	Meta-analysis reveals a specific association of the PNPLA3 I148M polymorphism with ALT level in adolescents. 2015 , 12, 67-82		1
401	Sugar sweetened beverages and fatty liver disease: Rising concern and call to action. 2015 , 63, 306-8		3
400	Longitudinal Changes in Liver Fat Content in Asymptomatic Adults: Hepatic Attenuation on Unenhanced CT as an Imaging Biomarker for Steatosis. 2015 , 205, 1167-72		28
399	Expression of toll-like receptors 1-5 but not TLR 6-10 is elevated in livers of patients with non-alcoholic fatty liver disease. <i>Liver International</i> , 2015 , 35, 562-8	7.9	36
398	Relationships of elevated levels of serum hepatic enzymes and alcohol intake with arterial stiffness in men. 2015 , 238, 83-8		9
397	Insulin Resistance in Nonalcoholic Fatty Liver Disease: Experience from Bangladesh. 2016 , 4, 86-91		2
396	Prevalence of Non alcoholic fatty liver disease in type 2 diabetes mellitus patients. 2016 , 7, 97		
395	Serum Transaminases: Quo Vadis. 2016 , s3,		0
394	Irritable Bowel Syndrome May Be Associated with Elevated Alanine Aminotransferase and Metabolic Syndrome. 2016 , 57, 146-52		16

393	Impact of weight reduction program on serum alanine aminotransferase activity and immunologic response in obese hepatitis B patients. 2016 , 16, 128-34	0
392	Role of NLRP3 Inflammasome in the Progression of NAFLD to NASH. 2016 , 2016, 6489012	79
391	Biomarker-Based Approaches for Assessing Alcohol Use Disorders. 2016 , 13, 166	61
390	Intrahepatic mRNA Expression of FAS, FASL, and FOXP3 Genes Is Associated with the Pathophysiology of Chronic HCV Infection. 2016 , 11, e0156604	10
389	Metabolic Syndrome and Serum Liver Enzymes in the General Chinese Population. 2016 , 13, 223	26
388	Prevalence of and progression to abnormal noninvasive markers of liver disease (aspartate aminotransferase-to-platelet ratio index and Fibrosis-4) among US HIV-infected youth. 2016 , 30, 889-98	11
387	Non-alcoholic fatty liver disease and risk of type 2 diabetes. 2016 , 30, 385-95	86
386	Major components of metabolic syndrome and nutritional intakes in different genotype of UCP2 -866G/A gene polymorphisms in patients with NAFLD. 2016 , 14, 177	1
385	Prevalence of chronic liver disease and cirrhosis by underlying cause in understudied ethnic groups: The multiethnic cohort. 2016 , 64, 1969-1977	175
384	Ethnic and Gender Differences in the Prevalence of Nonalcoholic Steatohepatitis Among Bariatric Surgery Patients. 2016 , 11, 153-157	1
383	Diabetes and Non-Alcoholic Fatty Liver Disease. 2016 , 745-758	
382	C-X-C motif chemokine 10 in non-alcoholic steatohepatitis: role as a pro-inflammatory factor and clinical implication. 2016 , 18, e16	19
381	Screening for NAFLD in high-risk populations. 2016 , 161-170	
380	Development and Validation of the Framingham Steatosis Index to Identify Persons With Hepatic Steatosis. 2016 , 14, 1172-1180.e2	29
379	Global Epidemiology of Nonalcoholic Fatty Liver Disease and Perspectives on US Minority Populations. 2016 , 61, 1214-25	98
378	Diagnosis of non-alcoholic fatty liver disease (NAFLD). 2016 , 59, 1104-11	52
377	Stratifying cardiovascular risk in diabetes: The role of diabetes-related clinical characteristics and imaging. 2016 , 30, 1408-15	8
376	Changes of liver enzymes and triglyceride during the menopausal transition in Japanese women. <i>Journal of Obstetrics and Gynaecology</i> , 2016 , 36, 806-811	1.3 4

375	Prevalence of abnormal serum liver enzymes in patients with type 2 diabetes mellitus: a cross-sectional study from China. 2016 , 128, 770-776		12
374	NAFLD and liver transplantation: Current burden and expected challenges. 2016 , 65, 1245-1257		237
373	Higher hydrocortisone dose increases bilirubin in hypopituitary patients- results from an RCT. 2016 , 46, 475-80		3
372	Obesity, NASH, and HCC. 2016 , 275-286		
371	Alcohol and Obesity: A Dangerous Association for Fatty Liver Disease. 2016 , 34 Suppl 1, 32-9		40
370	Gamma-glutamyltransferase-friend or foe within?. <i>Liver International</i> , 2016 , 36, 1723-1734	7.9	68
369	Impact of clinical context on acute kidney injury biomarker performances: differences between neutrophil gelatinase-associated lipocalin and L-type fatty acid-binding protein. <i>Scientific Reports</i> , 2016 , 6, 33077	4.9	12
368	Causes of altered liver function tests - the role of alpha-1 antitrypsin. <i>Zeitschrift Fur Gastroenterologie</i> , 2016 , 54, 1055-60	1.6	
367	Different effects of basal insulin peglispro and insulin glargine on liver enzymes and liver fat content in patients with type 1 and type 2 diabetes. 2016 , 18 Suppl 2, 50-58		23
366	Gender impacts on the correlations between nonalcoholic fatty liver disease and hypertension in a Chinese population aged 45-60 y. 2016 , 38, 639-643		7
365	Liver fat is related to cardiovascular risk factors and subclinical vascular disease: the Rotterdam Study. 2016 , 17, 1361-1367		22
364	Association between PNPLA3 (rs738409), LYPLAL1 (rs12137855), PPP1R3B (rs4240624), GCKR (rs780094), and elevated transaminase levels in overweight/obese Mexican adults. 2016 , 43, 1359-1369		12
363	Association between metabolic syndrome and liver histology among NAFLD patients without diabetes. 2016 , 3, e000114		17
362	Longitudinal association of obesity, metabolic syndrome and diabetes with risk of elevated aminotransferase levels in a cohort of Mexican health workers. 2016 , 17, 304-12		9
361	Serum microRNAs explain discordance of non-alcoholic fatty liver disease in monozygotic and dizygotic twins: a prospective study. 2016 , 65, 1546-54		59
360	Review and Recommendations for the Component Tests in the Liver Function Test Profile. 2016 , 31, 21-9		7
359	Hepatic Enzyme's Reference Intervals and Their Modulating Factors in Western Indian Population. 2016 , 31, 108-16		3
358	Pu-erh tea extract ameliorates high-fat diet-induced nonalcoholic steatohepatitis and insulin resistance by modulating hepatic IL-6/STAT3 signaling in mice. 2016 , 51, 819-29		37

357	Serum aminotransferases in nonalcoholic fatty liver disease are a signature of liver metabolic perturbations at the amino acid and Krebs cycle level. 2016 , 103, 422-34	61
356	Animal Models of Nonalcoholic Fatty Liver Disease. 2016 , 121-145	1
355	Global Epidemiology and Risk Factors for Nonalcoholic Fatty Liver Disease. 2016 , 21-40	1
354	Obesity and Cancer: The Oil that Feeds the Flame. 2016 , 23, 48-62	232
353	Alcoholic and Non-Alcoholic Fatty Liver Disease. 2016 ,	3
352	Comparison of the Phenotype and Approach to Pediatric vs Adult Patients With Nonalcoholic Fatty Liver Disease. 2016 , 150, 1798-810	84
351	Hepatoprotective effects of polymethoxyflavones against acute and chronic carbon tetrachloride intoxication. 2016 , 91, 91-9	24
350	The Effect of Roux-en-Y vs. Omega-Loop Gastric Bypass on Liver, Metabolic Parameters, and Weight Loss. 2016 , 26, 2204-2212	36
349	[Prevalence of non-alcoholic fatty liver disease in a population with elevated transaminases and level of accuracy of the diagnosis in Primary Care]. 2016 , 48, 281-7	1
348	Clinical Implications of Concomitant Alcohol Use, Obesity, and Viral Hepatitis. 2016 , 150, 1718-22	9
347	Nonalcoholic fatty liver disease is associated with cognitive function in adults. 2016 , 86, 1136-42	79
346	Combined Supplementation with Grape Pomace and Omija Fruit Ethanol Extracts Dose-Dependently Improves Body Composition, Plasma Lipid Profiles, Inflammatory Status, and Antioxidant Capacity in Overweight and Obese Subjects. 2016 , 19, 170-80	15
345	Effectiveness of Ipragliflozin, a Sodium-Glucose Co-transporter 2 Inhibitor, as a Second-line Treatment for Non-Alcoholic Fatty Liver Disease Patients with Type 2 Diabetes Mellitus Who Do Not Respond to Incretin-Based Therapies Including Glucagon-like Peptide-1 Analogs and Dipeptidyl Peptidase-4 Inhibitors. 2016 , 36, 313-9	54
344	Cross-sectional pilot study about the liver enzymes profile in type 2 diabetic patients from an Algerian west region: Wilaya of Mostaganem. 2016 , 10, S147-50	8
343	The Association of Alanine Aminotransferase in Early Pregnancy with Gestational Diabetes. 2016 , 14, 254-8	11
342	Doppler Tissue Evaluation of Atrial Conduction Properties in Patients With Non-alcoholic Fatty-liver Disease. 2016 , 38, 225-35	19
341	Prevalence of nonalcoholic steatohepatitis in Japanese patients with morbid obesity undergoing bariatric surgery. 2016 , 51, 281-9	32
340	Understanding and Reducing Ceruloplasmin Overuse with a Decision Support Intervention for Liver Disease Evaluation. 2016 , 129, 115.e17-22	10

339	Effect of Roux-en-Y gastric bypass and sleeve gastrectomy on nonalcoholic fatty liver disease: a comparative study. 2016 , 12, 127-31		53
338	Age-related Morbidity and Mortality After Transjugular Intrahepatic Portosystemic Shunts. 2017 , 51, 360-363		7
337	Prevalence of elevated alanine transaminase in Australia and its relationship to metabolic risk factors: A cross-sectional study of 9,447 people. 2017 , 32, 169-176		11
336	Alcohol, microbiome, life style influence alcohol and non-alcoholic organ damage. 2017 , 102, 162-180		33
335	Transaminase abnormalities and adaptations of the liver lobule manifest at specific cut-offs of steatosis. <i>Scientific Reports</i> , 2017 , 7, 40977	4-9	10
334	High-free androgen index is associated with increased risk of non-alcoholic fatty liver disease in women with polycystic ovary syndrome, independent of obesity and insulin resistance. 2017 , 41, 1341-1347		4 ¹
333	Relevance of autophagy to fatty liver diseases and potential therapeutic applications. 2017 , 49, 1965-1979		21
332	Long-term obestatin treatment of mice type 2 diabetes increases insulin sensitivity and improves liver function. 2017 , 56, 538-550		14
331	Diagnostic accuracy of serum alanine aminotransferase as biomarker for nonalcoholic fatty liver disease and insulin resistance in healthy subjects, using 3T MR spectroscopy. 2017 , 96, e6770		26
330	Antioxidant defense of Nrf2 vs pro-inflammatory system of NF- κ B during the amoebic liver infection in hamster. 2017 , 144, 384-393		3
329	Genetic Basis for Sex Differences in Obesity and Lipid Metabolism. 2017 , 37, 225-245		113
328	Elevated Liver Enzymes and Mortality in Older Individuals: A Prospective Cohort Study. 2017 , 51, 439-445		10
327	Low-Dose N,N-Dimethylformamide Exposure and Liver Injuries in a Cohort of Chinese Leather Industry Workers. 2017 , 59, 434-439		17
326	Reply to: "Should anti-LKM1 be routine for work-up of elevated liver enzymes?". 2017 , 67, 418-419		
325	Nutritional Approaches to Achieve Weight Loss in Nonalcoholic Fatty Liver Disease. 2017 , 8, 253-265		23
324	Shiftwork Is Not Associated with Increased Risk of NAFLD: Findings from the National Health and Nutrition Examination Survey. 2017 , 62, 526-533		17
323	ACG Clinical Guideline: Evaluation of Abnormal Liver Chemistries. <i>American Journal of Gastroenterology</i> , 2017 , 112, 18-35	0.7	384
322	IL-17C/IL-17RE Augments T Cell Function in Autoimmune Hepatitis. 2017 , 198, 669-680		17

321	Sex differences in the impact of nonalcoholic fatty liver disease on cardiovascular risk factors. 2017 , 27, 63-69	10
320	Gender difference on the relationship between hyperuricemia and nonalcoholic fatty liver disease among Chinese: An observational study. 2017 , 96, e8164	12
319	Association of single nucleotide polymorphism at PNPLA3 with fatty liver, steatohepatitis, and cirrhosis of liver. 2017 , 36, 366-372	3
318	Use of Liver Imaging and Biopsy in Clinical Practice. 2017 , 377, 756-768	181
317	The association of nonalcoholic steatohepatitis and obstructive sleep apnea. 2017 , 29, 1380-1384	14
316	Design and rationale for a real-world observational cohort of patients with nonalcoholic fatty liver disease: The TARGET-NASH study. 2017 , 61, 33-38	27
315	A new index predicts early allograft dysfunction following living donor liver transplantation: A propensity score analysis. 2017 , 49, 1225-1232	5
314	Biochemical Profile of Nonalcoholic Fatty Liver Disease Patients in Eastern India with Histopathological Correlation. 2017 , 32, 306-314	5
313	Periodontitis and Non-alcoholic Fatty Liver Disease, a population-based cohort investigation in the Study of Health in Pomerania. 2017 , 44, 1077-1087	34
312	Hepatocellular Carcinoma in Nonalcoholic Steatohepatitis. 2017 , 01, 066-073	
311	The ZJU index is a powerful index for identifying NAFLD in the general Chinese population. 2017 , 54, 905-911	10
310	Insulin resistance is associated with elevated transaminases and low aspartate aminotransferase/alanine aminotransferase ratio in young adults with normal weight. 2017 , 29, 435-440	18
309	The triglyceride and glucose index (TyG) is an effective biomarker to identify nonalcoholic fatty liver disease. 2017 , 16, 15	62
308	Burden of hepatocellular carcinoma among hispanics in South Texas: a systematic review. 2017 , 5, 15	13
307	Evaluation of abnormal liver biochemical test results: Does the hare finally beat the tortoise?. 2017 , 66, 273-274	
306	Association of UCP2 -866G>A Polymorphism With Nonalcoholic Fatty Liver Disease in Patients From North-West of Iran. 2017 , 48, 65-72	2
305	Patient Sex, Reproductive Status, and Synthetic Hormone Use Associate With Histologic Severity of Nonalcoholic Steatohepatitis. 2017 , 15, 127-131.e2	38
304	Tenofovir disoproxil fumarate (TDF) vs. emtricitabine (FTC)/TDF in lamivudine resistant hepatitis B: A 5-year randomised study. 2017 , 66, 11-18	41

303	Extensive testing or focused testing of patients with elevated liver enzymes. 2017 , 66, 313-319	15
302	Nonalcoholic Fatty Liver Disease. 2017 , 867-908	1
301	Occult liver disease burden: Analysis from a large general practitioners' database. 2017 , 5, 982-986	5
300	Hepatitis B and C seroprevalence in patients with diabetes mellitus and its relationship with microvascular complications. 2017 , 12, 105-110	4
299	EFFECT OF A SHORT PERIOD WHOLE BODY VIBRATION WITH 10 HZ ON BLOOD BIOMARKERS IN RATS. 2017 , 14, 11-18	4
298	Nonalcoholic fatty liver disease and bariatric surgery: a comprehensive review. 2017 , 135, 277-295	19
297	CD18 deficiency improves liver injury in the MCD model of steatohepatitis. 2017 , 12, e0183912	5
296	High-normal levels of hs-CRP predict the development of non-alcoholic fatty liver in healthy men. 2017 , 12, e0172666	25
295	Interaction between obesity and the Hypoxia Inducible Factor 3 Alpha Subunit rs3826795 polymorphism in relation with plasma alanine aminotransferase. 2017 , 18, 80	3
294	The effect of Earyophyllene on nonalcoholic steatohepatitis. 2017 , 30, 263-273	6
293	MiR-149 Compromises the Reactions of Liver Cells to Fatty Acid via its Polymorphism and Increases Non-Alcoholic Fatty Liver Disease (NAFLD) Risk by Targeting Methylene Tetrahydrofolate Reductase (MTHFR). 2017 , 23, 2299-2307	8
292	Dose-Response Relationship between Alanine Aminotransferase Levels within the Reference Interval and Metabolic Syndrome in Chinese Adults. 2017 , 58, 158-164	8
291	Clinical epidemiology and disease burden of nonalcoholic fatty liver disease. 2017 , 23, 8263-8276	316
290	Adrenergic regulation during acute hepatic infection with Entamoeba histolytica in the hamster: involvement of oxidative stress, Nrf2 and NF-KappaB. 2017 , 24, 46	8
289	The Great Chinese Famine Exposure in Early Life and the Risk of Nonalcoholic Fatty Liver Disease in Adult Women. 2017 , 16, 901-908	9
288	Association between smoking and non-alcoholic fatty liver disease: A systematic review and meta-analysis. 2018 , 6, 2050312117745223	40
287	Evaluation of behavioral parameters, hematological markers, liver and kidney functions in rodents exposed to Deepwater Horizon crude oil and Corexit. 2018 , 199, 34-40	9
286	Examining the Relationship Between Nonalcoholic Fatty Liver Disease and the Metabolic Syndrome in Nondiabetic Subjects. 2018 , 37, 457-465	9

285	Cilostazol attenuates indices of liver damage induced by thioacetamide in albino rats through regulating inflammatory cytokines and apoptotic biomarkers. 2018 , 822, 168-176		14
284	Potential influence of the phthalates on normal liver function and cardiometabolic risk in males. 2017 , 190, 17		25
283	[Evaluation of Abnormal Liver Chemistries in General Practitioner Care - The Reality of Primary Care in Germany]. 2018 , 143, e34-e41		3
282	Periodontitis and prevalence of elevated aminotransferases in the Hispanic Community Health Study/Study of Latinos. 2018 , 89, 949-958		12
281	Appendicular muscle mass and fasting triglycerides predict serum liver aminotransferases in young female collegiate athletes. 2018 , 6, e000498		4
280	The associations between liver enzymes and the risk of metabolic syndrome in the elderly. 2018 , 106, 132-136		11
279	The hedgehog pathway in nonalcoholic fatty liver disease. 2018 , 53, 264-278		27
278	Variability in Baseline Liver Test Values in Clinical Trials: Challenges in Enhancing Drug-Induced Liver Injury Assessment in Subjects with Liver Disease. 2018 , 431-457		
277	The association of non-alcoholic fatty liver disease with lung function: A survey design analysis using propensity score. 2018 , 23, 82-88		12
276	After successful hepatitis C virus antiviral therapy: It looks that normal alanine aminotransferase level is not the normal. 2018 , 32,		3
275	Prepregnancy liver enzyme levels and risk of preeclampsia in a subsequent pregnancy: A population-based cohort study. <i>Liver International</i> , 2018 , 38, 949-954	7.9	8
274	Association between PNPLA3 (rs738409 C>G) variant and hepatocellular carcinoma in Asian chronic hepatitis C patients: A longitudinal study. 2018 , 117, 833-840		9
273	Silybin inhibits NLRP3 inflammasome assembly through the NAD/SIRT2 pathway in mice with nonalcoholic fatty liver disease. 2018 , 32, 757-767		50
272	Exercise, Adiposity, and Regional Fat Distribution. 2018 , 151-163		
271	Bariatric Surgery as an Efficient Treatment for Non-Alcoholic Fatty Liver Disease in a Prospective Study with 1-Year Follow-up : BariScan Study. 2018 , 28, 1342-1350		50
270	A prospective study on the changes of clinical values in HIV-Infected patients attending Kenyatta National Hospital Comprehensive Care Center. 2018 , 10, 56-63		
269	Glycogenic hepatopathy: A narrative review. <i>World Journal of Hepatology</i> , 2018 , 10, 172-185	3.4	36
268	New insights into genetic predisposition and novel therapeutic targets for nonalcoholic fatty liver disease. 2018 , 7, 372-381		12

267	Non-invasive diagnosis of steatosis, inflammatory changes and liver fibrosis in patients with non-alcoholic fatty liver diseases. Pilot study. 2018 , 3, e179-e183	3
266	Laboratory Tests, Liver Vessels Color Doppler Sonography, and FibroScan Findings in Patients with Nonalcoholic Fatty Liver Disease: An Observation Study. 2018 , 8, 12	13
265	Association between liver enzymes and bone mineral density in Koreans: a cross-sectional study. 2018 , 19, 410	5
264	Matrine attenuates endoplasmic reticulum stress and mitochondrion dysfunction in nonalcoholic fatty liver disease by regulating SERCA pathway. 2018 , 16, 319	24
263	Liver Disease in a Residential Cohort With Elevated Polychlorinated Biphenyl Exposures. 2018 , 164, 39-49	32
262	Effects of resveratrol, exercises and their combination on gene expression and apoptosis in the liver of elderly rats with nonalcoholic fatty liver. 2018 , 6, e5522	14
261	Kynurenic Acid Protects against Thioacetamide-Induced Liver Injury in Rats. 2018 , 2018, 1270483	15
260	Associations of the SLCO1B1 Polymorphisms With Hepatic Function, Baseline Lipid Levels, and Lipid-lowering Response to Simvastatin in Patients With Hyperlipidemia. 2018 , 24, 240S-247S	3
259	Hyperandrogenism and insulin resistance contribute to hepatic steatosis and inflammation in female rat liver. 2018 , 9, 18180-18197	17
258	Cynara scolymus (artichoke) and its efficacy in management of obesity. 2018 , 56, 115-120	5
257	Sex differences in metabolism and cardiometabolic disorders. 2018 , 29, 404-410	50
256	Treatment of Dyslipidemia in Common Liver Diseases. 2018 , 16, 1189-1196	16
255	Salidroside mediates apoptosis and autophagy inhibition in concanavalin A-induced liver injury. 2018 , 15, 4599-4614	16
254	Diagnostic performance of magnetic resonance technology in detecting steatosis or fibrosis in patients with nonalcoholic fatty liver disease: A meta-analysis. 2018 , 97, e10605	9
253	Comparison of conventional sonographic signs and magnetic resonance imaging proton density fat fraction for assessment of hepatic steatosis. <i>Scientific Reports</i> , 2018 , 8, 7759	4-9 11
252	Capybara Oil Improves Hepatic Mitochondrial Dysfunction, Steatosis, and Inflammation in a Murine Model of Nonalcoholic Fatty Liver Disease. 2018 , 2018, 4956079	2
251	Personalized therapy when tackling nonalcoholic fatty liver disease: a focus on sex, genes, and drugs. 2018 , 14, 831-841	14
250	Physical deconditioning is the common denominator in both obese and overweight subjects with nonalcoholic steatohepatitis. 2018 , 48, 290-299	8

249	Chaihu-Shugan-San Decoction Modulates Intestinal Microbe Dysbiosis and Alleviates Chronic Metabolic Inflammation in NAFLD Rats via the NLRP3 Inflammasome Pathway. 2018 , 2018, 9390786	19
248	Aminotransferase levels, body mass index, and the risk of diabetes: a prospective cohort study. 2018 , 28, 675-680.e6	7
247	The Adaptive Immune System and Liver Toxicity. 2018 , 346-367	1
246	Neoboutonia melleri var velutina Prain: in vitro and in vivo hepatoprotective effects of the aqueous stem bark extract on acute hepatitis models. 2018 , 18, 24	1
245	Updates on Dietary Models of Nonalcoholic Fatty Liver Disease: Current Studies and Insights. 2018 , 18, 5-17	59
244	Effect of resveratrol on non-alcoholic fatty liver disease. 2019 , 18, 559-565	12
243	The association of hepatic fat percentage with selected anthropometric and biochemical parameters at 3-Tesla magnetic resonance imaging. 2019 , 76, 70-76	1
242	A Genome-Wide Association Study Identifies Blood Disorder-Related Variants Influencing Hemoglobin A With Implications for Glycemic Status in U.S. Hispanics/Latinos. 2019 , 42, 1784-1791	6
241	Effect of semaglutide on liver enzymes and markers of inflammation in subjects with type 2 diabetes and/or obesity. 2019 , 50, 193-203	62
240	Fully automatic liver attenuation estimation combining CNN segmentation and morphological operations. 2019 , 46, 3508-3519	11
239	Risk Factors for Alanine Aminotransferase Elevations in a Prospective Cohort of HIV-Infected Tanzanian Adults Initiating Antiretroviral Therapy. 2019 , 18, 2325958219884939	1
238	Alpha-hydroxybutyrate dehydrogenase as a biomarker for predicting systemic lupus erythematosus with liver injury. 2019 , 77, 105922	5
237	The Positive Effects of Heteropolysaccharide on NAFLD and Regulation of the Gut Microbiota. 2019 , 20,	15
236	Alanine Aminotransferase and Body Composition in Obese Men and Women. 2019 , 2019, 1695874	8
235	Range of Normal Serum Aminotransferase Levels in Liver Transplant Recipients. 2019 , 51, 1895-1901	4
234	The association between adherence to the Mediterranean diet and hepatic steatosis: cross-sectional analysis of two independent studies, the UK Fenland Study and the Swiss CoLaus Study. 2019 , 17, 19	24
233	Ellagic acid ameliorates AKT-driven hepatic steatosis in mice by suppressing de novo lipogenesis via the AKT/SREBP-1/FASN pathway. 2019 , 10, 3410-3420	24
232	Biochemical Markers. 2019 , 115-124	1

231	Association of High-Intensity Binge Drinking With Lipid and Liver Function Enzyme Levels. 2019 , 2, e195844	24
230	Low serum vitamin D is independently associated with unexplained elevated ALT only among non-obese men in the general population. 2019 , 18, 578-584	5
229	Hepatobiliary Events in Migraine Therapy with Herbs-The Case of Petadolex, A Petasites Hybridus Extract. 2019 , 8,	11
228	Circulating ALT Levels in Healthy Volunteers Over Life-Span: Assessing Aging Paradox and Nutritional Implications. 2019 , 38, 661-669	10
227	Pediatric Liver Disease in the Asian Continent. 2019 , 743-764	0
226	American Ancestry Is a Risk Factor for Suspected Nonalcoholic Fatty Liver Disease in Hispanic/Latino Adults. 2019 , 17, 2301-2309	10
225	Independent effect of alanine transaminase on the incidence of type 2 diabetes mellitus, stratified by age and gender: A secondary analysis based on a large cohort study in China. 2019 , 495, 54-59	6
224	Obesity and metabolic outcomes in a safety-net health system. 2020 , 65, 257-267	
223	La toxicité subaiguë de l'orce de racines de <i>Dichrostachys cinerea</i> (L.) Wight et Arn. (Fabaceae). 2019 , 13, 836	
222	Aromatase Inhibitors and Newly Developed Nonalcoholic Fatty Liver Disease in Postmenopausal Patients with Early Breast Cancer: A Propensity Score-Matched Cohort Study. 2019 , 24, e653-e661	6
221	Obese boys with low concentrations of high-density lipoprotein cholesterol are at greater risk of hepatosteatosis. 2019 , 18, 477-484	3
220	Histologic Findings of Advanced Fibrosis and Cirrhosis in Patients With Nonalcoholic Fatty Liver Disease Who Have Normal Aminotransferase Levels. <i>American Journal of Gastroenterology</i> , 2019 , 114, 1626-1635	0.7 34
219	17-Beta Hydroxysteroid Dehydrogenase 13 Is a Hepatic Retinol Dehydrogenase Associated With Histological Features of Nonalcoholic Fatty Liver Disease. 2019 , 69, 1504-1519	133
218	The Future of Nonalcoholic Fatty Liver Disease Treatment. 2019 , 103, 57-69	11
217	Protective effects of alpinetin on lipopolysaccharide/d-Galactosamine-induced liver injury through inhibiting inflammatory and oxidative responses. 2019 , 126, 239-244	16
216	Diabetic Retinopathy as a Risk Factor Associated with the Development of Hepatocellular Carcinoma in Nonalcoholic Fatty Liver Disease. 2019 , 37, 247-254	3
215	Clinical Epidemiology of Chronic Liver Diseases. 2019 ,	1
214	Statin Safety and Associated Adverse Events: A Scientific Statement From the American Heart Association. 2019 , 39, e38-e81	231

213	Effects of combined therapy with resveratrol, continuous and interval exercises on apoptosis, oxidative stress, and inflammatory biomarkers in the liver of old rats with non-alcoholic fatty liver disease. 2019 , 125, 142-149		22
212	Regular moderate aerobic exercise improves high-fat diet-induced nonalcoholic fatty liver disease via monoacylglycerol O-acyltransferase 1 pathway suppression. 2020 , 9, 472-478		10
211	Value of homodyned K distribution in ultrasound parametric imaging of hepatic steatosis: An animal study. 2020 , 101, 106001		9
210	Discordance Between Serology and Histology for Celiac Disease in a Cohort with Coexisting Liver Disorders. 2020 , 3, 185-193		3
209	Diet Associations With Nonalcoholic Fatty Liver Disease in an Ethnically Diverse Population: The Multiethnic Cohort. 2020 , 71, 1940-1952		37
208	Salvianolic acid B exerts a protective effect in acute liver injury by regulating the Nrf2/HO-1 signaling pathway. 2020 , 98, 162-168		9
207	Identification of Serum Biomarkers to Distinguish Hazardous and Benign Aminotransferase Elevations. 2020 , 173, 244-254		9
206	[Prevalence and risk factors for fatty liver in Tunisian adults with obstructive sleep apnea]. 2020 , 37, 8-14		1
205	Insecticide and metal exposures are associated with a surrogate biomarker for non-alcoholic fatty liver disease in the National Health and Nutrition Examination Survey 2003-2004. <i>Environmental Science and Pollution Research</i> , 2020 , 27, 6476-6487	5.1	12
204	Evolution of NAFLD and Its Management. 2020 , 35, 72-84		61
203	Tolerogenic properties of liver macrophages in non-alcoholic steatohepatitis. <i>Liver International</i> , 2020 , 40, 609-621	7.9	3
202	Sex-Specific Metabolite Biomarkers of NAFLD in Youth: A Prospective Study in the EPOCH Cohort. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2020 , 105,	5.6	4
201	A nomogram for estimating the probability of nonalcoholic fatty liver disease in a Chinese population: A retrospective cohort study. 2020 , 99, e23049		1
200	Prevalence of elevated alanine aminotransferase levels in adult participants from a community-based study from northern part of India. 2020 , 39, 608-613		3
199	[Evaluation of abnormal liver chemistries in primary care - A survey on the prerequisites, procedure and challenges faced by general practitioners]. <i>Zeitschrift Fur Gastroenterologie</i> , 2020 ,	1.6	3
198	Objectively measured sedentary time, physical activity and liver enzyme elevations in US Hispanics/Latinos. <i>Liver International</i> , 2020 , 40, 1883-1894	7.9	3
197	Overweight and obesity status from the prenatal period to adolescence and its association with non-alcoholic fatty liver disease in young adults: cohort study. 2020 , 127, 1200-1209		6
196	Association between serum liver enzymes and hypertension: a cross-sectional study in Bangladeshi adults. 2020 , 20, 128		14

195	Psoralea corylifolia L. extract ameliorates nonalcoholic fatty liver disease in free-fatty-acid-incubated HEPG2 cells and in high-fat diet-fed mice. 2020 , 85, 2216-2226		4
194	Recruitment and Retention of Patients for Nonalcoholic Steatohepatitis Clinical Trials. 2020 , 49, 123-140		
193	Association of HSD17B13 rs72613567:TA with non-alcoholic fatty liver disease in Hispanics/Latinos. <i>Liver International</i> , 2020 , 40, 889-893	7.9	10
192	Circulating PCSK9 is associated with liver biomarkers and hepatic steatosis. 2020 , 77, 20-25		10
191	Non-alcoholic Fatty Liver Disease. 2020 , 670-681		1
190	Pharmacological screening of fenofibrate-loaded solid dispersion in fructose-induced diabetic rat. <i>Journal of Pharmacy and Pharmacology</i> , 2020 , 72, 909-915	4.8	0
189	Associations Between Serum Zinc Levels and Alanine Aminotransferase Elevation in Adults. 2021 , 199, 2077-2084		2
188	The prevalence and etiology of elevated aminotransferase levels in northeastern Taiwan: A community-based study. 2021 , 8, 75-83		0
187	Associations Between Reproductive and Hormone-Related Factors and Risk of Nonalcoholic Fatty Liver Disease in a Multiethnic Population. 2021 , 19, 1258-1266.e1		6
186	Liver Pyruvate Kinase Promotes NAFLD/NASH in Both Mice and Humans in a Sex-Specific Manner. 2021 , 11, 389-406		11
185	Circulating liver function markers and colorectal cancer risk: A prospective cohort study in the UK Biobank. 2021 , 148, 1867-1878		8
184	Influences of pregravid liver enzyme levels on the development of gestational diabetes mellitus. <i>Liver International</i> , 2021 , 41, 743-753	7.9	2
183	Non-invasive fibrosis markers are associated with mortality risk in both general populations and non-alcoholic fatty liver disease patients. 2021 , 51, 90-101		6
182	POU2AF1 promotes MSCs adipogenesis by inhibiting HDAC1 expression. 2021 , 10, 251-263		1
181	Association between Liver Enzymes and Dyslipidemia in Yemeni Patients with Type Two Diabetes Mellitus. 2021 , 11, 41-51		1
180	Association of NAFLD and Insulin Resistance with Non Metastatic Bladder Cancer Patients: A Cross-Sectional Retrospective Study. 2021 , 10,		18
179	Gender-specific association between non-alcoholic fatty liver disease and type 2 diabetes mellitus among a middle-aged and elderly Chinese population: An observational study. 2021 , 100, e24743		2
178	Salvianolic acid B protects against acute and chronic liver injury by inhibiting Smad2C/L phosphorylation. 2021 , 21, 341		4

177	Relationship between the risk factors of cardiovascular disease by testing biochemical markers and young men with erectile dysfunction: a case-control study. 2021 , 10, 724-733		1
176	Patient Determinants for Histologic Diagnosis of NAFLD in the Real World: A TARGET-NASH Study. <i>Hepatology Communications</i> , 2021 , 5, 938-946	6	4
175	Comparison of Ketogenic Diets with and without Ketone Salts versus a Low-Fat Diet: Liver Fat Responses in Overweight Adults. 2021 , 13,		4
174	Joint Effect of Hepatic Steatosis and Alanine Aminotransferase Within the Normal Range on Incident Ischemic Heart Disease: A Prospective Study in Koreans. 2021 , 16, 513-523		2
173	The Utility of Liver Biopsy in the Evaluation of Liver Disease and Abnormal Liver Function Tests. 2021 , 156, 259-267		2
172	Assessment of the relationship of serum liver enzymes activity with general and abdominal obesity in an urban Bangladeshi population. <i>Scientific Reports</i> , 2021 , 11, 6640	4.9	9
171	Nonalcoholic Fatty Liver Disease: Epidemiology, Assessments, and Interventions Entering 2021. 2021 , 43, 436-437		1
170	Association between High-Sensitive C-Reactive Protein and the Development of Liver Damage in Japanese Male Workers. 2021 , 18,		1
169	The association between serum alanine aminotransferase and hypertension: A national based cross-sectional analysis among over 21 million Chinese adults. 2021 , 21, 145		4
168	Severity of metabolic syndrome is greater among nonalcoholic adults with elevated ALT and advanced fibrosis. 2021 , 88, 34-43		0
167	Body Adiposity, But Not Elements of Objectively Measured Sedentary Behavior or Physical Activity, Is Associated With Circulating Liver Enzymes in Adults With Overweight and Obesity. 2021 , 12, 655756		0
166	Usefulness of Triglyceride to High-Density Lipoprotein Ratio and Alanine Aminotransferase for Predicting Insulin Resistance and Metabolic Syndrome in the Japanese Population. 2021 , 19, 225-232		0
165	Blood-Based Biomarkers and Long-term Risk of Frailty-Experience From the Swedish AMORIS Cohort. 2021 , 76, 1643-1652		2
164	Clinical impact of sexual dimorphism in non-alcoholic fatty liver disease (NAFLD) and non-alcoholic steatohepatitis (NASH). <i>Liver International</i> , 2021 , 41, 1713-1733	7.9	13
163	Association between Blood Mercury Levels and Non-Alcoholic Fatty Liver Disease in Non-Obese Populations: The Korean National Environmental Health Survey (KoNEHS) 2012-2014. 2021 , 18,		1
162	Working relationship between primary and specialist care in analysing elevated liver values-a survey from the point of view of gastroenterologists. 2021 , 171, 301-309		1
161	Clozapine Worsens Glucose Intolerance, Nonalcoholic Fatty Liver Disease, Kidney Damage, and Retinal Injury and Increases Renal Reactive Oxygen Species Production and Chromium Loss in Obese Mice. 2021 , 22,		3
160	Telemonitoring-Supported Exercise Training in Employees With Metabolic Syndrome Improves Liver Inflammation and Fibrosis. 2021 , 12, e00371		1

159	Sirtuin3 rs28365927 functional variant confers to the high risk of non-alcoholic fatty liver disease in Chinese Han population. 2021 , 20, 92	0
158	Association of elevated serum aminotransferase levels with chronic kidney disease measures: hispanic community health study/study of latinos. 2021 , 22, 302	1
157	Hepatic Interactions in Atherosclerotic Heart Disease. 2021 ,	0
156	Required warfarin dose and time in therapeutic range in patients with diagnosed Nonalcoholic Fatty Liver Disease (NAFLD) or Nonalcoholic Steatohepatitis (NASH). 2021 , 16, e0251665	0
155	Moderate overfeeding of different sources of metabolizable energy and protein. II: Effects on inflammatory status of sheep in late pregnancy and growth trajectory of the offspring. 2021 , 176, 115-121	
154	Awareness of non-alcoholic fatty liver disease is low in the general population of Saudi Arabia. 899-905	
153	Inflammation initiates a vicious cycle between obesity and nonalcoholic fatty liver disease. 2021 , 9, 59-73	10
152	Ultrasonographic Anthropometry: An Application to the Measurement of Liver and Abdominal Fat. 2012 , 2227-2242	1
151	The Liver in Type 2 Diabetes Mellitus. 2008 , 351-364	2
150	Clinical Epidemiology of NAFLD. 2019 , 211-227	2
149	Fatty Liver Disease. 2011 , 595-606	1
148	Nonalcoholic Fatty Liver Disease. 2010 , 1401-1411.e3	4
147	Is within-normal range liver enzymes associated with metabolic syndrome in adults?. 2018 , 42, 92-98	11
146	The utility of liver biopsy in 2020. 2020 , 36, 184-191	21
145	Molecular mediators of hepatic steatosis and liver injury. 2004 , 114, 147-152	1404
144	Molecular mediators of hepatic steatosis and liver injury. 2004 , 114, 147-52	712
143	Serum Bilirubin in the Czech Population - Relationship to the Risk of Myocardial Infarction in Males. 2020 , 84, 1779-1785	1
142	Independent and supra-additive effects of alcohol consumption, cigarette smoking, and metabolic syndrome on the elevation of serum liver enzyme levels. 2013 , 8, e63439	24

141	High Fat Diet Induces Liver Steatosis and Early Dysregulation of Iron Metabolism in Rats. 2013 , 8, e66570	64
140	Serum hepatic enzyme activity and alcohol drinking status in relation to the prevalence of metabolic syndrome in the general Japanese population. 2014 , 9, e95981	12
139	Tuberculosis and hepatic steatosis are prevalent liver pathology findings among HIV-infected patients in South Africa. 2015 , 10, e0117813	11
138	Combined Serum Biomarkers in Non-Invasive Diagnosis of Non-Alcoholic Steatohepatitis. 2015 , 10, e0131664	41
137	HIF3A DNA Methylation Is Associated with Childhood Obesity and ALT. 2015 , 10, e0145944	45
136	Incremental Predictive Value of Serum AST-to-ALT Ratio for Incident Metabolic Syndrome: The ARIRANG Study. 2016 , 11, e0161304	16
135	Alanine Aminotransferase levels are Associated with Cardiometabolic Risk Markers in Hispanic/Latino Farmworkers. 2018 , 4, 20-25	1
134	Prevalence, trends, outcomes, and disparities in hospitalizations for nonalcoholic fatty liver disease in the United States. <i>Annals of Gastroenterology</i> , 2019 , 32, 504-513	2.2 7
133	Multi-component infusion hepatoprotectors for liver damage. 2019 , 84-88	1
132	EFFECTS OF HIGH FAT DIET INDUCED OBESITY ON FEMALE RAT LIVERS (A HISTOCHEMICAL STUDY). 2005 , 2,	20
131	[Efficacy and predictors of the virologic response to entecavir therapy in nucleoside-naive patients with chronic hepatitis B]. 2010 , 16, 57-65	10
130	Persistent alanine aminotransferase elevation among the general Iranian population: prevalence and causes. 2008 , 14, 2867-71	67
129	Severity of ultrasonographic liver steatosis and metabolic syndrome in Korean men and women. 2005 , 11, 5314-21	38
128	Normal serum alanine aminotransferase activity in uncomplicated obesity. 2005 , 11, 6018-21	7
127	Non-alcoholic fatty liver disease may not be a severe disease at presentation among Asian Indians. 2006 , 12, 3400-5	53
126	Non-alcoholic fatty liver disease and the metabolic syndrome: effects of weight loss and a review of popular diets. Are low carbohydrate diets the answer?. 2006 , 12, 345-53	33
125	Fatty liver, carotid disease and gallstones: a study of age-related associations. 2006 , 12, 5826-33	46
124	Adiponectin, a key adipokine in obesity related liver diseases. 2011 , 17, 2801-11	170

123	Hepatoprotective effects of baicalein against CCl ₄ induced acute liver injury in mice. 2012 , 18, 6605-13		60
122	NAFLD prevalence differs among hispanic subgroups: the Multi-Ethnic Study of Atherosclerosis. 2014 , 20, 4987-93		66
121	Nonalcoholic fatty liver disease: updates in noninvasive diagnosis and correlation with cardiovascular disease. 2014 , 20, 7718-29		24
120	High fat diet feeding results in gender specific steatohepatitis and inflammasome activation. 2014 , 20, 8525-34		81
119	Alimentary regimen in non-alcoholic fatty liver disease: Mediterranean diet. 2014 , 20, 16831-40		77
118	Endocrine causes of nonalcoholic fatty liver disease. 2015 , 21, 11053-76		43
117	Alanine Aminotransferase as a Predictor of Metabolic Syndrome in Koreans. 2008 , 23, 404		3
116	Prevalence of elevated hepatic transaminases among Jordanian patients with type 2 diabetes mellitus. 2010 , 30, 25-32		11
115	Effect of telmisartan on histological activity and fibrosis of non-alcoholic steatohepatitis: A 1-year randomized control trial. 2016 , 22, 69-76		35
114	Comparison of liver enzymes level and sonographic findings value with liver biopsy findings in nonalcoholic fatty liver disease patients. <i>Advanced Biomedical Research</i> , 2016 , 5, 40	1.2	8
113	A defect in the activities of Δ^5 and Δ^6 desaturases and pro-resolution bioactive lipids in the pathobiology of non-alcoholic fatty liver disease. 2011 , 2, 176-88		12
112	Primary hepatocellular carcinoma and metabolic syndrome: An update. 2013 , 5, 186-94		56
111	Gender-related variations in iron metabolism and liver diseases. <i>World Journal of Hepatology</i> , 2010 , 2, 302-10	3.4	57
110	Probiotic Therapy in Patients with Nonalcoholic Steatohepatitis in Zagazig University Hospitals. 2017 , 7, 101-106		19
109	Epidemiology of non-alcoholic fatty liver disease and risk of hepatocellular carcinoma progression. 2020 , 6, 289-294		6
108	Epidemiological, clinical, and biochemical characteristics of Saudi patients with nonalcoholic fatty liver disease: a hospital-based study. 2012 , 32, 288-92		31
107	Prevalence of elevated hepatic transaminases among Jordanian patients with type 2 diabetes mellitus. 2010 , 30, 25-32		10
106	Influences of Sodium Fluoride Contents on Hepatic Functional Enzyme Activities in Rats. <i>Journal of Environmental Science International</i> , 2019 , 28, 943-950	0.2	1

105	Secular trends in cesarean sections and risk factors in South Korea (2006-2015). 2020 , 63, 440-447	3
104	Association of insulin resistance with serum ferritin and aminotransferases-iron hypothesis. 2015 , 5, 232-43	4
103	Link Between Non-Alcoholic Fatty Liver Disease and Atrial Fibrillation: A Systematic Review and Meta-Analysis. 2017 , 9, e1142	8
102	Non-Alcoholic Fatty Liver Disease Association with Cardiac Arrhythmias. 2017 , 9, e1165	8
101	Prevalence and predictors of elevated liver enzyme levels in Mexico: The Mexican National Health and Nutrition Survey, 2016. 2021 , 26, 100562	2
100	Gender-Specific Issues in Liver Diseases. 2004 , 463-476	
99	NASH. 2006 , 1031-1063	1
98	Liver Disease. 2006 ,	
97	Novye gorizonty primeneniya tiazolidindionov. 2006 , 3, 12-20	
96	Nonalcoholic Fatty Liver Disease in Polycystic Ovary Syndrome. 2007 , 303-315	
95	Liver Transplantation for Nonalcoholic Fatty Liver Disease. 2009 , 169-190	
94	Exercise, Adiposity, and Regional Fat Distribution. 2009 , 149-161	
93	Chapter 19Chronic Liver Disease. 2010 ,	0
92	Approach to the Patient with Abnormal Liver Enzymes. 2010 , 533-547	1
91	Clinical Usefulness of Preoperative Levels of Leukocyte and D-Dimer in Predicting Perioperative Outcomes of Cardiovascular Disease. <i>Journal of Life Science</i> , 2010 , 20, 1458-1467	
90	HOMA-IR and Its Association with Metabolic Risk Factors among Korean Adolescents. <i>Korean Journal of Pediatric Gastroenterology and Nutrition</i> , 2011 , 14, 376	
89	Racial Disparities in HIV and Liver Disease. 2012 , 189-194	
88	Epidemiology of Liver Disease in Human Immunodeficiency Virus-Infected Persons. 2012 , 9-13	1

87	The Pre-Diabetic, Insulin-Resistant State. 2012 , 433-452		
86	Liver Function Tests and Interpretation. 2012 , 375-381		
85	Effect of Aerobic Exercise and Gym-ball Exercise on the Liver Function Test Index, Adipokines, and Cardiovascular Risk Factors in Obese Children with Nonalcoholic Fatty Liver Disease. <i>Journal of Life Science</i> , 2012 , 22, 1261-1267		1
84	Clinical Efficacy of Entecavir and Factors Predicting Long-Term Treatment Response in Nucleoside-Naïve Patients with Chronic Hepatitis B. <i>Korean Journal of Medicine</i> , 2013 , 85, 157	0.5	
83	Predicting the Outcome of Antihypertensive Therapy Using Knowledge Mining. 2013 , 223-244		
82	Alcohol in Non-Alcoholic Fatty Liver Disease: an Oxymoron or a New Standard of Care?. 234-247		
81	Non-alcoholic fatty liver disease in the patients presenting with abdominal obesity. <i>Russian Journal of Evidence-Based Gastroenterology</i> , 2014 , 3, 8	0.3	5
80	Gambigyeongsinhwan(1) Improves Body Weight and Lipid Metabolism in High Fat Diet-Fed Obese Animal Model. <i>The Korea Journal of Herbology</i> , 2014 , 29, 35-43		1
79	Clinical Features. 2015 , 21-62		
78	Atherosclerosis and Liver Function Tests in Coronary Angiography Patients. <i>West Indian Medical Journal</i> , 2015 , 64, 333-7		2
77	Autophagy. 151-165		
76	Nonalcoholic Fatty Liver Disease. 2056-2069		
75	Association between sonographic diagnosis of fatty liver with histopathologic abnormalities and liver biopsy findings in middle age patient with non-alcoholic fatty liver disease. <i>Advanced Biomedical Research</i> , 2016 , 5, 122	1.2	1
74	21. Chronic Liver Disease. 2016 ,		
73	Liver Function Tests and Ultrasonography Findings in Iranian Morbid Obese Patients Undergoing Bariatric Surgery. <i>Journal of Minimally Invasive Surgical Sciences</i> , 2016 , 5,	0	
72	What Do Abnormal Liver Tests Mean?. 2017 , 1-16		
71	Hepatobiliary dysfunction in Type-2 diabetes mellitus. <i>Journal of Family Medicine and Primary Care</i> , 2017 , 6, 563-567	1.5	2
70	METABOLIC SURGERY IN CORRECTION OF FATTY LIVER DISEASE. <i>Vestnik Khirurgii Imeni I I Grekova</i> , 2017 , 176, 34-41	0.2	1

69	Relationship between the Lipid Accumulation Product Index and Alanine Aminotransferase in Korean Adult Men. <i>Korean Journal of Clinical Laboratory Science</i> , 2017 , 49, 374-381	0.4	
68	Incidence of nonalcoholic fatty liver disease in patients undergoing laparoscopic cholecystectomy. <i>Journal of Family Medicine and Primary Care</i> , 2018 , 7, 1375-1378	1.5	2
67	Effects of Antarctic Ocean Krill Meal with NaF Oral Administration on Serum and Tissues in Rats. <i>Journal of Environmental Science International</i> , 2018 , 27, 999-1005	0.2	
66	THE ROLE OF HYPERURUREMIA IN PROGRESSION AND PATHOGENESIS OF NON-ALCOHOLIC FATTY LIVER DISEASE. <i>Hepatology and Gastroenterology</i> , 2019 , 3, 145-150	0.1	
65	Nonalcoholic fatty liver disease and atrial fibrillation: possible pathophysiological links and therapeutic interventions. <i>Annals of Gastroenterology</i> , 2020 , 33, 603-614	2.2	6
64	Etiological evaluation of the elevated transaminases in children. <i>Cumhuriyet Medical Journal</i> ,	0	
63	Elucidation of novel miRNA candidates and their role in unraveling the pathology of Non-Alcoholic Fatty Liver Disease.		1
62	Etiologies of Liver Cytolysis in the Service of Hepato-Gastroenterology of the Gabriel Toure University Hospital. <i>Open Journal of Gastroenterology</i> , 2021 , 11, 211-219	0.2	
61	Differential diagnosis of human hepatitis. 2008 , 21-46		
60	Insulin Action and Secretion in Polycystic Ovary Syndrome. 2008 , 159-183		
59	Metabolic Complications of Polycystic Ovary Syndrome. 2008 , 377-390		
58	Non alcoholic fatty liver disease and metabolic syndrome. <i>Hippokratia</i> , 2009 , 13, 9-19	0.4	295
57	The treatment of hepatic encephalopathy in the cirrhotic patient. <i>Gastroenterology and Hepatology</i> , 2010 , 6, 1-12	0.7	1
56	A case of cryoglobulinemia associated with nonalcoholic steatohepatitis. <i>Gastroenterology and Hepatology</i> , 2012 , 8, 279-81	0.7	1
55	Association of cardiorespiratory fitness with elevated hepatic enzyme and liver fat in Japanese patients with impaired glucose tolerance and type 2 diabetes mellitus. <i>Journal of Sports Science and Medicine</i> , 2010 , 9, 405-10	2.7	6
54	The de ritis ratio: the test of time. <i>Clinical Biochemist Reviews</i> , 2013 , 34, 117-30	7.3	182
53	Causes of Persistently Elevated Alanine Aminotransferase Levels in Patients who Presented to Two Referral Hospitals in Mashhad, Iran during 2011. <i>Middle East Journal of Digestive Diseases</i> , 2014 , 6, 18-22 ^{1.1}		
52	Associated liver enzymes with hyperlipidemic profile in type 2 diabetes patients. <i>International Journal of Clinical and Experimental Pathology</i> , 2014 , 7, 4345-9	1.4	12

51	Loss of FGF21 in diabetic mouse during hepatocellular carcinogenetic transformation. <i>American Journal of Cancer Research</i> , 2015 , 5, 1762-74	4.4	16
50	Protective effects of pentoxifylline on acute liver injury induced by thioacetamide in rats. <i>International Journal of Clinical and Experimental Pathology</i> , 2015 , 8, 8990-6	1.4	14
49	Nonalcoholic Fatty Liver Disease: Clinical Features and Pathogenesis. <i>Gastroenterology and Hepatology</i> , 2006 , 2, 282-291	0.7	8
48	Sphingolipid regulators of cellular dysfunction in Type 2 diabetes mellitus: a systems overview. <i>Clinical Lipidology</i> , 2014 , 9, 553-569		5
47	Obeticholic acid improves hepatic steatosis and inflammation by inhibiting NLRP3 inflammasome activation. <i>International Journal of Clinical and Experimental Pathology</i> , 2017 , 10, 8119-8129	1.4	1
46	The Association between Anthropometry Indices and Serum Concentrations of Gamma-Glutamyl Transferase, Alkaline Phosphatase, Alanine Aminotransferase, and Aspartate Aminotransferase. <i>BioMed Research International</i> , 2021 , 2021, 2365399	3	1
45	Sex-Specific Differences in the Association Between Race/Ethnicity and NAFLD Among US Population.. <i>Frontiers in Medicine</i> , 2021 , 8, 795421	4.9	1
44	Progressive Liver Fibrosis in Non-Alcoholic Fatty Liver Disease.. <i>Cells</i> , 2021 , 10,	7.9	1
43	Non-alcoholic Steatohepatitis: From Pathophysiology to Clinical Practice.. <i>European Endocrinology</i> , 2021 , 17, 112-120	3.4	
42	The Prediction Model of Fatty Liver Established by Blood Biochemical Indexes. <i>SSRN Electronic Journal</i> ,	1	
41	The Association of Alanine Aminotransferase Levels With Myocardial Perfusion Imaging and Cardiovascular Morbidity.. <i>Journal of Cardiovascular Pharmacology and Therapeutics</i> , 2022 , 27, 10742484221074585	3.6	8
40	The Burden of NAFLD in Type 2 Diabetic Subjects from the General Population: a Nationwide Population-Based Follow-Up Study (NASHCO).. <i>Liver International</i> , 2022 ,	7.9	0
39	Prevalence and Risk Factors of Advanced Liver Fibrosis in a Population-Based Study in Germany.. <i>Hepatology Communications</i> , 2022 ,	6	2
38	Relationship Between Fatty Acid Binding Protein 4 and Liver Fat in Individuals at Increased Cardiometabolic Risk.. <i>Frontiers in Physiology</i> , 2021 , 12, 781789	4.6	0
37	Non-alcoholic fatty liver disease (NAFLD): a review of pathophysiology, clinical management and effects of weight loss.. <i>BMC Endocrine Disorders</i> , 2022 , 22, 63	3.3	14
36	Can alanine aminotransferase measured in early pregnancy predict macrosomia?. <i>Journal of Obstetrics and Gynaecology</i> , 2022 , 1-4	1.3	
35	Role of Liver Biopsy in the Diagnosis of Liver Diseases in Children. <i>Journal of Ankara University Faculty of Medicine</i> , 2022 , 75, 55-62		
34	Associations between lead, cadmium, mercury, and arsenic exposure and alanine aminotransferase elevation in the general adult population: an exposure-response analysis.. <i>Environmental Science and Pollution Research</i> , 2022 , 1	5.1	0

33	Evaluation of C-reactive protein levels in the differentiation of non-alcoholic steatohepatitis and simple liver steatosis. <i>Akdeniz Medical Journal</i> , 202-207		
32	Omental Adipose Removal Decreases High Blood Pressure in Hypertensive Patients Independent of Body Mass Index.. <i>Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy</i> , 2021 , 14, 4921-4930	3.4	
31	Specnuezhenide reduces carbon tetrachloride-induced liver injury in mice through inhibition of oxidative stress and hepatocyte apoptosis.. <i>Journal of Pharmacy and Pharmacology</i> , 2021 ,	4.8	1
30	Lifestyle as well as metabolic syndrome and non-alcoholic fatty liver disease: an umbrella review of evidence from observational studies and randomized controlled trials.. <i>BMC Endocrine Disorders</i> , 2022 , 22, 95	3.3	0
29	Exposure to per- and Polyfluoroalkyl Substances and Markers of Liver Injury: A Systematic Review and Meta-Analysis.. <i>Environmental Health Perspectives</i> , 2022 , 130, 46001	8.4	8
28	Evaluation of elevated liver values in primary care - a series of studies on the status quo of care in Germany with special reference to alcoholic liver disease.. 2022 , 23, 104		
27	Pralina: Étude de pratiques dans les Hépatopathies stéatosiques Non alcooliques réalisées auprès des hépato-gastro-entérologues libéraux. <i>HEGEL - HEpato-GastroEntérologie Libérale</i> , 2011 , N° 1, 11-18	0.1	
26	Associations of body shape index (ABSI) and hip index with liver, metabolic, and inflammatory biomarkers in the UK Biobank cohort. <i>Scientific Reports</i> , 2022 , 12,	4.9	0
25	Effects of H1-Antihistamines on Hepatocellular Carcinoma Risk in Patients with Type 2 Diabetes Mellitus. <i>SSRN Electronic Journal</i> ,	1	
24	Thyroid Stimulating Hormone Levels Are Associated With Genetically Predicted Nonalcoholic Fatty Liver Disease. <i>Journal of Clinical Endocrinology and Metabolism</i> ,	5.6	0
23	Nonalcoholic Fatty Liver Disease and Altered Neuropsychological Functions in Patients with Subcortical Vascular Dementia. <i>Journal of Personalized Medicine</i> , 2022 , 12, 1106	3.6	0
22	Diagnostik erhöhter Leberwerte in der Primäversorgung (Befunde einer Studienreihe aus haus- und fachärztlicher Perspektive. <i>Zeitschrift Fur Gastroenterologie</i> ,	1.6	
21	Prevalence of abnormal liver tests and liver fibrosis among rural adults in low and middle-income country: A cross-sectional study. <i>EclinicalMedicine</i> , 2022 , 51, 101553	11.3	
20	Detection of Synergistic Interaction on an Additive Scale Between Two Drugs on Abnormal Elevation of Serum Alanine Aminotransferase Using Machine-Learning Algorithms. <i>Frontiers in Pharmacology</i> , 13,	5.6	
19	Transcriptome changes in stages of non-alcoholic fatty liver disease. <i>World Journal of Hepatology</i> , 2022 , 14, 1382-1397	3.4	2
18	Non-alcoholic Fatty Liver Disease and Steatohepatitis: Risk Factors and Pathophysiology. 2022 , 14, 167-181		1
17	Prevalence of Hepatic Steatosis in Adults Presenting to the Emergency Department Identified by Unenhanced Chest CT. 2022 ,		
16	An Assessment of Atherosclerotic Cardiovascular Disease in Non-Alcoholic Fatty Liver Disease Patients with Type 2 Diabetes Mellitus.		0

- 15 The association between obesity with serum levels of liver enzymes, alanine aminotransferase, aspartate aminotransferase, alkaline phosphatase and gamma-glutamyl transferase in adult women. ○
- 14 Effects of H1-Antihistamines on Hepatocellular Carcinoma Risk in Patients With Type 2 Diabetes Mellitus. **2022**, 101393 1
- 13 Vitamin D Status and Steatohepatitis in Obese Diabetic and Non-Diabetic Patients. **2022**, 11, 5482 ○
- 12 Association of Hepatic Steatosis With Coronary Artery Disease by Studying the Role of Individual and Demographic Risk Factors. **2022**, ○
- 11 Associations between Healthy Lifestyle and All-Cause Mortality in Individuals with Metabolic Associated Fatty Liver Disease. **2022**, 14, 4222 ○
- 10 Diminution of Liver Aminotransferase Enzymes Levels in Nonalcoholic Fatty Liver Disease by Silymarin: A Case Report. ○
- 9 Association between serum liver enzymes and hypertension using propensity score matching analysis: evidence from a large kurdish prospective cohort study. **2022**, 22, ○
- 8 The Effects of Repetitive Running on Middle-Distance Runners' Muscle Damage Level. 515-524 ○
- 7 Oxidative Stress in Nonalcoholic Fatty Liver Disease: Pathogenesis and Antioxidant Therapies. **2004**, 52, 506-514 ○
- 6 Association between Serum Uric Acid and Liver Enzymes in Adults Aged 20 Years and Older in the United States: NHANES 2005-2012. **2023**, 12, 648 ○
- 5 Lycium chinense Miller fruit extract lowers liver enzyme levels in subjects with mild hepatic dysfunction: a randomized, double-blind, placebo-controlled clinical trial. 1
- 4 Stepwise evaluation for the risk of metabolic unhealthiness and significant non-alcoholic fatty liver disease in India. **2023**, 100142 ○
- 3 Association Between Serum Trace Heavy Metals and Liver Function Among Adolescents. **2023**, 65, e155-e160 ○
- 2 Association between raised blood pressure and elevated serum liver enzymes among active-duty Royal Thai Army personnel in Thailand. **2023**, 23, ○
- 1 Application of machine learning in predicting non-alcoholic fatty liver disease using anthropometric and body composition indices. **2023**, 13, ○