CITATION REPORT List of articles citing

Polymorphisms in the insulin-degrading enzyme gene are associated with type 2 diabetes in men from the NHLBI Framingham Heart Study

DOI: 10.2337/diabetes.52.6.1562 Diabetes, 2003, 52, 1562-7.

Source: https://exaly.com/paper-pdf/35853106/citation-report.pdf

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
97	Genetic variation in a haplotype block spanning IDE influences Alzheimer disease. <i>Human Mutation</i> , 2003 , 22, 363-71	4.7	82
96	Current literature in diabetes. <i>Diabetes/Metabolism Research and Reviews</i> , 2003 , 19, 421-8	7.5	
95	Quantitative trait locus dissection in congenic strains of the Goto-Kakizaki rat identifies a region conserved with diabetes loci in human chromosome 1q. <i>Physiological Genomics</i> , 2004 , 19, 1-10	3.6	20
94	A cladistic model of ACE sequence variation with implications for myocardial infarction, Alzheimer disease and obesity. <i>Human Molecular Genetics</i> , 2004 , 13, 2647-57	5.6	47
93	Quantitative trait loci near the insulin-degrading enzyme (IDE) gene contribute to variation in plasma insulin levels. <i>Diabetes</i> , 2004 , 53, 2137-42	0.9	50
92	Reduced hepatic insulin extraction in response to gastric inhibitory polypeptide compensates for reduced insulin secretion in normal-weight and normal glucose tolerant first-degree relatives of type 2 diabetic patients. <i>Diabetes</i> , 2004 , 53, 2359-65	0.9	65
91	Progress in defining the molecular basis of type 2 diabetes mellitus through susceptibility-gene identification. <i>Human Molecular Genetics</i> , 2004 , 13 Spec No 1, R33-41	5.6	82
90	Cholesterol at the crossroads: Alzheimer's disease and lipid metabolism. Clinical Genetics, 2004, 66, 1-1	64	53
89	Alternative translation initiation generates a novel isoform of insulin-degrading enzyme targeted to mitochondria. <i>Biochemical Journal</i> , 2004 , 383, 439-46	3.8	129
88	Biological activity of a fragment of insulin. <i>Biochemical and Biophysical Research Communications</i> , 2004 , 318, 1019-24	3.4	9
87	Partial loss-of-function mutations in insulin-degrading enzyme that induce diabetes also impair degradation of amyloid beta-protein. <i>American Journal of Pathology</i> , 2004 , 164, 1425-34	5.8	206
86	Bibliography Current World Literature. <i>Current Opinion in Endocrinology, Diabetes and Obesity</i> , 2004 , 11, 164-182		
85	Finding and using haplotype blocks in candidate gene association studies. 2005,		
84	Genetic association analysis: lessons from the study of Alzheimers disease. <i>Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis</i> , 2005 , 573, 152-9	3.3	14
83	Association studies between risk for late-onset Alzheimer's disease and variants in insulin degrading enzyme. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2005 , 136B, 62-8	3.5	30
82	Yeast as a tractable genetic system for functional studies of the insulin-degrading enzyme. <i>Journal of Biological Chemistry</i> , 2005 , 280, 27481-90	5.4	22
81	Alternative splicing of human insulin-degrading enzyme yields a novel isoform with a decreased ability to degrade insulin and amyloid beta-protein. <i>Biochemistry</i> , 2005 , 44, 6513-25	3.2	71

(2008-2006)

80	High-Density Haplotype Structure and Association Testing of the Insulin-Degrading Enzyme (IDE) Gene With Type 2 Diabetes in 4,206 People. <i>Diabetes</i> , 2006 , 55, 128-135	0.9	30
79	Insulin, insulin-degrading enzyme and amyloid-beta peptide in Alzheimer's disease: review and hypothesis. <i>Neurobiology of Aging</i> , 2006 , 27, 190-8	5.6	398
78	Plaque-associated overexpression of insulin-degrading enzyme in the cerebral cortex of aged transgenic tg2576 mice with Alzheimer pathology. <i>Journal of Neuropathology and Experimental Neurology</i> , 2006 , 65, 976-87	3.1	56
77	Diabetes mellitus and risk of developing Alzheimer disease: results from the Framingham Study. <i>Archives of Neurology</i> , 2006 , 63, 1551-5		218
76	Insulin-degrading enzyme haplotypes affect insulin levels but not dementia risk. <i>Neurodegenerative Diseases</i> , 2006 , 3, 320-6	2.3	16
75	Tracking the epidemiology of human genes in the literature: the HuGE Published Literature database. <i>American Journal of Epidemiology</i> , 2006 , 164, 1-4	3.8	115
74	The genetic landscape of type 2 diabetes in mice. <i>Endocrine Reviews</i> , 2007 , 28, 48-83	27.2	158
73	Studies of association of variants near the HHEX, CDKN2A/B, and IGF2BP2 genes with type 2 diabetes and impaired insulin release in 10,705 Danish subjects: validation and extension of genome-wide association studies. <i>Diabetes</i> , 2007 , 56, 3105-11	0.9	207
72	Structure of substrate-free human insulin-degrading enzyme (IDE) and biophysical analysis of ATP-induced conformational switch of IDE. <i>Journal of Biological Chemistry</i> , 2007 , 282, 25453-63	5.4	92
71	Positive association between risk for late-onset Alzheimer disease and genetic variation in IDE. <i>Neurobiology of Aging</i> , 2007 , 28, 1374-80	5.6	32
70	Genome-wide search for susceptibility genes to type 2 diabetes in West Africans: potential role of C-peptide. <i>Diabetes Research and Clinical Practice</i> , 2007 , 78, e1-6	7.4	19
69	A genome-wide association study identifies novel risk loci for type 2 diabetes. <i>Nature</i> , 2007 , 445, 881-5	50.4	2327
68	A new era for Type 2 diabetes genetics. <i>Diabetic Medicine</i> , 2007 , 24, 1181-6	3.5	28
67	Gender dependent APP processing in a transgenic mouse model of Alzheimer's disease. <i>Journal of Neural Transmission</i> , 2007 , 114, 387-94	4.3	40
66	Association of genetic variants of insulin degrading enzyme with metabolic features in women with polycystic ovary syndrome. <i>Fertility and Sterility</i> , 2008 , 90, 378-84	4.8	11
65	Association of polymorphisms in the insulin-degrading enzyme gene with type 2 diabetes in the Korean population. <i>Diabetes Research and Clinical Practice</i> , 2008 , 79, 284-90	7.4	23
64	IDE Gene Polymorphism Influences on BPSD in Mild Dementia of Alzheimer's Type. <i>Current Gerontology and Geriatrics Research</i> , 2008 , 858759	2.9	3
63	Evidence that the gene encoding insulin degrading enzyme influences human lifespan. <i>Human Molecular Genetics</i> , 2008 , 17, 2370-8	5.6	8

62	Insulin-degrading enzyme: structure-function relationship and its possible roles in health and disease. <i>Current Pharmaceutical Design</i> , 2009 , 15, 3644-55	3.3	83
61	Loci of TCF7L2, HHEX and IDE on chromosome 10q and the susceptibility of their genetic polymorphisms to type 2 diabetes. <i>Experimental and Clinical Endocrinology and Diabetes</i> , 2009 , 117, 186	5- 3 6	15
60	Polymorphisms within insulin-degrading enzyme (IDE) gene determine insulin metabolism and risk of type 2 diabetes. <i>Journal of Molecular Medicine</i> , 2009 , 87, 1145-51	5.5	51
59	Glucose inhibits the insulin-induced activation of the insulin-degrading enzyme in HepG2 cells. <i>Diabetologia</i> , 2009 , 52, 1656-64	10.3	28
58	Hyperglycaemia and hyperinsulinaemia: is insulin-degrading enzyme the missing link?. <i>Diabetologia</i> , 2009 , 52, 1457-60	10.3	5
57	Association between TCF7L2 gene polymorphisms and susceptibility to type 2 diabetes mellitus: a large Human Genome Epidemiology (HuGE) review and meta-analysis. <i>BMC Medical Genetics</i> , 2009 , 10, 15	2.1	173
56	Development of monoclonal antibodies and quantitative ELISAs targeting insulin-degrading enzyme. <i>Molecular Neurodegeneration</i> , 2009 , 4, 39	19	7
55	Association of insulinase gene polymorphisms with type 2 diabetes mellitus in patients from the Moscow population. <i>Russian Journal of Genetics</i> , 2009 , 45, 113-117	0.6	2
54	Variants in the insulin-degrading enzyme gene are associated with metabolic syndrome in Chinese elders. <i>Metabolism: Clinical and Experimental</i> , 2009 , 58, 1465-9	12.7	5
53	Structure, function, and regulation of insulin-degrading enzyme. Vitamins and Hormones, 2009, 80, 635-	- 42 5	33
52	A monomeric variant of insulin degrading enzyme (IDE) loses its regulatory properties. <i>PLoS ONE</i> , 2010 , 5, e9719	3.7	21
51	Variations in/nearby genes coding for JAZF1, TSPAN8/LGR5 and HHEX-IDE and risk of type 2 diabetes in Han Chinese. <i>Journal of Human Genetics</i> , 2010 , 55, 810-5	4.3	18
50	Different roles of zinc plus arachidonic acid on insulin sensitivity between high fructose- and high fat-fed rats. <i>Life Sciences</i> , 2011 , 88, 278-84	6.8	3
49	Identification of the allosteric regulatory site of insulysin. <i>PLoS ONE</i> , 2011 , 6, e20864	3.7	26
48	Disorder-specific effects of polymorphisms at opposing ends of the Insulin Degrading Enzyme gene. <i>BMC Medical Genetics</i> , 2011 , 12, 151	2.1	7
47	The effects of a cafeteria diet on insulin production and clearance in rats. <i>British Journal of Nutrition</i> , 2012 , 108, 1155-62	3.6	28
46	The association between two single nucleotide polymorphisms within the insulin-degrading enzyme gene and Alzheimer's disease in a Chinese Han population. <i>Journal of Clinical Neuroscience</i> , 2012 , 19, 745-9	2.2	6
45	Hepatic cannabinoid receptor-1 mediates diet-induced insulin resistance via inhibition of insulin signaling and clearance in mice. <i>Gastroenterology</i> , 2012 , 142, 1218-1228.e1	13.3	134

(2017-2013)

44	Diabetes genes identified by genome-wide association studies are regulated in mice by nutritional factors in metabolically relevant tissues and by glucose concentrations in islets. <i>BMC Genetics</i> , 2013 , 14, 10	2.6	16	
43	Cafeteria diet inhibits insulin clearance by reduced insulin-degrading enzyme expression and mRNA splicing. <i>Journal of Endocrinology</i> , 2013 , 219, 173-82	4.7	37	
42	IDE (rs6583817) polymorphism and type 2 diabetes differentially modify executive function in older adults. <i>Neurobiology of Aging</i> , 2013 , 34, 2208-16	5.6	17	
41	Han ethnicity-specific type 2 diabetic treatment from traditional Chinese medicine?. <i>Journal of Biomolecular Structure and Dynamics</i> , 2013 , 31, 1219-35	3.6	16	
40	The Drosophila insulin-degrading enzyme restricts growth by modulating the PI3K pathway in a cell-autonomous manner. <i>Molecular Biology of the Cell</i> , 2014 , 25, 916-24	3.5	21	
39	Candidate genes for Alzheimer's disease are associated with individual differences in plasma levels of beta amyloid peptides in adults with Down syndrome. <i>Neurobiology of Aging</i> , 2015 , 36, 2907.e1-10	5.6	21	
38	Effects of ageing and experimental diabetes on insulin-degrading enzymelexpressionlin male rat tissues. <i>Biogerontology</i> , 2015 , 16, 473-84	4.5	27	
37	Caffeic acid improves memory impairment and brain glucose metabolism via ameliorating cerebral insulin and leptin signaling pathways in high-fat diet-induced hyperinsulinemic rats. <i>Food Research International</i> , 2015 , 77, 24-33	7	14	
36	Association between polymorphisms of the insulin-degrading enzyme gene and late-onset Alzheimer disease. <i>Journal of Geriatric Psychiatry and Neurology</i> , 2015 , 28, 94-8	3.8	14	
35	Peptide hydroxamate derivatives as regulators for insulin receptor signaling and its degradation by zinc metalloprotease in diabetic rats. <i>African Journal of Pharmacy and Pharmacology</i> , 2016 , 10, 616-622	0.5		
34	Acute Exercise Improves Insulin Clearance and Increases the Expression of Insulin-Degrading Enzyme in the Liver and Skeletal Muscle of Swiss Mice. <i>PLoS ONE</i> , 2016 , 11, e0160239	3.7	22	
33	Insulin clearance: an underappreciated modulator of plasma insulin concentration. <i>Journal of Investigative Medicine</i> , 2016 , 64, 1162-5	2.9	22	
32	The therapeutic potential of metabolic hormones in the treatment of age-related cognitive decline and Alzheimer's disease. <i>Nutrition Research</i> , 2016 , 36, 1305-1315	4	13	
31	Insulin-degrading enzyme: new therapeutic target for diabetes and Alzheimer's disease?. <i>Annals of Medicine</i> , 2016 , 48, 614-624	1.5	59	
30	Genes, Genetics, and Environment in Type 2 Diabetes: Implication in Personalized Medicine. <i>DNA and Cell Biology</i> , 2016 , 35, 1-12	3.6	37	
29	Interleukin-6 increases the expression and activity of insulin-degrading enzyme. <i>Scientific Reports</i> , 2017 , 7, 46750	4.9	34	
28	Vitamin D3 intake as regulator of insulin degrading enzyme and insulin receptor phosphorylation in diabetic rats. <i>Biomedicine and Pharmacotherapy</i> , 2017 , 85, 155-159	7.5	16	
27	Genomic regulation of type 2 diabetes endophenotypes: Contribution from genetic studies in the Goto-Kakizaki rat. <i>Biochimie</i> , 2017 , 143, 56-65	4.6	7	

26	Bile acid TUDCA improves insulin clearance by increasing the expression of insulin-degrading enzyme in the liver of obese mice. <i>Scientific Reports</i> , 2017 , 7, 14876	4.9	21
25	Alzheimer's disease and metabolic syndrome: A link from oxidative stress and inflammation to neurodegeneration. <i>Synapse</i> , 2017 , 71, e21990	2.4	96
24	Genome-wide association study for feed efficiency and growth traits in U.S. beef cattle. <i>BMC Genomics</i> , 2017 , 18, 386	4.5	86
23	Loss of renal SNX5 results in impaired IDE activity and insulin resistance in mice. <i>Diabetologia</i> , 2018 , 61, 727-737	10.3	13
22	Molecular Determinants of Substrate Specificity in Human Insulin-Degrading Enzyme. <i>Biochemistry</i> , 2018 , 57, 4903-4914	3.2	2
21	Catalytic Mechanism of Amyloid-IPeptide Degradation by Insulin Degrading Enzyme: Insights from Quantum Mechanics and Molecular Mechanics Style Mller-Plesset Second Order Perturbation Theory Calculation. <i>Journal of Chemical Information and Modeling</i> , 2018 , 58, 1926-1934	6.1	4
20	The Bile Acid TUDCA Improves Beta-Cell Mass and Reduces Insulin Degradation in Mice With Early-Stage of Type-1 Diabetes. <i>Frontiers in Physiology</i> , 2019 , 10, 561	4.6	14
19	Postprandial Insulin Response and Clearance Among Black and White Women: The Federal Women's Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2019 , 104, 181-192	5.6	20
18	Hyperinsulinemia is associated with increasing insulin secretion but not with decreasing insulin clearance in an age-related metabolic dysfunction mice model. <i>Journal of Cellular Physiology</i> , 2019 , 234, 9802-9809	7	12
17	Reduced Insulin Clearance and Insulin-Degrading Enzyme Activity Contribute to Hyperinsulinemia in African Americans. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2020 , 105,	5.6	20
16	Insulin-degrading enzyme higher in subjects with metabolic syndrome. <i>Endocrine</i> , 2021 , 71, 357-364	4	3
15	Targeting Insulin-Degrading Enzyme in Insulin Clearance. <i>International Journal of Molecular Sciences</i> , 2021 , 22,	6.3	12
14	From virus to diabetes therapy: Characterization of a specific insulin-degrading enzyme inhibitor for diabetes treatment. <i>FASEB Journal</i> , 2021 , 35, e21374	0.9	2
13	Loss of postprandial insulin clearance control by Insulin-degrading enzyme drives dysmetabolism traits. <i>Metabolism: Clinical and Experimental</i> , 2021 , 118, 154735	12.7	5
12	Determinants of hepatic insulin clearance - Results from a Mendelian Randomization study. <i>Metabolism: Clinical and Experimental</i> , 2021 , 119, 154776	12.7	1
11	The interplay among oxidative stress, brain insulin resistance and AMPK dysfunction contribute to neurodegeneration in type 2 diabetes and Alzheimer disease. <i>Free Radical Biology and Medicine</i> , 2021 , 176, 16-33	7.8	8
10	AlDegradation. 2007 , 157-178		1
9	HHEX_23 AA Genotype Exacerbates Effect of Diabetes on Dementia and Alzheimer Disease: A Population-Based Longitudinal Study. <i>PLoS Medicine</i> , 2015 , 12, e1001853	11.6	6

CITATION REPORT

8	Redox regulation of insulin degradation by insulin-degrading enzyme. PLoS ONE, 2011, 6, e18138	3.7	20
7	Deletion of the fission yeast homologue of human insulinase reveals a TORC1-dependent pathway mediating resistance to proteotoxic stress. <i>PLoS ONE</i> , 2013 , 8, e67705	3.7	7
6	Proteases In EAmyloid Metabolism: Potential Therapeutic Targets Against Alzheimer Disease. 2009 , 385-402		
5	Antibody-Mediated Inhibition of Insulin-Degrading Enzyme Improves Insulin Activity in a Diabetic Mouse Model <i>Frontiers in Immunology</i> , 2022 , 13, 835774	8.4	
4	Data_Sheet_1.pdf. 2019 ,		
3	Data_Sheet_1.pdf. 2019, Insulin-degrading enzyme ablation in mouse pancreatic alpha cells triggers cell proliferation, hyperplasia and glucagon secretion dysregulation. <i>Diabetologia</i> , 2022, 65, 1375-1389	10.3	0
	Insulin-degrading enzyme ablation in mouse pancreatic alpha cells triggers cell proliferation,	10.3	0