

'Both sides need to keep the relationship going'

BMJ: British Medical Journal

326, 1337-1337

DOI: [10.1136/bmj.326.7402.1337](https://doi.org/10.1136/bmj.326.7402.1337)

Citation Report

#	ARTICLE	IF	CITATIONS
1	Palliative information: Doctor-patient communication. <i>Seminars in Oncology</i> , 2005, 32, 139-144.	2.2	8
2	Changing Perspectives for Practice in Stuttering. <i>American Journal of Speech-Language Pathology</i> , 2005, 14, 274-283.	1.8	6
3	Non-adherence to medicines: Not solved but solvable. <i>Journal of Health Services Research and Policy</i> , 2009, 14, 58-61.	1.7	45
4	Protocol for the New Medicine Service Study: a randomized controlled trial and economic evaluation with qualitative appraisal comparing the effectiveness and cost effectiveness of the New Medicine Service in community pharmacies in England. <i>Trials</i> , 2013, 14, 411.	1.6	21
5	Intentional Non-Adherence to Medications by Older Adults. <i>Drugs and Aging</i> , 2014, 31, 149-157.	2.7	78
6	Medication Adherence and its Predictors in Community Elderly Patients with Hypertension. <i>Korean Journal of Health Promotion</i> , 2015, 15, 121.	0.2	12
7	Factors related to intentional and unintentional medication nonadherence in elderly patients with hypertension in rural community. <i>Patient Preference and Adherence</i> , 2016, Volume 10, 1979-1989.	1.8	19