

Prodromal Assessment With the Structured Interview for Scale of Prodromal Symptoms: Predictive Validity, Inter- Reliability

Schizophrenia Bulletin

29, 703-715

DOI: [10.1093/oxfordjournals.schbul.a007040](https://doi.org/10.1093/oxfordjournals.schbul.a007040)

Citation Report

#	ARTICLE	IF	CITATIONS
1	Commentary: Chickens and Eggs; Carts and Horses: An Outsider's Perspective on the Study of the Early Stages and Potential Prevention of Psychosis and Schizophrenia. Schizophrenia Bulletin, 2003, 29, 845-849.	2.3	4
2	Commentary: The Schizophrenia Prodrome: A High-Risk Concept. Schizophrenia Bulletin, 2003, 29, 859-865.	2.3	58
3	Commentary: Progress, Issues, and Implications of Prodromal Research: An Inside View. Schizophrenia Bulletin, 2003, 29, 851-858.	2.3	17
4	Evaluating and treating the prodromal stage of schizophrenia. Current Psychiatry Reports, 2004, 6, 289-295.	2.1	15
6	Early detection and intervention in psychosis: an ethical paradigm shift. British Journal of Psychiatry, 2005, 187, s113-s115.	1.7	27
7	Evaluating and treating the prodromal stage of schizophrenia. Current Psychosis & Therapeutics Reports, 2005, 3, 79-85.	0.1	0
8	Progress in the prospective study of the schizophrenia prodrome. Current Psychosis & Therapeutics Reports, 2005, 3, 169-175.	0.1	0
9	Hallucinations in children and adolescents. Current Psychosis & Therapeutics Reports, 2005, 3, 182-190.	0.1	0
10	How does studying schizotypal personality disorder inform us about the prodrome of schizophrenia?. Current Psychiatry Reports, 2005, 7, 41-50.	2.1	43
11	Hallucinations in children and adolescents. Current Psychiatry Reports, 2005, 7, 180-188.	2.1	12
12	The Psychosis Prodrome in Adolescent Patients Viewed Through the Lens of DSM-IV. Journal of Child and Adolescent Psychopharmacology, 2005, 15, 434-451.	0.7	115
13	Ethical Concerns in Schizophrenia Research: Looking Back and Moving Forward. Schizophrenia Bulletin, 2005, 32, 30-36.	2.3	12
14	Metabolic depression in hibernation and major depression: An explanatory theory and an animal model of depression. Medical Hypotheses, 2005, 65, 829-840.	0.8	26
15	P50 Suppression in Individuals at Risk for Schizophrenia: The Convergence of Clinical, Familial, and Vulnerability Marker Risk Assessment. Biological Psychiatry, 2005, 57, 1504-1509.	0.7	79
16	Prodromal interventions for schizophrenia vulnerability: the risks of being "at risk". Schizophrenia Research, 2005, 73, 173-184.	1.1	170
17	The prodromal questionnaire (PQ): Preliminary validation of a self-report screening measure for prodromal and psychotic syndromes. Schizophrenia Research, 2005, 79, 117-125.	1.1	259
18	Schizotypal personality disorder or prodromal symptoms of schizophrenia?. Schizophrenia Research, 2005, 80, 263-269.	1.1	40
19	The Schizophrenia Prodrome: A Developmentally Informed Review and Update for Psychopharmacologic Treatment. Child and Adolescent Psychiatric Clinics of North America, 2006, 15, 109-133.	1.0	18

#	ARTICLE	IF	CITATIONS
20	Generalized and Specific Neurocognitive Deficits in Prodromal Schizophrenia. <i>Biological Psychiatry</i> , 2006, 59, 863-871.	0.7	364
21	Positive family environment predicts improvement in symptoms and social functioning among adolescents at imminent risk for onset of psychosis. <i>Schizophrenia Research</i> , 2006, 81, 269-275.	1.1	128
22	Neurocognitive performance and functional disability in the psychosis prodrome. <i>Schizophrenia Research</i> , 2006, 84, 100-111.	1.1	232
23	Testing the Ultra High Risk (prodromal) criteria for the prediction of psychosis in a clinical sample of young people. <i>Schizophrenia Research</i> , 2006, 84, 57-66.	1.1	242
24	Comorbid diagnoses in patients meeting criteria for the schizophrenia prodrome. <i>Schizophrenia Research</i> , 2006, 85, 124-131.	1.1	145
25	A longitudinal study of neurocognitive function in individuals at-risk for psychosis. <i>Schizophrenia Research</i> , 2006, 88, 26-35.	1.1	236
26	Prospective investigations of the prodromal state of schizophrenia: assessment instruments. <i>Acta Psychiatrica Scandinavica</i> , 2006, 113, 273-282.	2.2	96
27	Recent approaches to psychological interventions for people at risk of psychosis. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2006, 256, 159-173.	1.8	48
28	Assessment of adolescents at risk for psychosis. <i>Current Psychiatry Reports</i> , 2006, 8, 313-321.	2.1	8
29	Psychotic-Like Experiences in Nonpsychotic Help-Seekers: Associations With Distress, Depression, and Disability. <i>Schizophrenia Bulletin</i> , 2006, 32, 352-359.	2.3	220
30	Randomized, Double-Blind Trial of Olanzapine Versus Placebo in Patients Prodromally Symptomatic for Psychosis. <i>American Journal of Psychiatry</i> , 2006, 163, 790-799.	4.0	500
31	The Phenomenological Critique and Self-disturbance: Implications for Ultra-High Risk ("Prodrome") Research. <i>Schizophrenia Bulletin</i> , 2007, 34, 381-392.	2.3	121
32	Delusion formation and reasoning biases in those at clinical high risk for psychosis. <i>British Journal of Psychiatry</i> , 2007, 191, s38-s42.	1.7	165
33	Editor's Introduction: The Empirical Status of the Ultra High-Risk (Prodromal) Research Paradigm. <i>Schizophrenia Bulletin</i> , 2007, 33, 661-664.	2.3	93
34	Aripiprazole in the treatment of the psychosis prodrome. <i>British Journal of Psychiatry</i> , 2007, 191, s96-s101.	1.7	91
35	Progressive Changes in the Development Toward Schizophrenia: Studies in Subjects at Increased Symptomatic Risk. <i>Schizophrenia Bulletin</i> , 2007, 34, 322-329.	2.3	169
36	Recruitment and Treatment Practices for Help-Seeking "Prodromal" Patients. <i>Schizophrenia Bulletin</i> , 2007, 33, 715-726.	2.3	105
37	Empathy as a method of identification of the debut of the prodrome of schizophrenia. <i>Bulletin of the Menninger Clinic</i> , 2007, 71, 312-324.	0.3	9

#	ARTICLE	IF	CITATIONS
38	North American Prodrome Longitudinal Study: A Collaborative Multisite Approach to Prodromal Schizophrenia Research. Schizophrenia Bulletin, 2007, 33, 665-672.	2.3	258
39	Cannabis abuse and risk for psychosis in a prodromal sample. Psychiatry Research, 2007, 151, 151-154.	1.7	106
40	Social functioning in young people at risk for schizophrenia. Psychiatry Research, 2007, 151, 29-35.	1.7	97
41	The Course of Neurocognition and Social Functioning in Individuals at Ultra High Risk for Psychosis. Schizophrenia Bulletin, 2007, 33, 772-781.	2.3	139
42	Understanding and Treating "First-Episode" Schizophrenia. Psychiatric Clinics of North America, 2007, 30, 481-510.	0.7	32
43	Self-report of attenuated psychotic experiences in a college population. Schizophrenia Research, 2007, 93, 144-151.	1.1	109
44	Ecological assessment of executive dysfunction in the psychosis prodrome: A pilot study. Schizophrenia Research, 2007, 93, 350-354.	1.1	27
45	Neurocognitive deficits in the (putative) prodrome and first episode of psychosis. Schizophrenia Research, 2007, 93, 266-277.	1.1	160
46	Antisaccade task performance in patients at ultra high risk for developing psychosis. Schizophrenia Research, 2007, 95, 54-60.	1.1	58
47	Regional Gray Matter Volume Abnormalities in the At Risk Mental State. Biological Psychiatry, 2007, 61, 1148-1156.	0.7	295
48	The DSM-IV version of schizophrenia may be harmful to patients' health. Microbial Biotechnology, 2007, 1, 289-293.	0.9	3
49	Comorbid depressive symptoms in the developmental course of adolescent-onset psychosis. Microbial Biotechnology, 2007, 1, 183-190.	0.9	21
50	Identification and treatment of the prodromal phase of psychotic disorders: perspectives from the PACE Clinic. Microbial Biotechnology, 2007, 1, 224-235.	0.9	15
51	Psychoeducational multi-family group treatment with adolescents at high risk for developing psychosis. Microbial Biotechnology, 2007, 1, 325-332.	0.9	37
52	Early prodromal symptoms and diagnoses before first psychotic episode in 219 inpatients with schizophrenia. Psychiatry and Clinical Neurosciences, 2007, 61, 348-354.	1.0	44
53	Cognitieve gedragstherapie bij jongeren met risicosymptomen voor een psychose. Kind & Adolescent Praktijk, 2007, 6, 3-7.	0.0	0
54	Which perspectives can endophenotypes and biological markers offer in the early recognition of schizophrenia?. Journal of Neural Transmission, 2007, 114, 1199-1215.	1.4	33
55	Schizopsychotic symptom-profiles and biomarkers: Beacons in diagnostic labyrinths. Neurotoxicity Research, 2008, 14, 79-96.	1.3	5

#	ARTICLE	IF	CITATIONS
56	The occurrence and nature of early signs of schizophrenia and psychotic mood disorders among former child and adolescent psychiatric patients followed into adulthood. <i>Child and Adolescent Psychiatry and Mental Health</i> , 2008, 2, 30.	1.2	5
57	Preliminary neuropsychological findings in individuals at high genetic risk for schizophrenia. <i>Microbial Biotechnology</i> , 2008, 2, 45-49.	0.9	7
58	Early detection of psychosis: finding those at clinical high risk. <i>Microbial Biotechnology</i> , 2008, 2, 147-153.	0.9	33
59	Use of Palm computer as an adjunct to cognitive-behavioural therapy with an ultra-high risk patient: a case report. <i>Microbial Biotechnology</i> , 2008, 2, 234-241.	0.9	30
60	Parent attitudes and parent adolescent interaction in families of youth at risk for psychosis and with recent-onset psychotic symptoms. <i>Microbial Biotechnology</i> , 2008, 2, 268-276.	0.9	31
61	The Italian guidelines for early intervention in schizophrenia: development and conclusions. <i>Microbial Biotechnology</i> , 2008, 2, 291-302.	0.9	21
62	Obstetrical complications in people at risk for developing schizophrenia. <i>Schizophrenia Research</i> , 2008, 98, 307-311.	1.1	20
63	Social functioning in individuals at clinical high risk for psychosis. <i>Schizophrenia Research</i> , 2008, 99, 119-124.	1.1	219
64	Cognitive deficits in early-onset schizophrenia spectrum patients and their non-psychotic siblings: A comparison with ADHD. <i>Schizophrenia Research</i> , 2008, 99, 85-95.	1.1	68
65	Different psychological effects of cannabis use in adolescents at genetic high risk for schizophrenia and with attention deficit/hyperactivity disorder (ADHD). <i>Schizophrenia Research</i> , 2008, 105, 216-223.	1.1	24
66	A DTI study of white matter microstructure in individuals at high genetic risk for schizophrenia. <i>Schizophrenia Research</i> , 2008, 106, 115-124.	1.1	128
67	Temporal association of cannabis use with symptoms in individuals at clinical high risk for psychosis. <i>Schizophrenia Research</i> , 2008, 106, 286-293.	1.1	71
68	A self-reported instrument for prodromal symptoms of psychosis: Testing the clinical validity of the PRIME Screen-Revised (PS-R) in a Japanese population. <i>Schizophrenia Research</i> , 2008, 106, 356-362.	1.1	117
69	Event-Related Potentials in Adolescents with Schizophrenia and Their Siblings: A Comparison with Attention-Deficit/Hyperactivity Disorder. <i>Biological Psychiatry</i> , 2008, 63, 784-792.	0.7	69
71	Facial affect recognition in individuals at clinical high risk for psychosis. <i>British Journal of Psychiatry</i> , 2008, 192, 67-68.	1.7	161
72	Assessment of social judgments and complex mental states in the early phases of psychosis. <i>Schizophrenia Research</i> , 2008, 100, 237-241.	1.1	66
73	Early detection and intervention of psychosis. A review. <i>Nordic Journal of Psychiatry</i> , 2008, 62, 92-105.	0.7	74
74	Identifying the Ultra-High Risk (Prodromal) Population: Evaluation of Training Workshops with Mental Health Services. <i>Australian and New Zealand Journal of Psychiatry</i> , 2008, 42, 236-243.	1.3	13

#	ARTICLE	IF	CITATIONS
75	Toward a better identification and treatment of schizophrenia prodrome. <i>Bulletin of the Menninger Clinic</i> , 2008, 72, 210-227.	0.3	8
76	Atypical antipsychotic agents for the schizophrenia prodrome: Not a clear first choice. <i>International Journal of Risk and Safety in Medicine</i> , 2008, 20, 37-44.	0.3	3
77	Prediction of Psychosis in Youth at High Clinical Risk. <i>Archives of General Psychiatry</i> , 2008, 65, 28.	13.8	1,160
78	First-episode psychosis: An update. <i>South African Journal of Psychiatry</i> , 2008, 14, 6.	0.2	1
79	At-risk mental state: management. , 0, , 107-122.		0
80	Mental Illness and the Criminal Justice System. , 2009, , 478-498.		11
81	The Measurement of Mental Disorder. , 0, , 20-45.		4
82	Work and Unemployment as Stressors. , 2009, , 213-225.		9
83	Marital Status and Mental Health. , 2009, , 306-320.		11
84	Integrating Service Delivery Systems for Persons with a Severe Mental Illness. , 0, , 510-528.		1
86	Psychological Approaches to Mental Illness. , 0, , 89-105.		8
87	Mental Health and Terrorism. , 0, , 384-406.		13
88	Well-Being across the Life Course. , 2009, , 361-383.		8
89	African American Women and Mental Well-Being: The Triangulation of Race, Gender, and Socioeconomic Status. , 2009, , 291-305.		4
90	Childhood Onset Diagnoses in a Case Series of Teens at Clinical High Risk for Psychosis. <i>Journal of Child and Adolescent Psychopharmacology</i> , 2009, 19, 771-776.	0.7	10
91	Cannabis and Schizophrenia Spectrum Disorders: A Review of Clinical Studies. <i>Indian Journal of Psychological Medicine</i> , 2009, 31, 62-70.	0.6	8
92	Who Is at Risk for a Psychotic Disorder?. <i>Schizophrenia Bulletin</i> , 2009, 35, 847-850.	2.3	26
94	Functional integration between the posterior hippocampus and prefrontal cortex is impaired in both first episode schizophrenia and the at risk mental state. <i>Brain</i> , 2009, 132, 2426-2436.	3.7	165

#	ARTICLE	IF	CITATIONS
95	Differential Targeting of the CA1 Subfield of the Hippocampal Formation by Schizophrenia and Related Psychotic Disorders. <i>Archives of General Psychiatry</i> , 2009, 66, 938.	13.8	321
96	Using the Brief Core Schema Scales with Individuals at Clinical High Risk of Psychosis. <i>Behavioural and Cognitive Psychotherapy</i> , 2009, 37, 227-231.	0.9	56
97	Early intervention in patients at ultra high risk of psychosis: benefits and risks. <i>Acta Psychiatrica Scandinavica</i> , 2009, 119, 426-442.	2.2	68
98	Stigma in families of individuals in early stages of psychotic illness: family stigma and early psychosis. <i>Microbial Biotechnology</i> , 2009, 3, 108-115.	0.9	71
99	Application of the Comprehensive Assessment of At-Risk Mental States (CAARMS) to the Japanese population: reliability and validity of the Japanese version of the CAARMS. <i>Microbial Biotechnology</i> , 2009, 3, 123-130.	0.9	34
100	Do premorbid impairments predict emergent "prodromal" symptoms in young relatives at risk for schizophrenia?. <i>Microbial Biotechnology</i> , 2009, 3, 213-220.	0.9	7
101	"Schizophrenia postdrome": a study of low-level psychotic experience after remission of first-episode schizophrenia. <i>Microbial Biotechnology</i> , 2009, 3, 296-299.	0.9	2
102	Psychotic-Like Experiences in a Community Sample of Adolescents: Implications for the Continuum Model of Psychosis and Prediction of Schizophrenia. <i>Australian and New Zealand Journal of Psychiatry</i> , 2009, 43, 118-128.	1.3	309
103	Family problem solving interactions and 6-month symptomatic and functional outcomes in youth at ultra-high risk for psychosis and with recent onset psychotic symptoms: A longitudinal study. <i>Schizophrenia Research</i> , 2009, 107, 198-205.	1.1	70
104	Obsessive compulsive symptoms in the psychosis prodrome: Correlates of clinical and functional outcome. <i>Schizophrenia Research</i> , 2009, 108, 170-175.	1.1	93
105	Childhood trauma and prodromal symptoms among individuals at clinical high risk for psychosis. <i>Schizophrenia Research</i> , 2009, 108, 176-181.	1.1	107
106	Neurocognitive performances in participants of at-risk mental state for schizophrenia and in first-episode patients. <i>Journal of Clinical and Experimental Neuropsychology</i> , 2009, 31, 392-401.	0.8	17
107	Very Early Interventions in Psychotic Disorders. <i>Psychiatric Clinics of North America</i> , 2009, 32, 81-94.	0.7	3
108	Validity of the Prodromal Risk Syndrome for First Psychosis: Findings From the North American Prodrome Longitudinal Study. <i>Schizophrenia Bulletin</i> , 2009, 35, 894-908.	2.3	368
109	Effects of Aripiprazole on Insight and Subjective Experience in Individuals With an At-Risk Mental State. <i>Journal of Clinical Psychopharmacology</i> , 2009, 29, 421-425.	0.7	24
110	Lack of Association Between Neuropsychological Performance and Level of Psychosis-Proneness in an Adolescent Psychiatric Sample. <i>Journal of Nervous and Mental Disease</i> , 2009, 197, 669-674.	0.5	7
111	Intervention in the at-risk state to prevent transition to psychosis. <i>Current Opinion in Psychiatry</i> , 2009, 22, 177-183.	3.1	24
112	An Overview of Sociological Perspectives on the Definitions, Causes, and Responses to Mental Health and Illness. , 0, , 6-19.		6

#	ARTICLE	IF	CITATIONS
113	At-risk mental state and prediction. , 0, , 83-106.		1
114	Transient Auditory Hallucinations in an Adolescent. <i>Journal of Psychiatric Practice</i> , 2010, 16, 187-192.	0.3	0
115	Portland Identification and Early Referral: A Community-Based System for Identifying and Treating Youths at High Risk of Psychosis. <i>Psychiatric Services</i> , 2010, 61, 512-515.	1.1	35
116	Cognitive and Psychiatric Predictors to Psychosis in Velocardiofacial Syndrome. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2010, 49, 333-344.	0.3	3
117	Course of neurocognitive deficits in the prodrome and first episode of schizophrenia.. <i>Neuropsychology</i> , 2010, 24, 109-120.	1.0	142
118	Longitudinal changes in cortisol secretion and conversion to psychosis in at-risk youth.. <i>Journal of Abnormal Psychology</i> , 2010, 119, 401-408.	2.0	107
119	Cluster A Personality Disorders: Schizotypal, Schizoid and Paranoid Personality Disorders in Childhood and Adolescence. <i>Journal of Psychopathology and Behavioral Assessment</i> , 2010, 32, 515-528.	0.7	52
120	Research in people with psychosis risk syndrome: a review of the current evidence and future directions. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2010, 51, 390-431.	3.1	167
121	Treatment history in the psychosis prodrome: characteristics of the North American Prodrome Longitudinal Study Cohort. <i>Microbial Biotechnology</i> , 2010, 4, 220-226.	0.9	48
122	Antipsychotic treatment of UHR (â€˜prodromalâ€™™) individuals. <i>Microbial Biotechnology</i> , 2010, 4, 197-199.	0.9	16
123	Young Rural People at Risk for Schizophrenia: Time for Mental Health Services to Translate Research Evidence into Best Practice of Care. <i>Australian and New Zealand Journal of Psychiatry</i> , 2010, 44, 872-882.	1.3	8
124	"Excessive Thinking" as Explanatory Model for Schizophrenia: Impacts on Stigma and "Moral" Status in Mainland China. <i>Schizophrenia Bulletin</i> , 2010, 36, 836-845.	2.3	60
125	Interpersonal problems in the prodromal state of schizophrenia: An exploratory study. <i>Psychosis</i> , 2010, 2, 238-247.	0.4	6
126	White-matter markers for psychosis in a prospective ultra-high-risk cohort. <i>Psychological Medicine</i> , 2010, 40, 1297-1304.	2.7	130
127	Neuropsychology of the Prodrome to Psychosis in the NAPLS Consortium<sub>title></sub>Relationship to Family History and Conversion to Psychosis<sub>title></sub><alt-title>Neuropsychology of Prodrome to Psychosis</alt-title>. <i>Archives of General Psychiatry</i> , 2010, 67, 578.	13.8	390
129	Identification and Treatment of a Pineal Region Tumor in an Adolescent With Prodromal Psychotic Symptoms. <i>American Journal of Psychiatry</i> , 2010, 167, 1033-1037.	4.0	28
130	Prediction of Psychosis in Adolescents and Young Adults at High Risk. <i>Archives of General Psychiatry</i> , 2010, 67, 241.	13.8	575
131	Early signs, diagnosis and therapeutics of the prodromal phase of schizophrenia and related psychotic disorders. <i>Expert Review of Neurotherapeutics</i> , 2010, 10, 1347-1359.	1.4	152

#	ARTICLE	IF	CITATIONS
132	Reduced Parietal P300 Amplitude is Associated with an Increased Risk for a First Psychotic Episode. <i>Biological Psychiatry</i> , 2010, 68, 642-648.	0.7	96
133	Attenuated positive symptoms of psychosis in adolescents with chromosome 22q11.2 deletion syndrome. <i>Schizophrenia Research</i> , 2010, 118, 118-121.	1.1	65
134	Potential stigma associated with inclusion of the psychosis risk syndrome in the DSM-V: An empirical question. <i>Schizophrenia Research</i> , 2010, 120, 42-48.	1.1	122
135	The psychosis threshold in Ultra High Risk (prodromal) research: Is it valid?. <i>Schizophrenia Research</i> , 2010, 120, 1-6.	1.1	138
136	Probably at-risk, but certainly ill – Advocating the introduction of a psychosis spectrum disorder in DSM-V. <i>Schizophrenia Research</i> , 2010, 120, 23-37.	1.1	138
137	The psychosis risk syndrome and its proposed inclusion in the DSM-V: A risk-benefit analysis. <i>Schizophrenia Research</i> , 2010, 120, 16-22.	1.1	118
138	The relationship between psychotic-like symptoms and neurocognitive performance in a general adolescent psychiatric sample. <i>Schizophrenia Research</i> , 2010, 123, 77-85.	1.1	52
139	Randomized-controlled trials in people at ultra high risk of psychosis: A review of treatment effectiveness. <i>Schizophrenia Research</i> , 2010, 123, 30-36.	1.1	171
140	The case for including Attenuated Psychotic Symptoms Syndrome in DSM-5 as a psychosis risk syndrome. <i>Schizophrenia Research</i> , 2010, 123, 199-207.	1.1	117
141	Cognitive and Psychiatric Predictors to Psychosis in Velocardiofacial Syndrome: A 3-Year Follow-Up Study. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2010, 49, 333-344.	0.3	93
142	Social Cognition Deficits Among Individuals at Familial High Risk for Schizophrenia. <i>Schizophrenia Bulletin</i> , 2010, 36, 1081-1088.	2.3	149
143	Increased saccadic rate during smooth pursuit eye movements in patients at Ultra High Risk for developing a psychosis. <i>Brain and Cognition</i> , 2010, 73, 215-221.	0.8	21
144	Children's Global Assessment Scale (CGAS) in a naturalistic clinical setting: Inter-rater reliability and comparison with expert ratings. <i>Psychiatry Research</i> , 2010, 177, 206-210.	1.7	76
145	Applicability of the Chinese Version of the Prodromal Questionnaire. <i>Journal of the Formosan Medical Association</i> , 2010, 109, 647-655.	0.8	10
146	Longitudinal Study of Stressful Life Events and Daily Stressors Among Adolescents at High Risk for Psychotic Disorders. <i>Schizophrenia Bulletin</i> , 2011, 37, 432-441.	2.3	119
147	Prevention of the First Episode of Psychosis. <i>Psychiatric Clinics of North America</i> , 2011, 34, 95-107.	0.7	20
148	Mapping Cortical Morphology in Youth With Velocardiofacial (22q11.2 Deletion) Syndrome. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2011, 50, 272-282.e2.	0.3	24
149	Neuroanatomic Predictors to Prodromal Psychosis in Velocardiofacial Syndrome (22q11.2 Deletion) Tj ETQq1 1 0.784314 rgBT /Overl	0.7	75

#	ARTICLE	IF	CITATIONS
150	Fronto-parietal hypo-activation during working memory independent of structural abnormalities: Conjoint fMRI and sMRI analyses in adolescent offspring of schizophrenia patients. <i>NeuroImage</i> , 2011, 58, 234-241.	2.1	24
151	Predictive validity of clinical variables in the "at risk" for psychosis population: International comparison with results from the North American Prodrome Longitudinal Study. <i>Schizophrenia Research</i> , 2011, 126, 51-57.	1.1	79
152	Early and broadly defined psychosis risk mental states. <i>Schizophrenia Research</i> , 2011, 126, 1-10.	1.1	105
153	Ultra high risk (UHR) for psychosis criteria: Are there different levels of risk for transition to psychosis?. <i>Schizophrenia Research</i> , 2011, 125, 62-68.	1.1	71
154	Sense of agency is altered in patients with a putative psychotic prodrome. <i>Schizophrenia Research</i> , 2011, 126, 20-27.	1.1	38
155	The Comprehensive Assessment of At-Risk Mental States: From mapping the onset to mapping the structure. <i>Schizophrenia Research</i> , 2011, 127, 107-114.	1.1	45
156	The diagnostic significance of BLIPS (Brief Limited Intermittent Psychotic Symptoms) in Psychosis. <i>Schizophrenia Research</i> , 2011, 131, 256-257.	1.1	5
157	From lumping to splitting and back again: Atypical social and language development in individuals with clinical-high-risk for psychosis, first episode schizophrenia, and autism spectrum disorders. <i>Schizophrenia Research</i> , 2011, 131, 146-151.	1.1	86
158	Psychosis risk screening with the Prodromal Questionnaire " Brief Version (PQ-B). <i>Schizophrenia Research</i> , 2011, 129, 42-46.	1.1	306
159	Prodromal symptoms in adolescents with 22q11.2 deletion syndrome and schizotypal personality disorder. <i>Schizophrenia Research</i> , 2011, 129, 20-28.	1.1	31
160	Does a parent-report measure of behavioral problems enhance prediction of conversion to psychosis in clinical high-risk adolescents?. <i>Schizophrenia Research</i> , 2011, 130, 157-163.	1.1	11
161	Theory of Mind in patients at clinical high risk for psychosis. <i>Schizophrenia Research</i> , 2011, 131, 11-17.	1.1	67
162	Practitioner perceptions of attenuated psychosis syndrome. <i>Schizophrenia Research</i> , 2011, 131, 24-30.	1.1	25
163	Ultra high-risk state for psychosis and non-transition: A systematic review. <i>Schizophrenia Research</i> , 2011, 132, 8-17.	1.1	137
164	Lack of association between psychosis-like experiences and seeking help from professionals: A case-controlled study. <i>Schizophrenia Research</i> , 2011, 132, 208-212.	1.1	21
165	Gray matter loss in young relatives at risk for schizophrenia: Relation with prodromal psychopathology. <i>NeuroImage</i> , 2011, 54, S272-S279.	2.1	52
166	An fMRI study of "theory of mind" in at-risk states of psychosis: Comparison with manifest schizophrenia and healthy controls. <i>NeuroImage</i> , 2011, 55, 329-337.	2.1	94
167	Neurocognitive performance in subjects at ultrahigh risk for schizophrenia: a comparison with first-episode schizophrenia. <i>Comprehensive Psychiatry</i> , 2011, 52, 33-40.	1.5	31

#	ARTICLE	IF	CITATIONS
168	At Clinical High Risk for Psychosis: Outcome for Nonconverters. <i>American Journal of Psychiatry</i> , 2011, 168, 800-805.	4.0	428
169	Altered sense of agency in schizophrenia and the putative psychotic prodrome. <i>Psychiatry Research</i> , 2011, 186, 170-176.	1.7	61
170	Affective dysfunctions in adolescents at risk for psychosis: Emotion awareness and social functioning. <i>Psychiatry Research</i> , 2011, 187, 100-105.	1.7	52
171	Startle reactivity and prepulse inhibition in prodromal and early psychosis: Effects of age, antipsychotics, tobacco and cannabis in a vulnerable population. <i>Psychiatry Research</i> , 2011, 188, 208-216.	1.7	48
172	Dementia in primary care. <i>British Journal of Wellbeing</i> , 2011, 2, 18-21.	0.1	1
174	Early intervention in psychosis: a map of clinical and research initiatives in Latin America. <i>Revista Brasileira De Psiquiatria</i> , 2011, 33, s213-s224.	0.9	27
175	Avalia��o neurocognitiva dos estados de risco ultra-alto de psicose usando a bateria MATRICS (Medi��o e Pesquisa de Tratamento para Melhorar Cogni��o na Esquizofrenia). <i>Revista De Psiquiatria Clinica</i> , 2011, 38, 130-134.	0.6	6
176	Coping Strategies and Their Relationship to Psychopathologies in People at Ultra High-Risk for Psychosis and With Schizophrenia. <i>Journal of Nervous and Mental Disease</i> , 2011, 199, 106-110.	0.5	32
177	Disorganized Symptoms and Executive Functioning Predict Impaired Social Functioning in Subjects at Risk for Psychosis. <i>Journal of Neuropsychiatry and Clinical Neurosciences</i> , 2011, 23, 457-460.	0.9	28
178	Should a risk syndrome for first episode psychosis be included in the DSM-5?. <i>Current Opinion in Psychiatry</i> , 2011, 24, 128-133.	3.1	27
179	Predicting the development of schizophrenia in high-risk populations: Systematic review of the predictive validity of prodromal criteria. <i>British Journal of Psychiatry</i> , 2011, 199, 361-366.	1.7	31
181	Higher Levels of Glutamate in the Associative-Striatum of Subjects with Prodromal Symptoms of Schizophrenia and Patients with First-Episode Psychosis. <i>Neuropsychopharmacology</i> , 2011, 36, 1781-1791.	2.8	214
182	Clinical efficacy of individual cognitive therapy in reducing psychiatric symptoms in people at ultra-high risk for psychosis. <i>Microbial Biotechnology</i> , 2011, 5, 174-178.	0.9	21
183	Differential results between self-report and interview-based ratings of risk symptoms of psychosis. <i>Microbial Biotechnology</i> , 2011, 5, 309-314.	0.9	20
184	Social cognition deficits and the "ultra high risk"™ for psychosis population: a review of literature. <i>Microbial Biotechnology</i> , 2011, 5, 192-202.	0.9	68
185	Hypo-activation in the executive core of the sustained attention network in adolescent offspring of schizophrenia patients mediated by premorbid functional deficits. <i>Psychiatry Research - Neuroimaging</i> , 2011, 192, 91-99.	0.9	23
186	Impact of Neurocognition on Social and Role Functioning in Individuals at Clinical High Risk for Psychosis. <i>American Journal of Psychiatry</i> , 2011, 168, 806-813.	4.0	164
187	The relationship of social function to depressive and negative symptoms in individuals at clinical high risk for psychosis. <i>Psychological Medicine</i> , 2011, 41, 251-261.	2.7	133

#	ARTICLE	IF	CITATIONS
188	Factor structure of the Italian version of the Scale Of Prodromal Symptoms (SOPS): a comparison with the English version. <i>Epidemiology and Psychiatric Sciences</i> , 2011, 20, 45-54.	1.8	28
189	Factor Analysis of the Scale of Prodromal Symptoms: Differentiating between Negative and Depression Symptoms. <i>Psychopathology</i> , 2011, 44, 379-385.	1.1	20
190	Misattribution of facial expressions of emotion in adolescents at increased risk of psychosis: the role of inhibitory control. <i>Psychological Medicine</i> , 2011, 41, 499-508.	2.7	70
191	Neuroendocrine markers of high risk for psychosis: salivary testosterone in adolescent boys with prodromal symptoms. <i>Psychological Medicine</i> , 2011, 41, 1815-1822.	2.7	35
192	A psychological and communitarian approach to treating early psychoses: A service description with some initial findings. <i>Psychosis</i> , 2011, 3, 126-132.	0.4	3
194	Different vulnerability indicators for psychosis and their neuropsychological characteristics in the Northern Finland 1986 Birth Cohort. <i>Journal of Clinical and Experimental Neuropsychology</i> , 2011, 33, 385-394.	0.8	16
195	"Attenuated psychotic symptoms syndrome" as a risk syndrome of psychosis, diagnosis in DSM-V: The debate. <i>Indian Journal of Psychiatry</i> , 2011, 53, 57.	0.4	23
196	Analyzing Characteristics of Schizotypal Personality Proneness Using the Chinese Soldier Personality Questionnaire. <i>Social Behavior and Personality</i> , 2011, 39, 1291-1296.	0.3	1
197	Evaluating the Chinese Soldier Personality Questionnaire in Terms of Assessing Schizotypal Personality Proneness. <i>Social Behavior and Personality</i> , 2012, 40, 509-516.	0.3	2
198	Attenuated psychosis and the schizophrenia prodrome: current status of risk identification and psychosis prevention. <i>Neuropsychiatry</i> , 2012, 2, 345-353.	0.4	48
199	Providing care to young people with emerging risk of psychosis: balancing potential risks and benefits. <i>Clinical Practice (London, England)</i> , 2012, 9, 669-682.	0.1	3
200	At-risk for psychosis research: where are we heading?. <i>Epidemiology and Psychiatric Sciences</i> , 2012, 21, 329-334.	1.8	33
201	Predicting Psychosis. <i>Archives of General Psychiatry</i> , 2012, 69, 220.	13.8	1,214
203	Disorganization/Cognitive and Negative Symptom Dimensions in the At-Risk Mental State Predict Subsequent Transition to Psychosis. <i>Schizophrenia Bulletin</i> , 2012, 38, 351-359.	2.3	168
204	An Ecological Systems Perspective on the Clinical High Risk State Preceding Schizophrenia Onset. <i>Social Work in Mental Health</i> , 2012, 10, 478-495.	0.7	5
205	Ventral Striatal Activation during Reward Processing in Subjects with Ultra-High Risk for Schizophrenia. <i>Neuropsychobiology</i> , 2012, 66, 50-56.	0.9	79
206	Automatic sensory information processing abnormalities across the illness course of schizophrenia. <i>Psychological Medicine</i> , 2012, 42, 85-97.	2.7	158
207	Visual information processing dysfunction across the developmental course of early psychosis. <i>Psychological Medicine</i> , 2012, 42, 2167-2179.	2.7	12

#	ARTICLE	IF	CITATIONS
208	Defining Treatment as Usual for Attenuated Psychosis Syndrome: A Survey of Community Practitioners. <i>Psychiatric Services</i> , 2012, 63, 1252-1256.	1.1	16
209	Disordered Corticolimbic Interactions During Affective Processing in Children and Adolescents at Risk for Schizophrenia Revealed by Functional Magnetic Resonance Imaging and Dynamic Causal Modeling. <i>Archives of General Psychiatry</i> , 2012, 69, 231.	13.8	63
210	Cognitive Behavioral Therapy in Prodromal Psychosis. <i>Current Pharmaceutical Design</i> , 2012, 18, 558-565.	0.9	11
211	Clinical implications of alcohol-use disorders in schizophrenia. <i>Neuropsychiatry</i> , 2012, 2, 239-252.	0.4	0
212	The Risk That DSM-5 Will Give Personality Dimensions A Bad Name. <i>Current Psychiatry Reviews</i> , 2012, 8, 268-270.	0.9	1
213	Ethical Implications for Clinical Practice and Future Research in "At Risk" Individuals. <i>Current Pharmaceutical Design</i> , 2012, 18, 606-612.	0.9	10
214	The Ultra High Risk Approach to Define Psychosis Risk. <i>Current Pharmaceutical Design</i> , 2012, 18, 346-350.	0.9	20
215	Is Dopamine Neurotransmission Altered in Prodromal Schizophrenia? A Review of the Evidence. <i>Current Pharmaceutical Design</i> , 2012, 18, 1568-1579.	0.9	24
216	Adolescent Risk Pathways Toward Schizophrenia: Sustained Attention and the Brain. <i>Current Topics in Medicinal Chemistry</i> , 2012, 12, 2339-2347.	1.0	7
218	Error monitoring dysfunction across the illness course of schizophrenia.. <i>Journal of Abnormal Psychology</i> , 2012, 121, 372-387.	2.0	63
219	Social cognition in 22q11.2 microdeletion syndrome: Relevance to psychosis?. <i>Schizophrenia Research</i> , 2012, 142, 99-107.	1.1	68
220	Identification of young people in the early stages of psychosis: Validation of a checklist for use in primary care. <i>Psychiatry Research</i> , 2012, 200, 911-916.	1.7	23
221	Schizotypy, psychotic-like experiences and distress: An interaction model. <i>Psychiatry Research</i> , 2012, 200, 647-651.	1.7	28
222	Stress abnormalities in individuals at risk for psychosis: A review of studies in subjects with familial risk or with "at risk" mental state. <i>Psychoneuroendocrinology</i> , 2012, 37, 1600-1613.	1.3	129
223	Pharmacological Prevention and Treatment in Clinical At-Risk States for Psychosis. <i>Current Pharmaceutical Design</i> , 2012, 18, 550-557.	0.9	20
224	Risk Factors for Psychosis: Impaired Social and Role Functioning. <i>Schizophrenia Bulletin</i> , 2012, 38, 1247-1257.	2.3	206
225	Cannabis Use in Patients at Clinical High Risk of Psychosis: Impact on Prodromal Symptoms and Transition to Psychosis. <i>Current Pharmaceutical Design</i> , 2012, 18, 5036-5044.	0.9	30
226	Preliminary structure and predictive value of attenuated negative symptoms in 22q11.2 deletion syndrome. <i>Psychiatry Research</i> , 2012, 196, 277-284.	1.7	55

#	ARTICLE	IF	CITATIONS
227	Error processing-associated event-related potentials in schizophrenia and unaffected siblings. <i>International Journal of Psychophysiology</i> , 2012, 84, 74-79.	0.5	40
228	A survey of psychosis risk symptoms in Kenya. <i>Comprehensive Psychiatry</i> , 2012, 53, 516-524.	1.5	23
229	Increased Stress-Induced Dopamine Release in Psychosis. <i>Biological Psychiatry</i> , 2012, 71, 561-567.	0.7	222
230	Comparing the neural bases of self-referential processing in typically developing and 22q11.2 adolescents. <i>Developmental Cognitive Neuroscience</i> , 2012, 2, 277-289.	1.9	26
231	Convergent and discriminant validity of attenuated psychosis screening tools. <i>Schizophrenia Research</i> , 2012, 134, 49-53.	1.1	80
232	HPA axis function and symptoms in adolescents at clinical high risk for schizophrenia. <i>Schizophrenia Research</i> , 2012, 135, 170-174.	1.1	76
233	Cortical gyrification in velo-cardio-facial (22q11.2 deletion) syndrome: A longitudinal study. <i>Schizophrenia Research</i> , 2012, 137, 20-25.	1.1	30
234	Cognitive changes following antidepressant or antipsychotic treatment in adolescents at clinical risk for psychosis. <i>Schizophrenia Research</i> , 2012, 137, 110-117.	1.1	24
235	The association between social anhedonia, withdrawal and psychotic experiences in general and high-risk populations. <i>Schizophrenia Research</i> , 2012, 138, 290-294.	1.1	30
236	An odor-specific threshold deficit implicates abnormal cAMP signaling in youths at clinical risk for psychosis. <i>Schizophrenia Research</i> , 2012, 138, 280-284.	1.1	11
237	Premorbid multivariate markers of neurodevelopmental instability in the prediction of adult schizophrenia-spectrum disorder: a high-risk prospective investigation. <i>Schizophrenia Research</i> , 2012, 139, 129-135.	1.1	19
238	Obsessive compulsive symptoms in individuals at clinical risk for psychosis: Association with depressive symptoms and suicidal ideation. <i>Schizophrenia Research</i> , 2012, 140, 110-113.	1.1	47
239	Psychosis risk screening in youth: A validation study of three self-report measures of attenuated psychosis symptoms. <i>Schizophrenia Research</i> , 2012, 141, 72-77.	1.1	89
240	Regional cortical thinning in subjects with high genetic loading for schizophrenia. <i>Schizophrenia Research</i> , 2012, 141, 197-203.	1.1	42
241	Prediction and Prevention of Psychosis in Youth at Clinical High Risk. <i>Annual Review of Clinical Psychology</i> , 2012, 8, 269-289.	6.3	163
242	Current Antipsychotics. <i>Handbook of Experimental Pharmacology</i> , 2012, , .	0.9	6
243	Pilot Study on Resting-State Functional Connectivity under the Effects of Familial Loading in People at Ultra-High Risk for Psychosis. <i>Korean Journal of Schizophrenia Research</i> , 2012, 15, 90.	0.3	0
244	Evaluation and Treatment of Children and Adolescents With Psychotic Symptoms. <i>Current Psychiatry Reports</i> , 2012, 14, 101-110.	2.1	25

#	ARTICLE	IF	CITATIONS
245	Subtle deficits of cognitive theory of mind in unaffected first-degree relatives of schizophrenia patients. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2012, 262, 217-226.	1.8	60
246	fMRI responses to emotional faces in children and adolescents at genetic risk for psychiatric illness share some of the features of depression. <i>Journal of Affective Disorders</i> , 2012, 136, 276-285.	2.0	14
247	Prodromal psychosis screening in adolescent psychiatry clinics. <i>Microbial Biotechnology</i> , 2012, 6, 69-75.	0.9	59
248	First self-perceived signs and symptoms in emerging psychosis compared with depression. <i>Microbial Biotechnology</i> , 2012, 6, 455-459.	0.9	3
249	Borderline personality features and development of psychosis in an "Ultra High Risk" (UHR) population: a case control study. <i>Microbial Biotechnology</i> , 2012, 6, 247-255.	0.9	27
250	The neural correlates of performance in adolescents at risk for schizophrenia: Inefficiently increased cortico-striatal responses measured with fMRI. <i>Journal of Psychiatric Research</i> , 2012, 46, 12-21.	1.5	34
251	Attributional style among youth at clinical risk for psychosis. <i>Microbial Biotechnology</i> , 2013, 7, 84-88.	0.9	28
252	Validation of the Korean version of the Eppendorf Schizophrenia Inventory as a screening measure to detect adolescents at ultra-high risk for psychosis. <i>Microbial Biotechnology</i> , 2013, 7, 71-79.	0.9	19
253	Pathways to care for those at clinical high risk of developing psychosis. <i>Microbial Biotechnology</i> , 2013, 7, 80-83.	0.9	29
254	Attenuated psychosis syndrome in DSM-5. <i>Schizophrenia Research</i> , 2013, 150, 31-35.	1.1	155
255	Neural correlate of impulsivity in subjects at ultra-high risk for psychosis. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2013, 45, 165-169.	2.5	25
256	Cortisol Levels and Risk for Psychosis: Initial Findings from the North American Prodrome Longitudinal Study. <i>Biological Psychiatry</i> , 2013, 74, 410-417.	0.7	221
257	Striatal dopamine D2/3 receptor binding following dopamine depletion in subjects at Ultra High Risk for psychosis. <i>European Neuropsychopharmacology</i> , 2013, 23, 126-132.	0.3	34
258	The relevance of self-esteem and self-schemas to persecutory delusions: A systematic review. <i>Comprehensive Psychiatry</i> , 2013, 54, 766-789.	1.5	130
259	Tinnitus: A potential confound when assessing perceptual abnormalities in ultra-high risk youth. <i>Schizophrenia Research</i> , 2013, 147, 410-411.	1.1	3
260	Effects of cannabis use on event related potentials in subjects at ultra high risk for psychosis and healthy controls. <i>International Journal of Psychophysiology</i> , 2013, 88, 149-156.	0.5	11
261	Early traumatic experiences in those at clinical high risk for psychosis. <i>Microbial Biotechnology</i> , 2013, 7, 300-305.	0.9	95
262	Externalized attributional bias in the Ultra High Risk (UHR) for psychosis population. <i>Psychiatry Research</i> , 2013, 206, 200-205.	1.7	37

#	ARTICLE	IF	CITATIONS
263	Practitioner Review: Schizophrenia spectrum disorders and the atâ€risk mental state for psychosis in children and adolescents â€ evidenceâ€based management approaches. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2013, 54, 1155-1175.	3.1	22
264	The Enduring Centrality of Dopamine in the Pathophysiology of Schizophrenia. <i>Advances in Pharmacology</i> , 2013, 68, 199-220.	1.2	16
265	At Risk for Schizophrenic or Affective Psychoses? A Meta-Analysis of DSM/ICD Diagnostic Outcomes in Individuals at High Clinical Risk. <i>Schizophrenia Bulletin</i> , 2013, 39, 923-932.	2.3	165
266	Developmental mechanisms in the prodrome to psychosis. <i>Development and Psychopathology</i> , 2013, 25, 1585-1600.	1.4	29
267	Glycine treatment of the risk syndrome for psychosis: Report of two pilot studies. <i>European Neuropsychopharmacology</i> , 2013, 23, 931-940.	0.3	54
268	Attitudes towards help-seeking and stigma among young people at risk for psychosis. <i>Psychiatry Research</i> , 2013, 210, 1313-1315.	1.7	34
269	Small-world networks in individuals at ultra-high risk for psychosis and first-episode schizophrenia during a working memory task. <i>Neuroscience Letters</i> , 2013, 535, 35-39.	1.0	25
270	Olfaction in the psychosis prodrome: Electrophysiological and behavioral measures of odor detection. <i>International Journal of Psychophysiology</i> , 2013, 90, 190-206.	0.5	25
271	Identifying youth at risk for psychosis using the Behavior Assessment System for Children, Second Edition. <i>Schizophrenia Research</i> , 2013, 151, 238-244.	1.1	28
272	Axis I psychiatric diagnoses in adolescents and young adults with 22q11 deletion syndrome. <i>European Psychiatry</i> , 2013, 28, 417-422.	0.1	11
273	Pituitary gland volume in patients with schizophrenia, subjects at ultra high-risk of developing psychosis and healthy controls: A systematic review and meta-analysis. <i>Psychoneuroendocrinology</i> , 2013, 38, 2394-2404.	1.3	62
274	General intellectual functioning as a buffer against theory-of-mind deficits in individuals at ultra-high risk for psychosis. <i>Schizophrenia Research</i> , 2013, 149, 83-87.	1.1	28
275	Early and late stages of visual processing in individuals in prodromal state and first episode schizophrenia: An ERP study. <i>Schizophrenia Research</i> , 2013, 146, 95-102.	1.1	42
276	Psychotropic medication use in youth at high risk for psychosis: Comparison of baseline data from two research cohorts 1998â€2005 and 2008â€2011. <i>Schizophrenia Research</i> , 2013, 148, 99-104.	1.1	33
277	The Prodrome and Clinical Risk for Psychotic Disorders. <i>Child and Adolescent Psychiatric Clinics of North America</i> , 2013, 22, 557-567.	1.0	22
278	The Early Recognition Inventory ERraos detects at risk mental states of psychosis with high sensitivity. <i>Comprehensive Psychiatry</i> , 2013, 54, 1068-1076.	1.5	25
279	Sleep dysfunction and thalamic abnormalities in adolescents at ultra high-risk for psychosis. <i>Schizophrenia Research</i> , 2013, 151, 148-153.	1.1	83
280	The Psychosis High-Risk State. <i>JAMA Psychiatry</i> , 2013, 70, 107.	6.0	1,222

#	ARTICLE	IF	CITATIONS
281	Imaging Patients with Psychosis and a Mouse Model Establishes a Spreading Pattern of Hippocampal Dysfunction and Implicates Glutamate as a Driver. <i>Neuron</i> , 2013, 78, 81-93.	3.8	483
282	Reduced P3a amplitudes in antipsychotic naïve first-episode psychosis patients and individuals at clinical high-risk for psychosis. <i>Journal of Psychiatric Research</i> , 2013, 47, 755-761.	1.5	62
283	Neurocognitive performance of a community-based sample of young people at putative ultra high risk for psychosis: Support for the processing speed hypothesis. <i>Cognitive Neuropsychiatry</i> , 2013, 18, 9-25.	0.7	66
284	Public Stigma Associated With Psychosis Risk Syndrome in a College Population: Implications for Peer Intervention. <i>Psychiatric Services</i> , 2013, 64, 284-288.	1.1	76
285	Decision curve analysis for assessing the usefulness of tests for making decisions to treat: An application to tests for prodromal psychosis.. <i>Psychological Assessment</i> , 2013, 25, 730-737.	1.2	7
286	Prediction of Functional Outcome in Individuals at Clinical High Risk for Psychosis. <i>JAMA Psychiatry</i> , 2013, 70, 1133.	6.0	202
287	Peripubertal Diazepam Administration Prevents the Emergence of Dopamine System Hyperresponsivity in the MAM Developmental Disruption Model of Schizophrenia. <i>Neuropsychopharmacology</i> , 2013, 38, 1881-1888.	2.8	86
288	Early Intervention and the Treatment of Prodrome in Schizophrenia. <i>Journal of Psychiatric Practice</i> , 2013, 19, 375-385.	0.3	12
289	The Ethical Boundaries of Patient and Advocate Influence on DSM-5. <i>Harvard Review of Psychiatry</i> , 2013, 21, 334-344.	0.9	6
290	Bayesian Analysis of Posttest Predictive Value of Screening Instruments for the Psychosis High-Risk State. <i>JAMA Psychiatry</i> , 2013, 70, 880.	6.0	9
291	Does specific psychopathology predict development of psychosis in ultra high-risk (UHR) patients?. <i>Australian and New Zealand Journal of Psychiatry</i> , 2013, 47, 380-390.	1.3	22
292	“A Rose Is a Rose Is a Rose”™, but At-Risk Criteria Differ. <i>Psychopathology</i> , 2013, 46, 75-87.	1.1	54
293	What if DSM 5 Attenuated Psychosis Syndrome Did Not Refer to Risk, but aforme fruste?. <i>Psychopathology</i> , 2013, 46, 131-132.	1.1	2
294	Disturbances of basic self and prodromal symptoms among non-psychotic help-seeking adolescents. <i>Psychological Medicine</i> , 2013, 43, 1365-1376.	2.7	70
295	Temporal association of stress sensitivity and symptoms in individuals at clinical high risk for psychosis. <i>Psychological Medicine</i> , 2013, 43, 259-268.	2.7	89
296	Inefficient cerebral recruitment as a vulnerability marker for schizophrenia. <i>Psychological Medicine</i> , 2013, 43, 169-182.	2.7	16
297	Premorbid functional development and conversion to psychosis in clinical high-risk youths. <i>Development and Psychopathology</i> , 2013, 25, 1171-1186.	1.4	75
298	Psychosis prediction and clinical utility in familial high-risk studies: selective review, synthesis, and implications for early detection and intervention. <i>Microbial Biotechnology</i> , 2013, 7, 345-360.	0.9	15

#	ARTICLE	IF	CITATIONS
299	Development of liability syndromes for schizophrenia: Where did they come from and where are they going?. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2013, 162, 687-697.	1.1	3
300	A developmental look at the attentional system in the at risk and first episode of psychosis: Age related changes in attention along the psychosis spectrum. Cognitive Neuropsychiatry, 2013, 18, 26-43.	0.7	8
301	The Treatment of Adolescents With Schizotypal Personality Disorder and Related Conditions: A Practice-Oriented Review of the Literature. Clinical Psychology: Science and Practice, 2013, 20, 408-424.	0.6	6
302	Sleep dysfunction prior to the onset of schizophrenia: A review and neurodevelopmental diathesis-stress conceptualization.. Clinical Psychology: Science and Practice, 2013, 20, 291-320.	0.6	50
303	Striatal glutamate and the conversion to psychosis: a prospective 1H-MRS imaging study. International Journal of Neuropsychopharmacology, 2013, 16, 471-475.	1.0	78
304	Effects of NRG1 and DAOA genetic variation on transition to psychosis in individuals at ultra-high risk for psychosis. Translational Psychiatry, 2013, 3, e251-e251.	2.4	31
305	Adolescents at risk of psychosis have higher level of hopelessness than adolescents not at risk of psychosis. Nordic Journal of Psychiatry, 2013, 67, 258-264.	0.7	5
306	The Ultra-High Risk Concept-A Review. Canadian Journal of Psychiatry, 2013, 58, 5-12.	0.9	75
307	Handwriting Analysis Indicates Spontaneous Dyskinesias in Neuroleptic Na#239;ve Adolescents at High Risk for Psychosis. Journal of Visualized Experiments, 2013, , e50852.	0.2	25
308	Incidental Findings in Youths Volunteering for Brain MRI Research. American Journal of Neuroradiology, 2013, 34, 2021-2025.	1.2	69
309	Between-site reliability of startle prepulse inhibition across two early psychosis consortia. NeuroReport, 2013, 24, 626-630.	0.6	6
310	Neuroimaging Findings in the At-Risk Mental State: A Review of Recent Literature. Canadian Journal of Psychiatry, 2013, 58, 13-18.	0.9	28
311	â€œTo see or not to see: that is the question.â€•The â€œProtection-Against-Schizophreniaâ€•(PaSZ) model: evidence from congenital blindness and visuo-cognitive aberrations. Frontiers in Psychology, 2013, 4, 352.	1.1	46
312	Genealogy of instruments for prodrome evaluation of psychosis. Frontiers in Psychiatry, 2013, 4, 25.	1.3	25
313	Deficient Suppression of Default Mode Regions during Working Memory in Individuals with Early Psychosis and at Clinical High-Risk for Psychosis. Frontiers in Psychiatry, 2013, 4, 92.	1.3	62
314	Mismatch Negativity as a â€œTranslatableâ€•Brain Marker Toward Early Intervention for Psychosis: A Review. Frontiers in Psychiatry, 2013, 4, 115.	1.3	83
315	Early Recognition of High Risk of Bipolar Disorder and Psychosis: An Overview of the ZInEP -â€œEarly Recognitionâ€•Study. Frontiers in Public Health, 2014, 2, 166.	1.3	32
316	Symptom dimensions are associated with reward processing in unmedicated persons at risk for psychosis. Frontiers in Behavioral Neuroscience, 2014, 8, 382.	1.0	56

#	ARTICLE	IF	CITATIONS
317	Altered white matter microstructure is associated with social cognition and psychotic symptoms in 22q11.2 microdeletion syndrome. <i>Frontiers in Behavioral Neuroscience</i> , 2014, 8, 393.	1.0	52
318	Prediction and prevention of the first psychotic episode: new directions and opportunities. <i>Therapeutics and Clinical Risk Management</i> , 2014, 10, 241.	0.9	9
320	Informed consent in the psychosis prodrome: ethical, procedural and cultural considerations. <i>Philosophy, Ethics, and Humanities in Medicine</i> , 2014, 9, 19.	0.7	10
321	Well-Being Among Persons at Risk of Psychosis: The Role of Self-Labeling, Shame, and Stigma Stress. <i>Psychiatric Services</i> , 2014, 65, 483-489.	1.1	94
322	Early Identification of Psychosis in Schools. <i>Issues in Clinical Child Psychology</i> , 2014, , 323-338.	0.2	2
323	Changes in depression, anxiety and hopelessness symptoms during family- and community-oriented intervention for help-seeking adolescents and adolescents at risk of psychosis. <i>Nordic Journal of Psychiatry</i> , 2014, 68, 93-99.	0.7	11
324	Correspondence between psychometric and clinical high risk for psychosis in an undergraduate population.. <i>Psychological Assessment</i> , 2014, 26, 901-915.	1.2	51
325	Maximizing Benefits and Minimizing Risks in the Primary Prevention of Schizophrenia. <i>Social Work</i> , 2014, 59, 363-365.	0.6	3
326	Neurological Abnormalities in Recent-Onset Schizophrenia and Asperger-Syndrome. <i>Frontiers in Psychiatry</i> , 2014, 5, 91.	1.3	16
327	Subthreshold Psychotic Symptoms in 22q11.2 Deletion Syndrome. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2014, 53, 991-1000.e2.	0.3	51
328	Neurocognitive functioning in patients with first-episode schizophrenia 1 year from onset in comparison with patients 5 years from onset. <i>International Journal of Psychiatry in Clinical Practice</i> , 2014, 18, 63-69.	1.2	9
329	The Subjective Experience of Youths at Clinically High Risk of Psychosis: A Qualitative Study. <i>Psychiatric Services</i> , 2014, 65, 1499-1501.	1.1	29
330	Spontaneous labelling and stigma associated with clinical characteristics of peers "at risk" for psychosis. <i>Microbial Biotechnology</i> , 2014, 8, 247-252.	0.9	19
331	Cognitive insight in individuals at clinical high risk for psychosis. <i>Microbial Biotechnology</i> , 2014, 8, 130-137.	0.9	34
332	Symptom trajectories and psychosis onset in a clinical high-risk cohort: The relevance of subthreshold thought disorder. <i>Schizophrenia Research</i> , 2014, 159, 278-283.	1.1	66
333	Inter-rater reliability of query/probe-based techniques for measuring situation awareness. <i>Ergonomics</i> , 2014, 57, 959-972.	1.1	10
334	Poor outcome associated with symptomatic deterioration among help-seeking individuals at risk for psychosis: a naturalistic follow-up study. <i>Microbial Biotechnology</i> , 2014, 8, 24-31.	0.9	13
335	Health-related quality of life among adolescents: a comparison between subjects at risk for psychosis and other help seekers. <i>Microbial Biotechnology</i> , 2014, 8, 163-169.	0.9	12

#	ARTICLE	IF	CITATIONS
336	Contribution of congenital heart disease to neuropsychiatric outcome in school-age children with 22q11.2 deletion syndrome. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2014, 165, 137-147.	1.1	29
337	Clinical high-risk state does not predict later psychosis in a delinquent adolescent population. <i>Microbial Biotechnology</i> , 2014, 8, 87-90.	0.9	21
338	The Relationship of Neurocognition and Negative Symptoms to Social and Role Functioning Over Time in Individuals at Clinical High Risk in the First Phase of the North American Prodrome Longitudinal Study. <i>Schizophrenia Bulletin</i> , 2014, 40, 1452-1461.	2.3	137
339	Obsessive-compulsive symptoms in at-risk mental states for psychosis: associations with clinical impairment and cognitive function. <i>Acta Psychiatrica Scandinavica</i> , 2014, 130, 214-226.	2.2	42
340	Self-reported attenuated psychotic-like experiences in help-seeking adolescents and their association with age, functioning and psychopathology. <i>Schizophrenia Research</i> , 2014, 160, 110-117.	1.1	48
341	Cross-cultural invariance of the factor structure of the Schizotypal Personality Questionnaire across Spanish and American college students. <i>Psychiatry Research</i> , 2014, 220, 1071-1076.	1.7	17
342	Symptom assessment in early psychosis: The use of well-established rating scales in clinical high-risk and recent-onset populations. <i>Psychiatry Research</i> , 2014, 220, 1077-1083.	1.7	18
343	Prolonged cortical silent period among drug-naive subjects at ultra-high risk of psychosis. <i>Schizophrenia Research</i> , 2014, 160, 124-130.	1.1	13
344	Reading Deficits in Schizophrenia and Individuals at High Clinical Risk: Relationship to Sensory Function, Course of Illness, and Psychosocial Outcome. <i>American Journal of Psychiatry</i> , 2014, 171, 949-959.	4.0	98
345	Anxiety symptoms in adolescents at risk for psychosis: a comparison among help seekers. <i>Child and Adolescent Mental Health</i> , 2014, 19, 97-101.	1.8	5
346	A case report of cognitive behavioural therapy for social anxiety in an ultra-high risk patient. <i>Microbial Biotechnology</i> , 2014, 8, 176-180.	0.9	3
347	Emotional Dysregulation, Attributional Bias, Neurocognitive Impairment in Individuals at Ultra-High Risk for Psychosis and with Schizophrenia : Its Association with Paranoia. <i>Korean Journal of Schizophrenia Research</i> , 2014, 17, 63.	0.3	2
348	A familial risk enriched cohort as a platform for testing early interventions to prevent severe mental illness. <i>BMC Psychiatry</i> , 2014, 14, 344.	1.1	74
349	Cognitive behavioural therapy for psychosis prevention: a systematic review and meta-analysis. <i>Psychological Medicine</i> , 2014, 44, 449-468.	2.7	141
350	Neurocognitive profiles in help-seeking individuals: comparison of risk for psychosis and bipolar disorder criteria. <i>Psychological Medicine</i> , 2014, 44, 3543-3555.	2.7	27
351	Neural disruption to theory of mind predicts daily social functioning in individuals at familial high-risk for schizophrenia. <i>Social Cognitive and Affective Neuroscience</i> , 2014, 9, 1914-1925.	1.5	28
352	Psychiatric disorders in 22q11.2 deletion syndrome are prevalent but undertreated. <i>Psychological Medicine</i> , 2014, 44, 1267-1277.	2.7	98
353	Psychotherapy for adolescents and young adults at high risk for psychosis: a systematic review. <i>Microbial Biotechnology</i> , 2014, 8, 307-322.	0.9	37

#	ARTICLE	IF	CITATIONS
354	Psychosis-like experiences and distress among adolescents using mental health services. <i>Schizophrenia Research</i> , 2014, 152, 498-502.	1.1	51
355	Validation of the Italian version of interpersonal sensitivity measure (IPSM) in adolescents and young adults. <i>Journal of Affective Disorders</i> , 2014, 156, 164-170.	2.0	14
356	Basic symptoms and psychotic symptoms: Their relationships in the at risk mental states, first episode and multi-episode schizophrenia. <i>Comprehensive Psychiatry</i> , 2014, 55, 785-791.	1.5	15
357	Pathways to care in subjects at high risk for psychotic disorders – A European perspective. <i>Schizophrenia Research</i> , 2014, 152, 400-407.	1.1	31
358	The distribution of self-reported psychotic-like experiences in non-psychotic help-seeking mental health patients in the general population; a factor mixture analysis. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2014, 49, 349-358.	1.6	16
359	Identifying 22q11.2 Deletion Syndrome and Psychosis Using Resting-State Connectivity Patterns. <i>Brain Topography</i> , 2014, 27, 808-821.	0.8	34
360	Clinical and cognitive risk factors for psychotic symptoms in 22q11.2 deletion syndrome: a transversal and longitudinal approach. <i>European Child and Adolescent Psychiatry</i> , 2014, 23, 425-436.	2.8	62
361	Functional development in clinical high risk youth: Prediction of schizophrenia versus other psychotic disorders. <i>Psychiatry Research</i> , 2014, 215, 52-60.	1.7	18
363	Validation of a modified version of the PRIME screen for psychosis-risk symptoms in a non-clinical Kenyan youth sample. <i>Comprehensive Psychiatry</i> , 2014, 55, 380-387.	1.5	25
364	Auditory event-related potentials and alpha oscillations in the psychosis prodrome: Neuronal generator patterns during a novelty oddball task. <i>International Journal of Psychophysiology</i> , 2014, 91, 104-120.	0.5	51
365	Aberrant Coupling Within and Across the Default Mode, Task-Positive, and Salience Network in Subjects at Risk for Psychosis. <i>Schizophrenia Bulletin</i> , 2014, 40, 1095-1104.	2.3	149
366	Stress exposure and sensitivity in the clinical high-risk syndrome: Initial findings from the North American Prodrome Longitudinal Study (NAPLS). <i>Schizophrenia Research</i> , 2014, 160, 104-109.	1.1	66
367	Applications of blood-based protein biomarker strategies in the study of psychiatric disorders. <i>Progress in Neurobiology</i> , 2014, 122, 45-72.	2.8	77
368	Self-disorders and the Schizophrenia Spectrum: A Study of 100 First Hospital Admissions. <i>Schizophrenia Bulletin</i> , 2014, 40, 1300-1307.	2.3	161
369	Longitudinal course of self-labeling, stigma stress and well-being among young people at risk of psychosis. <i>Schizophrenia Research</i> , 2014, 158, 82-84.	1.1	38
370	Predicting psychosis in a general adolescent psychiatric sample. <i>Schizophrenia Research</i> , 2014, 158, 1-6.	1.1	30
371	Nicotine usage is associated with elevated processing speed, spatial working memory, and visual learning performance in youth at ultrahigh-risk for psychosis. <i>Psychiatry Research</i> , 2014, 220, 687-690.	1.7	9
372	Response initiation in young adults at risk for psychosis in the Northern Finland 1986 Birth Cohort. <i>Cognitive Neuropsychiatry</i> , 2014, 19, 226-240.	0.7	2

#	ARTICLE	IF	CITATIONS
373	Psychosis risk screening in clinical high-risk adolescents: A longitudinal investigation using the Child Behavior Checklist. <i>Schizophrenia Research</i> , 2014, 159, 7-13.	1.1	26
374	The WERCAP Screen and the WERC Stress Screen: psychometrics of self-rated instruments for assessing bipolar and psychotic disorder risk and perceived stress burden. <i>Comprehensive Psychiatry</i> , 2014, 55, 1757-1771.	1.5	25
375	Mismatch Negativity reduction in the left cortical regions in first-episode psychosis and in individuals at ultra high-risk for psychosis. <i>Schizophrenia Research</i> , 2014, 158, 58-63.	1.1	35
376	Deviant dynamics of EEG resting state pattern in 22q11.2 deletion syndrome adolescents: A vulnerability marker of schizophrenia?. <i>Schizophrenia Research</i> , 2014, 157, 175-181.	1.1	132
377	A pilot study of cognitive training in clinical high risk for psychosis: Initial evidence of cognitive benefit. <i>Schizophrenia Research</i> , 2014, 157, 314-316.	1.1	76
378	Family history of psychosis as a predictor or protective factor of social maladjustment in a population at clinical high risk for psychosis. <i>Psychiatry Research</i> , 2014, 219, 696-699.	1.7	1
379	White Matter Abnormalities and Cognitive Impairment in Early-Onset Schizophrenia-Spectrum Disorders. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2014, 53, 362-372.e2.	0.3	81
380	Sexual Trauma Increases the Risk of Developing Psychosis in an Ultra High-Risk "Prodromal" Population. <i>Schizophrenia Bulletin</i> , 2014, 40, 697-706.	2.3	108
381	Attenuated Psychosis Syndrome: Ready for DSM-5.1?. <i>Annual Review of Clinical Psychology</i> , 2014, 10, 155-192.	6.3	119
382	Psychosis risk screening: A systematic review. <i>Schizophrenia Research</i> , 2014, 158, 11-18.	1.1	107
383	Early Detection of Psychosis: Challenges and Opportunities. <i>Current Behavioral Neuroscience Reports</i> , 2014, 1, 117-124.	0.6	5
384	Using parent and youth reports from the Behavior Assessment System for Children, Second Edition to identify individuals at clinical high-risk for psychosis. <i>Schizophrenia Research</i> , 2014, 154, 107-112.	1.1	19
385	Assessing depression in youth at clinical high risk for psychosis: A comparison of three measures. <i>Psychiatry Research</i> , 2014, 215, 323-328.	1.7	18
386	Facial emotion perception differs in young persons at genetic and clinical high-risk for psychosis. <i>Psychiatry Research</i> , 2014, 216, 206-212.	1.7	54
387	Predominant negative symptoms in 22q11.2 deletion syndrome and their associations with cognitive functioning and functional outcome. <i>Journal of Psychiatric Research</i> , 2014, 48, 86-93.	1.5	36
388	White matter abnormalities in 22q11.2 deletion syndrome: Preliminary associations with the Nogo-66 receptor gene and symptoms of psychosis. <i>Schizophrenia Research</i> , 2014, 152, 117-123.	1.1	44
389	Prodromal psychosis detection in a counseling center population in China: An epidemiological and clinical study. <i>Schizophrenia Research</i> , 2014, 152, 391-399.	1.1	104
390	Automatic Auditory Processing Deficits in Schizophrenia and Clinical High-Risk Patients: Forecasting Psychosis Risk with Mismatch Negativity. <i>Biological Psychiatry</i> , 2014, 75, 459-469.	0.7	204

#	ARTICLE	IF	CITATIONS
391	Presynaptic Dopaminergic Function: Implications for Understanding Treatment Response in Psychosis. <i>CNS Drugs</i> , 2014, 28, 649-663.	2.7	5
392	Stress-Induced Dopamine Response in Subjects at Clinical High Risk for Schizophrenia with and without Concurrent Cannabis Use. <i>Neuropsychopharmacology</i> , 2014, 39, 1479-1489.	2.8	86
393	Resting-state connectivity in the prodromal phase of schizophrenia: Insights from EEG microstates. <i>Schizophrenia Research</i> , 2014, 152, 513-520.	1.1	119
395	Neurocognitive Growth Charts and Psychosis. <i>JAMA Psychiatry</i> , 2014, 71, 361.	6.0	0
396	A randomized trial of family focused therapy with populations at clinical high risk for psychosis: Effects on interactional behavior.. <i>Journal of Consulting and Clinical Psychology</i> , 2014, 82, 90-101.	1.6	56
397	At risk or not at risk? A meta-analysis of the prognostic accuracy of psychometric interviews for psychosis prediction. <i>World Psychiatry</i> , 2015, 14, 322-332.	4.8	209
399	Spectral editing in proton magnetic resonance spectroscopy. Determination of GABA level in the brains of humans with ultra-high risk for schizophrenia. <i>Russian Chemical Bulletin</i> , 2015, 64, 2238-2243.	0.4	2
400	Schizophrenia. <i>Nature Reviews Disease Primers</i> , 2015, 1, 15067.	18.1	724
401	Automated analysis of free speech predicts psychosis onset in high-risk youths. <i>NPJ Schizophrenia</i> , 2015, 1, 15030.	2.0	453
402	Subthreshold psychotic symptom distress, self-stigma, and peer social support among college students with mental health concerns.. <i>Psychiatric Rehabilitation Journal</i> , 2015, 38, 164-170.	0.8	36
403	Examining associations between psychosis risk, social anhedonia, and performance of striatum-related behavioral tasks.. <i>Journal of Abnormal Psychology</i> , 2015, 124, 507-518.	2.0	24
404	Decreases in perceived maternal criticism predict improvement in subthreshold psychotic symptoms in a randomized trial of family-focused therapy for individuals at clinical high risk for psychosis.. <i>Journal of Family Psychology</i> , 2015, 29, 945-951.	1.0	25
405	Anhedonia in the psychosis risk syndrome: associations with social impairment and basal orbitofrontal cortical activity. <i>NPJ Schizophrenia</i> , 2015, 1, 15020.	2.0	28
406	The impact of psychosis on the course of cognition: a prospective, nested case-control study in individuals at clinical high-risk for psychosis. <i>Psychological Medicine</i> , 2015, 45, 3341-3354.	2.7	35
407	Screening tools for clinical high risk for psychosis. <i>Microbial Biotechnology</i> , 2015, 9, 345-356.	0.9	60
408	The Danish 22q11 research initiative. <i>BMC Psychiatry</i> , 2015, 15, 220.	1.1	14
409	The Danish High Risk and Resilience Study "VIA 7" - a cohort study of 520 7-year-old children born of parents diagnosed with either schizophrenia, bipolar disorder or neither of these two mental disorders. <i>BMC Psychiatry</i> , 2015, 15, 233.	1.1	67
410	Neurophysiological differences between patients clinically at high risk for schizophrenia and neurotypical controls "first steps in development of a biomarker. <i>BMC Medicine</i> , 2015, 13, 276.	2.3	3

#	ARTICLE	IF	CITATIONS
411	Reasons for cannabis use among youths at ultra high risk for psychosis. <i>Microbial Biotechnology</i> , 2015, 9, 207-210.	0.9	42
412	Lower functioning predicts identification of psychosis risk screening status in help-seeking adolescents. <i>Microbial Biotechnology</i> , 2015, 9, 363-369.	0.9	7
413	The impact of caregiver familiarity with mental disorders on timing of intervention in first-episode psychosis. <i>Microbial Biotechnology</i> , 2015, 9, 388-396.	0.9	3
414	Evidence-Based Early Interventions for Individuals at Clinical High Risk for Psychosis. <i>Journal of Nervous and Mental Disease</i> , 2015, 203, 342-351.	0.5	69
415	Interaction of social role functioning and coping in people with recent-onset attenuated psychotic symptoms: a case study of three Chinese women at clinical high risk for psychosis. <i>Neuropsychiatric Disease and Treatment</i> , 2015, 11, 1647.	1.0	17
416	Neuropsychological Impairment in Prodromal, First-Episode, and Chronic Psychosis: Assessing RBANS Performance. <i>PLoS ONE</i> , 2015, 10, e0125784.	1.1	29
417	Changes in neurocognitive functioning during transition to manifest disease: comparison of individuals at risk for schizophrenic and bipolar affective psychoses. <i>Psychological Medicine</i> , 2015, 45, 2123-2134.	2.7	20
418	Negative symptoms and impaired social functioning predict later psychosis in Latino youth at clinical high risk in the North American prodromal longitudinal studies consortium. <i>Microbial Biotechnology</i> , 2015, 9, 467-475.	0.9	26
419	Role of cortisol in patients at risk for psychosis mental state and psychopathological correlates: A systematic review. <i>Psychiatry and Clinical Neurosciences</i> , 2015, 69, 268-282.	1.0	29
420	Longitudinal investigation of the relationship between family history of psychosis and affective disorders and Child Behavior Checklist ratings in clinical high-risk adolescents. <i>Schizophrenia Research</i> , 2015, 166, 24-30.	1.1	9
421	Psychosis Prevention: A Modified Clinical High Risk Perspective From the Recognition and Prevention (RAP) Program. <i>American Journal of Psychiatry</i> , 2015, 172, 986-994.	4.0	128
422	Gray Matter Volume Decrease Distinguishes Schizophrenia From Bipolar Offspring During Childhood and Adolescence. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2015, 54, 677-684.e2.	0.3	25
423	Prodromal Symptom Severity Predicts Accelerated Gray Matter Reduction and Third Ventricle Expansion among Clinically High-Risk Youth Developing Psychotic Disorders. <i>Molecular Neuropsychiatry</i> , 2015, 1, 13-22.	3.0	27
424	EPA guidance on the early intervention in clinical high risk states of psychoses. <i>European Psychiatry</i> , 2015, 30, 388-404.	0.1	390
425	Prodromal psychotic symptoms and psychological distress among secondary school students in Abeokuta, Nigeria. <i>Journal of Child and Adolescent Mental Health</i> , 2015, 27, 215-225.	1.7	17
426	Normative adolescent experiences may confound assessment of positive symptoms in youth at ultra-high risk for psychosis. <i>Schizophrenia Research</i> , 2015, 166, 358-359.	1.1	11
427	EEG-Informed fMRI Reveals a Disturbed Gamma-Band-Specific Network in Subjects at High Risk for Psychosis. <i>Schizophrenia Bulletin</i> , 2016, 42, sbv092.	2.3	53
428	Resting-state theta-band connectivity and verbal memory in schizophrenia and in the high-risk state. <i>Schizophrenia Research</i> , 2015, 161, 299-307.	1.1	63

#	ARTICLE	IF	CITATIONS
429	The prodromal phase of psychosis. <i>Current Opinion in Neurobiology</i> , 2015, 30, 100-105.	2.0	12
430	White matter microstructural abnormalities of the cingulum bundle in youths with 22q11.2 deletion syndrome: Associations with medication, neuropsychological function, and prodromal symptoms of psychosis. <i>Schizophrenia Research</i> , 2015, 161, 76-84.	1.1	38
431	Emotional and behavioral symptomatology reported by help-seeking youth at clinical high-risk for psychosis. <i>Schizophrenia Research</i> , 2015, 162, 79-85.	1.1	38
432	Parental age and attenuated thought disorder in a cohort at clinical high risk for psychosis. <i>Schizophrenia Research</i> , 2015, 161, 511-512.	1.1	1
433	Neurological soft signs in recent-onset schizophrenia: Focus on the cerebellum. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2015, 60, 18-25.	2.5	39
434	Personality features in ultra-high risk for psychosis: A comparative study with schizophrenia and control subjects using the Temperament and Character Inventory-Revised (TCI-R). <i>Journal of Psychiatric Research</i> , 2015, 61, 168-173.	1.5	34
435	Clinical and Functional Outcomes After 2 Years in the Early Detection and Intervention for the Prevention of Psychosis Multisite Effectiveness Trial. <i>Schizophrenia Bulletin</i> , 2015, 41, 30-43.	2.3	98
436	Early Detection of Psychosis: Recent Updates from Clinical High-Risk Research. <i>Current Behavioral Neuroscience Reports</i> , 2015, 2, 90-101.	0.6	3
437	Importando la Escala de SÃntomas ProdrÃmicos Bipolares-Prospectiva Completa.. <i>Psiquiatria Biologica</i> , 2015, 22, 30-31.	0.0	0
438	Longitudinal validation of psychosis risk screening tools. <i>Schizophrenia Research</i> , 2015, 165, 116-122.	1.1	38
439	Negative symptoms in youths with psychosis spectrum features: Complementary scales in relation to neurocognitive performance and function. <i>Schizophrenia Research</i> , 2015, 166, 322-327.	1.1	37
440	Stigma as a stressor and transition to schizophrenia after one year among young people at risk of psychosis. <i>Schizophrenia Research</i> , 2015, 166, 43-48.	1.1	65
441	Factors contributing to the duration of untreated prodromal positive symptoms in individuals at ultra-high risk for psychosis. <i>Schizophrenia Research</i> , 2015, 162, 64-66.	1.1	12
442	Aberrant Salience, Self-Concept Clarity, and Interview-Rated Psychotic-Like Experiences. <i>Journal of Personality Disorders</i> , 2015, 29, 79-99.	0.8	33
443	Screening schizotypal personality disorder for detection of clinical high risk of psychosis in Chinese mental health services. <i>Psychiatry Research</i> , 2015, 228, 664-670.	1.7	22
444	Auditory P300 as a predictor of short-term prognosis in subjects at clinical high risk for psychosis. <i>Schizophrenia Research</i> , 2015, 165, 138-144.	1.1	24
445	A longitudinal study investigating sub-threshold symptoms and white matter changes in individuals with an "at risk mental state" (ARMS). <i>Schizophrenia Research</i> , 2015, 162, 7-13.	1.1	51
446	Psychosis risk screening among secondary school students in Abeokuta, Nigeria: Validity of the Prodromal Questionnaire " Brief Version (PQ-B). <i>Schizophrenia Research</i> , 2015, 164, 281-282.	1.1	18

#	ARTICLE	IF	CITATIONS
447	Contributions of early cortical processing and reading ability to functional status in individuals at clinical high risk for psychosis. <i>Schizophrenia Research</i> , 2015, 164, 1-7.	1.1	46
448	Reduced event-related low frequency EEG activity in patients with early onset schizophrenia and their unaffected siblings. <i>Psychiatry Research - Neuroimaging</i> , 2015, 232, 51-57.	0.9	7
449	Actigraphic-measured sleep disturbance predicts increased positive symptoms in adolescents at ultra high-risk for psychosis: A longitudinal study. <i>Schizophrenia Research</i> , 2015, 164, 15-20.	1.1	89
450	Lack of Evidence for Regional Brain Volume or Cortical Thickness Abnormalities in Youths at Clinical High Risk for Psychosis: Findings From the Longitudinal Youth at Risk Study: Table 1.. <i>Schizophrenia Bulletin</i> , 2015, 41, 1285-1293.	2.3	51
451	Psychotic experiences as indicators of suicidal ideation in a non-clinical college sample. <i>Psychiatry Research</i> , 2015, 226, 489-493.	1.7	28
452	Early Intervention in Psychosis. <i>Journal of Nervous and Mental Disease</i> , 2015, 203, 310-318.	0.5	220
453	Neurocognitive and familial moderators of psychiatric risk in velocardiofacial (22q11.2 deletion) syndrome: a longitudinal study. <i>Psychological Medicine</i> , 2015, 45, 1629-1639.	2.7	17
454	Qualitative and quantitative aspects of information processing in first psychosis: Latent class analyses in patients, at-risk subjects, and controls. <i>Psychophysiology</i> , 2015, 52, 585-593.	1.2	2
455	Sensory gating in subjects at ultra high risk for developing a psychosis before and after a first psychotic episode. <i>World Journal of Biological Psychiatry</i> , 2015, 16, 12-21.	1.3	30
456	Are people at risk of psychosis also at risk of suicide and self-harm? A systematic review and meta-analysis. <i>Psychological Medicine</i> , 2015, 45, 911-926.	2.7	123
458	Cognition in at-risk mental states for psychosis. <i>Neuroscience and Biobehavioral Reviews</i> , 2015, 57, 199-208.	2.9	41
459	Parental socioeconomic status and prognosis in individuals with ultra-high risk for psychosis: A 2-year follow-up study. <i>Schizophrenia Research</i> , 2015, 168, 56-61.	1.1	50
460	Self-face recognition in the ultra-high risk for psychosis population. <i>Microbial Biotechnology</i> , 2015, 9, 126-132.	0.9	5
461	Association of Thalamic Dysconnectivity and Conversion to Psychosis in Youth and Young Adults at Elevated Clinical Risk. <i>JAMA Psychiatry</i> , 2015, 72, 882.	6.0	284
462	Assessing suicidal ideation in individuals at clinical high risk for psychosis. <i>Schizophrenia Research</i> , 2015, 165, 152-156.	1.1	35
463	How Schizophrenia Develops: Cognitive and Brain Mechanisms Underlying Onset of Psychosis. <i>Trends in Cognitive Sciences</i> , 2015, 19, 744-756.	4.0	163
464	Specificity of Incident Diagnostic Outcomes in Patients at Clinical High Risk for Psychosis. <i>Schizophrenia Bulletin</i> , 2015, 41, 1066-1075.	2.3	71
465	Severity of thought disorder predicts psychosis in persons at clinical high-risk. <i>Schizophrenia Research</i> , 2015, 169, 169-177.	1.1	43

#	ARTICLE	IF	CITATIONS
466	Primary prevention of psychosis through interventions in the symptomatic prodromal phase, a pragmatic Norwegian Ultra High Risk study. <i>BMC Psychiatry</i> , 2015, 15, 89.	1.1	29
467	Stigma related to labels and symptoms in individuals at clinical high-risk for psychosis. <i>Schizophrenia Research</i> , 2015, 168, 9-15.	1.1	75
468	The Next Big Thing in Child and Adolescent Psychiatry. <i>Psychiatric Clinics of North America</i> , 2015, 38, 475-494.	0.7	10
469	Detection and treatment of at-risk mental state for developing a first psychosis: making up the balance. <i>Lancet Psychiatry</i> , 2015, 2, 825-834.	3.7	42
470	Aberrant Cortical Morphometry in the 22q11.2 Deletion Syndrome. <i>Biological Psychiatry</i> , 2015, 78, 135-143.	0.7	61
471	Disorder, not just state of risk: Meta-analysis of functioning and quality of life in people at high risk of psychosis. <i>British Journal of Psychiatry</i> , 2015, 207, 198-206.	1.7	226
472	Demographic correlates of attenuated positive psychotic symptoms. <i>Schizophrenia Research</i> , 2015, 166, 31-36.	1.1	17
473	Delusional experience awareness gap between patients and treating doctors – Self-reported EPDS questionnaire. <i>Epilepsy and Behavior</i> , 2015, 51, 60-64.	0.9	2
474	Detecting the Psychosis Prodrome Across High-Risk Populations Using Neuroanatomical Biomarkers. <i>Schizophrenia Bulletin</i> , 2015, 41, 471-482.	2.3	136
475	To Treat or Not to Treat: Responding to Psychotic Experiences. <i>British Journal of Social Work</i> , 2015, 45, 2003-2019.	0.9	24
476	Towards indicated prevention of psychosis: using probabilistic assessments of transition risk in psychosis prodrome. <i>Journal of Neural Transmission</i> , 2015, 122, 155-169.	1.4	32
477	Neural network activity and neurological soft signs in healthy adults. <i>Behavioural Brain Research</i> , 2015, 278, 514-519.	1.2	32
478	Exploring neural dysfunction in “clinical high risk” for psychosis: A quantitative review of fMRI studies. <i>Journal of Psychiatric Research</i> , 2015, 61, 122-134.	1.5	36
479	Stati mentali a rischio di psicosi: identificazione e strategie attuali di trattamento [translation of “At-risk mental state for psychosis: identification and current treatment approaches” by Dr. Giulia Rioli]. <i>BJ Psych Advances</i> , 2016, 22, .	0.5	0
480	Psychosis Risk: What Is It and How Should We Talk About It?. <i>AMA Journal of Ethics</i> , 2016, 18, 624-632.	0.4	11
481	Towards a Standard Psychometric Diagnostic Interview for Subjects at Ultra High Risk of Psychosis: CAARMS versus SIPS. <i>Psychiatry Journal</i> , 2016, 2016, 1-11.	0.7	97
482	Reduced <i>l</i> -Aminobutyric Acid and Glutamate+Glutamine Levels in Drug-Naïve Patients with First-Episode Schizophrenia but Not in Those at Ultrahigh Risk. <i>Neural Plasticity</i> , 2016, 2016, 1-9.	1.0	34
483	Attachment, Neurobiology, and Mentalizing along the Psychosis Continuum. <i>Frontiers in Human Neuroscience</i> , 2016, 10, 406.	1.0	112

#	ARTICLE	IF	CITATIONS
484	Altered Cortico-Striatal Connectivity in Offspring of Schizophrenia Patients Relative to Offspring of Bipolar Patients and Controls. <i>PLoS ONE</i> , 2016, 11, e0148045.	1.1	51
485	Cortical Morphology Differences in Subjects at Increased Vulnerability for Developing a Psychotic Disorder: A Comparison between Subjects with Ultra-High Risk and 22q11.2 Deletion Syndrome. <i>PLoS ONE</i> , 2016, 11, e0159928.	1.1	23
486	Emotional Experiences Predict the Conversion of Individuals with Attenuated Psychosis Syndrome to Psychosis: A 6-Month Follow up Study. <i>Frontiers in Psychology</i> , 2016, 7, 818.	1.1	7
487	Personalized Prediction of Psychosis: External Validation of the NAPLS-2 Psychosis Risk Calculator With the EDIPPP Project. <i>American Journal of Psychiatry</i> , 2016, 173, 989-996.	4.0	142
488	Discrepancy between self-reported and interviewed psychosis risk symptoms: auditory distortions are the most reliably reported symptom by self-report. <i>Microbial Biotechnology</i> , 2016, 10, 129-136.	0.9	11
489	Correlation of social cognition and neurocognition on psychotic outcome: a naturalistic follow-up study of subjects with attenuated psychosis syndrome. <i>Scientific Reports</i> , 2016, 6, 35017.	1.6	15
490	Patients with first-episode, drug-naive schizophrenia and subjects at ultra-high risk of psychosis shared increased cerebellar-default mode network connectivity at rest. <i>Scientific Reports</i> , 2016, 6, 26124.	1.6	46
491	White matter integrity in individuals at ultra-high risk for psychosis: a systematic review and discussion of the role of polyunsaturated fatty acids. <i>BMC Psychiatry</i> , 2016, 16, 287.	1.1	38
492	Evaluation of the "Jumping to conclusions" bias in different subgroups of the at-risk mental state: from cognitive basic symptoms to UHR criteria. <i>Psychological Medicine</i> , 2016, 46, 2071-2081.	2.7	21
493	Associations between social cognition, skills, and function and subclinical negative and positive symptoms in 22q11.2 deletion syndrome. <i>Journal of Neurodevelopmental Disorders</i> , 2016, 8, 42.	1.5	27
496	The relations of age and pubertal development with cortisol and daily stress in youth at clinical risk for psychosis. <i>Schizophrenia Research</i> , 2016, 172, 29-34.	1.1	15
497	Concerns about genetic testing for schizophrenia among young adults at clinical high risk for psychosis. <i>AJOB Empirical Bioethics</i> , 2016, 7, 193-198.	0.8	13
498	Cognitive functioning in individuals at ultra-high risk for psychosis, first-degree relatives of patients with psychosis and patients with first-episode schizophrenia. <i>Schizophrenia Research</i> , 2016, 174, 71-76.	1.1	47
499	Longitudinal change in neurocognition and its relation to symptomatic and functional changes over 2 years in individuals at clinical high-risk for psychosis. <i>Schizophrenia Research</i> , 2016, 174, 50-57.	1.1	14
500	Schizotypal traits in adolescents with 22q11.2 deletion syndrome: validity, reliability and risk for psychosis. <i>Psychological Medicine</i> , 2016, 46, 1005-1013.	2.7	22
501	Experiential pleasure deficits in the prodrome: A study of emotional experiences in individuals at ultra-high risk for psychosis and recent-onset schizophrenia. <i>Comprehensive Psychiatry</i> , 2016, 68, 209-216.	1.5	20
502	Theory of Mind Impairments in Youth at Clinical High Risk of Psychosis. <i>Psychiatry (New York)</i> , 2016, 79, 40-55.	0.3	15
503	The impact of emotion awareness and regulation on social functioning in individuals at clinical high risk for psychosis. <i>Psychological Medicine</i> , 2016, 46, 2907-2918.	2.7	53

#	ARTICLE	IF	CITATIONS
504	Self-Report Instruments for Clinical Monitoring of Psychosis Risk States. <i>Psychiatric Services</i> , 2016, 67, 456-459.	1.1	12
505	Reduced Amplitude of Low-Frequency Brain Oscillations in the Psychosis Risk Syndrome and Early Illness Schizophrenia. <i>Neuropsychopharmacology</i> , 2016, 41, 2388-2398.	2.8	27
506	At-risk mental state for psychosis: identification and current treatment approaches. <i>BJ Psych Advances</i> , 2016, 22, 186-193.	0.5	11
507	High-risk diagnosis, social stress, and parent-child relationships: A moderation model. <i>Schizophrenia Research</i> , 2016, 174, 65-70.	1.1	17
508	Functional Capacity Assessed by the Map Task in Individuals at Clinical High-Risk for Psychosis. <i>Schizophrenia Bulletin</i> , 2016, 42, 1234-1242.	2.3	17
509	Neurocognition in help-seeking individuals at risk for psychosis: Prediction of outcome after 24 months. <i>Psychiatry Research</i> , 2016, 246, 188-194.	1.7	16
510	Classifying risk status of non-clinical adolescents using psychometric indicators for psychosis spectrum disorders. <i>Psychiatry Research</i> , 2016, 243, 246-254.	1.7	15
511	Stigma and suicidal ideation among young people at risk of psychosis after one year. <i>Psychiatry Research</i> , 2016, 243, 219-224.	1.7	20
512	Duration of attenuated positive and negative symptoms in individuals at clinical high risk: Associations with risk of conversion to psychosis and functional outcome. <i>Journal of Psychiatric Research</i> , 2016, 81, 95-101.	1.5	70
513	The Emergence and Underlying Neurobiology of Psychosis. , 2016, , 429-442.		0
514	Distinct white-matter aberrations in 22q11.2 deletion syndrome and patients at ultra-high risk for psychosis. <i>Psychological Medicine</i> , 2016, 46, 2299-2311.	2.7	20
515	Ventral Striatal Dysfunction and Symptom Expression in Individuals With Schizotypal Personality Traits and Early Psychosis. <i>Schizophrenia Bulletin</i> , 2018, 44, sbw142.	2.3	28
516	Information Processing and Some Indicators of Brain Metabolism in Patients at Ultra-High Risk of Developing Endogenous Psychosis. <i>Neuroscience and Behavioral Physiology</i> , 2016, 46, 523-528.	0.2	0
517	Hippocampal volume in subjects at clinical high-risk for psychosis: A systematic review and meta-analysis. <i>Neuroscience and Biobehavioral Reviews</i> , 2016, 71, 680-690.	2.9	38
520	Predicting Cognition and Psychosis in Young Adults With 22q11.2 Deletion Syndrome. <i>Schizophrenia Bulletin</i> , 2017, 43, sbw135.	2.3	30
521	Hopes and Expectations Regarding Genetic Testing for Schizophrenia Among Young Adults at Clinical High-Risk for Psychosis. <i>Journal of Psychiatric Practice</i> , 2016, 22, 442-449.	0.3	21
522	Early interventions for prodromal stage of psychosis. <i>The Cochrane Library</i> , 2016, , .	1.5	3
524	Trauma and psychosis symptoms in a sample of help-seeking youth. <i>Schizophrenia Research</i> , 2016, 175, 174-179.	1.1	34

#	ARTICLE	IF	CITATIONS
525	Multitasking Abilities in Adolescents With 22q11.2 Deletion Syndrome: Results From an Experimental Ecological Paradigm. <i>American Journal on Intellectual and Developmental Disabilities</i> , 2016, 121, 151-164.	0.8	6
526	The Dark Side of the Moon: Meta-analytical Impact of Recruitment Strategies on Risk Enrichment in the Clinical High Risk State for Psychosis. <i>Schizophrenia Bulletin</i> , 2016, 42, 732-743.	2.3	183
527	Effects of N-Acetylcysteine on Cognitive Functions in Subjects With an At-Risk Mental State. <i>Journal of Clinical Psychopharmacology</i> , 2016, 36, 87-88.	0.7	10
528	Family-focused therapy for individuals at clinical high risk for psychosis: treatment fidelity within a multisite randomized trial. <i>Microbial Biotechnology</i> , 2016, 10, 137-143.	0.9	28
529	Applicability of the Chinese version of the 16-item Prodromal Questionnaire (CPQ-16) for identifying attenuated psychosis syndrome in a college population. <i>Microbial Biotechnology</i> , 2016, 10, 308-315.	0.9	25
530	Multiparametric mapping of neurological soft signs in healthy adults. <i>Brain Structure and Function</i> , 2016, 221, 1209-1221.	1.2	28
531	Social inference in individuals at clinical high risk for psychosis. <i>Microbial Biotechnology</i> , 2016, 10, 77-80.	0.9	9
532	Self-labelling and stigma as predictors of attitudes towards help-seeking among people at risk of psychosis: 1-year follow-up. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2016, 266, 79-82.	1.8	21
533	Fluctuating dermatoglyphic asymmetries in youth at ultrahigh-risk for psychotic disorders. <i>Schizophrenia Research</i> , 2016, 170, 301-303.	1.1	11
534	Stimulant Medication and Psychotic Symptoms in Offspring of Parents With Mental Illness. <i>Pediatrics</i> , 2016, 137, .	1.0	21
535	Self-Disorders and Clinical High Risk for Psychosis: An Empirical Study in Help-Seeking Youth Attending Community Mental Health Facilities. <i>Schizophrenia Bulletin</i> , 2016, 42, 926-932.	2.3	53
536	Prognosis of Brief Psychotic Episodes. <i>JAMA Psychiatry</i> , 2016, 73, 211.	6.0	137
537	Brain Biomarkers of Vulnerability and Progression to Psychosis. <i>Schizophrenia Bulletin</i> , 2016, 42, S127-S132.	2.3	32
538	Altered Thalamo-Cortical White Matter Connectivity: Probabilistic Tractography Study in Clinical-High Risk for Psychosis and First-Episode Psychosis. <i>Schizophrenia Bulletin</i> , 2016, 42, 723-731.	2.3	93
539	Disturbances of the Basic Self and Prodromal Symptoms Among Young Adolescents From the Community: A Pilot Population-Based Study. <i>Schizophrenia Bulletin</i> , 2016, 42, 1216-1224.	2.3	31
540	Cognitive phenotype and psychiatric disorder in 22q11.2 deletion syndrome: A review. <i>Research in Developmental Disabilities</i> , 2016, 53-54, 242-257.	1.2	53
541	Assessing self-reported clinical high risk symptoms in community-derived adolescents: A psychometric evaluation of the Prodromal Questionnaire-Brief. <i>Comprehensive Psychiatry</i> , 2016, 66, 201-208.	1.5	48
542	Family Aided Community Treatment for the Treatment of Early Psychosis: A Proof of Concept Study. <i>Community Mental Health Journal</i> , 2016, 52, 623-630.	1.1	3

#	ARTICLE	IF	CITATIONS
543	Declining transition rates to psychotic disorder in "ultra-high risk" clients: Investigation of a dilution effect. <i>Schizophrenia Research</i> , 2016, 170, 130-136.	1.1	87
544	Are UHR patients who present with hallucinations alone at lower risk of transition to psychosis?. <i>Psychiatry Research</i> , 2016, 235, 177-196.	1.7	12
545	Pathways between stigma and suicidal ideation among people at risk of psychosis. <i>Schizophrenia Research</i> , 2016, 172, 184-188.	1.1	37
546	The Psychosis High-Risk State. <i>Key Issues in Mental Health</i> , 2016, , 55-68.	0.6	4
547	Neurocognition and Motor Functioning in the Prediction of Psychosis. <i>Key Issues in Mental Health</i> , 2016, , 116-132.	0.6	11
548	Context matters: The impact of neighborhood crime and paranoid symptoms on psychosis risk assessment. <i>Schizophrenia Research</i> , 2016, 171, 56-61.	1.1	27
549	Healthy adolescent performance on the MATRICS Consensus Cognitive Battery (MCCB): Developmental data from two samples of volunteers. <i>Schizophrenia Research</i> , 2016, 172, 106-113.	1.1	20
550	Early traumatic experiences, perceived discrimination and conversion to psychosis in those at clinical high risk for psychosis. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2016, 51, 497-503.	1.6	60
551	Early Intervention in Schizophrenia: A Literature Review. <i>Archives of Psychiatric Nursing</i> , 2016, 30, 774-781.	0.7	26
552	Attenuated psychotic and basic symptom characteristics in adolescents with ultra-high risk criteria for psychosis, other non-psychotic psychiatric disorders and early-onset psychosis. <i>European Child and Adolescent Psychiatry</i> , 2016, 25, 1091-1102.	2.8	26
553	Intensive Auditory Cognitive Training Improves Verbal Memory in Adolescents and Young Adults at Clinical High Risk for Psychosis. <i>Schizophrenia Bulletin</i> , 2016, 42, S118-S126.	2.3	83
554	Preventing Schizophrenia and Severe Mental Illness. <i>Research on Social Work Practice</i> , 2016, 26, 449-459.	1.1	9
555	Are We Really Impacting Duration of Untreated Psychosis and Does It Matter?. <i>Psychiatric Clinics of North America</i> , 2016, 39, 175-186.	0.7	10
556	Heterogeneity of Psychosis Risk Within Individuals at Clinical High Risk. <i>JAMA Psychiatry</i> , 2016, 73, 113.	6.0	354
557	Neuroanatomical Markers of Neurological Soft Signs in Recent-Onset Schizophrenia and Asperger-Syndrome. <i>Brain Topography</i> , 2016, 29, 382-394.	0.8	16
558	Salivary cortisol in early psychosis: New findings and meta-analysis. <i>Psychoneuroendocrinology</i> , 2016, 63, 262-270.	1.3	76
559	Attenuated positive psychotic symptoms and social anxiety: Along a psychotic continuum or different constructs?. <i>Psychiatry Research</i> , 2016, 235, 139-147.	1.7	19
560	Cortico-Striatal GABAergic and Glutamatergic Dysregulations in Subjects at Ultra-High Risk for Psychosis Investigated with Proton Magnetic Resonance Spectroscopy. <i>International Journal of Neuropsychopharmacology</i> , 2016, 19, pyv105.	1.0	66

#	ARTICLE	IF	CITATIONS
561	Social Anhedonia Is Not Just Extreme Introversion: Empirical Evidence of Distinct Constructs. <i>Journal of Personality Disorders</i> , 2016, 30, 451-468.	0.8	21
562	The effect of striatal dopamine depletion on striatal and cortical glutamate: A mini-review. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2016, 65, 49-53.	2.5	17
563	Neural Dysfunction in Cognitive Control Circuits in Persons at Clinical High-Risk for Psychosis. <i>Neuropsychopharmacology</i> , 2016, 41, 1241-1250.	2.8	14
564	Faux pas recognition performance in a help-seeking population at clinical high risk of psychosis. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2016, 266, 71-78.	1.8	17
565	Interpersonal sensitivity and functioning impairment in youth at ultra-high risk for psychosis. <i>European Child and Adolescent Psychiatry</i> , 2016, 25, 7-16.	2.8	24
566	Factor analysis of the <sc>S</sc>cale of <sc>P</sc>rodromal <sc>S</sc>yptoms: data from the <sc>E</sc>arly <sc>D</sc>etection and <sc>I</sc>ntervention for the <sc>P</sc>revention of <sc>P</sc>schosis <sc>P</sc>rogram. <i>Microbial Biotechnology</i> , 2017, 11, 14-22.	0.9	26
567	Screening for subâ€threshold psychotic experiences and perceived need for psychological services. <i>Microbial Biotechnology</i> , 2017, 11, 139-146.	0.9	11
568	A systematic review of the nature and correlates of sleep disturbance in early psychosis. <i>Sleep Medicine Reviews</i> , 2017, 31, 25-38.	3.8	112
569	Evaluation of verbal list learning as a predictor of psychosis. <i>Microbial Biotechnology</i> , 2017, 11, 171-176.	0.9	3
570	The Clinic for Assessment of Youth at Risk (CAYR): 10 years of service delivery and research targeting the prevention of psychosis in Montreal, Canada. <i>Microbial Biotechnology</i> , 2017, 11, 177-184.	0.9	27
571	Two-year follow-up of a Chinese sample at clinical high risk for psychosis: timeline of symptoms, help-seeking and conversion. <i>Epidemiology and Psychiatric Sciences</i> , 2017, 26, 287-298.	1.8	55
572	Various neurocognitive deficits and conversion risk in individuals at clinical high risk for psychosis. <i>Microbial Biotechnology</i> , 2017, 11, 250-254.	0.9	4
573	Suicidality, selfâ€harm and psychoticâ€like symptoms in a general adolescent psychiatric sample. <i>Microbial Biotechnology</i> , 2017, 11, 113-122.	0.9	21
574	Negative subthreshold psychotic symptoms distinguish 22q11.2 deletion syndrome from other neurodevelopmental disorders: A two-site study. <i>Schizophrenia Research</i> , 2017, 188, 42-49.	1.1	16
575	Diagnostic and Prognostic Significance of Brief Limited Intermittent Psychotic Symptoms (BLIPS) in Individuals at Ultra High Risk. <i>Schizophrenia Bulletin</i> , 2017, 43, 48-56.	2.3	106
576	The Clinical High-Risk State for Psychosis (CHR-P), Version II. <i>Schizophrenia Bulletin</i> , 2017, 43, 44-47.	2.3	169
577	The Youth Mental Health Risk and Resilience Study (YouR-Study). <i>BMC Psychiatry</i> , 2017, 17, 43.	1.1	27
578	Associations between neurodevelopmental genes, neuroanatomy, and ultra high risk symptoms of psychosis in 22q11.2 deletion syndrome. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2017, 174, 295-314.	1.1	25

#	ARTICLE	IF	CITATIONS
579	Psychotic Symptoms in Attention-Deficit/Hyperactivity Disorder: An Analysis of the MTA Database. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2017, 56, 336-343.	0.3	17
580	Intrinsic functional connectivity of fronto-temporal networks in adolescents with early psychosis. <i>European Child and Adolescent Psychiatry</i> , 2017, 26, 669-679.	2.8	13
581	Aberrant Temporal Connectivity in Persons at Clinical High Risk for Psychosis. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2017, 2, 696-705.	1.1	18
582	The Italian version of the 92-item Prodromal Questionnaire: Concurrent validity with the SIPS and factor analysis in a sample of 258 outpatients aged 11-36 years. <i>Schizophrenia Research</i> , 2017, 189, 50-56.	1.1	15
583	The social brain network in 22q11.2 deletion syndrome: a diffusion tensor imaging study. <i>Behavioral and Brain Functions</i> , 2017, 13, 4.	1.4	28
585	Adolescents at clinical-high risk for psychosis: Circadian rhythm disturbances predict worsened prognosis at 1-year follow-up. <i>Schizophrenia Research</i> , 2017, 189, 37-42.	1.1	66
586	Clinical presentation of Attenuated Psychosis Syndrome in children and adolescents: Is there an age effect?. <i>Psychiatry Research</i> , 2017, 252, 169-174.	1.7	22
587	Longitudinal study of premorbid adjustment in 22q11.2 deletion (velocardiofacial) syndrome and association with psychosis. <i>Development and Psychopathology</i> , 2017, 29, 93-106.	1.4	11
588	Baseline demographics, clinical features and predictors of conversion among 200 individuals in a longitudinal prospective psychosis-risk cohort. <i>Psychological Medicine</i> , 2017, 47, 1923-1935.	2.7	52
589	An electrophysiological investigation of emotional abnormalities in groups at risk for schizophrenia-spectrum personality disorders. <i>Biological Psychology</i> , 2017, 124, 119-132.	1.1	18
590	Morphological brain changes associated with negative symptoms in patients with 22q11.2 Deletion Syndrome. <i>Schizophrenia Research</i> , 2017, 188, 52-58.	1.1	10
591	White matter microstructure variations contribute to neurological soft signs in healthy adults. <i>Human Brain Mapping</i> , 2017, 38, 3552-3565.	1.9	16
592	The dimensional structure of psychopathology in 22q11.2 Deletion Syndrome. <i>Journal of Psychiatric Research</i> , 2017, 92, 124-131.	1.5	13
593	A Severity-Based Clinical Staging Model for the Psychosis Prodrome: Longitudinal Findings From the New York Recognition and Prevention Program. <i>Schizophrenia Bulletin</i> , 2017, 43, 64-74.	2.3	54
594	Hot and cold executive functions in youth with psychotic symptoms. <i>Psychological Medicine</i> , 2017, 47, 2844-2853.	2.7	21
595	Is the Clinical High-Risk State a Valid Concept? Retrospective Examination in a First-Episode Psychosis Sample. <i>Psychiatric Services</i> , 2017, 68, 1046-1052.	1.1	60
596	Childhood Predictors of Young Adult Social Functioning in 22q11.2 Deletion Syndrome. <i>Journal of Autism and Developmental Disorders</i> , 2017, 47, 2480-2501.	1.7	8
597	Subthreshold Psychosis in 22q11.2 Deletion Syndrome: Multisite Naturalistic Study. <i>Schizophrenia Bulletin</i> , 2017, 43, 1079-1089.	2.3	47

#	ARTICLE	IF	CITATIONS
599	Emotional word usage in groups at risk for schizophrenia-spectrum disorders: An objective investigation of attention to emotion. <i>Psychiatry Research</i> , 2017, 252, 29-37.	1.7	14
600	Intrinsic Connectivity Network-Based Classification and Detection of Psychotic Symptoms in Youth With 22q11.2 Deletions. <i>Cerebral Cortex</i> , 2017, 27, 3294-3306.	1.6	18
601	A developmental approach to dimensional expression of psychopathology in child and adolescent offspring of parents with bipolar disorder. <i>European Child and Adolescent Psychiatry</i> , 2017, 26, 1165-1175.	2.8	10
602	Schizophrenia and Psychosis. <i>Child and Adolescent Psychiatric Clinics of North America</i> , 2017, 26, 341-366.	1.0	33
603	Self-reported sleep disturbances associated with procedural learning impairment in adolescents at ultra-high risk for psychosis. <i>Schizophrenia Research</i> , 2017, 190, 160-163.	1.1	21
604	Predicting Psychosis with Accuracy. <i>Schizophrenia Research</i> , 2017, 181, 4-5.	1.1	0
605	Differential relations of locus of control to perceived social stress among help-seeking adolescents at low vs. high clinical risk of psychosis. <i>Schizophrenia Research</i> , 2017, 184, 39-44.	1.1	15
606	Cortical-amygdala volumetric ratios predict onset of symptoms of psychosis in 22q11.2 deletion syndrome. <i>Psychiatry Research - Neuroimaging</i> , 2017, 259, 10-15.	0.9	8
607	Sleep disturbances in individuals at clinical high risk for psychosis. <i>Psychiatry Research</i> , 2017, 249, 240-243.	1.7	58
608	Psychosis prediction in Secondary Mental Health Services. a Broad, Comprehensive Approach to the "at Risk Mental State" Syndrome. <i>European Psychiatry</i> , 2017, 40, 96-104.	0.1	19
609	Longitudinal trajectories of cortical thickness as a biomarker for psychosis in individuals with 22q11.2 deletion syndrome. <i>Schizophrenia Research</i> , 2017, 188, 35-41.	1.1	27
610	White matter microstructural deficits in 22q11.2 deletion syndrome. <i>Psychiatry Research - Neuroimaging</i> , 2017, 268, 35-44.	0.9	17
611	An Evaluation of the Specificity of Executive Function Impairment in Developmental Psychopathology. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2017, 56, 975-982.e3.	0.3	48
612	Increased Occipital Gyrfication and Development of Psychotic Disorders in Individuals With an At-Risk Mental State: A Multicenter Study. <i>Biological Psychiatry</i> , 2017, 82, 737-745.	0.7	50
613	A neurogenetic model for the study of schizophrenia spectrum disorders: the International 22q11.2 Deletion Syndrome Brain Behavior Consortium. <i>Molecular Psychiatry</i> , 2017, 22, 1664-1672.	4.1	65
614	Emergent, remitted and persistent psychosis-spectrum symptoms in 22q11.2 deletion syndrome. <i>Translational Psychiatry</i> , 2017, 7, e1180-e1180.	2.4	20
615	Quality of life in individuals with attenuated psychotic symptoms: Possible role of anxiety, depressive symptoms, and socio-cognitive impairments. <i>Psychiatry Research</i> , 2017, 257, 431-437.	1.7	23
616	Exploring the Relationship Between Body Mass Index and Positive Symptom Severity in Persons at Clinical High Risk for Psychosis. <i>Journal of Nervous and Mental Disease</i> , 2017, 205, 893-895.	0.5	9

#	ARTICLE	IF	CITATIONS
617	Machine-learning classification of 22q11.2 deletion syndrome: A diffusion tensor imaging study. <i>NeuroImage: Clinical</i> , 2017, 15, 832-842.	1.4	22
618	Reduced Thickness of the Anterior Cingulate Cortex in Individuals With an At-Risk Mental State Who Later Develop Psychosis. <i>Schizophrenia Bulletin</i> , 2017, 43, 907-913.	2.3	31
619	Longitudinal study of cerebral surface morphology in youth with 22q11.2 deletion syndrome, and association with positive symptoms of psychosis. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2017, 58, 305-314.	3.1	11
620	The Psychosis Spectrum in 22q11.2 Deletion Syndrome Is Comparable to That of Nondeleted Youths. <i>Biological Psychiatry</i> , 2017, 82, 17-25.	0.7	45
621	Abnormalities in brain white matter in adolescents with 22q11.2 deletion syndrome and psychotic symptoms. <i>Brain Imaging and Behavior</i> , 2017, 11, 1353-1364.	1.1	20
622	Psychosis risk screening: Validation of the youth psychosis at-risk questionnaire – brief in a community-derived sample of adolescents. <i>International Journal of Methods in Psychiatric Research</i> , 2017, 26, .	1.1	11
623	Distinct Relationships Between Visual and Auditory Perceptual Abnormalities and Conversion to Psychosis in a Clinical High-Risk Population. <i>JAMA Psychiatry</i> , 2017, 74, 104.	6.0	24
624	Cortical folding patterns are associated with impulsivity in healthy young adults. <i>Brain Imaging and Behavior</i> , 2017, 11, 1592-1603.	1.1	20
625	Cortical Morphology Characteristics of Young Offspring of Patients With Schizophrenia or Bipolar Disorder. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2017, 56, 79-88.	0.3	23
626	Associations between Electrophysiological Evidence of Reward and Punishment-Based Learning and Psychotic Experiences and Social Anhedonia in At-Risk Groups. <i>Neuropsychopharmacology</i> , 2017, 42, 925-932.	2.8	7
627	Pupillometer-based neurofeedback cognitive training to improve processing speed and social functioning in individuals at clinical high risk for psychosis.. <i>Psychiatric Rehabilitation Journal</i> , 2017, 40, 33-42.	0.8	43
628	The –polyenviromic risk score– Aggregating environmental risk factors predicts conversion to psychosis in familial high-risk subjects. <i>Schizophrenia Research</i> , 2017, 181, 17-22.	1.1	67
629	Self-Concept Clarity and Psychopathology. , 2017, , 219-242.		15
630	Self-Concept Clarity. , 2017, , .		14
631	Do Family Interventions Improve Outcomes in Early Psychosis? A Systematic Review and Meta-Analysis. <i>Frontiers in Psychology</i> , 2017, 8, 371.	1.1	90
632	Prediction Analysis for Transition to Schizophrenia in Individuals at Clinical High Risk for Psychosis: The Relationship of DAO, DAOA, and NRG1 Variants with Negative Symptoms and Cognitive Deficits. <i>Frontiers in Psychiatry</i> , 2017, 8, 292.	1.3	16
633	Elevated Striatal Dopamine Function in Immigrants and Their Children: A Risk Mechanism for Psychosis. <i>Schizophrenia Bulletin</i> , 2017, 43, sbw181.	2.3	44
634	The effect of youth assertive community treatment: a systematic PRISMA review. <i>BMC Psychiatry</i> , 2017, 17, 284.	1.1	19

#	ARTICLE	IF	CITATIONS
635	Motor Dysfunction as a Risk Factor for Conversion to Psychosis Independent of Medication Use in a Psychosis-Risk Cohort. <i>Journal of Nervous and Mental Disease</i> , 2018, 206, 356-361.	0.5	13
636	Corpus callosum shape and morphology in youth across the psychosis Spectrum. <i>Schizophrenia Research</i> , 2018, 199, 266-273.	1.1	11
637	Mitochondrial function in individuals at clinical high risk for psychosis. <i>Scientific Reports</i> , 2018, 8, 6216.	1.6	23
638	Weak dorsolateral prefrontal response to social criticism predicts worsened mood and symptoms following social conflict in people at familial risk for schizophrenia. <i>NeuroImage: Clinical</i> , 2018, 18, 40-50.	1.4	13
639	The Early Psychosis Screener (EPS): Quantitative validation against the SIPS using machine learning. <i>Schizophrenia Research</i> , 2018, 197, 516-521.	1.1	11
640	Altered auditory processing and effective connectivity in 22q11.2 deletion syndrome. <i>Schizophrenia Research</i> , 2018, 197, 328-336.	1.1	24
641	Changes in correlation characteristics of time consumption and mind-reading performance in pre-onset and post-onset psychosis. <i>Psychiatry Research</i> , 2018, 262, 168-174.	1.7	9
642	Attention Deficit Hyperactivity Disorder Symptoms and Psychosis in 22q11.2 Deletion Syndrome. <i>Schizophrenia Bulletin</i> , 2018, 44, 824-833.	2.3	17
643	Lack of Diagnostic Pluripotentiality in Patients at Clinical High Risk for Psychosis: Specificity of Comorbidity Persistence and Search for Pluripotential Subgroups. <i>Schizophrenia Bulletin</i> , 2018, 44, 254-263.	2.3	51
644	Prediction of psychosis across protocols and risk cohorts using automated language analysis. <i>World Psychiatry</i> , 2018, 17, 67-75.	4.8	264
645	Effects of Cannabis Use in Those at Ultra-High Risk for Psychosis. , 2018, , 167-181.		4
646	Latent class cluster analysis of symptom ratings identifies distinct subgroups within the clinical high risk for psychosis syndrome. <i>Schizophrenia Research</i> , 2018, 197, 522-530.	1.1	22
647	Visual processing deficits in 22q11.2 Deletion Syndrome. <i>NeuroImage: Clinical</i> , 2018, 17, 976-986.	1.4	19
648	Detection of early psychotic symptoms: Validation of the Spanish version of the "Symptom Onset in Schizophrenia (SOS) inventory". <i>Psychiatry Research</i> , 2018, 261, 68-72.	1.7	7
649	The interaction between neurocognitive functioning, subthreshold psychotic symptoms and pharmacotherapy in 22q11.2 deletion syndrome: A longitudinal comparative study. <i>European Psychiatry</i> , 2018, 48, 20-26.	0.1	8
650	Hippocampal dysfunction in the pathophysiology of schizophrenia: a selective review and hypothesis for early detection and intervention. <i>Molecular Psychiatry</i> , 2018, 23, 1764-1772.	4.1	253
651	A comparison of conversion rates, clinical profiles and predictors of outcomes in two independent samples of individuals at clinical high risk for psychosis in China. <i>Schizophrenia Research</i> , 2018, 197, 509-515.	1.1	14
652	Inflammatory biomarkers in individuals at clinical high risk for psychosis (CHR-P): State or trait?. <i>Schizophrenia Research</i> , 2018, 199, 31-38.	1.1	42

#	ARTICLE	IF	CITATIONS
653	Altered functional connectivity strength and its correlations with cognitive function in subjects with ultra-high risk for psychosis at rest. <i>CNS Neuroscience and Therapeutics</i> , 2018, 24, 1140-1148.	1.9	21
654	Meta-analytical prognostic accuracy of the Comprehensive Assessment of at Risk Mental States (CAARMS): The need for refined prediction. <i>European Psychiatry</i> , 2018, 49, 62-68.	0.1	39
655	Recent advances in the prevention of mental disorders. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2018, 53, 325-339.	1.6	37
657	Ethnic identity, racial discrimination and attenuated psychotic symptoms in an urban population of emerging adults. <i>Microbial Biotechnology</i> , 2018, 12, 380-390.	0.9	38
658	The early recognition inventory <sc>ERI</sc> assesses the entire spectrum of symptoms through the course of an at-risk mental state. <i>Microbial Biotechnology</i> , 2018, 12, 217-228.	0.9	18
659	Early cognitive basic symptoms are accompanied by neurocognitive impairment in patients with an at-risk mental state™ for psychosis. <i>Microbial Biotechnology</i> , 2018, 12, 586-595.	0.9	11
660	White matter alterations in individuals experiencing attenuated positive psychotic symptoms. <i>Microbial Biotechnology</i> , 2018, 12, 372-379.	0.9	11
661	Screening for psychosis risk among adolescents in Child and Adolescent Mental Health Services: a description of the first step with the 16-item version of the Prodromal Questionnaire (PQ-16). <i>Microbial Biotechnology</i> , 2018, 12, 669-676.	0.9	26
662	Treatment Precedes Positive Symptoms in North American Adolescent and Young Adult Clinical High Risk Cohort. <i>Journal of Clinical Child and Adolescent Psychology</i> , 2018, 47, 69-78.	2.2	17
663	Outcome of individuals not at risk of psychosis and prognostic accuracy of the Basel Screening Instrument for Psychosis (BSIP). <i>Microbial Biotechnology</i> , 2018, 12, 907-914.	0.9	3
664	Anti-neuronal anti-bodies in patients with early psychosis. <i>Schizophrenia Research</i> , 2018, 192, 404-407.	1.1	38
665	Psychological, social and role functioning as predictors of psychosis in an adolescent psychiatric sample. <i>Microbial Biotechnology</i> , 2018, 12, 1064-1071.	0.9	2
666	Using WeChat™ online social networking in a real-world needs analysis of family members of youths at clinical high risk of psychosis. <i>Australian and New Zealand Journal of Psychiatry</i> , 2018, 52, 375-382.	1.3	17
667	What impact does trauma have on the at-risk mental state? A systematic literature review. <i>Microbial Biotechnology</i> , 2018, 12, 115-124.	0.9	13
668	Diagnostic and Prognostic Significance of DSM-5 Attenuated Psychosis Syndrome in Services for Individuals at Ultra High Risk for Psychosis. <i>Schizophrenia Bulletin</i> , 2018, 44, 264-275.	2.3	26
669	22q11.2 Deletion Syndrome Is Associated With Impaired Auditory Steady-State Gamma Response. <i>Schizophrenia Bulletin</i> , 2018, 44, 388-397.	2.3	33
670	The slow death of the concept of schizophrenia and the painful birth of the psychosis spectrum. <i>Psychological Medicine</i> , 2018, 48, 229-244.	2.7	216
671	Latent Profile Analysis and Conversion to Psychosis: Characterizing Subgroups to Enhance Risk Prediction. <i>Schizophrenia Bulletin</i> , 2018, 44, 286-296.	2.3	28

#	ARTICLE	IF	CITATIONS
672	Identifying functional network changing patterns in individuals at clinical high-risk for psychosis and patients with early illness schizophrenia: A group ICA study. <i>NeuroImage: Clinical</i> , 2018, 17, 335-346.	1.4	35
673	Glutathione, the Major Redox Regulator, in the Prefrontal Cortex of Individuals at Clinical High Risk for Psychosis. <i>International Journal of Neuropsychopharmacology</i> , 2018, 21, 311-318.	1.0	28
674	The Relevance of Emotion Regulation in Explaining Why Social Exclusion Triggers Paranoia in Individuals at Clinical High Risk of Psychosis. <i>Schizophrenia Bulletin</i> , 2018, 44, 757-767.	2.3	47
675	Negative Symptom Interventions in Youth at Risk of Psychosis: A Systematic Review and Network Meta-analysis. <i>Schizophrenia Bulletin</i> , 2018, 44, 807-823.	2.3	62
676	Structural anomalies of the peripheral olfactory system in psychosis high-risk subjects. <i>Schizophrenia Research</i> , 2018, 195, 197-205.	1.1	15
677	Clinical high risk for psychosis in children and adolescents: a systematic review. <i>European Child and Adolescent Psychiatry</i> , 2018, 27, 683-700.	2.8	44
678	A comparative study of psychotic and affective symptoms in Rwandan and Kenyan students. <i>Epidemiology and Psychiatric Sciences</i> , 2018, 27, 157-168.	1.8	12
679	Dynamic functional connectivity impairments in early schizophrenia and clinical high-risk for psychosis. <i>NeuroImage</i> , 2018, 180, 632-645.	2.1	125
680	Impact of lifetime traumatic experiences on suicidality and likelihood of conversion in a cohort of individuals at clinical high-risk for psychosis. <i>Schizophrenia Research</i> , 2018, 195, 549-553.	1.1	17
681	Progressive decline of cognition during the conversion from prodrome to psychosis with a characteristic pattern of the theory of mind compensated by neurocognition. <i>Schizophrenia Research</i> , 2018, 195, 554-559.	1.1	20
682	Preliminary psychometric properties of the brief Negative Symptom Scale in youth at Clinical High-Risk for psychosis. <i>Schizophrenia Research</i> , 2018, 193, 435-437.	1.1	27
683	Symptom recovery and relationship to structure of corpus callosum in individuals with an "at risk mental state". <i>Psychiatry Research - Neuroimaging</i> , 2018, 272, 1-6.	0.9	4
684	Short term effects of brief need based psychoeducation on knowledge, self-stigma, and burden among siblings of persons with schizophrenia: A prospective controlled trial. <i>Asian Journal of Psychiatry</i> , 2018, 32, 59-66.	0.9	17
685	Duration of untreated prodromal symptoms in a Chinese sample at a high risk for psychosis: demographic, clinical, and outcome. <i>Psychological Medicine</i> , 2018, 48, 1274-1281.	2.7	20
686	Coping strategies in individuals at ultra-high risk of psychosis: A systematic review. <i>Microbial Biotechnology</i> , 2018, 12, 525-534.	0.9	18
687	From the psychosis prodrome to the first-episode of psychosis: No evidence of a cognitive decline. <i>Journal of Psychiatric Research</i> , 2018, 96, 231-238.	1.5	68
688	White matter maturation during 12 months in individuals at ultra-high risk for psychosis. <i>Acta Psychiatrica Scandinavica</i> , 2018, 137, 65-78.	2.2	23
689	Enhancing early psychosis treatment using smartphone technology: A longitudinal feasibility and validity study. <i>Journal of Psychiatric Research</i> , 2018, 96, 239-246.	1.5	100

#	ARTICLE	IF	CITATIONS
690	Neurological soft signs precede the onset of schizophrenia: a study of individuals with schizotypy, ultra-high-risk individuals, and first-onset schizophrenia. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2018, 268, 49-56.	1.8	27
691	Psychosis risk screening in different populations using the Prodromal Questionnaire: A systematic review. <i>Microbial Biotechnology</i> , 2018, 12, 3-14.	0.9	70
692	A Longitudinal Study of Violent Behavior in a Psychosis-Risk Cohort. <i>Neuropsychopharmacology</i> , 2018, 43, 264-271.	2.8	28
693	Psychotic symptoms influence the development of anterior cingulate BOLD variability in 22q11.2 deletion syndrome. <i>Schizophrenia Research</i> , 2018, 193, 319-328.	1.1	20
694	Attenuated psychotic symptoms in children and adolescent offspring of patients with schizophrenia. <i>Schizophrenia Research</i> , 2018, 193, 354-358.	1.1	7
695	Brain regional homogeneity and function connectivity in attenuated psychosis syndrome –based on a resting state fMRI study. <i>BMC Psychiatry</i> , 2018, 18, 383.	1.1	10
696	Deficits in context-dependent adaptive coding in early psychosis and healthy individuals with schizotypal personality traits. <i>Brain</i> , 2018, 141, 2806-2819.	3.7	19
697	Prediction of prodromal symptoms and schizophrenia-spectrum personality disorder traits by positive and negative schizotypy: A 3-year prospective study. <i>PLoS ONE</i> , 2018, 13, e0207150.	1.1	20
698	Musical auditory processing, cognition, and psychopathology in 22q11.2 deletion syndrome. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2018, 177, 765-773.	1.1	5
699	Childhood Executive Functioning Predicts Young Adult Outcomes in 22q11.2 Deletion Syndrome. <i>Journal of the International Neuropsychological Society</i> , 2018, 24, 905-916.	1.2	11
700	The Danish High Risk and Resilience Study –VIA 11: Study Protocol for the First Follow-Up of the VIA 7 Cohort –522 Children Born to Parents With Schizophrenia Spectrum Disorders or Bipolar Disorder and Controls Being Re-examined for the First Time at Age 11. <i>Frontiers in Psychiatry</i> , 2018, 9, 661.	1.3	27
701	Impaired Motion Processing in Schizophrenia and the Attenuated Psychosis Syndrome: Etiological and Clinical Implications. <i>American Journal of Psychiatry</i> , 2018, 175, 1243-1254.	4.0	35
702	The Italian Version of the Brief 21-Item Prodromal Questionnaire: Field Test, Psychometric Properties and Age-Sensitive Cut-Offs. <i>Psychopathology</i> , 2018, 51, 234-244.	1.1	18
703	Validity of a two-item screen for early psychosis. <i>Psychiatry Research</i> , 2018, 270, 861-868.	1.7	10
704	Isolated hallucination is less predictive than thought disorder in psychosis: Insight from a longitudinal study in a clinical population at high risk for psychosis. <i>Scientific Reports</i> , 2018, 8, 13962.	1.6	9
705	Validation of the Prodromal Questionnaire –Brief in a representative sample of adolescents: Internal structure, norms, reliability, and links with psychopathology. <i>International Journal of Methods in Psychiatric Research</i> , 2018, 27, e1740.	1.1	26
706	Cortical stress regulation is disrupted in schizophrenia but not in clinical high risk for psychosis. <i>Brain</i> , 2018, 141, 2213-2224.	3.7	32
707	N-methyl-d-aspartate receptor antibody-related pathologies and pre-existent mental state disorders. <i>Schizophrenia Research</i> , 2018, 202, 406-407.	1.1	1

#	ARTICLE	IF	CITATIONS
708	Identification and prediction of clinical high risk of psychosis in Chinese outpatients using two-stage screening. <i>Schizophrenia Research</i> , 2018, 202, 284-290.	1.1	8
709	Reduced higher-dimensional resting state fMRI dynamism in clinical high-risk individuals for schizophrenia identified by meta-state analysis. <i>Schizophrenia Research</i> , 2018, 201, 217-223.	1.1	20
710	Social aversive conditioning in youth at clinical high risk for psychosis and with psychosis: An ERP study. <i>Schizophrenia Research</i> , 2018, 202, 291-296.	1.1	6
711	Psychological interventions in offspring of parents with bipolar disorder. , 2018, , 247-264.		1
712	Chromosome 17q12 duplications: Further delineation of the range of psychiatric and clinical phenotypes. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2018, 177, 520-528.	1.1	16
713	Language Lateralization and Auditory Attention Impairment in Young Adults at Ultra-High Risk for Psychosis: A Dichotic Listening Study. <i>Frontiers in Psychology</i> , 2018, 9, 608.	1.1	9
714	Structural and functional alterations in the brain during working memory in medication-naïve patients at clinical high-risk for psychosis. <i>PLoS ONE</i> , 2018, 13, e0196289.	1.1	12
715	Tinnitus como síntoma de psicosis de inicio reciente. A propósito de un caso. <i>Psiquiatria Biologica</i> , 2018, 25, 68-71.	0.0	0
716	Negative symptom dimensions differentially impact on functioning in individuals at-risk for psychosis. <i>Schizophrenia Research</i> , 2018, 202, 310-315.	1.1	9
717	Olfactory deficits and psychosis-spectrum symptoms in 22q11.2 deletion syndrome. <i>Schizophrenia Research</i> , 2018, 202, 113-119.	1.1	8
718	Anomalous Self-Experiences: Markers of Schizophrenia Vulnerability or Symptoms of Depersonalization Disorder? A Phenomenological Investigation of Two Cases. <i>Psychopathology</i> , 2018, 51, 198-209.	1.1	10
719	Frontal dysconnectivity in 22q11.2 deletion syndrome: an atlas-based functional connectivity analysis. <i>Behavioral and Brain Functions</i> , 2018, 14, 2.	1.4	20
720	Neural correlates of socio-emotional perception in 22q11.2 deletion syndrome. <i>Journal of Neurodevelopmental Disorders</i> , 2018, 10, 13.	1.5	4
721	Differential contributions of cortical thickness and surface area to trait impulsivity in healthy young adults. <i>Behavioural Brain Research</i> , 2018, 350, 65-71.	1.2	15
722	Specific differences in temporal binding aspects of the attentional blink in Chromosome 22q11.2 Deletion Syndrome. <i>Cortex</i> , 2018, 108, 67-79.	1.1	0
723	Young children with psychotic symptoms and risk for suicidal thoughts and behaviors: a research note. <i>BMC Research Notes</i> , 2018, 11, 568.	0.6	6
724	Study protocol for The Emory 3q29 Project: evaluation of neurodevelopmental, psychiatric, and medical symptoms in 3q29 deletion syndrome. <i>BMC Psychiatry</i> , 2018, 18, 183.	1.1	40
725	A comparative study of magnetic resonance imaging on the gray matter and resting-state function in prodromal and first-episode schizophrenia. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2018, 177, 537-545.	1.1	9

#	ARTICLE	IF	CITATIONS
726	Self-esteem and Symptoms in Individuals at Clinical High Risk for Psychosis. <i>Journal of Nervous and Mental Disease</i> , 2018, 206, 433-438.	0.5	7
727	What prevents youth at clinical high risk for psychosis from engaging in physical activity? An examination of the barriers to physical activity. <i>Schizophrenia Research</i> , 2018, 201, 400-405.	1.1	21
728	The interaction between cannabis use and the Val158Met polymorphism of the COMT gene in psychosis: A transdiagnostic meta-analysis. <i>PLoS ONE</i> , 2018, 13, e0192658.	1.1	17
729	Transient Patterns of Functional Dysconnectivity in Clinical High Risk and Early Illness Schizophrenia Individuals Compared with Healthy Controls. <i>Brain Connectivity</i> , 2019, 9, 60-76.	0.8	23
730	Using Online Screening in the General Population to Detect Participants at Clinical High-Risk for Psychosis. <i>Schizophrenia Bulletin</i> , 2019, 45, 600-609.	2.3	56
731	Social impairment and social language deficits in children and adolescents with and at risk for psychosis. <i>Schizophrenia Research</i> , 2019, 204, 304-310.	1.1	10
732	Probabilistic Category Learning and Striatal Functional Activation in Psychosis Risk. <i>Schizophrenia Bulletin</i> , 2019, 45, 396-404.	2.3	16
733	Childhood trauma and clinical high risk for psychosis. <i>Schizophrenia Research</i> , 2019, 205, 10-14.	1.1	68
734	Clinical high risk for psychosis: The effects of labelling on public stigma in a undergraduate population. <i>Microbial Biotechnology</i> , 2019, 13, 874-881.	0.9	13
735	Comparison of the neurocognitive profiles of individuals with elevated psychotic or depressive symptoms. <i>Microbial Biotechnology</i> , 2019, 13, 928-934.	0.9	2
736	Social vs. non-social measures of learning potential for predicting community functioning across phase of illness in schizophrenia. <i>Schizophrenia Research</i> , 2019, 204, 104-110.	1.1	6
737	Relationship between duration of untreated prodromal symptoms and symptomatic and functional recovery. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2019, 269, 871-877.	1.8	11
738	Attenuated psychotic symptom interventions in youth at risk of psychosis: A systematic review and meta-analysis. <i>Microbial Biotechnology</i> , 2019, 13, 3-17.	0.9	63
739	Association Between P300 Responses to Auditory Oddball Stimuli and Clinical Outcomes in the Psychosis Risk Syndrome. <i>JAMA Psychiatry</i> , 2019, 76, 1187.	6.0	59
740	Resting-State Functional Network Organization Is Stable Across Adolescent Development for Typical and Psychosis Spectrum Youth. <i>Schizophrenia Bulletin</i> , 2020, 46, 395-407.	2.3	5
741	Evaluation of the Combined Treatment Approach "Robin" (Standardized Manual and Smartphone App) for Adolescents at Clinical High Risk for Psychosis. <i>Frontiers in Psychiatry</i> , 2019, 10, 384.	1.3	11
742	Striatum-related functional activation during reward- versus punishment-based learning in psychosis risk. <i>Neuropsychopharmacology</i> , 2019, 44, 1967-1974.	2.8	3
743	A History of Trauma is Associated with Aggression, Depression, Non-Suicidal Self-Injury Behavior, and Suicide Ideation in First-Episode Psychosis. <i>Journal of Clinical Medicine</i> , 2019, 8, 1082.	1.0	17

#	ARTICLE	IF	CITATIONS
744	Prefrontal cortical dopamine release in clinical high risk for psychosis during a cognitive task: a [11C]FLB457 positron emission tomography study. <i>European Neuropsychopharmacology</i> , 2019, 29, 1023-1032.	0.3	2
745	Does hallucination perceptual modality impact psychosis risk?. <i>Acta Psychiatrica Scandinavica</i> , 2019, 140, 360-370.	2.2	14
746	Stress precedes negative symptom exacerbations in clinical high risk and early psychosis: A time-lagged experience sampling study. <i>Schizophrenia Research</i> , 2019, 210, 52-58.	1.1	14
747	Early intervention in psychosis in the North Lee Mental Health Services programme: a 5-year review. <i>Irish Journal of Psychological Medicine</i> , 2019, 36, 271-277.	0.7	9
748	<p>Nicotine consumption during the prodromal phase of schizophrenia â€“ a review of the literature</p>. <i>Neuropsychiatric Disease and Treatment</i> , 2019, Volume 15, 2943-2958.	1.0	17
749	S3-Leitlinie Schizophrenie. , 2019, , .		29
750	Cognitive Profile in Ultra High Risk for Psychosis and Schizophrenia: A Comparison Using Coordinated Norms. <i>Frontiers in Psychiatry</i> , 2019, 10, 695.	1.3	13
751	Effectiveness of the Japanese standard family psychoeducation on the mental health of caregivers of young adults with schizophrenia: a randomised controlled trial. <i>BMC Psychiatry</i> , 2019, 19, 263.	1.1	15
752	Validating mitochondrial electron transport chain content in individuals at clinical high risk for psychosis. <i>Scientific Reports</i> , 2019, 9, 12695.	1.6	6
753	Accelerated cortical thinning within structural brain networks is associated with irritability in youth. <i>Neuropsychopharmacology</i> , 2019, 44, 2254-2262.	2.8	26
754	Bimodal distribution of tone-matching deficits indicates discrete pathophysiological entities within the syndrome of schizophrenia. <i>Translational Psychiatry</i> , 2019, 9, 221.	2.4	28
755	Occipital Alpha Connectivity During Resting-State Electroencephalography in Patients With Ultra-High Risk for Psychosis and Schizophrenia. <i>Frontiers in Psychiatry</i> , 2019, 10, 553.	1.3	16
756	The Critical Need for Help-Seeking Controls in Clinical High-Risk Research. <i>Clinical Psychological Science</i> , 2019, 7, 1171-1189.	2.4	21
757	Uncharted Waters: Treating Trauma Symptoms in the Context of Early Psychosis. <i>Journal of Clinical Medicine</i> , 2019, 8, 1456.	1.0	12
758	Specificity of Childhood Trauma Type and Attenuated Positive Symptoms in a Non-Clinical Sample. <i>Journal of Clinical Medicine</i> , 2019, 8, 1537.	1.0	13
759	Trait emotional experience in individuals with schizophrenia and youth at clinical high risk for psychosis. <i>BJPsych Open</i> , 2019, 5, e78.	0.3	6
760	Metacognition strengthens the association between neurocognition and attenuated psychosis syndrome: Preliminary evidence from a pilot study among treatment-seeking versus healthy adolescents. <i>Schizophrenia Research</i> , 2019, 210, 207-214.	1.1	10
761	Cerebellar Gray Matter Volume Is Associated With Cognitive Function and Psychopathology in Adolescence. <i>Biological Psychiatry</i> , 2019, 86, 65-75.	0.7	75

#	ARTICLE	IF	CITATIONS
762	The subjective-objective deficit paradox in schizotypy extends to emotion regulation and awareness. <i>Journal of Psychiatric Research</i> , 2019, 111, 160-168.	1.5	17
763	Health literacy in clinicalâ€highâ€risk individuals for psychosis: A systematic mixedâ€methods review. <i>Microbial Biotechnology</i> , 2019, 13, 1293-1309.	0.9	5
765	Individuals at high risk for psychosis experience more childhood trauma, life events and social support deficit in comparison to healthy controls. <i>Psychiatry Research</i> , 2019, 273, 296-302.	1.7	26
766	Neuroimaging and the At-Risk Mental State. , 2019, , 219-265.		1
767	Longitudinal changes in striatum and sub-threshold positive symptoms in individuals with an â€at risk mental stateâ€™ (ARMS). <i>Psychiatry Research - Neuroimaging</i> , 2019, 285, 25-30.	0.9	10
768	Cognitive deficits in subjects at risk for psychosis, first-episode and chronic schizophrenia patients. <i>Psychiatry Research</i> , 2019, 274, 235-242.	1.7	20
769	Individualized Prediction of Transition to Psychosis in 1,676 Individuals at Clinical High Risk: Development and Validation of a Multivariable Prediction Model Based on Individual Patient Data Meta-Analysis. <i>Frontiers in Psychiatry</i> , 2019, 10, 345.	1.3	29
770	Comorbid Personality Disorders in Individuals With an At-Risk Mental State for Psychosis: A Meta-Analytic Review. <i>Frontiers in Psychiatry</i> , 2019, 10, 429.	1.3	41
771	Discriminating schizophrenia disease progression using a P50 sensory gating task with dense-array EEG, clinical assessments, and cognitive tests. <i>Expert Review of Neurotherapeutics</i> , 2019, 19, 459-470.	1.4	15
772	Increased frontal gray matter volume in individuals with prodromal psychosis. <i>CNS Neuroscience and Therapeutics</i> , 2019, 25, 987-994.	1.9	16
773	Development of a computerized adaptive screening tool for overall psychopathology (â€œpâ€). <i>Journal of Psychiatric Research</i> , 2019, 116, 26-33.	1.5	37
774	Speaking-Induced Suppression of the Auditory Cortex in Humans and Its Relevance to Schizophrenia. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2019, 4, 791-804.	1.1	19
775	A machine learning approach to predicting psychosis using semantic density and latent content analysis. <i>NPJ Schizophrenia</i> , 2019, 5, 9.	2.0	121
776	Abnormal development of early auditory processing in 22q11.2 Deletion Syndrome. <i>Translational Psychiatry</i> , 2019, 9, 138.	2.4	9
777	Using the K-SADS psychosis screen to identify people with early psychosis or psychosis risk syndromes. <i>Clinical Child Psychology and Psychiatry</i> , 2019, 24, 809-820.	0.8	5
778	Developmentally divergent sexual dimorphism in the cortico-striatalâ€thalamicâ€cortical psychosis risk pathway. <i>Neuropsychopharmacology</i> , 2019, 44, 1649-1658.	2.8	21
779	Large-Scale Brain Network Dynamics Provide a Measure of Psychosis and Anxiety in 22q11.2 Deletion Syndrome. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2019, 4, 881-892.	1.1	35
780	A developmentally-stable pattern of premorbid schizoid-schizotypal features predicts psychotic transition from the clinical high-risk for psychosis state. <i>Comprehensive Psychiatry</i> , 2019, 90, 95-101.	1.5	8

#	ARTICLE	IF	CITATIONS
781	The impact of age on the validity of psychosis-risk screening in a sample of help-seeking youth. <i>Psychiatry Research</i> , 2019, 274, 30-35.	1.7	11
782	Multimodal prevention of first psychotic episode through N-acetylcysteine and integrated preventive psychological intervention in individuals clinically at high risk for psychosis: Protocol of a randomized, placebo-controlled, parallel-group trial. <i>Microbial Biotechnology</i> , 2019, 13, 1404-1415.	0.9	14
783	Bodily self-disturbance in schizophrenia spectrum populations: Introducing the Benson et al. Body Disturbances Inventory (B-BODI). <i>PsyCh Journal</i> , 2019, 8, 110-121.	0.5	19
784	Short clinically-based prediction model to forecast transition to psychosis in individuals at clinical high risk state. <i>European Psychiatry</i> , 2019, 58, 72-79.	0.1	9
785	Common genetic variants have associations with human cortical brain regions and risk of schizophrenia. <i>Genetic Epidemiology</i> , 2019, 43, 548-558.	0.6	1
786	Distinct and opposite profiles of connectivity during self-reference task and rest in youth at clinical high risk for psychosis. <i>Human Brain Mapping</i> , 2019, 40, 3254-3264.	1.9	25
787	Towards a framework for good outcome in people at clinical high risk for psychosis: A Delphi consensus study. <i>Schizophrenia Research</i> , 2019, 208, 209-216.	1.1	7
788	Individuals with 22q11.2 deletion syndrome show intact prediction but reduced adaptation in responses to repeated sounds: Evidence from Bayesian mapping. <i>NeuroImage: Clinical</i> , 2019, 22, 101721.	1.4	6
789	Hallucinations in Children and Adolescents: An Updated Review and Practical Recommendations for Clinicians. <i>Schizophrenia Bulletin</i> , 2019, 45, S5-S23.	2.3	47
790	Medication adherence in first episode psychosis: the role of pre-onset subthreshold symptoms. <i>Acta Psychiatrica Scandinavica</i> , 2019, 139, 336-347.	2.2	12
791	An integrated neurocognitive and social-cognitive treatment for youth at clinical high risk for psychosis: Cognition for Learning and for Understanding Everyday Social Situations (CLUES). <i>Schizophrenia Research</i> , 2019, 208, 55-59.	1.1	11
792	Psychosis risk is associated with decreased resting-state functional connectivity between the striatum and the default mode network. <i>Cognitive, Affective and Behavioral Neuroscience</i> , 2019, 19, 998-1011.	1.0	22
793	The psychometrics of psychosis " assessing and rating perceptual and ideational disturbance in adolescents. <i>Child and Adolescent Mental Health</i> , 2019, 24, 176-186.	1.8	0
794	Functional asymmetry of thalamocortical networks in subjects at ultra-high risk for psychosis and first-episode schizophrenia. <i>European Neuropsychopharmacology</i> , 2019, 29, 519-528.	0.3	24
795	Common Taxonomy of Traits and Symptoms: Linking Schizophrenia Symptoms, Schizotypy, and Normal Personality. <i>Schizophrenia Bulletin</i> , 2019, 45, 1336-1348.	2.3	51
796	Impact of "psychosis risk" identification: Examining predictors of how youth view themselves. <i>Schizophrenia Research</i> , 2019, 208, 300-307.	1.1	19
797	The Early Psychosis Screener for Internet (EPSI)-SR: Predicting 12-month psychotic conversion using machine learning. <i>Schizophrenia Research</i> , 2019, 208, 390-396.	1.1	13
798	Auditory and Visual Oddball Stimulus Processing Deficits in Schizophrenia and the Psychosis Risk Syndrome: Forecasting Psychosis Risk With P300. <i>Schizophrenia Bulletin</i> , 2019, 45, 1068-1080.	2.3	49

#	ARTICLE	IF	CITATIONS
799	<p>>Real-World Effectiveness and Safety of Antipsychotics in Individuals at Clinical High-Risk for Psychosis: Study Protocol for a Prospective Observational Study (ShangHai at Risk for) Tj ETQq0 0 0 rgBT /Overlock1.10 Tf 50 737 Td (Psy	1.0	10
800	Interventions for prodromal stage of psychosis. The Cochrane Library, 2019, 2019, .	1.5	43
801	Antipsychotics Do Not Influence Neurological Soft Signs in Children and Adolescents at Ultra-High Risk for Psychosis. Journal of Psychiatric Practice, 2019, 25, 186-191.	0.3	4
802	The Prevalence of Negative Symptoms Across the Stages of the Psychosis Continuum. Harvard Review of Psychiatry, 2019, 27, 15-32.	0.9	22
803	Assessment of People with Psychotic and Bipolar Disorders. , 2019, , 360-370.		0
804	The Diagnostic Dilemma of Psychosis. Journal of Nervous and Mental Disease, 2019, 207, 577-584.	0.5	15
805	Attenuated Post-Movement Beta Rebound Associated With Schizotypal Features in Healthy People. Schizophrenia Bulletin, 2019, 45, 883-891.	2.3	19
806	Alteration of functional brain architecture in 22q11.2 deletion syndrome â€“ Insights into susceptibility for psychosis. NeuroImage, 2019, 190, 154-171.	2.1	18
807	Family functioning moderates the impact of psychosis-risk symptoms on social and role functioning. Schizophrenia Research, 2019, 204, 337-342.	1.1	17
808	Clinical correlates of aberrant conversational turn-taking in youth at clinical high-risk for psychosis. Schizophrenia Research, 2019, 204, 419-420.	1.1	12
809	Like father like daughter: sex-specific parent-of-origin effects in the transmission of liability for psychotic symptoms to offspring. Journal of Developmental Origins of Health and Disease, 2019, 10, 100-107.	0.7	9
810	Specificity of resting-state heart rate variability in psychosis: A comparison with clinical high risk, anxiety, and healthy controls. Schizophrenia Research, 2019, 206, 89-95.	1.1	14
811	â€“At risk mental stateâ€™ clinics for psychosis â€“ an idea whose time has come â€“ and gone!. Psychological Medicine, 2019, 49, 529-534.	2.7	51
812	Factor Analysis of Negative Symptom Items in the Structured Interview for Prodromal Syndromes. Schizophrenia Bulletin, 2019, 45, 1042-1050.	2.3	24
813	Mental health service use decisionâ€“making among young adults at clinical high risk for developing psychosis. Microbial Biotechnology, 2019, 13, 1050-1055.	0.9	18
814	Structural Brain Alterations in Youth With Psychosis and Bipolar Spectrum Symptoms. Journal of the American Academy of Child and Adolescent Psychiatry, 2019, 58, 1079-1091.	0.3	26
815	Prevalence and phenomenology of violent ideation and behavior among 200 young people at clinical high-risk for psychosis: an emerging model of violence and psychotic illness. Neuropsychopharmacology, 2019, 44, 907-914.	2.8	16
816	Affective and physiological reactivity to emotional comments in individuals at elevated risk for psychosis. Schizophrenia Research, 2019, 206, 428-435.	1.1	11

#	ARTICLE	IF	CITATIONS
817	The Global Functioning: Social and Role Scalesâ€”Further Validation in a Large Sample of Adolescents and Young Adults at Clinical High Risk for Psychosis. <i>Schizophrenia Bulletin</i> , 2019, 45, 763-772.	2.3	55
818	How Do Early Psychosis Services Define and Operationalize the Duration of Untreated Psychosis?. <i>Journal of Behavioral Health Services and Research</i> , 2019, 46, 497-508.	0.6	1
819	Reduced cortical thickness in subjects at clinical high risk for psychosis and clinical attributes. <i>Australian and New Zealand Journal of Psychiatry</i> , 2019, 53, 219-227.	1.3	16
821	Characterization of children and adolescents with psychosis risk syndrome: The Children and Adolescents Psychosis Risk Syndrome (CAPRIS) study. <i>Microbial Biotechnology</i> , 2019, 13, 1062-1072.	0.9	22
822	22q11 microdeletion syndrome and ultraâ€”high risk for psychosis: The role of neurological soft signs as an independent marker of vulnerability for psychosis. <i>Microbial Biotechnology</i> , 2019, 13, 1191-1198.	0.9	1
823	Association of baseline inflammatory markers and the development of negative symptoms in individuals at clinical high risk for psychosis. <i>Brain, Behavior, and Immunity</i> , 2019, 76, 268-274.	2.0	48
824	Neurological soft signs and grey matter abnormalities in individuals with ultraâ€”high risk for psychosis. <i>PsyCh Journal</i> , 2019, 8, 252-260.	0.5	9
825	Preliminary data indicating a connection between stress-induced prefrontal dopamine release and hippocampal TSPO expression in the psychosis spectrum. <i>Schizophrenia Research</i> , 2019, 213, 80-86.	1.1	8
826	Creativity in persons atâ€”risk for bipolar disorderâ€”A pilot study. <i>Microbial Biotechnology</i> , 2019, 13, 1165-1172.	0.9	10
827	Prediction of psychosis in prodrome: development and validation of a simple, personalized risk calculator. <i>Psychological Medicine</i> , 2019, 49, 1990-1998.	2.7	59
828	Association of Pre-onset Subthreshold Psychotic Symptoms With Longitudinal Outcomes During Treatment of a First Episode of Psychosis. <i>JAMA Psychiatry</i> , 2019, 76, 61.	6.0	33
829	Hearing spirits? Religiosity in individuals at risk for psychosisâ€”Results from the Brazilian SSAPP cohort. <i>Schizophrenia Research</i> , 2019, 204, 353-359.	1.1	20
830	Deficient auditory predictive coding during vocalization in the psychosis risk syndrome and in early illness schizophrenia: the final expanded sample. <i>Psychological Medicine</i> , 2019, 49, 1897-1904.	2.7	32
831	Basic selfâ€”disturbance, neurocognition and metacognition: A pilot study among helpâ€”seeking adolescents with and without attenuated psychosis syndrome. <i>Microbial Biotechnology</i> , 2019, 13, 434-442.	0.9	11
832	The association between specific types of childhood adversity and attenuated psychotic symptoms in a community sample. <i>Microbial Biotechnology</i> , 2019, 13, 281-289.	0.9	20
833	Validation of the â€œearly detection Primary Care Checklistâ€”in an Italian community helpâ€”seeking sample: The â€œchecklist per la Valutazione dell'Esordio Psicoticoâ€”. <i>Microbial Biotechnology</i> , 2019, 13, 86-94.	0.9	21
834	Sensory characteristics of youth at clinical high risk for psychosis. <i>Microbial Biotechnology</i> , 2019, 13, 264-271.	0.9	7
835	Attenuated psychosis and basic selfâ€”disturbance as risk factors for depression and suicidal ideation/behaviour in communityâ€”dwelling adolescents. <i>Microbial Biotechnology</i> , 2019, 13, 532-538.	0.9	12

#	ARTICLE	IF	CITATIONS
836	Cortical Morphometry in the Psychosis Risk Period: A Comprehensive Perspective of Surface Features. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2019, 4, 434-443.	1.1	9
837	Surface morphology of the orbitofrontal cortex in individuals at risk of psychosis: a multicenter study. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2019, 269, 397-406.	1.8	15
838	Relationship between metacognitive beliefs and psychosocial performance in at-risk states of psychosis and patients with first psychotic episodes. <i>Microbial Biotechnology</i> , 2019, 13, 604-612.	0.9	6
839	Should I Stay or Should I Go? fMRI Study of Response Inhibition in Early Illness Schizophrenia and Risk for Psychosis. <i>Schizophrenia Bulletin</i> , 2019, 45, 158-168.	2.3	27
840	Potentially traumatic events in youth with and at clinical high risk for psychosis. <i>Microbial Biotechnology</i> , 2019, 13, 805-809.	0.9	8
841	Research and practice for ultra-high risk for psychosis: A national survey of early intervention in psychosis services in England. <i>Microbial Biotechnology</i> , 2019, 13, 47-52.	0.9	15
842	Interpersonal sensitivity, bullying victimization and paranoid ideation among help-seeking adolescents and young adults. <i>Microbial Biotechnology</i> , 2019, 13, 57-63.	0.9	14
843	Measurement Invariance of the Prodromal Questionnaire-Brief Among White, Asian, Hispanic, and Multiracial Populations. <i>Assessment</i> , 2019, 26, 294-304.	1.9	28
844	Influence of demographic characteristics on attenuated positive psychotic symptoms in a young, help-seeking, at-risk population. <i>Microbial Biotechnology</i> , 2019, 13, 53-56.	0.9	8
845	Functional connectome organization predicts conversion to psychosis in clinical high-risk youth from the SHARP program. <i>Molecular Psychiatry</i> , 2020, 25, 2431-2440.	4.1	49
846	Emotion regulation across the psychosis continuum. <i>Development and Psychopathology</i> , 2020, 32, 219-227.	1.4	31
847	P300 as an index of transition to psychosis and of remission: Data from a clinical high risk for psychosis study and review of literature. <i>Schizophrenia Research</i> , 2020, 226, 74-83.	1.1	26
848	Early childhood social communication deficits in youth at clinical high-risk for psychosis: Associations with functioning and risk. <i>Development and Psychopathology</i> , 2020, 32, 559-572.	1.4	10
849	What Causes the Onset of Psychosis in Individuals at Clinical High Risk? A Meta-analysis of Risk and Protective Factors. <i>Schizophrenia Bulletin</i> , 2020, 46, 110-120.	2.3	103
850	Theatre improvisation training to promote social cognition: A novel recovery-oriented intervention for youths at clinical risk for psychosis. <i>Microbial Biotechnology</i> , 2020, 14, 163-171.	0.9	13
851	Evidence of reward system dysfunction in youth at clinical high-risk for psychosis from two event-related fMRI paradigms. <i>Schizophrenia Research</i> , 2020, 226, 111-119.	1.1	23
852	Neuropsychological deficits in participants at clinical high risk for psychosis recruited from the community: relationships to functioning and clinical symptoms. <i>Psychological Medicine</i> , 2020, 50, 77-85.	2.7	17
853	Characterizing Covariant Trajectories of Individuals at Clinical High Risk for Psychosis Across Symptomatic and Functional Domains. <i>American Journal of Psychiatry</i> , 2020, 177, 164-171.	4.0	34

#	ARTICLE	IF	CITATIONS
854	Poor functional recovery is better predicted than conversion in studies of outcomes of clinical high risk of psychosis: insight from SHARP. <i>Psychological Medicine</i> , 2020, 50, 1578-1584.	2.7	9
855	Hippocampal Pathology in Clinical High-Risk Patients and the Onset of Schizophrenia. <i>Biological Psychiatry</i> , 2020, 87, 234-242.	0.7	61
856	Towards Precision Medicine in Psychosis: Benefits and Challenges of Multimodal Multicenter Studies—PSYSCAN: Translating Neuroimaging Findings From Research into Clinical Practice. <i>Schizophrenia Bulletin</i> , 2020, 46, 432-441.	2.3	56
857	Detecting motor slowing in clinical high risk for psychosis in a computerized finger tapping model. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2020, 270, 393-397.	1.8	15
858	Stress-induced cortical dopamine response is altered in subjects at clinical high risk for psychosis using cannabis. <i>Addiction Biology</i> , 2020, 25, e12812.	1.4	9
859	Serum d-lactate, pyruvate and glucose levels in individuals with at-risk mental state and correlations with clinical symptoms. <i>Microbial Biotechnology</i> , 2020, 14, 410-417.	0.9	6
860	Form and content of attenuated psychotic symptoms in psychometrically assessed positive and negative schizotypy. <i>Microbial Biotechnology</i> , 2020, 14, 321-329.	0.9	2
861	Negative symptoms in the clinical high-risk state for psychosis: Connection with cognition and primacy in impacting functioning. <i>Microbial Biotechnology</i> , 2020, 14, 188-195.	0.9	14
862	Neuropsychological, clinical and environmental predictors of severe mental disorders in offspring of patients with schizophrenia. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2020, 270, 739-748.	1.8	7
863	Comparison of erythrocyte omega-3 index, fatty acids and molecular phospholipid species in people at ultra-high risk of developing psychosis and healthy people. <i>Schizophrenia Research</i> , 2020, 226, 44-51.	1.1	27
864	An imaging-based risk calculator for prediction of conversion to psychosis in clinical high-risk individuals using glutamate 1H MRS. <i>Schizophrenia Research</i> , 2020, 226, 70-73.	1.1	9
865	Clinical subtypes that predict conversion to psychosis: A canonical correlation analysis study from the ShangHai At Risk for Psychosis program. <i>Australian and New Zealand Journal of Psychiatry</i> , 2020, 54, 482-495.	1.3	21
866	Getting in Early: Early Intervention Services for Psychosis. , 2020, , 561-588.		0
867	The Prodrome of Psychotic Disorders. <i>Child and Adolescent Psychiatric Clinics of North America</i> , 2020, 29, 57-69.	1.0	9
868	Discovery and Validation of Prediction Algorithms for Psychosis in Youths at Clinical High Risk. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2020, 5, 738-747.	1.1	13
869	Global and Specific Cortical Volume Asymmetries in Individuals With Psychosis Risk Syndrome and Schizophrenia: A Mixed Cross-sectional and Longitudinal Perspective. <i>Schizophrenia Bulletin</i> , 2020, 46, 713-721.	2.3	12
870	Neuropsychological profile of children and adolescents with psychosis risk syndrome: the CAPRIS study. <i>European Child and Adolescent Psychiatry</i> , 2020, 29, 1311-1324.	2.8	11
871	Basic self-disorders in adolescence predict schizophrenia spectrum disorders in young adulthood: A 7-year follow-up study among non-psychotic help-seeking adolescents. <i>Schizophrenia Research</i> , 2020, 216, 97-103.	1.1	32

#	ARTICLE	IF	CITATIONS
872	Applying a Transdiagnostic Cognitive-Behavioral Treatment to Adolescents at High Risk for Serious Mental Illness: Rationale and Preliminary Findings. <i>Cognitive and Behavioral Practice</i> , 2020, 27, 202-214.	0.9	22
873	Characteristics of youth with reported family history of psychosis spectrum symptoms in the Philadelphia Neurodevelopmental Cohort. <i>Schizophrenia Research</i> , 2020, 216, 104-110.	1.1	16
874	Coping with family stress in individuals at clinical high-risk for psychosis. <i>Schizophrenia Research</i> , 2020, 216, 222-228.	1.1	13
875	Changes in perceived neighborhood ethnic density among racial and ethnic minorities over time and psychotic-like experiences. <i>Schizophrenia Research</i> , 2020, 216, 330-338.	1.1	16
876	Rare copy number variants in individuals at clinical high risk for psychosis: Enrichment of synaptic/brain-related functional pathways. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2020, 183, 140-151.	1.1	0
877	Into and out of exile: an integrative phenomenological understanding of Attenuated Psychosis Syndrome. <i>Psychosis</i> , 2020, 12, 162-171.	0.4	1
878	Clinical Validity of DSM-5 Attenuated Psychosis Syndrome. <i>JAMA Psychiatry</i> , 2020, 77, 311.	6.0	82
879	Duration of the psychosis prodrome. <i>Schizophrenia Research</i> , 2020, 216, 443-449.	1.1	16
880	Symptomatic psychosis risk and physiological fluctuation in functional MRI data. <i>Schizophrenia Research</i> , 2020, 216, 339-346.	1.1	2
881	Grey-matter abnormalities in clinical high-risk participants for psychosis. <i>Schizophrenia Research</i> , 2020, 226, 120-128.	1.1	12
882	Terminology and assessment tools of psychosis: A systematic narrative review. <i>Psychiatry and Clinical Neurosciences</i> , 2020, 74, 226-246.	1.0	27
883	Simulation and social behavior: an fMRI study of neural processing during simulation in individuals with and without risk for psychosis. <i>Social Cognitive and Affective Neuroscience</i> , 2020, 15, 165-174.	1.5	1
884	Replication of Associations With Psychotic-Like Experiences in Middle Childhood From the Adolescent Brain Cognitive Development (ABCD) Study. <i>Schizophrenia Bulletin Open</i> , 2020, 1, sgaa009.	0.9	26
885	Cross Validation of the Prodromal Questionnaire 16-Item Version in an Adolescent Help-Seeking Population. <i>Schizophrenia Bulletin Open</i> , 2020, 1, .	0.9	7
886	Temporal relationship between onset of positive and negative symptoms in the course of attenuated psychotic illness. <i>Psychiatry Research</i> , 2020, 293, 113439.	1.7	0
887	Thematic content of obsessive and compulsive symptoms and conversion to psychosis in a clinical high-risk cohort. <i>Microbial Biotechnology</i> , 2020, 15, 1423-1428.	0.9	2
888	Developmental influences on symptom expression in antipsychotic-naïve first-episode psychosis. <i>Psychological Medicine</i> , 2022, 52, 1698-1709.	2.7	8
889	Delivering on the public health promise of the psychosis risk paradigm. <i>World Psychiatry</i> , 2020, 19, 391-392.	4.8	1

#	ARTICLE	IF	CITATIONS
890	Cortical Complexity in People at Ultra-High-Risk for Psychosis Moderated by Childhood Trauma. <i>Frontiers in Psychiatry</i> , 2020, 11, 594466.	1.3	6
891	Structural MRI Study of the Planum Temporale in Individuals With an At-Risk Mental State Using Labeled Cortical Distance Mapping. <i>Frontiers in Psychiatry</i> , 2020, 11, 593952.	1.3	3
892	DSM-5 Attenuated Psychosis Syndrome in Adolescents Hospitalized With Non-psychotic Psychiatric Disorders. <i>Frontiers in Psychiatry</i> , 2020, 11, 568982.	1.3	7
893	Cognitive dysfunction in a psychotropic medication-naïve, clinical high-risk sample from the ShangHai-At-Risk-for-Psychosis (SHARP) study: Associations with clinical outcomes. <i>Schizophrenia Research</i> , 2020, 226, 138-146.	1.1	18
894	Enhancing Psychosis Risk Prediction Through Computational Cognitive Neuroscience. <i>Schizophrenia Bulletin</i> , 2020, 46, 1346-1352.	2.3	13
895	What you want may not be what you like: A test of the aberrant salience hypothesis in schizophrenia risk. <i>Cognitive, Affective and Behavioral Neuroscience</i> , 2020, 20, 873-887.	1.0	8
896	Neurocognitive and social cognitive training for youth at clinical high risk (CHR) for psychosis: A randomized controlled feasibility trial. <i>Schizophrenia Research</i> , 2022, 243, 302-306.	1.1	12
897	Abnormalities in white matter tracts in the fronto-striatal-thalamic circuit are associated with verbal performance in 22q11.2DS. <i>Schizophrenia Research</i> , 2020, 224, 141-150.	1.1	5
898	Altered amygdala-based functional connectivity in individuals with attenuated psychosis syndrome and first-episode schizophrenia. <i>Scientific Reports</i> , 2020, 10, 17711.	1.6	3
899	Psychosis-Spectrum Screening and Assessment within a College Counseling Center: A Pilot Study Exploring Feasibility and Clinical Need. <i>Journal of College Student Psychotherapy</i> , 2022, 36, 201-222.	0.6	3
900	Decreased mitochondrial electron transport proteins and increased complement mediators in plasma neural-derived exosomes of early psychosis. <i>Translational Psychiatry</i> , 2020, 10, 361.	2.4	24
901	Electrophysiological network alterations in adults with copy number variants associated with high neurodevelopmental risk. <i>Translational Psychiatry</i> , 2020, 10, 324.	2.4	8
902	Longitudinal Assessment and Functional Neuroimaging of Movement Variability Reveal Novel Insights Into Motor Dysfunction in Clinical High Risk for Psychosis. <i>Schizophrenia Bulletin</i> , 2020, 46, 1567-1576.	2.3	9
903	Self-Esteem in individuals at ultra-high risk for psychosis: A systematic review and meta-analysis. <i>Microbial Biotechnology</i> , 2021, 15, 775-786.	0.9	8
905	Early language measures associated with later psychosis features in 22q11.2 deletion syndrome. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2020, 183, 392-400.	1.1	10
906	Mismatch Negativity Predicts Remission and Neurocognitive Function in Individuals at Ultra-High Risk for Psychosis. <i>Frontiers in Psychiatry</i> , 2020, 11, 770.	1.3	22
907	Assessing self-reported clinical high risk symptoms: The psychometric properties of the polish version of the prodromal questionnaire-brief and a proposal for an alternative approach to scoring. <i>Microbial Biotechnology</i> , 2020, 15, 1059-1071.	0.9	1
908	Defeatist performance beliefs in individuals at clinical high-risk for psychosis and outpatients with chronic schizophrenia. <i>Microbial Biotechnology</i> , 2021, 15, 865-873.	0.9	13

#	ARTICLE	IF	CITATIONS
909	Auditory Mismatch Negativity in Youth Affected by Autism Spectrum Disorder With and Without Attenuated Psychosis Syndrome. <i>Frontiers in Psychiatry</i> , 2020, 11, 555340.	1.3	5
910	Neurodevelopmental predictors of conversion to schizophrenia and other psychotic disorders in adolescence and young adulthood in clinical high risk individuals. <i>Schizophrenia Research</i> , 2020, 224, 170-172.	1.1	7
911	Imaging synaptic dopamine availability in individuals at clinical high-risk for psychosis: a [11C]-(+)-PHNO PET with methylphenidate challenge study. <i>Molecular Psychiatry</i> , 2021, 26, 2504-2513.	4.1	9
912	Secondary Prevention of Depressive Prodrome in Adolescents: Before and after Attending a Jogging Program on Campus. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 7705.	1.2	3
913	Using common genetic variation to examine phenotypic expression and risk prediction in 22q11.2 deletion syndrome. <i>Nature Medicine</i> , 2020, 26, 1912-1918.	15.2	90
914	Psychotic symptoms are associated with lower cortical folding in youth at risk for mental illness. <i>Journal of Psychiatry and Neuroscience</i> , 2020, 45, 125-133.	1.4	8
915	Timing of menarche and abnormal hippocampal connectivity in youth at clinical-high risk for psychosis. <i>Psychoneuroendocrinology</i> , 2020, 117, 104672.	1.3	16
916	Validity and utility of Hierarchical Taxonomy of Psychopathology (HiTOP): I. Psychosis superspectrum. <i>World Psychiatry</i> , 2020, 19, 151-172.	4.8	154
917	Discriminative Analysis of Symptom Severity and Ultra-High Risk of Schizophrenia Using Intrinsic Functional Connectivity. <i>International Journal of Neural Systems</i> , 2020, 30, 2050047.	3.2	8
918	Defense mechanisms in adolescents at high risk of developing psychosis: An empirical investigation. <i>Research in Psychotherapy: Psychopathology, Process and Outcome</i> , 2020, 23, 456.	0.4	20
919	Abnormal Development and Dysconnectivity of Distinct Thalamic Nuclei in Patients With 22q11.2 Deletion Syndrome Experiencing Auditory Hallucinations. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2020, 5, 875-890.	1.1	21
920	Psychological interventions for people with psychotic experiences: A systematic review and meta-analysis of controlled and uncontrolled effectiveness and economic studies. <i>Australian and New Zealand Journal of Psychiatry</i> , 2020, 54, 673-695.	1.3	12
921	White Matter Connectivity in Youth at Risk for Serious Mental Illness: A Longitudinal Analysis. <i>Psychiatry Research - Neuroimaging</i> , 2020, 302, 111106.	0.9	4
922	Psychosis risk is associated with decreased white matter integrity in limbic network corticostriatal tracts. <i>Psychiatry Research - Neuroimaging</i> , 2020, 301, 111089.	0.9	3
923	A review of negative symptom assessment strategies in youth at clinical high-risk for psychosis. <i>Schizophrenia Research</i> , 2020, 222, 104-112.	1.1	43
924	Childhood maltreatment in individuals at risk of psychosis: Results from the Brazilian SSAPP cohort. <i>International Journal of Social Psychiatry</i> , 2020, 66, 566-575.	1.6	3
925	Atypical processing of uncertainty in individuals at risk for psychosis. <i>NeuroImage: Clinical</i> , 2020, 26, 102239.	1.4	37
926	Electrophysiological responses to images ranging in motivational salience: Attentional abnormalities associated with schizophrenia-spectrum disorder risk. <i>Scientific Reports</i> , 2020, 10, 4578.	1.6	11

#	ARTICLE	IF	CITATIONS
927	Visual memory and psychotic symptoms in youth. <i>Cognitive Neuropsychiatry</i> , 2020, 25, 231-241.	0.7	1
928	Subcortical Brain Volume Abnormalities in Individuals With an At-risk Mental State. <i>Schizophrenia Bulletin</i> , 2020, 46, 834-845.	2.3	19
929	Triple Network Model Dynamically Revisited: Lower Salience Network State Switching in Pre-psychosis. <i>Frontiers in Physiology</i> , 2020, 11, 66.	1.3	49
930	White matter alterations and the conversion to psychosis: A combined diffusion tensor imaging and glutamate 1H MRS study. <i>Schizophrenia Research</i> , 2022, 249, 85-92.	1.1	8
931	Altered cerebellocerebral structural covariance in individuals with attenuated psychosis syndrome. <i>Asian Journal of Psychiatry</i> , 2020, 53, 102238.	0.9	1
932	Identifying psychosis spectrum youth using support vector machines and cerebral blood perfusion as measured by arterial spin labeled fMRI. <i>NeuroImage: Clinical</i> , 2020, 27, 102304.	1.4	5
933	Cellular and extracellular white matter alterations indicate conversion to psychosis among individuals at clinical high-risk for psychosis. <i>World Journal of Biological Psychiatry</i> , 2020, 22, 1-14.	1.3	13
934	The neurobiology of suicide in psychosis: A systematic review. <i>Journal of Psychopharmacology</i> , 2020, 34, 811-819.	2.0	10
935	The relationship of genetic susceptibilities for psychosis with physiological fluctuation in functional MRI data. <i>Psychiatry Research - Neuroimaging</i> , 2020, 297, 111031.	0.9	2
936	Consistent Exposure to Psychosocial Stressors and Progressive Intolerance to Stress in Individuals at Clinical High Risk for Psychosis. <i>Schizophrenia Bulletin Open</i> , 2020, 1, .	0.9	7
937	A Public Health Perspective on Screening for Psychosis Within General Practice Clinics. <i>Frontiers in Psychiatry</i> , 2019, 10, 1025.	1.3	11
938	At-risk mental states. , 2020, , 47-57.		5
939	Clinical risk factors for psychosis. , 2020, , 249-268.		2
940	Screening for the at-risk mental state in educational settings: A systematic review. <i>Microbial Biotechnology</i> , 2020, 14, 643-654.	0.9	8
941	Suicidal thoughts and behavior (STB) and psychosis-risk symptoms among psychiatrically hospitalized adolescents. <i>Schizophrenia Research</i> , 2020, 218, 240-246.	1.1	17
942	Compensatory Cognitive Training for Latino Youth at Clinical High Risk for Psychosis: Study Protocol for a Randomized Controlled Trial. <i>Frontiers in Psychiatry</i> , 2019, 10, 951.	1.3	1
943	Pre-onset sub-threshold psychotic symptoms and cortical organization in the first episode of psychosis. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2020, 100, 109879.	2.5	4
944	Reduced activation of the ventromedial prefrontal cortex during self-referential processing in individuals at ultra-high risk for psychosis. <i>Australian and New Zealand Journal of Psychiatry</i> , 2020, 54, 528-538.	1.3	6

#	ARTICLE	IF	CITATIONS
945	Main Symptomatic Treatment Targets in Suspected and Early Psychosis: New Insights From Network Analysis. <i>Schizophrenia Bulletin</i> , 2020, 46, 884-895.	2.3	19
946	Delay discounting in youth at clinical high-risk for psychosis and adults with schizophrenia. <i>Psychological Medicine</i> , 2020, 51, 1-8.	2.7	12
947	Conversion to psychosis in adolescents and adults: similar proportions, different predictors. <i>Psychological Medicine</i> , 2021, 51, 2003-2011.	2.7	14
948	Molecular Genetic Risk for Psychosis Is Associated With Psychosis Risk Symptoms in a Population-Based UK Cohort: Findings From Generation Scotland. <i>Schizophrenia Bulletin</i> , 2020, 46, 1045-1052.	2.3	12
949	Goal-Directed-Behavior in 22q11.2 Deletion Syndrome: Implication for Social Dysfunctions and the Emergence of Negative Symptoms. <i>Frontiers in Psychiatry</i> , 2020, 11, 230.	1.3	1
950	Comprehensive phenotyping of neuropsychiatric traits in a multiplex 3q29 deletion family: a case report. <i>BMC Psychiatry</i> , 2020, 20, 184.	1.1	12
951	The DSM-5 proposal for attenuated psychosis syndrome: a history. <i>Psychological Medicine</i> , 2020, 50, 920-926.	2.7	7
952	Persistent negative symptoms in youth at clinical high risk for psychosis: A longitudinal study. <i>Schizophrenia Research</i> , 2021, 227, 28-37.	1.1	18
953	Structure of positive psychotic symptoms in individuals at clinical high risk for psychosis. <i>Microbial Biotechnology</i> , 2021, 15, 505-512.	0.9	6
954	Depression, family interaction and family intervention in adolescents at clinical high risk for psychosis. <i>Microbial Biotechnology</i> , 2021, 15, 360-366.	0.9	1
955	Decreasing risk of psychosis by sulforaphane study protocol for a randomized, double-blind, placebo-controlled, clinical multi-centre trial. <i>Microbial Biotechnology</i> , 2021, 15, 585-594.	0.9	6
956	Counterpoint. Early intervention for psychosis risk syndromes: Minimizing risk and maximizing benefit. <i>Schizophrenia Research</i> , 2021, 227, 10-17.	1.1	28
957	Cognitive insight in individuals with an at-risk mental state for psychosis: A meta-analysis. <i>Microbial Biotechnology</i> , 2021, 15, 449-456.	0.9	18
958	Childhood trauma and cognitive functioning in individuals at clinical high risk (CHR) for psychosis. <i>Development and Psychopathology</i> , 2021, 33, 53-64.	1.4	5
959	Neurophysiological Correlate of Emotion Regulation by Cognitive Reappraisal and Its Association With Psychotic Symptoms in Early Psychosis. <i>Schizophrenia Bulletin</i> , 2021, 47, 87-96.	2.3	11
960	Naturalistic conceptions of genetic optimism and precision psychiatry among those at clinical high-risk for psychosis. <i>Microbial Biotechnology</i> , 2021, 15, 742-745.	0.9	1
961	Association Between Circulating Lipids and Future Weight Gain in Individuals With an At-Risk Mental State and in First-Episode Psychosis. <i>Schizophrenia Bulletin</i> , 2021, 47, 160-169.	2.3	9
962	Sleep disturbances and the At Risk Mental State: A systematic review and meta-analysis. <i>Schizophrenia Research</i> , 2021, 227, 81-91.	1.1	19

#	ARTICLE	IF	CITATIONS
963	Identifying neural signatures mediating behavioral symptoms and psychosis onset: High-dimensional whole brain functional mediation analysis. <i>NeuroImage</i> , 2021, 226, 117508.	2.1	4
964	Impaired Sensorimotor Gating Using the Acoustic Prepulse Inhibition Paradigm in Individuals at a Clinical High Risk for Psychosis. <i>Schizophrenia Bulletin</i> , 2021, 47, 128-137.	2.3	10
965	Theta Phase Synchrony Is Sensitive to Corollary Discharge Abnormalities in Early Illness Schizophrenia but Not in the Psychosis Risk Syndrome. <i>Schizophrenia Bulletin</i> , 2021, 47, 415-423.	2.3	14
966	Concordance and factor structure of subthreshold positive symptoms in youth at clinical high risk for psychosis. <i>Schizophrenia Research</i> , 2021, 227, 72-77.	1.1	4
967	Lower speech connectedness linked to incidence of psychosis in people at clinical high risk. <i>Schizophrenia Research</i> , 2021, 228, 493-501.	1.1	40
968	Sensorimotor and Activity Psychosis-Risk (SMAP-R) Scale: An Exploration of Scale Structure With Replication and Validation. <i>Schizophrenia Bulletin</i> , 2021, 47, 332-343.	2.3	14
969	Adaptability and cohesion in youth at clinical high-risk for psychosis: A multi-informant approach. <i>Schizophrenia Research</i> , 2021, 228, 604-610.	1.1	1
970	Neuroimaging Phenotypes Associated With Risk and Resilience for Psychosis and Autism Spectrum Disorders in 22q11.2 Microdeletion Syndrome. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2021, 6, 211-224.	1.1	4
971	When to initiate antipsychotic treatment for psychotic symptoms: At the premorbid phase or first episode of psychosis?. <i>Australian and New Zealand Journal of Psychiatry</i> , 2021, 55, 314-323.	1.3	8
972	Reduced GABA/glutamate in the thalamus of individuals at clinical high risk for psychosis. <i>Neuropsychopharmacology</i> , 2021, 46, 1133-1139.	2.8	17
973	Subtypes of Clinical High Risk for Psychosis that Predict Antipsychotic Effectiveness in Long-Term Remission. <i>Pharmacopsychiatry</i> , 2021, 54, 23-30.	1.7	4
974	Brain structural trajectories in youth at familial risk for schizophrenia or bipolar disorder according to development of psychosis spectrum symptoms. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2021, 62, 780-789.	3.1	14
975	Deconstructing Negative Symptoms in Individuals at Clinical High-Risk for Psychosis: Evidence for Volitional and Diminished Emotionality Subgroups That Predict Clinical Presentation and Functional Outcome. <i>Schizophrenia Bulletin</i> , 2021, 47, 54-63.	2.3	23
976	Baseline Cortical Thickness Reductions in Clinical High Risk for Psychosis: Brain Regions Associated with Conversion to Psychosis Versus Non-Conversion as Assessed at One-Year Follow-Up in the Shanghai-At-Risk-for-Psychosis (SHARP) Study. <i>Schizophrenia Bulletin</i> , 2021, 47, 562-574.	2.3	25
977	Calculating individualized risk components using a mobile app-based risk calculator for clinical high risk of psychosis: findings from ShangHai At Risk for Psychosis (SHARP) program. <i>Psychological Medicine</i> , 2021, 51, 653-660.	2.7	24
978	Recency and intensification of positive symptoms enhance prediction of conversion to syndromal psychosis in clinical high-risk patients. <i>Psychological Medicine</i> , 2021, 51, 112-120.	2.7	3
979	Psychotic Disorders and Risk-States in Adolescence: Etiology, Developmental Considerations, and Treatment. , 2021, , .		0
980	Computerized Assessment of Psychosis Risk. <i>Journal of Psychiatry and Brain Science</i> , 2021, 6, .	0.3	3

#	ARTICLE	IF	CITATIONS
981	Structured Diagnostic Interview Schedules. , 2021, , .		1
982	Early Interventions in High Risk Groups for Psychotic Disorders. <i>Noropsikiyatri Arsivi</i> , 2021, 58, S7-S11.	0.2	1
983	First-Episode & Early Psychosis in Transition-Age Youth. , 2021, , 277-310.		0
985	Does Hippocampal Volume Predict Transition to Psychosis in a High-Risk Group? A Meta-Analysis. <i>Frontiers in Psychiatry</i> , 2020, 11, 614659.	1.3	12
986	Individualized risk components guiding antipsychotic delivery in patients with a clinical high risk of psychosis: application of a risk calculator. <i>Psychological Medicine</i> , 2021, , 1-10.	2.7	1
987	Early Detection of Ultra High Risk for Psychosis in a Norwegian Catchment Area: The Two Year Follow-Up of the Prevention of Psychosis Study. <i>Frontiers in Psychiatry</i> , 2021, 12, 573905.	1.3	12
988	Positive symptom phenotypes appear progressively in "EDiPS", a new animal model of the schizophrenia prodrome. <i>Scientific Reports</i> , 2021, 11, 4294.	1.6	6
989	Structural control energy of resting state functional brain states reveals less cost effective brain dynamics in psychosis vulnerability. <i>Human Brain Mapping</i> , 2021, 42, 2181-2200.	1.9	18
990	Sex differences in symptom severity, cognition and psychosocial functioning among individuals with at risk mental state for psychosis. <i>Microbial Biotechnology</i> , 2022, 16, 61-68.	0.9	3
991	Forecasting Remission From the Psychosis Risk Syndrome With Mismatch Negativity and P300: Potentials and Pitfalls. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2021, 6, 178-187.	1.1	7
992	The psychiatric phenotypes of 1q21 distal deletion and duplication. <i>Translational Psychiatry</i> , 2021, 11, 105.	2.4	6
993	Reliability and validity of the Korean version of the comprehensive assessment of at risk mental states. <i>Microbial Biotechnology</i> , 2021, 15, 1730-1737.	0.9	2
994	Anomalous brain gyrification patterns in major psychiatric disorders: a systematic review and transdiagnostic integration. <i>Translational Psychiatry</i> , 2021, 11, 176.	2.4	39
995	Thalamic dysconnectivity in the psychosis risk syndrome and early illness schizophrenia. <i>Psychological Medicine</i> , 2022, 52, 2767-2775.	2.7	12
996	The Structure of the Prodromal Questionnaire-16 (PQ-16): Exploratory and confirmatory factor analyses in a general non-seeking population sample. <i>Microbial Biotechnology</i> , 2022, 16, 239-246.	0.9	5
997	The representation of mental state information in schizophrenia and first-degree relatives: a multivariate pattern analysis of fMRI data. <i>Social Cognitive and Affective Neuroscience</i> , 2021, 16, 608-620.	1.5	6
998	Cognitive subtypes in recent onset psychosis: distinct neurobiological fingerprints?. <i>Neuropsychopharmacology</i> , 2021, 46, 1475-1483.	2.8	15
999	Cognitive heterogeneity in the offspring of patients with schizophrenia or bipolar disorder: a cluster analysis across family risk. <i>Journal of Affective Disorders</i> , 2021, 282, 757-765.	2.0	7

#	ARTICLE	IF	CITATIONS
1000	Enhancing attention and memory of individuals at clinical high risk for psychosis with mHealth technology. <i>Asian Journal of Psychiatry</i> , 2021, 58, 102587.	0.9	6
1001	Major depressive disorder and attenuated negative symptoms in a child and adolescent sample with psychosis risk syndrome: the CAPRIS study. <i>European Child and Adolescent Psychiatry</i> , 2021, , 1.	2.8	1
1002	Updating and characterizing neuroanatomical markers in high-risk subjects, recently diagnosed and chronic patients with schizophrenia: A revised coordinate-based meta-analysis. <i>Neuroscience and Biobehavioral Reviews</i> , 2021, 123, 83-103.	2.9	40
1003	Development of a computerized adaptive diagnostic screening tool for psychosis. <i>Schizophrenia Research</i> , 2022, 245, 116-121.	1.1	6
1004	Long-term effects of early treatment with SSRIs on cognition and brain development in individuals with 22q11.2 deletion syndrome. <i>Translational Psychiatry</i> , 2021, 11, 336.	2.4	7
1005	Predictive validity of psychosis risk models when applied to adolescent psychiatric patients. <i>Psychological Medicine</i> , 2021, , 1-12.	2.7	4
1006	Sleep abnormalities in individuals at clinical high risk for psychosis. <i>Journal of Psychiatric Research</i> , 2021, 137, 328-334.	1.5	10
1007	Screening of the college students at clinical high risk for psychosis in China: a multicenter epidemiological study. <i>BMC Psychiatry</i> , 2021, 21, 253.	1.1	5
1008	Abnormal Gesture Perception and Clinical High-Risk for Psychosis. <i>Schizophrenia Bulletin</i> , 2021, 47, 938-947.	2.3	13
1009	Neutrophils to lymphocytes ratio and psychosis in 22q11.2 deletion syndrome – Clinical and scientific implications. <i>Schizophrenia Research</i> , 2021, 231, 164-169.	1.1	3
1010	Impaired error-related processing in patients with first-episode psychosis and subjects at clinical high risk for psychosis: An event-related potential study. <i>Psychiatry and Clinical Neurosciences</i> , 2021, 75, 219-226.	1.0	4
1011	Increased face detection responses on the mooney faces test in people at clinical high risk for psychosis. <i>NPJ Schizophrenia</i> , 2021, 7, 26.	2.0	9
1012	White matter changes in psychosis risk relate to development and are not impacted by the transition to psychosis. <i>Molecular Psychiatry</i> , 2021, 26, 6833-6844.	4.1	15
1013	First help-seeking attempt before and after psychosis onset: measures of delay and aversive pathways to care. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2021, 56, 1359-1369.	1.6	18
1014	A binational study assessing risk and resilience factors in 22q11.2 deletion syndrome. <i>Journal of Psychiatric Research</i> , 2021, 138, 319-325.	1.5	5
1015	Prevalence and Functional Consequences of Social Anxiety in Individuals at Clinical High-Risk for Psychosis: Perspective from a Community Sample Comparison. <i>Schizophrenia Bulletin Open</i> , 2021, 2, sgab025.	0.9	7
1016	Sex-Related Differences in White Matter Asymmetry and Its Implications for Verbal Working Memory in Psychosis High-Risk State. <i>Frontiers in Psychiatry</i> , 2021, 12, 686967.	1.3	7
1017	Influence of migration on the thought process of individuals at ultra-high risk for psychosis. <i>Revista Brasileira De Psiquiatria</i> , 2021, 43, 285-288.	0.9	3

#	ARTICLE	IF	CITATIONS
1018	Experiences of Psychosis Among Transition-Age Youth Attending an Outpatient Clinic in a Low-Resourced Community. <i>Journal of the Society for Social Work and Research</i> , 2021, 12, 409-419.	0.9	1
1019	A qualitative study on identity in individuals at clinical high risk for psychosis: "œ Why does it have to be one thing?â€. <i>Psychiatric Rehabilitation Journal</i> , 2022, 45, 44-53.	0.8	7
1020	Basic self-disturbance in subjects at clinical high risk for psychosis: Relationship with clinical and functional outcomes at one year follow-up. <i>Psychiatry Research</i> , 2021, 300, 113942.	1.7	3
1021	Inter-rater reliability of subthreshold psychotic symptoms in individuals with 22q11.2 deletion syndrome. <i>Journal of Neurodevelopmental Disorders</i> , 2021, 13, 23.	1.5	1
1022	An exploratory magnetic resonance imaging study of suicidal ideation in individuals at clinical high-risk for psychosis. <i>Psychiatry Research - Neuroimaging</i> , 2021, 312, 111287.	0.9	1
1023	From Learning to Memory: A Comparison Between Verbal and Non-verbal Skills in 22q11.2 Deletion Syndrome. <i>Frontiers in Psychiatry</i> , 2021, 12, 597681.	1.3	4
1024	Individualized vocational and educational support and training for youth at clinical high risk for psychosis. <i>Microbial Biotechnology</i> , 2022, 16, 492-499.	0.9	0
1025	Smaller subcortical volumes and enlarged lateral ventricles are associated with higher global functioning in young adults with 22q11.2 deletion syndrome with prodromal symptoms of schizophrenia. <i>Psychiatry Research</i> , 2021, 301, 113979.	1.7	1
1026	Shame and guilt in youth at ultra-high risk for psychosis. <i>Comprehensive Psychiatry</i> , 2021, 108, 152241.	1.5	5
1027	Reduced cortical thickness of the paracentral lobule in at-risk mental state individuals with poor 1-year functional outcomes. <i>Translational Psychiatry</i> , 2021, 11, 396.	2.4	8
1028	Psychosis in adolescents in Africa: A scoping review for current understanding and future directions. <i>Cogent Psychology</i> , 2021, 8, .	0.6	7
1029	Neurocognitive Assessments Are More Important Among Adolescents Than Adults for Predicting Psychosis in Clinical High Risk. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2022, 7, 56-65.	1.1	6
1030	Relations Among Anhedonia, Reinforcement Learning, and Global Functioning in Help-seeking Youth. <i>Schizophrenia Bulletin</i> , 2021, 47, 1534-1543.	2.3	4
1031	Associations between long-term psychosis risk, probabilistic category learning, and attenuated psychotic symptoms with cortical surface morphometry. <i>Brain Imaging and Behavior</i> , 2022, 16, 91-106.	1.1	2
1032	Glutathione as a Molecular Marker of Functional Impairment in Patients with At-Risk Mental State: 7-Tesla 1H-MRS Study. <i>Brain Sciences</i> , 2021, 11, 941.	1.1	8
1033	Treatment outcomes for young people at clinical high risk for psychosis: Data from a specialized clinic. <i>Microbial Biotechnology</i> , 2021, , .	0.9	2
1034	Timeâ€course of clinical symptoms in young people at ultraâ€high risk for transition to psychosis. <i>Microbial Biotechnology</i> , 2022, 16, 600-608.	0.9	3
1035	A meta-analysis of blood and salivary cortisol levels in first-episode psychosis and high-risk individuals. <i>Frontiers in Neuroendocrinology</i> , 2021, 62, 100930.	2.5	17

#	ARTICLE	IF	CITATIONS
1036	Dysmaturation Observed as Altered Hippocampal Functional Connectivity at Rest Is Associated With the Emergence of Positive Psychotic Symptoms in Patients With 22q11 Deletion Syndrome. <i>Biological Psychiatry</i> , 2021, 90, 58-68.	0.7	18
1037	No rest for the weary: Prevalence, impact and nature of sleep problems among young people at risk of psychosis. <i>Microbial Biotechnology</i> , 2022, 16, 651-658.	0.9	5
1038	Brain-Specific Oxysterols and Risk of Schizophrenia in Clinical High-Risk Subjects and Patients With Schizophrenia. <i>Frontiers in Psychiatry</i> , 2021, 12, 711734.	1.3	9
1039	Individuals at ultra-high risk of psychosis and first-degree relatives of patients with schizophrenia experience impaired family functionality and social support deficit in comparison to healthy controls. <i>Comprehensive Psychiatry</i> , 2021, 109, 152263.	1.5	5
1040	What is the actual accuracy of clinical prediction models? The case of transition to psychosis. <i>Neuroscience and Biobehavioral Reviews</i> , 2021, 127, 502-503.	2.9	2
1041	Predictors of internalized mental health stigma in a help-seeking sample of youth: The roles of psychosis-spectrum symptoms and family functioning. <i>Journal of Abnormal Psychology</i> , 2021, 130, 587-593.	2.0	10
1042	Psychotic-like experiences among 9,564 Kenyan adolescents and young adults. <i>Psychiatry Research</i> , 2021, 302, 113994.	1.7	15
1043	Family environmental factors in at-risk mental states for psychosis. <i>Clinical Psychology and Psychotherapy</i> , 2022, 29, 424-454.	1.4	2
1044	Reducing Stigma Among Youth at Risk for Psychosis: A Call to Action. <i>Schizophrenia Bulletin</i> , 2021, 47, 1512-1514.	2.3	3
1045	Systematic Review and Meta-analysis: Psychosis Risk in Children and Adolescents With an At-Risk Mental State. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2022, 61, 615-625.	0.3	22
1046	Novel Gyrfication Networks Reveal Links with Psychiatric Risk Factors in Early Illness. <i>Cerebral Cortex</i> , 2021, , .	1.6	2
1047	Further evidence that antipsychotic medication does not prevent long-term psychosis in higher-risk individuals. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2022, 272, 591-602.	1.8	9
1048	Recent stressful life events and stress sensitivity in children and adolescents at clinical risk for psychosis. <i>Psychiatry Research</i> , 2021, 303, 114017.	1.7	4
1049	Elevated emotion reactivity and emotion regulation in individuals at clinical high risk for developing psychosis and those diagnosed with a psychotic disorder. <i>Microbial Biotechnology</i> , 2021, , .	0.9	8
1050	Dopamine and glutamate in individuals at high risk for psychosis: a meta-analysis of <i>in vivo</i> imaging findings and their variability compared to controls. <i>World Psychiatry</i> , 2021, 20, 405-416.	4.8	22
1051	Does nicotine exposure during adolescence modify the course of schizophrenia-like symptoms? Behavioral analysis in a phencyclidine-induced mice model. <i>PLoS ONE</i> , 2021, 16, e0257986.	1.1	3
1052	Forecasting prognostic trajectories with mismatch negativity in early psychosis. <i>Psychological Medicine</i> , 2023, 53, 1489-1499.	2.7	5
1053	Individualized Prediction of Prodromal Symptom Remission for Youth at Clinical High Risk for Psychosis. <i>Schizophrenia Bulletin</i> , 2022, 48, 395-404.	2.3	7

#	ARTICLE	IF	CITATIONS
1054	Neural correlates of emotional processing in psychosis risk and onset – A systematic review and meta-analysis of fMRI studies. <i>Neuroscience and Biobehavioral Reviews</i> , 2021, 128, 780-788.	2.9	15
1055	Eveningness chronotype preference among individuals at clinical high risk for psychosis. <i>Schizophrenia Research</i> , 2021, 236, 3-8.	1.1	3
1056	Sensory gating is related to positive and disorganised schizotypy in contrast to smooth pursuit eye movements and latent inhibition. <i>Neuropsychologia</i> , 2021, 161, 107989.	0.7	0
1057	The neurobiology of auditory and visual perceptual abnormalities in a clinical high-risk for psychosis cohort: A pilot morphometric magnetic resonance imaging study. <i>Journal of Psychiatric Research</i> , 2021, 142, 240-242.	1.5	1
1058	Associations between childhood victimization, inflammatory biomarkers and psychotic phenomena in adolescence: A longitudinal cohort study. <i>Brain, Behavior, and Immunity</i> , 2021, 98, 74-85.	2.0	15
1059	Disorder agnostic network structure of psychopathology symptoms in youth. <i>Journal of Psychiatric Research</i> , 2021, 143, 246-253.	1.5	2
1060	A cognitive model of delusion propensity through dysregulated correlation detection. <i>Schizophrenia Research</i> , 2021, 237, 93-100.	1.1	1
1061	Anomalous self-experiences (ASE) in relation to clinical high risk for psychosis (CHR P), childhood trauma and general psychopathology among adolescent and young adult help seekers. <i>Schizophrenia Research</i> , 2021, 237, 182-189.	1.1	4
1062	Psychotic experiences in daily-life in adolescents and young adults with 22q11.2 deletion syndrome: An Ecological Momentary Assessment study. <i>Schizophrenia Research</i> , 2021, 238, 54-61.	1.1	5
1063	Cognitive predictors of longitudinal positive symptom course in clinical high risk for psychosis. <i>Schizophrenia Research: Cognition</i> , 2021, 26, 100210.	0.7	2
1064	The role of aberrant salience in the association between cannabis use frequency and psychotic experiences among racial and ethnic minoritized youth. <i>Schizophrenia Research</i> , 2021, 238, 36-43.	1.1	3
1065	The association between migrant status and transition in an ultra-high risk for psychosis population. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2021, 56, 943-952.	1.6	5
1066	Neural cell-derived plasma exosome protein abnormalities implicate mitochondrial impairment in first episodes of psychosis. <i>FASEB Journal</i> , 2021, 35, e21339.	0.2	22
1067	Reprint of: A review of negative symptom assessment strategies in youth at clinical high-risk for psychosis. <i>Schizophrenia Research</i> , 2021, 227, 63-71.	1.1	1
1068	Genetic and clinical analyses of psychosis spectrum symptoms in a large multiethnic youth cohort reveal significant link with ADHD. <i>Translational Psychiatry</i> , 2021, 11, 80.	2.4	11
1069	Translation and cross-cultural adaptation to Brazilian Portuguese of two brief screening tools for youth at risk of psychosis: the Prodromal Questionnaire (PQ-16) and the PRIME-Screen. <i>Trends in Psychiatry and Psychotherapy</i> , 2023, , .	0.4	1
1071	Assessment of Risk for Psychosis. , 2019, , 7-40.		3
1072	Reliability, Validity, Epidemiology, and Cultural Variation of the Structured Interview for Psychosis-Risk Syndromes (SIPS) and the Scale of Psychosis-Risk Symptoms (SOPS). , 2019, , 85-113.		21

#	ARTICLE	IF	CITATIONS
1073	Imaging as Tool to Investigate Psychoses and Antipsychotics. Handbook of Experimental Pharmacology, 2012, , 299-337.	0.9	8
1074	Measuring Anhedonia in Schizophrenia-Spectrum Disorders: A Selective Update. , 2014, , 19-54.		6
1075	An Analysis of the Pattern of Adaptive Emotion Regulation Associated with Low Paranoid Ideation in Healthy and Clinical Samples. Cognitive Therapy and Research, 2021, 45, 468-479.	1.2	3
1076	Suicidal behaviors and their relationship with psychotic-like symptoms in children and adolescents at clinical high risk for psychosis. Comprehensive Psychiatry, 2017, 78, 31-37.	1.5	12
1077	Validation of the Bullying Scale for Adults - Results of the PRONIA-study. Journal of Psychiatric Research, 2020, 129, 88-97.	1.5	8
1079	An Overview of Sociological Perspectives on the Definitions, Causes, and Responses to Mental Health and Illness. , 2017, , 6-19.		2
1080	The Measurement of Mental Disorder. , 2017, , 20-44.		3
1081	Defining Mental Disorders: Sociological Investigations into the Classification of Mental Disorders. , 2017, , 45-65.		5
1082	The Dual Continua Model: The Foundation of the Sociology of Mental Health and Mental Illness. , 2017, , 66-81.		7
1084	Studying Stress in the Twenty-First-Century: An Update of Stress Concepts and Research. , 2017, , 180-206.		13
1085	Understanding the Connection between Social Support and Mental Health. , 2017, , 207-223.		7
1086	Work and Unemployment as Stressors. , 2017, , 224-238.		1
1087	Socioeconomic Stratification and Mental Disorder. , 2017, , 239-265.		3
1088	Gender and Mental Health. , 2017, , 266-280.		4
1089	Race and Mental Health. , 2017, , 281-303.		4
1090	African American Women and Mental Well-Being: The Intersection of Race, Gender, and Socioeconomic Status. , 2017, , 304-321.		6
1091	Marital Status and Mental Health. , 2017, , 322-337.		2
1092	Well-Being across the Life Course. , 2017, , 338-356.		3

#	ARTICLE	IF	CITATIONS
1093	Labeling and Stigma. , 2017, , 393-408.		5
1094	The Context and Dynamic Social Processes Underlying Mental Health Treatment: Classic and Contemporary Approaches to Understanding Individuals' Responses to Illness in Light of the Affordable Care Act. , 2017, , 409-430.		1
1095	Premorbid social adjustment and association with attenuated psychotic symptoms in clinical high-risk and help-seeking youth. <i>Psychological Medicine</i> , 2018, 48, 983-997.	2.7	10
1097	Alterations in facial expressivity in youth at clinical high-risk for psychosis.. <i>Journal of Abnormal Psychology</i> , 2019, 128, 341-351.	2.0	23
1098	Deficits in auditory predictive coding in individuals with the psychosis risk syndrome: Prediction of conversion to psychosis.. <i>Journal of Abnormal Psychology</i> , 2020, 129, 599-611.	2.0	15
1099	Telepsychotherapy with youth at clinical high risk for psychosis: Clinical issues and best practices during the COVID-19 pandemic.. <i>Journal of Psychotherapy Integration</i> , 2020, 30, 304-331.	0.7	36
1100	The Inventory of Psychotic-Like Anomalous Self-Experiences (IPASE): Development and validation.. <i>Psychological Assessment</i> , 2017, 29, 13-25.	1.2	49
1101	General psychopathology links burden of recent life events and psychotic symptoms in a network approach. <i>NPJ Schizophrenia</i> , 2020, 6, 40.	2.0	28
1105	Disorganized Symptoms and Executive Functioning Predict Impaired Social Functioning in Subjects at Risk for Psychosis. <i>Journal of Neuropsychiatry and Clinical Neurosciences</i> , 2011, 23, 457-60.	0.9	11
1106	Portland Identification and Early Referral: A Community-Based System for Identifying and Treating Youths at High Risk of Psychosis. <i>Psychiatric Services</i> , 2010, 61, 512-5.	1.1	23
1107	Real-world effectiveness of antipsychotic treatment in psychosis prevention in a 3-year cohort of 517 individuals at clinical high risk from the SHARP (ShangHai At Risk for Psychosis). <i>Australian and New Zealand Journal of Psychiatry</i> , 2020, 54, 696-706.	1.3	24
1108	Improving early recognition and intervention in people at increased risk for the development of bipolar disorder: study protocol of a prospective-longitudinal, naturalistic cohort study (Early-BipoLife). <i>International Journal of Bipolar Disorders</i> , 2020, 8, 22.	0.8	18
1109	Advances in clinical staging, early intervention, and the prevention of psychosis. <i>F1000Research</i> , 2019, 8, 2027.	0.8	14
1110	Polish version of the Structured Interview for Psychosis-Risk Syndromes (SIPS) – description of the tool. <i>Psychiatria Polska</i> , 2019, 53, 561-575.	0.2	4
1111	CSF Metabolic and Proteomic Profiles in Patients Prodromal for Psychosis. <i>PLoS ONE</i> , 2007, 2, e756.	1.1	93
1112	Are Lay People Good at Recognising the Symptoms of Schizophrenia?. <i>PLoS ONE</i> , 2013, 8, e52913.	1.1	14
1113	Increased Intra-Individual Variability of Cognitive Processing in Subjects at Risk Mental State and Schizophrenia Patients. <i>PLoS ONE</i> , 2013, 8, e78354.	1.1	34
1114	Family Perception and 6-Month Symptomatic and Functioning Outcomes in Young Adolescents at Clinical High Risk for Psychosis in a General Population in China. <i>PLoS ONE</i> , 2015, 10, e0138361.	1.1	11

#	ARTICLE	IF	CITATIONS
1115	Psychometric Properties of Prodromal Questionnaire-Brief Version among Chinese Help-Seeking Individuals. PLoS ONE, 2016, 11, e0148935.	1.1	26
1116	GABA levels and TSPO expression in people at clinical high risk for psychosis and healthy volunteers: a PET-MRS study. Journal of Psychiatry and Neuroscience, 2019, 44, 111-119.	1.4	26
1117	Bir grup Åizofreni hastasÄ±nda prodromal evrede risk belirteÅlerinin retrospektif deÄylerlendirilmesi. Åukurova Åeniversitesi TÄ±p FakÅtesi Dergisi, 2016, 41, 437-446.	0.0	2
1118	The Assessment of Attenuated Psychotic Symptoms in Adolescents: Concepts, Practical Approaches and Prediction of Risk. Adolescent Psychiatry (Hilversum, Netherlands), 2012, 2, 153-162.	0.1	4
1119	E-Clinical High Risk for Psychosis: Viewpoint on Potential of Digital Innovations for Preventive Psychiatry. JMIR Mental Health, 2019, 6, e14581.	1.7	16
1120	Validation of the Korean version of the 16-Item Prodromal Questionnaire in a Non-Help-Seeking College Population. Psychiatry Investigation, 2018, 15, 111-117.	0.7	19
1121	Assessing behavior and cognition in rodents, nonhuman primates, and humans: where are the limits of translation?. Dialogues in Clinical Neuroscience, 2019, 21, 249-259.	1.8	19
1122	Prevalence of Attenuated Psychotic Symptoms and Their Relationship With DSM-IV Diagnoses in a General Psychiatric Outpatient Clinic. Journal of Clinical Psychiatry, 2013, 74, 149-155.	1.1	27
1123	Impact of Psychiatric Comorbidity and Cognitive Deficit on Function in 22q11.2 Deletion Syndrome. Journal of Clinical Psychiatry, 2015, 76, e1262-e1270.	1.1	20
1124	A Supervised Exercise Intervention for Youth at Risk for Psychosis. Journal of Clinical Psychiatry, 2017, 78, e1167-e1173.	1.1	23
1125	Complementary and Alternative Medicine (CAM). Journal of Clinical Psychiatry, 2009, 70, 4-6.	1.1	102
1126	The Reliability and Validity of the Korean Version of the Structured Interview for Prodromal Syndrome. Psychiatry Investigation, 2010, 7, 257.	0.7	57
1127	Long-term Efficacy and Tolerability of Perospirone for Young Help-seeking People at Clinical High Risk: a Preliminary Open Trial. Clinical Psychopharmacology and Neuroscience, 2013, 11, 132-136.	0.9	13
1128	Salivary Metabolomics Reveals that Metabolic Alterations Precede the Onset of Schizophrenia. Journal of Proteome Research, 2021, 20, 5010-5023.	1.8	9
1129	Thalamocortical dysrhythmia in patients with schizophrenia spectrum disorder and individuals at clinical high risk for psychosis. Neuropsychopharmacology, 2022, 47, 673-680.	2.8	8
1130	Volume Reduction of the Dorsal Lateral Prefrontal Cortex Prior to the Onset of Frank Psychosis in Individuals with an At-Risk Mental State. Cerebral Cortex, 2022, 32, 2245-2253.	1.6	1
1131	Clinical Endophenotypes: Implications for Genetic and Clinical Research. Medical Psychiatry, 2007, , 153-172.	0.2	0
1132	Clinical Endophenotypes: Implications for Genetic and Clinical Research. , 2007, , 165-184.		0

#	ARTICLE	IF	CITATIONS
1133	Functional and Structural Endophenotypes in Schizophrenia. , 2009, , 67-85.		0
1134	Prediction of Psychosis Through the Prodromal Syndrome. , 2010, , 251-266.		0
1135	Case Finding and Screening. , 2010, , 45-61.		0
1137	Is psychodynamic psychotherapy an effective intervention for individuals at ultra-high risk (UHR) of psychosis?: a case report. <i>Jornal Brasileiro De Psiquiatria</i> , 2012, 61, 266-270.	0.2	1
1140	PRODROMALNA FAZA U RAZVOJU ÅIZOFRENE PSIHOZE SA RANIM POÅÆETKOM - PRIKAZ BOLESNIKA. <i>Acta Medica Medianae</i> , 2013, , 19-24.	0.0	0
1144	Åizofreni ve DiÅYer Psikozlarda Risk SendromlarÅ± ve Risk Belirlenmesinde KullanÅ±lan Å–IÅSekler. <i>Arsiv Kaynak Tarama Dergisi</i> , 2015, 24, 494.	0.1	0
1146	Neurodevelopmental Genomic Strategies in the Study of the Psychosis Spectrum. <i>Nebraska Symposium on Motivation</i> , 2016, 63, 5-30.	0.9	0
1147	Dysregulation of Dopamine Systems in a Developmental Disruption Model of Schizophrenia. <i>Handbook of Behavioral Neuroscience</i> , 2016, 23, 107-124.	0.7	3
1148	Delaware CORE: Early Psychosis Prevention in the First State. <i>Delaware Journal of Public Health</i> , 2016, 2, 70-71.	0.2	0
1151	Mental Illness and the Criminal Justice System. , 2017, , 467-492.		1
1154	Community Mental Health Care Organizations. , 2017, , 431-446.		1
1156	Cultural Diversity and Mental Health Treatment. , 2017, , 493-511.		2
1158	The Mental Health Consumers/Survivors Movement in the US. , 2017, , 529-549.		1
1168	Mental Health and Terrorism. , 2017, , 357-386.		2
1174	Attenuated Psychosis Syndromes Among Latino-American Youth and Young Adults in the United States: Early Identification and Intervention. , 2019, , 237-256.		0
1175	Medical Causes of Psychosis: Lessons for Individuals with Attenuated Psychosis Syndromes. , 2019, , 161-183.		1
1176	Attenuated Psychosis Syndromes Among Youth and Young Adults in China: Early Identification and Intervention. , 2019, , 301-310.		0
1177	Behandlung unter besonderen Bedingungen (Modul 4c). , 2019, , 181-254.		0

#	ARTICLE	IF	CITATIONS
1178	Comment d'écarter les jeunes à haut risque de transition psychotique?. , 2019, , 27-36.		0
1179	Attenuated Psychosis Syndromes Among Mexican Youth and Young Adults: A Culturally Relevant Case Illustration Approach. , 2019, , 257-277.		0
1180	Clinical High Risk for Psychosis Syndromes Among Swiss and German Youth and Young Adults: Early Identification and Intervention. , 2019, , 115-142.		0
1183	Predicting conversion to psychosis in clinical high risk patients using resting-state functional MRI features. , 2019, , .		0
1190	Alterations in facial expressions of emotion: Determining the promise of ultrathin slicing approaches and comparing human and automated coding methods in psychosis risk.. Emotion, 2022, 22, 714-724.	1.5	15
1191	Translation and validation of the Structured Interview for Prodromal Syndromes (SIPS) to Portuguese. Revista Brasileira De Psiquiatria, 2021, 43, 560-562.	0.9	5
1192	Salivary microbiome profiling reveals a dysbiotic schizophrenia-associated microbiota. NPJ Schizophrenia, 2021, 7, 51.	2.0	22
1193	Plasmatic endocannabinoids are decreased in subjects with ultra-high risk of psychosis. European Journal of Neuroscience, 2022, 55, 1079-1087.	1.2	5
1194	Genuine and non-genuine smiles in individuals meeting criteria for a clinical high-risk syndrome. Microbial Biotechnology, 2021, , .	0.9	2
1195	Attenuated Psychosis Syndrome. , 2020, , 159-176.		0
1196	Community Psychosis Risk Screening: An Instrument Development Investigation. Journal of Psychiatry and Brain Science, 2020, 5, .	0.3	13
1197	A randomized Phase II trial evaluating efficacy, safety, and tolerability of oral BI 409306 in attenuated psychosis syndrome: Design and rationale. Microbial Biotechnology, 2021, 15, 1315-1325.	0.9	7
1198	Linking language features to clinical symptoms and multimodal imaging in individuals at clinical high risk for psychosis. European Psychiatry, 2020, 63, e72.	0.1	11
1200	Prediction and Prevention in the Clinical High-Risk for Psychosis Paradigm: A Review of the Current Status and Recommendations for Future Directions of Inquiry. Frontiers in Psychiatry, 2021, 12, 770774.	1.3	17
1201	Cognitive Patterns and Conversion in a Representative Sample of Individuals at Risk for Psychosis. Journal of Nervous and Mental Disease, 2021, Publish Ahead of Print, .	0.5	2
1202	Racial microaggressions and major discriminatory events explain ethnoracial differences in psychotic experiences. Schizophrenia Research, 2023, 253, 5-13.	1.1	13
1204	Schizophrenia in Children and Adolescents. , 2008, , 391-399.		0
1205	Relationship Between Symptomatic Dimensions and Global Functioning of Non-Help-Seeking Individuals at Risk for Psychosis. Journal of Nervous and Mental Disease, 2020, 208, 953-957.	0.5	3

#	ARTICLE	IF	CITATIONS
1206	Cannabis and Psychosis: What Can Daily Diaries Tell Us About Who is Vulnerable?. Primary Psychiatry First in Applied Psychiatric Medicine, 2009, 16, 44-48.	1.0	2
1207	Cognitive and psychiatric predictors to psychosis in velocardiofacial syndrome: a 3-year follow-up study. Journal of the American Academy of Child and Adolescent Psychiatry, 2010, 49, 333-44.	0.3	88
1209	Psychosis risk syndrome is not prodromal psychosis. Shanghai Archives of Psychiatry, 2015, 27, 42-4.	0.7	3
1210	EARLY DETECTION AND INTERVENTION FOR PSYCHOSIS: PERSPECTIVES FROM NORTH AMERICA. Clinical Neuropsychiatry, 2008, 5, 263-272.	0.0	5
1211	Transition to Psychosis: Evaluation of the First-Degree Relatives of Patients with Schizophrenia. Iranian Journal of Psychiatry, 2016, 11, 15-23.	0.4	4
1212	Functional Impairment and Clinical Correlates in Adolescents with Bipolar Disorder Compared to Healthy Controls. A Case-control Study. Journal of the Canadian Academy of Child and Adolescent Psychiatry, 2020, 29, 149-164.	0.7	1
1213	Functional Dysconnectivity in Ventral Striatocortical Systems in 22q11.2 Deletion Syndrome. Schizophrenia Bulletin, 2022, 48, 485-494.	2.3	2
1214	Plasma metabolic alterations and potential biomarkers in individuals at clinical high risk for psychosis. Schizophrenia Research, 2022, 239, 19-28.	1.1	7
1215	Differential contributions between objective and subjective psychosis-like experiences to suicidal ideation in college students. Microbial Biotechnology, 2021, , .	0.9	2
1216	Development of the Brief Educational Guide for Individuals in Need (BEGIN): A psychoeducation intervention for individuals at risk for psychosis. Microbial Biotechnology, 2021, , .	0.9	1
1217	Basic self-disturbance trajectories in clinical high risk for psychosis: a one-year follow-up study. European Archives of Psychiatry and Clinical Neuroscience, 2022, 272, 1007-1019.	1.8	2
1218	Diagnosis, prognosis, and treatment of brief psychotic episodes: a review and research agenda. Lancet Psychiatry, 2022, 9, 72-83.	3.7	24
1219	The clinical and functional outcomes of a large naturalistic cohort of young people accessing national early psychosis services. Australian and New Zealand Journal of Psychiatry, 2022, 56, 1265-1276.	1.3	6
1220	A Comprehensive Analysis of Cerebellar Volumes in the 22q11.2 Deletion Syndrome. Biological Psychiatry: Cognitive Neuroscience and Neuroimaging, 2023, 8, 79-90.	1.1	5
1221	Relationship Between Cognitive and Clinical Insight at Different Durations of Untreated Attenuated Psychotic Symptoms in High-Risk Individuals. Frontiers in Psychiatry, 2021, 12, 753130.	1.3	4
1222	Primary Psychosis: Risk and Protective Factors and Early Detection of the Onset. Diagnostics, 2021, 11, 2146.	1.3	8
1223	Opposing white matter microstructure abnormalities in 22q11.2 deletion and duplication carriers. Translational Psychiatry, 2021, 11, 580.	2.4	4
1224	Use of a Bayesian Network Model to predict psychiatric illness in individuals with at risk mental states from a general population cohort. Neuroscience Letters, 2021, 770, 136358.	1.0	0

#	ARTICLE	IF	CITATIONS
1225	Inefficient integration during multiple facial processing in pre-morbid and early phases of psychosis. <i>World Journal of Biological Psychiatry</i> , 2022, 23, 361-373.	1.3	2
1226	Blood brain barrier permeability increases with age in individuals with 22q11.2 deletion syndrome. <i>World Journal of Biological Psychiatry</i> , 2022, 23, 475-482.	1.3	2
1228	Clinical outcomes in brief psychotic episodes: a systematic review and meta-analysis. <i>Epidemiology and Psychiatric Sciences</i> , 2021, 30, .	1.8	5
1229	Exploring associations between diurnal cortisol, stress, coping and psychopathology in adolescents and young adults with 22q11.2 deletion syndrome. <i>Comprehensive Psychoneuroendocrinology</i> , 2022, 9, 100103.	0.7	3
1230	Beyond a blunted ERN - Biobehavioral correlates of performance monitoring in schizophrenia. <i>Neuroscience and Biobehavioral Reviews</i> , 2022, 133, 104504.	2.9	9
1231	Chapitre 6. État mental à risque et symptômes de base: des notions prospectives. , 2015, , 87-108.		0
1232	Responses to positive affect and unique resting-state connectivity in individuals at clinical high-risk for psychosis. <i>NeuroImage: Clinical</i> , 2022, 33, 102946.	1.4	0
1233	Risk and Resilience Measures Related to Psychopathology in Youth. <i>Child Psychiatry and Human Development</i> , 2022, , 1.	1.1	5
1234	Does childhood trauma predict schizotypal traits? A path modelling approach in a cohort of help-seeking subjects. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2022, , 1.	1.8	3
1235	Outcomes for first-episode psychosis after entry via an at-risk mental state clinic compared to direct entry to a first episode of psychosis service: A systematic review and meta-analysis. <i>Schizophrenia Research</i> , 2022, 240, 214-219.	1.1	4
1236	Hippocampal Glutamate and Positive Symptom Severity in Clinical High Risk for Psychosis. <i>JAMA Psychiatry</i> , 2022, 79, 178.	6.0	3
1237	Psychopathology in adults with copy number variants. <i>Psychological Medicine</i> , 2023, 53, 3142-3149.	2.7	6
1238	Alterations in Emotional Diversity Correspond With Increased Severity of Attenuated Positive and Negative Symptoms in the Clinical High-Risk Syndrome. <i>Frontiers in Psychiatry</i> , 2021, 12, 755027.	1.3	2
1239	A systematic review of TMS and neurophysiological biometrics in patients with schizophrenia. <i>Journal of Psychiatry and Neuroscience</i> , 2021, 46, E675-E701.	1.4	6
1240	Psychosis-like experiences and resilience: A systematic and critical review of the literature.. <i>Psychological Services</i> , 2022, 19, 120-138.	0.9	4
1241	What is Measured as Aberrant Salience?. <i>SSRN Electronic Journal</i> , 0, , .	0.4	0
1242	Negative Symptom Domains in Children and Adolescents at Ultra-High Risk for Psychosis: Association With Real-Life Functioning. <i>Schizophrenia Bulletin Open</i> , 2022, 3, .	0.9	4
1243	Using combined environmental-clinical classification models to predict role functioning outcome in clinical high-risk states for psychosis and recent-onset depression. <i>British Journal of Psychiatry</i> , 2022, 220, 229-245.	1.7	1

#	ARTICLE	IF	CITATIONS
1244	Oscillatory Neural Signatures of Visual Perception Across Developmental Stages in Individuals With 22q11.2 Deletion Syndrome. <i>Biological Psychiatry</i> , 2022, 92, 407-418.	0.7	6
1245	Establishing a business case for setting up early detection services for preventing psychosis. <i>BJPsych Bulletin</i> , 2023, 47, 156-165.	0.7	2
1246	Aberrant Developmental Patterns of Gamma-Band Response and Long-Range Communication Disruption in Youths With 22q11.2 Deletion Syndrome. <i>American Journal of Psychiatry</i> , 2022, 179, 204-215.	4.0	14
1247	Internalized stigma mediates the relation between psychosis-risk symptoms and subjective quality of life in a help-seeking sample. <i>Schizophrenia Research</i> , 2022, 241, 298-305.	1.1	2
1248	Identification and predictive analysis for participants at ultra-high risk of psychosis: A comparison of three psychometric diagnostic interviews. <i>World Journal of Clinical Cases</i> , 2022, 10, 2420-2428.	0.3	2
1250	Links of platelet glutamate and glutathione metabolism with attenuated positive and negative symptoms in depressed patients at clinical high risk for psychosis. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2023, 273, 157-168.	1.8	4
1251	Emotion regulation and social knowledge in youth at clinical high risk for psychosis and outpatients with chronic schizophrenia: Associations with functional outcome and negative symptoms. <i>Microbial Biotechnology</i> , 2023, 17, 21-28.	0.9	4
1252	Clues from caregiver emotional language usage highlight the link between putative social environment and the psychosis-risk syndrome. <i>Schizophrenia Research</i> , 2022, , .	1.1	2
1253	The Danish High-Risk and Resilience Study "VIA 15" - A Study Protocol for the Third Clinical Assessment of a Cohort of 522 Children Born to Parents Diagnosed With Schizophrenia or Bipolar Disorder and Population-Based Controls. <i>Frontiers in Psychiatry</i> , 2022, 13, 809807.	1.3	3
1254	Dopaminergic alterations in populations at increased risk for psychosis: A systematic review of imaging findings. <i>Progress in Neurobiology</i> , 2022, 213, 102265.	2.8	4
1255	Early Detection and Prevention of Schizophrenic Psychosis - A Review. <i>Brain Sciences</i> , 2022, 12, 11.	1.1	7
1256	Sleep disturbances in early clinical stages of psychotic and bipolar disorders: A meta-analysis. <i>Australian and New Zealand Journal of Psychiatry</i> , 2022, 56, 1068-1079.	1.3	5
1257	Agency Deficits in a Human Genetic Model of Schizophrenia: Insights From 22q11DS Patients. <i>Schizophrenia Bulletin</i> , 2022, 48, 495-504.	2.3	10
1258	The association between mental health stigma and face emotion recognition in individuals at risk for psychosis. <i>Stigma and Health</i> , 2023, 8, 31-39.	1.2	0
1259	Altered attentive bias towards interpersonal communication information across phases of schizophrenia: an eye-tracking study. <i>Annals of General Psychiatry</i> , 2022, 35, e100699.	1.1	2
1260	Aberrant Salience and Disorganized Symptoms as Mediators of Psychosis. <i>Frontiers in Psychology</i> , 2022, 13, 878331.	1.1	1
1261	Early intervention service systems for youth mental health: integrating pluripotentiality, clinical staging, and transdiagnostic lessons from early psychosis. <i>Lancet Psychiatry</i> , 2022, 9, 413-422.	3.7	36
1276	Antipsychotic prescription, assumption and conversion to psychosis: resolving missing clinical links to optimize prevention through precision. <i>NPJ Schizophrenia</i> , 2022, 8, .	2.0	5

#	ARTICLE	IF	CITATIONS
1277	Using Experience Sampling Methodology Data to Characterize the Substance Use of Youth With or At-Risk of Psychosis. <i>Frontiers in Psychiatry</i> , 2022, 13, .	1.3	2
1278	The stress-vulnerability model on the path to schizophrenia: Interaction between BDNF methylation and schizotypy on the resting-state brain network. <i>NPJ Schizophrenia</i> , 2022, 8, .	2.0	0
1279	Effect of cognitive insight on clinical insight from pre-morbid to early psychosis stages. <i>Psychiatry Research</i> , 2022, 313, 114613.	1.7	3
1280	Autistic symptomatology in UHR patients: a preliminary report. <i>Psychiatry Research</i> , 2022, , 114634.	1.7	0
1281	Clinical, Brain, and Multilevel Clustering in Early Psychosis and Affective Stages. <i>JAMA Psychiatry</i> , 2022, 79, 677.	6.0	6
1282	Abnormal neural oscillations in clinical high risk for psychosis: a magnetoencephalography method study. <i>Annals of General Psychiatry</i> , 2022, 35, e100712.	1.1	2
1283	Attenuated niacin-induced skin flush response in individuals with clinical high risk for psychosis. <i>Annals of General Psychiatry</i> , 2022, 35, e100748.	1.1	5
1284	Suicide Risk and Psychotic Experiences: Considerations for Safety Planning with Adolescents.. <i>Rhode Island Medical Journal (2013)</i> , 2022, 105, 26-30.	0.2	0
1286	App-enhanced transdiagnostic CBT for adolescents with mood or psychotic spectrum disorders. <i>Journal of Affective Disorders</i> , 2022, 311, 319-326.	2.0	8
1287	The impact of COVID-19 pandemic on individuals at clinical high-risk for psychosis: Evidence from eye-tracking measures. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2022, 118, 110578.	2.5	1
1288	Associations between symptom and neurocognitive dimensions in clinical high risk for psychosis. <i>Schizophrenia Research: Cognition</i> , 2022, 29, 100260.	0.7	0
1290	Genetic and Structural Brain Correlates of Cognitive Subtypes Across Youth at Family Risk for Schizophrenia and Bipolar Disorder. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2023, 62, 74-83.	0.3	2
1291	Linking salience signaling with early adversity and affective distress in individuals at clinical high-risk for psychosis: results from an event-related fMRI study. <i>Schizophrenia Bulletin Open</i> , 0, , .	0.9	2
1292	Countervailing medicalization: A relational approach to the medicalization of psychosis. <i>SSM Qualitative Research in Health</i> , 2022, 2, 100118.	0.6	1
1293	Updated perspectives on the clinical significance of negative symptoms in patients with schizophrenia. <i>Expert Review of Neurotherapeutics</i> , 2022, 22, 541-555.	1.4	15
1294	Contribution of schizophrenia polygenic burden to longitudinal phenotypic variance in 22q11.2 deletion syndrome. <i>Molecular Psychiatry</i> , 2022, 27, 4191-4200.	4.1	3
1295	Neural Correlates of Facial Emotion Recognition in Non-help-seeking University Students With Ultra-High Risk for Psychosis. <i>Frontiers in Psychology</i> , 0, 13, .	1.1	0
1296	Clinical and Functional Differences Between Mexican Youth at Clinical High Risk for Psychosis and With Familial High Risk. <i>Frontiers in Psychology</i> , 0, 13, .	1.1	0

#	ARTICLE	IF	CITATIONS
1297	Altered developmental trajectories of verbal learning skills in 22q11.2DS: associations with hippocampal development and psychosis. <i>Psychological Medicine</i> , 2023, 53, 4923-4932.	2.7	4
1298	Characterizing Youth-Caregiver Concordance and Discrepancies in Psychopathology Symptoms in a US Community Sample. <i>Issues in Mental Health Nursing</i> , 0, , 1-10.	0.6	0
1299	Exercise Intervention in Individuals at Clinical High Risk for Psychosis: Benefits to Fitness, Symptoms, Hippocampal Volumes, and Functional Connectivity. <i>Schizophrenia Bulletin</i> , 2022, 48, 1394-1405.	2.3	12
1300	Copy number variation at the 22q11.2 locus influences prevalence, severity, and psychiatric impact of sleep disturbance. <i>Journal of Neurodevelopmental Disorders</i> , 2022, 14, .	1.5	8
1301	Psychiatric manifestations of autoimmune encephalitis. <i>Autoimmunity Reviews</i> , 2022, 21, 103145.	2.5	5
1302	Eye movement indices as predictors of conversion to psychosis in individuals at clinical high risk. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2023, 273, 553-563.	1.8	4
1303	Neuroanatomical heterogeneity and homogeneity in individuals at clinical high risk for psychosis. <i>Translational Psychiatry</i> , 2022, 12, .	2.4	11
1304	A Deeper Dive Into the Relation Between Psychotic-like Experiences and Suicidal Ideation and Behaviors in Children Across the United States. <i>Schizophrenia Bulletin</i> , 2022, 48, 1241-1251.	2.3	5
1305	Sleep spindle alterations relate to working memory deficits in individuals at clinical high-risk for psychosis. <i>Sleep</i> , 2022, 45, .	0.6	10
1306	Borderline personality features among individuals at clinical high risk for psychosis () Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 38 0,9 2		
1307	Validation of the aberrant salience inventory in a general and clinical Spanish population. <i>Comprehensive Psychiatry</i> , 2022, , 152343.	1.5	2
1308	Extrapyramidal symptoms predict cognitive performance after first-episode psychosis. , 2022, 8, .		1
1309	Obsessive compulsive symptom dimensions are linked to altered white-matter microstructure in a community sample of youth. <i>Translational Psychiatry</i> , 2022, 12, .	2.4	2
1310	Auditory N100 amplitude deficits predict conversion to psychosis in the North American Prodrome Longitudinal Study (NAPLS-2) cohort. <i>Schizophrenia Research</i> , 2022, 248, 89-97.	1.1	3
1311	The support, treatment, and resilience (STAR) program for youth at clinical high-risk of psychosis. <i>Schizophrenia Research</i> , 2022, 248, 122-123.	1.1	0
1312	The decoupling of structural and functional connectivity of auditory networks in individuals at clinical high-risk for psychosis. <i>World Journal of Biological Psychiatry</i> , 2023, 24, 387-399.	1.3	0
1313	Item-level endorsement on the Prodromal Questionnaire in a large non-clinical sample. <i>Schizophrenia Research</i> , 2022, 248, 309-319.	1.1	2
1314	Evaluating the Social Functioning Scale modified for use in individuals at clinical high-risk for psychosis. <i>Schizophrenia Research</i> , 2022, 248, 246-253.	1.1	0

#	ARTICLE	IF	CITATIONS
1315	Psychometric Evaluation of a Battery of Psychopathology Measures for Assessment of Young Adult College Students. SSRN Electronic Journal, 0, , .	0.4	0
1316	Clinical profile and conversion rate to full psychosis in a prospective cohort study of youth affected by autism spectrum disorder and attenuated psychosis syndrome: A preliminary report. Frontiers in Psychiatry, 0, 13, .	1.3	1
1317	Interleukinâ€²/interleukinâ€¶ imbalance correlates with conversion to psychosis from a clinical highâ€risk state. Psychiatry and Clinical Neurosciences, 2023, 77, 62-63.	1.0	3
1320	Effect of Atypical Antipsychotic Medications on the Risk of Obstructive Sleep Apnea in Individuals With Schizophrenia. Sleep Medicine Research, 2022, 13, 75-80.	0.2	1
1321	Brain connectomes in youth at risk for serious mental illness: an exploratory analysis. BMC Psychiatry, 2022, 22, .	1.1	1
1322	The nature, consequences, mechanisms, and management of sleep disturbances in individuals at-risk for psychosis. Frontiers in Psychiatry, 0, 13, .	1.3	8
1323	Potential for prediction of psychosis and bipolar disorder in Child and Adolescent Mental Health Services: a longitudinal register study of all people born in Finland in 1987. World Psychiatry, 2022, 21, 436-443.	4.8	15
1324	Relationships between rest-activity rhythms, sleep, and clinical symptoms in individuals at clinical high risk for psychosis and healthy comparison subjects. Journal of Psychiatric Research, 2022, 155, 465-470.	1.5	1
1325	A cohort study of adolescents with depression in China: tracking multidimensional outcomes and early biomarkers for intervention. Annals of General Psychiatry, 2022, 35, e100782.	1.1	4
1326	Effects of risperidone on psychotic symptoms and cognitive functions in 22q11.2 deletion syndrome: Results from a clinical trial. Frontiers in Psychiatry, 0, 13, .	1.3	0
1327	Serum Inflammatory Markers and Their Associations with the Integrity of the Cingulum Bundle in Schizophrenia, from Prodromal Stages to Chronic Psychosis. Journal of Clinical Medicine, 2022, 11, 6352.	1.0	4
1328	Alterations in facial expressions in individuals at risk for psychosis: a facial electromyography approach using emotionally evocative film clips. Psychological Medicine, 0, , 1-10.	2.7	1
1329	Smartphone-assisted guided self-help cognitive behavioral therapy for young people with distressing voices (SmartVoices): study protocol for a randomized controlled trial. Trials, 2022, 23, .	0.7	1
1330	DNA methylation levels of RELN promoter region in ultra-high risk, first episode and chronic schizophrenia cohorts of schizophrenia. , 2022, 8, .		3
1331	Changes in inflammatory balance correlates with conversion to psychosis among individuals at clinical high-risk: A prospective cohort study. Psychiatry Research, 2022, 318, 114938.	1.7	11
1332	Adolescent nicotine potentiates the inhibitory effect of raclopride, a D2R antagonist, on phencyclidine-sensitized psychotic-like behavior in mice. Toxicology and Applied Pharmacology, 2022, 456, 116282.	1.3	1
1333	Violent and Aggressive Behavior in Individuals at Risk for Psychosis: Prevalence, Mechanisms, Assessment, Management, and Prevention. , 2022, , 1-19.		0
1334	Linguistic markers and basic self-disturbances among adolescents at risk of psychosis. A qualitative study. EClinicalMedicine, 2023, 55, 101733.	3.2	2

#	ARTICLE	IF	CITATIONS
1335	Hallucinations in the Child and Adolescent "Ultra-High Risk" population: A Systematic Review. Schizophrenia Bulletin Open, 2022, 3, .	0.9	6
1336	Adaptive coding occurs in object categorization and may not be associated with schizotypal personality traits. Scientific Reports, 2022, 12, .	1.6	0
1337	Developing a clinical decision tool based on electroretinogram to monitor the risk of severe mental illness. BMC Psychiatry, 2022, 22, .	1.1	4
1338	Sex- and Age-Specific Deviations in Cerebellar Structure and Their Link With Symptom Dimensions and Clinical Outcome in Individuals at Clinical High Risk for Psychosis. Schizophrenia Bulletin, 2023, 49, 350-363.	2.3	1
1339	Safety Planning in Context: A Case Study Integrating DBT Techniques and ACT for Overlapping Suicide and Psychosis Risk. Clinical Case Studies, 2023, 22, 327-342.	0.5	1
1340	Granular analysis of pathways to care and durations of untreated psychosis: A marginal delay model. PLoS ONE, 2022, 17, e0270234.	1.1	3
1341	Do the Components of Attenuated Positive Symptoms Truly Represent One Construct?. Schizophrenia Bulletin, 0, , .	2.3	2
1342	Cerebellar correlates of social dysfunction among individuals at clinical high risk for psychosis. Frontiers in Psychiatry, 0, 13, .	1.3	0
1343	Triple-Network Dysconnectivity in Patients With First-Episode Psychosis and Individuals at Clinical High Risk for Psychosis. Psychiatry Investigation, 2022, 19, 1037-1045.	0.7	2
1344	Large-Scale Thalamocortical Triple Network Dysconnectivities in Patients With First-Episode Psychosis and Individuals at Risk for Psychosis. Schizophrenia Bulletin, 2023, 49, 375-384.	2.3	3
1346	Burden Experienced by Primary Caregivers of Children With Psychotic Disorders and at Clinical High Risk for Psychosis. Journal of the American Psychiatric Nurses Association, 0, , 107839032211418.	0.4	0
1348	Serum Inflammatory Markers and Integrity of the Superior Longitudinal Fasciculus and the Inferior Longitudinal Fasciculus in Schizophrenia, from Prodromal Stages to Chronic Psychosis" A Cross-Sectional Study. Journal of Clinical Medicine, 2023, 12, 683.	1.0	1
1349	Harmonizing the structured interview for psychosis"risk syndromes (<sc>SIPS</sc>) and the comprehensive assessment of at"risk mental states (<sc>CAARMS</sc>): An initial approach. Microbial Biotechnology, 2024, 18, 248-254.	0.9	8
1350	Multivariate joint models for the dynamic prediction of psychosis in individuals with clinical high risk. Asian Journal of Psychiatry, 2023, 81, 103468.	0.9	10
1351	A randomized trial of telehealth mindfulness-based cognitive therapy and cognitive behavioral therapy groups for adolescents with mood or attenuated psychosis symptoms.. Journal of Consulting and Clinical Psychology, 2023, 91, 234-241.	1.6	4
1352	Cognitive predictors of transition and remission of psychosis risk syndrome in a child and adolescent sample: longitudinal findings from the CAPRIS study. European Child and Adolescent Psychiatry, 2024, 33, 89-104.	2.8	0
1353	Detection of clinical high risk for psychosis in child and adolescent mental health services: Validation of the first step with the French versions of the Prodromal Questionnaire (<sc>fPQ</sc>"16) and scale of Perceptual and Cognitive Aberrations (<sc>fPCA</sc>). Microbial Biotechnology, 2023, 17, 708-714.	0.9	1
1354	Short-term Clinical Outcome of Previously Untreated and Treated Schizophrenia and Impact of Duration of Untreated Psychosis. Indian Journal of Psychological Medicine, 0, , 025371762211416.	0.6	0

#	ARTICLE	IF	CITATIONS
1355	Longitudinal Changes in Cortical Surface Area Associated With Transition to Psychosis in Adolescents at Clinical High-Risk for the Disease. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2023, , .	0.3	2
1356	Identifying individuals at risk of developing psychosis: A systematic review of the literature in primary care services. <i>Microbial Biotechnology</i> , 2023, 17, 429-446.	0.9	2
1357	Childhood trauma, perceived stress and anhedonia in individuals at clinical high risk for psychosis: multigroup mediation analysis. <i>British Journal of Psychiatry</i> , 2023, 223, 273-279.	1.7	3
1358	Psychoeducation for individuals at clinical high risk for psychosis: A scoping review. <i>Schizophrenia Research</i> , 2023, 252, 148-158.	1.1	4
1359	The effects of the COVID-19 pandemic on hallucinations and delusions in youth at clinical high-risk for psychosis and outpatients with schizophrenia. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2023, 273, 1329-1338.	1.8	3
1360	Serum complement proteins rather than inflammatory factors is effective in predicting psychosis in individuals at clinical high risk. <i>Translational Psychiatry</i> , 2023, 13, .	2.4	5
1361	Investigating the effectiveness of three school based interventions for preventing psychotic experiences over a year period – a secondary data analysis study of a randomized control trial. <i>BMC Public Health</i> , 2023, 23, .	1.2	2
1362	Visuospatial Learning Selectively Enhanced by Personalized Transcranial Magnetic Stimulation over Parieto-Hippocampal Network among Patients at Clinical High-Risk for Psychosis. <i>Schizophrenia Bulletin</i> , 2023, 49, 923-932.	2.3	1
1363	Obsessive-compulsive symptoms in first episode psychosis and risk states: Systematic review with meta-analysis. <i>Schizophrenia Research</i> , 2023, 255, 41-51.	1.1	0
1364	Rich-club connectivity and structural connectome organization in youth at clinical high-risk for psychosis and individuals with early illness schizophrenia. <i>Schizophrenia Research</i> , 2023, 255, 110-121.	1.1	2
1365	Increased parietal and occipital lobe gyrification predicts conversion to syndromal psychosis in a clinical high-risk cohort. <i>Schizophrenia Research</i> , 2023, 255, 246-255.	1.1	0
1366	Activation of Internal Correctness Monitoring Circuitry in Youths With Psychosis Spectrum Symptoms. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2023, 8, 542-550.	1.1	0
1368	Early Intervention Services for youth at Clinical High-Risk for Psychosis: The Reggio Emilia At-Risk Mental State (ReARMS) experience. <i>Rivista Sperimentale Di Freniatria</i> , 2022, 146, 61-80.	0.1	0
1369	Esordi psicotici in adolescenza e giovane et� adulta: prospettive teoriche e di trattamento. <i>Rivista Sperimentale Di Freniatria</i> , 2022, 146, 31-60.	0.1	0
1370	Symptoms of Attenuated Psychosis Syndrome in Relatives of Clinical High-Risk Youth: Preliminary Evidence. <i>Schizophrenia Bulletin</i> , 0, , .	2.3	0
1371	Psychosocial factors associated with the risk of developing psychosis in a Mexican general population sample. <i>Frontiers in Psychiatry</i> , 0, 14, .	1.3	2
1372	Prepulse inhibition and attentional modulation in individuals with attenuated psychotic syndrome and at genetically high risk of schizophrenia. <i>Schizophrenia Research</i> , 2023, 254, 90-91.	1.1	0
1373	Neuronal dysfunction in individuals at early stage of schizophrenia, A resting-state fMRI study. <i>Psychiatry Research</i> , 2023, 322, 115123.	1.7	4

#	ARTICLE	IF	CITATIONS
1374	Ethnoracial discrimination and the development of suspiciousness symptoms in individuals at clinical high-risk for psychosis. <i>Schizophrenia Research</i> , 2023, 254, 125-132.	1.1	1
1375	Thought Disorders in Depressive Adolescents with High-Risk for Schizophrenia. <i>Psychiatry</i> , 2023, 21, 27-33.	0.2	0
1376	Psychotic disorders as a framework for precision psychiatry. <i>Nature Reviews Neurology</i> , 0, , .	4.9	3
1377	Skills program for awareness, connectedness, and empowerment: A conceptual framework of a skills group for individuals with a psychosis-risk syndrome. <i>Frontiers in Psychiatry</i> , 0, 14, .	1.3	0
1378	The Arabic Questionnaire for Psychotic Experiences in patients with psychotic disorders: a clinical validation. <i>BMC Psychiatry</i> , 2023, 23, .	1.1	0
1379	A Meta-Analysis of Neural Correlates of Reward Anticipation in Individuals at Clinical Risk for Schizophrenia. <i>International Journal of Neuropsychopharmacology</i> , 2023, 26, 280-293.	1.0	1
1380	Review of factors resulting in systemic biases in the screening, assessment, and treatment of individuals at clinical high-risk for psychosis in the United States. <i>Frontiers in Psychiatry</i> , 0, 14, .	1.3	0
1381	Linguistic correlates of suicidal ideation in youth at clinical high-risk for psychosis. <i>Schizophrenia Research</i> , 2023, , .	1.1	1
1382	Psychosis spectrum features, neurocognition and functioning in a longitudinal study of youth with 22q11.2 deletion syndrome. <i>Psychological Medicine</i> , 0, , 1-10.	2.7	0
1383	Excitatory/Inhibitory Imbalance Underlies Hippocampal Atrophy in Individuals With 22q11.2 Deletion Syndrome With Psychotic Symptoms. <i>Biological Psychiatry</i> , 2023, 94, 569-579.	0.7	8
1384	Longitudinal evaluation on negative symptoms in young people at Ultra-High Risk (UHR) of psychosis: results from a 2-year follow-up study in a real-world care setting. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 0, , .	1.8	0
1386	The association between early traumatic experiences and the five domains of negative symptoms in participants <scp>at</scp> clinical high risk for psychosis. <i>Microbial Biotechnology</i> , 0, , .	0.9	0
1387	Cross-Country Validation of the Arabic Version of the Prodromal Questionnaireâ€“Brief (PQâ€“B) in Young Adults from the General Population of the Middle East and North Africa (MENA) Region. <i>International Journal of Mental Health and Addiction</i> , 0, , .	4.4	8
1398	Meta-analytic prevalence of comorbid mental disorders in individuals at clinical high risk of psychosis: the case for transdiagnostic assessment. <i>Molecular Psychiatry</i> , 2023, 28, 2291-2300.	4.1	9
1414	Violent and Aggressive Behavior in Individuals at Risk for Psychosis: Prevalence, Mechanisms, Assessment, Management, and Prevention. , 2023, , 827-845.		0
1441	Prognostic models predicting transition to psychotic disorder using blood-based biomarkers: a systematic review and critical appraisal. <i>Translational Psychiatry</i> , 2023, 13, .	2.4	1
1447	Integrating neuropsychological research on autism and psychosis to improve clinical outcomes. , 2023, 2, 723-739.		0