

# CITATION REPORT

List of articles citing

Viagra use in a community-recruited sample of men who have sex with men, San Francisco

DOI: 10.1097/00126334-200306010-00012

Journal of Acquired Immune Deficiency Syndromes (1999), 2003, 33, 191-3.

**Source:** <https://exaly.com/paper-pdf/35986889/citation-report.pdf>

**Version:** 2024-04-23

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
79	Screening for potentially transmitting sexual risk behaviors, urethral sexually transmitted infection, and sildenafil use among males entering care for HIV infection. <i>AIDS Patient Care and STDs</i> , <b>2004</b> , 18, 349-54	5.8	33
78	Use of recreational Viagra among men having sex with men. <i>Sexually Transmitted Infections</i> , <b>2004</b> , 80, 466-8	2.8	37
77	Poppers: epidemiology and clinical management of inhaled nitrite abuse. <i>Pharmacotherapy</i> , <b>2004</b> , 24, 69-78	5.8	76
76	Substance use and high-risk sex among men who have sex with men: a national online study in the USA. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , <b>2004</b> , 16, 1036-47	2.2	205
75	High-risk sexual behavior in adults with genotypically proven antiretroviral-resistant HIV infection. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , <b>2005</b> , 40, 463-71	3.1	33
74	Identification of unique B/C recombinant strains of HIV-1 in the southern state of Karnataka, India. <i>Aids</i> , <b>2005</b> , 19, 1426-9	3.5	24
73	Risk factors for early syphilis among gay and bisexual men seen in an STD clinic: San Francisco, 2002-2003. <i>Sexually Transmitted Diseases</i> , <b>2005</b> , 32, 458-63	2.4	127
72	Viagra (sildenafil) use in a population-based sample of U.S. men who have sex with men. <i>Sexually Transmitted Diseases</i> , <b>2005</b> , 32, 531-3	2.4	27
71	Premature sister chromatid separation in HIV-1-infected peripheral blood lymphocytes. <i>Aids</i> , <b>2005</b> , 19, 1434-8	3.5	6
70	HIV-Positive and HCV-Positive Drug Users. <b>2005</b> , 135-162		
69	Patient-acquired hepatitis B and HIV following erectile dysfunction therapy. <i>International Journal of STD and AIDS</i> , <b>2005</b> , 16, 390-1	1.4	0
68	Predictors of the use of viagra, testosterone, and antidepressants among HIV-seropositive gay and bisexual men. <i>Aids</i> , <b>2005</b> , 19 Suppl 1, S57-66	3.5	32
67	Low incidence of hepatotoxicity in a cohort of HIV patients treated with lopinavir/ritonavir. <i>Aids</i> , <b>2005</b> , 19, 1433-4	3.5	16
66	Increased HIV incidence among men who have sex with men in Rome. <i>Aids</i> , <b>2005</b> , 19, 1429-31	3.5	25
65	HIV-1 chemokine co-receptor CCR5 is expressed on the surface of human spermatozoa. <i>Aids</i> , <b>2005</b> , 19, 1424-6	3.5	18
64	Concealment of HIV and unsafe sex with steady partner is extremely infrequent. <i>Aids</i> , <b>2005</b> , 19, 1431-3	3.5	7
63	Amphetamine use is associated with increased HIV incidence among men who have sex with men in San Francisco. <i>Aids</i> , <b>2005</b> , 19, 1423-4	3.5	167

62	A review of hypogonadism and erectile dysfunction among HIV-infected men during the pre- and post-HAART eras: diagnosis, pathogenesis, and management. <i>AIDS Patient Care and STDs</i> , <b>2005</b> , 19, 655-718	5.8	58
61	Recreational Use and Misuse of Phosphodiesterase 5 Inhibitors. <i>Journal of the American Pharmacists Association: JAPhA</i> , <b>2005</b> , 45, 63-75	1.7	55
60	Sildenafil use, sexual risk behavior, and risk for sexually transmitted diseases, including HIV infection. <i>American Journal of Medicine</i> , <b>2005</b> , 118, 571-7	2.4	68
59	Club drugs as causal risk factors for HIV acquisition among men who have sex with men: a review. <i>Substance Use and Misuse</i> , <b>2006</b> , 41, 1551-601	2.2	164
58	Prescription drug abuse among ecstasy users in Miami. <i>Journal of Addictive Diseases</i> , <b>2005</b> , 24, 1-16	1.7	40
57	Performance Enhancing, Non-Prescription Use of Erectile Dysfunction Medications. <i>Journal of Addictive Diseases</i> , <b>2006</b> , 25, 61-68	1.7	5
56	Erectile dysfunction and viagra use: what's up with college-age males?. <i>Journal of Adolescent Health</i> , <b>2006</b> , 39, 452-4	5.8	37
55	Substance use, medications for sexual facilitation, and sexual risk behavior among traveling men who have sex with men. <i>Sexually Transmitted Diseases</i> , <b>2006</b> , 33, 706-11	2.4	49
54	Factors associated with recent sildenafil (viagra) use among men who have sex with men in the United States. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , <b>2006</b> , 42, 95-100	3.1	27
53	Common use in the general population of sexual enrichment AIDS and drugs to enhance sexual experience. <i>Sexually Transmitted Diseases</i> , <b>2006</b> , 33, 156-62	2.4	26
52	Unprotected anal intercourse and substance use among men who have sex with men with recent HIV infection. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , <b>2006</b> , 43, 344-50	3.1	85
51	Use of crystal methamphetamine among gay men in London. <i>Addiction</i> , <b>2006</b> , 101, 1622-30	4.6	71
50	Behavioral interventions for HIV-positive and HCV-positive drug users. <i>AIDS and Behavior</i> , <b>2006</b> , 10, 115-20	4.0	21
49	The Bolger conference on PDE-5 inhibition and HIV risk: implications for health policy and prevention. <i>Journal of Sexual Medicine</i> , <b>2006</b> , 3, 960-975	1.1	26
48	Methamphetamine and sildenafil (Viagra) use are linked to unprotected receptive and insertive anal sex, respectively, in a sample of men who have sex with men. <i>Sexually Transmitted Infections</i> , <b>2006</b> , 82, 131-4	2.8	120
47	Current sexual activity and risky sexual behavior in older men with or at risk for HIV infection. <i>AIDS Education and Prevention</i> , <b>2007</b> , 19, 321-33	2	72
46	Methamphetamine use and sexual risk behaviours among men who have sex with men diagnosed with early syphilis in Los Angeles County. <i>International Journal of STD and AIDS</i> , <b>2007</b> , 18, 93-7	1.4	42
45	Sildenafil (Viagra) and club drug use in gay and bisexual men: the role of drug combinations and context. <i>American Journal of Men's Health</i> , <b>2007</b> , 1, 139-47	2.2	20

44	Usos no prescritos de los inhibidores de la fosfodiesterasa tipo 5 (iFDE5) e internet. <i>Revista Internacional De Andrología</i> , <b>2007</b> , 5, 82-87	0.6	
43	Erectile dysfunction medication use among men seeking substance abuse treatment. <i>Journal of Addictive Diseases</i> , <b>2007</b> , 26, 7-13	1.7	4
42	Viagra, methamphetamine, and HIV risk: results from a probability sample of MSM, San Francisco. <i>Sexually Transmitted Diseases</i> , <b>2007</b> , 34, 586-91	2.4	49
41	Motivations for the recreational use of erectile enhancing medications in urban gay and bisexual men. <i>Sexually Transmitted Infections</i> , <b>2008</b> , 84, 458-62	2.8	27
40	What evidence is there that the UK should tackle the potential emerging threat of methamphetamine toxicity rather than established recreational drugs such as MDMA ('ecstasy')?. <i>QJM - Monthly Journal of the Association of Physicians</i> , <b>2008</b> , 101, 207-13	2.7	12
39	Risky sexual behaviour in context: qualitative results from an investigation into risk factors for seroconversion among gay men who test for HIV. <i>Sexually Transmitted Infections</i> , <b>2008</b> , 84, 473-7	2.8	19
38	Sexual risk behaviors among men who have sex with men using erectile dysfunction medications. <i>AIDS Patient Care and STDs</i> , <b>2009</b> , 23, 1017-23	5.8	23
37	¿Must Take Viagra? Erectile Insurance, Prophylactic Certainty and Deficit Correction in Gay Men? Accounts of Sexuopharmaceutical Use. <i>Sexualities</i> , <b>2009</b> , 12, 746-764	1.1	14
36	Associations between substance use, erectile dysfunction medication and recent HIV infection among men who have sex with men. <i>AIDS and Behavior</i> , <b>2009</b> , 13, 328-36	4.3	35
35	Drug use, high-risk sex behaviors, and increased risk for recent HIV infection among men who have sex with men in Chicago and Los Angeles. <i>AIDS and Behavior</i> , <b>2009</b> , 13, 1084-96	4.3	129
34	Managing Erectile Dysfunction in Patients With Cardiovascular Diseases: The Efficacy and Safety of Phosphodiesterase-5 Inhibitors. <i>American Journal of Lifestyle Medicine</i> , <b>2009</b> , 3, 201-211	1.9	1
33	Conducting drug abuse investigations in natural environments: potential directions for medical toxicology research. <i>Journal of Medical Toxicology</i> , <b>2010</b> , 6, 56-62	2.6	1
32	Cognitive-Behavioral Erectile Dysfunction Treatment for Gay Men. <i>Cognitive and Behavioral Practice</i> , <b>2010</b> , 17, 66-76	2.3	14
31	Sexually transmitted diseases among users of erectile dysfunction drugs: analysis of claims data. <i>Annals of Internal Medicine</i> , <b>2010</b> , 153, 1-7	8	41
30	Coping, drug use, and religiosity/spirituality in relation to HIV serostatus among gay and bisexual men. <i>AIDS Education and Prevention</i> , <b>2010</b> , 22, 417-29	2	25
29	Phosphodiesterase type 5 (PDE5) inhibitors in erectile dysfunction: the proper drug for the proper patient. <i>Journal of Sexual Medicine</i> , <b>2011</b> , 8, 3418-32	1.1	71
28	Recreational use of erectile dysfunction medications in undergraduate men in the United States: characteristics and associated risk factors. <i>Archives of Sexual Behavior</i> , <b>2011</b> , 40, 597-606	3.5	33
27	Determinants of condom use among HIV-positive men who have sex with men. <i>International Journal of STD and AIDS</i> , <b>2011</b> , 22, 391-7	1.4	27

26	The Amyl Nitrite Expectancy Questionnaire for Men who have Sex with Men (AEQ-MSM): a measure of substance-related beliefs. <i>Substance Use and Misuse</i> , <b>2011</b> , 46, 1642-50	2.2	9
25	Marketing Silence, Public Health Stigma and the Discourse of Risky Gay Viagra Use in the US. <i>Body and Society</i> , <b>2011</b> , 17, 105-125	1.6	9
24	Drug use among gay and bisexual men at weekend dance parties: the role of intentions and perceptions of peers' behaviors. <i>AIDS and Behavior</i> , <b>2013</b> , 17, 1540-9	4.3	29
23	Interview as intervention: the case of young adult multidrug users in the club scene. <i>Journal of Substance Abuse Treatment</i> , <b>2013</b> , 44, 301-8	4.2	39
22	Vanity: 21st Century Selves. <b>2013</b> ,		16
21	Condom attitudes of heterosexual men ages 50 and older using prescribed drugs (Viagra, Cialis, Levitra) to treat erectile dysfunction. <i>American Journal of Men's Health</i> , <b>2013</b> , 7, 504-15	2.2	4
20	The use of erection enhancing medication and party drugs among men living with HIV in Europe. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , <b>2013</b> , 25, 1062-6	2.2	8
19	Australian gay and bisexual men's use of erectile dysfunction medications during recent sexual encounters. <i>Journal of Sexual Medicine</i> , <b>2014</b> , 11, 809-19	1.1	6
18	Condom Use Among Men Who Have Sex With Men and Male-to-Female Transgenders in Jakarta, Indonesia. <i>American Journal of Men's Health</i> , <b>2014</b> , 8, 278-88	2.2	8
17	Increasing use of 'party drugs' in people living with HIV on antiretrovirals: a concern for patient safety. <i>Aids</i> , <b>2015</b> , 29, 1585-92	3.5	68
16	Prescription Drugs. <b>2015</b> , 128-148		
15	. <b>2015</b> ,		4
14	Longitudinal analysis of key HIV-risk behavior patterns and predictors in men who have sex with men, Bangkok, Thailand. <i>Archives of Sexual Behavior</i> , <b>2015</b> , 44, 341-8	3.5	20
13	Significant Misuse of Sildenafil in London Nightclubs. <i>Substance Use and Misuse</i> , <b>2015</b> , 50, 1390-4	2.2	15
12	Medicated sex in Britain: evidence from the third National Survey of Sexual Attitudes and Lifestyles. <i>Sexually Transmitted Infections</i> , <b>2016</b> , 92, 32-8	2.8	12
11	Erectile Dysfunction Medication Prescription and Condomless Intercourse in HIV-Infected Men Who have Sex with Men in the United States. <i>AIDS and Behavior</i> , <b>2017</b> , 21, 1129-1137	4.3	4
10	Overall Mental Health and Misuse of Erectile Dysfunction Medication Among Sexual Minority Men. <i>Substance Use and Misuse</i> , <b>2019</b> , 54, 1825-1833	2.2	
9	Characteristics and Long Term Follow up of Men Who Suffer Ischemic Priapism Secondary to Recreational Use of Intracavernosal Injectible Medications. <i>Urology</i> , <b>2021</b> , 156, 163-168	1.6	0

8	Characteristics and Longitudinal Patterns of Erectile Dysfunction Drug Use Among Men Who Have Sex with Men in the U.S. <i>Archives of Sexual Behavior</i> , <b>2021</b> , 50, 2887-2896	3.5	2
7	Sildenafil: Prevalencia y factores asociados a su consumo en estudiantes universitarios. <i>Urologia Colombiana</i> , <b>2021</b> , 30, 059-065	0.1	
6	STD Prevention with Men Who Have Sex with Men in the United States. <b>2007</b> , 325-353		2
5	A Review of Hypogonadism and Erectile Dysfunction Among HIV-Infected Men During the Pre- and Post-HAART Eras: Diagnosis, Pathogenesis, and Management. <i>AIDS Patient Care and STDs</i> , <b>2005</b> , 19, 869-885	5.8	1
4	When "Chems" Meet Sex: A Rising Phenomenon Called "ChemSex". <i>Current Neuropharmacology</i> , <b>2017</b> , 15, 762-770	7.6	85
3	Recreational Viagra Use and Sexual Risk among Drug Abusing Men. <i>American Journal of Infectious Diseases</i> , <b>2006</b> , 2, 107-114	0.4	37
2	Inhalants and Miscellaneous Drugs. 167-179		
1	Is recreational use of sildenafil a new trend?. <b>2022</b> , 82, 104659		0