

# CITATION REPORT

List of articles citing

Deliberate self-harm in Oxford, 1990-2000: a time of change in patient characteristics

DOI: 10.1017/s0033291703007943

Psychological Medicine, 2003, 33, 987-95.

**Source:** <https://exaly.com/paper-pdf/36018893/citation-report.pdf>

**Version:** 2024-04-10

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
302	Deliberate self-harm. <b>2004</b> , 32, 38-42		4
301	Self-Harm Survivors and Psychiatry in England, 1988-1996. <b>2005</b> , 3, 259-285		15
300	Value of measuring suicidal intent in the assessment of people attending hospital following self-poisoning or self-injury. <b>2005</b> , 186, 60-6		180
299	Suicidal intent in deliberate self-harm and the risk of suicide: the predictive power of the Suicide Intent Scale. <b>2005</b> , 86, 225-33		94
298	A 20-year review of trends in deliberate self-harm in a British town, 1981-2000. <b>2005</b> , 40, 446-53		48
297	Ziprasidone as a Weight-Neutral Alternative in the Treatment of Self-Injurious Behavior in Adolescent Females. <b>2005</b> , 10, 1-6		6
296	Non-Suicidal Deaths Following Hospital-Treated Self-Poisoning. <b>2005</b> , 39, 101-107		19
295	Self-harming in depressed patients: pattern analysis. <b>2005</b> , 39, 899-906		29
294	Antidepressant treatment and the risk of fatal and non-fatal self harm in first episode depression: nested case-control study. <b>2005</b> , 330, 389		159
293	Subfecundity and neonatal mortality: longitudinal study within the Danish national birth cohort. <b>2005</b> , 330, 393-4		41
292	Self-poisoning suicides in England: a multicentre study. <b>2005</b> , 98, 589-97		25
291	Self-harm. <b>2005</b> , 366, 1471-83		472
290	Pain and deliberate self-harm: an important association. <b>2005</b> , 58, 317-20		22
289	A retrospective analysis of antidepressant poisonings in the emergency department: 11-year experience. <b>2006</b> , 25, 605-12		42
288	Measurement of serum acetaminophen-protein adducts in patients with acute liver failure. <b>2006</b> , 130, 687-94		216
287	Multilevel modeling was a convenient alternative to common regression designs in longitudinal suicide research. <b>2006</b> , 59, 576-86		8
286	Predictors of A&E staff attitudes to self-harm patients who use self-laceration: influence of previous training and experience. <b>2006</b> , 60, 273-7		83

285	Deliberate self-harm patients of no fixed abode: a study of characteristics and subsequent deaths in patients presenting to a general hospital. <b>2006</b> , 41, 918-25	22
284	Self-harm in the general hospital. <b>2006</b> , 5, 76-80	4
283	Deliberate self-harm in people aged 60 years and over: characteristics and outcome of a 20-year cohort. <b>2006</b> , 21, 572-81	90
282	Deliberate Self-Harm: Have We Scratched the Surface?. <b>2006</b> , 23, 186-199	8
281	Patients with deliberate self-harm seen by a consultation-liaison service. <b>2006</b> , 14, 192-7	10
280	Etiological and demographical characteristics of acute adult poisoning in Adana, Turkey. <b>2007</b> , 26, 401-6	10
279	The effect of using NHS number as the unique identifier for patients who self-harm: a multi-centre descriptive study. <b>2007</b> , 3, 16	
278	Poisons admissions in Edinburgh 1981-2001: agent trends and predictors of hospital readmissions. <b>2007</b> , 26, 49-57	17
277	The Green Card Clinic: overview of a brief patient-centred intervention following deliberate self-harm. <b>2007</b> , 15, 35-41	14
276	Rebuilding the tower of Babel: a revised nomenclature for the study of suicide and suicidal behaviors. Part 2: Suicide-related ideations, communications, and behaviors. <b>2007</b> , 37, 264-77	582
275	Repetition of deliberate self-harm: a study of the characteristics and subsequent deaths in patients presenting to a general hospital according to extent of repetition. <b>2007</b> , 37, 379-96	72
274	Motives and suicide intent underlying hospital treated deliberate self-harm and their association with repetition. <b>2007</b> , 37, 397-408	20
273	Assessing the role of drugs in suicidal ideation and suicidality. <b>2007</b> , 21, 463-72	21
272	Deliberate self-harm in older adults: a review of the literature from 1995 to 2004. <b>2007</b> , 22, 720-32	75
271	Variations in time of hospital presentation for deliberate self-harm and their implications for clinical services. <b>2007</b> , 98, 227-37	21
270	Suicide in adolescents: using life charts to understand the suicidal process. <b>2007</b> , 100, 199-210	51
269	Variation in deliberate self-harm around Christmas and New Year. <b>2007</b> , 65, 855-67	19
268	Psychiatric assessment and management of deliberate self-poisoning patients. <b>2007</b> , 35, 565-569	6

267	Self-harm in England: a tale of three cities. Multicentre study of self-harm. <b>2007</b> , 42, 513-21	262
266	Age-sex differences in medicinal self-poisonings: a population-based study of deliberate intent and medical severity. <b>2008</b> , 43, 642-52	29
265	Communication between secondary and primary care following self-harm: are National Institute of Clinical Excellence (NICE) guidelines being met?. <b>2008</b> , 7, 21	17
264	Deliberate self-harm by under-15-year-olds: characteristics, trends and outcome. <b>2008</b> , 49, 441-8	89
263	Psychosocial assessment following self-harm: results from the multi-centre monitoring of self-harm project. <b>2008</b> , 106, 285-93	86
262	Life problems and deliberate self-harm: associations with gender, age, suicidal intent and psychiatric and personality disorder. <b>2008</b> , 109, 139-48	62
261	The social construction of gender and its influence on suicide: a review of the literature. <b>2008</b> , 5, 23-35	93
260	Self-harm. <b>2008</b> , 36, 455-458	5
259	How often does deliberate self-harm occur relative to each suicide? A study of variations by gender and age. <b>2008</b> , 38, 650-60	70
258	The changing gender ratio in occurrence of deliberate self-harm across the lifecycle. <b>2008</b> , 29, 4-10	74
257	General hospital presentations of non-fatal hanging over a 28-year period: case-control study. <b>2008</b> , 193, 503-4	12
256	Primary care contact prior to suicide in individuals with mental illness. <b>2009</b> , 59, 825-32	81
255	Personality, child maltreatment, and substance use: Examining correlates of deliberate self-harm among university students.. <b>2009</b> , 41, 241-251	36
254	Suicide and self-harm in older people. <b>2009</b> , 10, 16-23	7
253	Suicidality and suicide in older people. <b>2009</b> , 19, 271-294	28
252	Attitudes towards clinical services among people who self-harm: systematic review. <b>2009</b> , 194, 104-10	160
251	Self-harm in the general hospital. <b>2009</b> , 8, 189-193	3
250	Characteristics of clients to a suicide prevention centre--an epidemiological analysis of the users over a 10-year period. <b>2009</b> , 115, 339-46	1

249	Repetition and severity of suicide attempts across the life cycle: a comparison by age group between suicide victims and controls with severe depression. <b>2009</b> , 9, 62	21
248	Trends in prescribing and self-poisoning in relation to UK regulatory authority warnings against use of SSRI antidepressants in under-18-year-olds. <b>2009</b> , 68, 618-29	29
247	Attempted suicide in the elderly in England: age-associated rates, time trends and methods. <b>2009</b> , 21, 889-95	18
246	Self-harm in UK armed forces personnel: descriptive and case-control study of general hospital presentations. <b>2009</b> , 194, 266-72	12
245	Toxicity of antidepressants: rates of suicide relative to prescribing and non-fatal overdose. <b>2010</b> , 196, 354-8	127
244	Psychiatric disorders in women prisoners who have engaged in near-lethal self-harm: case-control study. <b>2010</b> , 197, 219-26	64
243	Psychiatric disorders in male prisoners who made near-lethal suicide attempts: case-control study. <b>2010</b> , 197, 313-9	71
242	Epidemiology and trends in non-fatal self-harm in three centres in England: 2000-2007. <b>2010</b> , 197, 493-8	121
241	Deliberate self-harm in Oxford University students, 1993-2005: a descriptive and case-control study. <b>2010</b> , 45, 211-9	24
240	Effect of media reporting of the suicide of a singer in Taiwan: the case of Ivy Li. <b>2010</b> , 45, 363-9	40
239	How adolescents who cut themselves differ from those who take overdoses. <b>2010</b> , 19, 513-23	37
238	Six year follow-up of a clinical sample of self-harm patients. <b>2010</b> , 121, 247-52	44
237	A comparative study of non-fatal self-poisoning with antidepressants relative to prescribing in three centres in England. <b>2010</b> , 123, 95-101	9
236	Psychosocial assessment and repetition of self-harm: the significance of single and multiple repeat episode analyses. <b>2010</b> , 127, 257-65	62
235	A cross-sectional observation of the factors associated with deliberate self-poisoning with acetaminophen: impact of gender differences and psychiatric intervention. <b>2010</b> , 25, 500-8	9
234	Clarifying self-harm through evolutionary concept analysis. <b>2010</b> , 24, 610-9	4
233	Suicidal ideation and suicide attempts in the United States: 1991-1992 and 2001-2002. <b>2010</b> , 15, 250-9	82
232	Suicide and self-harm. <b>2010</b> , 693-713	

231	The effect of referral for brief intervention for alcohol misuse on repetition of deliberate self-harm: an exploratory randomized controlled trial. <i>Psychological Medicine</i> , <b>2010</b> , 40, 1821-8	6.9	27
230	Distinguishing suicidal from non-suicidal deliberate self-harm events in women with Borderline Personality Disorder. <b>2010</b> , 44, 574-82		10
229	Assessment rates and compliance with assertive follow-up after self-harm: cohort study. <b>2010</b> , 14, 120-34		9
228	Experiential avoidance and problem behavior: a mediational analysis. <b>2010</b> , 34, 145-63		81
227	Non-suicidal and suicidal self-injurious behavior among Flemish adolescents: A web-survey. <b>2011</b> , 15, 56-67		100
226	Mothers' experiences of mental health services following their children's self-harm. <b>2011</b> , 2, 196-202		4
225	Is there a role for Psychological Wellbeing Practitioners and Primary Care Mental Health Workers in the delivery of low intensity cognitive behavioural therapy for individuals who self-harm?. <b>2011</b> , 6, 165-174		2
224	Suicide in a Poor Rural Community in the Western Cape, South Africa: Experiences of Five Suicide Attempters and Their Families. <b>2011</b> , 41, 300-309		12
223	Problem-solving therapy for people who present to hospital with self-harm: Zelen randomised controlled trial. <b>2011</b> , 199, 310-6		48
222	Involving service users in intervention design: a participatory approach to developing a text-messaging intervention to reduce repetition of self-harm. <b>2011</b> , 14, 285-95		54
221	Risk assessment following self-harm: comparison of mental health nurses and psychiatrists. <b>2011</b> , 67, 127-39		15
220	Psychosocial influences on prisoner suicide: a case-control study of near-lethal self-harm in women prisoners. <b>2011</b> , 72, 874-83		81
219	Deliberate self-harm in rural and urban regions: a comparative study of prevalence and patient characteristics. <b>2011</b> , 73, 274-81		41
218	The impact of quality and quantity of social support on help-seeking behavior prior to deliberate self-harm. <b>2011</b> , 33, 37-44		27
217	"Well it's like someone at the other end cares about you." A qualitative study exploring the views of users and providers of care of contact-based interventions following self-harm. <b>2011</b> , 33, 166-76		37
216	Problem drug use, drug misuse and deliberate self-harm: trends and patient characteristics, with a focus on young people, Oxford, 1993-2006. <b>2011</b> , 46, 85-93		17
215	Healthcare and social services resource use and costs of self-harm patients. <b>2011</b> , 46, 263-71		78
214	All-cause mortality after non-fatal self-poisoning: a cohort study. <b>2011</b> , 46, 455-62		15

213	The prevalence of previous self-harm amongst self-poisoning patients in Sri Lanka. <b>2011</b> , 46, 517-20		11
212	Living alone and deliberate self-harm: a case-control study of characteristics and risk factors. <b>2011</b> , 46, 1115-25		23
211	Changes in rates, methods and characteristics of suicide attempters over a 15-year period: comparison between Stockholm, Sweden, and Wetzburg, Germany. <b>2011</b> , 46, 1103-14		17
210	Repetition of suicide attempts across episodes of severe depression. Behavioural sensitisation found in suicide group but not in controls. <b>2011</b> , 11, 5		13
209	Developing and validating the "composite measure of problem behaviors". <b>2011</b> , 67, 736-51		19
208	Shared characteristics of suicides and other unnatural deaths following non-fatal self-harm? A multicentre study of risk factors. <i>Psychological Medicine</i> , <b>2012</b> , 42, 727-41	6.9	39
207	Pathways to care and help-seeking experience prior to self-harm: a qualitative study in Taiwan. <b>2012</b> , 20, 32-41		17
206	A study of psychosocial correlates of suicide in a sample of suicide attempters in Kuwait. <b>2012</b> , 19, 190-195		1
205	Distinguishing adolescents who think about self-harm from those who engage in self-harm. <b>2012</b> , 200, 330-5		99
204	What can be done to reduce mortality from paracetamol overdoses? A patient interview study. <b>2012</b> , 105, 41-51		13
203	A rationale for service responses to self-injury. <b>2012</b> , 21, 15-22		8
202	Risk factors for repetition and suicide following self-harm in older adults: multicentre cohort study. <b>2012</b> , 200, 399-404		71
201	The natural history of self-harm from adolescence to young adulthood: a population-based cohort study. <b>2012</b> , 379, 236-43		336
200	Premature death after self-harm: a multicentre cohort study. <b>2012</b> , 380, 1568-74		194
199	Self-injury among early adolescents: identifying segments protected and at risk. <b>2012</b> , 82, 537-47		7
198	The European Psychiatric Association (EPA) guidance on suicide treatment and prevention. <b>2012</b> , 27, 129-41		187
197	Repetition of self-harm and suicide following self-harm in children and adolescents: findings from the Multicentre Study of Self-harm in England. <b>2012</b> , 53, 1212-9		164
196	Studying survivors of near-lethal suicide attempts as a proxy for completed suicide in prisons. <b>2012</b> , 220, 19-26		28

195	Changing epidemiologic patterns of deliberate self poisoning in a rural district of Sri Lanka. <b>2012</b> , 12, 593	41
194	Repetitive nonsuicidal self-injury as experiential avoidance among a community sample of adolescents. <b>2012</b> , 68, 809-29	49
193	Epidemiology and nature of self-harm in children and adolescents: findings from the multicentre study of self-harm in England. <b>2012</b> , 21, 369-77	64
192	Practitioner review: Self-harm in adolescents. <b>2012</b> , 53, 337-50	77
191	Attitudes and knowledge of clinical staff regarding people who self-harm: a systematic review. <b>2012</b> , 139, 205-16	216
190	Impact on prisoners of participating in research interviews related to near-lethal suicide attempts. <b>2012</b> , 136, 54-62	31
189	How do methods of non-fatal self-harm relate to eventual suicide?. <b>2012</b> , 136, 526-33	84
188	Suicidal action, emotional expression, and the performance of masculinities. <b>2012</b> , 74, 498-505	158
187	Suicide and deliberate self-harm in Oxford University students over a 30-year period. <b>2012</b> , 47, 43-51	23
186	The association between social relationships and self-harm: a case-control study in Taiwan. <b>2013</b> , 13, 101	8
185	Evaluation of attempted suicide in emergency departments in Sanliurfa province, southeastern Turkey. <b>2013</b> , 21, 325-331	4
184	Service user perspectives on psychosocial assessment following self-harm and its impact on further help-seeking: a qualitative study. <b>2013</b> , 145, 315-23	55
183	A typology of male prisoners making near-lethal suicide attempts. <b>2013</b> , 34, 335-47	18
182	Suicidal Career in Severe Depression among Long-Term Survivors: In a Followup after 37-53 Years Suicide Attempts Appeared to End Long before Depression. <b>2013</b> , 2013, 610245	5
181	The epidemiology and management of adult poisonings admitted to the short-stay ward of a large Scottish emergency department. <b>2013</b> , 58, 149-53	8
180	Last suicide attempt before completed suicide in severe depression: an extended suicidal process may be found in men rather than women. <b>2013</b> , 17, 426-33	1
179	Non-suicidal self-injury v. attempted suicide: new diagnosis or false dichotomy?. <b>2013</b> , 202, 326-8	253
178	Psychosocial characteristics and social networks of suicidal prisoners: towards a model of suicidal behaviour in detention. <b>2013</b> , 8, e68944	60



177 Recurrent self-harm. **2014**, 67-84

176 Change in access to prescribed medication following an episode of deliberate self-poisoning: a multilevel approach. **2014**, 9, e98086 14

175 Alcohol-related mortality following self-harm: a multicentre cohort study. **2014**, 5, 2054270414533326 7

174 Healing and recovering after a suicide attempt: a grounded theory study. **2014**, 23, 1751-9 12

173 Self-harm in people with epilepsy: a retrospective cohort study. **2014**, 55, 1355-65 16

172 The role of the general dental practitioner in managing patients who self-harm. **2014**, 217, 503-6 1

171 Suicide completion in secondary mental healthcare: a comparison study between schizophrenia spectrum disorders and all other diagnoses. **2014**, 14, 213 15

170 Validation of the Chinese SAD PERSONS Scale to predict repeated self-harm in emergency attendees in Taiwan. **2014**, 14, 44 14

169 Early Intervention for Self-Harm and Suicidality. **2014**, 255-266 0

168 Sleep problems and hospitalization for self-harm: a 15-year follow-up of 9,000 Norwegian adolescents. The Young-HUNT Study. **2014**, 37, 579-85 14

167 Responding to the rise of adult male self injury within an inpatient setting. **2015**, 4, 276-281

166 Correlates of Nonsuicidal Self-Injury and Suicide Attempts Among Tertiary Care, Emergency Department Patients. **2015**, 60, 276-83 14

165 'Our Care through Our Eyes': a mixed-methods, evaluative study of a service-user, co-produced education programme to improve inpatient care of children and young people admitted following self-harm. **2015**, 5, e009680 5

164 Attitudes towards prisoners who self harm scale: a psychometric evaluation. **2015**, 7, 158-166 4

163 Variation by ethnic group in premature mortality risk following self-harm: a multicentre cohort study in England. **2015**, 15, 254 7

162 Interventions for self-harm in children and adolescents. **2015**, CD012013 94

161 Suicidal Intent and Method of Self-Harm: A Large-scale Study of Self-Harm Patients Presenting to a General Hospital. **2015**, 45, 732-46 19

160 Suicidal drownings with psychiatric disorders in Shanghai: a retrospective study from 2010.1 to 2014.6. **2015**, 10, e0121050 4

159	Non-Suicidal Self-Injury among Adolescents in Amman, Jordan. <b>2015</b> , 19, 260-74	13
158	Self-harm amongst people of Chinese origin versus White people living in England: a cohort study. <b>2015</b> , 15, 79	1
157	Pharmacological interventions for self-harm in adults. <b>2015</b> , CD011777	32
156	Alcohol use and misuse, self-harm and subsequent mortality: an epidemiological and longitudinal study from the multicentre study of self-harm in England. <b>2015</b> , 32, 793-9	39
155	Suicide following self-harm: findings from the Multicentre Study of self-harm in England, 2000-2012. <b>2015</b> , 175, 147-51	175
154	The co-occurrence of nonsuicidal and suicidal self-injurious acts in adult women: A pilot study of similarities and differences. <b>2015</b> , 67, 27-45	1
153	Self-harm in bipolar disorder: findings from a prospective clinical database. <b>2015</b> , 173, 113-9	12
152	General hospital-treated self-poisoning in England and Australia: comparison of presentation rates, clinical characteristics and aftercare based on sentinel unit data. <b>2015</b> , 78, 356-62	12
151	Self-harm in Oxford, England: epidemiological and clinical trends, 1996-2010. <b>2015</b> , 50, 695-704	26
150	Therapeutic interventions for suicide attempts and self-harm in adolescents: systematic review and meta-analysis. <b>2015</b> , 54, 97-107.e2	252
149	Incidence and outcomes of emergency self-harm among adolescents: a descriptive epidemiological study in Osaka City, Japan. <b>2016</b> , 6, e011419	
148	Modes of Mind and Suicidal Processes. <b>2016</b> , 450-465	2
147	Thoughts and acts of self-harm, and suicidal ideation, in online gamblers. <b>2016</b> , 16, 408-423	7
146	Hesitation Wounds and Sharp Force Injuries in Forensic Pathology and Psychiatry: Multidisciplinary Review of the Literature and Study of Two Cases. <b>2016</b> , 61, 1515-1523	10
145	Psychosocial interventions following self-harm in adults: a systematic review and meta-analysis. <b>2016</b> , 3, 740-750	109
144	Differing patterns in intentional and unintentional poisonings among young people in England, 1998-2014: a population-based cohort study. <b>2017</b> , 39, e1-e9	5
143	Rates of self-harm presenting to general hospitals: a comparison of data from the Multicentre Study of Self-Harm in England and Hospital Episode Statistics. <b>2016</b> , 6, e009749	48
142	Epidemiology and trends in non-fatal self-harm in three centres in England, 2000-2012: findings from the Multicentre Study of Self-harm in England. <b>2016</b> , 6, e010538	120

141	Psychosocial interventions for self-harm in adults. <b>2016</b> , CD012189	92
140	Clinical characteristics associated with the prescribing of SSRI medication in adolescents with major unipolar depression. <b>2016</b> , 25, 1287-1295	6
139	Characteristics and outcomes of emergency patients with self-inflicted injuries: a report from ambulance records in Osaka City, Japan. <b>2016</b> , 24, 68	13
138	Young people who self-harm: a prospective 1-year follow-up study. <b>2016</b> , 51, 171-81	1
137	Self-harm in nurses: prevalence and correlates. <b>2016</b> , 72, 2124-37	1
136	Perceptions of family functioning in adolescents who self-harm. <b>2016</b> , 38, 257-273	6
135	Impact of the recent recession on self-harm: Longitudinal ecological and patient-level investigation from the Multicentre Study of Self-harm in England. <b>2016</b> , 191, 132-8	29
134	The exacerbating influence of hopelessness on other known risk factors for repeat self-harm and suicide. <b>2016</b> , 190, 522-528	23
133	Factors associated with different smoking status in European adolescents: results of the SEYLE study. <b>2017</b> , 26, 1319-1329	20
132	Non-Suicidal Self-Injury and Suicidal Behavior in a Diverse Sample: The Moderating Role of Social Problem-Solving Ability. <b>2017</b> , 15, 471-484	4
131	Combination of self-harm methods and fatal and non-fatal repetition: A cohort study. <b>2017</b> , 218, 188-194	16
130	Predictors for repeat self-harm and suicide among older people within 12 months of a self-harm presentation. <b>2017</b> , 29, 1237-1245	15
129	Female suicides: Psychosocial and psychiatric characteristics identified by a psychological autopsy study in Japan. <b>2017</b> , 71, 271-279	6
128	General hospital costs in England of medical and psychiatric care for patients who self-harm: a retrospective analysis. <b>2017</b> , 4, 759-767	57
127	Adolescent health and subsequent risk of self-harm hospitalisation: a 15-year follow-up of the Young-HUNT cohort. <b>2017</b> , 11, 25	6
126	Age-related differences in self-harm presentations and subsequent management of adolescents and young adults at the emergency department. <b>2017</b> , 208, 399-405	21
125	Is There a Relationship between Suicidal Intent and Lethality in Deliberate Self-Poisoning?. <b>2017</b> , 47, 205-216	7
124	Investigating the Interaction Between Sleep Symptoms of Arousal and Acquired Capability in Predicting Suicidality. <b>2017</b> , 47, 370-381	10

123	Socioeconomic position and self-harm among adolescents: a population-based cohort study in Stockholm, Sweden. <b>2017</b> , 11, 46		11
122	Effectiveness of online and mobile telephone applications ('apps') for the self-management of suicidal ideation and self-harm: a systematic review and meta-analysis. <b>2017</b> , 17, 297		75
121	Treatment as usual (TAU) as a control condition in trials of cognitive behavioural-based psychotherapy for self-harm: Impact of content and quality on outcomes in a systematic review. <b>2018</b> , 235, 434-447		15
120	Relative toxicity of benzodiazepines and hypnotics commonly used for self-poisoning: An epidemiological study of fatal toxicity and case fatality. <b>2018</b> , 32, 654-662		15
119	Why are psychotic experiences associated with self-injurious thoughts and behaviours? A systematic review and critical appraisal of potential confounding and mediating factors. <i>Psychological Medicine</i> , <b>2018</b> , 48, 1410-1426	6.9	23
118	The help for people with money, employment or housing problems (HOPE) intervention: pilot randomised trial with mixed methods feasibility research. <b>2018</b> , 4, 172		2
117	Relative toxicity of mood stabilisers and antipsychotics: case fatality and fatal toxicity associated with self-poisoning. <b>2018</b> , 18, 399		10
116	Self-Harm among Young People Detained in the Youth Justice System in Sri Lanka. <b>2018</b> , 15,		1
115	Sharply Reduced but Still Heavy Self-Harm Burdens in Hubei Province, China, 1990-2015. <b>2018</b> , 15,		2
114	Prevalence and Characteristics of Self-Harm in Adolescents: Meta-Analyses of Community-Based Studies 1990-2015. <b>2018</b> , 57, 733-741		77
113	Can risk assessment predict suicide in secondary mental healthcare? Findings from the South London and Maudsley NHS Foundation Trust Biomedical Research Centre (SLaM BRC) Case Register. <b>2018</b> , 53, 1161-1171		7
112	Self-harm Risk Among Adolescents and the Phenomenon of the "Blue Whale Challenge": Case Series and Review of the Literature. <b>2019</b> , 64, 638-642		15
111	Adolescent personality traits, low self-esteem and self-harm hospitalisation: a 15-year follow-up of the Norwegian Young-HUNT1 cohort. <b>2019</b> , 28, 329-339		3
110	Suicide ideation and suicide plan in Chinese left-behind children: Prevalence and associated factors. <b>2019</b> , 257, 662-668		13
109	Suicide following presentation to hospital for non-fatal self-harm in the Multicentre Study of Self-harm: a long-term follow-up study. <b>2019</b> , 6, 1021-1030		49
108	Qualitative investigation of relatives' and service users' experience of mental healthcare for suicidal behaviour in bipolar disorder. <b>2019</b> , 9, e030335		0
107	Self-harm presentations in emergency departments: staff attitudes and triage. <b>2019</b> , 28, 1468-1476		9
106	Relative toxicity of analgesics commonly used for intentional self-poisoning: A study of case fatality based on fatal and non-fatal overdoses. <b>2019</b> , 246, 814-819		10

105	Exploring Thematic Nightmare Content and Associated Self-Harm Risk. <b>2019</b> , 49, 64-75	3
104	Population attributable risk of factors associated with the repetition of self-harm behaviour in young people presenting to clinical services: a systematic review and meta-analysis. <b>2019</b> , 28, 5-18	27
103	Roads less taken: Pathways to care before near-lethal suicide attempts. <b>2020</b> , 63, 473-485	
102	Mortality in children and adolescents following presentation to hospital after non-fatal self-harm in the Multicentre Study of Self-harm: a prospective observational cohort study. <b>2020</b> , 4, 111-120	31
101	Exploring characteristics and risk of repetition in people who fail to report previous hospital presentations for self-harm: A case-control study using data from The Manchester Self-Harm Project. <b>2020</b> , 262, 77-82	0
100	Relationship between Sleep Problems and Self-Injury: A Systematic Review. <b>2021</b> , 19, 689-704	11
99	Utilization of healthcare and psychotropic medication in elderly and non-elderly people with first self-poisoning episodes: A nationwide population-based cohort study. <b>2020</b> , 34, 36-43	
98	Psychosocial interventions for self-harm in adults. <b>2020</b> ,	1
97	Interventions for self-harm in children and adolescents. <b>2020</b> ,	1
96	Pharmacological interventions for self-harm in adults. <b>2020</b> ,	1
95	A Longitudinal Study of Correlates, Discharge Disposition, and Rate of Re-presentation to Emergency Services of Adults who Engage in Non-suicidal Self-injury. <b>2020</b> , 1-20	
94	Gender differences in self-harm and drinking behaviors among high school students in Beijing, China. <b>2020</b> , 20, 1892	4
93	Studying individual risk factors for self-harm in the UK Biobank: A polygenic scoring and Mendelian randomisation study. <b>2020</b> , 17, e1003137	11
92	Rapid access to brief psychological treatments for self-harm and suicidal crisis. <b>2020</b> , 70, 274-275	2
91	A RETROSPECTIVE STUDY ON DRUG UTILIZATION PATTERN OF POISONING CASES ADMITTED IN A TERTIARY CARE TEACHING HOSPITAL. <b>2020</b> , 67-72	
90	Spatial patterning and correlates of self-harm in Manchester, England. <b>2019</b> , 29, e72	3
89	Self-harm behaviors, suicidal ideation, and associated factors among rural left-behind children in west China. <b>2020</b> , 42, 42-49	8
88	Reducing suicide after hospital-treated self-harm in young people. <b>2020</b> , 4, 92-93	

87	Understanding the Needs of Young People Who Engage in Self-Harm: A Qualitative Investigation. <b>2019</b> , 10, 2916	10
86	Deliberate self-harm and associated risk factors in young adults: the importance of education attainment and sick leave. <b>2021</b> , 56, 153-164	0
85	Burnout and attitudes toward deliberate self harm amongst UK junior doctors. <b>2021</b> , 26, 162-176	1
84	Risk Factors for Self-Harm: Narratives from a Sample of Young People in Northern Ireland. <b>2021</b> , 27, 139-154	2
83	Real-world effectiveness of mood stabilizers on self-harm and suicide attempts in patients with bipolar disorder: A 2-year mirror-image study. <b>2021</b> , 3, 100064	3
82	Pharmacological interventions for self-harm in adults. <b>2021</b> , 2021,	4
81	Behavior change techniques in mobile apps targeting self-harm in young people: a systematic review. <b>2021</b> , 11, 832-841	1
80	International study of definitions of English-language terms for suicidal behaviours: a survey exploring preferred terminology. <b>2021</b> , 11, e043409	12
79	Assessing the risk of self-harm: the impact of safety interventions on the predictive validity of risk assessment in secure care. <b>2021</b> , 23, 63-74	
78	Intentional retinal injury with handheld lasers is an underrecognized form of self-harm. <b>2021</b> , 281, 503-504	1
77	Self-harm during the early period of the COVID-19 pandemic in England: Comparative trend analysis of hospital presentations. <b>2021</b> , 282, 991-995	24
76	A Qualitative Account of Young People's Experiences Seeking Care from Emergency Departments for Self-Harm. <b>2021</b> , 18,	5
75	Self-harm on roads: Register-based study of methods and characteristics of individuals involved. <b>2021</b> , 282, 46-50	1
74	Interventions for self-harm in children and adolescents. <b>2021</b> , 3, CD013667	5
73	Psychosocial interventions for self-harm in adults. <b>2021</b> , 4, CD013668	10
72	Self-harm and the COVID-19 pandemic: A study of factors contributing to self-harm during lockdown restrictions. <b>2021</b> , 137, 437-443	9
71	Effectiveness, acceptability and potential harms of peer support for self-harm in non-clinical settings: A systematic review.	
70	Self-harm in children 12 years and younger: characteristics and outcomes based on the Multicentre Study of Self-harm in England. <b>2021</b> , 1	0

69	Risk factors for self-harm repetition in adolescents: A systematic review. <b>2021</b> , 88, 102048	3
68	Cost-effectiveness of psychosocial assessment for individuals who present to hospital following self-harm in England: a model-based retrospective analysis.	
67	Does depression moderate the relationship between pain and suicidality in adolescence? A moderated network analysis. <b>2021</b> , 292, 667-677	0
66	Deliberate self-harm in adolescents during COVID-19: The roles of pandemic-related stress, emotion regulation difficulties, and social distancing. <b>2021</b> , 304, 114152	2
65	Effectiveness of assertive case management for patients with suicidal intent. <b>2021</b> , 304, 114125	
64	Comparing short-term risk of repeat self-harm after psychosocial assessment of patients who self-harm by psychiatrists or psychiatric nurses in a general hospital: Cohort study. <b>2020</b> , 272, 158-165	7
63	Welche Probleme berichten Jugendliche mit selbstverletzendem Verhalten?. <b>2011</b> , 20, 111-118	14
62	Psychosocial assessment following self-harm: repetition of nonfatal self-harm after assessment by psychiatrists or mental health nurses. <b>2010</b> , 31, 211-6	4
61	Monitoring deliberate self-harm presentations to general hospitals. <b>2006</b> , 27, 157-63	21
60	Epidemiological trends in attempted suicide in adolescents and young adults between 1996 and 2004. <b>2009</b> , 30, 115-9	10
59	Specific psychological treatment versus treatment as usual in adolescents with self-harm: systematic review and meta-analysis. <b>2011</b> , 32, 74-80	37
58	Impact of withdrawal of the analgesic Co-proxamol on nonfatal self-poisoning in the UK. <b>2011</b> , 32, 81-7	16
57	A study of deliberate self-harm and its repetition among patients presenting to an emergency department. <b>2011</b> , 32, 217-24	25
56	Alcohol and repeated deliberate self-harm: preliminary results of the French cohort study of risk for repeated incomplete suicides. <b>2012</b> , 33, 358-63	9
55	Ethnic differences in self-poisoning across South London. <b>2014</b> , 35, 268-72	1
54	Suicide after nonfatal self-harm. <b>2015</b> , 36, 65-70	8
53	Why Do Adolescents Self-Harm?. <b>2016</b> , 37, 176-83	19
52	A Pilot Study on the Efficacy of Volunteer Mentorship for Young Adults With Self-Harm Behaviors Using a Quasi-Experimental Design. <b>2016</b> , 37, 415-426	5

51	High-Volume Repeaters of Self-Harm. <b>2016</b> , 37, 427-437	6
50	Suicide attempts in Europe. <b>2009</b> , 124-126	2
49	Self-harm during the early period of the COVID-19 Pandemic in England: comparative trend analysis of hospital presentations.	1
48	Self-harm and the COVID-19 pandemic: a study of factors contributing to self-harm during lockdown restrictions.	1
47	Prevalence and clinical correlates of self-harm and suicidality during admission of children in a mental health inpatient unit. <b>2020</b> , 64, e1	1
46	Defining Self-Harm. <b>2009</b> , 1-17	2
45	Increase in Self-Injury as a Method of Self-Harm in Ghent, Belgium: 1987-2013. <b>2016</b> , 11, e0156711	26
44	Prevalence and Correlates of Self-Harm in the German General Population. <b>2016</b> , 11, e0157928	30
43	Developing a Text Messaging Intervention to Reduce Deliberate Self-Harm in Chinese Adolescents: Qualitative Study. <b>2020</b> , 8, e16963	7
42	Exploring the Therapeutic Affordances of Self-Harm Online Support Communities: An Online Survey of Members. <b>2017</b> , 4, e44	13
41	Assessing the risk of self-harm in an adult offender population: an incidence cohort study. <b>2014</b> , 18, 1-151, vii-viii	9
40	Reducing relapse and suicide in bipolar disorder: practical clinical approaches to identifying risk, reducing harm and engaging service users in planning and delivery of care [the PARADES (Psychoeducation, Anxiety, Relapse, Advance Directive Evaluation and Suicidality) programme]. <b>2018</b> , 6, 1-226	4
39	Comparative study of personality disorder associated with deliberate self harm in two different age groups (15-24 years and 45-74 years). <b>2008</b> , 50, 177-80	13
38	Self-inflicted Cut Injury as Common Method of Deliberate Self Harm: A Retrospective Study from Nepal. <b>2017</b> , 39, 579-583	3
37	A multicentre programme of clinical and public health research in support of the National Suicide Prevention Strategy for England. <b>2013</b> , 1, 1-216	2
36	CLINICO-PSYCHIATRIC PROFILES OF CHILDREN WITH SELF-HARM POISONING. <b>2015</b> , 02, 15-17	
35	Identifying Potential Causal Risk Factors for Self-Harm: A Polygenic Risk Scoring and Mendelian Randomisation Approach.	1
34	Developing a Text Messaging Intervention to Reduce Deliberate Self-Harm in Chinese Adolescents: Qualitative Study (Preprint).	



33	Self-inflicted stab injury with abdominal evisceration: A case report. <b>2021</b> , 88, 106543	0
32	Accuracy of individual and combined risk-scale items in the prediction of repetition of self-harm: multicentre prospective cohort study. <b>2020</b> , 7, e2	1
31	Use of psychoactive substances by adolescents in different types of auto-aggressive behaviour. <b>2020</b> , 10, 116-122	3
30	Extensive self-harm scarring: successful treatment with simultaneous use of a single layer skin substitute and split-thickness skin graft. <b>2012</b> , 12, e23	7
29	Risk factors for deliberate self-harm in patients presenting to the emergency departments of Karachi. <b>2015</b> , 25, 50-5	4
28	Valued attributes of professional support for people who repeatedly self-harm: A systematic review and meta-synthesis of first-hand accounts.. <b>2022</b> ,	1
27	Life problems in children and adolescents who self-harm: findings from the multicentre study of self-harm in England.. <b>2022</b> ,	0
26	Effectiveness, acceptability and potential harms of peer support for self-harm in non-clinical settings: systematic review.. <b>2022</b> , 8, e28	0
25	Cost-effectiveness of psychosocial assessment for individuals who present to hospital following self-harm in England: a model-based retrospective analysis.. <b>2022</b> , 1-32	0
24	Prevalence, methods and characteristics of self-harm among asylum seekers in Australia: protocol for a systematic review.. <b>2022</b> , 12, e060234	
23	Pain and suicidality in children and adolescents: a longitudinal population-based study.. <b>2022</b> , 1	0
22	Is self-harm among orthodontic patients related to dislike of dentofacial features and oral health-related quality of life?. <b>2021</b> ,	2
21	The interaction between social factors and adversities on self-harm during the COVID-19 pandemic: longitudinal analysis of 49 227 UK adults.. <b>2022</b> , 8, e12	0
20	First responder, clinician, and non-clinical support staff knowledge, attitudes, and behaviours towards people presenting for emergency care following self-harm: a mixed evidence synthesis. <b>2021</b> , 2021,	2
19	Service users' experiences of emergency care following an episode of self-harm: a mixed evidence synthesis. <b>2021</b> , 2021,	1
18	Adverse clinical outcomes among youths with nonsuicidal self-injury and suicide attempts: a longitudinal cohort study. <b>2021</b> ,	0
17	Data_Sheet_1.docx. <b>2020</b> ,	
16	Alcohol Consumption and Suicidal Behavior: Current Research Evidence and Potential for Prevention. <b>2022</b> , 1-26	0

- 15 Association of Psychiatric Services Referral and Attendance Following Treatment for Deliberate Self-harm With Prospective Mortality in Norwegian Patients.. **2022**, ○
- 14 Socio-economic disparities in patients who present to hospital for self-harm: patients' characteristics and problems in the Multicentre Study of Self-harm in England. **2022**, 318, 238-245 ○
- 13 Loneliness and self-harm in adolescents during the first national COVID-19 lockdown: results from a survey of 10,000 secondary school pupils in England. ○
- 12 Influence of Parenting on Maladaptive Schemas and Emotion Regulation in Adolescents Presenting With Self-Injurious Behavior in a Tertiary Care Hospital of North India. 097313422211207 ○
- 11 Alcohol Consumption and Suicidal Behavior: Current Research Evidence and Potential for Prevention. **2022**, 1151-1176 ○
- 10 Associations between workers' compensation and self-harm: A retrospective case-series study of hospital admissions data. **2022**, 100614 ○
- 9 Self-Harm by nurses and midwives: a study of hospital presentations. ○
- 8 Service use and costs in adolescents with pain and suicidality: A cross-sectional study. **2022**, 101778 ○
- 7 Global prevalence of self-harm during the COVID-19 pandemic: A systematic review and meta-analysis. ○
- 6 Characteristics of self-harm presentations to the emergency department of the Royal Melbourne Hospital, 2012-2019: Data from the Self-Harm Monitoring System for Victoria. **2023**, ○
- 5 Classification of suicidal behavior calls in emergency medical services: a systematic review. **2023**, 16, ○
- 4 The characteristics, life problems and clinical management of older adults who self-harm: Findings from the multicentre study of self-harm in England. **2023**, 38, ○
- 3 Childhood Trauma and Self-harm in Adults with Clinical Depression and Non-Clinical Controls. **2023**, 4, 5-19 ○
- 2 A systematic review and meta-ethnography to explore people's experiences of psychotherapy for self-harm. ○
- 1 Research Review: Viewing self-harm images on the internet and social media platforms: systematic review of the impact and associated psychological mechanisms. ○