CITATION REPORT List of articles citing

Outcome benefit of intensive insulin therapy in the critically ill: Insulin dose versus glycemic control

DOI: 10.1097/01.ccm.0000045568.12881.10 Critical Care Medicine, 2003, 31, 359-66.

Source: https://exaly.com/paper-pdf/36072549/citation-report.pdf

Version: 2024-04-09

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
1903	[Diabetic coma. Management of diabetic ketoacidosis and nonketotic hyperosmolar coma]. 2003 , 44, 1260-74		3
1902	[Progress in therapy of infection]. 2003, 44, 1531-40		2
1901	Pharmakologische Pr		2
1900	Die Niere im akuten Nierenversagen: Vom Opfer zum TEer. 2003 , 40, 356-360		
1899	Insulin therapy for the critically ill patient. 2003 , 5, 56-63		68
1898	Management of severe sepsis: integration of multiple pharmacologic interventions. 2003 , 23, 1486-96		14
1897	Position of the American Dietetic Association: integration of medical nutrition therapy and pharmacotherapy. 2003 , 103, 1363-70		24
1896	A multiple logistic regression analysis of in-hospital factors related to survival at six months in patients resuscitated from out-of-hospital ventricular fibrillation. 2003 , 59, 319-28		119
1895	Care bundles in critical care: a practical approach to evidence-based practice. 2003 , 8, 249-55		75
1894	How sweet is euglycemia in critically ill patients?. 2003 , 78, 1460-2		12
1893	Clinical potential of insulin therapy in critically ill patients. 2003 , 63, 625-36		53
1892	Glucose control and mortality in critically ill patients. 2003, 290, 2041-7		764
1891	Diabetes and Vascular Disease. 2003 , 7, 295-310		
1890	A high-throughput quantitative multiplex kinase assay for monitoring information flow in signaling networks: application to sepsis-apoptosis. 2003 , 2, 463-73		81
1889	Death by parenteral nutrition: fact or fiction. 2003 , 18, 521-2		1
1888	Sepsistheory and therapies. 2003 , 348, 1600-2; author reply 1600-2		19
1887	Acquired neuromuscular disorders in the intensive care unit. 2003 , 168, 735-9		70

1886 2564; author reply 2564-5	13
1885 New treatment strategies for severe sepsis and septic shock. 2003 , 9, 390-6	31
1884 Metabolic alterations in sepsis and vasoactive drug-related metabolic effects. 2003 , 9, 271-8	58
Acid-base and electrolyte analysis in critically ill patients: are we ready for the new millennium?. 2003 , 9, 468-73	70
1882 Specialized nutrition support in critically ill patients. 2003 , 9, 249-59	15
$_{f 1}881$ Prevention and nondialytic treatment of acute renal failure. 2003 , 9, 481-90	46
Using insulin as a drug rather than as a replacement hormone during acute illness: a new paradigm. 2003 , 5, 323-33	1
Insulin dose or glycemic control for the critically ill?. <i>Critical Care Medicine</i> , 2003 , 31, 2565-6; author reply 2566	2
1878 Clinical trial design and outcomes in patients with severe sepsis. 2003 , 20, 295-302	48
1877 Bibliography. Current world literature. Cardiovascular system. 2003 , 9, 428-47	
One and the desired attended to the second of the forest transfer of the forest transfer of the second of the seco	
Open versus closed units: chaos versus a well-oiled machine. <i>Critical Care Medicine</i> , 2003 , 31, 2567-8; author reply 2568	2
	2
¹⁸⁷⁶ 2567-8; author reply 2568	2
2567-8; author reply 2568 1.4 1875 Evidence-based medicine. <i>Critical Care Medicine</i> , 2003 , 31, 2566-7; author reply 2567 1.4	11
2567-8; author reply 2568 1.4 1875 Evidence-based medicine. <i>Critical Care Medicine</i> , 2003 , 31, 2566-7; author reply 2567 1.4 1874 Management of Hyperglycemia in Patients Receiving Specialized Nutritional Support. 2003 , 38, 702-708	
1875 Evidence-based medicine. <i>Critical Care Medicine</i> , 2003, 31, 2566-7; author reply 2567 1.4 1874 Management of Hyperglycemia in Patients Receiving Specialized Nutritional Support. 2003, 38, 702-708 1873 Appraisal of four novel approaches to the prevention and treatment of sepsis. 2004, 61, 765-774 Implementing intensive insulin therapy: development and audit of the Bath insulin protocol. 2004,	11
2567-8; author reply 2568 1.4 1875 Evidence-based medicine. <i>Critical Care Medicine</i> , 2003 , 31, 2566-7; author reply 2567 1.4 1874 Management of Hyperglycemia in Patients Receiving Specialized Nutritional Support. 2003 , 38, 702-708 1873 Appraisal of four novel approaches to the prevention and treatment of sepsis. 2004 , 61, 765-774 1872 Implementing intensive insulin therapy: development and audit of the Bath insulin protocol. 2004 , 32, 311-6	11 47

1868	[Insulin: cardiovascular effects and therapeutic applications]. 2004 , 48, 793-802	О
1867	A systems approach to reducing errors in insulin therapy in the inpatient setting. 2004 , 10 Suppl 2, 100-8	68
1866	Weakness of anastomotic site in diabetic rats is caused by changes in the integrity of newly formed collagen. 2004 , 21, 146-51	31
1865	Glucose control in the critically ill. 2004 , 144, 119-31	3
1864	Mechanisms of hemorrhage-induced hepatic insulin resistance: role of tumor necrosis factor-alpha. 2004 , 145, 5168-76	38
1863	Intensive insulin treatment in critically ill trauma patients normalizes glucose by reducing endogenous glucose production. 2004 , 89, 5382-6	62
1862	Management of diabetes and hyperglycemia in hospitals. 2004 , 27, 553-91	987
1861	Hyperglycemia and nutrition support: theory and practice. 2004 , 19, 235-44	22
1860	Glucose in parenteral nutrition: a survey of U.S. medical centers. 2004 , 28, 447-52	15
1859	Current concepts in the diagnosis and management of trauma-related sepsis. 2004, 6, 1-11	
	Current concepts in the diagnosis and management of trauma-related sepsis. 2004 , 6, 1-11 Inpatient diabetes control: rationale. 2004 , 27, 2074-80	7
1858		7
1858	Inpatient diabetes control: rationale. 2004 , 27, 2074-80	
1858 1857	Inpatient diabetes control: rationale. 2004 , 27, 2074-80 Severe acute pancreatitis: nutritional management in the ICU. 2004 , 19, 25-30 Acute motor axonal polyneuropathy after a cisatracurium infusion and concomitant corticosteroid	2
1858 1857 1856	Inpatient diabetes control: rationale. 2004 , 27, 2074-80 Severe acute pancreatitis: nutritional management in the ICU. 2004 , 19, 25-30 Acute motor axonal polyneuropathy after a cisatracurium infusion and concomitant corticosteroid therapy. 2004 , 92, 289-93 Intensification of therapeutic approaches reduces mortality in diabetic patients with acute	9
1858 1857 1856 1855	Inpatient diabetes control: rationale. 2004 , 27, 2074-80 Severe acute pancreatitis: nutritional management in the ICU. 2004 , 19, 25-30 Acute motor axonal polyneuropathy after a cisatracurium infusion and concomitant corticosteroid therapy. 2004 , 92, 289-93 Intensification of therapeutic approaches reduces mortality in diabetic patients with acute myocardial infarction: the Munich registry. 2004 , 27, 455-60	9 56
1858 1857 1856 1855	Inpatient diabetes control: rationale. 2004, 27, 2074-80 Severe acute pancreatitis: nutritional management in the ICU. 2004, 19, 25-30 Acute motor axonal polyneuropathy after a cisatracurium infusion and concomitant corticosteroid therapy. 2004, 92, 289-93 Intensification of therapeutic approaches reduces mortality in diabetic patients with acute myocardial infarction: the Munich registry. 2004, 27, 455-60 The evolving paradigm of hyperglycemia and critical illness. 2004, 126, 674-6 Relationship of baseline glucose homeostasis to hyperglycemia during medical critical illness. 2004,	2 9 56 11

1850 Announcements. **2004**, 318

1849 Long term verification of glucose-insulin regulatory system model dynamics. 2004 , 2006, 758-61	
Insulin therapy for critically ill hospitalized patients: a meta-analysis of randomized controlled trials. 2004 , 164, 2005-11	218
Contribution of circulating lipids to the improved outcome of critical illness by glycemic control with intensive insulin therapy. 2004 , 89, 219-26	226
Regulation of the somatotropic axis by intensive insulin therapy during protracted critical illness. 2004 , 89, 3105-13	49
1845 Editorial: A blast from the pastinsulin does it again!. 2004 , 89, 3103-4	
Management of parenteral nutrition in acutely ill patients with hyperglycemia. 2004 , 19, 120-8	31
$_{ m 1843}$ Automated insulin infusion trials in the intensive care unit. 2004 , 6, 155-65	14
1842 New strategies to improve outcomes in the surgical intensive care unit. 2004 , 5, 289-300	7
1841 Adaptive bolus-based set-point regulation of hyperglycemia in critical care. 2004 , 2004, 3463-6	9
1840 Hospital Management of Hyperglycemia. 2004 , 22, 81-88	31
1839 Intensive insulin therapy for critically ill patients. 2004 , 38, 1243-51	71
1838 To fast or not to fast? Metabolic preparation for elective surgery. 2004 , 48, 77-82	12
Protective effects of ascorbic acid on arterial hemodynamics during acute hyperglycemia. 2004 , 287, H1262-8	46
1836 What's new in burns and metabolism. 2004 , 198, 243-63	43
1835 Clinical practice of nutrition in acute liver failurea European survey. 2004 , 23, 975-82	46
Early post-operative glucose levels are an independent risk factor for infection after peripheral vascular surgery. A retrospective study. 2004 , 28, 520-5	117
1833 The systemic inflammatory response syndrome. 2004 , 18, 455-75	55

1832	Nutritional and metabolic support in trauma, sepsis and critical illness. 2004 , 15, 336-349	4
1831	Metabolic inefficacy of a short-term low-dose insulin regimen in critically ill patients: a randomized, placebo-controlled trial. 2004 , 116, 603-7	2
1830	Acute liver failure. 2004 , 116, 67-81	13
1829	[Role of the innate immune response in sepsis]. 2004, 53, 10-28	10
1828	[Insulin therapy improves cardiac autonomic function in type 2 diabetic patients]. 2004 , 29, 519-23	2
1827	[Intensive care medicine 2004]. 2004 , 99, 603-12	1
1826	Application of therapeutic hypothermia in the intensive care unit. Opportunities and pitfalls of a promising treatment modalityPart 2: Practical aspects and side effects. 2004 , 30, 757-69	390
1825	Application of therapeutic hypothermia in the ICU: opportunities and pitfalls of a promising treatment modality. Part 1: Indications and evidence. 2004 , 30, 556-75	336
1824	Stress-hyperglycemia, insulin and immunomodulation in sepsis. 2004 , 30, 748-56	294
1823	Surviving Sepsis Campaign guidelines for management of severe sepsis and septic shock. 2004 , 30, 536-55	1144
1822	Standardization of intravenous insulin therapy improves the efficiency and safety of blood glucose	201
	control in critically ill adults. 2004 , 30, 804-10	
1821	Acute renal failure is not a "cute" renal failure!. 2004, 30, 1886-90	53
		53
	Acute renal failure is not a "cute" renal failure!. 2004 , 30, 1886-90	
1820	Acute renal failure is not a "cute" renal failure!. 2004 , 30, 1886-90 Inpatient management of hospitalized patients with type 2 diabetes. 2004 , 4, 346-51	5
1820 1819	Acute renal failure is not a "cute" renal failure!. 2004 , 30, 1886-90 Inpatient management of hospitalized patients with type 2 diabetes. 2004 , 4, 346-51 Nutritional support in acute pancreatitis. 2004 , 6, 320-6	5
1820 1819 1818	Acute renal failure is not a "cute" renal failure!. 2004, 30, 1886-90 Inpatient management of hospitalized patients with type 2 diabetes. 2004, 4, 346-51 Nutritional support in acute pancreatitis. 2004, 6, 320-6 Advances in Sepsis Treatment. 2004, 6, 354-360 Omega-3 fatty acids improve liver and pancreas function in postoperative cancer patients. 2004,	5 6 3

1814	The conditioning of medical gases with hot water humidifiers. 2004 , 8, P1	78
1813	Use of a bougie during percutaneous tracheostomy. 2004 , 8, P2	78
1812	Percutaneous dilational tracheostomy in critically ill patients: progressive vs single dilatation techniques. 2004 , 8, P3	78
1811	Percutaneous dilatational tracheostomy 🖟 comparison of three methods: Ciaglia Blue Rhino, PercuTwist and Griggs' Guidewire Dilation Forceps (GWDF). 2004 , 8, P4	1
1810	Optimal approach to the tracheostomy technique in critically ill patients with a short fat neck. 2004 , 8, P5	78
1809	Evaluation of virtual laryngo-tracheoscopy in upper airway examination after percutaneous tracheostomy. 2004 , 8, P6	O
1808	Influence of fiberoptic bronchoscopy through the endotracheal tube on ventilation parameters during mechanical ventilation. 2004 , 8, P7	78
1807	Neonatal and pediatric noninvasive ventilation via single nasal tube. 2004 , 8, P8	78
1806	A new way of noninvasive ventilation in ICU patients. An innovation modification of the continuous positive airway pressure (CPAP) face mask Boussignac ygon in order to use it in chronic obstructive pulmonary disease (COPD) (type II) patients. 2004 , 8, P9	78
1805	Which positive end expiratory pressure (PEEP) should be used during noninvasive positive pressure ventilation (NPPV) in acute lung injury/acute respiratory distress syndrome (ALI/ARDS) patients?. 2004 , 8, P10	78
1804	Noninvasive high frequency jet ventilation for patients with cardiogenic pulmonary oedema. 2004 , 8, P11	78
1803	Comfort of different types of ventilators in noninvasive ventilation. 2004 , 8, P12	78
1802	Dead space free flow sensor reduces the ventilation effort in very low birth weight infants: an experimental study. 2004 , 8, P13	1
1801	Elimination of ventilator dead space in premature infants by flow partition: a new method. 2004 , 8, P14	2
1800	Prospective randomised controlled study of use of intrapulmonary percussive ventilation with chest physiotherapy after cardiac surgery. 2004 , 8, P15	3
1799	Isoflurane anesthesia for status asthmaticus: 10 years' experience. 2004 , 8, P16	O
1798	Modes of mechanical ventilation in ICUs of Brazil. 2004 , 8, P17	78
1797	Breathing pattern and work of breathing in spontaneously breathing patients during continuous positive airway pressure (CPAP) and pressure support ventilation (PSV) with and without automatic tube compensation (ATC). 2004 , 8, P18	78

1796	Mechanical ventilation in hypobaric environment: aeromedical transport of critically ill patients. 2004 , 8, P19	1
1795	Vd/Vt test in the detection of pulmonary dysfunction in sepsis. 2004 , 8, P20	3
1794	High-frequency oscillatory ventilation: a better tool for lung protection?. 2004, 8, P21	78
1793	Protective lung strategy using independent pulmonary ventilation. 2004 , 8, P22	78
1792	Effect of sustained inflation recruitment maneuvers on lung endothelial and alveolar epithelial injury in experimental acute lung injury. 2004 , 8, P23	78
1791	Altered proteomic patterns in rat alveolar epithelial type II cells after ventilation with high and low tidal volumes. 2004 , 8, P24	78
1790	Inspiratory vs expiratory limb of the pressure lolume curve for the positive end-expiratory pressure setting in acute lung injury. 2004 , 8, P25	1
1789	Dutch intensivists do not use small tidal volumes (Vt) in mechanical ventilation (MV). 2004 , 8, P26	1
1788	Effects of recruitment maneuver and positive end-expiratory pressure on hypoxemia after pulmonary thromboendarterectomy for chronic pulmonary thromboembolism. 2004 , 8, P27	78
1787	The static pressureMolume curve does not predict the mechanical properties of the respiratory system during mechanical ventilation in acute respiratory distress syndrome (ARDS) and acute lung injury (ALI). 2004 , 8, P28	1
1786	Effect of lung protective ventilation strategy on pulmonary inflammatory response in acute respiratory distress syndrome (ARDS) rabbit model. 2004 , 8, P29	78
1785	Extravascular lung water (EVLW) does not change during alveolar recruitment in acute respiratory distress syndrome (ARDS). 2004 , 8, P30	1
1784	Pleurodesis by autologous blood: a new concept in the management of persistent air leak in acute respiratory distress syndrome. 2004 , 8, P31	78
1783	The utility of open lung biopsy in critically ill adult patients. 2004 , 8, P32	78
1782	Clinically relevant concentrations of beta agonists may stimulate alveolar fluid clearance in acute respiratory distress syndrome. 2004 , 8, P33	78
1781	A more homogeneous distribution of strain within lung parenchyma attenuates ventilator-induced lung injury in the prone position. 2004 , 8, P34	78
1780	Physiological effects of lateral steep positioning in critically ill patients suffering from acute respiratory distress syndrome (ARDS). 2004 , 8, P35	1
1779	Different concomitant diseases are accompanied by different effects of the prone position in acute respiratory failure. 2004 , 8, P36	78

1778	Computerised tomography (CT) in severe acute respiratory syndrome (SARS): late-stage acute respiratory disease syndrome (ARDS) and follow-up findings. 2004 , 8, P37	78
1777	Critically ill patients with severe acute respiratory syndrome (SARS) in a designated national SARS ICU: clinical features and predictors for mortality. 2004 , 8, P38	4
1776	Retrospective analysis of critically ill patients with severe acute respiratory syndrome admitted to an intensive care unit. 2004 , 8, P39	78
1775	Incidence of lung injury in acute liver failure: diagnostic role of extravascular lung water index. 2004 , 8, P40	6
1774	Acute lung injury in isolated head trauma. 2004 , 8, P41	78
1773	Smoke inhalation injury and tissue dysoxia: what is the link?. 2004 , 8, P42	78
1772	Role of oxidative stress and FAS-induced apoptosis in acute lung injury. 2004 , 8, P43	78
1771	Effects of positive end expiratory pressure (PEEP) in right ventricular function. 2004, 8, P44	78
1770	Haemodynamic and volumetric response to tidal volume and positive end expiratory pressure variation in acute lung injury/acute respiratory distress syndrome patients. 2004 , 8, P45	1
1769	Confounding hemodynamic effects of assisted ventilation in hemorrhagic states. 2004 , 8, P46	78
1768	Ejection fraction (EF) corrected volumetric parameters better reflect preload and fluid responsiveness. 2004 , 8, P47	78
1767	Assessment of blood flow during extra-corporeal circulation from arterial waveform analysis. 2004 , 8, P48	2
1766	The effects of variations in thoracic blood volume and intravenous sodium loading on plasma levels of NTproANP and NTproBNP in healthy volunteers. 2004 , 8, P49	78
1765	Flow guided peripoperative resuscitation shortens hospital stay. 2004 , 8, P50	78
1764	The relationship between central venous saturation and outcome following high-risk surgery. 2004 , 8, P51	2
1763	Early goal directed therapy for sepsis and septic shock: collaborative implementation models. 2004 , 8, P52	78
1762	The peripheral perfusion index in reactive hyperemia in critically ill patients. 2004, 8, P53	6
1761	Simultaneous measurements of subcutaneous and intramuscular tissue pO2 in critically ill patients. 2004 , 8, P54	78

1760	Transcutaneous (tcCO2) measurement versus arterial blood gas CO2 measurement in critically ill adult patients. 2004 , 8, P55	1
1759	Correlations between plasma concentration of N-terminal pro-brain natriuretic peptide and cardiac function in patients with cardiovascular diseases. 2004 , 8, P56	78
1758	The repeatability of transpulmonary thermodilution measurements. 2004 , 8, P57	2
1757	Correlation of continuous cardiac output measured by a pulmonary artery catheter versus impedance cardiography in ventilated patients. 2004 , 8, P58	78
1756	Evaluation of cardiac function in septics patients by the PiCCO system. 2004 , 8, P59	78
1755	Intrathoracic blood volume (ITBV)-guided volume therapy maintains intestinal perfusion and oxygenation despite positive end expiratory pressure (PEEP) ventilation. 2004 , 8, P60	1
1754	Intrathoracic blood volume index and extravascular lung water index in septic shock patients. 2004 , 8, P61	78
1753	Extravascular lung water as a prognostic tool in surgical critically ill patients. 2004 , 8, P62	78
1752	Routine noninvasive hemodynamic monitoring in acute myocardial infarction: application possibilities. 2004 , 8, P63	78
1751	Prognostic value of low cardiac output early after cardiac surgery. 2004 , 8, P64	1
1750	Sublingual microcirculatory response to fluid challenge in septic shock patients. 2004 , 8, P65	78
1749	Microvascular permeability during experimental human endotoxemia. 2004, 8, P66	1
1748	Microvascular oxygen transport abnormalities in experimental sepsis interpreted using a computational model. 2004 , 8, P67	78
1747	Venoarterial PCO2 gradient does not correlate with cardiac output, base excess and arterial lactate concentration in septic shock patients. 2004 , 8, P68	78
1746	Measurement of indocyanine green plasma disappearance rate by two different dosages. 2004 , 8, P69	78
1745	Correlation between LiMONI -derived liver function parameters and classic liver function tests, intra-abdominal pressure (IAP) and organ failure in mixed ICU patients. 2004 , 8, P70	78
1744	A 3-year experience of ultrasound-guided catheterization of internal jugular vein in an intensive care unit (ICU). 2004 , 8, P71	78
1743	Ultrasound-guided central line insertion. 2004 , 8, P72	1

1742	preeclampsia: a critical care comparative study. 2004 , 8, P73	78
1741	Cardiac involvement in pre-eclampsia and eclampsia syndrome. 2004 , 8, P74	78
1740	Heart dysfunction and heart rate variability prognoses in sepsis. 2004 , 8, P75	О
1739	The timing of new acute hemodynamic events in ICU patients. 2004 , 8, P76	1
1738	Management and outcome of patients with acute coronary syndrome in different units: predictors of outcome at the admission. 2004 , 8, P77	78
1737	Why do we 'over diagnose' unstable angina in the medical emergency room?. 2004 , 8, P78	78
1736	Nitric oxide in ischemic heart disease. Defective production or impaired function?. 2004 , 8, P79	78
1735	Serum nitric oxide in patients with acute coronary syndromes: correlation with the extent of myocardial ischemia and role of diabetes mellitus. 2004 , 8, P80	1
1734	Elevated Troponin T levels in patients with and without renal dysfunction in a general intensive care unit. 2004 , 8, P81	78
1733	Systemic and regional effects of levosimendan and arginine laopressine in endotoxin-treated rabbits. 2004 , 8, P82	78
1732	Efficacy of levosimendan in shock. 2004 , 8, P83	4
1731	Hemodynamic and volumetric response to levosimendan in critical care patients. 2004, 8, P84	О
1730	Levosimendan in cardiac surgery. 2004 , 8, P85	1
1729	Hemodynamic effects of the new calcium sensitiser levosimendan in cardiosurgical ICU patients. 2004 , 8, P86	0
1728	Study design of a mortality trial with intravenous levosimendan (the SURVIVE study) in patients with acutely decompensated heart failure. 2004 , 8, P87	8
1727	Effect of levosimendan treatment on length of hospital and intensive care stay in the REVIVE I study. 2004 , 8, P88	6
1726	Development of a comprehensive new endpoint for the evaluation of new treatments for acute decompensated heart failure: results with levosimendan in the REVIVE 1 study. 2004 , 8, P89	5
1725	Levosimendan reduces pulmonary vascular resistance: clinical echocardiographic study. 2004 , 8, P90	78

1724	Acute and short-term haemodynamic effect of Sildenafil in pulmonary hypertension: Egyptian pilot study of seven patients. 2004 , 8, P91	78
1723	Incidence and risk factors of atrial fibrillation in a surgical intensive care unit. 2004 , 8, P92	2
1722	Perioperative changes in plasma brain natriuretic peptide and N-terminal probrain natriuretic peptide in patients undergoing coronary bypass surgery under cardiopulmonary bypass. 2004 , 8, P93	78
1721	Irreversible myocardial cell injury and early postoperative function of the heart after coronary artery bypass grafting (CABG). 2004 , 8, P94	78
1720	Impact factors of short-term prognosis in very elderly patients (aged 80 years and older) with acute myocardial infarction: multivariate logistic regression analysis. 2004 , 8, P95	78
1719	Long-term outcome after angioplasty in cardiogenic shock. 2004 , 8, P96	78
1718	Hemodynamic support with the Impella acute 100 in patients with cardiogenic chock, or high-risk coronary artery bypass graft (CABG) or percutaneous coronary intervention (PCI). 2004 , 8, P97	78
1717	Prosthetic heart valve trombosis: thrombolytic therapy as first approach. 2004 , 8, P98	78
1716	Incidence of deep vein thrombosis in critically ill ICU patients with a femoral central venous catheter. 2004 , 8, P99	78
1715	Morphologic characteristics of central pulmonary thromboemboli predict thrombolytic efficacy in massive pulmonary embolism. 2004 , 8, P100	78
1714	Clinical and laboratory characteristics in the patients with pulmonary embolism. 2004, 8, P101	78
1713	Emergency angiography in acute pulmonary embolism: role in clinically suspected cases. 2004 , 8, P102	78
1712	Burden of Illness in ThromboEmbolism in Critical Care (BITEC) study: a multicenter Canadian study. 2004 , 8, P103	78
1711	Thromboelastogram as a screening tool for hypercoagulabilityin traumatic brain injury. 2004 , 8, P104	1
1710	Incidence and clinical relevance of heparin-induced antibodies in critically ill patients. 2004, 8, P105	78
1709	Circulating thrombomodulin in ischemic heart disease: correlation with the extent and severity of coronary atherosclerosis. 2004 , 8, P106	78
1708	Antithrombin and free tri-iodothyronine in sepsis. 2004 , 8, P107	78
1707	Effects of recombinant surfactant protein C and elastase inhibitor on neutrophil apoptosis. 2004 , 8, P108	78

1706	prostaglandins from cultured human endothelial cells via the endothelial protein C receptor. 2004 , 8, P109	78
1705	Drotrecogin alfa (activated) does not impair platelet receptor expression in vitro. 2004 , 8, P110	78
1704	Disturbed alveolar fibrin turnover during pneumonia is associated with reduced activated protein C levels in lungs. 2004 , 8, P111	2
1703	Predictability of disseminated intravascular coagulation based on the decrease rate of platelets. 2004 , 8, P112	78
1702	Drotrecogin alfa (activated) reduces the plasma levels of N-terminal prohormone atrial natriuretic peptide and N-terminal prohormone brain natriuretic peptide as markers of cardiac depression in septic patients. 2004 , 8, P113	78
1701	The efficacy of Drotrecogin alfa (activated) during a global, single-arm, open-label trial in adult patients with severe sepsis (ENHANCE): comparisons with PROWESS. 2004 , 8, P114	78
1700	Drotrecogin alfa (activated) in the subgroup of patients with multiple organ dysfunction (MOD) during a global, single-arm, open-label trial in adult patients with severe sepsis (ENHANCE): comparisons with PROWESS. 2004 , 8, P115	78
1699	The incidence of serious bleeding events in a global, single-arm, open-label trial of Drotrecogin alfa (activated) in adult patients with severe sepsis (ENHANCE): comparisons with PROWESS. 2004 , 8, P116	O
1698	Early treatment with Drotrecogin alfa (activated) was associated with reduced hospital resource use in adult severe sepsis patients with two or more organ dysfunctions at baseline: results from ENHANCE. 2004 , 8, P117	78
1697	Early treatment with Drotrecogin alfa (activated) was associated with reduced hospital resource use in adult severe sepsis patients with an APACHE II score of 25 or greater at baseline: results from ENHANCE. 2004 , 8, P118	78
1696	Age and number of organ dysfunctions are associated with early mortality in patients suffering from severe sepsis treated with recombinant human activated protein C. 2004 , 8, P119	78
1695	Neuroaxial catheters following abdominal surgery and their impact on the use of Drotrecogin alfa (activated) in sepsis. 2004 , 8, P120	78
1694	Use of national guidelines for the introduction of Drotrecogin alfa (activated). 2004 , 8, P121	78
1693	Drotrecogin alfa in sepsis: analysis of outcomes in a UK district general intensive care unit. 2004 , 8, P122	78
1692	Characteristics and blood products requirements of thrombocytopenic patients in ICU. 2004, 8, P123	78
1691	Central venous catheter (CVC) placement in patients with bleeding disorders (BD). 2004, 8, P124	78
1690	Thrombocytopenia in medicalBurgical ICU patients. 2004 , 8, P125	2
1689	A review of a trauma database for inappropriateness of transfused blood products. 2004 , 8, P126	78

1688	Hemoglobin solutions: use in surgical patients. 2004 , 8, P127	78
1687	A cost-effectiveness analysis of erthropoietin in ICU patients. 2004 , 8, P128	O
1686	Hydroxyethyl starch but not crystalloid resuscitation improves impairment of intestinal microvascular perfusion during normotensive sepsis. 2004 , 8, P129	78
1685	Fluid resuscitation with colloids of different molecular weight in septic shock. 2004 , 8, P130	1
1684	6% 130/0.4 versus 6% 200/0.5 hydroxyethyl starch: effects on plasma volume and capillary leakage in a porcine model of septic shock. 2004 , 8, P131	78
1683	Improvement of pancreatic tissue oxygenation and survival rate and time after isovolemic hemodilution with hydroxyethyl starch plus bovine hemoglobin in swine with acute pancreatitis. 2004 , 8, P132	78
1682	Multicenter, randomized, double-blind trial comparing albumin and polygeline for intravascular fluid loading in patients with cirrhosis and tense ascites treated with paracentesis. 2004 , 8, P133	78
1681	Effect of albumin with furosemide in adult respiratory distress syndrome. 2004 , 8, P134	78
1680	The use of recombinant factor VIIa as a haemostatic agent in ICU patients. 2004 , 8, P135	1
1679	Efficacy of activated recombinant factor VII (rFVIIa; NovoSeven[]) in cirrhotic patients with upper gastrointestinal bleeding: a randomised placebo-controlled double-blind multicenter trial. 2004 , 8, P136	1
1679 1678		1
1678	gastrointestinal bleeding: a randomised placebo-controlled double-blind multicenter trial. 2004, 8, P136 Use of NovoSeven① in cases with massive bleeding following surgery with extracorporeal	
1678	gastrointestinal bleeding: a randomised placebo-controlled double-blind multicenter trial. 2004 , 8, P136 Use of NovoSeven① in cases with massive bleeding following surgery with extracorporeal circulation. 2004 , 8, P137	1
1678 1677	gastrointestinal bleeding: a randomised placebo-controlled double-blind multicenter trial. 2004, 8, P136 Use of NovoSeven① in cases with massive bleeding following surgery with extracorporeal circulation. 2004, 8, P137 Burn variables and intensive care mortality in severe burn patients. 2004, 8, P138 Does the Mainz Emergency Evaluation Scoring (MEES) in combination with capnometry (MEESc)	1 78
1678 1677 1676	Use of NovoSeven in cases with massive bleeding following surgery with extracorporeal circulation. 2004, 8, P137 Burn variables and intensive care mortality in severe burn patients. 2004, 8, P138 Does the Mainz Emergency Evaluation Scoring (MEES) in combination with capnometry (MEESc) help in the prediction of outcome in major trauma. 2004, 8, P139 Decision-making of hemorrhagic shock patients with intraperitoneal bleeding (IPB) by	1 78 78
1678 1677 1676	Use of NovoSeven in cases with massive bleeding following surgery with extracorporeal circulation. 2004, 8, P137 Burn variables and intensive care mortality in severe burn patients. 2004, 8, P138 Does the Mainz Emergency Evaluation Scoring (MEES) in combination with capnometry (MEESc) help in the prediction of outcome in major trauma. 2004, 8, P139 Decision-making of hemorrhagic shock patients with intraperitoneal bleeding (IPB) by ultrasonography (US): the importance of early detection of an increase of IPB. 2004, 8, P140 Molecular Adsorbents Recirculating System: clinical experience in patients with acute and acute on	1 78 78 78
1678 1677 1676 1675	Use of NovoSeven① in cases with massive bleeding following surgery with extracorporeal circulation. 2004, 8, P137 Burn variables and intensive care mortality in severe burn patients. 2004, 8, P138 Does the Mainz Emergency Evaluation Scoring (MEES) in combination with capnometry (MEESc) help in the prediction of outcome in major trauma. 2004, 8, P139 Decision-making of hemorrhagic shock patients with intraperitoneal bleeding (IPB) by ultrasonography (US): the importance of early detection of an increase of IPB. 2004, 8, P140 Molecular Adsorbents Recirculating System: clinical experience in patients with acute and acute on chronic liver failure. 2004, 8, P141 Application of the Molecular Adsorbents Recirculating System in patients with severe chronic viral	1 78 78 78 78

1670 Systemic hemodynamic during continuous hemodiafiltration in patients with septic shock. 2004 , 8, P145	78
1669 Kinetics of TNF-Eduring continuous hemodiafiltration in patients with sepsis. 2004, 8, P146	4
The effects of plasmapheresis on hemodynamic parameters and tissue oxygenations in septic patients. 2004 , 8, P147	78
Clinical evaluation of endotoxin hemoadsorption therapy (PMX-DHP) for hypercytokinemia caused by septic multiple organ failure. 2004 , 8, P148	78
Does the use of a cytokine 'filter' during cardiopulmonary bypass make sense?. 2004 , 8, P149	78
The place of plasmapheresis in septic patients complicated with disseminated intravascular coagulation. 2004 , 8, P150	1
Renal replacement therapy with high cutoff hemofilters: impact of convection and diffusive on cytokine clearances and protein status. 2004 , 8, P151	2
Therapeutic application of the Molecular Adsorbents Recirculating System in various pathogenic multiple organ dysfunction syndrome patients. 2004 , 8, P152	78
Interim results of the SHARF4 study: outcome of acute renal failure with different treatment modalities. 2004 , 8, P153	2
Prediction of safe discharge of emergency department patients with acute rhabdomyolysis. 2004 , 8, P154	1
The correlation between creatine kinase and myoglobin in critical ill patients with rhabdomyolysis. 2004 , 8, P155	2
1659 Prediction of the clinical course of rhabdomyolysis in patients with initial creatine kinase 2004, 8, P156	78
1658 Continuous venovenous haemofiltration in neonates. 2004 , 8, P157	3
1657 Renal replacement in critically ill patients: the age factor. 2004 , 8, P158	78
1656 Acute renal failure requiring dialysis in very old critically ill patients. 2004 , 8, P159	78
Outcome in critically ill medical patients requiring renal replacement therapy for acute renal failure: comparison between patients with and without hematologic malignancies. 2004 , 8, P160	78
Risk factors for acute renal failure in critically ill children: a prospective descriptive epidemiologic study. 2004 , 8, P161	78
1653 Clinical evaluation of the new RIFLE criteria for acute renal failure. 2004 , 8, P162	11

1652	Early goal-directed therapy in patients with end-stage renal disease. 2004 , 8, P163	5
1651	Healing process in the early phase after the simple closure/omental patch for perforated duodenal ulcer: endoscopic direct evaluation. 2004 , 8, P164	78
1650	Changes in glucagon kinetics and processing in patients with acute pancreatitis. 2004, 8, P165	78
1649	Cytokines may predict outcome at acute pancreatic patients with pulmonary failure: the beneficial role of somatostatin. 2004 , 8, P166	78
1648	Effects of abdominal compression on respiratory parameters in normal volunteers. 2004 , 8, P167	78
1647	The risk factors for intra-abdominal hypertension in a mixed population of critically ill patients. 2004 , 8, P168	78
1646	Early abdominal and pulmonary neutrophil accumulation and activation in patients with secondary peritonitis: a compartmentalized response. 2004 , 8, P169	78
1645	Intraperitoneal placement of a microdialysis catheter in patients with gastrointestinal anastomosis: preliminary results of a prospective study. 2004 , 8, P170	1
1644	Coefficient of variation (COVA) during continuous intra-abdominal pressure (IAP) and abdominal perfusion pressure (APP) monitoring. 2004 , 8, P171	1
1643	Inter-relation between splanchnic ischaemia measured by air-tonometry and renal function. 2004 , 8, P172	78
1642	Influence of elevated abdominal pressure (EAP) on lung mechanics and gas exchange during PCV with and without spontaneous breathing. 2004 , 8, P173	2
1641	Intra-abdominal pressure (IAP) and hypoperfusion of splanchnic organs after major abdominal surgery. 2004 , 8, P174	78
1640	Nonoperative management of patients with abdominal compartment syndrome. 2004, 8, P175	78
1639	Blood flow changes during septic shock compared with controlled stepwise blood flow reduction in the superior mesenteric artery: effects on microcirculatory blood flow in the small intestine. 2004 , 8, P176	78
1638	The effects of five vasopressors on renal blood flow in septic dogs. 2004 , 8, P177	78
1637	Epinephrine induces tissue perfusion deficit in porcine endotoxin shock: evaluation by regional CO2 content gradients and L/P ratios. 2004 , 8, P178	78
1636	Effects of arginine∏asopressin on jejunal mucosal oxygen supply in healthy pigs. 2004 , 8, P179	78

1634	Correlation of gastric-mucosal tonometry and procalcitonin (PCT) values in intensive care patients. 2004 , 8, P181	78
1633	Ultrasonography and color Doppler contrast-enhanced imaging of the gallbladder in intensive care unit patients: an early diagnosis of acute acalculous cholecystitis. 2004 , 8, P182	78
1632	Severe abdominal sepsis in the intensive care unit. 2004 , 8, P183	78
1631	Abstract withdrawn. 2004, 8, P184	78
1630	The Duffy antigen receptor for chemokines (DARC) and acute renal failure (ARF) during lipopolysaccharide (LPS)-induced systemic inflammation. 2004 , 8, P185	78
1629	Pathophysiology of early ischaemia reperfusion injury of the colon in aortic surgery. 2004 , 8, P186	78
1628	Plasma DNA concentration as a predictor of mortality and sepsis in critically ill patients. 2004, 8, P187	78
1627	Predictive markers for nosocomial infections in multiple trauma: comparison of 13 inflammation parameters. 2004 , 8, P188	78
1626	Procalcitonin as a marker of infection in critically ill patients. 2004 , 8, P189	78
1625	Diagnostic value of procalcitonin monitoring in cardiac surgery. 2004 , 8, P190	78
1624	New diagnostic marker for sepsis: soluble CD14 subtype. 2004 , 8, P191	78
1623	Prediction of the development of organ failures in patients with systemic inflammatory response syndrome by determination of plasma levels of soluble E-selectin. 2004 , 8, P192	78
1622	Activity of the lipoxygenase inhibitor 1-phenyl-3-pyrazolidinone (phenidone) and derivatives on the expression of adhesion molecules on human umbilical vascular endothelial cells. 2004 , 8, P193	78
1621	Microdialysis: an innovative new tool to detect endotoxin tolerance. 2004 , 8, P194	78
1620	Serum lipids analysis in septic shock patients. 2004 , 8, P195	78
1619	Association of mannose-binding lectin polymorphisms with sepsis and fatal outcome in patients with systemic inflammatory response syndrome. 2004 , 8, P196	78
1618	Upregulation of renal inducible NO synthase and proximal tubule damage during human endotoxemia. 2004 , 8, P197	1
1617	Moderate hypothermia during cardiopulmonary bypass (CPB) inhibits the intramyocardial synthesis of TNF-⊞a role of p38 MAP kinase. 2004 , 8, P198	78

1616	Acute and high-dose therapy of urinary trypsin inhibitor could inhibit vascular endothelial cell disorders in critical illness. 2004 , 8, P199	1
1615	Effects of urinary trypsin inhibitor for trauma patients. 2004 , 8, P200	O
1614	Exosomes derived from plasma of septic patients induce myocardial dysfunction. 2004 , 8, P201	78
1613	Benzisothiazole derivative inhibits toll-like receptor 4 signal transduction and prevents mice from the lethal shock. 2004 , 8, P202	78
1612	The influence of N-acetyl cysteine infusion oncytokine levels and gastric intramucosal pH during severe sepsis. 2004 , 8, P203	78
1611	N-Acetylcysteine inhibits peroxynitrite-mediated damage in oleic acid-induced lung injury. 2004 , 8, P204	5
1610	Therapeutic neutralization of interferon-gamma in primates prevents lethality in Gram-negative bacteremic shock. 2004 , 8, P205	5
1609	Predicting the response to therapy from a mathematical model. 2004 , 8, P206	1
1608	Effect of interferon gamma on sepsis-related death in patients with immunoparalysis. 2004 , 8, P207	5
1607	Cervical spine injury: factors associated with secondary pneumonia. 2004 , 8, P208	78
1606	Ventilator-associated pneumonia in children: evaluation of clinical pulmonary infection score in monitoring the course of illness. 2004 , 8, P209	5
1605	Comparison of bronchoalveolar lavage and endotracheal aspirates culture sampling with clinical pulmonary infection score on diagnosis of ventilator-associated pneumonia. 2004 , 8, P210	78
1604	Ventilator-associated pneumonia with a closed versus an open endotracheal suction system. 2004 , 8, P211	78
1603	Clinical pulmonary infection score (CPIS) dynamics in polytrauma patients with ventilator-associated pneumonia. 2004 , 8, P212	78
1602	Ventilator-associated pneumonia: do patients that initiate mechanical ventilation outside the intensive care unit do worst?. 2004 , 8, P213	78
1601	Predictors of disease severity are similar for respiratory syncytial virus (RSV)-positive and RSV-negative induced respiratory failure. 2004 , 8, P214	78
1600	Hand washing compliance in the intensive care unit. 2004 , 8, P215	78
1599	Positive blood cultures in critically ill patients: incidence and impact on outcome. 2004 , 8, P216	78

1598	Methicillin-resistant Staphylococcus aureus infection acquired in intensive care: a prospective study of infection and outcome. 2004 , 8, P217	78
1597	Incidence of multidrug-resistant bacteria in a general ICU: 1-year study. 2004 , 8, P218	78
1596	A 6-month study of infections and antibiotic resistance pattern in a Greek intensive care unit. 2004 , 8, P219	78
1595	Increase in methicillin-resistant Staphylococcus aureus acquisition and change in pathogen pattern associated with outbreaks of severe acute respiratory syndrome (SARS). 2004 , 8, P220	2
1594	Validation of the Belgian surveillance data of ICU-acquired nosocomial infections. 2004, 8, P221	О
1593	Daily interruption of central venous catheters in critically ill ICU patients. 2004 , 8, P222	78
1592	Central venous catheter-related infection in critically ill patients. 2004 , 8, P223	78
1591	Catheter-related infection of arterial catheters in critical care. 2004 , 8, P224	78
1590	Double-lumen central venous catheters impregnated with chlorhexidine and silver sulfadiazine as a prevention of catheter colonization in the intensive care unit setting: a prospective randomized study. 2004 , 8, P225	78
1589	Routine screening for Candida colonization. 2004 , 8, P226	1
1588	IL-10 plasma and bronchoalveolar lavage levels used as markers of candida bronchopneumonia during fungal sepsis. 2004 , 8, P227	78
1587	Invasive aspergillosis in a medical ICU: the spectrum of disease in 89 nonhaematology patients. 2004 , 8, P228	1
1586	Sputum concentration of amikacin varies with nebulizer efficiency measured in vitro in patients on mechanical ventilators. 2004 , 8, P229	78
1585	Comparison of levofloxacin (L) and cefotaxime (C) combined with ofloxacin (O) for treatment of severe community-acquired pneumonia (CAP) in the intensive care unit. 2004 , 8, P230	78
1584	Pharmacokinetics of linezolid in critically ill patients undergoing continuous venovenous hemofiltration. 2004 , 8, P231	78
1583	Ceftazidime administered by continuous perfusion can improve the prognosis of ventilator-associated pneumonia. 2004 , 8, P232	78
1582	Continuous vs bolus administration of imipenem in critically ill patients with ICU-acquired pneumonia. 2004 , 8, P233	78
1581	ICU use of haloperidol prior to the 2002 SCCM sedation and analgesia guidelines. 2004 , 8, P234	3

1580	The safety of remifentanil administered for up to 5 days in ICU patients with neurotrauma. 2004 , 8, P235	1
1579	Remifentanil-based analgesia and sedation facilitates more rapid and predictable time to neurological assessments. 2004 , 8, P236	1
1578	Remifentanil-based analgesia and sedation is well tolerated when administered for up to 10 days in mechanically ventilated ICU patients. 2004 , 8, P237	78
1577	Decreased time on mechanical ventilation using remifentanil-based analgesia and sedation. 2004 , 8, P238	1
1576	Effect of propofol on stroke volume and shunt in patients undergoing thoracic surgery with the exclusion of one-lung ventilation during planned operations. 2004 , 8, P239	78
1575	Abstract withdrawn. 2004 , 8, P240	78
1574	Accidental withdrawal of nonintravascular catheters in critically ill patients. 2004, 8, P241	78
1573	Ketamine and midazolam mixture versus ketamine for analgesia/sedation in polytrauma patients with asthma. 2004 , 8, P242	78
1572	Pediatric anesthesia for magnetic resonance scan with a laryngeal mask: maintenance in case of reduced intracranial compliance. 2004 , 8, P243	78
1571	Intravenous paracetamol (Prodafalgan) causes hypotension in critically ill patients. 2004 , 8, P244	2
1570	Intrapleural versus epidural analgesia with local anesthetics in patients with thoracic trauma. 2004 , 8, P245	1
1569	Concentration of hormones regulating water and electrolytes balance in patients after cardiac arrest. 2004 , 8, P246	78
1568	Endocrine changes in patients recovering from acute traumatic or nontraumatic brain injury: pattern and correlations with functional outcome. 2004 , 8, P247	78
1567	Strict blood glucose control with insulin improves hepatic mitochondrial ultrastructure and function in critical illness. 2004 , 8, P248	1
1566	Antiplatelet use and glycaemic control in noncardiac critically ill patients with elevated Troponin T levels. 2004 , 8, P249	78
1565	Insulin requirement in the first 24 hours of intensive care admission predicts outcome. 2004 , 8, P250	78
1564	Lowering of Glucose in Critical Care (LOGIC): pilot trial in medical Surgical ICU patients. 2004, 8, P251	78
1563	Acute hyperglycemia impairs platelet receptor expression but not platelet aggregation in vitro. 2004 , 8, P252	78

1562	Evaluation of glucose intolerance in acutely ill severe patients by means of an artificial pancreas. 2004 , 8, P253	78
1561	Early hypoglycaemia and hyperglycaemia and 'tight' glycaemic control with and without glucose infusions. 2004 , 8, P254	78
1560	Cortisol deficiency in critically ill patients after major trauma. 2004 , 8, P255	78
1559	The hypothalamicpituitaryEdrenal axis in critical illness: responses to the low-dose corticotropin (ACTH) stimulation test and human corticotropin-releasing hormone (hCRH). 2004 , 8, P256	1
1558	Adrenal hyporesponsiveness to the low-dose stimulation test (LDST) is associated with a higher mortality in early sepsis and/or septic shock. 2004 , 8, P257	78
1557	The effect of Etomidate on corticotropin stimulation test to diagnose relative adrenal insufficiency in septic shock. 2004 , 8, P258	78
1556	Is there any place to corticotropin test in sepsis?. 2004 , 8, P259	78
1555	Does the antioxidant level increase after the treatment of exacerbation of chronic obstructive pulmonary disease every time?. 2004 , 8, P260	78
1554	Antioxidant enzyme activities in patients with severe sepsis. 2004 , 8, P261	78
1553	Scavengers prevent lung injury but do not improve the survival during sepsis in rats. 2004 , 8, P262	78
1552	Early postoperative substitution procedure of the antioxidant ascorbic acid (AA) in postoperative intensive care unit (ICU) patients. 2004 , 8, P263	O
1551	Trace minerals in critically ill patients: a forgotten cause of delayed recovery?. 2004, 8, P264	2
1550	Selenium and zinc plasmatic levels in intensive care patients. 2004 , 8, P265	2
1549	Significant hypophosphatemia following major cardiac surgery: incidence and consequences. 2004 , 8, P266	78
1548	Pseudohyperkalemia during the onset of critical illness. 2004 , 8, P267	3
1547	Risk factors for myelinolysis following correction of severe hyponatremia in the ICU. 2004 , 8, P268	78
1546	The confounding effect of hyperchloraemia on the base deficit in diabetic ketoacidosis. 2004 , 8, P269	78
1545	Does the nutritive status influence on the outcome of sepsis in children with cancer?. 2004 , 8, P270	78

1544	Three-month experience of an outpatient office of nutritional support after evaluation of body synthesis with bioelectrical impedance analysis under the auspices of the ICU. 2004 , 8, P271	78
1543	Changes in resting energy expenditure, body temperature and jugular bulb oxygen saturation after brain death. 2004 , 8, P272	78
1542	Changes in cytokine concentration during enrichment of early enteral nutrition with lactic acid bacterium (Synbiotic 2000) after major abdominal surgery. 2004 , 8, P273	78
1541	Early enteral nutrition: a challenge in the ICU?. 2004 , 8, P274	78
1540	Enteral nutrition in adult ICU patients: optimizing the outcome using computer-assisted individualisation of nutritional support. 2004 , 8, P275	78
1539	A new method to place an enteral feeding tube for transpyloric feeding in infants. 2004 , 8, P276	78
1538	Enteral nutrition affects nitric oxide levels in both peripheral blood and liver tissue in an experimental model of postoperative sepsis. 2004 , 8, P277	78
1537	Short-term lung metabolic effects of middle-chain triglyceride/long-chain triglyceride-containing lipid emulsions in patients with post-traumatic acute respiratory distress syndrome. 2004 , 8, P278	78
1536	Pathophysiology of renal injury in patients with acute rhabdomyolysis associated with sympathomimetic drug abuse. 2004 , 8, P279	78
1535	The sepsis syndromes in the emergency department. 2004 , 8, P280	78
1534	Major airway trauma: a 5-year study in four hospitals in the Middle East. 2004 , 8, P281	78
1533	Cardiac damage in carbon monoxide poisoning. 2004 , 8, P282	78
1532	Anesthesia-assisted opiate detoxification (AAOD) for heroine addicts during 24-hour ICU admission: complications and results for opiate abstinence at 1-year follow-up. 2004 , 8, P283	78
1531	Emergency treatment of esophago-gastric lesion in caustic ingestion patients. 2004 , 8, P284	78
1530	B-type natriuretic peptide testing reduces time to discharge in patients presenting with acute dyspnea (the BASEL study). 2004 , 8, P285	78
1529	Patient outcomes following prehospital rapid sequence intubation for medical emergencies. 2004 , 8, P286	1
1528	Analysis of regular attenders to the accident and emergency department. 2004 , 8, P287	78

1526	Prevention of inhospital cardiac arrest: a project based on a clinical severity score assessment. 2004 , 8, P289	78
1525	Pre-arrest signs in different types of hospitals. 2004 , 8, P290	1
1524	The intuitive use of laryngeal airway devices by lay responders. 2004 , 8, P291	1
1523	Effect of nifekalant for out-offlospital cardiac arrest with shock-resistant ventricular fibrillation. 2004 , 8, P292	1
1522	Comparison of automatic vs semiautomatic automated external defibrillators used by laypersons. 2004 , 8, P293	3
1521	Use of automated external defibrillators in a major Latin America airline: 5 years' experience. 2004 , 8, P294	78
1520	Efficacy and safety of a device for minimally invasive direct cardiac masage. 2004 , 8, P295	78
1519	Witnessed cardiopulmonary resuscitation: the public's perception. 2004 , 8, P296	O
1518	The process of teambuilding delays cardiopulmonary resuscitation. 2004 , 8, P297	1
1517	Cardiopulmonary resuscitation surprise drills: an instrument to improve performance in resuscitation. 2004 , 8, P298	78
1516	Inhospital cardiopulmonary resuscitation of cancer patients: is it worthwhile?. 2004, 8, P299	78
1515	ITU outcome of postcardiac arrest patients. 2004 , 8, P300	78
1514	A low-tech and no-cost approach to induce mild hypothermia in postcardiac arrest patients. 2004 , 8, P301	1
1513	Does cooling the wrong patients heat up the costs?. 2004 , 8, P302	78
1512	Neurological complications after liver transplantation. 2004 , 8, P303	78
1511	The gamma isoform of enolase (NSE) is predictive of mortality after cardiopulmonary resuscitation: comparison with clinical neurologic examination and computerised tomography scan of the brain. 2004 , 8, P304	78
1510	Evaluation of Fisher's Classification of aneurismal subarachnoid hemorrhage as a predictor of cerebral vasospasm in endovascular neurosurgery. 2004 , 8, P305	О
1509	Variations of S-100B in early phases of head trauma. 2004 , 8, P306	78

1508	Serum S-100B protein predicts prognosis in endogenous encephalopathy. 2004 , 8, P307	78
1507	Severe brain injury epidemiology in Western Macedonia: experience of a general hospital as the basis for planning brain injury management. 2004 , 8, P308	78
1506	Long-term follow-up of severely brain injured patients in Martinique. 2004 , 8, P309	78
1505	The use of transcranial Doppler ultrasonography (TCD) in the diagnosis of intracranial hypertension. 2004 , 8, P310	78
1504	Blood flow and oxygen extraction fraction in regions of oedema following head injury. 2004 , 8, P311	78
1503	The relationship between intracranial pressure, cerebral perfusion pressure and survival in paediatric head injured patients: what does the first 24 hours tell us?. 2004 , 8, P312	78
1502	A comparison of a behavioural assessment tool and electrophysiological measures of recovery from coma. 2004 , 8, P313	78
1501	Neuropsychological testing in the locked-in syndrome: preliminary results from a feasability study. 2004 , 8, P314	1
1500	The comparison of prognosis of the patients with severe head trauma in two different treatment protocols. 2004 , 8, P315	78
1499	Subcutaneous diclofenac at low dose is very effective in treating fever with an accompanying reduction in intracerebral pressure in NICU patients. 2004 , 8, P316	2
1498	Evaluation of intracranial pressure in influenza-associated acute encephalopathy: therapeutic strategy with intracranial pressure monitoring. 2004 , 8, P317	78
1497	Antithrombotic therapy in an experimental model of acute ischemic stroke in rabbits. 2004 , 8, P318	78
1496	Role of thiopentone infusion for management of intractable status epilepicus in pediatric patients. 2004 , 8, P319	78
1495	Influence of dobutamine and norepinephrine and cerebral blood flow: preliminary data. 2004, 8, P320	78
1494	Recognition of potential organ donors: an audit in a university hospital ICU. 2004, 8, P321	78
1493	Utility of an emergency intensive care unit (EICU) in a tertiary care hospital. 2004 , 8, P322	78
1492	Treatment on a high-dependency unit and subsequent outcome following intensive care admission. 2004 , 8, P323	1
1491	Development of a tool to determining the number of medium care beds required for a large surgical ICU. 2004 , 8, P324	78

1490	Winter excess mortality in UK critical care units: an analysis of outcome adjusted for patient case mix and unit workload. 2004 , 8, P325	78
1489	Patient outcome after reorganization of a medical intensive care unit. 2004 , 8, P326	1
1488	Can we identify futility of care in the sickest critically ill patients on the third ICU day?. 2004 , 8, P327	78
1487	Base excess and lactate as predictors of mortality in medical ICU patients. 2004 , 8, P328	78
1486	Is Paediatric Index of Mortality 2 already out of date?. 2004 , 8, P329	1
1485	A systematic review of intensive care length of stay indicators. 2004 , 8, P330	78
1484	Outcome of mechanically ventilated patients with predominantly cardiovascular and pulmonary diseases: results of the German Arbeitsgemeinschaft Leitender Kardiologischer Krankenhausfzte multicenter BEAT Registry. 2004 , 8, P331	78
1483	Outcome and prognostic factors in critically ill immunocompromised patients admitted to the ICU. 2004 , 8, P332	1
1482	How well does increased lactate differentiate between ITU survivors and nonsurvivors?. 2004, 8, P333	78
1481	Blood osmolar gap as a prognostic indicator in critically ill patients: preliminary results. 2004 , 8, P334	78
1480	Relationship of insurance type and treatment of severe status asthmaticus in working-age adults. 2004 , 8, P335	78
1479	The Mortality in Emergency Department Sepsis: 1-year mortality rates. 2004 , 8, P336	78
1478	latrogenic occurrences at the intensive care unit: impact on the patients' severity and on the nursing workload. 2004 , 8, P337	78
1477	Medication errors: comparison of electronic and hand-written prescribing in the ICU. 2004, 8, P338	78
1476	Signal merging and signal fusion to enhance robustness and reduce false alarms during multichannel patient monitoring. 2004 , 8, P339	78
1475	Depression and burnout syndrome in intensive care unit nurses. 2004 , 8, P340	2
1474	Teamwork and safety attitudes among staff in critical care units and the relationship to patient mortality. 2004 , 8, P341	2
1473	The PIRO concept: prediction of bacteremia in patients admitted to the intensive care unit with infection. 2004 , 8, P342	78

1472 Post-traumatic stress disorder after medical intensive care. 2004 , 8, P343	3
Five-year survival, quality of life, and individual costs of 303 consecutive medical intensive control patients. 2004 , 8, P344	are 1
1470 Quality of life of sepsis survivors: evaluation with a specific critical care questionnaire. 2004	, 8, P345 78
1469 Hyperglycaemic index as a tool to assess glucose control: a retrospective study. 2004 , 8, R12	22-7 133
How to compare adequacy of algorithms to control blood glucose in the intensive care unit? 8, 151-2	?. 2004 ,
1467 Insulin and metabolic substrates during human sepsis. 2004 , 8, 227-8	3
Early postoperative hyperglycaemia is not a risk factor for infectious complications and prol in-hospital stay in patients undergoing oesophagectomy: a retrospective analysis of a prosp trial. 2004 , 8, R437-42	
1465 Tight blood glucose control: a recommendation applicable to any critically ill patient?. 2004 ,	8, 427-9 15
1464 Anaesthesia, Pain, Intensive Care and Emergency Medicine 🖾.P.I.C.E 2004 ,	
$_{1463}$ The roles of insulin and hyperglycemia in sepsis pathogenesis. 2004 , 75, 413-21	68
The roles of insulin and hyperglycemia in sepsis pathogenesis. 2004 , 75, 413-21 1462 An insulin infusion protocol in critically ill cardiothoracic surgery patients. 2004 , 38, 1123-9	115
1462 An insulin infusion protocol in critically ill cardiothoracic surgery patients. 2004 , 38, 1123-9	115
An insulin infusion protocol in critically ill cardiothoracic surgery patients. 2004 , 38, 1123-9 1461 Polineuropat y miopat del paciente crico: ¿en qu'hemos avanzado?. 2004 , 28, 65-69 Effect of an intensive glucose management protocol on the mortality of critically ill adult pa	115 2 atients.
An insulin infusion protocol in critically ill cardiothoracic surgery patients. 2004 , 38, 1123-9 1461 Polineuropatä y miopatä del paciente critico: ¿en qu'hemos avanzado?. 2004 , 28, 65-69 Effect of an intensive glucose management protocol on the mortality of critically ill adult paciente 2004 , 79, 992-1000	115 2 atients. 1579
An insulin infusion protocol in critically ill cardiothoracic surgery patients. 2004, 38, 1123-9 1461 Polineuropatä y miopatä del paciente crEico: ¿en qu'hemos avanzado?. 2004, 28, 65-69 Effect of an intensive glucose management protocol on the mortality of critically ill adult pace 2004, 79, 992-1000 Neuromyopathies de ranimation. 2004, 13, 355-361	115 2 atients. 1579 5
An insulin infusion protocol in critically ill cardiothoracic surgery patients. 2004, 38, 1123-9 1461 Polineuropatä y miopatä del paciente crEico: ¿en qu'hemos avanzado?. 2004, 28, 65-69 Effect of an intensive glucose management protocol on the mortality of critically ill adult pace 2004, 79, 992-1000 Neuromyopathies de rànimation. 2004, 13, 355-361 1458 Tight blood glucose control with insulin in "real-life" intensive care. 2004, 79, 977-8 Intravenous insulin infusion therapy: indications, methods, and transition to subcutaneous in	115 2 2 stients. 1579 5

1454	Hyperglycemia is associated with increased morbidity and mortality rates in neonates with necrotizing enterocolitis. 2004 , 39, 898-901; discussion 898-901		112
1453	[Physiopathology of severe sepsis]. 2004 , 33, 256-61; discussion 269		13
1452	Improving glycemic control in the cardiothoracic intensive care unit: clinical experience in two hospital settings. 2004 , 18, 690-7		76
1451	Perioperative Hyperglykinie. 2004 , 20, 192-195		
1450	Glucose control by insulin for critically ill surgical patients. 2004 , 57, 1132-8		22
1449	Glucose and the immune system: a victory for Claude Bernard?. Critical Care Medicine, 2004, 32, 1224-5	1.4	16
1448	Eliminating catheter-related bloodstream infections: fairy tale or new reality?. <i>Critical Care Medicine</i> , 2004 , 32, 2150-2	1.4	12
1447	Adjunctive therapies in sepsis: an evidence-based review. <i>Critical Care Medicine</i> , 2004 , 32, S562-70	1.4	62
1446	Surviving Sepsis Campaign guidelines for management of severe sepsis and septic shock. <i>Critical Care Medicine</i> , 2004 , 32, 858-73	1.4	4049
1445	Association of timing, duration, and intensity of hyperglycemia with intensive care unit mortality in critically ill children. 2004 , 5, 329-36		301
1444	Current world literature. 2004, 17, 189-206		
1443	Current World Literature. 2004, 7, 317-366		
1442	Hyperglycemia at admission to the intensive care unit is associated with elevated serum concentrations of interleukin-6 and reduced ex vivo secretion of tumor necrosis factor-alpha. <i>Critical Care Medicine</i> , 2004 , 32, 1109-14	1.4	60
1441	ICU care for patients with diabetes. 2004 , 11, 75-81		20
1440	Perioperative diabetic and hyperglycemic management issues. <i>Critical Care Medicine</i> , 2004 , 32, S116-25	1.4	83
1439	Relationship of early hyperglycemia to mortality in trauma patients. 2004 , 56, 1058-62		318
1438	Current World Literature. 2004, 7, 213-248		
1437	Intravenous glucagon-like peptide 1 normalizes blood glucose after major surgery in patients with type 2 diabetes. <i>Critical Care Medicine</i> , 2004 , 32, 848-51	1.4	78

1436	The new anesthesia diet plan: keeping perioperative carbs in check. 2004 , 99, 316-8	4
1435	Evidence-based medicine in the ICU: important advances and limitations. 2004 , 126, 592-600	85
1434	Leadership in action: creating a change in practice. 2004 , 15, 170-81	21
1433	Acute hyperinsulinemia restrains endotoxin-induced systemic inflammatory response: an experimental study in a porcine model. 2004 , 100, 861-70	549
1432	Sepsis in 2003: are we still in the middle of nowhere?. 2004 , 17, 97-106	2
1431	Perioperative management of diabetes mellitus. 2004 , 27, 135-47; quiz 148-9	4
1430	Current concepts in nutrition delivery in critically ill patients: route, insulin, and economics. 2004 , 7, 157-159	1
1429	The puzzle of sepsis: fitting the pieces of the inflammatory response with treatment. 2004 , 15, 18-44	21
1428	Insulin resistance and hyperglycemia in critical illness: role of insulin in glycemic control. 2004 , 15, 45-62	105
1427	Paresis following mechanical ventilation. 2004 , 10, 47-52	27
1426	Management of blast injuries and shock lung. 2004 , 17, 151-7	17
1425	Role of interleukin-8 in the pathogenesis and treatment of COPD. 2004 , 126, 676-8	25
1424	The endocrine system during sepsis. 2004 , 328, 238-47	38
1423	The metabolic response to stress: a case of complex nutrition support management. 2004 , 16, 467-487	20
1422	A critical appraisal of a systematic review: Sokol J, Jacob SE, Bohn D: Inhaled nitric oxide for acute hypoxemic respiratory failure in children and adults. Cochrane Database Syst Rev 2003 (1): CD002787. 2005 , 6, 340-3	139
1421	Nitric oxide and inflammatory cytokines in the heart: the presence of positive feedback loops. Critical Care Medicine, 2005 , 33, 2851-2	
1420	Noninvasive assessment of filling pressures in the pediatric intensive care unit: is it possible?. 2005 , 6, 496-7	1
1419	Hypocaloric feeding of obese patients in the intensive care unit. 2005 , 8, 189-96	54

1418 Therapie der Sepsis. **2005**, 45-58

1417	Lessons we have learnt from microdialysis in animals and humans. 2005 , 125-138		
4/			
1416	Glycemic and nonglycemic effects of insulin: how do they contribute to a better outcome of critical illness?. 2005 , 11, 304-11		80
1415	Treatment of critical care patients with substantial acute ischemic or traumatic brain injury. <i>Critical Care Medicine</i> , 2005 , 33, 2147-9; author reply 2149	1.4	27
1414	Critical Illness Neuromyopathy. 2005 , 12, 90-96		3
1413	Dexmedetomidine: promising drug for pediatric sedation?. 2005 , 6, 493-4		15
1412	Modulation of asymmetric dimethylarginine in critically ill patients receiving intensive insulin treatment: a possible explanation of reduced morbidity and mortality?. <i>Critical Care Medicine</i> , 2005 , 33, 504-10	1.4	90
1411	Treatment of Critical Care Patients with Substantial Acute Ischemic or Traumatic Brain Injury. <i>Critical Care Medicine</i> , 2005 , 33, 2149	1.4	
1410	How accurate are currently used methods of determining glycemia in critically ill patients, and do they affect their clinical course?. <i>Critical Care Medicine</i> , 2005 , 33, 2849-51	1.4	6
1409	Ventilation in pediatric diabetic ketoacidosisnot too much, but not too little. 2005 , 6, 489-90		9
1408	Hyperglycemia, asymmetric dimethylarginine, and patient survival: Dysregulation of complex networks and the metabolic basis of disease. <i>Critical Care Medicine</i> , 2005 , 33, 674-6	1.4	
1407	The compassionate clinician: attending to the spiritual needs of self and others. <i>Critical Care Medicine</i> , 2005 , 33, 2841-2	1.4	17
1406	Acute hyperglycemia and the innate immune system: clinical, cellular, and molecular aspects. <i>Critical Care Medicine</i> , 2005 , 33, 1624-33	1.4	331
1405	Hyperglycemia in children: unique challengesunanswered questions. 2005 , 6, 498-9		
1404	Effects of hyperglycemia on neurologic outcome in stroke patients. 2005 , 37, 130-5		21
1403	Relationship between hyperglycemia and symptomatic vasospasm after subarachnoid hemorrhage. <i>Critical Care Medicine</i> , 2005 , 33, 1603-9; quiz 1623	1.4	154
1402	Effect of low-calorie parenteral nutrition on the incidence and severity of hyperglycemia in surgical patients: a randomized, controlled trial. <i>Critical Care Medicine</i> , 2005 , 33, 2507-12	1.4	74
1401	Sepsis: the changing times. <i>Critical Care Medicine</i> , 2005 , 33, 2700-1	1.4	

1400	Pediatric extracorporeal life support and central nervous system injury. <i>Critical Care Medicine</i> , 2005 , 33, 2854-5	1.4	2
1399	Ventilator-induced diaphragmatic dysfunction: keep working. <i>Critical Care Medicine</i> , 2005 , 33, 2852-3	1.4	2
1398	The swinging pendulum of corticosteroid use in the intensive care unit: has it swung too far or not far enough?. <i>Critical Care Medicine</i> , 2005 , 33, 2842-3	1.4	3
1397	Reversible myocardial dysfunction in sepsis and ischemia. <i>Critical Care Medicine</i> , 2005 , 33, 2845-7	1.4	7
1396	Refrigerated intravenous fluids: kick-starting the cooling process. Critical Care Medicine, 2005, 33, 2844-	· 5 .4	4
1395	Admission hyperglycemia and outcome: the ongoing story. <i>Critical Care Medicine</i> , 2005 , 33, 2848-9	1.4	2
1394	Weakness in the ICU: Guillain-Barr'syndrome, myasthenia gravis, and critical illness polyneuropathy/myopathy. 2005 , 11, 338-47		25
1393	Impact of admission hyperglycemia on hospital mortality in various intensive care unit populations. <i>Critical Care Medicine</i> , 2005 , 33, 2772-7	1.4	181
1392	Are we ready to discuss spirituality with our patients and their families?. 2005, 6, 492-3		5
1391	Steroids and low cardiac output syndrome after cardiac surgery in children. 2005 , 6, 495-6		7
1390	Severe dengue: coming soon to a pediatric intensive care unit near you?. 2005 , 6, 490-2		2
1389	The impact of a normoglycemic management protocol on clinical outcomes in the trauma intensive care unit. 2005 , 29, 353-8; discussion 359		61
1388	Nutrition and the chronically critically ill patient. 2005 , 8, 33-9		23
1387	Measuring minimum alveolar concentration: more than meets the tail. 2005 , 103, 679-80		11
1386	Aggressive control of intraoperative blood glucose concentration: a shifting paradigm?. 2005, 103, 677-	8	17
1385	Preventive analgesia to reduce wound hyperalgesia and persistent postsurgical pain: not an easy path. 2005 , 103, 681-3		87
1384	Practice changes in glycemic management and outcomes in coronary artery bypass surgery patients. 2005 , 20, 26-34		12
1383	Integrated nutrition. 2005 , 64, 319-23		3

1382	Metabolic perioperative management: novel concepts. 2005 , 11, 295-9	59
1381	Admission hyperglycemia and other risk factors as predictors of hospital mortality in a medical ICU population. 2005 , 128, 3109-16	87
1380	SIRS/Sepsis: Metabolic and Nutritional Changes and Treatment. 2005, 549-564	
1379	Recommended guidelines for reviewing, reporting, and conducting research on post-resuscitation care: the Utstein style. 2005 , 66, 271-83	202
1378	European Resuscitation Council guidelines for resuscitation 2005. Section 4. Adult advanced life support. 2005 , 67 Suppl 1, S39-86	681
1377	Indications et stratgies de prise en charge nutritionnelle chez l'enfant agress. 2005, 19, 229-233	5
1376	Trauma-related sepsis and multiple organ failure: Current concepts in the diagnosis and management. 2005 , 19, 314-321	2
1375	A blueprint for a sepsis protocol. 2005 , 12, 352-9	26
1374	Insulin infusion protocol for critical care units. 2005 , 62, 2260-4	24
1373	Glucose/insulin infusions in the treatment of subarachnoid haemorrhage: a feasibility study. 2005 , 19, 21-4	18
1372	Hyperglycaemia and mortality of diabetic patients with candidaemia. 2005, 22, 1252-7	15
1371	Inflammatory response during hyperglycemia and hyperinsulinemia in a porcine endotoxemic model: the contribution of essential organs. 2005 , 49, 991-8	39
1370	[Fungal sepsistherapeutical strategy]. 2005 , 48 Suppl 1, 72-7	
1369	Pretreatment with intravenous ascorbic acid preserves endothelial function during acute hyperglycaemia (R1). 2005 , 32, 340-5	20
1368	The links between diabetes and cardiovascular disease. 2005 , 18, 413-6	5
1367	Current concepts in critical care. 2005 , 200, 88-95	3
1366	Negative impact of hypocaloric feeding and energy balance on clinical outcome in ICU patients. 2005 , 24, 502-9	1179
1365	Effect of "preoperative" oral carbohydrate treatment on insulin actiona randomised cross-over unblinded study in healthy subjects. 2005 , 24, 815-21	99

1364	Systematic strategies for improved outcomes for the hyperglycemic hospitalized patient with diabetes mellitus. 2005 , 96, 41E-46E	15
1363	Relationship between hyperglycemia and infection in critically ill patients. 2005 , 25, 963-76	108
1362	Validation of an insulin infusion nomogram for intensive glucose control in critically ill patients. 2005 , 25, 352-9	45
1361	Infection: an Achilles heel of destination left ventricular assist device therapy. 2005 , 20, 86-7	O
1360	[Controlled mild-to-moderate hypothermia in the intensive care unit]. 2005, 54, 225-44	7
1359	[Preoperative long-term therapy]. 2005 , 54, 902-13	4
1358	[Therapy of organ failure in primary extracardiac diseases]. 2005, 46, 256-64	
1357	[Urosepsis. Current therapy and diagnosis]. 2005, 44, 413-22; quiz 423-4	10
1356	Adaptive bolus-based targeted glucose regulation of hyperglycaemia in critical care. 2005 , 27, 1-11	66
1355	Derivative weighted active insulin control algorithms and intensive care unit trials. 2005 , 13, 1129-1137	18
1354	Predictors of intensive care unit admission and related outcome for patients after pancreaticoduodenectomy. 2005 , 9, 1307-12	47
1353	Empfehlungen zur Diagnostik und Therapie der Schockformen der IAG Schock der DIVI. 2005 , 42, 531-543	5
1352	Endokrine Stfungen bei kritisch Kranken. 2005 , 42, 639-652	1
1351	Coma diabeticum. 2005 , 42, 566-586	3
1350	Pituitary function during severe and life-threatening illnesses. 2005 , 8, 213-7	11
1349	Patient Safety. 2005 , 29, 61-62	
1348	Hypoglycemia in hospitalized adult patients without diabetes. 2005 , 11, 91-6	38
1347	Donor Care before Pancreatic Tissue Transplantation. 2005 , 15, 129-137	6

(2005-2005)

1346	and error reduction with a new nomogram. 2005 , 11, 240-53	22
1345	Should a neonate with possible late onset infection always have a lumbar puncture?. 2006 , 91, 75-6	20
1344	Parenteral nutrition as a risk factor for central venous catheter-related infection. 2005 , 29, 367-73	77
1343	Patient safety. 2005 , 29, 61-2	
1342	Hyperglycemia is associated with adverse outcomes in patients receiving total parenteral nutrition. 2005 , 28, 2367-71	174
1341	Enteral nutritional support and use of diabetes-specific formulas for patients with diabetes: a systematic review and meta-analysis. 2005 , 28, 2267-79	172
1340	Glucose, insulin and potassium applied as perioperative hyperinsulinaemic normoglycaemic clamp: effects on inflammatory response during coronary artery surgery. 2005 , 95, 448-57	71
1339	Ernfirungstherapie des kritisch Kranken. 2005 , 1, 121-130	
1338	[Sepsis and multiple organ failure - update of current therapeutic concepts]. 2005, 40, 511-20	4
1337	[Requirements and expectations for optimal volume replacement]. 2005 , 40, 701-19	5
1337	[Requirements and expectations for optimal volume replacement]. 2005, 40, 701-19 The effects of a randomised multi-centre trial and international accreditation on availability and quality of clinical guidelines. 2005, 18, 321-8	10
1336	The effects of a randomised multi-centre trial and international accreditation on availability and	
1336	The effects of a randomised multi-centre trial and international accreditation on availability and quality of clinical guidelines. 2005 , 18, 321-8	10
1336	The effects of a randomised multi-centre trial and international accreditation on availability and quality of clinical guidelines. 2005, 18, 321-8 Hyperglycemia in the intensive care unit: no longer just a marker of illness severity. 2005, 6, 233-45 Intense metabolic control by means of insulin in patients with diabetes mellitus and acute	10
1336 1335 1334	The effects of a randomised multi-centre trial and international accreditation on availability and quality of clinical guidelines. 2005, 18, 321-8 Hyperglycemia in the intensive care unit: no longer just a marker of illness severity. 2005, 6, 233-45 Intense metabolic control by means of insulin in patients with diabetes mellitus and acute myocardial infarction (DIGAMI 2): effects on mortality and morbidity. 2005, 26, 650-61	10 28 823
1336 1335 1334 1333	The effects of a randomised multi-centre trial and international accreditation on availability and quality of clinical guidelines. 2005, 18, 321-8 Hyperglycemia in the intensive care unit: no longer just a marker of illness severity. 2005, 6, 233-45 Intense metabolic control by means of insulin in patients with diabetes mellitus and acute myocardial infarction (DIGAMI 2): effects on mortality and morbidity. 2005, 26, 650-61 70/30 insulin algorithm versus sliding scale insulin. 2005, 39, 1606-10	10 28 823 18
1336 1335 1334 1333	The effects of a randomised multi-centre trial and international accreditation on availability and quality of clinical guidelines. 2005, 18, 321-8 Hyperglycemia in the intensive care unit: no longer just a marker of illness severity. 2005, 6, 233-45 Intense metabolic control by means of insulin in patients with diabetes mellitus and acute myocardial infarction (DIGAMI 2): effects on mortality and morbidity. 2005, 26, 650-61 70/30 insulin algorithm versus sliding scale insulin. 2005, 39, 1606-10 Glucose-Insulin-Potassium Infusion and Mortality in the CREATE-ECLA TrialReply. 2005, 293, 2596 Does continuous insulin infusion improve glycaemic control and nutrition in hyperglycaemic very	10 28 823 18

1328	Acute hyperglycaemia: a 'new' risk factor during myocardial infarction. 2005 , 26, 328-31	101
1327	Insulin vs. strict blood glucose control to achieve a survival benefit after AMI?. 2005, 26, 639-41	18
1326	Role for insulin in acute myocardial infarction: ruled out or hard to prove?. 2005, 26, 2600	1
1325	Protection of hepatocyte mitochondrial ultrastructure and function by strict blood glucose control with insulin in critically ill patients. 2005 , 365, 53-9	892
1324	Intraoperative glucose control in diabetic and nondiabetic patients during cardiac surgery. 2005 , 19, 201-8	30
1323	Nutritional management of acute renal failure. 2005 , 15, 63-70	59
1322	Le glucose : substrat ou poison ?. 2005 , 9, 465-470	
1321	Manifestations endocriniennes liès au sepsis. 2005 , 14, 230-237	1
1320	[Neuromuscular abnormalities in critical illness]. 2005, 161, 1267-71	2
1319	The pharmacologic modulation of the hypermetabolic response to burns. 2005 , 39, 245-61	51
1318	The Importance of Strict Perioperative Glycemic Control: Lessons From the Portland Diabetic Project. 2005 , 23, 143-171	
1317	Resuscitation and emergency management for neonatal foals. 2005 , 21, 431-55, vii	17
1316	Community-acquired pneumonia and sepsis. 2005 , 26, 19-28	13
1315	Coagulation changes during pregnancy and delivery: adjustment of reference ranges for thrombelastography and for some laboratory tests is necessary. 2005 , 9, P347	78
1314	Targeted glycemic reduction in critical care using closed-loop control. 2005 , 7, 274-82	47
1313	Closed endotracheal suction system without periodic change versus open endotracheal system. 2005 , 9, P2	78
1312	Ventilator-associated pneumonia caused by multidrug resistant bacteria. 2005 , 9, P3	78
1311	Ventilator-associated pneumonia and Clinical Pulmonary Infection Score validation in a Greek general intensive care unit. 2005 , 9, P4	78

1310	Ventilator-associated pneumonia in neuromuscular, tracheostomyzed patients. 2005 , 9, P5	78
1309	Clinical characteristics of ventilator-associated pneumonia patients and control patients. 2005 , 9, P6	O
1308	Nosocomial pneumonia: impact of a very early antimicrobial therapy. 2005 , 9, P7	78
1307	Antibiotics for preventing infections in open fractures are protective against ventilator-associated pneumonia. 2005 , 9, P8	78
1306	A simple program to reduce the incidence of ventilator-associated pneumonia in a Brazilian intensive care unit. 2005 , 9, P9	78
1305	Risk factor analysis of pneumonias developing after open heart surgery. 2005 , 9, P10	4
1304	Perinatal risk factors for early onset neonatal infection. 2005 , 9, P11	78
1303	Urinary catheter-related infection in critically ill patients. 2005 , 9, P12	78
1302	Serial changes in ICU-acquired pneumonia pathogen after the remodeling of the environment in a MICU. 2005 , 9, P13	78
1301	Duration of infusions and blood stream infections in polytrauma patients. 2005 , 9, P14	78
1300	Five years of nosocomial Gram-negative bacteremia in a general systems intensive care unit. 2005 , 9, P15	78
1299	Epidemiology and etiology of nosocomial infections in a surgical intensive care unit. 2005 , 9, P16	78
1298	ICU stay promotes enrichment and dissemination of multi-resistant coagulase-negative staphylococcal clones. 2005 , 9, P17	78
1297	Evaluation of outcome in critically ill patients with Acinetobacter baumanniibacteremia. 2005, 9, P18	78
1296	Evolution of resistance in Acinetobacter baumannii in a Tunisian intensive care unit after antibiotherapy restriction. 2005 , 9, P19	78
1295	Epidemiological profile and antibiotic susceptibility of Pseudomonas areuginosa isolates within the hospitalized burned patient. 2005 , 9, P20	78
1294	Strategy of antimicrobal therapy in patients with severe trauma: importance of initial severity state evaluation. 2005 , 9, P21	78
1293	Surveillance of ICU-acquired infections: intensive care unit characteristics, practices in prevention and surveillance methodology. 2005 , 9, P22	78

1292	Monitoring of the antibiotic prescriptions in order to prevent microbial resistance in the intensive care unit in the Russian hospital. 2005 , 9, P23	78
1291	De-escalation therapy: 1-year experience in a general intensive care unit. 2005 , 9, P24	1
1290	The importance of antibiotics in animal models of sepsis. 2005 , 9, P25	78
1289	Outbreak of severe Clostridium difficile-associated colitis with MOF in Quebec intensive care units: first analysis in Sherbrooke ICUs. 2005 , 9, P26	78
1288	Antimicrobial resistance in bloodstream infection does not affect outcome in intensive care unit patients with acute renal failure treated with renal replacement therapy. 2005 , 9, P27	О
1287	Evaluation of adequacy in empirical antibiotic therapy in a general intensive care unit. 2005 , 9, P28	78
1286	Usefulness of quantitative analysis of beta-D-glucan in empirical therapy for systematic Candida infection in critically ill patients. 2005 , 9, P29	78
1285	Fungal colonization and infection in critically ill patients. 2005 , 9, P30	78
1284	Leptospirosis in the intensive care unit: a cohort of 57 patients. 2005 , 9, P31	2
1283	Combination of quinine and artesunate may be the best to prevent ARDS in Falciparum Malaria. 2005 , 9, P32	78
1282	Zygomycosis by Rhizopus species 🗈 very rare angioinvasive mycosis: report of three cases. 2005 , 9, P33	78
1281	A 16-year experience with toxic epidermal necrolysis. 2005 , 9, P34	78
1280	The removal of antibiotics during continuous venovenous hemofiltration (CVVH) in critically ill patients with acute renal failure: measured versus estimated CVVH clearance. 2005 , 9, P35	3
1279	Ceftazidime reduces pulmonary hypertension in an ovine model of sepsis following smoke inhalation injury. 2005 , 9, P36	1
1278	Continuous versus intermittent infusion of temocillin in intensive care unit patients. 2005 , 9, P37	78
1277	Meropenem administration by intermittent infusion versus continuous infusion for the treatment of nosocomial pneumonia. 2005 , 9, P38	4
1276	Continuous infusion versus intermittent infusion of ceftazidime for the treatment of pneumonia caused by Pseudomonas aeruginosa. 2005 , 9, P39	78
1275	Laparostomy versus laparotomy in severe abdominal infection: microbiological assessment. 2005 , 9, P40	78

1274	Logistic regressive analysis of potential prognostic factors for pulmonary complications after abdominal surgery in elderly patients. 2005 , 9, P41	78
1273	Bariatric surgery postoperative management: complications in a series of 278 patients admitted to an intensive care unit. 2005 , 9, P42	78
1272	The role of the Shuttle Walking Test in predicting mortality and morbidity post oesophagogastric surgery. 2005 , 9, P43	1
1271	Prospective, randomized trial comparing fluids and dobutamine optimization of oxygen delivery in high-risk surgical patients. 2005 , 9, 1	78
1270	Early goal directed therapy reduces morbidity and length of hospital stay following high-risk surgery. 2005 , 9, P45	2
1269	Impact of a low postoperative central venous oxygen saturation on postoperative morbidity. 2005 , 9, P46	78
1268	Can central venous oxygen saturation intermittently measured within the first 24 postoperative hours of cardiac surgery predict death?. 2005 , 9, P47	78
1267	Central venous saturation as a weaning success predictor. 2005 , 9, P48	1
1266	Effects of optimizing cardiac output by fluid loading on the indocyanine green plasma disappearance rate and splanchnic microcirculation. 2005 , 9, P49	78
1265	Carbon dioxide output in septic shock. 2005 , 9, P50	78
1264	What effect of vasoactive drugs on passive leg raising response in critically ill patients?. 2005 , 9, P51	78
1263	Respiratory variation of plethysmography signal with a pulse oxymeter: new predictive parameters of fluid responsiveness?. 2005 , 9, P52	1
1262	CVP does not reflect changes in preload when optimal PEEP is determined. 2005 , 9, P53	78
1261	Respiratory variability of aortic blood velocity: predictor of preload responsiveness in healthy spontaneously breathing volunteers. 2005 , 9, P54	78
1260	Respiratory changes in arterial pulse pressure and fluid responsiveness in spontaneously breathing patients. 2005 , 9, P55	1
1259	A follow-up study of severe sepsis/septic shock patients using echocardiography. 2005 , 9, P56	78
1258	Assessment of left ventricular diastolic pressure in the emergency room and intensive care unit: a new Doppler index. 2005 , 9, P57	78
1257	Does the central venous pressure still have the authority to evaluate a patient's volume status in clinical routine?. 2005 , 9, P58	78

1256	Are venous pressures obtained from femoral central lines comparable with pressure readings from neck lines?. 2005 , 9, P59	78
1255	The reliability of the central venous pressure measured via catheter inserted in the abdominal vena cava inferior. 2005 , 9, P60	78
1254	Continuous pulse contour analysis after cardiopulmonary bypass in cardiac surgery. 2005 , 9, P61	78
1253	Validation of a continuous cardiac output measurement using arterial pressure waveforms. 2005 , 9, P62	19
1252	The PiCCO system: feasibility and complications of its use in paediatric intensive care. 2005 , 9, P63	78
1251	Femoral central venous catheter (CVC) versus internal jugular CVC for assessment of haemodynamic parameters by transpulmonary thermodilution using pulse contour cardiac output. 2005 , 9, P64	78
1250	The effect of continuous veno-venous haemofiltration on PiCCO haemodynamic parameters. 2005 , 9, P65	4
1249	Effects of vasodilation cardiac output measured by PulseCOTM. 2005, 9, P66	78
1248	USCOM: an accurate system for cardiac output measurement?. 2005 , 9, P67	78
1247	Survey of cardiac output monitoring in intensive care units in England and Wales. 2005, 9, P68	3
1246	The use of pulmonary artery catheterization has declined. 2005 , 9, P69	78
1245	Measurement of rate of pressure development (dP/dtmax) based on femoral artery pressure waveforms: comparison with left ventricular dP/dtmax. 2005 , 9, P70	78
1244	Comparison of non-invasive blood pressure versus radial arterial catheter measurement in an intensive care setting. 2005 , 9, P71	78
1243	Sidestream dark field imaging: an improved technique to observe sublingual microcirculation. 2005 , 9, P72	33
1242	Sublingual NIRS and reflectance spectrophotometry: new methods to monitor sublingual oxygen availability. 2005 , 9, P73	78
1241	Dynamic near-infrared spectroscopy measurements in patients with severe sepsis correlate with invasive hemodynamic measurements. 2005 , 9, P74	78
1240	Impact of early sepsis on oxygen delivery in the microvasculature. 2005 , 9, P75	78
1239	Increased leukocyte transit times through capillaries contributes to maldistribution of flow. 2005 , 9, P76	78

1238	Activated protein C improves intestinal microcirculation in experimental endotoxemia in the rat. 2005 , 9, P77	2
1237	Reversal of lipopolysaccharide-induced hyporeactivity in rat aorta and human mesenteric artery in vitro by orthovanadate. 2005 , 9, P78	78
1236	Potassium channel blockade restores the attenuated noradrenaline sensitivity in human endotoxemia. 2005 , 9, P79	1
1235	Dose-dependent and temporal effects of pentoxifylline in a rat model of acute hepatic failure. 2005 , 9, P80	78
1234	Tumor necrosis factor increases the sensitivity of the contractile apparatus in isolated mouse resistance arteries via a calcium-dependent mechanism. 2005 , 9, P81	78
1233	Influence of amiodarone treatment on inflammation during cardiopulmonary bypass. 2005, 9, P82	78
1232	Effects of sarpogrelate, a 5-hydroxytriptamine 2A receptor antagonist on endotoxin shock in rats. 2005 , 9, P83	1
1231	Possible involvement of rho kinase 1 (rock 1) in cecal ligation and puncture-induced sepsis. 2005 , 9, P84	78
1230	Peri-mortem and ante-mortem haemodynamic profile of severe sepsis/septic shock. 2005 , 9, P85	78
1229	Effect of reduced bronchial circulation on the lung fluid flux in the case of combined burn and smoke inhalation injury in sheep. 2005 , 9, P86	78
1228	A pilot study of left main bronchus pulse oximetry. 2005 , 9, P87	78
1227	Relationship between extravascular lung water and oxygenation indices in patients with acute respiratory failure. 2005 , 9, P88	78
1226	Diagnostic test of the desaturation index and the calculated desaturation index to identify acute lung injury and/or acute respiratory distress syndrome at the bedside. 2005 , 9, P89	1
1225	Effect of pharmacological inhibition of chloride transport on lung fluid balance in acute Escherichia coli pneumonia in mice. 2005 , 9, P90	78
1224	Effect of beta-adrenergic agonist on alveolar fluid clearance in rats with acute lung injury. 2005 , 9, P91	78
1223	Effect of beta-adrenergic agonist on alveolar fluid clearance in rats. 2005 , 9, P92	1
1222	Change of extravascular lung water in sheep with early acute respiratory distress syndrome. 2005 , 9, P93	78
1221	Pulmonary surfactant function in patients with acute lung injury/acute respiratory distress syndrome treated by mechanical ventilation. 2005 , 9, P94	78

1220	Alveolar fibrinolysis is not altered by mechanical ventilation in humans with healthy lungs. 2005 , 9, P95	78
1219	Effect of lung protective ventilation strategy on extrapulmonary organs inflammatory response in an acute respiratory distress syndrome rabbit model. 2005 , 9, P96	78
1218	Persistent use of lower tidal volumes after a simple intervention consisting of feedback and education. 2005 , 9, P97	78
1217	How did randomized trials impact mechanical ventilator setting in our unit?. 2005 , 9, P98	1
1216	Ventilation according the open lung concept attenuates pulmonary dysfunction after cardiac surgery. 2005 , 9, P99	78
1215	Effects of positive end-expiratory pressure on liver function and splanchnic microcirculation. 2005 , 9, P100	78
1214	Linear and nonlinear analysis of respiratory resistance in ARDS patients. 2005 , 9, P101	O
1213	Temporal effect of applied pressures on observed alveolar recruitment. 2005 , 9, P102	78
1212	The effects of sustained inflation and post-inflation PEEP in acute respiratory distress syndrome due to pneumonia and traumatic lung contusion. 2005 , 9, P103	78
1211	Use of a sigmoidal equation to analyze the pressureMolume curve obtained by the low flow method. 2005 , 9, P104	8
121 0	Modeling time effects of recruitment and P♥ curve characteristics: a simulation study. 2005, 9, P105	1
1209	How to choose the duration of prone-position ventilation between patients with acute respiratory distress syndrome caused by pulmonary and extrapulmonary disease?. 2005 , 9, P106	78
1208	PEEP and prone ventilation in liver transplantation: consideration or contraindication?. 2005, 9, P107	78
1207	Effects of prone position ventilation and kinetic therapy in acute respiratory failure. 2005, 9, P108	78
1206	Is the quantitative analysis of lung computed tomography accurate in ALI/ARDS patients?. 2005 , 9, P109	78
1205	A validation study of a new software for computed tomography lung measurement. 2005 , 9, P110	78
1204	Are three computed tomography lung sections comparable with the whole lung?. 2005, 9, P111	78
1203	Beneficial effects of CT scan guided protective ventilation: multislice thoracic CT analysis. 2005 , 9, P112	78

1202	Gas exchange impairment induced by open suctioning in ARDS: impact of permissive hypercapnia. 2005 , 9, P113	78
1201	Rational airway control with high-frequency jet ventilation for percutaneous tracheostomy in patients with short fat neck. 2005 , 9, P114	O
1200	Comparison of two different percutaneous tracheostomy techniques with early and late complications in critically ill patients. 2005 , 9, P115	78
1199	Biomechanical experimental evaluation of percutaneous tracheostomy to compare the Ciaglia and Griggs techniques. 2005 , 9, P116	78
1198	Does tracheostomy improve respiratory functions in mechanically ventilated patients. 2005 , 9, P117	78
1197	Routine chest radiography following percutaneous dilatational tracheostomy. 2005, 9, P118	1
1196	Consequences of adverse events with handling of the orotracheal cannula in intensive care unit. 2005 , 9, P119	1
1195	A prospective study comparing standard laryngoscopy with the trachview videoscope system for orotracheal intubation. 2005 , 9, P120	78
1194	Treatment of post-intubation tracheal stenosis with the Nd-YAG laser at the NRITLD. 2005, 9, P121	О
1193	Weaning from mechanical ventilation using assisted spontaneous breathing plus CPAP versus assisted spontaneous ventilation: our experience. 2005 , 9, P122	78
1192	Intraoperative monitoring of pHi as a predictor of successful extubation at the end of major abdominal operations. 2005 , 9, P123	78
1191	Low f/Vt ratio is associated with successful extubation in our pulmonary patients. 2005 , 9, P124	78
1190	Weaning patients with high cardiac output state: influence on central venous pressure and right ventricular stroke work index. 2005 , 9, P125	78
1189	Predicting success in weaning from mechanical ventilation: preliminary results from a multicentric study. 2005 , 9, P126	78
1188	Weaning of mechanical ventilation in the intensive care units of Brazil. 2005, 9, P127	78
1187	Chest physiotherapy is effective in the management of intensive care unit patients immediately after extubation. 2005 , 9, P128	78
1186	Can high efficiency aerosol delivery continue after extubation?. 2005 , 9, P129	5
1185	High-dose versus low-dose nebulized albuterol in acute asthmatic attack: a randomized double-blind clinical trial. 2005 , 9, P130	78

1184	Should noninvasive positive pressure ventilation be used to prevent post-extubation respiratory failure?. 2005 , 9, P131	78
1183	Is the success of positive pressure ventilation dependent on the level of care?. 2005 , 9, P133	78
1182	Effects of the domiciliary use of benzodiazepines on the management of patients presenting to the emergency department with exacerbations of chronic obstructive pulmonary disease. 2005 , 9, P134	78
1181	Weaning from mechanical ventilation using remifentanil versus midazolamhorphine analgo sedation: our experience. 2005 , 9, P135	78
1180	Remifentanil versus sufentanil continuous infusion for sedation in mechanically ventilated patients. 2005 , 9, P136	78
1179	Remifentanil in neurosurgical patients in the intensive care unit. 2005 , 9, P137	78
1178	Risk factors, coma, and consequences of intensive care unit delirium. 2005 , 9, P138	78
1177	Evaluation of EM and orthopedic residents' pain estimation about patients with limb trauma who were visited in the Emergency Department of Hazrat Rasoul Hospital. 2005 , 9, P139	78
1176	Sedation in haemofiltered patients: a retrospective study of compliance with the sedation policy. 2005 , 9, P140	1
1175	Does implementation of a goal sedation score improve management of mechanically ventilated adults?. 2005 , 9, P141	2
1174	The Richmond agitation Bedation scale and bispectral index during dexmedetomidine sedation. 2005 , 9, P142	78
1173	The Critically Ill Adults scale. 2005 , 9, P143	78
1172	Ketamine and propofol do not affect intestinal microcirculation in the rat endotoxemia: experiments in a new model for intravital microscopy. 2005 , 9, P144	78
1171	Ketamine and the coagulation response during and after cardiopulmonary bypass. 2005 , 9, P145	78
1170	Combined general and epidural anaesthesia improves perioperative immune function. 2005 , 9, P146	78
1169	Influence of thiopentone and midazolam on monocyte differentiation into dendritic cells. 2005 , 9, P147	78
1168	Propofol and methohexital comparably affect polymorphonuclear leukocyte function in patients after cardiac surgery. 2005 , 9, P148	78
1167	Effects of propofol versus methohexital on neutrophil function and immune status in critically ill patients. 2005 , 9, P149	78

1166	HLA-DR expression on monocytes and the T-cell subset in septic patients. 2005 , 9, P150	78
1165	Serum cholesterol level: is it a marker of sepsis?. 2005 , 9, P151	2
1164	Serum lipoproteins: how important are they in septic shock patients? Is there a relation to outcome?. 2005 , 9, P152	78
1163	Association of prior statin therapy with cytokine profiles and outcomes in patients hospitalized with community acquired pneumonia. 2005 , 9, P153	78
1162	Compartmentalized anti-inflammatory effects after topical activation of fibinolysis by tissue plasminogen activator in experimental polymicrobial peritonitis. 2005 , 9, P154	78
1161	Endotoxin enhances the fibrinolytic activity of monocytes incorporated in a fibrin clot. 2005 , 9, P155	78
1160	Is fibrinolysis a predictive marker of multiple organ failure in critically ill patients?. 2005 , 9, P156	78
1159	A proteomic study of sepsis. 2005 , 9, P157	1
1158	Circulating levels of the long pentraxin PTX3, an acute phase mediator of innate immunity, in acute lung injury/acute respiratory distress syndrome: functional and prognostic correlations. 2005 , 9, P158	31
1157	Soluble haemoglobin scavenger receptor (sCD163): a marker associated with bacteraemia. 2005 , 9, P159	78
1156	Measurement of granulocyte colony-stimulating factor and IL-6, IL-8 and IL-10 as an early predictor for septic patients. 2005 , 9, P160	78
1155	Marker or mediator? Changes in endotoxin activity as a predictor of adverse outcomes in critical illness. 2005 , 9, P161	3
1154	Rates of agreement of endotoxin, procalcitonin and lactate in septic and non-septic critically ill patients. 2005 , 9, P162	1
1153	Prevention of postoperative infectious complications with procalcitonin-controlled early postoperative administration of IgM-enriched immunoglobulin preparation in high-risk children with congenital heart diseases. 2005 , 9, P163	1
1152	Evaluation of procalcitonin as a diagnostic and prognostic marker in patients with sepsis, severe sepsis and septic shock associated with ventilator-associated pneumonia. 2005 , 9, P164	78
1151	Changes in procalcitonin in septic shock patients treated with endotoxin adsorption therapy. 2005 , 9, P165	78
1150	Procalcitonin guidance significantly reduces antibiotic duration in community-acquired pneumonia: the 'ProCAP' study. 2005 , 9, P166	2
1149	Predictive value of procalcitonin and IL-6 for postoperative sepsis. 2005 , 9, P167	78

1148	Infections after myocardial infarction and cardiogenic shock and their reflection by inflammation parameters. 2005 , 9, P168	78
1147	Does cardiopulmonary bypass affect the procalcitonin level?. 2005 , 9, P169	78
1146	The prognostic value of procalcitonin in cardiac surgical patients. 2005 , 9, P170	78
1145	The procalcitonin test in the evaluation of clinical severity in patients with acute pancreatitis. 2005 , 9, P171	1
1144	Procalcitonin in the critically ill. 2005 , 9, P172	78
1143	Serum C-reactive protein levels in patients with sepsis varies according to the site of infection. 2005 , 9, 1	78
1142	C-reactive protein as a marker of septic shock and outcome in the intensive care unit. 2005 , 9, P174	1
1141	Serial changes in soluble triggering receptor expressed on myeloid cells in the lung during ventilator-associated pneumonia. 2005 , 9, P175	78
1140	High mobility group box 1: as a 'testament' mediator. 2005 , 9, P176	78
1139	High mobility group box 1 (HMGB1) quantified by ELISA that dose not cross-react with HMGB2. 2005 , 9, P177	78
1138	High-mobility group box 1: role in ARDS. 2005 , 9, P178	1
1137	Effect of dexamethasone on the myocardial expression of cytokines and heat shock proteins in human neonates. 2005 , 9, P179	78
1136	Pretreatment of dexamethasone before cardiopulmonary bypass upregulates intrahepatic synthesis of IL-10 via the transcription factors Sp1 and Sp3 and CCAAT/enhancer-binding protein. 2005 , 9, P180	78
1135	Moderate hypothermia during cardiopulmonary bypass reduces intramyocardial expression of tumor necrosis factor alpha via inhibition of AP-1. 2005 , 9, P181	78
1134	Prototype reagents for an automated serum inducible nitric oxide synthase assay. 2005 , 9, P182	78
1133	Oxygen metabolism as an indicator in criteria for hemoperfusion using a polymyxin-B immobilized column introduction. 2005 , 9, P183	78
1132	Early introduction of hemoperfusion with an immobilized polymyxin B fiber column eliminates humoral mediators and improves pulmonary oxygenation. 2005 , 9, P184	1
1131	Prehydration shifts the cytokine response towards a more anti-inflammatory balance during human endotoxemia. 2005 , 9, P185	78

1130	Repairing of acute lung injury by transvenous injection of bone marrow-derived stem cells. 2005 , 9, P186	78
1129	Cyclosporin A and a non-immunosuppressive derivative (NIM 811) improve survival and mitochondrial myocardial dysfunction in a murine model of severe sepsis by cecal ligation and puncture. 2005 , 9, P187	78
1128	Poly (ADP-ribose) polymerase activity during hemorrhagic shock and normotensive versus hypotensive resuscitation. 2005 , 9, P188	78
1127	Alpha-1-acid glycoprotein reduces hepatic leukocyte recruitment in early sepsis. 2005 , 9, P189	1
1126	Protein C in murine neonatal sepsis. 2005 , 9, P190	78
1125	The effect of activated protein C on experimental acute necrotizing pancreatitis. 2005, 9, P191	1
1124	First experiences with protein C concentrate in adult patients with severe sepsis and septic shock associated to low protein C levels: a dose-finding study. 2005 , 9, P192	78
1123	Eligibility for drotrecogin alfa therapy on the basis of APACHE II score and organ failure. 2005 , 9, P193	78
1122	Canadian ENHANCE data support the efficacy and safety of drotrecogin alfa (activated) despite higher disease severity than the global ENHANCE population. 2005 , 9, P194	78
1121	Activated protein C in sepsis: an Indian experience. 2005 , 9, P195	2
1120	Epidemiology of severe sepsis and septic shock in Germany: results from the German 'Prevalence' study. 2005 , 9, P196	3
		3 78
	study. 2005 , 9, P196	
1119	study. 2005, 9, P196 Sepsis Brazil: an epidemiological study in intensive care units. 2005, 9, P197 Selective poly(ADP-ribose)-polymerase inhibition affects neither DNA repair nor cell senescence	78
1119	Sepsis Brazil: an epidemiological study in intensive care units. 2005, 9, P197 Selective poly(ADP-ribose)-polymerase inhibition affects neither DNA repair nor cell senescence after ischemia-reperfusion. 2005, 9, P199 Rosiglitazone, a peroxisome proliferator-activated receptor-gamma agonist, attenuates intercellular adhesion molecule-1 and cytokine-induced neutrophil chemoattractant-1 expression in	78 78
1119 1118 1117	Sepsis Brazil: an epidemiological study in intensive care units. 2005, 9, P197 Selective poly(ADP-ribose)-polymerase inhibition affects neither DNA repair nor cell senescence after ischemia-reperfusion. 2005, 9, P199 Rosiglitazone, a peroxisome proliferator-activated receptor-gamma agonist, attenuates intercellular adhesion molecule-1 and cytokine-induced neutrophil chemoattractant-1 expression in lungs of rats with acute lung injury. 2005, 9, P200 Protective effects of rosiglitazone, a peroxisome proliferator-activated receptor-gamma agonist,	78 78 78
1119 1118 1117 1116	Sepsis Brazil: an epidemiological study in intensive care units. 2005, 9, P197 Selective poly(ADP-ribose)-polymerase inhibition affects neither DNA repair nor cell senescence after ischemia-reperfusion. 2005, 9, P199 Rosiglitazone, a peroxisome proliferator-activated receptor-gamma agonist, attenuates intercellular adhesion molecule-1 and cytokine-induced neutrophil chemoattractant-1 expression in lungs of rats with acute lung injury. 2005, 9, P200 Protective effects of rosiglitazone, a peroxisome proliferator-activated receptor-gamma agonist, on endotoxin-induced acute lung injury in rats. 2005, 9, P201	78 78 78 78

1112	Application of the bovine hemoglobin solution HBOC-301 with and without isovolemic hemodilution reduces the histopathologic damage in acute severe pancreatitis in swine. 2005 , 9, P205	78
1111	Volume substitution therapy with HES 130/0.4 (Voluven[]) versus HES 450/0.7 (hetastarch) during major orthopedic surgery. 2005 , 9, P206	4
1110	Sepsis Brazil Learly results: albumin and mortality rate in septic shock. 2005, 9, P207	78
1109	Case series of dermatomyositis complicated by acute respiratory failure requiring intensive care. 2005 , 9, P208	78
1108	Outcome following burns from 1985 to 2004 in the Centre for Severely Burned Patients, Ghent University Hospital, Belgium. 2005 , 9, P209	1
1107	A retrospective cohort study of 36-month use of paediatric intensive care and associated mortality in Sweden. 2005 , 9, P210	78
1106	Significant ICU respiratory morbidity in postoperative patients with adult congenital heart disease. 2005 , 9, P211	78
1105	Intensive care in adults with congenital heart disease: cost implications of a changing patient population. 2005 , 9, P212	5
1104	HELLP syndrome: analysis of 23 cases. 2005 , 9, P213	78
1103	Critically ill severe pre-eclamptic patients admitted to an obstetric intensive care unit. 2005 , 9, P214	1
1102	Nursing workload and prognosis in the critically ill obstetric patient. 2005 , 9, P215	78
1101	Pre-eclampsia in the intensive care unit: indicators of severity and hospital outcome. 2005 , 9, P216	78
1100	Development and validation of a new scoring system for the critically ill obstetric patient. 2005, 9, P217	78
1099	Critically ill obstetric patients: outcome and predictability. 2005 , 9, P218	1
1098	Case mix outcome and activity for patients with ARF during the first 24 hours of the intensive care unit. 2005 , 9, P219	78
1098 1097		78 78
	Factors predictive of mortality and mortality prediction models in patients with ARF during the first 24 hours of intensive care unit admission. 2005 , 9, P220 Mortality and predictors of death in patients with pneumonia admitted to the intensive care unit	·

1094	Outcome of septic shock in patients with malignancies and neutropenia. 2005 , 9, P223	78
1093	A validation of different prognostic scoring systems in the prediction of outcome in peritonitis. 2005 , 9, P224	78
1092	APACHE III outcome prediction after esophagectomy. 2005 , 9, P225	78
1091	Multimodal strategies to improve APACHE II score documentation. 2005 , 9, P226	78
1090	Comparison of Acute Physiology and Chronic Health Evaluation (APACHE II) and Simplified Acute Physiology Score (SAPS II) in a Greek general intensive care unit. 2005 , 9, P227	78
1089	The impact of missing components of the Acute Physiology Score on the standardized mortality ratio calculated by the APACHE III prognostic model. 2005 , 9, P228	1
1088	Preliminary update of the Mortality Probability Model (MPM0). 2005, 9, P229	5
1087	Mortality prediction by hormonal profile versus APACHE score assessment in critically ill patients. 2005 , 9, P230	78
1086	Serial evaluation of the Sequential Organ Failure Assessment score in non-coronary medical patients. 2005 , 9, P231	78
1085	Association of the SOFA score and mortality in elderly patients with severe sepsis and septic shock. 2005 , 9, P232	78
1084	Improvement of SOFA's predictive power for death when associated with central venous oxygen saturation intermittently obtained in the first 24 hours of cardiac surgery postoperation. 2005 , 9, P233	78
1083	Analysis of risk and prognostic factors of mortality in post-transplant patients in the intensive care unit. 2005 , 9, P234	1
1082	Outcome of patients with systematic lupus erythematosus in the intensive care unit. 2005 , 9, P235	78
1081	The outcome and follow-up of trauma in elderly intensive care unit patients. 2005 , 9, P236	78
1080	Trends of age utilization in intensive care unit resources are matched by the population aging process in Brazil. 2005 , 9, P237	78
1079	Hospital mortality associated with day and time of discharge from intensive care units in the United Kingdom. 2005 , 9, P238	1
1078	Health-related quality of life and functional performance predictors in secondary peritonitis patients. 2005 , 9, P239	78
1077	Quality of life 6 months after discharge from an intensive care unit. 2005 , 9, P240	78

1076	Changes in health-related quality of life in severe sepsis. 2005 , 9, P241	78
1075	Stress, anxiety and depression in cardial infarct and bypass surgery patients. 2005 , 9, P242	1
1074	Prevalence of symptoms related to post-traumatic stress disorder during long-term follow-up in patients after surgical treatment for secondary peritonitis. 2005 , 9, P243	3
1073	Initial assessment of a guesthouse for relatives of patients admitted to a general intensive care unit. 2005 , 9, P244	78
1072	Re-humanization in the intensive care unit: perspective of the staff. 2005 , 9, P245	78
1071	Protecting healthcare workers from SARS. 2005 , 9, P246	1
1070	Burnout syndrome among intensive care staff. 2005 , 9, P247	78
1069	The use of a checklist to guide multidisciplinary rounds improves the utilization of prophylactic and safety actions in a closed intensive care unit. 2005 , 9, P248	78
1068	The monitoring of vital signs on adult medical wards. 2005 , 9, P249	78
1067	Prehospital emergency medicine and non-heart-beating donors: is there a future together?. 2005 , 9, P250	78
1066	Organ donation: a 10-year experience. 2005 , 9, P251	78
1065	Availability of organs for transplantation: a 15-year overview on organ donation in the ULB network. 2005 , 9, P252	78
1064	Estimated weight and height of critically ill patients: how reliable are these values in acutely admitted patients?. 2005 , 9, P253	78
1063	Quality in the intensive care unit: a general intensive care unit compared with a cardiointensive unit. 2005 , 9, P254	78
1062	Quality of care on an intensive care unit: using subjective indicators as an analysis tool. 2005 , 9, P255	78
1061	Managing performance in the intensive care unit: a new system in Brazil. 2005 , 9, P256	78
1060	The value of daily routine chest radiographs in intensive care patients. 2005 , 9, P257	78
1059	Accidental catheter removal in the intensive care unit: a prospective observational study. 2005 , 9, P258	78

1058	Complications of care in a neonatalpaediatric intensive care: first results of a prospective observational survey. 2005 , 9, P259	78
1057	Adverse events and death in patients with community-acquired pneumonia in the emergency department of a major university hospital in Brazil. 2005 , 9, P260	78
1056	Adverse medication events in the intensive care unit: avoidable or inevitable?. 2005, 9, P261	78
1055	Budget savings following a rationalisation of practice: a comparison of drug-prescribing costs in two different intensive care units. 2005 , 9, P262	78
1054	Significance and outcome of critical care system management. 2005 , 9, P263	78
1053	The early efficacy of CABG care delivery in a low procedure-volume community hospital: operative and midterm results. 2005 , 9, P264	78
1052	Rising use of intensive care unit services in Medicare. 2005 , 9, P265	78
1051	A comparative cost analysis before and after opening of an intermediate care unit. 2005, 9, P266	78
1050	ICU research coordinator activities: a time-in-motion multicenter study. 2005, 9, P267	3
1049	Impact of critical care outreach on cardiac arrest rates and readmission rates in an adult cardiothoracic centre. 2005 , 9, P268	78
1048	Critical care outreach: implementation in a cardiothoracic centre. 2005 , 9, P269	78
1047	A 'Count Outreach Warning Score' forecasts need for 'step-up' care. 2005 , 9, P270	78
1046	First national survey on the use of the Internet and other electronic resources among Spanish intensivists. 2005 , 9, P271	78
1045	Critical illness polyneuromyopathy: a major problem in a general intensive care unit. 2005 , 9, P272	78
1044	Propofol and thiopental for refractory status epilepticus in children. 2005 , 9, P273	2
1043	Therapeutic window of opportunity assessment in antithrombotic therapy, using a glycoprotein IIb/IIIa inhibitor (tirofiban), in an experimental model of acute ischemic embolic stroke in rabbits. 2005 , 9, P274	78
1042	Hemodynamic instability following bilateral carotid endarterectomy. 2005 , 9, P275	1
1041	New presentations about risk factors of ischemic stroke in young persons. 2005 , 9, P276	78

1040	Social problems in the management of acute ischemic stroke. 2005 , 9, P277	78
1039	BloodBrain barrier damage is an early event in porcine endotoxemic shock. 2005 , 9, P278	78
1038	Antiapoptotic effects of delta opioid peptide [D-Ala2, D-Leu5]enkephalin in brain slices induced by oxygen-glucose deprivation. 2005 , 9, P279	78
1037	The use of transcranial Doppler ultrasonography in early outcome prediction of patients with subarachnoid hemorrhage. 2005 , 9, P280	78
1036	OCTOPUS lbbservation or computed tomography of mild head injury in Sweden: a randomised clinical trial concerning effects and costs. 2005 , 9, P281	2
1035	Post-trauma subarachnoid hemorrhage. 2005 , 9, P282	78
1034	Multimodal neuroelectrophysiological studies to predict outcome in paediatric patients with traumatic brain injury. 2005 , 9, P283	1
1033	Comparison of biochemical markers and transcranial Doppler ultrasonography findings as early predictors of outcome in patients with traumatic brain injury: preliminary report. 2005 , 9, P284	78
1032	Clinical progresses and radiological findings in patients with head injury. 2005 , 9, P285	78
1031	The clinical importance of bulbus juguli oxymetry. 2005 , 9, P286	78
	The clinical importance of bulbus juguli oxymetry. 2005 , 9, P286 Prognostic value of specific neural enolase in head trauma. 2005 , 9, P287	78 78
1030		
1030	Prognostic value of specific neural enolase in head trauma. 2005 , 9, P287	78
1030	Prognostic value of specific neural enolase in head trauma. 2005 , 9, P287 S100B protein: a possible prognostic factor in patients with a severe head trauma injury. 2005 , 9, P288	78 78
1030	Prognostic value of specific neural enolase in head trauma. 2005 , 9, P287 S100B protein: a possible prognostic factor in patients with a severe head trauma injury. 2005 , 9, P288 Increased levels of serum S100B protein in critically ill patients without brain injury. 2005 , 9, P289	78 78
1030 1029 1028	Prognostic value of specific neural enolase in head trauma. 2005, 9, P287 S100B protein: a possible prognostic factor in patients with a severe head trauma injury. 2005, 9, P288 Increased levels of serum S100B protein in critically ill patients without brain injury. 2005, 9, P289 S100B protein in heroin overdose: a pilot study. 2005, 9, P290 Paired serum S-100B and neuron-specific enolase assay in early and fast assessment of brain	78 78 1
1030 1029 1028 1027	Prognostic value of specific neural enolase in head trauma. 2005, 9, P287 S100B protein: a possible prognostic factor in patients with a severe head trauma injury. 2005, 9, P288 Increased levels of serum S100B protein in critically ill patients without brain injury. 2005, 9, P289 S100B protein in heroin overdose: a pilot study. 2005, 9, P290 Paired serum S-100B and neuron-specific enolase assay in early and fast assessment of brain damage after cardiac arrest. 2005, 9, P291 Neuron-specific enolase level predicts survival of patients after cardiopulmonary resuscitation.	78 78 1 2 78

1022	Therapeutic hypothermia post cardiac arrest: an evidence-based guideline. 2005 , 9, P295	78
1021	Therapeutic hypothermia: pitfalls and pearls. 2005 , 9, P296	78
1020	The European Resuscitation Council Hypothermia After Cardiac Arrest Registry: presentation and plans. 2005 , 9, P297	78
1019	Hypothermia in a surgical intensive care unit. 2005 , 9, P298	1
1018	Infrared ear thermometry in drowning: not a good choice. 2005 , 9, P299	78
1017	Is there any relation between hypothermia and outcome in critically ill patients?. 2005 , 9, P300	78
1016	Influence of cardiopulmonary resuscitation on levels of tumor markers. 2005, 9, P301	78
1015	Descriptive analysis of contributing factors in outcomes of emergency department CPRs. 2005 , 9, P302	5
1014	Identification of agonal breathing by dispatchers to improve the detection and treatment of cardiac arrest. 2005 , 9, P303	78
1013	Cardiopulmonary resuscitation training: the need for continued education and training. 2005 , 9, P304	78
1012	Effectiveness of an intubating laryngeal mask airway (ILMA Fastrach) used by nurses during out-of-hospital cardiac arrest resuscitation. 2005 , 9, P305	1
1011	Use of automated external defibrillators in the House of Representatives Brazil, the first in Latin America: a 2-year experience. 2005 , 9, P306	78
1010	Synchronized cardioversion in a prehospital setting: a safe and reliable method for urgent treatment of tachyarrhythmias. 2005 , 9, P307	78
1009	Prehospital transcutaneous cardiac pacing in bradycardia and asystole. 2005 , 9, P308	1
1008	EMERGElla multiprofessional training course in the care of the acute coronary syndrome patient. 2005 , 9, P309	78
1007	High mortality rate in critically ill medical patients with new-onset atrial tachyarrhythmias despite rapid conversion to sinus rhythm. 2005 , 9, P310	78
1006	Troponin incidence, prevalence and prognosis among critically ill patients. 2005 , 9, P311	78
1005	Clinical determinants of severe bleeding complications in patients with acute myocardial infarction treated with thrombolytic therapy. 2005 , 9, P312	78

1004	Facilitated percutaneous coronary intervention: a new treatment strategy for acute myocardial infarction. 2005 , 9, P313	78
1003	Left ventricular remodeling and function after primary and delayed PCI in patients with recent myocardial infarction. 2005 , 9, P314	78
1002	Acute myocardial infarction: incidence and outcomes in an intensive care unit. 2005 , 9, P315	1
1001	Clinical features of acute myocardial infarction in patients with cor pulmonale. 2005 , 9, P316	78
1000	Prospective study on myocardial infarction: short-term prognostic factors. 2005 , 9, P317	78
999	Haemoglobin concentration on admission influences the rate of inhospital 30-day mortality and complications in patients with acute myocardial infarction: a retrospective analysis of 637 Chinese patients. 2005 , 9, P318	78
998	Protective effects of hemodilution and ischemic preconditioning against reperfusion injury in pig heart. 2005 , 9, P319	78
997	The reliability of electrocardiogram interpretation in critically ill patients. 2005 , 9, P320	78
996	Patient selection for the ventricular assist device. 2005 , 9, P321	78
995	Prognostic factors of percutaneous cardiopulmonary support therapy at Osaka City General Hospital, Japan. 2005 , 9, P322	78
994	Practice of extracorporeal membrane oxygenation in adult patients: a single-centre experience. 2005 , 9, P323	78
993	Elevated plasma levels of troponin I in surgical patients: analysis of risk factors and outcomes. 2005 , 9, P324	78
992	Prognostic value of serum troponin levels in patients with pulmonary embolism: a systematic review and meta-analysis. 2005 , 9, P325	78
991	Pulmonary embolism in younger and older adults: clinical presentation and comparison of right ventricular dysfunction, a new prognostic echocardiographic index. 2005 , 9, P326	78
990	Pulmonary embolism originated from right heart chamber thrombus: the diagnostic role of transesophageal echocardiography. 2005 , 9, P327	78
989	The use of type brain natriuretic peptide in a cardiac surgery postoperative context. 2005 , 9, P328	78
988	Elevated N-terminal pro-B-type natriuretic peptide levels and normal left ventricular systolic function: an echocardiographic study. 2005 , 9, P330	78
987	N-terminal pro-B-type natriuretic peptide and the diagnosis of left ventricular systolic dysfunction: what is the optimal cut-off?. 2005 , 9, P331	78

986	Pro-atrial natriuretic peptide in patients with sepsis, severe sepsis and septic shock. 2005 , 9, P332	78
985	Evaluation of a noninvasive hemoglobin and hematocrit monitoring device. 2005 , 9, P333	2
984	Hematocrit of 20% versus 25% during normothermic cardiopulmonary bypass for elective coronary artery bypass graft surgery. 2005 , 9, P334	1
983	Anaemia at discharge from the intensive care unit is associated with an inappropriate erythropoietin response. 2005 , 9, P335	78
982	Recombinant human erythropoietin therapy in critically ill patients. 2005, 9, P336	78
981	A randomised, placebo-controlled, double-blind study to investigate the efficacy and safety of rFVIIa as adjunctive therapy for control of bleeding in patients with severe blunt trauma: a re-analysis following the exclusion of early (2005, 9, P337	2
980	The use of activated recombinant coagulation factor VII in patients undergoing major reconstruction surgery for traumatic fracture pelvis or pelvis and acetabulum: a double-blind, randomised, placebo-controlled trial. 2005 , 9, P338	78
979	Abstract withdrawn. 2005, 9, P339	78
978	Anti-Xa activity after subcutaneous administration of dalteparin in intensive care unit patients with and without subcutaneous oedema. 2005 , 9, P340	78
977	In vitro effect of an antithrombin in platelet activation by HIT antibodies. 2005 , 9, P341	78
976	The effect of fibrinogen and prothrombin complex concentrate on dilutional coagulopathy in a porcine model of uncontrolled hemorrhagic shock. 2005 , 9, P342	78
975	Consensus protocol for the emergency reversal of coumarin-induced anticoagulation. 2005, 9, P343	78
974	Warfarin overactivity. 2005 , 9, P344	78
973	Role of thromboelastography in septic patients treated with coagulation inhibitor. 2005 , 9, P345	7 8
972	Thromboelastography during treatment with activated protein C. 2005 , 9, P346	78
971	The histopathologic effects on organs of desmopressin administered to rats in different doses. 2005 , 9, P348	78
970	Continuous hemodiafiltration for hypercytokinemia in tumor lysis syndrome. 2005, 9, P349	78
969	Anticoagulation during continuous renal replacement therapy with lepirudin in patients with heparin-induced thrombocytopenia. 2005 , 9, P350	7 8

968	Renal replacement therapy for acute renal failure in the intensive care unit is associated with a worse prognosis than renal replacement therapy for end-stage renal failure. 2005 , 9, P351	78
967	The effect on renal function in high pulmonary flow infants under hypoxic therapy. 2005 , 9, P352	78
966	Prophylaxis of contrast-induced nephropathy in patients with impaired renal function: double-blind comparison of acetylcysteine, theophylline, acetylcysteine + theophylline and placebo. 2005 , 9, P353	1
965	Insulin-like growth factor-1 during renal replacement therapy in patients with multiple organ failure. 2005 , 9, P354	78
964	Clearance of Sotalol on continuous venovenous haemofiltration. 2005 , 9, P355	0
963	Prevalence, incidence and risk factors for acute renal failure in the intensive care unit. 2005 , 9, P356	78
962	Clinical features and prognosis of the patients with acute renal failure in the intensive care unit. 2005 , 9, P357	78
961	Renal failure in obstetrics: epidemiology and outcome in the intensive care unit. 2005 , 9, P358	78
960	Filtration gradient and abdominal perfusion pressure do not correlate with urinary output in patients at risk for intra-abdominal hypertension and normal serum creatinine. 2005 , 9, P359	1
959	Omega 3 fatty acids reduce mortality and length of hospital stay in a cohort of 661 patients with different diagnoses. 2005 , 9, P360	O
958	Probiotic treatment restores short-term fasting-induced colonic mucosal atrophy in rats. 2005 , 9, P361	78
957	Benefits of Synbiotic 2000 Forte in critically ill patients: a randomized controlled trial. 2005 , 9, P362	3
956	The effects of enteral feeding with eicosapentaenoic acid, gamma-linolenic acid and antioxidants in patients with sepsis. 2005 , 9, P363	3
955	Effects of L-alanyl L-glutamine dipeptide-supplemented parenteral nutrition on lymphocyte subpopulations and in prevalence of nosocomial infection in critically ill patients. 2005 , 9, P364	78
954	Managing diarrhea and fecal incontinence: results of a prospective clinical study in the intensive care unit. 2005 , 9, P365	78
953	Luminal lactate and tyrosine release during intestinal ischemia in rabbits. 2005 , 9, P366	78
952	Abstract withdrawn. 2005, 9, P367	О
951	The impact of gastrointestinal failure on intensive care unit mortality. 2005 , 9, P368	78

950	Incidence of gastrointestinal failure in intensive care unit patients: retrospective and prospective study. 2005 , 9, P369	1
949	Effects of dobutamine on hepatic metabolism in paediatric patients evaluated by LiMON ^[] . 2005 , 9, P370	1
948	Therapeutic application of the molecular adsorbent recirculating system in chronic severe hepatitis patients complicated with multiorgan failure. 2005 , 9, P371	78
947	Control of intra-abdominal pressure in severe acute pancreatitis with continuous hemodiafiltration using a polymethyl methacrylate membrane hemofilter and colloid fluid therapy. 2005 , 9, P372	78
946	Impact of abdominal banding on splanchnic organ perfusion. 2005 , 9, P373	78
945	A comparison of the effect on gastric emptying of propofol or dexmedetomidine in critically ill patients. 2005 , 9, P374	1
944	Does diabetes mellitus affect the mortality and morbidity rates after coronary artery bypass surgery?. 2005 , 9, P375	1
943	Hyperglycemia and mortality in high-risk surgical patients. 2005 , 9, P376	78
942	Admission hyperglycemia increases mortality in burns. 2005 , 9, P377	78
941	Intensive insulin therapy does not change the inflammatory response in non-diabetic patients undergoing elective coronary artery bypass grafting. 2005 , 9, P378	78
940	Blood glucose control during cardiac surgery: an evaluation of a fixed versus a variable insulin regime. 2005 , 9, P379	78
939	Accuracy of blood glucose measurements in the intensive care unit. 2005 , 9, P380	78
938	Evaluation of intensive insulin therapy. 2005 , 9, P381	78
937	Intensive insulin therapy in the intensive care unit: assessment by continuous glucose monitoring. 2005 , 9, P382	1
936	Insulin sensitivity and hepatic glucose production in sepsis. 2005 , 9, P383	1
935	Insulin signaling in critical illness: intensive versus conventional insulin therapy. 2005 , 9, P384	78
934	Influence of blood glucose-related factors to glucose tolerance in acutely ill severe patients evaluated by means of bedside-type artificial pancreas. 2005 , 9, P385	78
933	Randomized controlled study for the evaluation of automated blood glucose control in critically ill patients. 2005 , 9, P386	78

932	Implementation of intensive insulin therapy improves glycaemic control in patients managed with conventional insulin therapy. 2005 , 9, P387	78
931	Tight glycemic control increases the incidence of hypoglycemia in intensive care unit patients. 2005 , 9, P388	10
930	Impact of continuous versus bolus low-dose hydrocortisone application on blood glucose in septic shock patients. 2005 , 9, P389	1
929	Cortisol metabolism in critical illness: effects of intensive insulin therapy. 2005 , 9, P390	78
928	Cortisol elimination properties during intermitting hemofiltration in patients with acute renal failure. 2005 , 9, P391	78
927	Effect of a single dose of etomidate on adrenal function in patients with trauma. 2005 , 9, P392	1
926	Influence of hydrocortisone on platelet receptor expression and aggregation in vitro. 2005, 9, P393	78
925	Outcome of septic shock patients with relative adrenal insufficiency. 2005 , 9, P394	78
924	Low-dose and high-dose corticotropin stimulation test in septic shock patients. 2005 , 9, P395	78
923	Sepsis-related adrenal dysfunction in HIV-positive and negative critically ill patients using a 1 \bar{g} . short synacthen test. 2005 , 9, P396	78
922	The time course of adrenocortical hormones and cytokines in sepsis and/or septic shock. 2005 , 9, P397	78
921	Adrenal insufficiency in septic shock: what should one do at the present time?. 2005 , 9, P398	78
920	Adrenal failure in neurological and septic critically ill patients. 2005 , 9, P399	78
919	Relative adrenal insufficiency in critically ill hematology patients. 2005 , 9, P400	78
918	The relative adrenal insufficiency syndrome in the intensive care unit: incidence and relationship to outcome. 2005 , 9, P401	78
917	Incidence of adrenal insufficiency within 10 days of traumatic brain injury. 2005 , 9, P402	78
916	Endocrine responses to major abdominal surgery. 2005 , 9, P403	78
915	Acute rhabdomyolysis in the intensive care unit. 2005 , 9, P404	78

914	Early definitive stabilization versus damage control orthopaedics for femur shaft fractures in the multiply injured patient. 2005 , 9, P405	1
913	The efficacy of HPLC for the diagnosis of 'illegal drug' intoxication. 2005 , 9, P406	78
912	Lethal intoxication with hydrofluoric acid. 2005 , 9, P407	78
911	Dispersion of the corrected QT interval in acute carbon monoxide poisoning. 2005 , 9, P408	78
910	A new electronic urine meter (UREXACT) is more accurate in measuring urine output than the standard Urinometer: a comparative study. 2005 , 9, P409	2
909	A computerized alert system for hypokalemia can decrease time to treatment. 2005 , 9, P410	1
908	Acetazolamide-mediated decrease in strong ion difference accounts for the correction of metabolic alkalosis in intensive care unit patients. 2005 , 9, P411	78
907	AcidBase changes in meningococcal sepsis revealed by partitioning the base deficit. 2005 , 9, P412	78
906	Peripheral oedema may not reflect capillary leak in severe sepsis: pilot study. 2005 , 9, P413	78
905	Comparative evaluation of extracellular mass and body cell mass between patients with SIRS and severe sepsis by bioelectrical impedance analysis. 2005 , 9, P414	78
904	Strong ion acid B ase abnormality and lactate:pyruvate ratio in children following cardiopulmonary bypass. 2005 , 9, P415	78
903	Magnesium at admission: is it an outcome marker in the critically ill patient?. 2005 , 9, P416	3
902	Intensive insulin therapy does not alter the inflammatory response in patients undergoing coronary artery bypass grafting: a randomized controlled trial [ISRCTN95608630]. 2005 , 9, R790-7	33
901	The Surviving Sepsis Campaign sepsis change bundles and clinical practice. 2005 , 9, 653-4	45
900	Peri-operative glucose control and development of surgical wound infections in patients undergoing coronary artery bypass graft. 2005 , 61, 201-12	46
899	Persistent hyperglycemia in critically ill children. 2005 , 146, 30-4	247
898	Endocrine interventions in the ICU. 2005 , 16, 71-82	18
897	Post burn muscle wasting and the effects of treatments. 2005 , 37, 1948-61	159

896	25th International Symposium on Intensive Care and Emergency Medicine, Brussels, Belgium, 21-25 March 2005. Abstracts. 2005 , 9 Suppl 1, P1-P416	3
895	Triglicfidos y nutricifi parenteral. 2005 , 52, 290-296	
894	Hyperglycaemia and the very preterm baby. 2005 , 10, 377-87	58
893	Empirical Modeling for Glucose Control in Critical Care and Diabetes. 2005 , 11, 601-616	21
892	Influence of individual characteristics on outcome of glycemic control in intensive care unit patients with or without diabetes mellitus. 2005 , 80, 1558-67	153
891	The role of insulin therapy in critically ill patients. 2005 , 4, 353-60	12
890	Pro-B-type natriuretic peptide predicts mortality in critically ill patients. 2005 , 9, P329	78
889	Evaluation of noninvasive mechanical ventilation with positive pressure in the management of patients with difficult weaning from invasive mechanical ventilation. 2005 , 9, P132	78
888	Costs of severe sepsis according to the guidelines of the 'Surviving Sepsis Campaign'. 2005 , 9, P198	78
887	Contrle de la glychie en unit de soins intensifs. Y a-t-il suffisamment de preuves ?. 2006 , 10, 271-276	
886		
	Perioperative Blood Glucose Control. 2006 , 1, 223-234	2
885	Perioperative Blood Glucose Control. 2006 , 1, 223-234 Intensive insulin therapy in the medical ICU. 2006 , 354, 449-61	4168
885 884		
	Intensive insulin therapy in the medical ICU. 2006 , 354, 449-61	4168
884	Intensive insulin therapy in the medical ICU. 2006 , 354, 449-61 A pilot study of the SPRINT protocol for tight glycemic control in critically Ill patients. 2006 , 8, 449-62	4168 78
884	Intensive insulin therapy in the medical ICU. 2006, 354, 449-61 A pilot study of the SPRINT protocol for tight glycemic control in critically Ill patients. 2006, 8, 449-62 Yearbook of Intensive Care and Emergency Medicine. 2006, A simple insulin-nutrition protocol for tight glycemic control in critical illness: development and	4168 78 2
884 883 882	Intensive insulin therapy in the medical ICU. 2006, 354, 449-61 A pilot study of the SPRINT protocol for tight glycemic control in critically Ill patients. 2006, 8, 449-62 Yearbook of Intensive Care and Emergency Medicine. 2006, A simple insulin-nutrition protocol for tight glycemic control in critical illness: development and protocol comparison. 2006, 8, 191-206 A novel, model-based insulin and nutrition delivery controller for glycemic regulation in critically ill	4168 78 2 90

(2006-2006)

878	Glycemic control, diabetic status, and mortality in a heterogeneous population of critically ill patients before and during the era of intensive glycemic management: six and one-half years experience at a university-affiliated community hospital. 2006 , 18, 317-25	110
877	The dynamic neuroendocrine response to critical illness. 2006 , 35, 777-91, ix	36
876	[Hyperglycemia and acute illness]. 2006 , 67, 224-32	4
875	The importance of insulin administration in the critical care unit. 2006 , 40, 47-57	4
874	Therapy for late-phase acute respiratory distress syndrome. 2006 , 27, 671-7; abstract ix-x	9
873	Critical illness neuromuscular syndromes. 2006 , 22, 805-18; abstract xi	7
872	Glucose Sensors. 2006,	
871	Diabetes of injury: novel insights. 2006 , 35, 859-72, x	27
870	The neuroendocrine response to critical illness is a dynamic process. 2006 , 22, 1-15, v	65
869	Implementing an intensive glucose management initiative: strategies for success. 2006 , 18, 531-43	11
868	Glucose metabolism and insulin therapy. 2006 , 22, 119-29, vii Management of severe sepsis in the surgical patient. 2006 , 86, 1457-81	55
867	Rle de l'insuline et du contrle de la glychie en rànimation. 2006 , 15, 474-480	12
865	Modalits pratiques de l'insulinothfapie en ranimation. 2006 , 15, 461-466	2
864	Endocrine markers of severity and prognosis in critical illness. 2006 , 22, 161-79, viii	4
863	Endocrine aspects of acute and prolonged critical illness. 2006 , 2, 20-31	98
862	A minimal model for glycemia control in critically ill patients. 2006 , 2006, 5432-5	24
861	An adaptive input-output modeling approach for predicting the glycemia of critically ill patients. 2006 , 27, 1057-69	28

860	Management of sepsis. 2006 , 86, 1523-39	5
859	Is it time for implementation of tight glycaemia control by intensive insulin therapy in every ICU?. 2006 , 10, 130	21
858	The role of body mass index and diabetes in the development of acute organ failure and subsequent mortality in an observational cohort. 2006 , 10, R137	30
857	Risks and benefits of nutritional support during critical illness. 2006 , 26, 513-38	550
856	Rush University guidelines and protocols for the management of hyperglycemia in hospitalized patients: elimination of the sliding scale and improvement of glycemic control throughout the hospital. 2006 , 32, 954-62	27
855	Guidelines on diabetes, pre-diabetes, and cardiovascular diseases: executive summary. The Task Force on Diabetes and Cardiovascular Diseases of the European Society of Cardiology (ESC) and of the European Association for the Study of Diabetes (EASD). 2007 , 28, 88-136	889
854	Coccidioidomycosis in patients with diabetes mellitus. 2006 , 119, 964-9	57
853	[Septic shock: blood glucose regulation]. 2006 , 25, 275-9	1
852	How to monitor delirium in the ICU and why it is important. 2006 , 9, e269-e279	6
851	A practical insulin infusion algorithm for the establishment of euglycaemia in both lean and obese patients with type 1 and type 2 diabetes. 2006 , 72, 251-7	1
850	A scarlet pimpernel for the resolution of inflammation? The role of supra-therapeutic doses of cobalamin, in the treatment of systemic inflammatory response syndrome (SIRS), sepsis, severe sepsis, and septic or traumatic shock. 2006 , 67, 124-42	43
849	Impaired glucose tolerance, diabetes, and cardiovascular disease. 2006 , 12 Suppl 1, 16-9	29
848	Intensive insulin therapy in the intensive care unit: update on clinical impact and mechanisms of action. 2006 , 12 Suppl 3, 14-22	17
847	Patient safety and inpatient glycemic control: translating concepts into action. 2006 , 12 Suppl 3, 49-55	22
846	No patient left behind: evaluation and design of intravenous insulin infusion algorithms. 2006 , 12 Suppl 3, 72-8	10
845	Severe sepsis and septic shock in adult patients: an approach to management and future trends. 2006 , 29, 197-206	1
844	Perioperative glucose control in the diabetic or nondiabetic patient. 2006 , 99, 580-9; quiz 590-1	86
843	The patient with sepsis. 309-322	

842	Is Blood Sugar the Next Lactate?. 2006 , 72, 613-618		16
841	Sepsis. 2006 , 2, 14		
840	Intensive insulin therapy to non-cardiac ICU patients: a prospective study. 2006, 23, 705-9		17
839	Sleep in the critically ill patient. 2006 , 29, 707-16		164
838	Implementing a continuous insulin infusion protocol on a cardiac surgical service: a PA's perspective. 2006 , 19, 42-6		1
837	A new scoring system to predict fast-track failure in cardiac surgery. <i>Critical Care Medicine</i> , 2006 , 34, 3034-5	1.4	3
836	Intrapulmonary percussive ventilation and noninvasive positive pressure ventilation in patients with chronic obstructive pulmonary disease: "Strength through unity"?. <i>Critical Care Medicine</i> , 2006 , 34, 3043-5	1.4	6
835	Implementing strict glucose control: it is not that simple. Critical Care Medicine, 2006, 34, 3050-1	1.4	8
834	Perioperative glucose control. 2006 , 19, 111-6		33
833	Predisposing factors for hypoglycemia in the intensive care unit. <i>Critical Care Medicine</i> , 2006 , 34, 96-10	11.4	276
8 ₃₃	Predisposing factors for hypoglycemia in the intensive care unit. <i>Critical Care Medicine</i> , 2006 , 34, 96-10 IMPACT OF SYSTEM IDENTIFICATION METHODS IN METABOLIC MODELLING AND CONTROL. 2006 , 39, 469-474	11.4	276
	IMPACT OF SYSTEM IDENTIFICATION METHODS IN METABOLIC MODELLING AND CONTROL. 2006,	11.4	276 1
832	IMPACT OF SYSTEM IDENTIFICATION METHODS IN METABOLIC MODELLING AND CONTROL. 2006 , 39, 469-474	11.4	276 1 2
832	IMPACT OF SYSTEM IDENTIFICATION METHODS IN METABOLIC MODELLING AND CONTROL. 2006 , 39, 469-474 DEVELOPMENT OF A CRITICALLY ILL PATIENT INPUT-OUTPUT MODEL. 2006 , 39, 481-486	11.4	1
832 831 830	IMPACT OF SYSTEM IDENTIFICATION METHODS IN METABOLIC MODELLING AND CONTROL. 2006, 39, 469-474 DEVELOPMENT OF A CRITICALLY ILL PATIENT INPUT-OUTPUT MODEL. 2006, 39, 481-486 Collaborative development of an insulin nomogram for intensive insulin therapy. 2006, 29, 96-105	11.4	1 2
832 831 830	IMPACT OF SYSTEM IDENTIFICATION METHODS IN METABOLIC MODELLING AND CONTROL. 2006, 39, 469-474 DEVELOPMENT OF A CRITICALLY ILL PATIENT INPUT-OUTPUT MODEL. 2006, 39, 481-486 Collaborative development of an insulin nomogram for intensive insulin therapy. 2006, 29, 96-105 Hyperglycaemia and pulmonary infection. 2006, 65, 227-35	1.4	1 2 56
832 831 830 829	IMPACT OF SYSTEM IDENTIFICATION METHODS IN METABOLIC MODELLING AND CONTROL. 2006, 39, 469-474 DEVELOPMENT OF A CRITICALLY ILL PATIENT INPUT-OUTPUT MODEL. 2006, 39, 481-486 Collaborative development of an insulin nomogram for intensive insulin therapy. 2006, 29, 96-105 Hyperglycaemia and pulmonary infection. 2006, 65, 227-35 Worldwide Point-of-Care Testing. 2006, 5, 84-92 Inhaled nitric oxide: should it be used in acute respiratory distress syndrome?. <i>Critical Care Medicine</i>		1 2 56 14

824	Hyperglycemia is a marker for poor outcome in the postoperative pediatric cardiac patient. 2006 , 7, 351	1-5	139
823	Hyperglycemia in the critically illBot so sweet. 2006 , 36, 64cc1-64cc3		
822	Ventilatory management of acute lung injury by neurally adjusted ventilatory assist and positive end-expiratory pressure. <i>Critical Care Medicine</i> , 2006 , 34, 3055-6	1.4	3
821	Blockade of the renin-angiotensin system improves insulin sensitivity in thermal injury. 2006 , 26, 485-8		11
820	Family presence at resuscitation: what if?. Critical Care Medicine, 2006, 34, 3041-2	1.4	9
819	Intensive insulin therapy: of harm and health, of hypes and hypoglycemia. <i>Critical Care Medicine</i> , 2006 , 34, 246-8	1.4	30
818	Insulin attenuates endotoxin-induced acute lung injury in conscious rats. <i>Critical Care Medicine</i> , 2006 , 34, 758-64	1.4	85
817	Critical illness myopathy: what is happening?. 2006 , 9, 403-9		37
816	Diabetes and hyperglycemia: strict glycemic control. <i>Critical Care Medicine</i> , 2006 , 34, S291-300	1.4	36
815	Insulin reduces the multiple organ injury and dysfunction caused by coadministration of lipopolysaccharide and peptidoglycan independently of blood glucose: role of glycogen synthase kinase-3beta inhibition. <i>Critical Care Medicine</i> , 2006 , 34, 1489-96	1.4	68
814	Off-pump cardiac surgery and acute kidney injury. Critical Care Medicine, 2006, 34, 3052-3	1.4	1
813	Nutritional and metabolic support in the adult intensive care unit: key controversies. <i>Critical Care Medicine</i> , 2006 , 34, 1525-31	1.4	66
812	Empiric application of clinical trials to standard of care in the intensive care unit: the unexpected harm to patient care?. <i>Critical Care Medicine</i> , 2006 , 34, 2511-2; author reply 2512-3	1.4	2
811	First do no harm hypoglycemia or hyperglycemia?. <i>Critical Care Medicine</i> , 2006 , 34, 2843-4	1.4	20
810	A new diagnostic test for an old diagnostic challenge: thyrotoxic periodic paralysis. <i>Critical Care Medicine</i> , 2006 , 34, 3053-4	1.4	1
809	Hypertonic saline: a marker for discrimination between a disrupted and intact blood-brain barrier?. <i>Critical Care Medicine</i> , 2006 , 34, 3057-8	1.4	3
808	Tracheostomy: it's time to move from art to science. Critical Care Medicine, 2006, 34, 3039-40	1.4	12
807	The fat ones fare wellbut is it fair to compare?. <i>Critical Care Medicine</i> , 2006 , 34, 3042-3	1.4	3

(2006-2006)

806	Donation after cardiac death in the United States: how to move forward. <i>Critical Care Medicine</i> , 2006 , 34, 3045-7	1.4	38
805	Severe acute exacerbation of chronic obstructive pulmonary disease: when are multiple-drug-resistant bacteria the culprits?. <i>Critical Care Medicine</i> , 2006 , 34, 3047-8	1.4	5
804	Hypertonic saline for the treatment of intracranial hypertension: worth its salt. <i>Critical Care Medicine</i> , 2006 , 34, 3037-9	1.4	2
803	Moral distress and the intensive care unit. <i>Critical Care Medicine</i> , 2006 , 34, 3049-50	1.4	7
802	A shocking surprise: a novel defibrillation protocol to treat cardiac arrest. <i>Critical Care Medicine</i> , 2006 , 34, 3056-7	1.4	
801	Glycaemic control in critically ill patients with cardiovascular disease. 2006, 12, 437-43		6
800	Effects of hyperglycemia and insulin therapy on outcome in a hyperglycemic septic model of critical illness. 2006 , 60, 865-72		16
799	Plasma glucose levels and diabetes are independent predictors for mortality and morbidity in patients with SARS. 2006 , 23, 623-8		436
798	Alterations in carbohydrate metabolism in critically ill cats. 2006 , 16, S7-S13		22
797	Management of prolonged food deprivation, hypothermia, and refeeding syndrome in a cat. 2006 , 16, S34-S41		27
796	Intravenous glucose intake independently related to intensive care unit and hospital mortality: an argument for glucose toxicity in critically ill patients. 2006 , 64, 141-5		54
795	Opioids and opiates: analgesia with cardiovascular, haemodynamic and immune implications in critical illness. 2006 , 259, 138-54		51
794	Introducing intensive insulin therapy: the nursing perspective. 2006, 11, 75-9		529
793	Model-based glycaemic control in critical care. review of the state of the possible. 2006 , 1, 3-21		85
792	Stochastic modelling of insulin sensitivity variability in critical care. 2006 , 1, 229-242		65
791	Model predictive glycaemic regulation in critical illness using insulin and nutrition input: a pilot study. 2006 , 28, 665-81		56
790	Die Bedeutung des Becond hitlff.den Sepsisverlauf. 2006 , 175-187		
789	Critical care medicine update: essentials for the nonintensivist, part 2. 2006 , 32, 82-9		1

788	Die Bedeutung des Becond hitl F r̂.den Sepsisverlauf. 2006 , 43, 189-201	3
787	Nicht alles ist so wie es scheint die intensivierte Insulintherapie auf dem Prfstand. 2006, 43, 547-555	2
786	[Diabetes and heart transplantation]. 2006 , 95 Suppl 1, i48-53	
785	Erweiterte Reanimationsmaßahmen fr.Erwachsene (ALS). 2006 , 9, 38-80	9
784	Mean glucose level is not an independent risk factor for mortality in mixed ICU patients. 2006, 32, 435-8	29
783	Hypoglycaemia: the limiting factor in the glycaemic management of the critically ill?. 2006, 49, 1722-5	41
782	Prognostic indexes of septic syndrome in the emergency department. 2006 , 1, 229-33	12
781	Best evidence in critical care medicine: treatment for hyperglycemia in the intensive care unit: a "bittersweet" message. 2006 , 53, 947-9	1
780	Efficacy and safety of an insulin infusion protocol in a surgical ICU. 2006 , 202, 1-9	91
779	Age-dependent differences in survival after severe burns: a unicentric review of 1,674 patients and 179 autopsies over 15 years. 2006 , 202, 536-48	107
778	Diabetic and nondiabetic hyperglycemia in the ICU. 2006 , 17, 385-390	5
777	Effects of outcome on in-hospital transition from intravenous insulin infusion to subcutaneous therapy. 2006 , 98, 557-64	58
776	Diabetes mellitus and anesthesia. 2006 , 24, 579-97	6
775	Introductory to the ESPEN Guidelines on Enteral Nutrition: Terminology, definitions and general topics. 2006 , 25, 180-6	282
774	The metabolic effects of fasting and surgery. 2006 , 20, 429-38	122
773	[Multicenter study on the prevalence of hyperglycemia among hospitalized patients with parenteral nutrition]. 2006 , 30, 12-9	9
772	Blood glucose on day of intensive care unit admission as a surrogate of subsequent glucose control in intensive care. 2006 , 21, 197-202	12
771	Postoperative parenteral nutrition while proactively minimizing insulin resistance. 2006 , 22, 457-64	17

(2006-2006)

77°	intensive insulin infusion protocol. 2006 , 26, 1410-20	23
769	Barriers to glucose control in the intensive care unit. 2006 , 26, 214-28	39
768	Evidence-based sepsis therapy: a hospitalist perspective. 2006 , 1, 285-95	8
767	Beneficial effects of intensive insulin therapy in critically ill patients. 2006 , 21, 285-7	
766	The benefits of insulin therapy following acute myocardial infarction revisited. 2006, 99, 635-7	4
765	Insulin infusion therapy for myocardial infarction. 2006 , 7, 2495-503	3
764	Blutzucker in der Intensivmedizin. 2006 , 31, 81-88	3
763	Reduktion der pröperativen Nahrungskarenz. 2006 , 31, 307-313	1
762	Stress hyperglycemia and adrenal insufficiency in the critically ill. 2006 , 27, 274-85	9
761	Sepsis. 2006 ,	
761 760	Sepsis. 2006, Clinical validation of a model-based glycaemic control design approach and comparison to other clinical protocols. 2006, 2006, 59-62	3
	Clinical validation of a model-based glycaemic control design approach and comparison to other	3
760	Clinical validation of a model-based glycaemic control design approach and comparison to other clinical protocols. 2006 , 2006, 59-62 Improved but still high short- and long-term mortality rates after myocardial infarction in patients with diabetes mellitus: a time-trend report from the Swedish Register of Information and	
760 759	Clinical validation of a model-based glycaemic control design approach and comparison to other clinical protocols. 2006 , 2006, 59-62 Improved but still high short- and long-term mortality rates after myocardial infarction in patients with diabetes mellitus: a time-trend report from the Swedish Register of Information and Knowledge about Swedish Heart Intensive Care Admission. 2007 , 93, 1577-83 Using the high-dose corticotropin test to diagnose relative adrenal insufficiency in	111
760 759 758	Clinical validation of a model-based glycaemic control design approach and comparison to other clinical protocols. 2006, 2006, 59-62 Improved but still high short- and long-term mortality rates after myocardial infarction in patients with diabetes mellitus: a time-trend report from the Swedish Register of Information and Knowledge about Swedish Heart Intensive Care Admission. 2007, 93, 1577-83 Using the high-dose corticotropin test to diagnose relative adrenal insufficiency in vasopressor-dependent septic shock. 2006, 63, 466-71	4
760 759 758 757	Clinical validation of a model-based glycaemic control design approach and comparison to other clinical protocols. 2006, 2006, 59-62 Improved but still high short- and long-term mortality rates after myocardial infarction in patients with diabetes mellitus: a time-trend report from the Swedish Register of Information and Knowledge about Swedish Heart Intensive Care Admission. 2007, 93, 1577-83 Using the high-dose corticotropin test to diagnose relative adrenal insufficiency in vasopressor-dependent septic shock. 2006, 63, 466-71 Cardiovascular Disease. 2006, 29, 1160-1166 Intensive insulin therapy in the intensive care unit: assessment by continuous glucose monitoring.	111 4 4
760 759 758 757 756	Clinical validation of a model-based glycaemic control design approach and comparison to other clinical protocols. 2006, 2006, 59-62 Improved but still high short- and long-term mortality rates after myocardial infarction in patients with diabetes mellitus: a time-trend report from the Swedish Register of Information and Knowledge about Swedish Heart Intensive Care Admission. 2007, 93, 1577-83 Using the high-dose corticotropin test to diagnose relative adrenal insufficiency in vasopressor-dependent septic shock. 2006, 63, 466-71 Cardiovascular Disease. 2006, 29, 1160-1166 Intensive insulin therapy in the intensive care unit: assessment by continuous glucose monitoring. 2006, 29, 1750-6	111 4 4 105

752	Omega-3 fatty acids improve the diagnosis-related clinical outcome. <i>Critical Care Medicine</i> , 2006 , 34, 972-9	1.4	257
751	Genetics of postoperative complications following thoracic surgery. 2006 , 10, 327-45		
75°	The Hyperglycemia: Intensive Insulin Infusion in Infarction (HI-5) study: a randomized controlled trial of insulin infusion therapy for myocardial infarction. 2006 , 29, 765-70		272
749	Hyperglycemia during critical illness. 2006 , 30, 254-8		49
748	Glycaemic control in trauma patients, is there a role?. 2006 , 8, 13-19		2
747	Euglycemic hyperinsulinemia in severe sepsis and septic shock. 2006 , 38, 495-502		4
746	Metabolic Changes Following Major Burn Injury: How to Improve Outcome. 2006 , 514-524		0
745	Performance of a dose-defining insulin infusion protocol among trauma service intensive care unit admissions. 2006 , 8, 476-88		48
744	Acute lung injury in 2005: A mini-review. 2006 , 2, 15-19		1
743	Intensive Care Medicine. 2006,		
742	Survival benefits of intensive insulin therapy in critical illness: impact of maintaining normoglycemia versus glycemia-independent actions of insulin. 2006 , 55, 1096-105		215
741	Standards of medical care in diabetes2007. 2007 , 30 Suppl 1, S4-S41		1171
740	Glycemia prediction in critically ill patients using an adaptive modeling approach. 2007, 1, 348-56		30
739	Hospital protocols for targeted glycemic control: Development, implementation, and models for cost justification. 2007 , 64, S15-20; quiz S21-3		14
738	ACC/AHA 2007 guidelines for the management of patients with unstable angina/non ST-elevation myocardial infarction: a report of the American College of Cardiology/American Heart Association Task Force on Practice Guidelines (Writing Committee to Revise the 2002 Guidelines for the Management of Patients With Unstable Angina/Non ST-Elevation Myocardial Infarction): developed		927
737	in collaboration with the American College of Emergency Physicians, the Society for Cardiovascular Parenteral glucose and glucose control in the critically ill: a kinetic appraisal. 2007 , 1, 357-65 Anglography and interventions, and th. 2007 , 116, e148-304		5
736	Ultradian variation of blood glucose in intensive care unit patients receiving insulin infusions. 2007 , 30, 2503-5		518
735			18

(2007-2007)

734	Guidelines for the early management of adults with ischemic stroke: a guideline from the American Heart Association/American Stroke Association Stroke Council, Clinical Cardiology Council, Cardiovascular Radiology and Intervention Council, and the Atherosclerotic Peripheral Vascular	1940
733	Disease and Quality of Care Outcomes in Research Interdisciplinary Working Groups: the American Academy of Neurology affirms the value of this guideline as an educational tool for neurologists. Hyperglycaemia and mortality. 2007 , 100, 503-7	12
732	Insulin therapy and acute kidney injury in critically ill patients a systematic review. 2007, 22, 2849-55	39
731	Oral hypoglycemics: increased postoperative mortality in coronary risk patients. 2007 , 107, 296-301	3
730	Therapy insight: the effect of tight glycemic control in acute illness. 2007, 3, 270-8	42
729	14 Intensivmedizin. 2007 , 32, 89-92	14
728	Effect of intensive insulin therapy on insulin sensitivity in the critically ill. 2007, 92, 3890-7	105
727	The impact of glucose lowering treatment on long-term prognosis in patients with type 2 diabetes and myocardial infarction: a report from the DIGAMI 2 trial. 2008 , 29, 166-76	120
726	[In-hospital mortality of acute hemorrhage of esophageal/fundus varices: an analysis of blood glucose level and other risk factors in 99 consecutive patients]. 2007 , 132, 311-4	1
725	Coma diabeticum: Aktuelle Therapie der diabetischen Ketoazidose und des nicht-ketoazidotischen hyperosmolaren Komas. 2007 , 2, 108-117	O
724	17 Nierenversagen. 2007 , 32, 106-113	1
723	Guidelines on diabetes, pre-diabetes, and cardiovascular diseases: full text: The Task Force on Diabetes and Cardiovascular Diseases of the European Society of Cardiology (ESC) and of the European Association for the Study of Diabetes (EASD). 2007 , 9, C3-C74	25
722	Mechanisms of Sepsis-Induced Organ Dysfunction and Recovery. 2007,	
721	Glycemic control and critical illness: is the kidney involved?. 2007 , 18, 2623-7	27
720	Intensive insulin therapy in critical care: a review of 12 protocols. 2007 , 30, 1005-11	158
719	Outcomes research in specialized nutrition support. 2007 , 22, 602-8	5
718	The postoperative care of adult patients exposed to deep hypothermic circulatory arrest. 2007, 11, 77-85	11
717	Transcutaneous vagus nerve stimulation reduces serum high mobility group box 1 levels and improves survival in murine sepsis. <i>Critical Care Medicine</i> , 2007 , 35, 2762-8	182

716	ICU-acquired weakness. 2007 , 131, 1541-9	248
715	Principles and strategies for monitoring home parenteral nutrition. 2007 , 22, 340-50	17
714	Overview of glycemic control in critical care: relating performance and clinical results. 2007, 1, 82-91	20
713	Intensive Insulin Therapy for Acute Hyperglycemia. 2007 , 18, 200-212	
712	The management of raised intracranial pressure: A multidisciplinary approach. 2007, 3, 516-521	2
711	Neuromuscular complications in the intensive care unit: critical illness polyneuromyopathy. 2007 , 18, 167-80; quiz 181-2	8
710	Intensive insulin therapy for acute hyperglycemia. 2007 , 18, 200-12	6
709	Hyperglycemia correlates with outcomes in patients receiving total parenteral nutrition. 2007, 333, 261-5	82
708	Neuromuscular Complications in the Intensive Care Unit. 2007 , 18, 167-182	3
707	Tight blood glucose control with insulin in the ICU: facts and controversies. 2007, 132, 268-78	178
706	Inflammation and the host response to injury, a large-scale collaborative project: patient-oriented research core-standard operating procedures for clinical care: VI. Blood glucose control in the critically ill trauma patient. 2007 , 63, 703-8	28
705	Early hyperglycemia predicts multiple organ failure and mortality but not infection. 2007 , 63, 487-93; discussion 493-4	56
704	Increased hospital morbidity among trauma patients with diabetes mellitus compared with ageand injury severity score-matched control subjects. 2007 , 142, 613-8	40
703	The physiology and clinical management of glucose metabolism in the newborn. 2007 , 12, 124-137	6
702	Effect of intravenous insulin therapy on clinical outcomes in critically ill patients. 2007, 333, 354-61	11
701	Hyperglycemia and mortality in elderly patients with Staphylococcus aureus bacteremia. 2007 , 100, 252-6	12
700	Circadian rhythm of blood glucose values in critically ill patients. <i>Critical Care Medicine</i> , 2007 , 35, 416-21 _{1.4}	85

698	Glycogen synthase kinase 3beta as a target for the therapy of shock and inflammation. 2007, 27, 113-23	3	87
697	Metabolic support in sepsis and multiple organ failure: more questions than answers. <i>Critical Care Medicine</i> , 2007 , 35, S436-40	1.4	23
696	Euthanasia in intensive care: some unresolved issues. Critical Care Medicine, 2007, 35, 2460-1	1.4	1
695	Practical aspects of intensive insulinization in the intensive care unit. 2007 , 10, 197-205		10
694	Indication and practical use of intensive insulin therapy in the critically ill. 2007, 13, 392-8		15
693	Persistent perioperative hyperglycemia as an independent predictor of poor outcome after aneurysmal subarachnoid hemorrhage. 2007 , 107, 1080-5		50
692	Acute effects of hyperglycemia and hyperinsulinemia on hepatic oxidative stress and the systemic inflammatory response in rats. <i>Critical Care Medicine</i> , 2007 , 35, 555-60	1.4	32
691	CXCL2 polymorphism in sepsis and acute respiratory distress syndrome: pathological significance lost in translation. <i>Critical Care Medicine</i> , 2007 , 35, 2439-40	1.4	3
690	An institutional process to improve inpatient glycemic control. 2007 , 16, 239-49		12
689	The use of B-type natriuretic peptides in the intensive care unit. Critical Care Medicine, 2007, 35, 2438-9	1.4	4
689 688	The use of B-type natriuretic peptides in the intensive care unit. <i>Critical Care Medicine</i> , 2007 , 35, 2438-9 Stress-induced insulin resistance: recent developments. 2007 , 10, 181-6	1.4	37
		1.4	
688	Stress-induced insulin resistance: recent developments. 2007 , 10, 181-6	1.4	37
688	Stress-induced insulin resistance: recent developments. 2007 , 10, 181-6 Causes and consequences of hyperglycemia in critical illness. 2007 , 10, 498-503 Morbidity reduction in critically ill trauma patients through use of a computerized insulin infusion	1.4	37
688 687 686	Stress-induced insulin resistance: recent developments. 2007, 10, 181-6 Causes and consequences of hyperglycemia in critical illness. 2007, 10, 498-503 Morbidity reduction in critically ill trauma patients through use of a computerized insulin infusion protocol: a preliminary study. 2007, 62, 1370-5; discussion 1375-6 Surfactant treatment of neonatal acute respiratory distress syndrome: is "fortification" the		37 40 26
688 687 686 685	Stress-induced insulin resistance: recent developments. 2007, 10, 181-6 Causes and consequences of hyperglycemia in critical illness. 2007, 10, 498-503 Morbidity reduction in critically ill trauma patients through use of a computerized insulin infusion protocol: a preliminary study. 2007, 62, 1370-5; discussion 1375-6 Surfactant treatment of neonatal acute respiratory distress syndrome: is "fortification" the answer?. <i>Critical Care Medicine</i> , 2007, 35, 2442-3		37 40 26
688 687 686 685	Stress-induced insulin resistance: recent developments. 2007, 10, 181-6 Causes and consequences of hyperglycemia in critical illness. 2007, 10, 498-503 Morbidity reduction in critically ill trauma patients through use of a computerized insulin infusion protocol: a preliminary study. 2007, 62, 1370-5; discussion 1375-6 Surfactant treatment of neonatal acute respiratory distress syndrome: is "fortification" the answer?. <i>Critical Care Medicine</i> , 2007, 35, 2442-3 Hypoglycemia in the intensive care unit. 2007, 10, 193-6	1.4	37 40 26 1 30

680	Improving survival in acute lung injury: is there a role for treatment bundles?. <i>Critical Care Medicine</i> , 2007 , 35, 2441-2	1.4	2
679	ADAMTS-13 (A disintegrin-like and metalloprotease with thrombospondin) and endothelial dysfunction in sepsis: marker or culprit?. <i>Critical Care Medicine</i> , 2007 , 35, 2453-4	1.4	2
678	Plumbing the limits of low tidal volumes for acute lung injury. Critical Care Medicine, 2007, 35, 2451-3	1.4	
677	Understanding the femoral catheter. <i>Critical Care Medicine</i> , 2007 , 35, 2459-60	1.4	22
676	Severe sepsis in an emergency department: prevalence, rapid identification, and appropriate treatment. <i>Critical Care Medicine</i> , 2007 , 35, 2461-2	1.4	2
675	To resuscitate? Or not to resuscitate? That is the question. <i>Critical Care Medicine</i> , 2007 , 35, 2432-3	1.4	
674	Ten years of vasopressin research in septic shock: constant dripping wears the stone. <i>Critical Care Medicine</i> , 2007 , 35, 2447-8	1.4	9
673	Metabolism modulators in sepsis: propranolol. <i>Critical Care Medicine</i> , 2007 , 35, S616-20	1.4	45
672	Never play Leapfrog with a unicorn. <i>Critical Care Medicine</i> , 2007 , 35, 2434-5	1.4	1
671	Mining the liver proteome for drug targets for sepsis. <i>Critical Care Medicine</i> , 2007 , 35, 2443-4	1.4	1
670	ADAPTIVE MODELING FOR CONTROL OF GLYCEMIA IN CRITICALLY ILL PATIENTS. 2007, 40, 163-168		1
669	Relevance of the vascular effects of insulin in the rationale of its therapeutical use. 2007 , 7, 228-49		20
668	Serum creatinine: why lower may not be better. Critical Care Medicine, 2007, 35, 2458-9	1.4	26
667	Hyperglycemia during the neutropenic period is associated with a poor outcome in patients undergoing myeloablative allogeneic hematopoietic stem cell transplantation. 2007 , 84, 814-20		67
666	Coronary artery disease, ischemic preconditioning, and tolerance to ischemia. <i>Critical Care Medicine</i> , 2007 , 35, 2449-50	1.4	
665	Stewart has come to the bedside: is it time to use the Stewart methodology routinely?. <i>Critical Care Medicine</i> , 2007 , 35, 2456-7	1.4	1
664	Summertime and the living is easy. <i>Critical Care Medicine</i> , 2007 , 35, 2450-1	1.4	
663	Sitting on the horns of a dilemma: avoiding severe hypoglycemia while practicing tight glycemic control. <i>Critical Care Medicine</i> , 2007 , 35, 2435-7	1.4	36

662	Another headache for anemia. Critical Care Medicine, 2007, 35, 2454-6	1.4	1
661	Better outcomes from cardiac arrest: the role of critical care practitioners. <i>Critical Care Medicine</i> , 2007 , 35, 2445-6	1.4	1
660	Recent developments in the diagnosis and management of severe sepsis. 2007, 132, 1967-76		25
659	Strategies to improve ingestive behaviour with reference to critical illness. 2007 , 66, 346-50		3
658	Glucose control in the intensive care unit: how it is done. 2007 , 66, 362-6		3
657	Patterns of exogenous insulin requirement reflect insulin sensitivity changes in trauma. 2007 , 194, 798-803; discussion 803		9
656	[Critical analysis of noninflammatory treatments of sepsis: lessons learned from previous trials]. 2007 , 26, 363-9		
655	Diabetes specific tube feed results in improved glycaemic and triglyceridaemic control during 6 h continuous feeding in diabetes patients. 2007 , 2, 44-50		9
654	Insulin attenuates apoptosis and exerts anti-inflammatory effects in endotoxemic human macrophages. 2007 , 143, 398-406		43
653	Effect of intraoperative hyperglycemia during liver transplantation. 2007 , 140, 227-33		100
652	Guãs de prätica clāica sobre diabetes, prediabetes y enfermedades cardiovasculares: versiā resumida. 2007 , 60, 525.e1-525.e64		7
651	Diabetic Retinopathy: Unraveling the Paradoxical Effects of Intensive Insulin Treatment. 2007 , 2, 4-11		1
650	Acute Glycemic Control in Hospitalized Patients: Evidence Published Since the American College of Endocrinology Position Statement. 2007 , 2, 12-23		
649	Incidence and Clinical Relevance of Hyperglycemia in Critically Ill Dogs. 2007, 21, 971-975		29
648	Complications of parenteral nutrition. 2007 , 36, 23-46, v		33
647	Model-based predictive control of blood-sugar level in intensive care. 2007,		1
646	Tight glycaemic control: a prospective observational study of a computerised decision-supported intensive insulin therapy protocol. 2007 , 11, R75		48
645	Guidelines for the early management of adults with ischemic stroke: a guideline from the American Heart Association/American Stroke Association Stroke Council, Clinical Cardiology Council, Cardiovascular Radiology and Intervention Council, and the Atherosclerotic Peripheral Vascular		734

Academy of Neurology affirms the value of this guideline as an educational tool for neurologists. **2007**, 115, e478-534

644	Critical illness neuromuscular syndromes. 2007 , 23, 55-69	34
643	Hiperglucemia en el paciente en estado cr f ico: segunda parte. 2007 , 25, 31-33	
642	Trauma and aggressive homeostasis management. 2007 , 25, 49-63, viii	16
641	Severity of insulin resistance in critically ill medical patients. 2007 , 56, 1-5	62
640	The deleterious effects of hyperglycemia on platelet function in diabetic patients with acute coronary syndromes mediation by superoxide production, resolution with intensive insulin administration. 2007 , 49, 304-10	99
639	ACC/AHA 2007 guidelines for the management of patients with unstable angina/non-ST-Elevation myocardial infarction: a report of the American College of Cardiology/American Heart Association Task Force on Practice Guidelines (Writing Committee to Revise the 2002 Guidelines for the	1412
638	Controle glicínico e terapia insulfiica em sepse e doenfi crítica. 2007 , 83, S128-S136	7
637	GUIDELINES ON DIABETES, PRE-DIABETES, AND CARDIOVASCULAR DISEASES. 2007 , 3, 88-111	2
636	Intensive insulin therapy versus conventional glycemic control in patients with acute neurological injury: a prospective controlled trial. 2007 , 65, 733-8	21
635	Hyperglycaemia and mortality. 2007 , 100, 503-507	15
634	Modulation of the hypermetabolic response after burn injury. 2007 , 420-433	15
633	Corticosteroids in ARDS: The Never-Ending Story. 2007 , 42, 691-701	1
632	Poor glycemic control is associated with increased mortality in critically ill trauma patients. 2007 , 73, 454-60	111
631	Early Glucose Normalization Does Not Improve Outcome in the Critically Ill Trauma Population. 2007 , 73, 769-772	12
630	Randomized clinical trial of the effect of preoperative oral carbohydrate treatment on postoperative whole-body protein and glucose kinetics. 2007 , 94, 1342-50	153
629	Achieving durable glucose control in the intensive care unit without hypoglycaemia: a new practical IV insulin protocol. 2007 , 23, 49-55	18
628	Translating evidence into practice in managing inpatient hyperglycemia. 2007, 2 Suppl 1, 13-9	12
627	Strict glucose control: where are we now?. 2007 , 74, 194-6	12

(2007-2007)

626	Comparison of a nurse initiated insulin infusion protocol for intensive insulin therapy between adult surgical trauma, medical and coronary care intensive care patients. 2007 , 7, 14	16
625	The impact of a reduced dose of dexamethasone on glucose control after coronary artery bypass surgery. 2007 , 6, 39	6
624	Intensive insulin treatment in coronary and intensive care. 2007 , 24, 42-47	O
623	Missed opportunities for diagnosis of diabetes. 2007 , 24, 138-141	
622	Management of children with diabetes requiring surgery. 2007 , 8, 242-7	10
621	A review of the use of insulin protocols to maintain normoglycaemia in high dependency patients. 2007 , 16, 16-27	8
620	A randomised controlled trial of early insulin therapy in very low birth weight infants, "NIRTURE" (neonatal insulin replacement therapy in Europe). 2007 , 7, 29	33
619	Influence of enteral versus parenteral nutrition on blood glucose control in acute pancreatitis: a systematic review. 2007 , 26, 514-23	68
618	Insulin therapy in the pediatric intensive care unit. 2007 , 26, 677-90	28
617	Glucose control in the critically illatill so many questions. 2007 , 22, 118-119	9
617	Glucose control in the critically illatill so many questions. 2007, 22, 118-119 The Role of Insulin and Blood Glucose Control. 2007, 287-297	9
, i		9 59
616	The Role of Insulin and Blood Glucose Control. 2007 , 287-297 Failure to achieve glycemic control despite intensive insulin therapy in a medical ICU: incidence and	
616	The Role of Insulin and Blood Glucose Control. 2007, 287-297 Failure to achieve glycemic control despite intensive insulin therapy in a medical ICU: incidence and influence on ICU mortality. 2007, 33, 814-821 Gastric feed intolerance is not increased in critically ill patients with type II diabetes mellitus. 2007,	59
616 615 614	The Role of Insulin and Blood Glucose Control. 2007, 287-297 Failure to achieve glycemic control despite intensive insulin therapy in a medical ICU: incidence and influence on ICU mortality. 2007, 33, 814-821 Gastric feed intolerance is not increased in critically ill patients with type II diabetes mellitus. 2007, 33, 1740-5	59 14
616 615 614	The Role of Insulin and Blood Glucose Control. 2007, 287-297 Failure to achieve glycemic control despite intensive insulin therapy in a medical ICU: incidence and influence on ICU mortality. 2007, 33, 814-821 Gastric feed intolerance is not increased in critically ill patients with type II diabetes mellitus. 2007, 33, 1740-5 Neuromuscular dysfunction acquired in critical illness: a systematic review. 2007, 33, 1876-91 The relationship between blood glucose control and intolerance to enteral feeding during critical	59 14 428
616 615 614 613	The Role of Insulin and Blood Glucose Control. 2007, 287-297 Failure to achieve glycemic control despite intensive insulin therapy in a medical ICU: incidence and influence on ICU mortality. 2007, 33, 814-821 Gastric feed intolerance is not increased in critically ill patients with type II diabetes mellitus. 2007, 33, 1740-5 Neuromuscular dysfunction acquired in critical illness: a systematic review. 2007, 33, 1876-91 The relationship between blood glucose control and intolerance to enteral feeding during critical illness. 2007, 33, 2085-92 [Variability of blood glucose concentration and short-term mortality in critically ill patient]. 2007,	59 14 428 32

608	Hypothermie nach Herz-Kreislaufstillstand. 2007 , 44, 303-307	9
607	Intensive care unit management of patients with stroke. 2007 , 9, 427-41	6
606	Cytokine production and hospital mortality in patients with sepsis-induced stress hyperglycemia. 2007 , 55, 340-6	75
605	Simulation and initial proof-of-concept validation of a glycaemic regulation algorithm in critical care. 2008 , 16, 271-285	10
604	Continuous post-operative blood glucose monitoring and control using a closed-loop system in patients undergoing hepatic resection. 2008 , 53, 1405-10	30
603	The new Surviving Sepsis Campaign recommendations on glucose control should be reconsidered. 2008 , 34, 779-80; author reply 781-2	8
602	The new Surviving Sepsis Campaign recommendations on glucose control: reply to Schultz et al 2008 , 34, 781-782	4
601	Impact of postoperative hyperglycemia following surgical repair of congenital cardiac defects. 2008 , 29, 628-36	51
600	Insulin therapy in the intensive care unit should be targeted to maintain blood glucose between 4.4 mmol/l and 6.1 mmol/l. 2008 , 51, 911-5	49
599	No, the glycaemic target in the critically ill should not be 2008, 51, 916-20	8
598	How does blood glucose control with metformin influence intensive insulin protocols? Evidence for involvement of oxidative stress and inflammatory cytokines. 2008 , 25, 681-702	32
597	Die VISEP-Studie: ein Schritt vorwits, zwei Schritte zurck. 2008 , 45, 255-262	3
596	Die VISEP-Studie richtig gelesen Izwei Schritte vorwfts und kein Schritt zurck. 2008, 45, 427-439	1
595	Insulin strategies for managing inpatient and outpatient hyperglycemia and diabetes. 2008 , 75, 558-66	11
594	Glucose control during acute myocardial infarction. 2008, 38, 345-8	7
593	Advances in surgical critical care. 2008 , 45, 453-516	4
592	Practical pharmacologic aspects of therapeutic hypothermia after cardiac arrest. 2008, 28, 102-11	57
591	Glycaemic control and perioperative organ protection. 2008 , 22, 135-49	2

590	Management of Beta-Adrenergic Blocker Poisoning. 2008 , 9, 4-16	14
589	Insulin therapy in preterm newborns. 2008 , 84, 839-42	20
588	Effect of intensive insulin therapy and pentastarch resuscitation on acute kidney injury in severe sepsis. 2008 , 52, 13-7	16
587	Glycemic profile in infants who have undergone the arterial switch operation: hyperglycemia is not associated with adverse events. 2008 , 135, 739-45	30
586	Effects of preoperative carbohydrate loading on glucose metabolism and gastric contents in patients undergoing moderate surgery: a randomized, controlled trial. 2008 , 24, 212-6	64
585	Evidence for strict inpatient blood glucose control: time to revise glycemic goals in hospitalized patients. 2008 , 57, 116-20	53
584	Acute Endocrinology. 2008,	3
583	Acute Heart Failure. 2008,	7
582	Effects of systemic inflammation on insulin sensitivity in horses and inflammatory cytokine expression in adipose tissue. 2008 , 69, 130-9	53
581	Nutrition support challenges in hematopoietic stem cell transplant patients. 2008 , 23, 533-46	33
580	Anaesthesia, Pain, Intensive Care and Emergency A.P.I.C.E 2008,	
579	Effects of glycaemic control on cerebral neurochemistry in primary intracerebral haemorrhage. 2008 , 15, 428-33	19
578	[Indications and uses of neuromuscular blocking agents in the ICU]. 2008, 27, 567-73	4
577	Glucose control and the inflammatory response. 2008 , 23, 3-15	78
576	Evaluation of point-of-care glucose testing accuracy using locally-smoothed median absolute difference curves. 2008 , 389, 31-9	49
575	Comparison of POCT and central laboratory blood glucose results using arterial, capillary, and venous samples from MICU patients on a tight glycemic protocol. 2008 , 396, 10-3	71
574	What glucose target should we aim for in myocardial infarction?. 2008, 80, 411-5	1
573	The sleep-friendly ICU. 2008 , 24, 613-26, viii	8

572 Contrle glycmique et evidence-based medicine. **2008**, 17, 4-7

571	Acute ischemic stroke management: administration of thrombolytics, neuroprotectants, and general principles of medical management. 2008 , 26, 943-61, viii	10
570	Mechanisms of neurologic failure in critical illness. 2008 , 24, 1-24, vii	51
569	Diabetes management in the hospital. 2008 , 92, 407-25, ix-x	12
568	Accuracy of bedside glucometry in critically ill patients: influence of clinical characteristics and perfusion index. 2008 , 83, 400-5	118
567	Assessing the performance of handheld glucose testing for critical care. 2008 , 10, 445-51	18
566	Intensive insulin therapy and pentastarch resuscitation in severe sepsis. 2008, 358, 125-39	3602
565	Glucose control in sepsis. 2008 , 29, 713-20, x	11
564	Glycemic penalty index for adequately assessing and comparing different blood glucose control algorithms. 2008 , 12, R24	43
563	Intensive insulin therapy and mortality in critically ill patients. 2008 , 12, R29	109
562	Patient-level glucose reporting: averages, episodes, or something in between?. 2008, 12, 133	1
561	Implementation and evaluation of the SPRINT protocol for tight glycaemic control in critically ill patients: a clinical practice change. 2008 , 12, R49	195
560	Bench-to-bedside review: metabolism and nutrition. 2008 , 12, 222	37
559	A systematic review on quality indicators for tight glycaemic control in critically ill patients: need for an unambiguous indicator reference subset. 2008 , 12, R139	52
558	An electronic protocol for translation of research results to clinical practice: a preliminary report. 2008 , 2, 802-8	16
557	High mean fasting glucose levels independently predict poor outcome and delayed cerebral ischaemia after aneurysmal subarachnoid haemorrhage. 2008 , 79, 1382-5	28
556	Sepsis: a clinical update. 2008 , 3, 571-7	3
555	Multicenter validation of a computer-based clinical decision support tool for glucose control in adult and pediatric intensive care units. 2008 , 2, 357-68	40

(2008-2008)

554	Insulin inhibits caspase-3 activity in human renal tubular epithelial cells via the PI3-kinase/Akt pathway. 2008 , 21, 279-86	12
553	Accuracy of glycemic measurements in the critically ill. 2008 , 10, 169-77	36
552	Monitoring the fuzziness of human vital parameters. 2008,	2
55 ¹	Standards of medical care in diabetes2008. 2008 , 31 Suppl 1, S12-54	1381
550	A benchmark data set for model-based glycemic control in critical care. 2008 , 2, 584-94	24
549	Insulin, glucose control and multiple organ dysfunction syndrome. 2008 , 4, 195-207	
548	Acute Brain and Spinal Cord Injury. 2008,	1
547	Strict glycemic targets need not be so strict: a more permissive glycemic range for critically ill children. 2008 , 122, e898-904	32
546	Improvement in glycemic control and outcome corresponding to intensive insulin therapy protocol development. 2008 , 2, 392-401	2
545	Evaluation of the VIA Blood Chemistry Monitor for Glucose in Healthy and Diabetic Volunteers. 2008 , 2, 182-93	14
544	Stresshyperglykthie und intensivierte Insulintherapie in der Intensivmedizin - Freund oder Feind?. 2008 , 16, 151-156	
543	Stress-induced hyperglycemia in patients with severe sepsis: a compromising factor for survival. 2008 , 336, 467-71	38
542	Safety and efficacy of an intensive insulin protocol in a burn-trauma intensive care unit. 2008, 29, 187-91	28
541	Does sugar cause clotting? Intensive insulin treatment and activation of coagulation. <i>Critical Care Medicine</i> , 2008 , 36, 1657-8	2
540	Trust one who has gone through it. <i>Critical Care Medicine</i> , 2008 , 36, 1643-4	3
539	Atrial fibrillation in the critically ill: common sense for a common problem. <i>Critical Care Medicine</i> , 2008 , 36, 1681-2	5
538	Nonlinear model predictive control with moving horizon state and disturbance estimation - Application to the normalization of blood glucose in the critically ill. 2008 , 41, 9069-9074	11
537	Glucose metabolism and insulin resistance in sepsis. 2008 , 14, 1887-99	86

536	Glucose control and use of continuous glucose monitoring in the intensive care unit: a critical review. 2008 , 4, 234-44		25
535	Lost in (knowledge) translation: "All breakthrough, no follow through"?. <i>Critical Care Medicine</i> , 2008 , 36, 1654-5	1.4	9
534	Continuous infusion of beta-lactams in the intensive care unitbest way to hit the target?. <i>Critical Care Medicine</i> , 2008 , 36, 1663-4	1.4	11
533	E-CPR is there E-nough E-vidence to reach a "tipping point" for rapid deployment?. <i>Critical Care Medicine</i> , 2008 , 36, 1679-81	1.4	1
532	The importance of strict blood glucose control with insulin therapy in the intensive care unit. 2008 , 4, 227-33		6
531	Critical care management of the liver transplant recipient. 2008 , 31, 232-43		13
530	What is the score with mortality predictions in acute lung injury?. Critical Care Medicine, 2008, 36, 1644-6	51.4	1
529	Critically elucidating the role of selenium. 2008 , 21, 148-54		58
528	Can B-type natriuretic peptide liberate us from the task of mechanical ventilation weaning?. <i>Critical Care Medicine</i> , 2008 , 36, 1646-7	1.4	1
527	The interleukin-6 gene and critical illness: is inflammatory gene variation the key to personalized medicine in the intensive care unit?. <i>Critical Care Medicine</i> , 2008 , 36, 1647-9	1.4	2
526	The insulin, glucose, ischemia, and inflammation conundrum. <i>Critical Care Medicine</i> , 2008 , 36, 1673-4	1.4	Ο
525	From acute renal failure to acute kidney injury: emerging concepts. <i>Critical Care Medicine</i> , 2008 , 36, 164	11:24	13
524	Strategies to reduce neuronal cell death in bacterial meningitis. <i>Critical Care Medicine</i> , 2008 , 36, 1678-9	1.4	1
523	Tight glucose control in intensive care units: an update with an emphasis on nutritional issues. 2008 , 11, 465-70		11
522	Hydroxyethyl starch: under the microscope. <i>Critical Care Medicine</i> , 2008 , 36, 1670-1	1.4	
521	Pyrexia of uncertain overtones. <i>Critical Care Medicine</i> , 2008 , 36, 1669-70	1.4	
520	Flow or no flow: that is the question!. Critical Care Medicine, 2008, 36, 1677-8	1.4	
519	Novel molecular strategy to prevent pulmonary edema. <i>Critical Care Medicine</i> , 2008 , 36, 1671-3	1.4	1

518	Teasing and skinning muscles in sepsis research. Critical Care Medicine, 2008, 36, 1674-5	1.4	
517	Continuous renal replacement therapy-induced alkalosis in intensive care unit patients: the questions start here. <i>Critical Care Medicine</i> , 2008 , 36, 1665-6	1.4	O
516	Moving toward preventive therapy in acute lung injury. Critical Care Medicine, 2008, 36, 1666-7	1.4	
515	Neuroanesthesiology review-2007. 2008, 20, 78-104		16
514	Corticosteroids and septic shock: a new episode of a never-ceasing story?. <i>Critical Care Medicine</i> , 2008 , 36, 1658-9	1.4	
513	The transfusion of pre storage leukoreduced packed red blood cells to injured patients. <i>Critical Care Medicine</i> , 2008 , 36, 1661-2	1.4	4
512	Insulin increases the release of proinflammatory mediators. 2008 , 65, 367-72		14
511	What do families know? A question of interpretation. Critical Care Medicine, 2008, 36, 1683-4	1.4	
510	Between critical illness and hospital discharge: prolonged acute mechanical ventilation. <i>Critical Care Medicine</i> , 2008 , 36, 1651-2	1.4	2
509	Hypothermia hype: is it worth it?. <i>Critical Care Medicine</i> , 2008 , 36, 1676-7	1.4	3
508	Alterations in glucose homeostasis in the pediatric intensive care unit: Hyperglycemia and glucose variability are associated with increased mortality and morbidity. 2008 , 9, 361-6		175
507	Blood glucose levels at 24 hours after trauma fails to predict outcomes. 2008 , 64, 1184-7		9
506	Insulin resistance postburn: underlying mechanisms and current therapeutic strategies. 2008 , 29, 683-9	94	74
505	Should sedation be standardized in the intensive care unit?. Critical Care Medicine, 2008, 36, 1649-51	1.4	8
504	Delayed gastric emptying in critical illness: is enhanced enterogastric inhibition with cholecystokinin and peptide YY involved?. <i>Critical Care Medicine</i> , 2008 , 36, 1655-6	1.4	1
503	Genes and sepsis: how tight is the fit?. Critical Care Medicine, 2008, 36, 1652-4	1.4	3
502	Life after intensive careit's life but not as we know it!. Critical Care Medicine, 2008, 36, 1668-9	1.4	5
501	Calcitonin peptidesthe mediators in sepsis or just another fairy tale?. <i>Critical Care Medicine</i> , 2008 , 36, 1684-7	1.4	10

500	A replicable method for blood glucose control in critically Ill patients. <i>Critical Care Medicine</i> , 2008 , 36, 1787-95	87
499	Insulin inhibits tumor necrosis factor-alpha induction in myocardial ischemia/reperfusion: role of Akt and endothelial nitric oxide synthase phosphorylation. <i>Critical Care Medicine</i> , 2008 , 36, 1551-8	96
498	Enhanced and earlier detection of bacteremia and fungemia by multiplex polymerase chain reaction: how much enhanced, how much earlier, and at what cost?. Critical Care Medicine, 2008 , 36, 1660^{-4}	11
497	Opportunities for improved performance in surgical specialty practice. 2008 , 247, 380-8	26
496	Error rates resulting from anemia can be corrected in multiple commonly used point-of-care glucometers. 2008 , 64, 15-20; discussion 20-1	38
495	Nutrition Support. 2008 , 1709-1727	
494	Endocrine function. 337-342	
493	Acute Diabetic Emergencies, Hypoglycemia, and Glycemic Control. 2008, 1245-1267	
492	MEDICAL MANAGEMENT OF PATIENTS WITH DIABETES MELLITUS DURING THE PERIOPERATIVE PERIOD. 2008 , 387-401	1
491	Why are clinicians not embracing the results from pivotal clinical trials in severe sepsis? A bayesian analysis. 2008 , 3, e2291	28
490	Severe Sepsis and Septic Shock. 235-250	
489	Hyperglycaemia upon onset of ICU-acquired bloodstream infection is associated with adverse outcome in a mixed ICU population. 2008 , 36, 25-9	8
488	Insulin decreases inflammatory signal transcription factor expression in primary human liver cells after LPS challenge. 2008 , 14, 11-9	31
487	Article Commentary: Glucose Control and Its Implications for the General Surgeon. 2009 , 75, 1031-1035	
486	Accuracy of different methods for blood glucose measurement in critically ill patients. 2009, 127, 259-65	14
485	Coma hiperosmolar associado ao transplante de fÿado. 2009 , 22, 60-61	
484	Problems associated with glucose toxicity: role of hyperglycemia-induced oxidative stress. 2009 , 15, 4137-42	188
483	Increases in whole blood glucose measurements using optically based self-monitoring of blood glucose analyzers due to extreme Canadian winters. 2009 , 3, 661-7	4

(2009-2009)

482	patients: a prospective randomized clinical trial. 2009 , 32, 1425-7	60
481	Reducing glycemic variability in intensive care unit patients: a new therapeutic target?. 2009 , 3, 1302-8	40
480	Clinical need for continuous glucose monitoring in the hospital. 2009 , 3, 1309-18	38
479	Evaluation of glycemic control metrics for intensive care unit populations. 2009 , 24, 310-20	15
478	Insulin resistance despite tight glucose control is associated with mortality in critically ill surgical patients. 2009 , 24, 242-51	19
477	Insulin treatment in intensive care patients. 2009 , 71, 2-11	7
476	Endokrinologische Stflungen bei Intensivpatienten. 2009 , 17, 28-35	
475	Effective glycemic control with aggressive hyperglycemia management is associated with improved outcome in aneurysmal subarachnoid hemorrhage. 2009 , 40, 1644-52	49
474	Hyperglycemic kidney damage in an animal model of prolonged critical illness. 2009, 76, 512-20	50
473	Glycaemic control and restenosis after percutaneous coronary interventions in patients with diabetes mellitus: a report from the Insulin Diabetes Angioplasty study. 2009 , 6, 71-9	14
472	Glycemic control in patients with type 2 diabetes mellitus with a disease-specific enteral formula: stage II of a randomized, controlled multicenter trial. 2009 , 33, 37-49	33
471	Pragmatic management of hyperglycaemia in acute ischaemic stroke: safety and feasibility of intensive intravenous insulin treatment. 2009 , 27, 167-75	53
470	Comparison of inpatient insulin regimens with detemir plus aspart versus neutral protamine hagedorn plus regular in medical patients with type 2 diabetes. 2009 , 94, 564-9	121
469	Intensive insulin therapy confers a similar survival benefit in the burn intensive care unit to the surgical intensive care unit. 2009 , 146, 922-30	29
468	Risk factors and predictors for surgical site infection after hepatic resection. 2009, 73, 47-53	54
467	[Neuromuscular abnormalities in critical illness]. 2009 , 33, 123-33	7
466	Increased expression of inflammatory pathway genes in skeletal muscle during surgery. 2009 , 28, 291-8	21
465	Short-term starvation and mitochondrial dysfunction - a possible mechanism leading to postoperative insulin resistance. 2009 , 28, 497-509	63

464	ESPEN Guidelines on Parenteral Nutrition: intensive care. 2009 , 28, 387-400	900
463	Dangers, and benefits of the cytokine mediated response to injury and infection. 2009 , 28, 583-96	33
462	Molecular mechanisms behind clinical benefits of intensive insulin therapy during critical illness: glucose versus insulin. 2009 , 23, 449-59	26
461	Perioperative blood glucose monitoring and control in major vascular surgery patients. 2009 , 38, 627-34	13
460	Haemoglobin A1c as a predictor of postoperative hyperglycaemia and complications after major colorectal surgery. 2009 , 96, 1358-64	125
459	Surgical site infections following colorectal surgery in patients with diabetes: association with postoperative hyperglycemia. 2009 , 13, 508-15	74
458	Glucose dysmetabolism and prognosis in critical illness. 2009 , 4, 147-56	24
457	[Surgical intensive care medicine. Current therapy concepts for septic diseases]. 2009, 80, 934-46	
456	[Peri-operative adjustment and treatment of diabetes mellitus]. 2009, 38, 818-27	4
455	Intensive insulin therapy: enhanced Model Predictive Control algorithm versus standard care. 2009 , 35, 123-8	518
454	Intensive glucose control after allogeneic hematopoietic stem cell transplantation: a retrospective matched-cohort study. 2009 , 44, 105-11	25
453	Management of children and adolescents with diabetes requiring surgery. 2009 , 10 Suppl 12, 169-74	11
452	Postoperative hyperglycaemia of diabetic patients undergoing cardiac surgery - a clinical audit. 2009 , 14, 241-53	4
451	Inpatient blood glucose management of diabetic patients in a large secondary hospital. 2009 , 51, 162-165	2
450	Is reducing variability of blood glucose the real but hidden target of intensive insulin therapy?. 2009 , 13, 302	33
449	The impact of early hypoglycemia and blood glucose variability on outcome in critical illness. 2009 , 13, R91	184
448	Basics in clinical nutrition: Injury and sepsis The neuroendocrine response. 2009, 4, e4-e6	1
447	The effects and mechanisms of insulin on systemic inflammatory response and immune cells in severe trauma, burn injury, and sepsis. 2009 , 9, 1251-9	36

446	[Glycemic control during the perioperative period]. 2009 , 28, e217-9	О
445	[Glycemic control in the intensive care unit]. 2009 , 28, e209-16	O
444	Cardiopulmonary bypass increases postoperative glycemia and insulin consumption after coronary surgery. 2009 , 87, 1859-65	44
443	Tight glycemic control reduces heart inflammation and remodeling during acute myocardial infarction in hyperglycemic patients. 2009 , 53, 1425-36	86
442	Stress-hyperglycemia, insulin and immunomodulation in sepsis. 2009 , 283-291	
441	Critical illness polyneuropathy and myopathy in the intensive care unit. 2009 , 5, 372-9	59
440	[Repercussions and management of perioperative hyperglycemia in cardiac surgery]. 2009, 56, 299-311	1
439	Standards of medical care in diabetes2009. 2009 , 32 Suppl 1, S13-61	1378
438	Bench-to-bedside review: Beta-adrenergic modulation in sepsis. 2009 , 13, 230	95
437	Continuous glucose monitoring in infants of very low birth weight. 2009 , 95, 217-23	44
436	Stress hyperglycaemia. 2009 , 373, 1798-807	751
435	Stress oxydant et antioxydants?. 2009 , 44, 219-224	8
434	How should we deal with muscle weakness in critically ill patients?. <i>Critical Care Medicine</i> , 2009 , 37, 2648 ₁ 9 ₄	2
433	beta-Blockers in sepsis: reexamining the evidence. 2009 , 31, 113-9	46
432	Tissue-specific glucose toxicity induces mitochondrial damage in a burn injury model of critical illness. <i>Critical Care Medicine</i> , 2009 , 37, 1355-64	579
431	Tumor necrosis factor-alpha mediates hyperglycemia-augmented gut barrier dysfunction in endotoxemia. <i>Critical Care Medicine</i> , 2009 , 37, 1024-30	58
430	Variation in clinical practice underscores the need for replicable clinical research methods. 2009 , 10, 401-3	1
429	Morbid obesity is not a risk factor for mortality in critically ill trauma patients. 2009 , 66, 226-31	45

428 Guardian of glucose. **2009**, 4, 51-54

427	Locally Smoothed Median Absolute Difference Curves and the First Global Performance Cooperative. 2009 , 8, 45-52	7
426	Guardian of glucose: Consider using an electronic algorithm to achieve postcardiac surgery glycemic control. 2009 , 40, 18-20, 22	3
425	Guidelines for Authors. 2009 , 28, 101	
424	Intensive care unit-acquired weakness: risk factors and prevention. <i>Critical Care Medicine</i> , 2009 , 37, S309 ₁ 1,5	174
423	Peritoneal dialysis masking symptoms of an insulinoma uncovered during the perioperative period: a case report. 2009 , 102, 214-5	4
422	Continuous postoperative blood glucose monitoring and control by artificial pancreas in patients having pancreatic resection: a prospective randomized clinical trial. 2009 , 144, 933-7	51
421	Diabetic ketoacidosis with cytomegalovirus-associated colitis. 2009 , 48, 343-6	2
420	Breast abscesses in nonlactating women with diabetes: clinical features and outcome. 2009 , 338, 123-6	10
419	Surgical complications of hyperglycaemia. 2009 , 5, 145-50	7
418	Tight Glycemic Control - The leading role of insulin sensitivity in determining efficacy and thus outcome. 2009 , 42, 1-6	
417	Anesthetic and adjunctive drugs for fast-track surgery. 2009 , 10, 667-86	17
416	Hyperglycemia-related mortality in critically ill patients varies with admission diagnosis. <i>Critical Care Medicine</i> , 2009 , 37, 3001-9	397
415	Prediction Performance Comparison between three Intensive Care Unit Glucose Models. 2009 , 42, 7-12	4
414	Impact of intravenous insulin protocols on hypoglycemia, patient safety, and nursing workload. 2009 , 28, 95-101	13
413	Six percent hydroxyethyl starch 130/0.4 impacts differently on blood glucose than 4% gelatine in a swine model of mixed acidaemia. 2009 , 26, 1026-31	1
412	Caloric intake and liver dysfunction in critically ill patients. 2009 , 12, 175-9	27
411	Glucose variability is associated with intensive care unit mortality. <i>Critical Care Medicine</i> , 2010 , 38, 838-42.4	844

410	Combining enteral with parenteral nutrition to improve postoperative glucose control. 2010, 103, 1635	5-41	37
409	Time to play harmoniously with other specialties. <i>Critical Care Medicine</i> , 2010 , 38, 1919; author reply 1920-1	1.4	
408	The role of hyperglycemia in burned patients: evidence-based studies. 2010 , 33, 5-13		46
407	Pregnant women are at increased risk for severe A influenza because they have low serum 25-hydroxyvitamin D levels. <i>Critical Care Medicine</i> , 2010 , 38, 1921; author reply 1921-2	1.4	
406	The author replies:. Critical Care Medicine, 2010, 38, 1921-1922	1.4	2
405	Parenteral feeding and intensive insulin therapy. <i>Critical Care Medicine</i> , 2010 , 38, 1922; author reply 19	2 2. 3	3
404	The author replies:. Critical Care Medicine, 2010, 38, 1920-1921	1.4	
403	The authors reply:. Critical Care Medicine, 2010 , 38, 1922	1.4	6
402	Severe hypoglycemia while on intensive insulin therapy is not an independent predictor of death after trauma. 2010 , 68, 342-7		16
401	Comment on: 'Hypocapnia and the injured brain: more harm than benefit'. <i>Critical Care Medicine</i> , 2010 , 38, 1923	1.4	2
400	Refrain from exclusionary training. <i>Critical Care Medicine</i> , 2010 , 38, 1919-20; author reply 1920-1	1.4	1
399	The endocrine response to critical illness. 125-133		
398	Tight glucose control using intensive insulin therapy in the critically ill. 134-143		
397	Tight perioperative glycemic control using an artificial endocrine pancreas. 2010 , 40, 1-7		42
396	[Impairment of cardiac autonomic nervous system and incidence of arrhythmias in severe hyperglycemia]. 2010 , 105, 858-70		6
395	Preoperative oral supplementation with carbohydrate and branched-chain amino acid-enriched nutrient improves insulin resistance in patients undergoing a hepatectomy: a randomized clinical trial using an artificial pancreas. 2010 , 38, 901-7		27
394	ADI-AMD recommendations on insulin treatment during artificial nutrition. 2010 , 3, 81-95		
393	Intensive versus conventional insulin therapy in critically ill neurologic patients. 2010 , 13, 299-306		72

392	Acute hyperglycemia worsens hepatic ischemia/reperfusion injury in rats. 2010 , 14, 528-35	38
391	The effect of Baihu Decoction (???) on blood glucose levels in treating systemic inflammatory response syndrome. 2010 , 16, 472-9	2
390	A carbohydrate-restrictive strategy is safer and as efficient as intensive insulin therapy in critically ill patients. 2010 , 25, 84-9	30
389	Continuous glucose monitoring for diagnosis and treatment of neonatal hypoglycemia. 2010 , 157, 180-2	22
388	Undetected hypertension and prehypertension in children with diabetes need attention. 2010, 157, 182-4	1
387	[Stress hyperglycemia and its control with insulin in critically ill patients: current evidence]. 2010 , 34, 273-81	13
386	Safety and efficacy of continuous insulin infusion in noncritical care settings. 2010, 5, 212-7	28
385	Blood glucose control in the intensive care unit: benefits and risks. 2010 , 23, 157-62	36
384	Digestive and metabolic physiology of obesity. 28-43	
383	Intensive insulin therapy during cardiovascular surgery. 2010 , 57, 191-204	16
382	ADI-AMD recommendations on insulin treatment during artificial nutrition. 2010, 3, 81-95	
381	Molecular mechanisms of hyperglycemia and cardiovascular-related events in critically ill patients: rationale for the clinical benefits of insulin therapy. 2010 , 2, 281-8	1
380	Cardiovascular physiology. 1-18	
379	Metabolic and Nutritional Complications of Acute Kidney Injury. 2010 , 654-667	
378	Glycaemic fluctuation predicts mortality in critically ill patients. 2010 , 38, 695-702	35
377	In-hospital peak glycemia and prognosis in STEMI patients without earlier known diabetes. 2010 , 17, 419-23	30
376	Prevalence and clinical outcome of hyperglycemia in the perioperative period in noncardiac surgery. 2010 , 33, 1783-8	413
375	Letter to the editor. 2010 , 34, 590; author reply 592	

374	Intensive care unit-acquired weakness. Critical Care Medicine, 2010, 38, 779-87	1.4	183
373	Glycemic control in critically ill patients before and after institution of an intensive insulin infusion protocol: circadian rhythm and the quality duration calculator. 2010 , 25, 31-8		
372	Induced hypothermia for trauma: current research and practice. 2010 , 25, 205-26		34
371	Comment on "Guidelines for the provision and assessment of nutrition support therapy in the adult critically ill patient". 2010 , 34, 348-9; author reply 350-2		6
370	Bariatric surgery, exercise, and inpatient glycemia treatment: the American Diabetes Association's 57th Annual Advanced Postgraduate Course. 2010 , 33, e168-72		
369	Myeloid cell-restricted insulin receptor deficiency protects against obesity-induced inflammation and systemic insulin resistance. 2010 , 6, e1000938		75
368	Metabolic effects of intensive insulin therapy in critically ill patients. 2010 , 298, E697-705		8
367	Glycaemic control in acute coronary syndromes: prognostic value and therapeutic options. 2010 , 31, 1557-64		44
366	Real-time glucose monitoring in the hospital: future or now?. 2010 , 44, 165-84		2
365	Rânimation mtabolique du myocarde : ^la redtouverte de l[hsuline. 2010, 19, 406-415		1
364	Early physiologic responses to hemorrhagic hypotension. 2010 , 155, 78-88		14
363	Hyperglycaemia at admission in acute coronary syndrome patients: prognostic value in diabetics and non-diabetics. 2010 , 17, 155-9		20
362	Electrical muscle stimulation prevents critical illness polyneuromyopathy: a randomized parallel intervention trial. 2010 , 14, R74		175
361	Glucose metabolism in burn patients: the role of insulin and other endocrine hormones. 2010 , 36, 599-6	505	22
360	Head Injuries in Polytrauma Patients. 2010 , 279-290		
359	Damage Control Management in the Polytrauma Patient. 2010 ,		10
358	Bench-to-bedside review: sepsis - from the redox point of view. 2011 , 15, 230		90
357	2011 ACCF/AHA focused update incorporated into the ACC/AHA 2007 Guidelines for the Management of Patients with Unstable Angina/Non-ST-Elevation Myocardial Infarction: a report of the American College of Cardiology Foundation/American Heart Association Task Force on Practice		338

Cardiovascular Angiography and Interventions, and the Society of Thoracic Surgeons, 2011, 57, e215-367

356 Neural Network Modeling Approaches for Patient Specific Glycemic Forecasting. **2011**, 505-529

355	Intracerebral Hemorrhage Research. 2011 ,		3
354	Glycemic control in non-diabetic critically ill patients. 2011 , 25, 813-24		78
353	Effect of glycemic state on hospital mortality in critically ill surgical patients. 2011 , 77, 1483-9		16
352	Effective blood glucose management in patients with diabetes recovering from CABG. 2011 , 6, 163-168		
351	Screening of multidrug-resistant bacteria in high-risk patients: an ongoing discussion. <i>Critical Care Medicine</i> , 2011 , 39, 2377-9	1.4	O
350	Efficacy and safety of intensive insulin therapy for critically ill neurologic patients: a meta-analysis. 2011 , 71, 1460-4		10
349	Is total parenteral nutrition protective against hypoglycemia during intensive insulin therapy? A hypothesis. <i>Critical Care Medicine</i> , 2011 , 39, 1533-5	1.4	5
348	A mouse is not a man: should we abandon murine models in critical care research?. <i>Critical Care Medicine</i> , 2011 , 39, 2371-3	1.4	2
347	Noninvasive ventilation for acute respiratory failure in patients with hematologic malignancies: what an Italian 5-year multicenter survey tells us. <i>Critical Care Medicine</i> , 2011 , 39, 2358-9	1.4	3
346	Levosimendanan inoprotective drug or much ado about nothing?. Critical Care Medicine, 2011, 39, 236	5 <u>164</u>	2
345	Metabolomics in acute lung injury: a new approach for monitoring therapeutic interventions. <i>Critical Care Medicine</i> , 2011 , 39, 2375-6	1.4	1
344	Airway pressure release ventilation: hope or hype?. <i>Critical Care Medicine</i> , 2011 , 39, 2376-7	1.4	2
343	Hypoglycemia in sepsis: biomarker, mediator, or both?. <i>Critical Care Medicine</i> , 2011 , 39, 2367-9	1.4	8
342	Variabilitythe spice of life?. <i>Critical Care Medicine</i> , 2011 , 39, 2363-4	1.4	1
341	Death after injury: where does responsibility lie?. <i>Critical Care Medicine</i> , 2011 , 39, 2362-3	1.4	
340	Prospective operationalization and feasibility of a glycemic control protocol in critically ill children. 2011 , 12, 265-70		15
339	Pleural effusion in the mechanically ventilated patient: a continuing challenge. <i>Critical Care Medicine</i> , 2011 , 39, 2373-4	1.4	1

338	To decannulate or not to decannulate: a combination of readiness for the floor and floor readiness?. <i>Critical Care Medicine</i> , 2011 , 39, 2360-1	1.4	9
337	The trouble with studying bundles. <i>Critical Care Medicine</i> , 2011 , 39, 2355-7	1.4	1
336	Severe community-acquired pneumonia: the search for the diagnostic Holy Grail continues. <i>Critical Care Medicine</i> , 2011 , 39, 2354-5	1.4	2
335	Glucose control in critically ill patients: keep glucose stable at whatever level?. <i>Critical Care Medicine</i> , 2011 , 39, 2357-8	1.4	1
334	"Lost in translation?" Noninvasive cerebral monitoring after cardiac arrest. <i>Critical Care Medicine</i> , 2011 , 39, 2379-80	1.4	
333	Continuous noninvasive hemoglobin monitoring: the standard of care and future impact. <i>Critical Care Medicine</i> , 2011 , 39, 2369-71	1.4	12
332	The potential role of glucagon-like peptide-1 or its analogues in enhancing glycaemic control in critically ill adult patients. 2011 , 13, 118-29		9
331	Effects of glucose or fat calories in total parenteral nutrition on fat metabolism and systemic inflammation in rats. 2011 , 60, 195-205		7
330	Higher plasma pyridoxal 5'-phosphate is associated with better blood glucose responses in critically ill surgical patients with inadequate vitamin B-6 status. 2011 , 30, 478-83		10
329	Tight glycemic control in critical carethe leading role of insulin sensitivity and patient variability: a review and model-based analysis. 2011 , 102, 156-71		98
328	Impact of hyperglycemia at admission in patients with acute ST-segment elevation myocardial infarction as assessed by contrast-enhanced MRI. 2011 , 100, 649-59		35
327	Local anesthesia: a strategy for reducing surgical site infections?. 2011 , 35, 2596-602		9
326	Effect of perioperative intensive insulin therapy for liver dysfunction after hepatic resection. 2011 , 35, 2773-8		9
325	The modulatory effect of lipids and glucose on the neonatal immune response induced by Staphylococcus epidermidis. 2011 , 60, 227-32		5
324	L[hsuline en ranimation [Pourquoi contrler la glychie en ranimation ?. 2011, 20, 517-522		
323	Perioperative glucose control: living in uncertain timesContinuing Professional Development. 2011 , 58, 312-20, 320-9		11
322	NAFLD and insulin resistance do not increase the risk of postoperative complications among patients undergoing bariatric surgerya prospective analysis. 2011 , 21, 310-5		26
321	Nutritional treatment a various clinical settingpractical considerations. 2011 , 83, 681-7		

320	Glucose and insulin dynamics associated with continuous rate infusion of dextrose solution or dextrose solution and insulin in healthy and endotoxin-exposed horses. 2011 , 72, 522-9	9
319	Coronary bypass surgery: protective effects of insulin or of prevention of hyperglycemia, or both?. 2011 , 96, 1272-5	20
318	ErnBrungstherapie des kritisch Kranken - Update 2010. 2011 , 7, 9-20	2
317	Corticosteroids in Cardiopulmonary Bypass Surgery. 2011 , 25, 44-44	
316	Glucose control in the intensive care unit: a nutrition support perspective. 2011 , 26, 31-43	15
315	Analytic review: glucose controversies in the ICU. 2011 , 26, 135-50	9
314	Glycemic control in the ICU. 2011 , 140, 212-220	64
313	Nurse-led implementation of a safe and effective intravenous insulin protocol in a medical intensive care unit. 2011 , 31, 27-35	16
312	2011 ACCF/AHA Focused Update Incorporated Into the ACC/AHA 2007 Guidelines for the Management of Patients With Unstable Angina/Non-ST-Elevation Myocardial Infarction: a report of the American College of Cardiology Foundation/American Heart Association Task Force on Practice	365
311	Guidelines. 2011 , 123, e426-579 Hospital Strategies for Insulin Therapy with Rapid-Acting Insulin Analogs. 2011 , 46, 580-590	2
310	The effect of hyperglycemia on neonatal immune responses in-vitro. 2012 , 25, 94-8	7
309	Pilot study of the SPRINT glycemic control protocol in a Hungarian medical intensive care unit. 2012 , 6, 1464-77	10
308	Tight glycemic control may increase regenerative potential of myocardium during acute infarction. 2012 , 97, 933-42	42
307	Nutritional Support in the Pediatric Surgical Patient. 2012 , 179-199	3
306	Insulin modulates the inflammatory granulocyte response to streptococci via phosphatidylinositol 3-kinase. 2012 , 189, 4582-91	10
305	Delivering obstetrical critical care in developing nations. 2012 , 2, 32-9	22
304	Metabolic and nutrition support in the chronic critical illness syndrome. 2012 , 57, 958-77; discussion 977-8	43
303	Peri-procedural tight glycemic control during early percutaneous coronary intervention is associated with a lower rate of in-stent restenosis in patients with acute ST-elevation myocardial infarction. 2012 , 97, 2862-71	58

(2012-2012)

302	Changes in the use of the methylprednisolone protocol for traumatic spinal cord injury in Switzerland. 2012 , 37, 953-6	23
301	Guidelines for the use of an insulin infusion for the management of hyperglycemia in critically ill patients. <i>Critical Care Medicine</i> , 2012 , 40, 3251-76	829
300	Moderate glucose control results in less negative nitrogen balances in medical intensive care unit patients: a randomized, controlled study. 2012 , 16, R56	16
299	The effect of perioperative glucose control on postoperative insulin resistance. 2012 , 31, 676-81	19
298	Burns: an update on current pharmacotherapy. 2012 , 13, 2485-94	54
297	Glycosylated hemoglobin (HbA1c) levels and clinical outcomes in diabetic patients following coronary artery stenting. 2012 , 11, 82	56
296	Nutrition in Critical Illness. 2012 , 451-462	
295	Mild hyperglycemia, but not glucagon-like peptide 1 predicts poor outcome after injury. 2012 , 204, 915-9; discussion 919-20	4
294	Elderly patients may benefit from tight glucose control. 2012 , 152, 315-21	10
293	Intensive insulin therapy in the ICUreconciling the evidence. 2012 , 8, 374-8	32
292	Perioperative glycaemic control for diabetic patients undergoing surgery. 2012 , CD007315	42
291	Patient-Specific Modeling in Tomorrow's Medicine. 2012 ,	3
290	Glycemic control in critically ill patients. 2012 , 1, 31-9	25
289	Improving Safety of Glucose Control in Intensive Care using Virtual Patients and Simulated Clinical Trials. 2012 , 3, 415-430	4
288	Metabolic and therapeutic differences in pediatric and adult TBI: implications for clinical care and therapeutic hypothermia. 92-102	
287	Current evaluation of TBI epidemiologyin an ageing society with improved preventive measures. 1-16	1
286	Transient hyperglycaemia - an underestimated problem of paediatric oncohaematology. 2012 , 8, 672-7	2
285	Timing of insulin therapy affects the inflammatory response in endotoxemic rats. 2012 , 35, 723-9	8

284	Duration of time on intensive insulin therapy predicts severe hypoglycemia in the surgically critically ill population. 2012 , 36, 270-7	13
283	Identification of inflammatory mediators and their modulation by strategies for the management of the systemic inflammatory response during cardiac surgery. 2013 , 27, 983-1033	52
282	Hyperglycemia is associated with poor outcomes in surgical critically ill patients receiving parenteral nutrition. 2013 , 51, 67-72	9
281	Continuous glucose monitoring after kidney transplantation in non-diabetic patients: early hyperglycaemia is frequent and may herald post-transplantation diabetes mellitus and graft failure. 2013 , 39, 404-10	20
280	Revisiting tight glycemic control in perioperative and critically ill patients: when one size may not fit all. 2013 , 25, 499-507	23
279	Clinical review: Glucose control in severely burned patients - current best practice. 2013 , 17, 232	33
278	The future of inpatient diabetes management: glucose as the sixth vital sign. 2013, 8, 195-205	4
277	Acceptability and difficulties of (fuzzy) decision support systems in clinical practice. 2013,	4
276	Enteral and Parenteral Nutrition. 2013 , 429-444	2
275	2012 ACCF/AHA focused update incorporated into the ACCF/AHA 2007 guidelines for the management of patients with unstable angina/non-ST-elevation myocardial infarction: a report of the American College of Cardiology Foundation/American Heart Association Task Force on Practice	328
274	Trauma and aggressive homeostasis management. 2013 , 31, 21-39	15
273	Instruments that measure nurses' knowledge about diabetes: an integrative review. 2013 , 21, 137-52	5
272	Elevated postoperative blood glucose and preoperative hemoglobin A1C are associated with increased wound complications following total joint arthroplasty. 2013 , 95, 808-14, S1-2	133
271	2012 ACCF/AHA focused update incorporated into the ACCF/AHA 2007 guidelines for the management of patients with unstable angina/non-ST-elevation myocardial infarction: a report of the American College of Cardiology Foundation/American Heart Association Task Force on Practice	193
270	Change in the perioperative blood glucose and blood lactate levels of non-diabetic patients undergoing coronary bypass surgery. 2013 , 6, 1220-1224	1
269	Performance of cassette-based blood gas analyzers to monitor blood glucose and lactate levels in a surgical intensive care setting. 2013 , 51, 1417-27	6
268	Glycemic control and prevention of surgical site infection. 2013, 14, 437-44	23
267	Complexity of continuous glucose monitoring data in critically ill patients: continuous glucose monitoring devices, sensor locations, and detrended fluctuation analysis methods. 2013 , 7, 1492-506	13

266	Importance of perioperative glycemic control in general surgery: a report from the Surgical Care and Outcomes Assessment Program. 2013 , 257, 8-14	326
265	Design and rationale of safe pediatric euglycemia after cardiac surgery: a randomized controlled trial of tight glycemic control after pediatric cardiac surgery. 2013 , 14, 148-56	8
264	Controle glicímico em pacientes crílicos na UTI. 2013, 12,	1
263	Evaluation of a model for glycemic prediction in critically ill surgical patients. 2013, 8, e69475	11
262	Euglycemic state reduces the incidence of critical illness polyneuropathy and duration of ventilator dependency in medical intensive care unit. 2012 , 113, 616-9	8
261	1.1.15 Stfungen der Nierenfunktion/akutes Nierenversagen. 2013 ,	
260	Usefulness of continuous blood glucose monitoring and control for patients undergoing liver transplantation. 2013 , 60, 205-12	10
259	Deceased donor hyperglycemia and liver graft dysfunction. 2014 , 24, 106-12	2
258	4.6 Grundstze der Ernfirungstherapie. 2014 ,	
257	12.10 Polyneuropathien. 2014 ,	
257 256	12.10 Polyneuropathien. 2014, Hypoglycemia is associated with increased postburn morbidity and mortality in pediatric patients. Critical Care Medicine, 2014, 42, 1221-31	25
	Hypoglycemia is associated with increased postburn morbidity and mortality in pediatric patients.	²⁵
256	Hypoglycemia is associated with increased postburn morbidity and mortality in pediatric patients. Critical Care Medicine, 2014, 42, 1221-31 Should guidelines for glycemic control of the critically ill be individualized?: Weighing the evidence	y .
256 255	Hypoglycemia is associated with increased postburn morbidity and mortality in pediatric patients. Critical Care Medicine, 2014, 42, 1221-31 Should guidelines for glycemic control of the critically ill be individualized?: Weighing the evidence from randomized and observational investigations. 2014, 42, 14-22	7
256 255 254	Hypoglycemia is associated with increased postburn morbidity and mortality in pediatric patients. Critical Care Medicine, 2014, 42, 1221-31 Should guidelines for glycemic control of the critically ill be individualized?: Weighing the evidence from randomized and observational investigations. 2014, 42, 14-22 An interdepartmental collaboration to improve preoperative glycemic control. 2014, 42, 83-8 Impact of early mobilization on glycemic control and ICU-acquired weakness in critically ill patients	7
256 255 254 253	Hypoglycemia is associated with increased postburn morbidity and mortality in pediatric patients. Critical Care Medicine, 2014, 42, 1221-31 Should guidelines for glycemic control of the critically ill be individualized?: Weighing the evidence from randomized and observational investigations. 2014, 42, 14-22 An interdepartmental collaboration to improve preoperative glycemic control. 2014, 42, 83-8 Impact of early mobilization on glycemic control and ICU-acquired weakness in critically ill patients who are mechanically ventilated. 2014, 146, 583-589 Experimental and clinical evidences for glucose control in intensive care: is infused glucose the key	7 1 65
256 255 254 253 252	Hypoglycemia is associated with increased postburn morbidity and mortality in pediatric patients. Critical Care Medicine, 2014, 42, 1221-31 Should guidelines for glycemic control of the critically ill be individualized?: Weighing the evidence from randomized and observational investigations. 2014, 42, 14-22 An interdepartmental collaboration to improve preoperative glycemic control. 2014, 42, 83-8 Impact of early mobilization on glycemic control and ICU-acquired weakness in critically ill patients who are mechanically ventilated. 2014, 146, 583-589 Experimental and clinical evidences for glucose control in intensive care: is infused glucose the key point for study interpretation?. 2014, 18, 232 Effective glycaemic control critically determines insulin cardioprotection against	7 1 65 5

248	Infection control in the intensive care unit. 2014 , 94, 1175-94	16
247	Tout ce que vous avez toujours voulu savoir sur l q uilibre nutritionnel pfiopfatoire. 2014 , 18, 217-220	
246	Hospital discharge algorithm based on admission HbA1c for the management of patients with type 2 diabetes. 2014 , 37, 2934-9	72
245	Endocrine responses to critical illness: novel insights and therapeutic implications. 2014 , 99, 1569-82	72
244	Association between early glycemic control and improvements in markers of coagulation and fibrinolysis in patients with septic shock-induced stress hyperglycemia. 2014 , 29, 884.e1-6	2
243	Effectiveness of tight glycemic control on mortality and morbidity of patients undergoing cardiac surgery in hospital: a systematic review protocol. 2014 , 12, 132-145	2
242	Impact of the insulin and glucose content of the postoperative fluid on the outcome after pediatric cardiac surgery. 2014 , 6, 160-9	
241	The endocrine response to severe burn trauma. 2014 , 9, 45-59	1
240	Impact of serum glucose levels on disease severity and outcome in patients with severe sepsis: an analysis from a multicenter, prospective survey of severe sepsis. 2015 , 2, 21-28	3
239	BASAL-BOLUS REGIMEN WITH INSULIN ANALOGUES VERSUS HUMAN INSULIN IN MEDICAL PATIENTS WITH TYPE 2 DIABETES: A RANDOMIZED CONTROLLED TRIAL IN LATIN AMERICA. 2015 , 21, 807-13	28
238	Parenteral Formulations. 2015, 237-258	
237	Hyperinsulinemic Normoglycemia Does Not Meaningfully Improve Myocardial Performance during Cardiac Surgery: A Randomized Trial. 2015 , 123, 272-87	12
236	Glycemic control in patients receiving insulin critics: integrative review. 2015 , 7, 3339-3350	
235	Assessment of Blood Glucose and Electrolytes during Cardiopulmonary Bypass in Diabetic and Non-Diabetic Patients of Pakistan. 2016 , 8, 54312	1
234	Impact of newly developed, next-generation artificial endocrine pancreas. 2015, 62, 41-4	9
233	Therapeutic Approaches to Combatting Hypermetabolism in Severe Burn Injuries. 2015 , 01,	6
232	Transient hyperglycemia during liver transplantation does not affect the early graft function. 2015 , 14, 675-687	3
231	Parenteral nutritionthe sweet and sour truth. 2015 , 21, 5-6	

(2016-2015)

230	Sepsis in head and neck cancer patients treated with chemotherapy and radiation: Literature review and consensus. 2015 , 95, 191-213	28
229	Multicenter Observational Study of the First-Generation Intravenous Blood Glucose Monitoring System in Hospitalized Patients. 2015 , 9, 739-50	7
228	Parenteral Nutrition - The Sweet and Sour Truth. 2014 , 1-6	
227	Using Continuous Glucose Monitoring Data and Detrended Fluctuation Analysis to Determine Patient Condition: A Review. 2015 , 9, 1327-35	9
226	Abdominal surgical site infections: a prospective study of determinant factors in Harare, Zimbabwe. 2015 , 12, 517-22	5
225	Lack of LCAT reduces the LPS-neutralizing capacity of HDL and enhances LPS-induced inflammation in mice. 2015 , 1852, 2106-15	23
224	Perioperative Tight Glucose Control Reduces Postoperative Adverse Events in Nondiabetic Cardiac Surgery Patients. 2015 , 100, 3081-9	49
223	[Septic shock in intensive care units. Current focus on treatment]. 2015 , 86, 224-35	О
222	. 2016,	3
221	La Non Alcoholic Fatty Liver Disease (NAFLD) et la Non Alcoholic Steato-Hepatitis (NASH) des pathologies de systfhe : revue pour le rànimateur. 2016 , 26, 63	
220	The Stress Response of Critical Illness: Metabolic and Hormonal Aspects. 2016,	4
219	A one-step colorimetric acid-base titration sensor using a complementary color changing coordination system. 2016 , 141, 3890-7	8
218	The effect of perioperative insulin treatment on cardiodepression in mild adiposity in mice. 2016 , 15, 135	3
217	Parenteral Nutrition and Infection Risk in the Intensive Care Unit: A Practical Guide for the Bedside Clinician. 2016 , 31, 476-89	14
216	Gastrointestinal and Colorectal Anesthesia. 2016,	1
215	Hyperglycemia and Acute Kidney Injury During the Perioperative Period. 2016, 16, 10	18
214	Association of the -1031T>C polymorphism and soluble TNF-levels with Acute Coronary Syndrome. 2016 , 78, 37-43	15
213	The intraoperative glycemic response to intravenous insulin during noncardiac surgery: a subanalysis of the DeLiT randomized trial. 2016 , 29, 19-29	2

9

212 Type 2 Diabetes. 2016, 2 Acute Ventilatory Failure. 2016, 1723-1739.e5 211 The biochemical alterations underlying post-burn hypermetabolism. 2017, 1863, 2633-2644 210 50 Head Injury. 2017, 71-78 209 The Ameliorative Effect of Pectin-Insulin Patch On Renal Injury in Streptozotocin-Induced Diabetic 8 208 Rats. 2017, 42, 530-540 Evidence-Based Support for Nutrition Therapy in Head and Neck Cancer. 2017, 5, 18 207 10 "Clamping" Down on Insulin to Modulate the Three-Legged Stool of Hormones, Inflammation, and 206 Metabolism in Critical Illness!. 2017, 18, 93-95 Influence of Glycemic Control on Endogenous Circulating Ketone Concentrations in Adults 205 Following Traumatic Brain Injury. 2017, 26, 239-246 Strict blood glucose control by an artificial endocrine pancreas during hepatectomy may prevent 204 11 postoperative acute kidney injury. 2017, 20, 76-83 The clinical and economic impact of the use of diabetes-specific enteral formula on ICU patients 203 7 with type 2 diabetes. **2017**, 36, 1567-1572 Virtual Trials of the NICE-SUGAR Protocol: The Impact on Performance of Protocol and Protocol 202 3 Compliance. 2017, 50, 6672-6677 Sepsis and Septic Shock: Current Treatment Strategies and New Approaches. 2017, 49, 53-58 201 84 [Perioperative nutrition in ERAS Protocols]. 2017, 145, 1447-1453 200 3 A comparative assessment of the glucose monitor (SD Codefree) and auto analyzer (BT-3000) in 199 measuring blood glucose concentration among diabetic patients. 2017, 10, 453 The Application of Pectin-Insulin Patch on Streptozotocin-Induced Diabetic Rats: Implications in the 198 1 Hippocampal Function. 2017, 8, 16 Nutrition. **2017**, 197 Association of Preprocedural Hyperglycemia With Contrast-Induced Acute Kidney Injury and Poor 196 11 Outcomes After Emergency Percutaneous Coronary Intervention. 2018, 69, 770-778

Management of glycemic variation in diabetic patients receiving parenteral nutrition by continuous

subcutaneous insulin infusion (CSII) therapy. 2018, 8, 5888

195

194	Pathophysiological changes after lipopolysaccharide-induced acute inflammation in a type 2 diabetic rat model versus normal controls. 2018 , 138, 99-105	1
193	Perioperative Management of Hyperglycemia and Diabetes in Cardiac Surgery Patients. 2018 , 47, 203-222	14
192	Model-Based Insulin-Nutrition Administration for Glycemic Control in Malaysian Critical Care: First Pilot Trial. 2018 , 189-196	4
191	Inflammation-mediated muscle metabolic dysregulation local and remote to the site of major abdominal surgery. 2018 , 37, 2178-2185	9
190	Endocrine Responses to Critical Illness. 2018 , 60-82	
189	Prediction and Outcome of Intensive Care Unit-Acquired Paresis. 2018 , 33, 16-28	15
188	Generalisability of a Virtual Trials Method for Glycaemic Control in Intensive Care. 2018, 65, 1543-1553	38
187	Anti-TNF-hantibody alleviates insulin resistance in rats with sepsis-induced stress hyperglycemia. 2018 , 41, 455-463	10
186	Preliminary results from the STAR-Liĝe clinical trial: Virtual trials, safety, performance, and compliance analysis. 2018 , 51, 355-360	5
185	3D Stochastic Modelling of Insulin Sensitivity in STAR: Virtual trials analysis. 2018 , 51, 128-133	
184	Glycemic control with a basal-bolus insulin protocol in hospitalized diabetic patients treated with glucocorticoids: a retrospective cohort study. 2018 , 18, 75	3
183	Insulin dependent and independent normalization of blood glucose levels reduces the enhanced rewarding effects of nicotine in a rodent model of diabetes. 2018 , 351, 75-82	8
182	Towards Optimal Management of Diabetes in Surgery. 2019 ,	
181	Model-based glycemic control in a Malaysian intensive care unit: performance and safety study. 2019 , 12, 215-226	8
180	PROBABILISTIC GLYCEMIC CONTROL DECISION SUPPORT IN ICU: PROOF OF CONCEPT USING BAYESIAN NETWORK. 2019 , 81,	1
179	Is intensive insulin therapy the scapegoat for or cause of hypoglycaemia and poor outcome?. 2019 , 9, 100063	4
178	Insulin therapy is not associated with improved clinical outcomes in critically ill infants with stress hyperglycemia. 2019 , 18, 397-403	
177	Clinical Compliance in Personalised Model-based Medical Decision Support: Do computers and interfaces yield better compliance?. 2019 , 51, 341-346	2

176	A Randomized Controlled Trial on the Safety and Efficacy of Exenatide Therapy for the Inpatient Management of General Medicine and Surgery Patients With Type 2 Diabetes. 2019 , 42, 450-456	27
175	Persistently Elevated Glucagon-Like Peptide-1 Levels among Critically Ill Surgical Patients after Sepsis and Development of Chronic Critical Illness and Dismal Long-Term Outcomes. 2019 , 229, 58-67.e1	17
174	Glucose control in the ICU. 2019 , 32, 156-162	31
173	The association of intravenous insulin and glucose infusion with intensive care unit and hospital mortality: a retrospective study. 2019 , 9, 29	5
172	Glycaemic efficacy and safety of linagliptin compared to a basal-bolus insulin regimen in patients with type 2 diabetes undergoing non-cardiac surgery: A multicentre randomized clinical trial. 2019 , 21, 837-843	31
171	Blood Glucose Control in Critical Care. 2019 , 464-469.e2	
170	Metabolic and Nutritional Complications of Acute Kidney Injury. 2019 , 698-712.e6	
169	Optimal Timing of Glucose Measurements After Total Joint Arthroplasty. 2019 , 34, S152-S158	6
168	Neuromuscular electrical stimulation combined with exercise decreases duration of mechanical ventilation in ICU patients: A randomized controlled trial. 2020 , 36, 580-588	4
167	Individualizing Glycemic Control in the Critically Ill. 2020 , 43, 14-27	3
166	Impact of using a perioperative artificial endocrine pancreas in pancreatic resection. 2020, 4, 591-596	1
165	Hyperglycemia in Medically Critically Ill Patients: Risk Factors and Clinical Outcomes. 2020 , 133, e568-e574	5
164	Changes in Myocardial Metabolism Preceding Sudden Cardiac Death. 2020 , 11, 640	1
163	Preoperative Oral Carbohydrate Reduces Postoperative Insulin Resistance by Activating AMP-Activated Protein Kinase after Colorectal Surgery. 2020 , 37, 368-375	2
162	SAFETY AND EFFICACY OF DDP4-INHIBITORS FOR MANAGEMENT OF HOSPITALIZED GENERAL MEDICINE AND SURGERY PATIENTS WITH TYPE 2 DIABETES. 2020 ,	11
161	A Randomized Controlled Trial Comparing Glargine U300 and Glargine U100 for the Inpatient Management of Medicine and Surgery Patients With Type 2 Diabetes: Glargine U300 Hospital Trial. 2020 , 43, 1242-1248	9
160	Literatur. 2021 , 945-986	
159	Insulin's Discovery: New Insights on Its Hundredth Birthday: From Insulin Action and Clearance to Sweet Networks. 2021 , 22,	1

158 Nutrition in Critical Illness. **2021**, 105-122

157	Endogenous Glucose Production in Critical Illness. 2021 , 36, 344-359	1
156	Liraglutide hospital discharge trial: A randomized controlled trial comparing the safety and efficacy of liraglutide versus insulin glargine for the management of patients with type 2 diabetes after hospital discharge. 2021 , 23, 1351-1360	3
155	Insulin-Dependent Status Influences Post-Procedural Outcomes in Diabetic Patients Following Lower Extremity Endovascular Intervention for Peripheral Arterial Disease. 2021 , 44, 1165-1173	O
154	Could Exogenous Insulin Ameliorate the Metabolic Dysfunction Induced by Glucocorticoids and COVID-19?. 2021 , 12, 649405	1
153	Dynamic changes in insulin requirements with post-operative time using bedside artificial pancreas to maintain normoglycemia without hypoglycemia after cardiac surgery. 2021 , 1	
152	Factors Behind the Higher COVID-19 Risk in Diabetes: A Critical Review. 2021 , 9, 591982	9
151	Glycemic variability in type 2 diabetes mellitus: oxidative stress and macrovascular complications. 2012 , 771, 139-54	24
150	Strict Glycemic Control: Not If and When, but Who and How?. 2008, 502-513	1
149	Effects of early serum glucose levels on prognosis of patients with acute intracerebral hemorrhage. 2011 , 111, 393-7	6
148	Nutritional Support. 2006 , 194-220	2
147	Care of geriatric patients. 2007 , 496-501	1
146	Endocrine Disease. 2008 , 365-406	7
145	Sepsis. 2005 , 671-689	3
144	Sepsis. 2009 , 655-676	O
143	Association of diabetes mellitus with disease severity and prognosis in COVID-19: A retrospective cohort study. 2020 , 165, 108227	68
142	Early prediction of extubation failure in patients with severe pneumonia: a retrospective cohort study. 2020 , 40,	1
141	Diabetes Mellitus and Metabolic Syndrome. 2009 , 465-496	4

140	Transcutaneous vagus nerve stimulation reduces serum high mobility group box 1 levels and improves survival in murine sepsis *. <i>Critical Care Medicine</i> , 2007 , 35, 2762-2768	1.4	195
139	Hormone replacement therapy for the critically ill. <i>Critical Care Medicine</i> , 2003 , 31, 634-5	1.4	16
138	Effects of selective iNOS inhibition on systemic hemodynamics and mortality rate on endotoxic shock in streptozotocin-induced diabetic rats. 2007 , 28, 602-9		9
137	Comorbid Diabetes Mellitus was Associated with Poorer Prognosis in Patients with COVID-19: A Retrospective Cohort Study.		21
136	How does blood glucose control with insulin save lives in intensive care?. 2004 , 114, 1187-95		357
135	Parenteral Formulations. 2005 , 279-302		1
134	Relationship between nadir hematocrit during cardiopulmonary bypass and postoperative hyperglycemia in nondiabetic patients. 2014 , 17, E302-7		7
133	Benefits of Fasting Abbreviation with Carbohydrates and Omega-3 Infusion During CABG: a Double-Blind Controlled Randomized Trial. 2019 , 34, 125-135		6
132	Parenteral nutrition in patients with renal failure - Guidelines on Parenteral Nutrition, Chapter 17. 2009 , 7, Doc11		2
131	Carbohydrates - Guidelines on Parenteral Nutrition, Chapter 5. 2009 , 7, Doc23		4
130	Perioperative insulin therapy using a closed-loop artificial endocrine pancreas after hepatic resection. 2009 , 15, 4116-21		12
129	Intensive Versus Modified Conventional Control of Blood Glucose Level in Medical Intensive Care Patients: A Pilot Study. 2005 , 14, 370-376		32
128	Comparison of Point-of-Care and Laboratory Glucose Analysis in Critically Ill Patients. 2007, 16, 336-346		47
127	Adherence to and Efficacy and Safety of an Insulin Protocol in the Critically Ill: A Prospective Observational Study. 2007 , 16, 599-608		31
126	Severe Sepsis Management. 2003 , 23, S2-S15		4
125	Ask the Experts. 2004 , 24, 86-90		3
124	Surviving Severe Sepsis. 2004 , 24, S2-S13		9
123	Africanized Killer Bees. 2006 , 26, 23-31		9

122	Parenteral nutrition: Revisited. 2010 , 54, 95-103	9
121	Hospital hypoglycemia: not only treatment but also prevention. 2004 , 10 Suppl 2, 89-99	63
120	Postoperative effects of intraoperative hyperglycemia in liver transplant patients. 2015 , 13 Suppl 1, 335-9	3
119	Donor care before pancreatic tissue transplantation. 2005 , 15, 129-137	6
118	Selection of quality indicators for nutritional therapy in pediatrics: a cross-sectional study conducted in Brazil. 2018 , 6, e4630	1
117	Evaluation of the Three Glucometer Devices Performance in Comparison with the Cobas Integra 400 Plus Autoanalyzer in Measuring Blood Glucose Levels: A Comparative Cross-Sectional Study. 2021 , 11, 132-142	
116	More. 2003 , 12, 185-187	1
115	Acute neuropathies in sepsis. 2004 , 979-989	
114	Trauma. 2005 , 364-372	
113	Severe Obesity in Critically Ill Patients. 2005 , 398-405	
112	Endocrine Disorders in the Critically Ill Patient. 2005 , 589-604	
111	Trauma. 2005 , 421-434	
110	Inflammation, Coagulation and Endothelial Dysfunction. 2005, 201-216	
109	Schock. 2006 , 337-429	
108	Nutritional Support. 2006 , 205-215	
107	Nutrition and Wound Healing in Burns, Trauma, and Sepsis. 2006 , 219-260	
106	Are Mitochondria Responsible for Improved Outcomes in Recent Studies?. 2007 , 188-196	
105	Glucose Control and Monitoring in the ICU. 2007 , 113-129	

104	Antioxidants for the Treatment of Endothelial Dysfunction in Critical Illness. 2007, 96-105
103	Wasser- und Elektrolythaushalt. 2007 , 321-345
102	Therapie der Sepsis. 2007 , 285-302
101	Glucose Control and Monitoring in the ICU. 2007 , 113-129
100	Management of Diabetes Mellitus and Hyperglycemia in the Hospitalized Patient. 2007, 275-307
99	Endocrine Disorders. 2007, 537-547
98	Ernfärung. 2007 , 393-417
97	Bloodstream Infections in Patients with Total Parenteral Nutrition Catheters. 2007, 303-312
96	Blood glucose control in critically ill patients. 2007 , 14, 145-150
95	Early Manipulation of Metabolic Changes due to Severe Burns in Children. 2007 , 778-790
94	Glucose and Insulin Management in Critical Care. 2007 , 1920-1929
93	Parenteral Nutrition. 2007 , 1450-1463
92	Nutrition in Critical Illness. 2007, 1159-1174
91	Diabetic Coma. 2007 , 237-249
90	Glucose Disturbance and Acute Heart Failure Syndrome. 2008 , 781-785
89	Medical Management of Acute Renal Failure. 2008 , 26-32
88	The "state of the nation" in trauma critical care: Where are we?. 2008, 1, 6-9
87	Perioperative Management. 2008 , 323-351

86	Early stress hyperglycemia as independent predictor of increased mortality in preterm infants. 2008, 51, 474	
85	Die Reanimation durch Profis. 2008 , 393-416	
84	The Diabetes of Injury: Novel Insights and Clinical Implications. 2008 , 255-276	
83	Strict Glycemic Control: Not If and When, but Who and How?. 2008 , 502-513	
82	Automation and Control in Biomedical Systems. 2009, 1361-1378	
81	Blood Glucose Control in Critical Care. 2009 , 757-761	
80	Glucose, Insulin, and the Kidney. 2010 , 169-180	
79	Hyperglycemia. 2009 , 503-508	
78	Role of Insulin in the Activation of NF- B /I B Pathway in Macrophage Cells. 2010 , 68, 168	
77	Overview of Anesthesiology and Critical Care Medicine. 2010 , 2845-2867	
76	Glucose: the worst of all evils?. 2010 , 23, 50-54	
75	Neuromyopathies in the Critically Ill. 2010 , 541-570	
74	Sepsis. 2010 , 478-491	
73	Acute Ventilatory Failure. 2010 , 2138-2159	
72	The Role of Nutrition in the Treatments of Injured Military Personnel. 2011 , 633-653	
71	Hyperglycemia and Blood Glucose Control. 2011 , 1210-1214	
70	Blood Glucose Control in Critically Ill Patients. 2011 , 31, 551-559	
69	The Interstitium and Lymphatics have an Important Role in Edema Generation during Sepsis. 2011 , 297-306	

68	Hypoglycemia. 2011 , 68-71	
67	SIRS, Sepsis und Multiorganversagen. 2011 , 425-451	
66	La gestione perioperatoria del paziente diabetico. 2011 , 57-71	0
65	Intensive care management of critically sick diabetic patients. 2011 , 15, 349-50	12
64	Hyperglycemia should be Avoided in Critical Illness and the Postoperative Period. 134-144	
63	Progress of clinical research on stress hyperglycemia. 2011 , 10, 293-296	
62	On the management of hyperglycaemia in critically ill patients undergoing surgery. 2012 , 4, 237-41	
61	Sepsis. 383-406	
60	SIRS, Sepsis und Multiorganversagen. 2014 , 453-482	
59	Clinically Relevant Assessment of the Variability of Glycemic Response and Its Affect on Surgical Site Infection Rates?. 2014 , 05, 84-89	
58	Spezielle Situationen. 2014 , 261-300	
57	Incretin Effects and Enteral Feed Transitions. 2014 , 1-14	
56	Effects of diabetes compensation by various classes of antihyperglycemic agents on endovascular intervention outcomes in patients with type 2 diabetes mellitus. 2014 , 17, 34-40	О
55	Glucose Homeostasis Disorders in Premature Infants. 2015 , 22, 133	
54	Incretin Effects and Enteral Feed Transitions. 2015 , 1269-1281	
53	Hypermetabolic Response to Burn Injury. 2016 , 227-245	
52	Intensive Insulin Therapy Has No Effect on Mortality and Morbidity in Cardiac Surgery Patients: A Meta-Analysis. 2016 , 07, 519-529	
51	?????????????. 2016 , 50, 111-126	1

Hyperglycemia in the Surgical Intensive Care Unit. 2016, 497-506 50 Glucose. 55-71 49 Neutral protamine hagedorn/regular insulin in the treatment of inpatient hyperglycemia: 48 Comparison of 3 basal-bolus regimens. 2017, 8, 455-463 ????. **2018**, 52, 145-148 47 Commonly Asked Questions. 2019, 307-326 46 Blood Glucose Control and Opportunities for Clinical Pharmacists in Infectious Diseases Ward. 2019 45 , 8, 202-207 Encyclopedia of Gerontology and Population Aging. 2019, 1-8 44 The Benefits of Preoperative Tight Glycaemic Control on Postoperative Coronary Artery Bypass 43 Grafting Outcomes in Type 2 Diabetic Patients. 2019, 8, 2644-2648 Insulin therapy in critical illness: the whole story on heated debates and the case. 2019, 53, 315-326 42 41 Diabetes Management in Patients with Critical and Non-Critical Illness. 2021, 239-251 Quality Management in the ICU: Understanding the Process and Improving the Art. 2008, 345-404 40 Novel Therapies in Critically Ill Septic Patients. 2006, 25-32 39 38 Metabolic Changes Following Major Burn Injury: How to Improve Outcome. 2006, 514-524 SIRS, Sepsis und Multiorganversagen. 2006, 341-359 37 Stress-hyperglycemia, insulin and immunomodulation in sepsis. 2006, 239-247 36 Microdialysis: principles and techniques. **2006**, 61-77 35 Antioxidants for the Treatment of Endothelial Dysfunction in Critical Illness. 2007, 96-105 34 Are Mitochondria Responsible for Improved Outcomes in Recent Studies?. 2007, 188-196 33

32	Early Manipulation of Metabolic Changes due to Severe Burns in Children. 2007 , 778-790
31	Nutrition Support. 2008 , 305-336
30	Acute Renal Failure. 2008 , 487-502
29	Intensive Insulin Therapy for the Critically Ill Patient. 2008, 157-177
28	Nutrition en ranimation: Sepsis et dfaillance multiviscrale, contrle glychique, cas particulier de BbBe agress. 2007 , 801-811
27	Nutrition artificielle et insuffisance rhale aiguli 2007 , 881-892
26	ErnBrung und Stoffwechselkontrolle. 2007 , 189-202
25	Blutzuckermanagement auf der Intensivstation. 2007 , 215-226
24	SIRS, Sepsis und Multiorganversagen. 2008 , 351-371
23	Parenterale und enterale Ernfirung. 1554-1572
22	Schock. 2009 , 177-240
21	Potential beneficial mechanisms of insulin (glucose-potassium) in acute myocardial infarction. 2005 , 13, 233-238
20	Future perspective: getting GRIP on intensive insulin therapy in acute myocardial infarction. 2006 , 14, 163-164
19	Intensive medicine - Guidelines on Parenteral Nutrition, Chapter 14. 2009 , 7, Doc14
18	Effective glycemic management in hospitalized patients: a multidisciplinary approach. 2007, 7, 52-7
17	Glucose control and its implications for the general surgeon. 2009 , 75, 1031-5
16	Intensive insulin therapy to maintain normoglycemia after cardiac surgery. 2011 , 3, 97-101 2
15	The Contractility of Isolated Rat Atrial Tissue during Hypoxia is Better Preserved in a High- or Zero-Glucose Environment than in a Normal Glucose Environment. 2009 , 5, 12-6

The Prevalence and Outcome of Intensive Care Unit Acquired Weakness (ICUAW). **2020**, 19, 250-255

13	Standards of Medical Care in Diabetes 2006. 2006 , 29, s4-s42	350
12	Encyclopedia of Gerontology and Population Aging. 2021 , 1146-1153	
11	Glucose sensitive konjac glucomannan/concanavalin A nanoparticles as oral insulin delivery system 2022 , 202, 296-308	2
10	Future Directions. 2022 , 271-291	
9	Management of Hyperglycemia in Hospitalized Patients Receiving Parenteral Nutrition. 2022 , 3,	1
8	Intensive insulin therapy improves the survival probability of non-diabetic COVID-19 patients presenting with acute hyperglycemia. 2022 , 38, 211-219	1
7	??????????????????(Study of predictive factor of massive bleeding in blunt trauma patients). 2015 , 26, 670-675	
6	Effect of Stress Ulcers Prophylaxis, Sedative and Statin on Ventilator-Associated Pneumonia: A Retrospective Analysis Based on MIMIC Database. 13,	
5	Can we provide healthcare away from patients?. 2022 , 92, 348-354	O
4	Association between type II diabetes mellitus and 90-day mortality in a large multicenter prospectively collected cohort. A FROG ICU post-hoc study. 2023 , 73, 154195	0
3	COVID-19: Diabetes Perspective P athophysiology and Management. 2023 , 12, 184	1
2	Metabolic and Nutritional Support. 2023 ,	О
1	Treatment of Severe Hyperglycemia in Patients Without Diabetes After Colorectal Surgery.	O