

# CITATION REPORT

List of articles citing

**Increase in concentration of waking salivary cortisol in recovered patients with depression**

**DOI: 10.1176/appi.ajp.160.10.1890**

**American Journal of Psychiatry, 2003, 160, 1890-1.**

**Source:** <https://exaly.com/paper-pdf/36077064/citation-report.pdf>

**Version:** 2024-04-23

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
136	Central adiposity and cortisol responses to waking in middle-aged men and women. <b>2004</b> , 28, 1168-73		80
135	Current awareness in human psychopharmacology. <b>2004</b> , 19, 143-150		
134	Fatty acids and homocysteine levels in patients with recurrent depression: an explorative pilot study. <b>2004</b> , 70, 349-56		44
133	Saliva cortisol in posttraumatic stress disorder: a community epidemiologic study. <b>2004</b> , 56, 205-9		101
132	Blunted cortisol response to awakening in mild to moderate depression: regulatory influences of sleep patterns and social contacts. <b>2005</b> , 114, 697-705		146
131	Decreased cortisol awakening response after early loss experience. <i>Psychoneuroendocrinology</i> , <b>2005</b> , 30, 568-76	5	125
130	Subjective socioeconomic position, gender and cortisol responses to waking in an elderly population. <i>Psychoneuroendocrinology</i> , <b>2005</b> , 30, 582-90	5	194
129	Increased salivary cortisol after waking in depression. <b>2005</b> , 182, 54-7		196
128	O papel dos glicocorticóides na expressão dos sintomas de humor: uma revisão. <b>2005</b> , 27, 177-186		1
127	Enhanced early morning salivary cortisol in neuroticism. <i>American Journal of Psychiatry</i> , <b>2005</b> , 162, 807-9	11.9	119
126	Obesity and depression: results from the longitudinal Northern Finland 1966 Birth Cohort Study. <b>2006</b> , 30, 520-7		215
125	Saliva cortisol and response to dexamethasone in children of depressed parents. <b>2006</b> , 60, 831-6		39
124	Smoking, cortisol and nicotine. <b>2006</b> , 59, 228-35		159
123	The Biological Underpinnings of Depression. 41-61		
122	Impairments in health functioning and sleep quality in older adults with a history of depression. <b>2006</b> , 54, 1184-91		45
121	Diurnal saliva cortisol levels and relations to psychosocial factors in a population sample of middle-aged Swedish men and women. <b>2006</b> , 13, 193-200		100
120	Different responses to dexamethasone and prednisolone in the same depressed patients. <b>2006</b> , 189, 225-35		99

119	Early morning salivary cortisol is not associated with extraversion. <b>2006</b> , 40, 395-400		11
118	Altered cortisol awakening response in posttraumatic stress disorder. <i>Psychoneuroendocrinology</i> , <b>2006</b> , 31, 209-15	5	213
117	Effects of rapid tryptophan depletion on salivary cortisol in older people recovered from depression, and the healthy elderly. <b>2007</b> , 21, 71-5		8
116	Increased waking salivary cortisol levels in young people at familial risk of depression. <i>American Journal of Psychiatry</i> , <b>2007</b> , 164, 617-21	11.9	151
115	Highly neurotic never-depressed students have negative biases in information processing. <b>2007</b> , 37, 1281-91		137
114	Emotional bias and waking salivary cortisol in relatives of patients with major depression. <b>2007</b> , 37, 403-10		41
113	Circadian cortisol profiles and psychological self-reports in shift workers with and without recent change in the shift rotation system. <b>2007</b> , 74, 92-103		84
112	Interferon-alpha-induced depressive symptoms are related to changes in the cytokine network but not to cortisol. <b>2007</b> , 62, 207-14		100
111	Awakening cortisol response in lean, obese, and reduced obese individuals: effect of gender and fat distribution. <b>2007</b> , 15, 377-85		64
110	Neuroendocrine and cardiovascular correlates of positive affect measured by ecological momentary assessment and by questionnaire. <i>Psychoneuroendocrinology</i> , <b>2007</b> , 32, 56-64	5	151
109	Is the cortisol awakening rise a response to awakening?. <i>Psychoneuroendocrinology</i> , <b>2007</b> , 32, 358-66	5	338
108	The effect of depression, anxiety and early life trauma on the cortisol awakening response during pregnancy: preliminary results. <i>Psychoneuroendocrinology</i> , <b>2007</b> , 32, 1013-20	5	88
107	Compliance with ambulatory saliva sampling in the Chicago Health, Aging, and Social Relations Study and associations with social support. <b>2007</b> , 34, 209-16		38
106	Salivary cortisol is associated with diagnosis and severity of late-life generalized anxiety disorder. <i>Psychoneuroendocrinology</i> , <b>2008</b> , 33, 773-81	5	151
105	Depression is associated with flatter cortisol rhythms in patients with coronary artery disease. <b>2008</b> , 65, 107-13		79
104	The HPA axis in major depression: classical theories and new developments. <b>2008</b> , 31, 464-8		1211
103	It's not over when it's over: persistent neurobiological abnormalities in recovered depressed patients. <b>2008</b> , 38, 307-13		102
102	Major depressive disorder and hypothalamic-pituitary-adrenal axis activity: results from a large cohort study. <b>2009</b> , 66, 617-26		554

101	Interindividual differences and intraindividual variability in the cortisol awakening response: an examination of age and gender. <b>2009</b> , 24, 819-27		123
100	Enhanced negative emotion and alcohol craving, and altered physiological responses following stress and cue exposure in alcohol dependent individuals. <b>2009</b> , 34, 1198-208		330
99	Persistence of abnormal cortisol levels in elderly persons after recovery from major depression. <i>Journal of Psychiatric Research</i> , <b>2009</b> , 43, 777-83	5.2	39
98	Sex-specific association between the 5-HTT gene-linked polymorphic region and basal cortisol secretion. <i>Psychoneuroendocrinology</i> , <b>2009</b> , 34, 972-82	5	84
97	Increased waking salivary cortisol and depression risk in preschoolers: the role of maternal history of melancholic depression and early child temperament. <b>2009</b> , 50, 1495-503		56
96	Cortisol awakening response and psychosocial factors: a systematic review and meta-analysis. <b>2009</b> , 80, 265-78		708
95	Effects of childhood trauma on HPA-axis reactivity in women free of lifetime psychopathology. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , <b>2009</b> , 33, 889-94	5.5	74
94	Serum cortisol concentration in patients with major depression after treatment with clomipramine. <b>2009</b> , 61, 604-11		15
93	The effect of psychotherapy added to pharmacotherapy on cortisol responses in outpatients with major depressive disorder. <b>2009</b> , 197, 401-6		19
92	Understanding vulnerability for depression from a cognitive neuroscience perspective: A reappraisal of attentional factors and a new conceptual framework. <b>2010</b> , 10, 50-70		370
91	The cortisol awakening response in patients remitted from depression. <i>Journal of Psychiatric Research</i> , <b>2010</b> , 44, 1199-204	5.2	21
90	Functional mineralocorticoid receptor (MR) gene variation influences the cortisol awakening response after dexamethasone. <i>Psychoneuroendocrinology</i> , <b>2010</b> , 35, 339-49	5	70
89	The self-perceived symptom distress and health-related conditions associated with morning to evening diurnal cortisol patterns in outpatients with major depressive disorder. <i>Psychoneuroendocrinology</i> , <b>2010</b> , 35, 503-15	5	33
88	Trauma exposure in relation to basal salivary cortisol and the hormone response to the dexamethasone/CRH test in male railway employees without lifetime psychopathology. <i>Psychoneuroendocrinology</i> , <b>2010</b> , 35, 878-86	5	22
87	Salivary cortisol in depressed patients versus control persons: a systematic review and meta-analysis. <i>Psychoneuroendocrinology</i> , <b>2010</b> , 35, 1275-86	5	200
86	Trauma exposure and hypothalamic-pituitary- adrenal axis functioning in mentally healthy Dutch peacekeeping veterans, 10-25 years after deployment. <b>2010</b> , 23, 124-31		5
85	High cortisol levels in the offspring of parents with bipolar disorder during two weeks of daily sampling. <b>2010</b> , 12, 77-86		46
84	Not fade away: the HPA axis and depression. <b>2010</b> , 40, 1-4		146

83	Cortisol and symptoms of psychopathology in Russian and American college students. <b>2010</b> , 45, 165-73		7
82	Cortisol awakening response and hippocampal volume: vulnerability for major depressive disorder?. <b>2010</b> , 68, 847-53		62
81	Abnormal cortisol levels during the day and cortisol awakening response in first-episode psychosis: the role of stress and of antipsychotic treatment. <b>2010</b> , 116, 234-42		219
80	Human models in acute and chronic stress: assessing determinants of individual hypothalamus-pituitary-adrenal axis activity and reactivity. <b>2010</b> , 13, 1-14		271
79	Glucocorticoids, cytokines and brain abnormalities in depression. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , <b>2011</b> , 35, 722-9	5.5	351
78	Antidepressant use and salivary cortisol in depressive and anxiety disorders. <b>2011</b> , 21, 691-9		50
77	The cortisol awakening response predicts subclinical depressive symptomatology in Mexican American adults. <i>Journal of Psychiatric Research</i> , <b>2011</b> , 45, 902-9	5.2	27
76	Central serotonergic activity correlates with salivary cortisol after waking in depressed patients. <b>2011</b> , 217, 605-7		1
75	Childhood adversity and allostatic overload of the hypothalamic-pituitary-adrenal axis: a vulnerability model for depressive disorders. <b>2011</b> , 23, 1017-37		63
74	Depression and coronary heart disease. <b>2012</b> , 2012, 743813		35
73	Using attentional bias modification as a cognitive vaccine against depression. <b>2012</b> , 72, 572-9		126
72	Pre-treatment waking cortisol response and vulnerability to interferon $\alpha$ induced depression. <b>2012</b> , 22, 892-6		7
71	Neuroimmune endocrine effects of antidepressants. <i>Neuropsychiatric Disease and Treatment</i> , <b>2012</b> , 8, 65-83	3.1	27
70	Adulthood trauma and HPA-axis functioning in healthy subjects and PTSD patients: a meta-analysis. <i>Psychoneuroendocrinology</i> , <b>2012</b> , 37, 317-31	5	127
69	Longitudinal hypothalamic-pituitary-adrenal axis trait and state effects in recurrent depression. <i>Psychoneuroendocrinology</i> , <b>2012</b> , 37, 892-902	5	76
68	Salivary cortisol profiles in patients remitted from recurrent depression: one-year follow-up of a mindfulness-based cognitive therapy trial. <i>Journal of Psychiatric Research</i> , <b>2012</b> , 46, 80-6	5.2	33
67	NMDA receptor blockade by ketamine abrogates lipopolysaccharide-induced depressive-like behavior in C57BL/6J mice. <b>2013</b> , 38, 1609-16		298
66	Prefrontal serotonin transporter availability is positively associated with the cortisol awakening response. <b>2013</b> , 23, 285-94		22

65	Meta-analyses indicate associations between neuroendocrine activation, deactivation in neurotrophic and neuroimaging markers in depression after stroke. <b>2013</b> , 22, e124-35		38
64	HPA-axis hormone modulation of stress response circuitry activity in women with remitted major depression. <b>2013</b> , 250, 733-42		68
63	A systematic review of the activity of the hypothalamic-pituitary-adrenal axis in first episode psychosis. <i>Psychoneuroendocrinology</i> , <b>2013</b> , 38, 603-11	5	106
62	The cortisol awakening response is blunted in patients with active Cushing's disease. <b>2013</b> , 168, 657-64		11
61	Association between cortisol awakening response and memory function in major depression. <b>2013</b> , 43, 2255-63		21
60	Early Life Stress in Depressive Patients: HPA Axis Response to GR and MR Agonist. <b>2014</b> , 5, 2		31
59	Avaliaço do funcionamento do eixo HPA em deprimidos por meio de medidas basais: reviso sistemtica da literatura e anlise das metodologias utilizadas. <b>2014</b> , 63, 232-241		2
58	Is salivary pH a marker of depression among older spousal caregivers for cancer patients?. <b>2014</b> , 40, 71-80		5
57	Prenatal risk factors for depression: a critical review of the evidence and potential mechanisms. <b>2014</b> , 5, 339-50		17
56	Biological and psychological markers of stress in humans: focus on the Trier Social Stress Test. <b>2014</b> , 38, 94-124		379
55	Salivary cortisol and depression in public sector employees: cross-sectional and short term follow-up findings. <i>Psychoneuroendocrinology</i> , <b>2014</b> , 41, 63-74	5	12
54	Menstrual mood disorders are associated with blunted sympathetic reactivity to stress. <b>2014</b> , 76, 46-55		11
53	The Interface of Stress and the HPA Axis in Behavioural Phenotypes of Mental Illness. <b>2014</b> , 18, 13-24		47
52	Increased cortisol awakening response was associated with time to recurrence of major depressive disorder. <i>Psychoneuroendocrinology</i> , <b>2014</b> , 50, 62-71	5	37
51	Cortisol awakening response and subsequent depression: prospective longitudinal study. <b>2014</b> , 204, 137-43		39
50	The cortisol awakening response and major depression: examining the evidence. <i>Neuropsychiatric Disease and Treatment</i> , <b>2015</b> , 11, 1181-9	3,1	98
49	Longitudinal effects of the SSRI paroxetine on salivary cortisol in Major Depressive Disorder. <i>Psychoneuroendocrinology</i> , <b>2015</b> , 52, 261-71	5	33
48	Glucocorticoid and mineralocorticoid receptor polymorphisms and recurrence of major depressive disorder. <i>Psychoneuroendocrinology</i> , <b>2015</b> , 55, 154-63	5	23

47	Epigenetic Mechanisms in Depression. <b>2016</b> , 181-207		
46	The HPA Axis in the Pathogenesis and Treatment of Depressive Disorders: Integrating Clinical and Molecular Findings. <b>2016</b> , a3, 64-76		9
45	Effects of cortisol on hippocampal subfields volumes and memory performance in healthy control subjects and patients with major depressive disorder. <b>2016</b> , 201, 34-41		34
44	In search of the HPA axis activity in unipolar depression patients with childhood trauma: Combined cortisol awakening response and dexamethasone suppression test. <i>Journal of Psychiatric Research</i> , <b>2016</b> , 78, 24-30	5.2	44
43	Parent-child adrenocortical concordance in early childhood: The moderating role of parental depression and child temperament. <b>2017</b> , 124, 100-110		15
42	The neural diathesis-stress model of schizophrenia revisited: An update on recent findings considering illness stage and neurobiological and methodological complexities. <b>2017</b> , 73, 191-218		143
41	Parental depression and parent and child stress physiology: Moderation by parental hostility. <i>Developmental Psychobiology</i> , <b>2017</b> , 59, 997-1009	3	6
40	Biological Pathways to Stress-Related Disease Vulnerability in Educators. <b>2017</b> , 77-100		1
39	Psychosocial functioning and the cortisol awakening response: Meta-analysis, P-curve analysis, and evaluation of the evidential value in existing studies. <b>2017</b> , 129, 207-230		46
38	Animal inflammation-based models of depression and their application to drug discovery. <b>2017</b> , 12, 995-1009		43
37	The association between the hypothalamic pituitary adrenal axis and tryptophan metabolism in persons with recurrent major depressive disorder and healthy controls. <b>2017</b> , 222, 32-39		20
36	Pericardial adipose tissue and the metabolic syndrome is increased in patients with chronic major depressive disorder compared to acute depression and controls. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , <b>2017</b> , 72, 30-35	5.5	11
35	The Cortisol Awakening Response and Depressive Symptomatology: The Moderating Role of Sleep and Gender. <i>Stress and Health</i> , <b>2017</b> , 33, 199-210	3.7	4
34	Outcomes of early parent-child adrenocortical attunement in the high-risk offspring of depressed parents. <i>Developmental Psychobiology</i> , <b>2018</b> , 60, 468-482	3	4
33	Short-term and long-term measures of cortisol in saliva and hair in atypical and non-atypical depression. <i>Acta Psychiatrica Scandinavica</i> , <b>2018</b> , 137, 216-230	6.5	25
32	Multiple Immune-Inflammatory and Oxidative and Nitrosative Stress Pathways Explain the Frequent Presence of Depression in Multiple Sclerosis. <i>Molecular Neurobiology</i> , <b>2018</b> , 55, 6282-6306	6.2	35
31	Cortisol Rhythm in Preschoolers: Relations with Maternal Depression and Child Temperament. <i>Journal of Psychopathology and Behavioral Assessment</i> , <b>2018</b> , 40, 386-401	2	2
30	DNA methylation differences at the glucocorticoid receptor gene in depression are related to functional alterations in hypothalamic-pituitary-adrenal axis activity and to early life emotional abuse. <i>Psychiatry Research</i> , <b>2018</b> , 265, 341-348	9.9	85

29	Loneliness and Diurnal Salivary Cortisol in Emerging Adults. <i>International Journal of Molecular Sciences</i> , <b>2018</b> , 19,	6.3	11
28	Acceptance and Commitment Therapy preceded by an experimental Attention Bias Modification procedure in recurrent depression: study protocol for a randomized controlled trial. <i>Trials</i> , <b>2018</b> , 19, 203	2.8	7
27	Cortisol levels and cognitive profile in major depression: A comparison of currently and previously depressed patients. <i>Psychoneuroendocrinology</i> , <b>2019</b> , 99, 57-65	5	14
26	The association between cortisol:C-reactive protein ratio and depressive fatigue is a function of CRP rather than cortisol. <i>Neuropsychiatric Disease and Treatment</i> , <b>2019</b> , 15, 2467-2475	3.1	2
25	Dyadic coping and the cortisol:CRP ratio: How marital stress influences physiological state. <i>Physiology and Behavior</i> , <b>2019</b> , 211, 112669	3.5	2
24	Cardiovascular outcomes related to social defeat stress: New insights from resilient and susceptible rats. <i>Neurobiology of Stress</i> , <b>2019</b> , 11, 100181	7.6	5
23	Role of inflammation in depression relapse. <i>Journal of Neuroinflammation</i> , <b>2019</b> , 16, 90	10.1	56
22	Neuroendocrinological Models of Stress and Psychopathology. <b>2020</b> , 462-486		
21	Early life stress and HPA axis function independently predict adult depressive symptoms in metropolitan Cebu, Philippines. <i>American Journal of Physical Anthropology</i> , <b>2020</b> , 173, 448-462	2.5	6
20	Measuring Earwax Cortisol Concentration using a non-stressful sampling method. <i>Heliyon</i> , <b>2020</b> , 6, e051346	3.6	2
19	The Way to a Human Brain Goes Through Their Stomach: Dietary Factors in Major Depressive Disorder. <i>Frontiers in Neuroscience</i> , <b>2020</b> , 14, 582853	5.1	3
18	Biomarking Trait Resilience With Salivary Cortisol in Chinese Undergraduates. <i>Frontiers in Psychology</i> , <b>2020</b> , 11, 536510	3.4	2
17	Does the cortisol: CRP ratio inform the measurement of individual burden of illness for depression in community samples?. <i>Journal of Affective Disorders Reports</i> , <b>2021</b> , 3, 100058	1.4	
16	Psychobiotics as a novel strategy for alleviating anxiety and depression. <i>Journal of Functional Foods</i> , <b>2021</b> , 86, 104718	5.1	2
15	Depression. <b>2010</b> , 215-226		3
14	Biological Models of Unipolar Depression. 39-67		1
13	Can the Cortisol to DHEA Molar Ratio be Used as a Peripheral Biomarker for Schizophrenia and Mood Disorders?. <b>2009</b> , 27-45		3
12	Mood Disorders and Immunity. <b>2013</b> , 167-209		1



11	Molecular Imaging of Depressive Disorders. <b>2014</b> , 93-172		6
10	Reduced cingulate gyrus volume associated with enhanced cortisol awakening response in young healthy adults reporting childhood trauma. <i>PLoS ONE</i> , <b>2013</b> , 8, e69350	3.7	24
9	Partial remission, residual symptoms, and relapse in depression. <i>Dialogues in Clinical Neuroscience</i> , <b>2008</b> , 10, 431-7	5.7	108
8	Reduced Cingulate Gyrus Volume Associated with Enhanced Cortisol Awakening Response in Young Healthy Adults Reporting Childhood Trauma. <b>2015</b> , 151-168		
7	Molecular Imaging of Depressive Disorders. <b>2021</b> , 85-207		0
6	High cortisol awakening response measured on day following high-intensity exercise. <i>The Journal of Physical Fitness and Sports Medicine</i> , <b>2022</b> , 11, 59-66	0.5	0
5	Salivary cortisol in longitudinal associations between affective symptoms and midlife cognitive function: A British birth cohort study.. <i>Journal of Psychiatric Research</i> , <b>2022</b> , 151, 217-224	5.2	0
4	Is depression the missing link between inflammatory mediators and cancer?. <b>2022</b> , 108293		0
3	Early-life stress exposure and epigenetic programming. <b>2023</b> , 243-271		0
2	Hypothalamo-Pituitary-Adrenal Axis in Depressive Disorders and Treatment Resistance. <b>2023</b> , 21, 73-90		0
1	Effects of left anodal transcranial direct current stimulation on hypothalamic-pituitary-adrenal axis activity in depression: a randomized controlled pilot trial. <b>2023</b> , 13,		0