CITATION REPORT List of articles citing



DOI: 10.7326/0003-4819-138-11-200306030-00012 Annals of Internal Medicine, 2003, 138, 907-16.

Source: https://exaly.com/paper-pdf/36084731/citation-report.pdf

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
167	Plasma brain natriuretic peptide to detect preclinical ventricular systolic or diastolic dysfunction: a community-based study. <i>Circulation</i> , 2004 , 109, 3176-81	16.7	223
166	Are angiotensin-converting enzyme inhibitors and beta-blockers making an impact on the epidemiology of heart failure?. 2004 , 6, 162-8		
165	Subclinical late cardiomyopathy after doxorubicin therapy for lymphoma in adults. 2004 , 22, 1864-71		236
164	All patients older than age 60 years should not undergo a B-type natriuretic peptide screening test. 2004 , 2, 49-51		2
163	Epidemiolog∃ de la insuficiencia card∃ca. 2004 , 57, 163-170		60
162	Practice guidelines: role of internists and primary care physicians. 2004 , 88, 1369-80, xiii		
161	Epidemiology of Heart Failure. 2004 , 57, 163-170		1
160	Plasma natriuretic peptide levels and the risk of cardiovascular events and death. 2004 , 350, 655-63		1133
159	Lifestyle and dietary modification for prevention of heart failure. 2004 , 88, 1295-320, xii		6
158	Effects of diabetes mellitus and ischemic heart disease on the progression from asymptomatic left ventricular dysfunction to symptomatic heart failure: a retrospective analysis from the Studies of Left Ventricular Dysfunction (SOLVD) Prevention trial. <i>American Heart Journal</i> , 2004 , 148, 883-8	4.9	53
157	Screening for coronary heart disease: cardiology through the oncology looking glass. 2005 , 12, 158-65		2
156	Effectiveness of echocardiographic imaging by nurses to identify left ventricular systolic dysfunction in high-risk patients. 2005 , 95, 1271-2		28
155	The emerging role of echocardiography in the screening of patients at risk of heart failure. 2005 , 96, 42L-51L		48
154	Comparative sensitivities between different plasma B-type natriuretic peptide assays in patients with minimally symptomatic heart failure. 2005 , 7 Suppl 1, S18-24		8
153	Asymptomatic left ventricular systolic dysfunction in essential hypertension: prevalence, determinants, and prognostic value. 2005 , 45, 412-8		44
152	Evidence based diagnostics. 2005, 330, 724-6		122
151	Heart failure. 2005 , 365, 1877-89		626

(2007-2005)

150	Effect of kidney transplantation on left ventricular systolic dysfunction and congestive heart failure in patients with end-stage renal disease. <i>Journal of the American College of Cardiology</i> , 2005 , 45, 1051-60 ^{15.1}	179
149	Brain natriuretic peptide in the contemporary management of congestive heart failure. 2005 , 3, 71-84	O
148	Myocardial dysfunction in rheumatoid arthritis: epidemiology and pathogenesis. 2005, 7, 195-207	52
147	Left ventricular systolic dysfunction in rheumatoid disease: an unrecognized burden?. <i>Journal of the American College of Cardiology</i> , 2006 , 47, 1169-74	43
146	Improving the management of patients after myocardial infarction, from admission to discharge. 2006 , 28, 1509-39	6
145	Brain natriuretic peptide based strategy to detect left ventricular dysfunction in Chagas disease: a comparison with the conventional approach. 2006 , 109, 34-40	32
144	Increased plasma concentrations of N-terminal pro-brain natriuretic peptide reflect the presence of mildly reduced left ventricular diastolic function in hypertension. 2006 , 17, 45-50	11
143	Left ventricular systolic dysfunction and the risk of ischemic stroke in a multiethnic population. 2006 , 37, 1715-9	119
142	Screening for ventricular remodeling. 2006 , 3, 5-13	7
141	Mechanisms of diastolic dysfunction in heart failure. 2006 , 16, 273-9	95
140	Stage B heart failure: management of asymptomatic left ventricular systolic dysfunction. Circulation, 2006 , 113, 2851-60	109
139	Rapid brain natriuretic peptide test and Doppler echocardiography for early diagnosis of mild heart failure. 2006 , 52, 1802-8	14
138	Left ventricular systolic function monitoring in asymptomatic dialysis patients: a prospective cohort study. 2006 , 17, 1460-5	43
137	Mineralocorticoid escape by the kidney but not the heart in experimental asymptomatic left ventricular dysfunction. 2007 , 50, 481-8	7
136	Association between anaemia and N-terminal pro-B-type natriuretic peptide (NT-proBNP): findings from the Heart and Soul Study. <i>European Journal of Heart Failure</i> , 2007 , 9, 886-91	19
135	Canadian Cardiovascular Society Consensus Conference recommendations on heart failure update 2007: Prevention, management during intercurrent illness or acute decompensation, and use of 3.8 biomarkers. <i>Canadian Journal of Cardiology</i> , 2007 , 23, 21-45	110
134	Obesity cardiomyopathy: diagnosis and therapeutic implications. 2007 , 4, 480-90	47
133	Systolic and diastolic heart failure: differences and similarities. <i>Journal of Cardiac Failure</i> , 2007 , 13, 569-763	105

132 Chronic Heart Failure. 2007,

131	Biventricular versus right ventricular pacing in patients with AV block (BLOCK HF): clinical study design and rationale. 2007 , 18, 965-71		39
130	Comparison of the frequency of abnormal cardiac findings by echocardiography in patients with and without peripheral arterial disease. 2007 , 99, 499-503		17
129	B-type natriuretic peptide: a critical review. 2007 , 13, 48-52		14
128	Left atrial remodelling contributes to the progression of asymptomatic left ventricular systolic dysfunction to chronic symptomatic heart failure. 2008 , 13, 91-8		25
127	Treatment of asymptomatic left ventricular dysfunction. <i>Current Treatment Options in Cardiovascular Medicine</i> , 2008 , 10, 476-85	2.1	2
126	Blacks and whites have a similar prevalence of reduced left ventricular ejection fraction in the general population: the Dallas Heart Study (DHS). <i>American Heart Journal</i> , 2008 , 155, 876-82	4.9	5
125	Comprehensive adrenergic blockade post myocardial infarction left ventricular dysfunction. 2008 , 26, 79-89, vii		1
124	Arterial Hypertension and Cardiac Damage. 2008 , 15, 141-170		9
123	Natriuretic peptide testing in primary care patients. 2008 , 46, 1533-42		2
122	Monitoring for cardiovascular disease in survivors of childhood cancer: report from the Cardiovascular Disease Task Force of the Children@Oncology Group. 2008 , 121, e387-96		217
121	Rio de La Plata study: a multicenter, cross-sectional study on cardiovascular risk factors and heart failure prevalence in peritoneal dialysis patients in Argentina and Uruguay. 2008 , S159-64		6
120	Natriuretic Peptide testing in primary care. 2008 , 4, 300-8		9
119	Natriuretic peptide testing in clinical medicine. 2008 , 16, 240-9		21
118	Racial differences in incident heart failure among young adults. 2009 , 360, 1179-90		378
117	Anti-remodelling effect of canrenone in patients with mild chronic heart failure (AREA IN-CHF study): final results. <i>European Journal of Heart Failure</i> , 2009 , 11, 68-76	12.3	78
116	Amino-terminal pro-B-type natriuretic peptide and high-sensitivity C-reactive protein as predictors of sudden cardiac death among women. <i>Circulation</i> , 2009 , 119, 2868-76	16.7	54
115	beta-Adrenergic receptor blockers and heart failure risk after myocardial infarction: a critical review. 2009 , 6, 220-8		3

114	Nuclear cardiology and heart failure. 2009 , 36, 2068-80	8
113	Prognostic efficacy of cardiac biomarkers for mortality in dialysis patients. 2009 , 39, 812-8	35
112	The role of N-terminal PRO-brain natriuretic peptide and echocardiography for screening asymptomatic left ventricular dysfunction in a population at high risk for heart failure. The PROBE-HF study. <i>Journal of Cardiac Failure</i> , 2009 , 15, 377-84	68
111	Screening the population for left ventricular hypertrophy and left ventricular systolic dysfunction using natriuretic peptides: results from the Dallas Heart Study. <i>American Heart Journal</i> , 2009 , 157, 746-53:22	73
110	Hand-carried ultrasound performed by hospitalists: does it improve the cardiac physical examination?. 2009 , 122, 35-41	100
109	Accuracy of N-terminal pro-brain natriuretic peptide in the identification of left ventricular dysfunction in high-risk asymptomatic patients. 2009 , 10, 238-44	3
108	Natural history of dilated cardiomyopathy: from asymptomatic left ventricular dysfunction to heart failurea subgroup analysis from the Trieste Cardiomyopathy Registry. 2009 , 10, 699-705	32
107	Natriuretic Peptides and Assessment of Cardiovascular Disease Risk in Asymptomatic Persons. 2010 , 4, 120-127	8
106	Risk Factors for Heart Failure in Young Adults. 2010 , 4, 128-135	
105	Prevalence, prognosis, and therapeutic implications of unrecognized left ventricular systolic dysfunction in patients with anemia and chronic kidney disease. 2010 , 16, 271-7	6
104	B-type Natriuretic Peptide (BNP) is useful in detecting asymptomatic left ventricular dysfunction in low-income, uninsured patients. 2010 , 11, 280-7	4
103	Cardiac resynchronization therapy in patients with New York Heart Association class I and II heart failure: an approach to 2010. <i>Circulation</i> , 2010 , 122, 1037-43	15
102	ABCDQ of heart failure: echo-ing through the first stage. 2010 , 23, 1035-8	1
101	Assessment of conventional cardiovascular risk factors and multiple biomarkers for the prediction of incident heart failure and atrial fibrillation. <i>Journal of the American College of Cardiology</i> , 2010 , 56, 1712-9	228
100	Left ventricular dysfunction as a risk factor for cardiovascular and noncardiovascular hospitalizations in African Americans. <i>American Heart Journal</i> , 2010 , 160, 488-95	7
99	The incremental prognostic value of echocardiography in asymptomatic stage a heart failure. 2010 , 23, 1025-34	27
98	Self care in patients with chronic heart failure. <i>Nature Reviews Cardiology</i> , 2011 , 8, 644-54	181
97	Multicenter evaluation of plasma N-terminal probrain natriuretic peptide (NT-pro BNP) as a biochemical screening test for asymptomatic (occult) cardiomyopathy in cats. 2011 , 25, 1010-6	71

96 Epidemiology of Heart Failure. **2011**, 346-354

95	Hypertension, the J-Curve and the INVEST Trial. 2011 , 107, 490-1; discussion 491-2		2
94	Comparison of characteristics and outcomes of asymptomatic versus symptomatic left ventricular dysfunction in subjects 65 years old or older (from the Cardiovascular Health Study). 2011 , 107, 1667-74		20
93	Catestatin is useful in detecting patients with stage B heart failure. <i>Biomarkers</i> , 2011 , 16, 691-7 2	.6	23
92	Cardiac resynchronization therapy for mild heart failure: the time has come. Circulation, 2011, 123, 195-20	12 7	3
91	Mendelian randomization study of B-type natriuretic peptide and type 2 diabetes: evidence of causal association from population studies. 2011 , 8, e1001112		79
90	Personalised cancer follow-up: risk stratification, needs assessment or both?. 2012 , 106, 1-5		69
89	Prognosis of individuals with asymptomatic left ventricular systolic dysfunction in the multi-ethnic study of atherosclerosis (MESA). <i>Circulation</i> , 2012 , 126, 2713-9	6.7	70
88	Utility of B-type natriuretic peptides and cardiac troponins for population screening regarding cardiac abnormalities. 2012 , 44, 129-38		4
87	Clinical monitoring of stage B heart failure: echocardiography. <i>Heart Failure Clinics</i> , 2012 , 8, 169-78	.3	6
86	Strategies to screen for stage B as a heart failure prevention intervention. <i>Heart Failure Clinics</i> , 2012 , 8, 285-96	.3	3
85	Asymptomatic systolic and diastolic dysfunction in patients with risk factors referred for echocardiography. The DAVES study by the Italian Society of Cardiovascular Echography. <i>Journal of Cardiovascular Echography</i> , 2012 , 22, 29-36	.6	
84	Heart failure is associated with reduced patency after endovascular intervention for symptomatic peripheral arterial disease. 2012 , 55, 353-62		24
83	Heart failure in hypertension: prevention and treatment. 2012 , 72, 1373-98		13
82	Echocardiography, natriuretic peptides, and risk for incident heart failure in older adults: the Cardiovascular Health Study. <i>JACC: Cardiovascular Imaging</i> , 2012 , 5, 131-40	-4	36
81	Subclinical hypertensive heart disease in black patients with elevated blood pressure in an inner-city emergency department. 2012 , 60, 467-74.e1		19
80	Reducing the burden of stage B heart failure will require connecting the dots between "knowns" and "known unknowns". <i>Heart Failure Clinics</i> , 2012 , 8, xi-xv	.3	
79	Natriuretic peptides and the Framingham risk score for screening of asymptomatic left ventricular systolic dysfunction in high-risk patients in primary care. The DAVID-BERG study. 2013 , 168, 5093-5		6

78	Predictors of new-onset heart failure: differences in preserved versus reduced ejection fraction. <i>Circulation: Heart Failure</i> , 2013 , 6, 279-86	7.6	205
77	Risk factors for asymptomatic ventricular dysfunction in rheumatoid arthritis patients. 2013 , 2013, 635	439	9
76	Association of novel biomarkers of cardiovascular stress with left ventricular hypertrophy and dysfunction: implications for screening. 2013 , 2, e000399		58
75	Long-term cardiovascular toxicity in children, adolescents, and young adults who receive cancer therapy: pathophysiology, course, monitoring, management, prevention, and research directions: a scientific statement from the American Heart Association. <i>Circulation</i> , 2013 , 128, 1927-95	16.7	322
74	Mortality, morbidity and evidence-based management amongst patients in regional New Zealand with severe left ventricular systolic dysfunction (1997-2011). 2013 , 43, 692-9		1
73	Evaluation of different strategies for identifying asymptomatic left ventricular dysfunction and pre-clinical (stage B) heart failure in the elderly. Results from @REDICTORQa population based-study in central Italy. <i>European Journal of Heart Failure</i> , 2013 , 15, 1102-12	12.3	15
72	Test characteristics of electrocardiography for detection of left ventricular hypertrophy in asymptomatic emergency department patients with hypertension. <i>Academic Emergency Medicine</i> , 2014 , 21, 996-1002	3.4	15
71	Incident heart failure in relation to vascular disease: insights from the Health, Aging, and Body Composition Study. <i>European Journal of Heart Failure</i> , 2014 , 16, 526-34	12.3	15
70	Left ventricular dilation and incident congestive heart failure in asymptomatic adults without cardiovascular disease: multi-ethnic study of atherosclerosis (MESA). <i>Journal of Cardiac Failure</i> , 2014 , 20, 905-11	3.3	31
69	Prevalence and clinical correlation of left ventricular systolic dysfunction in african americans with ischemic stroke. 2014 , 23, 1965-8		2
68	Contemporary strategies in the diagnosis and management of heart failure. <i>Mayo Clinic Proceedings</i> , 2014 , 89, 662-76	6.4	18
67	Cognitive behavioral therapy in depressed cardiac surgery patients: role of ejection fraction. <i>Journal of Cardiovascular Nursing</i> , 2015 , 30, 319-24	2.1	5
66	The Effect of Right Ventricular Apical and Nonapical Pacing on the Short- and Long-Term Changes in Left Ventricular Ejection Fraction: A Systematic Review and Meta-Analysis of Randomized-Controlled Trials. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2015 , 38, 1121-36	1.6	31
65	Recommendations for cardiomyopathy surveillance for survivors of childhood cancer: a report from the International Late Effects of Childhood Cancer Guideline Harmonization Group. <i>Lancet Oncology, The</i> , 2015 , 16, e123-36	21.7	282
64	Role of electrocardiography and echocardiography in prevention and predicting outcome of subjects at increased risk of heart failure. <i>European Journal of Preventive Cardiology</i> , 2015 , 22, 249-62	3.9	10
63	Heart Failure Prevention and Team-based Interventions. <i>Heart Failure Clinics</i> , 2015 , 11, 349-58	3.3	8
62	Importance of the time of initiation of mineralocorticoid receptor antagonists on risk of mortality in patients with heart failure. <i>JRAAS - Journal of the Renin-Angiotensin-Aldosterone System</i> , 2015 , 16, 11	9 ³ 25	4
61	Candidate biomarkers in heart failure with reduced and preserved ejection fraction. <i>Biomarkers</i> , 2015 , 20, 258-65	2.6	5

60	Lean body mass index prognostic value for cardiovascular events in patients with coronary artery disease. <i>Heart Asia</i> , 2015 , 7, 12-18	1.9	17
59	Burden of Systolic and Diastolic Left Ventricular Dysfunction Among Hispanics in the United States: Insights From the Echocardiographic Study of Latinos. <i>Circulation: Heart Failure</i> , 2016 , 9, e002733	7.6	29
58	Left ventricular area on non-contrast cardiac computed tomography as a predictor of incident heart failure - The Multi-Ethnic Study of Atherosclerosis. <i>Journal of Cardiovascular Computed Tomography</i> , 2016 , 10, 500-506	2.8	6
57	Echocardiographic screening for non-ischaemic stage B heart failure in the community. <i>European Journal of Heart Failure</i> , 2016 , 18, 1331-1339	12.3	44
56	Predicting Heart Failure With Preserved and Reduced Ejection Fraction: The International Collaboration on Heart Failure Subtypes. <i>Circulation: Heart Failure</i> , 2016 , 9,	7.6	133
55	Red cell distribution width (RDW) correlates with markers of diastolic dysfunction in patients with impaired left ventricular systolic function. <i>IJC Heart and Vasculature</i> , 2016 , 10, 13-16	2.4	4
54	Ambulatory Blood Pressure Monitoring in Coronary Artery Disease and Heart Failure. 2016 , 299-321		
53	Prevalence and Prognostic Impact of Metabolic Syndrome in Asymptomatic (Stage A and B Heart Failure) Patients. <i>Metabolic Syndrome and Related Disorders</i> , 2016 , 14, 187-94	2.6	5
52	Assessing the Risk of Progression From Asymptomatic Left Ventricular Dysfunction to Overt Heart Failure: A Systematic Overview and Meta-Analysis. <i>JACC: Heart Failure</i> , 2016 , 4, 237-48	7.9	58
51	Cardiac Dysfunction and Heart Failure in Hematopoietic Cell Transplantation Survivors: Emerging Paradigms in Pathophysiology, Screening, and Prevention. <i>Heart Failure Clinics</i> , 2017 , 13, 337-345	3.3	7
50	Imaging-Guided Cardioprotective Treatment in a Community Elderly Population of Stage B Heart Failure. <i>JACC: Cardiovascular Imaging</i> , 2017 , 10, 217-226	8.4	16
49	Screening and Treatment for Subclinical Hypertensive Heart Disease in Emergency Department Patients With Uncontrolled Blood Pressure: A Cost-effectiveness Analysis. <i>Academic Emergency Medicine</i> , 2017 , 24, 168-176	3.4	4
48	Associations of childhood and adult obesity with left ventricular structure and function. <i>International Journal of Obesity</i> , 2017 , 41, 560-568	5.5	11
47	Association of type 2 diabetes mellitus and ratio of transmitral E wave velocity to early diastole mitral velocity with cardiovascular events in chronic kidney disease. <i>Oncotarget</i> , 2017 , 8, 94407-94416	3.3	
46	Screening echocardiograms in a senior focused value based primary care improves systolic heart failure detection and clinical management. <i>Cardiovascular Diagnosis and Therapy</i> , 2017 , 7, 236-243	2.6	5
45	Pulse Waveform Analysis in Ocular Microcirculation by Laser Speckle Flowgraphy in Patients with Left Ventricular Systolic and Diastolic Dysfunction. <i>Journal of Vascular Research</i> , 2018 , 55, 329-337	1.9	9
44	Diagnosis of Nonischemic Stage B Heart Failure in Type 2 Diabetes Mellitus: Optimal Parameters for Prediction of Heart Failure. <i>JACC: Cardiovascular Imaging</i> , 2018 , 11, 1390-1400	8.4	32
43	Type 2 Diabetes Mellitus and Heart Failure: A Scientific Statement From the American Heart Association and the Heart Failure Society of America: This statement does not represent an update of the 2017 ACC/AHA/HFSA heart failure quideline update. <i>Circulation</i> , 2019 , 140, e294-e324	16.7	168

(2011-2019)

42	Type 2 Diabetes Mellitus and Heart Failure, A Scientific Statement From the American Heart Association and Heart Failure Society of America. <i>Journal of Cardiac Failure</i> , 2019 , 25, 584-619	3.3	30
41	10-Year Risk Equations for Incident Heart Failure in the General Population. <i>Journal of the American College of Cardiology</i> , 2019 , 73, 2388-2397	15.1	48
40	Cardiac Versus Renal Response to Volume Expansion in Preclinical Systolic Dysfunction With PDEV Inhibition and BNP. <i>JACC Basic To Translational Science</i> , 2019 , 4, 962-972	8.7	2
39	Heart Failure Epidemiology in Patients With Diabetes Mellitus Without Coronary Heart Disease. <i>Journal of Cardiac Failure</i> , 2019 , 25, 78-86	3.3	13
38	Association of Reduced Apical Untwisting With Incident HF in Asymptomatic Patients With HF Risk Factors. <i>JACC: Cardiovascular Imaging</i> , 2020 , 13, 187-194	8.4	6
37	Accuracy of Cardiac Nurse Acquired and Measured Three-Dimensional Echocardiographic Left Ventricular Ejection Fraction: Comparison to Echosonographer. <i>Heart Lung and Circulation</i> , 2020 , 29, 703-709	1.8	1
36	ECG AI-Guided Screening for Low Ejection Fraction (EAGLE): Rationale and design of a pragmatic cluster randomized trial. <i>American Heart Journal</i> , 2020 , 219, 31-36	4.9	26
35	Predictive Accuracy of Heart Failure-Specific Risk Equations in an Electronic Health Record-Based Cohort. <i>Circulation: Heart Failure</i> , 2020 , 13, e007462	7.6	5
34	Biomarkers for coronary artery disease and heart failure. 2020 , 519-543		1
33	Refocusing on the Primary Prevention of Heart Failure. <i>Current Treatment Options in Cardiovascular Medicine</i> , 2020 , 22, 1	2.1	3
32	Precision wearable accelerometer contact microphones for longitudinal monitoring of mechano-acoustic cardiopulmonary signals. <i>Npj Digital Medicine</i> , 2020 , 3, 19	15.7	30
31	Epidemiology of the inherited cardiomyopathies. <i>Nature Reviews Cardiology</i> , 2021 , 18, 22-36	14.8	32
30	Cardiac and arterial complications. 2021 , 241-250		1
29	Artificial intelligence-enabled electrocardiograms for identification of patients with low ejection fraction: a pragmatic, randomized clinical trial. <i>Nature Medicine</i> , 2021 , 27, 815-819	50.5	29
- 0			
28	Cost Effectiveness of an Electrocardiographic Deep Learning Algorithm to Detect Asymptomatic Left Ventricular Dysfunction. <i>Mayo Clinic Proceedings</i> , 2021 , 96, 1835-1844	6.4	2
27		2.6	1
	Left Ventricular Dysfunction. <i>Mayo Clinic Proceedings</i> , 2021 , 96, 1835-1844 Effects of phosphodiesterase V inhibition alone and in combination with BNP on cardiovascular and renal response to volume load in human preclinical diastolic dysfunction. <i>Physiological Reports</i> ,	,	

24	Asymptomatic Left Ventricular Dysfunction and Metabolic Syndrome: Results from an Italian Multicenter Study. <i>Journal of Cardiovascular Echography</i> , 2013 , 23, 96-101	0.6	3
23	Management of chronic heart failure: Role of home echocardiography in monitoring care programs. World Journal of Cardiology, 2012 , 4, 72-6	2.1	3
22	Noninvasive Assessment of Asymptomatic Individuals at Risk of Coronary Heart Disease. Part b. 2006 , 137-154		
21	Heart failure with normal left ventricular ejection fraction (HFNEF). 2009, 113-128		
20	Heart Failure. 2010 , 1036-1053		
19	Diagnosis of Heart Failure: Evidence-Based Perspective. 2010 , 353-363		
18	Contraceptive Management of Women with Cardiac Disease. 2014 , 17-39		
17	A Low Serum Albumin Level Predicts Cardiovascular Events in Hemodialysis Patients with Preserved Left Ventricular Ejection Fraction. <i>International Journal of Clinical Medicine</i> , 2015 , 06, 85-95	0.3	
16	QRS-L: una puntuacifi electrocardiogr fi ca para el cribado r p ido de la disfuncifi sist i lca ventricular izquierda. <i>REC: CardioClinics</i> , 2019 , 54, 91-98	0.2	
15	Diagnostic accuracy and clinical impact of natriuretic peptide screening for the detection of heart failure in the community: a protocol for systematic review and meta-analysis. <i>Wellcome Open Research</i> , 4, 169	4.8	
14	Contraceptive Management of Women with Cardiac Disease. 2014 , 17-39		O
13	Rationale and Design of a Pharmacist-led Intervention for the Risk-Based Prevention of Heart Failure: The FIT-HF Pilot Study <i>Frontiers in Cardiovascular Medicine</i> , 2021 , 8, 785109	5.4	O
12	The Effectiveness of a Deep Learning Model to Detect Left Ventricular Systolic Dysfunction from Electrocardiograms. <i>International Heart Journal</i> , 2021 , 62, 1332-1341	1.8	2
11	Piezoelectric Micromachined Ultrasonic Transducer Array-Based Electronic Stethoscope for Internet of Medical Things. <i>IEEE Internet of Things Journal</i> , 2022 , 1-1	10.7	2
10	Detection of left ventricular systolic dysfunction using an artificial intelligence-enabled chest X-ray <i>Canadian Journal of Cardiology</i> , 2022 ,	3.8	1
9	Asymptomatic left ventricular dysfunction and cardiopulmonary exercise testing for mortality risk prediction European Journal of Preventive Cardiology, 2022,	3.9	
8	Artificial Intelligence Based Commercial Non-Invasive and Invasive Devices for Heart Failure Diagnosis and Prediction. 2022 , 269-293		
7	Low mechano-energetic efficiency is associated with future left ventricular systolic dysfunction in hypertensives ESC Heart Failure, 2022,	3.7	1

CITATION REPORT

6	Automated Detection of Low Ejection Fraction from a One-lead Electrocardiogram: Application of an AI algorithm to an ECG-enabled Digital Stethoscope. <i>European Heart Journal Digital Health</i> ,	2.3	О
5	Detection of Left Ventricular Systolic Dysfunction from Electrocardiographic Images.		O
4	Clinician Adoption of an Artificial Intelligence Algorithm to Detect Left Ventricular Systolic Dysfunction in Primary Care 2022 , 97, 2076-2085		0
3	Provider Perspectives on Artificial Intelligence © uided Screening for Low Ejection Fraction in Primary Care: Qualitative Study. 2022 , 1, e41940		O
2	Study Protocol for the Pilot Evaluation for SMartphone-adaptable Artificial Intelligence for PRediction and DeTection of Left Ventricular Systolic Dysfunction (The SMART-LV Pilot Study Protocol).		0
1	Artificial intelligence-enabled electrocardiographic screening for left ventricular systolic dysfunction and mortality risk prediction. 10,		O