CITATION REPORT List of articles citing

Type D personality, cardiac events, and impaired quality of life: a review

DOI: 10.1097/00149831-200308000-00005 European Journal of Cardiovascular Prevention and Rehabilitation, 2003, 10, 241-8.

Source: https://exaly.com/paper-pdf/36113723/citation-report.pdf

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
173	Type D personality predicts death or myocardial infarction after bare metal stent or sirolimus-eluting stent implantation: a Rapamycin-Eluting Stent Evaluated at Rotterdam Cardiology Hospital (RESEARCH) registry substudy. 2004 , 44, 997-1001		122
172	Type D personality is associated with increased anxiety and depressive symptoms in patients with an implantable cardioverter defibrillator and their partners. 2004 , 66, 714-9		138
171	DS14: standard assessment of negative affectivity, social inhibition, and Type D personality. 2005 , 67, 89-97		914
170	Posttraumatic stress disorder in the wake of heart disease: prevalence, risk factors, and future research directions. 2005 , 67, 715-23		99
169	Type D personality: the heart, stress, and cortisol. 2005 , 98, 323-9		97
168	Stress symptoms induced by repeated morphine withdrawal in comparison to other chronic stress models in mice. 2005 , 81, 205-15		28
167	Type D personality is associated with impaired health-related quality of life 7 years following heart transplantation. <i>Journal of Psychosomatic Research</i> , 2006 , 61, 791-5	4.1	26
166	Personality: predictor of neurostimulation outcomes in patients with chest pain and normal coronary arteries. 2006 , 9, 123-7		4
165	Rationale, design, methods and baseline characteristics of the Asklepios Study. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2007 , 14, 179-91		124
164	Increased handicap in vertigo patients with a type-D personality. 2007 , 5, 169-175		7
163	Adverse clinical events in patients treated with sirolimus-eluting stents: the impact of Type D personality. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2007 , 14, 135-40		40
162	Personality and heart disease. 2007, 93, 783-4		38
161	Negative affectivity and social inhibition in cardiovascular disease: evaluating type-D personality and its assessment using item response theory. <i>Journal of Psychosomatic Research</i> , 2007 , 63, 27-39	4.1	162
160	Increased emotional distress in type-D cardiac patients without a partner. <i>Journal of Psychosomatic Research</i> , 2007 , 63, 41-9	4.1	13
159	Type-D personality is a stable taxonomy in post-MI patients over an 18-month period. <i>Journal of Psychosomatic Research</i> , 2007 , 63, 545-50	4.1	103
158	Impaired health status in Type D patients following PCI in the drug-eluting stent era. 2007 , 114, 358-65		34
157	Challenges in reducing depression-related mortality in cardiac populations: cognition, emotion, fatigue or personality?. 2007 , 1, 137-172		16

(2010-2007)

156	Association of Type D personality to perceived side effects and adherence in CPAP-treated patients with OSAS. 2007 , 16, 439-47	81
155	Health status in patients treated with cardiac resynchronization therapy: modulating effects of personality. 2008 , 31, 28-37	9
154	Type-D personality predicts chronic anxiety following percutaneous coronary intervention in the drug-eluting stent era. 2007 , 99, 173-9	37
153	Type-D personality and depressive symptoms predict anxiety 12 months post-percutaneous coronary intervention. 2007 , 103, 197-203	24
152	Type D personality as a prognostic factor in heart disease: assessment and mediating mechanisms. 2007 , 89, 265-76	104
151	Type D personality and depressive symptoms are independent predictors of impaired health status in chronic heart failure. 2008 , 10, 802-10	22
150	Clustering of psychosocial risk factors enhances the risk of depressive symptoms 12-months post percutaneous coronary intervention. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2008 , 15, 203-9	21
149	Type D personality and depressive symptoms are independent predictors of impaired health status in chronic heart failure. 2008 , 10, 922-30	23
148	Persistence of posttraumatic stress symptoms 12 and 36 months after acute coronary syndrome. 2008 , 70, 764-72	58
147	Correlations between personality factors and coronary artery disease: from type A behaviour pattern to type D personality. 2008 , 9, 761-8	16
146	Type-D personality and cortisol in survivors of acute coronary syndrome. 2008, 70, 863-8	77
145	[The analysis of type D personality research as a psychosocial risk factor in cardiovascular disease for elders with a chronic disease]. 2008 , 38, 19-28	14
144	Physical self-efficacy, anxiety and depression following a 6-week cardiac rehabilitation programme. 2009 , 4, 223-228	2
143	[Quality of life and illness intrusiveness by type-D personality in the patients with coronary artery disease]. 2009 , 39, 349-56	8
142	Gender differences in cardiac rehabilitation outcomes: do women benefit equally in psychological health?. 2009 , 18, 2033-9	23
141	The implantable cardioverter defibrillator: its history, current psychological impact and future. 2009 , 6, 43-50	27
140	The impact of Type D personality on health-related quality of life in tinnitus patients is mainly mediated by anxiety and depression. 2010 , 31, 11-8	49
139	Clustering of negative affectivity and social inhibition in the community: prevalence of type D personality as a cardiovascular risk marker. 2010 , 72, 163-71	63

138	Type D personality, stress, and symptoms of burnout: the influence of avoidance coping and social support. 2010 , 15, 681-96	87
137	Psychological risk factors of micro- and macrovascular outcomes in primary care patients with type 2 diabetes: rationale and design of the DiaDDZoB Study. 2010 , 10, 388	10
136	Type D personality is associated with increased metabolic syndrome prevalence and an unhealthy lifestyle in a cross-sectional Dutch community sample. 2010 , 10, 714	65
135	Type D personality in the general population: a systematic review of health status, mechanisms of disease, and work-related problems. 2010 , 8, 9	146
134	Type D personality among noncardiovascular patient populations: a systematic review. 2010 , 32, 66-72	108
133	Type-D personality and depersonalization are associated with suicidal ideation in the German general population aged 35-74: results from the Gutenberg Heart Study. 2010 , 125, 227-33	36
132	Personality traits and impaired health-related quality of life in patients with functional gastrointestinal disorders. 2010 , 8, 220-2	11
131	Measures of stress in epidemiological research. <i>Journal of Psychosomatic Research</i> , 2010 , 69, 211-25 4.1	51
130	Validating the Type D personality construct in Chinese patients with coronary heart disease. <i>Journal of Psychosomatic Research</i> , 2010 , 69, 111-8	36
129	Is type-D a stable construct? An examination of type-D personality in patients before and after cardiac surgery. <i>Journal of Psychosomatic Research</i> , 2010 , 69, 101-9	32
128	Personality is associated with health status and impact of cancer among melanoma survivors. 2010 , 46, 573-80	29
127	Personality Disorders and Traits as Predictors of Incident Cardiovascular Disease: Findings From the 23-Year Follow-Up of The Baltimore ECA Study. <i>Psychosomatics</i> , 2010 , 51, 289-296	30
126	A simultaneous test of the relationship between identified psychosocial risk factors and recurrent events in coronary artery disease patients. 2011 , 24, 463-75	13
125	Rehabilitation in patients with peripheral arterial disease. 2011 , 54, 443-61	15
124	Prevalence of distress, comorbid conditions and well being in the general population. 2011 , 130, 429-37	58
123	Working memory load reduces the late positive potential and this effect is attenuated with increasing anxiety. 2011 , 11, 321-31	92
122	The association between Type D personality and the metabolic syndrome: a cross-sectional study in a University-based outpatient lipid clinic. 2011 , 4, 105	18
121	The Adaptive Calibration Model of stress responsivity. 2011 , 35, 1562-92	852

120	Cortisol response to stress is associated with myocardial remodeling in salmonid fishes. 2011 , 214, 1313-21	27
119	Personality trait and quality of life in colorectal cancer survivors. 2011 , 38, E221-8	13
118	Educational and psychological interventions to improve outcomes for recipients of implantable cardioverter defibrillators and their families: a scientific statement from the American Heart Association. 2012 , 126, 2146-72	151
117	Type D assessment in patients with chronic heart failure and peripheral arterial disease: evaluation of the experimental DS(3) scale using item response theory. 2012 , 94, 210-9	4
116	Relation Between Behavior Pattern, Job Satisfaction, BMI and WHR in Shiraz Physical Education Office Personnel's. 2012 , 47, 1859-1863	
115	Characterizing the relationship between health utility and renal function after kidney transplantation in UK and US: a cross-sectional study. 2012 , 10, 139	10
114	Type D personality and Alexithymia among psychiatric outpatients. 2012 , 81, 118-20	5
113	Association between type D personality and prognosis in patients with cardiovascular diseases: a systematic review and meta-analysis. 2012 , 43, 299-310	152
112	Distressed personality is associated with lower psychological well-being and life satisfaction, but not disability or disease activity in rheumatoid arthritis patients. 2012 , 31, 661-7	17
111	Type D personality is associated with increased comorbidity burden and health care utilization among 3080 cancer survivors. 2012 , 34, 352-9	29
110	Influence of Type D personality on health-related quality of life among Korean patients with end-stage renal disease. 2012 , 18, 260-7	15
109	Type D personality is associated with impaired psychological status and unhealthy lifestyle in Icelandic cardiac patients: a cross-sectional study. 2012 , 12, 42	24
108	Type D personality is a risk factor for psychosomatic symptoms and musculoskeletal pain among adolescents: a cross-sectional study of a large population-based cohort of Swedish adolescents. 2013 , 13, 11	25
107	Association of psychiatric history and type D personality with symptoms of anxiety, depression, and health status prior to ICD implantation. 2013 , 20, 425-33	27
106	Type D personality is associated with sleep problems in adolescents. Results from a population-based cohort study of Swedish adolescents. <i>Journal of Psychosomatic Research</i> , 2013 , 4.1 74, 290-5	23
105	Depression and type D personality among undergraduate medical students. 2013 , 55, 287-9	20
104	Can personality traits predict the future development of heart disease in hospitalized psychiatric veterans?. 2013 , 19, 477-89	
103	Self-rated stress is noncontributory to coronary artery disease in higher socioeconomic strata. 2013 , 16, 332-40	3

102	The relation between type D personality and the clinical condition of patients suffering from psoriasis. 2013 , 30, 381-7	8
101	When Words Are Not Enough: A Validated Nonverbal Vocabulary of Feelings (Pictured Feelings Instrument). 2013 , 48, 311-320	1
100	Distressed personality without a partner enhances the risk of depression in patients with coronary heart disease. 2013 , 5, 284-92	4
99	Decline in health-related quality of life 6 months after coronary artery bypass graft surgery: the influence of anxiety, depression, and personality traits. <i>Journal of Cardiovascular Nursing</i> , 2014 , 29, 544- $\frac{2}{54}$	32
98	Personality traits, cardiac risk factors, and their association with presence and severity of coronary artery plaque in people with no history of cardiovascular disease. 2014 , 15, 423-30	27
97	Psychological predictors of mental health and health-related quality of life after bariatric surgery: a review of the recent research. 2014 , 8, e314-24	43
96	Personality-informed interventions for healthy aging: conclusions from a National Institute on Aging work group. 2014 , 50, 1426-41	90
95	Individual vulnerability to burnout in nurses: The role of Type D personality within different nursing specialty areas. 2015 , 2, 80-86	26
94	Type D personality, mental distress, social support and health-related quality of life in coronary artery disease patients with heart failure: a longitudinal observational study. 2015 , 13, 1	139
93	Stress, coping and adherence to immunosuppressive medications in kidney transplantation: a comparative study. 2016 , 134, 292-9	11
92	The Clinical Link between Type D Personality and Diabetes. 2016 , 7, 113	28
91	Anxiety and depression, personality traits relevant to tinnitus: A scoping review. 2016 , 55, 605-15	57
90	Interventions for Cardiovascular Patients with Type D Personality: A Systematic Review. 2016 , 13, 314-23	13
89	Type D Personality in Gastric Cancer Survivors: Association With Poor Quality of Life, Overall Survival, and Mental Health. 2016 , 52, 81-91	21
88	Ankylosing Spondylitis patients with Type D personality have worse clinical status. 2016 , 26, 138-45	8
87	Type D personality is associated with delaying patients to medical assessment and poor quality of life among rectal cancer survivors. 2016 , 31, 75-85	13
86	Predictors of perceived stigmatization in patients with psoriasis. 2017 , 176, 687-694	39
85	Psychosomatic Interrelations in Cardiovascular Diseases and Their Consequences on Patient Quality of Life. 2017 ,	

(2020-2017)

84	Medication Adherence Mediates the Association between Type D Personality and High HbA1c Level in Chinese Patients with Type 2 Diabetes Mellitus: A Six-Month Follow-Up Study. 2017 , 2017, 7589184	7
83	Introversion, the prevalent trait of adolescents with idiopathic scoliosis: an observational study. 2017 , 12, 27	2
82	Social inhibition, sense of belonging and vulnerability to internalizing problems. 2018 , 225, 207-213	18
81	The predictive value of positive affect and Type D personality for adverse cardiovascular clinical outcomes in patients with non-obstructive coronary artery disease. <i>Journal of Psychosomatic</i> 4.1 <i>Research</i> , 2018 , 104, 108-114	8
80	Differences between Slovak and Dutch patients scheduled for coronary artery bypass graft surgery regarding clinical and psychosocial predictors of physical and mental health-related quality of life. 2018 , 17, 324-335	5
79	Mediating effect of illness perception on the relationship between Type D personality and health behaviors among coronary artery disease patients. 2018 , 5, 2055102918817228	4
78	Role of personality in cardiovascular diseases: An issue that needs to be focused too!. 2018 , 70 Suppl 3, S471-S477	13
77	Psychological Profile in Coronary Artery By-Pass Graft Patients vs. Valve Replacement Patients Entering Cardiac Rehabilitation after Surgery. 2018 , 8, 14381	5
76	The effects of exercise referral schemes in the United Kingdom in those with cardiovascular, mental health, and musculoskeletal disorders: a preliminary systematic review. 2018 , 18, 949	33
75	Type D Personality and Alexithymia: Common Characteristics of Two Different Constructs. Implications for Research and Clinical Practice. 2018 , 9, 106	3
74	Predictors of Posttraumatic Growth Among University Students Who Experienced a Recent Earthquake. 2019 , 40, 176-184	3
73	Childhood adversity and women's cardiometabolic health in adulthood: associations with health behaviors, psychological distress, mood symptoms, and personality. <i>BMC Womenl</i> s Health, 2019 , 19, 102 ^{2.9}	2
72	Prevalence and Correlates of Type D Personality among Survivors following Acute Myocardial Infarction in a Tertiary Care Center in South India. <i>Journal of Neurosciences in Rural Practice</i> , 2019 , 1.1 10, 405-412	0
71	Negative Affect, Type D Personality, Quality of Life, and Dysfunctional Outcomes of Total Knee Arthroplasty. <i>Pain Research and Management</i> , 2019 , 2019, 6393101	10
70	Type D personality in Russian patients with cardiovascular disease: validity of the Russian DS14 (DS14-RU). <i>BMC Cardiovascular Disorders</i> , 2019 , 19, 78	2
69	A one-year prospective investigation of Type D personality and self-reported physical health. Psychology and Health, 2019 , 34, 773-795	10
68	The willingness of patients with gastroparesis to take risks with medications. <i>Alimentary Pharmacology and Therapeutics</i> , 2019 , 49, 429-436	8
67	A re-evaluation of the Type D personality effect. <i>Personality and Individual Differences</i> , 2020 , 167, 11025 4 .3	4

66	Association between Satisfaction with Life and Personality Types A and D in Young Women with Acne Vulgaris. <i>International Journal of Environmental Research and Public Health</i> , 2020 , 17,	4.6	4
65	The mediating effect of resilience on the relationship between Type D personality and self-care behavior in patients with heart failure. <i>Japan Journal of Nursing Science</i> , 2020 , 17, e12359	1.7	2
64	Strengthening Professional Efficacy Due to Sustainable Development of Social and Individual Competences Empirical Research Study among Polish and Slovak Employees of the Aviation Sector. Sustainability, 2020, 12, 6843	3.6	1
63	Self-Efficacy and Psychological Well-Being in Cardiac Patients: Moderated Mediation by Affect and Meaning-Making. <i>Journal of Psychology: Interdisciplinary and Applied</i> , 2020 , 154, 411-425	2.7	5
62	Modeling synergy: How to assess a Type D personality effect. <i>Journal of Psychosomatic Research</i> , 2020 , 132, 109990	4.1	13
61	Takotsubo syndrome in COVID-19 era: Is psychological distress the key?. <i>Journal of Psychosomatic Research</i> , 2021 , 140, 110297	4.1	8
60	Personality Type A or Personality Type D, Which is a Strong Predictor of Coronary Heart Disease?. <i>Trends Journal of Sciences Research</i> , 2021 , 5, 1-6	0.2	
59	The new Russian language version of the DS14-RU questionnaire: reliability and validity assessment. <i>Al?manah Kliniaskoj Mediciny</i> , 2021 , 49, 113-124	0.2	
58	Type D personality, clinical characteristics and working life among cancer survivors. <i>Kontakt</i> ,	0.3	
57	How is type D personality associated with the major psychological outcomes in noncardiac chest pain patients?. <i>Personality and Mental Health</i> , 2021 ,	3.1	О
56	Psychiatric Symptoms, Personality Profile, and Takotsubo Syndrome: Clinical Considerations. 2012 , 93-1	117	2
55	The Physical Burden of Immunoperception. 2019 , 137-154		4
54	Comparison of Health-Related Quality of Life Between Patients with Implantable Cardioverter Defibrillators and Pacemaker Recipients. 2017 , 67-84		1
53	Untersuchung der Wirksamkeit von musikalischer Stimulation bei Herzkatheteruntersuchungen. <i>Musik- Tanz Und Kunsttherapie</i> , 2006 , 17, 11-20		3
52	Personality disorders and traits as predictors of incident cardiovascular disease: findings from the 23-year follow-up of the Baltimore ECA study. <i>Psychosomatics</i> , 2010 , 51, 289-96	2.6	19
51	A Comparison of the Health Status and Health Promoting Behaviors between Type D Personality and Non-Type D Personality in Middle aged Women. <i>Korean Journal of Women Health Nursing</i> , 2011 , 17, 337	0.8	11
50	Quality of life improvement with rehabilitation according to constitution of the World Health Organization for coronary artery bypass graft surgery patients: A descriptive review. <i>AYU: an International Quarterly Journal of Research in Ayurveda</i> , 2017 , 38, 102-107	0.3	3
49	Type D Personality and Stomatognathic System Disorders in Physiotherapy Students during the COVID-19 Pandemic. <i>Journal of Clinical Medicine</i> , 2021 , 10,	5.1	2

48	Type A, Type D, Anger-Prone Behavior and Risk of Relapse in CHD Patients. 2006 , 185-215		1
47	Ischemische hart- en vaatziekten. 2006 , 95-114		
46	Persoonlijkheidsstoornissen in de somatische setting. 2007 , 495-505		
45	51 Hartziekten en revalidatie. 2008 , 467-471		
44	Literatur. 2009 , 491-497		
43	NHG-Standaard Beleid na een doorgemaakt myocardinfarct. 2009 , 87-105		
42	31 Persoonlijkheidsstoornissen in de somatische setting. 2009 , 527-537		
41	Autonomic Nervous Response of Female College Students with Type D Personality during an Acute Stress Task: Heart Rate Variability. <i>Hanl</i> guk Simni Hakhoe Chi Konlgang = the Korean Journal of Health Psychology, 2009 , 14, 277-292	0.2	
40	Quality of Life Measures in Acute Coronary Syndromes: The Evaluation of Predictors in this Field of Research. 2010 , 3015-3033		
39	16 Disfunctionele gedragspatronen bij hartpatifiten. 2010 , 335-348		
38	The Psychological Treatment of Cardiac Patients. 2011 , 335-354		
37	NHG-Standaard Beleid na een doorgemaakt myocardinfarct. 2011 , 341-359		
36	Job Stress and Overcommitment in Cardiac Patients. 2012 , 249-279		
35	La vulnerabilitītardiaca della donna agli stressor acuti: La sindrome Tako-tsubo. 2012 , 239-249		
34	Psychological factors of cardiometabolic risk: History and modern state. <i>Arterial Hypertension</i> (Russian Federation), 2012 , 18, 278-291	0.7	4
33	Influencing Factors on Health Related Quality of Life in Middle Age. <i>Korean Journal of Adult Nursing</i> , 2012 , 24, 339-347	0.7	7
32	Mental Health and Quality of Life by Type-D Personality of the Patients with Coronary Artery Disease. <i>The Journal of the Korea Contents Association</i> , 2013 , 13, 286-294		3
31	The Analysis of Anxiety, Depression, and Type D Personality in Patients with Tinnitus. <i>Korean Journal of Otorhinolaryngology-Head and Neck Surgery</i> , 2014 , 57, 22	0.2	

30 Der perioperative Anpassungsstatus des Patienten. **2017**, 41-77

29	Persoonlijkheidsstoornissen in de somatische setting. 2017 , 597-609		
28	Effect of Type D Personality on Life Stress in University Students. Seuteureseu Yeon-gu, 2017, 25, 188-1	9 4 .4	2
27	Hidden details in cases with palpitation complaints: Type D personality depression and anxiety. Journal of Surgery and Medicine,	0.1	О
26	Udvikling af et samtaleark om hverdagslivet med hjertesygdom. Klinisk Sygepleje, 2018 , 32, 131-150	0.2	
25	Encyclopedia of Personality and Individual Differences. 2019 , 1-8		
24	A comparative study of left ventricular function of people with and without D-type personality hospitalized for first-time myocardial infarction. <i>International Archives of Health Sciences</i> , 2019 , 6, 115	0.3	
23	Relationship Between Type D Personality Subscales, Coping Strategies, Illness Perception, and Fatigue in Myocardial Infarction Patients Using Structural Equation Modeling, Modeling, in Isfahan, Iran 2016 - 17. <i>Iranian Journal of Psychiatry and Behavioral Sciences</i> , 2019 , In Press,	1.3	
22	Comparison of Perfectionism and negative affectability in the patients with coronary artery disease and healthy individuals. 2020 , 2, 6-14		
21	Type D Personality Associated With Increased Risk for Mortality in Adults With Congenital Heart Disease. <i>Journal of Cardiovascular Nursing</i> , 2020 ,	2.1	O
20	Personality and Cardiovascular Illness. 2020 , 3561-3568		
19	Health Self E valuation Using The Generalized Evaluation Method. <i>Ukrdūs?kij ūrnal Medicini</i> <i>B</i> ūlogūra Sportu, 2020 , 5, 256-262	0.1	О
18	Depressive Symptoms (Not Type D Personality) Predict Quality of Life in Survivors of Differentiated Thyroid Cancer. <i>Health Psychology Bulletin</i> , 2020 , 4, 18	1.1	
17	Personalitdi Tipo A e di Tipo D, rabbia e rischio di recidiva cardiaca. 2007 , 135-161		
16	The psychological impact of a cardiovascular disease. <i>Netherlands Heart Journal</i> , 2005 , 13, 160	2.2	
15	The relationship between type D personality and perceived social support in myocardial infarction patients. <i>Journal of Research in Medical Sciences</i> , 2011 , 16, 627-33	1.6	13
14	Type D personality and quality of life in patients with irritable bowel syndrome. <i>Journal of Research in Medical Sciences</i> , 2011 , 16, 985-92	1.6	8
13	Type D personality is associated with hyperlipidemia in patients with myocardial infarction. <i>Journal of Research in Medical Sciences</i> , 2012 , 17, 543-7	1.6	4

CITATION REPORT

12	Evaluation of intima media thickness of carotid arteries in 40-60 years old persons with type d personality and its comparison with normal ones. <i>International Journal of Preventive Medicine</i> , 2013 , 4, S250-5	1.6	5
11	Personality dimensions and type D personality in female patients with ulcerative colitis. <i>Journal of Research in Medical Sciences</i> , 2012 , 17, 898-904	1.6	11
10	"Personality traits and heart disease in the Middle East". Is there a link?. <i>American Journal of Cardiovascular Disease</i> , 2013 , 3, 163-9	0.9	5
9	Psychometric Properties of the Persian Version of Type D Personality Scale (DS14). <i>Iranian Journal of Psychiatry and Behavioral Sciences</i> , 2011 , 5, 12-7	1.3	12
8	Blood Pressure Reactivity and Recovery to Anger Recall in Hypertensive Patients with Type D Personality. <i>Acta Cardiologica Sinica</i> , 2018 , 34, 417-423	1.1	5
7	Type D personality and self-esteem in conversion disorder: a case-control study. <i>Journal of Health Sciences and Medicine</i> , 2021 , 4, 816-823	Ο	
6	Nonkardiyak G🛭 Aिस्सिkayeti Olan Bireylerde D Tipi Killik, Psikiyatrik Belirtiler ve Aिसिdeti Arasadaki 🛮 🖟 103		
5	EgBzsgpszicholgiai szempontok a szW- 🛭 Erendszeri betegek kezelBBen. 2022 , 57-79		
4	The Importance of Type D Personality in the Development of Temporomandibular Disorders (TMDs) and Depression in Students during the COVID-19 Pandemic <i>Brain Sciences</i> , 2021 , 12,	3.4	5
3	Type D personality as a risk factor for adverse outcome in patients with cardiovascular disease: an individual patient data meta-analysis. Publish Ahead of Print,		Ο
2	The Application of the Comprehensive Assesment Method of the Functional State of a Person Taking to the Tendency to Post-travmatic Stress Disorders. 2022 , 73-79		0
1	Determinants of information needs in patients with coronary artery disease receiving cardiac rehabilitation: a prospective observational study. 2023 , 13, e068351		O