## CITATION REPORT List of articles citing

Toward a neuropsychological theory of antidepressant drug action: increase in positive emotional bias after potentiation of norepinephrine activity

DOI: 10.1176/appi.ajp.160.5.990 American Journal of Psychiatry, 2003, 160, 990-2.

Source: https://exaly.com/paper-pdf/36122189/citation-report.pdf

Version: 2024-04-09

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
225	Depression and dysphoria effects on the interpersonal perception of negative and positive moods and caring relationships: effects of antidepressants, amphetamine, and methylphenidate. <b>2003</b> , 5, 451-	.9	13
224	Current awareness in human psychopharmacology. <b>2003</b> , 18, 583-590		
223	Antidepressants and Emotional Processing. <i>Neuropsychopharmacology</i> , <b>2003</b> , 28, 1384-1385	8.7	4
222	Functional MRI and parental responsiveness: a new avenue into parental psychopathology and early parent-child interactions?. <i>British Journal of Psychiatry</i> , <b>2003</b> , 183, 481-3	5.4	23
221	Increased positive versus negative affective perception and memory in healthy volunteers following selective serotonin and norepinephrine reuptake inhibition. <i>American Journal of Psychiatry</i> , <b>2004</b> , 161, 1256-63	11.9	436
220	Affective disorder and epilepsy comorbidity: implications for development of treatments, preventions and diagnostic approaches. <b>2004</b> , 35, 53-68		19
219	Augmentation of serotonin enhances pleasant and suppresses unpleasant cortical electrophysiological responses to visual emotional stimuli in humans. <b>2004</b> , 22, 1084-1084		1
218	S.26.02 Imaging facial emition processing. <b>2004</b> , 14, S165-S166		
217	Augmentation of serotonin enhances pleasant and suppresses unpleasant cortical electrophysiological responses to visual emotional stimuli in humans. <b>2004</b> , 22, 1084-96		70
216	Current World Literature. 2004, 17, 221-232		
215	Trauma, resilience and saliostasis: effects of treatment in post-traumatic stress disorder. <b>2005</b> , 20, 43-8	3	129
214	MS patients with depressive symptoms exhibit affective memory biases when verbal encoding strategies are suppressed. <b>2005</b> , 11, 514-21		20
213	The tail suspension test as a model for assessing antidepressant activity: review of pharmacological and genetic studies in mice. <b>2005</b> , 29, 571-625		1037
212	Mood Disorders. <b>2005</b> ,		
211	Traumatisme [distance, r]ilience hfoque et guerre contre le terrorisme. <b>2005</b> , 28, 39		2
<b>21</b> 0	Emotion recognition deficits in pediatric anxiety disorders: implications for amygdala research. <b>2005</b> , 15, 563-70		53
209	Noradrenergic modulation of emotion-induced forgetting and remembering. <b>2005</b> , 25, 6343-9		141

## (2007-2005)

208	Effects of dopaminergic and serotonergic manipulation on emotional processing: a pharmacological fMRI study. <b>2005</b> , 27, 991-1001		91
207	Cognitive vulnerability to emotional disorders. <b>2005</b> , 1, 167-95		1366
206	Low-dose tryptophan depletion in recovered depressed patients induces changes in cognitive processing without depressive symptoms. <b>2005</b> , 57, 517-24		127
205	Adverse effects of gabapentin and lack of anti-allodynic efficacy of amitriptyline in the streptozotocin model of painful diabetic neuropathy. <b>2006</b> , 14, 42-51		14
204	Facial expression perception: an objective outcome measure for treatment studies in mood disorders?. <b>2006</b> , 9, 229-45		32
203	The cognitive-affective neuroscience of the unconscious. <b>2006</b> , 11, 580-3		23
202	[The problems of the current antidepressants and their future possibilities]. 2006, 127, 209-12		
201	Enhanced recognition of facial expressions of disgust in opiate users receiving maintenance treatment. <b>2006</b> , 101, 1598-605		28
200	How psychiatric treatments can enhance psychological defense mechanisms. 2006, 66, 173-94		17
199	Acute treatment with the antidepressants bupropion and sertraline do not influence memory retrieval in man. <b>2006</b> , 256, 320-5		9
198	Scopolamine induces impairments in the recognition of human facial expressions of anger and disgust. <i>Psychopharmacology</i> , <b>2006</b> , 185, 529-35	4.7	28
197	Noradrenergic modulation of working memory and emotional memory in humans. <i>Psychopharmacology</i> , <b>2006</b> , 188, 397-407	4.7	117
196	No effects of enhanced central norepinephrine on finger-sequence learning and attention. <i>Psychopharmacology</i> , <b>2006</b> , 187, 260-5	4.7	12
195	Neutral and emotional episodic memory: global impairment after lorazepam or scopolamine. <i>Psychopharmacology</i> , <b>2006</b> , 188, 482-8	4.7	18
194	Toward an integrative model of the spectrum of mood, behavioral and personality disorders based on fear and anger traits: II. Implications for neurobiology, genetics and psychopharmacological treatment. <b>2006</b> , 94, 89-103		73
193	Affective bias and response modulation following tyrosine depletion in healthy adults. <i>Neuropsychopharmacology</i> , <b>2006</b> , 31, 2523-36	8.7	16
192	Noradrenergic control of emotion-induced amnesia and hypermnesia. 2006, 17, 525-32		10
191	Pain and affective memory biases interact to predict depressive symptoms in multiple sclerosis. <b>2007</b> , 13, 58-66		19

190	Highly neurotic never-depressed students have negative biases in information processing. <i>Psychological Medicine</i> , <b>2007</b> , 37, 1281-91	6.9	137
189	Short-term antidepressant treatment and facial processing. Functional magnetic resonance imaging study. <i>British Journal of Psychiatry</i> , <b>2007</b> , 190, 531-2	5.4	92
188	Fearful faces in schizophrenia: the relationship between patient characteristics and facial affect recognition. <b>2007</b> , 195, 758-64		41
187	The role of neurotrophic factors in adult hippocampal neurogenesis, antidepressant treatments and animal models of depressive-like behavior. <b>2007</b> , 18, 391-418		522
186	Enhanced emotion-induced amnesia in borderline personality disorder. <i>Psychological Medicine</i> , <b>2007</b> , 37, 971-81	6.9	18
185	Emotional bias and waking salivary cortisol in relatives of patients with major depression. <i>Psychological Medicine</i> , <b>2007</b> , 37, 403-10	6.9	41
184	Attentional bias and general orienting processes in bipolar disorder. 2007, 38, 168-83		39
183	Single dose antidepressant administration modulates the neural processing of self-referent personality trait words. <b>2007</b> , 37, 904-11		43
182	Neuropsychological impairment in major depression: its nature, origin and clinical significance. <b>2007</b> , 41, 115-28		163
181	Erythropoietin reduces neural and cognitive processing of fear in human models of antidepressant drug action. <b>2007</b> , 62, 1244-50		39
180	Go-no-go task performance improvement after anodal transcranial DC stimulation of the left dorsolateral prefrontal cortex in major depression. <b>2007</b> , 101, 91-8		177
179	The effects of serotonin manipulations on emotional information processing and mood. <b>2007</b> , 103, 43-	62	87
178	Exogenous cortisol shifts a motivated bias from fear to anger in spatial working memory for facial expressions. <b>2007</b> , 32, 14-21		33
177	A single administration of cortisol acutely reduces preconscious attention for fear in anxious young men. <b>2007</b> , 32, 793-802		109
176	Exogenous testosterone attenuates the integrated central stress response in healthy young women. <b>2007</b> , 32, 1052-61		110
175	A neuropsychological comparison of obsessive-compulsive disorder and trichotillomania. <b>2007</b> , 45, 654	-62	156
174	Amygdala control of emotion-induced forgetting and remembering: evidence from Urbach-Wiethe disease. <b>2007</b> , 45, 877-84		78
173	Causality of stem cell based neurogenesis and depressionto be or not to be, is that the question?. <b>2007</b> , 41, 713-23		22

172	Impaired fear recognition in regular recreational cocaine users. <i>Psychopharmacology</i> , <b>2007</b> , 194, 151-9	4.7	44
171	Emotion-induced retrograde amnesia varies as a function of noradrenergic-glucocorticoid activity. <i>Psychopharmacology</i> , <b>2007</b> , 194, 261-9	4.7	43
170	Dissociable effects of acute antidepressant drug administration on subjective and emotional processing measures in healthy volunteers. <i>Psychopharmacology</i> , <b>2008</b> , 199, 495-502	4.7	55
169	The role of the noradrenergic system in emotional memory. <b>2008</b> , 127, 532-41		99
168	The effects of reboxetine on emotional processing in healthy volunteers: an fMRI study. 2008, 13, 1011	-20	57
167	Emotional memory function, personality structure and psychopathology: a neural system approach to the identification of vulnerability markers. <b>2008</b> , 58, 71-84		54
166	The role of the cerebellum in the pathophysiology and treatment of neuropsychiatric disorders: a review. <b>2008</b> , 59, 185-200		89
165	Anti-obesity Drugs: From Animal Models to Clinical Efficacy. <b>2008</b> , 271-315		4
164	Serotonin and emotional processing: does it help explain antidepressant drug action?. 2008, 55, 1023-8		162
163	Mental imagery as an emotional amplifier: application to bipolar disorder. <b>2008</b> , 46, 1251-8		145
163	Mental imagery as an emotional amplifier: application to bipolar disorder. 2008, 46, 1251-8  Chapter 5.2 How effective are current drug treatments for anxiety disorders, and how could they be improved?. 2008, 395-411		145
	Chapter 5.2 How effective are current drug treatments for anxiety disorders, and how could they		
162	Chapter 5.2 How effective are current drug treatments for anxiety disorders, and how could they be improved?. <b>2008</b> , 395-411  Improving the prediction of treatment response in depression: integration of clinical, cognitive,	8.7	2
162 161	Chapter 5.2 How effective are current drug treatments for anxiety disorders, and how could they be improved?. <b>2008</b> , 395-411  Improving the prediction of treatment response in depression: integration of clinical, cognitive, psychophysiological, neuroimaging, and genetic measures. <b>2008</b> , 13, 1066-86; quiz 1087-8  Reduced stress-sensitivity or increased reward experience: the psychological mechanism of	8.7	125
162 161 160	Chapter 5.2 How effective are current drug treatments for anxiety disorders, and how could they be improved?. 2008, 395-411  Improving the prediction of treatment response in depression: integration of clinical, cognitive, psychophysiological, neuroimaging, and genetic measures. 2008, 13, 1066-86; quiz 1087-8  Reduced stress-sensitivity or increased reward experience: the psychological mechanism of response to antidepressant medication. <i>Neuropsychopharmacology</i> , 2009, 34, 923-31  High-density negative ion treatment increases positive affective memory. <i>Psychological Medicine</i> ,	, ,	2 125 96
162 161 160	Chapter 5.2 How effective are current drug treatments for anxiety disorders, and how could they be improved?. 2008, 395-411  Improving the prediction of treatment response in depression: integration of clinical, cognitive, psychophysiological, neuroimaging, and genetic measures. 2008, 13, 1066-86; quiz 1087-8  Reduced stress-sensitivity or increased reward experience: the psychological mechanism of response to antidepressant medication. <i>Neuropsychopharmacology</i> , 2009, 34, 923-31  High-density negative ion treatment increases positive affective memory. <i>Psychological Medicine</i> , 2009, 39, 1930-2  Effect of acute antidepressant administration on negative affective bias in depressed patients.	6.9	2 125 96
162 161 160 159 158	Chapter 5.2 How effective are current drug treatments for anxiety disorders, and how could they be improved?. 2008, 395-411  Improving the prediction of treatment response in depression: integration of clinical, cognitive, psychophysiological, neuroimaging, and genetic measures. 2008, 13, 1066-86; quiz 1087-8  Reduced stress-sensitivity or increased reward experience: the psychological mechanism of response to antidepressant medication. Neuropsychopharmacology, 2009, 34, 923-31  High-density negative ion treatment increases positive affective memory. Psychological Medicine, 2009, 39, 1930-2  Effect of acute antidepressant administration on negative affective bias in depressed patients. American Journal of Psychiatry, 2009, 166, 1178-84  Why do antidepressants take so long to work? A cognitive neuropsychological model of	6.9	2 125 96 13 330

154	L∄nalyse des visages dans la dβression. <b>2009</b> , 74, 79-91		6
153	Evidence for modulation of facial emotional processing bias during emotional expression decoding by serotonergic and noradrenergic antidepressants: an event-related potential (ERP) study. <i>Psychopharmacology</i> , <b>2009</b> , 202, 621-34	4.7	32
152	Early effects of mirtazapine on emotional processing. <i>Psychopharmacology</i> , <b>2009</b> , 203, 685-91	4.7	60
151	Acute administration of the cannabinoid CB1 antagonist rimonabant impairs positive affective memory in healthy volunteers. <i>Psychopharmacology</i> , <b>2009</b> , 205, 85-91	4.7	59
150	Cerebellar dysfunction may play an important role in post-stroke depression. 2009, 72, 643-6		9
149	Bipolar anxiety. <b>2009</b> , 2, 95-8		4
148	Bipolar anxiety. <b>2009</b> , 2, 95-98		
147	Oxytocin enhances processing of positive versus negative emotional information in healthy male volunteers. <i>Journal of Psychopharmacology</i> , <b>2009</b> , 23, 241-8	4.6	186
146	Facial expression recognition in depressed subjects: the impact of intensity level and arousal dimension. <b>2009</b> , 197, 98-103		48
145	Clinical utility and DSM-V. <b>2009</b> , 21, 302-12		61
144	Short-term serotonergic but not noradrenergic antidepressant administration reduces attentional vigilance to threat in healthy volunteers. <b>2009</b> , 12, 169-79		66
143	Challenging conventional models of psychiatric drug therapy: an alternative patient-centered approach. <b>2010</b> , 5, 213-225		
142	A single dose of mirtazapine modulates neural responses to emotional faces in healthy people. <i>Psychopharmacology</i> , <b>2010</b> , 212, 625-34	4.7	51
141	Antidepressant drug action: a neuropsychological perspective. <b>2010</b> , 27, 231-3		24
140	Prodromal symptoms and atypical affectivity as predictors of major depression in juveniles: implications for prevention. <b>2010</b> , 51, 472-96		76
139	Emotion causes targeted forgetting of established memories. <b>2010</b> , 4, 175		34
138	A new strategy for antidepressant prescription. <b>2010</b> , 4, 192		29
137	Lateral prefrontal cortex mediates the cognitive modification of attentional bias. <b>2010</b> , 67, 919-25		177

136	Reward and punishment processing in depression. <b>2010</b> , 68, 118-24		371
135	Processing dynamic facial affect in frequent cannabis-users: evidence of deficits in the speed of identifying emotional expressions. <b>2010</b> , 112, 27-32		50
134	Stable expression recognition abnormalities in unipolar depression. <b>2010</b> , 179, 38-42		44
133	Decreased recognition of negative affect after selective serotonin reuptake inhibition is dependent on genotype. <b>2010</b> , 177, 354-7		9
132	Antidepressants in healthy subjects: what are the psychotropic/psychological effects?. <b>2010</b> , 20, 433-53		44
131	Processing of facial emotion expression in major depression: a review. <b>2010</b> , 44, 681-96		312
130	Use of duloxetine in patients with an anxiety disorder, or with comorbid anxiety and major depressive disorder: a review of the literature. <b>2010</b> , 11, 1167-81		19
129	NK1 receptor antagonism and emotional processing in healthy volunteers. <i>Journal of Psychopharmacology</i> , <b>2010</b> , 24, 481-7	6	23
128	Antidepressant psychopharmacology and the social brain. <b>2011</b> , 74, 72-86		7
127	The Neural Basis of the Dynamic Unconscious. <b>2011</b> , 13, 5-31		54
127	The Neural Basis of the Dynamic Unconscious. <b>2011</b> , 13, 5-31  Two-week administration of the combined serotonin-noradrenaline reuptake inhibitor duloxetine augments functioning of mesolimbic incentive processing circuits. <b>2011</b> , 70, 568-74		54 46
	Two-week administration of the combined serotonin-noradrenaline reuptake inhibitor duloxetine		
126	Two-week administration of the combined serotonin-noradrenaline reuptake inhibitor duloxetine augments functioning of mesolimbic incentive processing circuits. <b>2011</b> , 70, 568-74		46
126	Two-week administration of the combined serotonin-noradrenaline reuptake inhibitor duloxetine augments functioning of mesolimbic incentive processing circuits. <b>2011</b> , 70, 568-74  The misclassification of facial expressions in generalised social phobia. <b>2011</b> , 25, 278-83  What is the relationship between the recognition of emotions and core beliefs: Associations between the recognition of emotions in facial expressions and the maladaptive schemas in		46
126 125 124	Two-week administration of the combined serotonin-noradrenaline reuptake inhibitor duloxetine augments functioning of mesolimbic incentive processing circuits. <b>2011</b> , 70, 568-74  The misclassification of facial expressions in generalised social phobia. <b>2011</b> , 25, 278-83  What is the relationship between the recognition of emotions and core beliefs: Associations between the recognition of emotions in facial expressions and the maladaptive schemas in depressed patients. <b>2011</b> , 42, 129-37		46 49 29
126 125 124	Two-week administration of the combined serotonin-noradrenaline reuptake inhibitor duloxetine augments functioning of mesolimbic incentive processing circuits. <b>2011</b> , 70, 568-74  The misclassification of facial expressions in generalised social phobia. <b>2011</b> , 25, 278-83  What is the relationship between the recognition of emotions and core beliefs: Associations between the recognition of emotions in facial expressions and the maladaptive schemas in depressed patients. <b>2011</b> , 42, 129-37  Attentional bias in untreated panic disorder. <b>2011</b> , 185, 387-93		46 49 29
126 125 124 123	Two-week administration of the combined serotonin-noradrenaline reuptake inhibitor duloxetine augments functioning of mesolimbic incentive processing circuits. 2011, 70, 568-74  The misclassification of facial expressions in generalised social phobia. 2011, 25, 278-83  What is the relationship between the recognition of emotions and core beliefs: Associations between the recognition of emotions in facial expressions and the maladaptive schemas in depressed patients. 2011, 42, 129-37  Attentional bias in untreated panic disorder. 2011, 185, 387-93  CASE STUDIES IN NEUROSCIENCE: UNIQUE CHALLENGES AND EXAMPLES. 168-179  Major depression is associated with impaired processing of emotion in music as well as in facial and vocal stimuli. 2011, 128, 243-51	3-7	46 49 29 35

118	Attentional bias in depressive patients and the moderating effect of concurrent anxiety. <b>2011</b> , 44, 193-200	)	7
117	Access of emotional information to visual awareness in patients with major depressive disorder.  **Psychological Medicine*, <b>2011</b> , 41, 1615-24	)	45
116	Motherhood and Postnatal Depression. 2011,		19
115	Agomelatine facilitates positive versus negative affective processing in healthy volunteer models. <i>Journal of Psychopharmacology</i> , <b>2011</b> , 25, 1159-67  4.0	5	50
114	Monoamine oxidase A binding in the prefrontal and anterior cingulate cortices during acute withdrawal from heavy cigarette smoking. <b>2011</b> , 68, 817-26		55
113	Using an experimental medicine model to understand the antidepressant potential of the N-Methyl-D-aspartic acid (NMDA) receptor antagonist memantine. <i>Journal of Psychopharmacology</i> , 4.0 <b>2012</b> , 26, 1417-23	5	15
112	Emotional processing and antidepressant action. <b>2013</b> , 14, 209-22		25
111	Effect of dopamine Direceptor antagonism on approach responses to food cues in overweight and obese individuals. <b>2012</b> , 23, 603-8		31
110	Cognitive mechanisms of treatment in depression. <i>Neuropsychopharmacology</i> , <b>2012</b> , 37, 117-36	7	319
109	Glucocorticoids interact with the noradrenergic arousal system in the nucleus accumbens shell to enhance memory consolidation of both appetitive and aversive taste learning. <b>2012</b> , 98, 197-205		27
108	A comparison of facial emotion processing in neurological and psychiatric conditions. <b>2012</b> , 3, 98		34
107	Mindfulness training alters emotional memory recall compared to active controls: support for an emotional information processing model of mindfulness. <b>2012</b> , 6, 15		48
106	Cognitive Bias Modification Using Mental Imagery for Depression: Developing a Novel Computerized Intervention to Change Negative Thinking Styles. <b>2012</b> , 26, 145-157		116
105	Neurocognitive functioning in early-onset and late-onset older patients with euthymic bipolar disorder. <b>2013</b> , 28, 142-8		40
104	Behavioral Neurobiology of Depression and Its Treatment. 2013,		3
103	A comparison of the subsecond dynamics of neurotransmission of dopamine and serotonin. <b>2013</b> , 4, 704-14		23
102	Hydrocortisone infusion exerts dose- and sex-dependent effects on attention to emotional stimuli. <b>2013</b> , 81, 247-55		10
101	Recognition of emotion from body language among patients with unipolar depression. <b>2013</b> , 209, 40-9		24

## (2016-2013)

100	A translational rodent assay of affective biases in depression and antidepressant therapy. Neuropsychopharmacology, <b>2013</b> , 38, 1625-35	8.7	67
99	Changes in automatic threat processing precede and predict clinical changes with exposure-based cognitive-behavior therapy for panic disorder. <b>2013</b> , 73, 1064-70		58
98	The neurobiology of depression and antidepressant action. <b>2013</b> , 37, 2331-71		315
97	Training the emotional brain: improving affective control through emotional working memory training. <b>2013</b> , 33, 5301-11		206
96	Noradrenergic modulation of cognition: therapeutic implications. <i>Journal of Psychopharmacology</i> , <b>2013</b> , 27, 694-718	4.6	142
95	Combined NKI antagonism and serotonin reuptake inhibition: effects on emotional processing in humans. <i>Journal of Psychopharmacology</i> , <b>2013</b> , 27, 435-43	4.6	16
94	Alpha 2B adrenoceptor genotype moderates effect of reboxetine on negative emotional memory bias in healthy volunteers. <b>2013</b> , 33, 17023-8		9
93	Disrupting pre-SMA activity impairs facial happiness recognition: an event-related TMS study. <b>2013</b> , 23, 1517-25		31
92	Hippocampal and prefrontal dopamine D1/5 receptor involvement in the memory-enhancing effect of reboxetine. <b>2013</b> , 16, 2041-51		23
91	Antidepressant treatment and emotional processing: can we dissociate the roles of serotonin and noradrenaline?. <i>Journal of Psychopharmacology</i> , <b>2013</b> , 27, 719-31	4.6	19
90	Self-referential processing, rumination, and cortical midline structures in major depression. <b>2013</b> , 7, 666	j	195
89	Change in Brainstem Gray Matter Concentration Following a Mindfulness-Based Intervention is Correlated with Improvement in Psychological Well-Being. <b>2014</b> , 8, 33		48
88	Catechol-O-methyltransferase val158met genotype determines effect of reboxetine on emotional memory in healthy male volunteers. <i>Journal of Psychiatry and Neuroscience</i> , <b>2014</b> , 39, E24-31	4.5	7
87	Noradrenergic IA-receptor stimulation in the ventral hippocampus reduces impulsive decision-making. <i>Psychopharmacology</i> , <b>2014</b> , 231, 521-31	4.7	25
86	MDMA enhances emotional empathy and prosocial behavior. <b>2014</b> , 9, 1645-52		171
85	Dimorphic changes of some features of loving relationships during long-term use of antidepressants in depressed outpatients. <b>2014</b> , 166, 151-5		7
84	Acute fluoxetine modulates emotional processing in young adult volunteers. <i>Psychological Medicine</i> , <b>2015</b> , 45, 2295-308	6.9	16
83	Affective Biases in Humans and Animals. <b>2016</b> , 263		16

82	Drug effects on responses to emotional facial expressions: recent findings. <b>2015</b> , 26, 571-9		19
81	Early effects of duloxetine on emotion recognition in healthy volunteers. <i>Journal of Psychopharmacology</i> , <b>2015</b> , 29, 634-41	4.6	10
80	Testing the antidepressant properties of the peptide ARA290 in a human neuropsychological model of drug action. <b>2015</b> , 25, 2289-99		7
79	The cognitive neuropsychological model of antidepressant response. <b>2015</b> , 4, 124-130		4
78	Brain imaging in understanding the action of psychotropic drugs: The drugs for depression. <b>2015</b> , 173, 255-258		
77	The trajectory of neuropsychological dysfunctions in bipolar disorders: a critical examination of a hypothesis. <b>2015</b> , 175, 396-402		29
76	Tianeptine in an experimental medicine model of antidepressant action. <i>Journal of Psychopharmacology</i> , <b>2015</b> , 29, 582-90	4.6	6
75	A neurocognitive model for understanding treatment action in depression. <b>2015</b> , 370, 20140213		42
74	Single-dose serotonergic stimulation shows widespread effects on functional brain connectivity. <b>2015</b> , 122, 440-50		51
73	Improving the Translational Validity of Methods Used to Study Depression in Animals. <b>2016</b> , a3, 41-63		3
<del>72</del>	Relationship between G1287A of the NET Gene Polymorphisms and Brain Volume in Major Depressive Disorder: A Voxel-Based MRI Study. <b>2016</b> , 11, e0150712		14
71	Effect of chronotype on emotional processing and risk taking. <b>2016</b> , 33, 406-18		29
70	Noradrenaline effects on social behaviour, intergroup relations, and moral decisions. <b>2016</b> , 66, 54-60		32
69	Effects of sertraline, duloxetine, vortioxetine, and idazoxan in the rat affective bias test. <i>Psychopharmacology</i> , <b>2016</b> , 233, 3763-3770	4.7	6
68	Effects of psychotropic drugs used in the treatment of anxiety disorders on the recognition of facial expressions of emotion: Critical analysis of literature. <b>2016</b> , 71, 802-809		11
67	The Role of Serotonin in Aversive Inhibition: Behavioural, Cognitive and Neural Perspectives. <b>2016</b> , a3, 29-40		4
66	Behavioral and emotional adverse events of drugs frequently used in the treatment of bipolar disorders: clinical and theoretical implications. <b>2016</b> , 4, 6		11
65	A single dose of mirtazapine attenuates neural responses to self-referential processing. <i>Journal of Psychopharmacology</i> , <b>2016</b> , 30, 23-32	4.6	13

64	The Importance of Considering Clinical Utility in the Construction of a Diagnostic Manual. 2016, 12, 133-	55	22
63	Frontal Cortex Stimulation Reduces Vigilance to Threat: Implications for the Treatment of Depression and Anxiety. <b>2016</b> , 79, 823-830		83
62	Ketamine decreases sensitivity of male rats to misleading negative feedback in a probabilistic reversal-learning task. <i>Psychopharmacology</i> , <b>2017</b> , 234, 613-620	4.7	11
61	Single dose of mirtazapine modulates whole-brain functional connectivity during emotional narrative processing. <b>2017</b> , 263, 61-69		6
60	Adult hippocampal neurogenesis: Is it the alpha and omega of antidepressant action?. 2017, 141, 86-99		37
59	No evidence for an acute placebo effect on emotional processing in healthy volunteers. <i>Journal of Psychopharmacology</i> , <b>2017</b> , 31, 1578-1587	4.6	7
58	Prefrontal cortex stimulation does not affect emotional bias, but may slow emotion identification. <b>2017</b> , 12, 839-847		13
57	The effects of using the PReDicT Test to guide the antidepressant treatment of depressed patients: study protocol for a randomised controlled trial. <b>2017</b> , 18, 558		20
56	Short-term escitalopram treatment normalizes aberrant self-referential processing in major depressive disorder. <b>2018</b> , 236, 222-229		35
55	Transcranial Direct Current Stimulation for the Treatment of Depression: a Review of the Candidate Mechanisms of Action. <b>2018</b> , 5, 26-35		1
54	Dissociable temporal effects of bupropion on behavioural measures of emotional and reward processing in depression. <b>2018</b> , 373,		17
53	Psilocybin with psychological support improves emotional face recognition in treatment-resistant depression. <i>Psychopharmacology</i> , <b>2018</b> , 235, 459-466	4.7	35
52	A Dissociation of the Acute Effects of Bupropion on Positive Emotional Processing and Reward Processing in Healthy Volunteers. <i>Frontiers in Psychiatry</i> , <b>2018</b> , 9, 482	5	9
51	Using rodents to model abnormal sensitivity to feedback in depression. <b>2018</b> , 95, 336-346		9
50	A Systematic Review of Cognitive Predictors of Treatment Outcome in Major Depression. <i>Frontiers in Psychiatry</i> , <b>2018</b> , 9, 382	5	26
49	Translational new approaches for investigating mood disorders in rodents and what they may reveal about the underlying neurobiology of major depressive disorder. <b>2018</b> , 373,		28
48	The Role of the Cerebellum in Cognitive and Affective Processes. 2018,		1
47	What can we learn about mood disorders from olfactory processes?. <b>2018</b> , 20, 562-563		1

46	Variation in recognition of happy and sad facial expressions and self-reported depressive symptom severity: A prospective cohort study. <b>2019</b> , 257, 461-469		8
45	Measuring change in anhedonia using the "Happy Faces" task pre- to post-repetitive transcranial magnetic stimulation (rTMS) treatment to left dorsolateral prefrontal cortex in Major Depressive Disorder (MDD): relation to empathic happiness. <b>2019</b> , 9, 217		5
44	Subjective response to antipsychotics in bipolar disorders: A review of a neglected area. 2019, 62, 45-49	ı	4
43	Transcranial Direct Current Stimulation in Psychiatry: Mood Disorders, Schizophrenia and Other Psychiatric Diseases. <b>2019</b> , 431-471		3
42	A Critical Review and Synthesis of Clinical and Neurocognitive Effects of Noninvasive Neuromodulation Antidepressant Therapies. <b>2019</b> , 17, 18-29		5
41	Cognitive neuropsychological theory: Reconciliation of psychological and biological approaches for depression. <b>2019</b> , 197, 38-51		5
40	Subchronic treatment with St John's wort produces a positive shift in emotional processing in healthy volunteers. <i>Journal of Psychopharmacology</i> , <b>2019</b> , 33, 194-201	4.6	6
39	Effects of cognitive judgement bias and acute antidepressant treatment on sensitivity to feedback and cognitive flexibility in the rat version of the probabilistic reversal-learning test. <b>2019</b> , 359, 619-629		9
38	A role for 5-HT receptors in human learning and memory. <i>Psychological Medicine</i> , <b>2020</b> , 50, 2722-2730	6.9	18
37	Efficacy and acceptability of transcranial direct current stimulation (tDCS) for major depressive disorder: An individual patient data meta-analysis. <b>2020</b> , 99, 109836		46
36	Negative memory bias as a transdiagnostic cognitive marker for depression symptom severity. <b>2020</b> , 274, 1165-1172		8
35	Trait Sensitivity to Negative and Positive Feedback Does Not Interact With the Effects of Acute Antidepressant Treatment on Hedonic Status in Rats. <b>2020</b> , 14, 147		O
34	Effect of the NMDA receptor partial agonist, d-cycloserine, on emotional processing and autobiographical memory. <i>Psychological Medicine</i> , <b>2021</b> , 51, 2657-2665	6.9	1
33	A single administration of the antibiotic, minocycline, reduces fear processing and improves implicit learning in healthy volunteers: analysis of the serum metabolome. <b>2020</b> , 10, 148		6
32	Emotional Engineering, Vol. 8. <b>2020</b> ,		
31	Cognitive neuropsychological theory of antidepressant action: a modern-day approach to depression and its treatment. <i>Psychopharmacology</i> , <b>2021</b> , 238, 1265-1278	4.7	21
30	A Causal Role for Gastric Rhythm in Human Disgust Avoidance. <b>2021</b> , 31, 629-634.e3		8
29	Predicting Response to Brain Stimulation in Depression: a Roadmap for Biomarker Discovery. <b>2021</b> , 8, 11-19		2

28	Forgetting Unwanted Memories: Active Forgetting and Implications for the Development of Psychological Disorders. <b>2021</b> , 11,		3
27	Effects of glucocorticoid and noradrenergic activity on implicit and explicit facial emotion recognition in healthy young men. <b>2021</b> , 1-7		1
26	Unconscious processing of subliminal stimuli in panic disorder: A systematic review and meta-analysis. <b>2021</b> , 128, 136-151		3
25	The Tail-Suspension Test: A Model for Characterizing Antidepressant Activity in Mice.  Neuromethods, <b>2009</b> , 119-137	0.4	5
24	Animal Models of Risk Factors for Suicidal Ideation and Behaviour. <b>2014</b> , 295-314		3
23	The clinical effectiveness of using a predictive algorithm to guide antidepressant treatment in primary care (PReDicT): an open-label, randomised controlled trial. <i>Neuropsychopharmacology</i> , <b>2021</b> , 46, 1307-1314	8.7	11
22	Functional MRI and parental responsiveness: a new avenue into parental psychopathology and early parent-child interactions?. <i>British Journal of Psychiatry</i> , <b>2003</b> , 183, 481-483	5.4	5
21	Do antidepressants cure or create abnormal brain states?. <i>PLoS Medicine</i> , <b>2006</b> , 3, e240	11.6	54
20	Onset of improvement and response to mirtazapine in depression: a multicenter naturalistic study of 4771 patients. <i>Neuropsychiatric Disease and Treatment</i> , <b>2005</b> , 1, 59-68	3.1	13
19	The effects of drugs on human models of emotional processing: an account of antidepressant drug treatment. <i>Dialogues in Clinical Neuroscience</i> , <b>2015</b> , 17, 477-87	5.7	43
18	Attentional bias in individuals with depression and adverse childhood experiences: influence of the noradrenergic system?. <i>Psychopharmacology</i> , <b>2021</b> , 238, 3519-3531	4.7	
17	Accuracy in recognising happy facial expressions is associated with antidepressant response to a NOP receptor antagonist but not placebo treatment. <i>Journal of Psychopharmacology</i> , <b>2021</b> , 35, 1473-14	<del>78</del> 6	1
16	Biopsychosocial Theories and Treatment Options for Postnatal Depression. 2011, 23-37		
15	The Romantic Brain: Secure Attachment Activates the Brainstem Centers of Well-Being. <b>2020</b> , 135-147		
14	Trauma und Verarbeitung in den USA nach dem 11. September 2001. <b>2006</b> , 391-410		3
13	Increased positive emotional memory after repetitive transcranial magnetic stimulation over the orbitofrontal cortex. <i>Journal of Psychiatry and Neuroscience</i> , <b>2006</b> , 31, 101-4	4.5	34
12	High-frequency repetitive transcranial magnetic stimulation to the cerebellum and implicit processing of happy facial expressions. <i>Journal of Psychiatry and Neuroscience</i> , <b>2009</b> , 34, 60-5	4.5	36
11	Simultaneous brain, brainstem and spinal cord pharmacological-fMRI reveals involvement of an endogenous opioid network in attentional analgesia <i>ELife</i> , <b>2022</b> , 11,	8.9	2

10	Are all antidepressants the same? The consumer has a point Psychological Medicine, 2022, 1-8	6.9	O
9	The Effect of the 5-HT Agonist, Prucalopride, on a Functional Magnetic Resonance Imaging Faces Task in the Healthy Human Brain <i>Frontiers in Psychiatry</i> , <b>2022</b> , 13, 859123	5	
8	Table_1.DOCX. <b>2018</b> ,		
7	Neuroenhancement: State of the Art and Future Perspectives <b>2021</b> , 18, 137-169		
6	Mania associated olfactory dysfunction: A comparison between bipolar subjects in mania and remission. <b>2022</b> , 156, 330-338		O
5	A systematic review of the pharmacological modulation of autobiographical memory specificity. 13,		O
4	REBOKSETNIN DIJABETK SIANLARDA BOZULMU[DAVRANI[PARAMETRELER[I]]ERNDEK[] YARARLI ETK[][ER[]] <b>2022</b> , 47, 5-5		O
3	Individual- and Connectivity-Based Real-Time fMRI Neurofeedback to Modulate Emotion-Related Brain Responses in Patients with Depression: A Pilot Study. <b>2022</b> , 12, 1714		O
2	Pharmacological Manipulations of Emotional Processing Biases: From Bench to Bedside. <b>2023</b> , 185-204	ļ	O
1	The Acute Effects of Psychoactive Drugs on Emotional Episodic Memory Encoding, Consolidation, and Retrieval. <b>2023</b> , 105188		O