

# Developing Inhibitors to Selectively Target Two-Component Transduction Systems of Pathogenic Microorganisms

Current Medicinal Chemistry

11, 765-773

DOI: [10.2174/0929867043455765](https://doi.org/10.2174/0929867043455765)

Citation Report

#	ARTICLE	IF	CITATIONS
1	Comparative Genomic Assessment of Novel Broad-Spectrum Targets for Antibacterial Drugs. <i>Comparative and Functional Genomics</i> , 2004, 5, 304-327.	2.0	44
2	Quorum sensing and bacterial cross-talk in biotechnology. <i>Current Opinion in Biotechnology</i> , 2004, 15, 495-502.	3.3	143
3	Finding the gems using genomic discovery: antibacterial drug discovery strategies – the successes and the challenges. <i>Drug Discovery Today: Therapeutic Strategies</i> , 2004, 1, 519-527.	0.5	25
4	Adjunct antimicrobial therapy – prospects for the future. <i>Therapy: Open Access in Clinical Medicine</i> , 2005, 2, 67-76.	0.2	4
5	Molecular insights into the initiation of sporulation in Gram-positive bacteria: new technologies for an old phenomenon. <i>FEMS Microbiology Reviews</i> , 2005, 29, 281-301.	3.9	44
6	Searching for Potential Drug Targets in Two-component and Phosphorelay Signal-transduction Systems using Three-dimensional Cluster Analysis. <i>Acta Biochimica Et Biophysica Sinica</i> , 2005, 37, 293-302.	0.9	11
7	New Class of Competitive Inhibitor of Bacterial Histidine Kinases. <i>Journal of Bacteriology</i> , 2005, 187, 8196-8200.	1.0	49
8	Structural Analysis and Solution Studies of the Activated Regulatory Domain of the Response Regulator ArcA: A Symmetric Dimer Mediated by the $\pm 4\text{-}\beta 2\text{-}\pm 5$ Face. <i>Journal of Molecular Biology</i> , 2005, 349, 11-26.	2.0	114
9	THE MAGIC BULLETS AND TUBERCULOSIS DRUG TARGETS. <i>Annual Review of Pharmacology and Toxicology</i> , 2005, 45, 529-564.	4.2	371
10	Regulation of bacterial virulence by two-component systems. <i>Current Opinion in Microbiology</i> , 2006, 9, 143-152.	2.3	371
11	Two-Component Signal Transduction Systems in the Cyanobacterium <i>Synechocystis</i> sp. PCC 6803*. <i>Tsinghua Science and Technology</i> , 2006, 11, 379-390.	4.1	3
12	Contrasting signal transduction mechanisms in bacterial and eukaryotic gene transcription. <i>FEMS Microbiology Letters</i> , 2006, 261, 155-164.	0.7	24
13	Characterization of the mrgRS locus of the opportunistic pathogen <i>Burkholderia pseudomallei</i> : temperature regulates the expression of a two-component signal transduction system. <i>BMC Microbiology</i> , 2006, 6, 70.	1.3	12
15	Bacterial sensor kinase TodS interacts with agonistic and antagonistic signals. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007, 104, 13774-13779.	3.3	88
16	The VicRK System of <i>Streptococcus mutans</i> Responds to Oxidative Stress. <i>Journal of Dental Research</i> , 2007, 86, 606-610.	2.5	71
17	Probing the nucleotide binding and phosphorylation by the histidine kinase of a novel three-protein two-component system from <i>Mycobacterium tuberculosis</i> . <i>FEBS Letters</i> , 2007, 581, 1903-1909.	1.3	16
18	Antituberculosis drugs: Ten years of research. <i>Bioorganic and Medicinal Chemistry</i> , 2007, 15, 2479-2513.	1.4	441
19	Toxin production in a rare and genetically remote cluster of strains of the <i>Bacillus cereus</i> group. <i>BMC Microbiology</i> , 2007, 7, 43.	1.3	75

#	ARTICLE	IF	CITATIONS
20	Bacterial response regulators: versatile regulatory strategies from common domains. Trends in Biochemical Sciences, 2007, 32, 225-234.	3.7	286
21	Roles of putative His-to-Asp signaling modules HPT-1 and RRG-2, on viability and sensitivity to osmotic and oxidative stresses in <i>Neurospora crassa</i> . Current Genetics, 2007, 51, 197-208.	0.8	87
22	The phosphate regulon and bacterial virulence: a regulatory network connecting phosphate homeostasis and pathogenesis. FEMS Microbiology Reviews, 2008, 32, 461-473.	3.9	383
23	Emerging roles for protein histidine phosphorylation in cellular signal transduction: lessons from the islet 1 $\beta$ cell. Journal of Cellular and Molecular Medicine, 2008, 12, 1885-1908.	1.6	18
24	Microcalorimetry: a response to challenges in modern biotechnology. Microbial Biotechnology, 2008, 1, 126-136.	2.0	73
25	Expression and characterization of the integral membrane domain of bacterial histidine kinase SCO3062 for structural studies. Biochemical and Biophysical Research Communications, 2008, 376, 409-413.	1.0	7
26	Essentiality, Bypass, and Targeting of the YycFG (VicRK) Two-Component Regulatory System in Gram-Positive Bacteria. Journal of Bacteriology, 2008, 190, 2645-2648.	1.0	89
27	Efforts Towards the Development of New Antitubercular Agents: Potential for Thiolactomycin Based Compounds. Journal of Pharmacy and Pharmaceutical Sciences, 2008, 11, 56.	0.9	32
28	Characterization of the Sporulation Initiation Pathway of <i>Clostridium difficile</i> and Its Role in Toxin Production. Journal of Bacteriology, 2009, 191, 7296-7305.	1.0	150
29	Benzoxazine Series of Histidine Kinase Inhibitors as Potential Antimicrobial Agents with Activity against Enterococci. Chemotherapy, 2009, 55, 414-417.	0.8	6
30	Evolution of prokaryotic two-component systems: insights from comparative genomics. Amino Acids, 2009, 37, 459-466.	1.2	58
31	The histidine kinase inhibitor Sda binds near the site of autophosphorylation and may sterically hinder autophosphorylation and phosphotransfer to Spo0F. Molecular Microbiology, 2009, 71, 659-677.	1.2	43
32	Probing the Roles of the Two Different Dimers Mediated by the Receiver Domain of the Response Regulator PhoB. Journal of Molecular Biology, 2009, 389, 349-364.	2.0	39
33	Novel antibacterial compounds specifically targeting the essential WalR response regulator. Journal of Antibiotics, 2010, 63, 127-134.	1.0	54
34	Kinetics of ATP and TNP-ATP Binding to the Active Site of CheA from <i>Thermotoga maritima</i> . Biochemistry, 2010, 49, 5799-5809.	1.2	15
35	Two-component signal transduction as potential drug targets in pathogenic bacteria. Current Opinion in Microbiology, 2010, 13, 232-239.	2.3	267
36	Adaptation of <i>Bacillus cereus</i> , an ubiquitous worldwide-distributed foodborne pathogen, to a changing environment. Food Research International, 2010, 43, 1885-1894.	2.9	76
37	Mechanism for the Autophosphorylation of CheA Histidine Kinase: QM/MM Calculations. Journal of Physical Chemistry B, 2011, 115, 11895-11901.	1.2	14

#	ARTICLE	IF	CITATIONS
38	A High-Throughput TNP-ATP Displacement Assay for Screening Inhibitors of ATP-Binding in Bacterial Histidine Kinases. <i>Assay and Drug Development Technologies</i> , 2011, 9, 174-183.	0.6	24
39	Predicting the Fission Yeast Protein Interaction Network. <i>G3: Genes, Genomes, Genetics</i> , 2012, 2, 453-467.	0.8	29
40	Broad Spectrum Pro-Quorum-Sensing Molecules as Inhibitors of Virulence in Vibrios. <i>PLoS Pathogens</i> , 2012, 8, e1002767.	2.1	76
41	Lactoferricin B Inhibits the Phosphorylation of the Two-Component System Response Regulators BasR and CreB. <i>Molecular and Cellular Proteomics</i> , 2012, 11, M111.014720.	2.5	38
42	Thiazolidione derivatives targeting the histidine kinase YycG are effective against both planktonic and biofilm-associated <i>Staphylococcus epidermidis</i> . <i>Acta Pharmacologica Sinica</i> , 2012, 33, 418-425.	2.8	25
43	Decreased Expression of Type 1 Fimbriae by a <i>pst</i> Mutant of Uropathogenic <i>Escherichia coli</i> Reduces Urinary Tract Infection. <i>Infection and Immunity</i> , 2012, 80, 2802-2815.	1.0	49
44	A Review of Antimycobacterial Drugs in Development. <i>Mini-Reviews in Medicinal Chemistry</i> , 2012, 12, 1404-1418.	1.1	3
45	Identification of BfmR, a Response Regulator Involved in Biofilm Development, as a Target for a 2-Aminoimidazole-Based Antibiofilm Agent. <i>Biochemistry</i> , 2012, 51, 9776-9778.	1.2	72
46	Isolation and Characterization of Signermycin B, an Antibiotic That Targets the Dimerization Domain of Histidine Kinase Walk. <i>Antimicrobial Agents and Chemotherapy</i> , 2012, 56, 3657-3663.	1.4	41
47	Essential genes in <i>Bacillus subtilis</i> : a re-evaluation after ten years. <i>Molecular BioSystems</i> , 2013, 9, 1068.	2.9	95
48	Role of the PAS Sensor Domains in the <i>Bacillus subtilis</i> Sporulation Kinase KinA. <i>Journal of Bacteriology</i> , 2013, 195, 2349-2358.	1.0	11
49	DevR (DosR) mimetic peptides impair transcriptional regulation and survival of <i>Mycobacterium tuberculosis</i> under hypoxia by inhibiting the autokinase activity of DevS sensor kinase. <i>BMC Microbiology</i> , 2014, 14, 195.	1.3	29
51	Teaching old drugs new tricks: Addressing resistance in <i>Francisella</i> . <i>Virulence</i> , 2015, 6, 414-416.	1.8	2
52	VirR-Mediated Resistance of <i>Listeria monocytogenes</i> against Food Antimicrobials and Cross-Protection Induced by Exposure to Organic Acid Salts. <i>Applied and Environmental Microbiology</i> , 2015, 81, 4553-4562.	1.4	61
53	The Response Regulator BfmR Is a Potential Drug Target for <i>Acinetobacter baumannii</i> . <i>MSphere</i> , 2016, 1, .	1.3	91
54	<i>Listeria monocytogenes</i> – An examination of food chain factors potentially contributing to antimicrobial resistance. <i>Food Microbiology</i> , 2016, 54, 178-189.	2.1	92
55	Bacterial signal transduction networks via connectors and development of the inhibitors as alternative antibiotics. <i>Bioscience, Biotechnology and Biochemistry</i> , 2017, 81, 1663-1669.	0.6	12
56	Evaluation of a 2-aminoimidazole variant as adjuvant treatment for dermal bacterial infections. <i>Drug Design, Development and Therapy</i> , 2017, Volume11, 153-162.	2.0	8

#	ARTICLE	IF	CITATIONS
57	The role of the CroR response regulator in resistance of <i>Enterococcus faecalis</i> to Dâ€œcycloserine is defined using an inducible receiver domain. <i>Molecular Microbiology</i> , 2018, 107, 416-427.	1.2	13
58	Essential Two-Component Systems Regulating Cell Envelope Functions: Opportunities for Novel Antibiotic Therapies. <i>Journal of Membrane Biology</i> , 2018, 251, 75-89.	1.0	29
59	IN SILICO IDENTIFICATION OF NOVEL DRUG TARGETS IN ACINETOBACTER BAUMANNII BY SUBTRACTIVE GENOMIC APPROACH. <i>Asian Journal of Pharmaceutical and Clinical Research</i> , 2018, 11, 230.	0.3	12
60	Moleculer dynamics simulaiton revealed reciever domain of <i>Acinetobacter baumannii</i> BfmR enzyme as the hot spot for future antibiotics designing. <i>Journal of Biomolecular Structure and Dynamics</i> , 2019, 37, 2897-2912.	2.0	6
61	Roles of two-component regulatory systems in antibiotic resistance. <i>Future Microbiology</i> , 2019, 14, 533-552.	1.0	111
62	The role of ArlRS in regulating oxacillin susceptibility in methicillin-resistant <i>Staphylococcus aureus</i> indicates it is a potential target for antimicrobial resistance breakers. <i>Emerging Microbes and Infections</i> , 2019, 8, 503-515.	3.0	25
63	Signal Transduction Proteins in <i>Acinetobacter baumannii</i> : Role in Antibiotic Resistance, Virulence, and Potential as Drug Targets. <i>Frontiers in Microbiology</i> , 2019, 10, 49.	1.5	55
64	Quorum Sensing Inhibition: Current Advances of the Natural Antimicrobial Agents. <i>Russian Journal of Bioorganic Chemistry</i> , 2019, 45, 488-504.	0.3	2
65	Quinazoline-Based Antivirulence Compounds Selectively Target <i>Salmonella</i> PhoP/PhoQ Signal Transduction System. <i>Antimicrobial Agents and Chemotherapy</i> , 2019, 64, .	1.4	23
66	Progress Overview of Bacterial Two-Component Regulatory Systems as Potential Targets for Antimicrobial Chemotherapy. <i>Antibiotics</i> , 2020, 9, 635.	1.5	42
67	2â€œAminobenzothiazoles Inhibit Virulence Gene Expression and Block Polymyxin Resistance in <i>Salmonella enterica</i> . <i>ChemBioChem</i> , 2020, 21, 3500-3503.	1.3	6
68	Capturing the VirA/VirG TCS of <i>Agrobacterium tumefaciens</i> . <i>Advances in Experimental Medicine and Biology</i> , 2008, 631, 161-177.	0.8	13
69	Adjunct antimicrobial therapy - prospects for the future. <i>Therapy: Open Access in Clinical Medicine</i> , 2005, 2, 67-76.	0.2	0
70	Two-component signal transduction systems: the adapt and survive response. <i>Microbiology Australia</i> , 2006, 27, 101.	0.1	0
71	Modulating quorum sensing and type III secretion systems in bacterial plant pathogens for disease management.., 2007, , 16-57.		2
72	HepK, a protein-histidine kinase from the cyanobacterium <i>Anabaena</i> sp. strain PCC 7120, binds sequence-specifically to DNA. <i>Trends in Bacteriology</i> , 2014, 1, 3.	0.0	0
73	HepK, a protein-histidine kinase from the cyanobacterium <i>Anabaena</i> sp. strain PCC 7120, binds sequence-specifically to DNA. <i>International Research Journal of Bacteriology</i> , 2014, 1, 3.	0.0	0
74	<i>uvrY</i> Deletion and Acetate Reduce Gut Colonization of Crohnâ€™s Disease-Associated Adherent-Invasive <i>Escherichia coli</i> by Decreasing Expression of Type 1 Fimbriae. <i>Infection and Immunity</i> , 2022, 90, iai0066221.	1.0	6

#	ARTICLE	IF	CITATIONS
75	Two-Component Regulatory Systems. , 0, , 502-543.		0
76	The W-Acidic Motif of Histidine Kinase Walk Is Required for Signaling and Transcriptional Regulation in <i>Streptococcus mutans</i> . <i>Frontiers in Microbiology</i> , 2022, 13, 820089.	1.5	1
77	Microbial Genomics: Innovative Targets and Mechanisms. <i>Antibiotics</i> , 2023, 12, 190.	1.5	1
78	Study of structurally diverse currently used and recently developed antimycobacterial drugs. <i>Medicinal Chemistry</i> , 2023, 19, .	0.7	0
79	Small Molecule Attenuates Bacterial Virulence by Targeting Conserved Response Regulator. <i>MBio</i> , 0, , .	1.8	1