

CITATION REPORT

List of articles citing

Cell surface expression of alpha1D-adrenergic receptors is controlled by heterodimerization with alpha1B-adrenergic receptors

DOI: 10.1074/jbc.m314014200

Journal of Biological Chemistry, 2004, 279, 15541-9.

Source: <https://exaly.com/paper-pdf/36499298/citation-report.pdf>

Version: 2024-04-27

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
135	Subtype-selective noncompetitive or competitive inhibition of human alpha1-adrenergic receptors by rho-T1A. <i>Journal of Biological Chemistry</i> , 2004 , 279, 35326-33	5.4	27
134	Preferential formation of MT1/MT2 melatonin receptor heterodimers with distinct ligand interaction properties compared with MT2 homodimers. <i>Molecular Pharmacology</i> , 2004 , 66, 312-21	4.3	171
133	Olfactory receptor surface expression is driven by association with the beta2-adrenergic receptor. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2004 , 101, 13672-6	11.5	93
132	Homodimerization of the beta2-adrenergic receptor as a prerequisite for cell surface targeting. <i>Journal of Biological Chemistry</i> , 2004 , 279, 33390-7	5.4	243
131	The state of GPCR research in 2004. 2004 , 3, 575, 577-626		70
130	Alpha1-adrenoceptor subtype substitution in knockout mice. <i>British Journal of Pharmacology</i> , 2004 , 142, 919	8.6	
129	Hepatocytes from alpha1B-adrenoceptor knockout mice reveal compensatory adrenoceptor subtype substitution. <i>British Journal of Pharmacology</i> , 2004 , 142, 1031-7	8.6	20
128	The elusive alpha(1D)-adrenoceptor: molecular and cellular characteristics and integrative roles. <i>European Journal of Pharmacology</i> , 2004 , 500, 113-20	5.3	34
127	Alpha1 adrenoceptor subtypes in human urinary bladder: sex and regional comparison. 2004 , 76, 417-27		22
126	Dimerization of alpha1-adrenoceptors. 2004 , 32, 847-50		8
125	Addition of a signal peptide sequence to the alpha1D-adrenoceptor gene increases the density of receptors, as determined by [3H]-prazosin binding in the membranes. <i>British Journal of Pharmacology</i> , 2005 , 144, 651-9	8.6	18
124	Insights into the functional roles of alpha(1)-adrenoceptor subtypes in mouse carotid arteries using knockout mice. <i>British Journal of Pharmacology</i> , 2005 , 144, 558-65	8.6	23
123	Methods to monitor the quaternary structure of G protein-coupled receptors. 2005 , 272, 2914-25		189
122	Recent progress in alpha1-adrenergic receptor research. 2005 , 26, 1281-7		63
121	The regulatory mechanisms of export trafficking of G protein-coupled receptors. <i>Cellular Signalling</i> , 2005 , 17, 1457-65	4.9	120
120	Homodimerization and internalization of galanin type 1 receptor in living CHO cells. 2005 , 39, 535-46		28
119	Evidence for the presence of alpha1 adrenoceptor subtypes in the human ureter. 2005 , 24, 142-8		141

118	Correlation between mRNA levels and functional role of alpha1-adrenoceptor subtypes in arteries: evidence of alpha1L as a functional isoform of the alpha1A-adrenoceptor. 2005 , 289, H1923-32		45
117	Heterodimerization of g protein-coupled receptors: specificity and functional significance. <i>Pharmacological Reviews</i> , 2005 , 57, 289-98	22.5	312
116	Heterodimerization with beta2-adrenergic receptors promotes surface expression and functional activity of alpha1D-adrenergic receptors. 2005 , 313, 16-23		118
115	Assembly-dependent surface targeting of the heterodimeric GABAB Receptor is controlled by COPI but not 14-3-3. 2005 , 16, 5572-8		68
114	Structure-activity relationships in 1,4-benzodioxan-related compounds. 8.(1) {2-[2-(4-chlorobenzoyloxy)phenoxy]ethyl}-[2-(2,6-dimethoxyphenoxy)ethyl]amine (clopenphendioxan) as a tool to highlight the involvement of alpha1D- and alpha1B-adrenoceptor subtypes in the regulation of human PC-3 prostate cancer cell apoptosis and proliferation. 2005 , Successful expression of a functional yeast G-protein-coupled receptor (Ste2) in mammalian cells. <i>Biochemical and Biophysical Research Communications</i> , 2005 , 329, 281-7		22
113	Emerging role of homo- and heterodimerization in G-protein-coupled receptor biosynthesis and maturation. <i>Trends in Pharmacological Sciences</i> , 2005 , 26, 131-7	3.4	17
112	Syntrophins regulate alpha1D-adrenergic receptors through a PDZ domain-mediated interaction. <i>Journal of Biological Chemistry</i> , 2006 , 281, 12414-20	13.2	390
111	Heterodimers of alpha1B- and alpha1D-adrenergic receptors form a single functional entity. <i>Molecular Pharmacology</i> , 2006 , 69, 45-55	5.4	47
110	Regulation of pharmacology by hetero-oligomerization between A1 adenosine receptor and P2Y2 receptor. <i>Biochemical and Biophysical Research Communications</i> , 2006 , 351, 559-65	4.3	65
109	Subtype-specific alpha1- and beta-adrenoceptor signaling in the heart. <i>Trends in Pharmacological Sciences</i> , 2006 , 27, 330-7	3.4	59
108	Physiological significance of thromboxane A(2) receptor dimerization. 2006 , 100, 263-70	13.2	128
107	Molecular cloning, stable expression and cellular localization of human alpha1-adrenergic receptor subtypes: effect of charcoal/dextran treated serum on expression and localization of alpha1D -adrenergic receptor. 2006 , 28, 1731-9		22
106	Adrenoceptors and signal transduction in neurons. 2006 , 326, 541-51		4
105	Cell-surface targeting of alpha2-adrenergic receptors -- inhibition by a transport deficient mutant through dimerization. <i>Cellular Signalling</i> , 2006 , 18, 318-27	4.3	148
104	Quantitative mRNA analysis of adrenergic receptor subtypes in the intestines of healthy dairy cows and dairy cows with cecal dilatation-dislocation. 2006 , 67, 1367-76		8
103	Effects of alpha1D-adrenergic receptors on shedding of biologically active EGF in freshly isolated lacrimal gland epithelial cells. 2006 , 291, C946-56		32
102	The alpha(1D)-adrenergic receptor: cinderella or ugly stepsister. <i>Molecular Pharmacology</i> , 2006 , 69, 1-4	4.3	5
101			

100	Alpha2C-adrenergic receptors exhibit enhanced surface expression and signaling upon association with beta2-adrenergic receptors. 2006 , 318, 974-81		26
99	Differential regulation of the cell-surface targeting and function of beta- and alpha1-adrenergic receptors by Rab1 GTPase in cardiac myocytes. <i>Molecular Pharmacology</i> , 2006 , 69, 1571-8	4.3	48
98	Discovery of naturally occurring splice variants of the rat histamine H3 receptor that act as dominant-negative isoforms. <i>Molecular Pharmacology</i> , 2006 , 69, 1194-206	4.3	56
97	Trafficking of G protein-coupled receptors. 2006 , 99, 570-82		252
96	Regulation of anterograde transport of alpha2-adrenergic receptors by the N termini at multiple intracellular compartments. <i>Journal of Biological Chemistry</i> , 2006 , 281, 38543-54	5.4	57
95	Angiotensin II type 2 receptor-bradykinin B2 receptor functional heterodimerization. 2006 , 48, 316-22		125
94	A monomeric G protein-coupled receptor isolated in a high-density lipoprotein particle efficiently activates its G protein. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007 , 104, 7682-7	11.5	540
93	International Union of Basic and Clinical Pharmacology. LXVII. Recommendations for the recognition and nomenclature of G protein-coupled receptor heteromultimers. <i>Pharmacological Reviews</i> , 2007 , 59, 5-13	22.5	255
92	Norepinephrine/Epinephrine. 2007 ,		
91	Tracking of human Y receptors in living cells--a fluorescence approach. 2007 , 28, 226-34		27
90	Heterogeneous transportation of alpha1B-adrenoceptor in living cells. 2007 , 127, 149-54		8
89	Internalization and distribution of three alpha1-adrenoceptor subtypes in HEK293A cells before and after agonist stimulation. 2007 , 28, 359-66		12
88	Requirements and ontology for a G protein-coupled receptor oligomerization knowledge base. 2007 , 8, 177		38
87	Heterodimerization and surface localization of G protein coupled receptors. 2007 , 73, 1043-50		39
86	The truncated ghrelin receptor polypeptide (GHS-R1b) acts as a dominant-negative mutant of the ghrelin receptor. <i>Cellular Signalling</i> , 2007 , 19, 1011-22	4.9	125
85	Dimerization between vasopressin V1b and corticotropin releasing hormone type 1 receptors. 2007 , 27, 439-61		54
84	The alpha1D-adrenergic receptor is expressed intracellularly and coupled to increases in intracellular calcium and reactive oxygen species in human aortic smooth muscle cells. 2008 , 3, 6		18
83	Cell surface targeting of VPAC1 receptors: evidence for implication of a quality control system and the proteasome. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2008 , 1783, 1663-72	4.9	7

82	Blood pressure is regulated by an alpha1D-adrenergic receptor/dystrophin signalosome. <i>Journal of Biological Chemistry</i> , 2008 , 283, 18792-800	5.4	54
81	Cell surface targeting of mu-delta opioid receptor heterodimers by RTP4. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008 , 105, 16045-50	11.5	116
80	Efficient coupling of transducin to monomeric rhodopsin in a phospholipid bilayer. <i>Journal of Biological Chemistry</i> , 2008 , 283, 4387-94	5.4	218
79	A novel GIP receptor splice variant influences GIP sensitivity of pancreatic beta-cells in obese mice. 2008 , 294, E61-8		53
78	Regulation of the trafficking and function of G protein-coupled receptors by Rab1 GTPase in cardiomyocytes. 2008 , 438, 227-38		4
77	Hetero-oligomerization of the P2Y11 receptor with the P2Y1 receptor controls the internalization and ligand selectivity of the P2Y11 receptor. 2008 , 409, 107-16		81
76	Expression and function of G-protein-coupled receptors in the male reproductive tract. 2009 , 81, 321-44		12
75	Delta receptors are required for full inhibitory coupling of mu-receptors to voltage-dependent Ca(2+) channels in dorsal root ganglion neurons. <i>Molecular Pharmacology</i> , 2009 , 76, 134-43	4.3	32
74	Enhancement of the surface expression of G protein-coupled receptors. 2009 , 27, 541-5		36
73	Extracellular NAD(+) induces a rise in [Ca(2+)](i) in activated human monocytes via engagement of P2Y(1) and P2Y(11) receptors. 2009 , 46, 263-72		38
72	A single conserved leucine residue on the first intracellular loop regulates ER export of G protein-coupled receptors. 2009 , 10, 552-66		48
71	Functional rescue of beta-adrenoceptor dimerization and trafficking by pharmacological chaperones. 2009 , 10, 1019-33		62
70	Studies on the role of the receptor protein motifs possibly involved in electrostatic interactions on the dopamine D1 and D2 receptor oligomerization. 2009 , 276, 760-75		26
69	G protein-coupled receptor hetero-dimerization: contribution to pharmacology and function. <i>British Journal of Pharmacology</i> , 2009 , 158, 5-14	8.6	282
68	The alpha 1B/D-adrenoceptor knockout mouse permits isolation of the vascular alpha 1A-adrenoceptor and elucidates its relationship to the other subtypes. <i>British Journal of Pharmacology</i> , 2009 , 158, 209-24	8.6	22
67	Alpha1A/B-knockout mice explain the native alpha1D-adrenoceptor's role in vasoconstriction and show that its location is independent of the other alpha1-subtypes. <i>British Journal of Pharmacology</i> , 2009 , 158, 1663-75	8.6	37
66	GPR37 surface expression enhancement via N-terminal truncation or protein-protein interactions. 2009 , 48, 10286-97		53
65	Interaction between alpha(1)- and alpha(2)-adrenoreceptors contributes to enhanced constrictor effects of norepinephrine in mesenteric veins compared to arteries. <i>European Journal of Pharmacology</i> , 2010 , 643, 239-46	5.3	9

64	Hetero-dimerization of serotonin 5-HT _{2A} and dopamine D ₂ receptors. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2010 , 1803, 1347-58	4.9	79
63	Structure and function of G protein-coupled receptors using NMR spectroscopy. 2010 , 57, 159-80		32
62	Fluorescent ligand binding reveals heterogeneous distribution of adrenoceptors and Cannabinoid-like Receptors in small arteries. <i>British Journal of Pharmacology</i> , 2010 , 159, 787-96	8.6	66
61	Time-resolved FRET between GPCR ligands reveals oligomers in native tissues. 2010 , 6, 587-94		277
60	Functional linkage as a direction for studies in oxidative stress: alpha-adrenergic receptors. 2010 , 88, 220-32		13
59	Adenosine A _{2A} receptor is involved in cell surface expression of A _{2B} receptor. <i>Journal of Biological Chemistry</i> , 2010 , 285, 39271-88	5.4	59
58	β (1D)-Adrenergic receptors constitutive activity and reduced expression at the plasma membrane. 2010 , 484, 109-25		11
57	Heterodimerization of the GABAB receptor-implications for GPCR signaling and drug discovery. 2010 , 58, 63-91		16
56	Class A GPCR heterodimers: evidence from binding studies. <i>Trends in Pharmacological Sciences</i> , 2010 , 31, 499-508	13.2	57
55	The β -adrenergic receptors: diversity of signaling networks and regulation. 2010 , 30, 410-9		76
54	Syntrophin isoforms play specific functional roles in the β 1D-adrenergic receptor/DAPC signalosome. <i>Biochemical and Biophysical Research Communications</i> , 2011 , 412, 596-601	3.4	10
53	Dopamine receptor homooligomers and heterooligomers in schizophrenia. 2011 , 17, 52-7		26
52	G protein-coupled receptors: walking hand-in-hand, talking hand-in-hand?. <i>British Journal of Pharmacology</i> , 2011 , 163, 246-60	8.6	31
51	Pharmacological chaperones for misfolded gonadotropin-releasing hormone receptors. 2011 , 62, 109-41		46
50	Di-acidic motifs in the membrane-distal C termini modulate the transport of angiotensin II receptors from the endoplasmic reticulum to the cell surface. <i>Journal of Biological Chemistry</i> , 2011 , 286, 20525-35	5.4	35
49	Protein-protein interactions at the adrenergic receptors. 2012 , 13, 15-27		19
48	The roles played by highly truncated splice variants of G protein-coupled receptors. 2012 , 7, 13		40
47	Interactions between NMDA and dopamine receptors: a potential therapeutic target. 2012 , 1476, 154-63		72

46	Cys-27 variant of human β opioid receptor modulates maturation and cell surface delivery of Phe-27 variant via heteromerization. <i>Journal of Biological Chemistry</i> , 2012 , 287, 5008-20	5.4	17
45	Nuclear localization drives β -adrenergic receptor oligomerization and signaling in cardiac myocytes. <i>Cellular Signalling</i> , 2012 , 24, 794-802	4.9	39
44	Characterization of a novel five-transmembrane domain cholecystokinin-2 receptor splice variant identified in human tumors. <i>Molecular and Cellular Endocrinology</i> , 2012 , 349, 170-9	4.4	13
43	β -Adrenergic receptor subtypes in the central nervous system: insights from genetically engineered mouse models. 2013 , 65, 1489-97		24
42	Co-expression of the human cannabinoid receptor coding region splice variants (hCB Δ) affects the function of hCB Δ receptor complexes. <i>European Journal of Pharmacology</i> , 2013 , 721, 341-54	5.3	27
41	Class A G-protein-coupled receptor (GPCR) dimers and bivalent ligands. 2013 , 56, 6542-59		87
40	Emerging opportunities for allosteric modulation of G-protein coupled receptors. 2013 , 85, 153-62		43
39	Biased suppression of TP homodimerization and signaling through disruption of a TM GxxxGxxxL helical interaction motif. 2013 , 54, 1678-1690		8
38	Chaperoning G protein-coupled receptors: from cell biology to therapeutics. 2014 , 35, 602-47		85
37	Intracellular Trafficking of G Protein-Coupled Receptors to the Plasma Membrane in Health and Disease. 2014 , 341-364		1
36	Nonredundant function of two highly homologous octopamine receptors in food-deprivation-mediated signaling in <i>Caenorhabditis elegans</i> . 2014 , 92, 671-8		12
35	Human orexin/hypocretin receptors form constitutive homo- and heteromeric complexes with each other and with human CB1 cannabinoid receptors. <i>Biochemical and Biophysical Research Communications</i> , 2014 , 445, 486-90	3.4	25
34	Dopamine D1 and corticotrophin-releasing hormone type-2 α receptors assemble into functionally interacting complexes in living cells. <i>British Journal of Pharmacology</i> , 2014 , 171, 5650-64	8.6	17
33	Functional characterization of G-protein-coupled receptors: a bioinformatics approach. <i>Neuroscience</i> , 2014 , 277, 764-79	3.9	24
32	Heteromeric dopamine receptor signaling complexes: emerging neurobiology and disease relevance. <i>Neuropsychopharmacology</i> , 2014 , 39, 156-68	8.7	104
31	Simultaneous activation of the β A-, β B- and β D-adrenoceptor subtypes in the nucleus accumbens reduces accumbal dopamine efflux in freely moving rats. <i>Behavioural Pharmacology</i> , 2015 , 26, 73-80	2.4	8
30	G Protein-Coupled Receptor Multimers: A Question Still Open Despite the Use of Novel Approaches. <i>Molecular Pharmacology</i> , 2015 , 88, 561-71	4.3	48
29	Endogenous N-terminal Domain Cleavage Modulates β D-Adrenergic Receptor Pharmacodynamics. <i>Journal of Biological Chemistry</i> , 2016 , 291, 18210-21	5.4	21

28	αA adrenergic receptors highly expressed in mesoprefrontal dopamine neurons. <i>Neuroscience</i> , 2016 , 332, 130-9	3.9	10
27	Molecular Pharmacology of μOpioid Receptors. <i>Pharmacological Reviews</i> , 2016 , 68, 631-700	22.5	80
26	α-Adrenergic Receptors Chaperone Trapped Bitter Taste Receptor 14 to the Cell Surface as a Heterodimer and Exert Unidirectional Desensitization of Taste Receptor Function. <i>Journal of Biological Chemistry</i> , 2016 , 291, 17616-28	5.4	16
25	Labeling and Single-Molecule Methods To Monitor G Protein-Coupled Receptor Dynamics. <i>Chemical Reviews</i> , 2017 , 117, 186-245	68.1	75
24	The Monomer/Homodimer Equilibrium of G Protein-Coupled Receptors: Formation in the Secretory Pathway and Potential Functional Significance. 2017 , 359-384		1
23	Probing Self-Assembly of G Protein-Coupled Receptor Oligomers in Membranes Using Molecular Dynamics Modeling and Experimental Approaches. 2017 , 385-414		1
22	Intracellular Trafficking of Gonadotropin Receptors in Health and Disease. <i>Handbook of Experimental Pharmacology</i> , 2018 , 245, 1-39	3.2	9
21	Orexin Receptor Multimerization versus Functional Interactions: Neuropharmacological Implications for Opioid and Cannabinoid Signalling and Pharmacogenetics. <i>Pharmaceutics</i> , 2017 , 10,	5.2	28
20	Novel Structural Approaches to Study GPCR Regulation. <i>International Journal of Molecular Sciences</i> , 2016 , 18,	6.3	14
19	GPCRs and Signal Transducers: Interaction Stoichiometry. <i>Trends in Pharmacological Sciences</i> , 2018 , 39, 672-684	13.2	42
18	Different phosphorylation patterns regulate βAdrenoceptor signaling and desensitization. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2018 , 1865, 842-854	4.9	12
17	Structure-Function Relationships of the Follicle-Stimulating Hormone Receptor. <i>Frontiers in Endocrinology</i> , 2018 , 9, 707	5.7	22
16	βAdrenoceptors, but not αor βAdrenoceptors, contribute to enhanced contractile response to phenylephrine in cooling conditions in the rat tail artery. <i>European Journal of Pharmacology</i> , 2018 , 838, 120-128	5.3	4
15	Scribble co-operatively binds multiple βAdrenergic receptor C-terminal PDZ ligands. <i>Scientific Reports</i> , 2019 , 9, 14073	4.9	6
14	The pharmacology of βAdrenoceptor subtypes. <i>European Journal of Pharmacology</i> , 2019 , 855, 305-320	5.3	24
13	Updates in the function and regulation of βAdrenoceptors. <i>British Journal of Pharmacology</i> , 2019 , 176, 2343-2357	8.6	24
12	Distinct phosphorylation sites/clusters in the carboxyl terminus regulate βAdrenergic receptor subcellular localization and signaling. <i>Cellular Signalling</i> , 2019 , 53, 374-389	4.9	6
11	Continuing challenges in targeting oligomeric GPCR-based drugs. <i>Progress in Molecular Biology and Translational Science</i> , 2020 , 169, 213-245	4	6

10	Protein homeostasis and regulation of intracellular trafficking of G protein-coupled receptors. 2020 , 247-277		0
9	Molecular chaperones and G protein-coupled receptor maturation and pharmacology. <i>Molecular and Cellular Endocrinology</i> , 2020 , 511, 110862	4.4	10
8	β-Adrenergic Signalling Promotes Cell Migration by Upregulating Expression of the Metastasis-Associated Molecule LYPD3. <i>Biology</i> , 2020 , 9,	4.9	7
7	Intracellular Trafficking of G Protein-Coupled Receptors to the Cell Surface Plasma Membrane in Health and Disease. 2021 , 375-412		1
6	Antidepressants Differentially Regulate Intracellular Signaling from β-Adrenergic Receptor Subtypes In Vitro. <i>International Journal of Molecular Sciences</i> , 2021 , 22,	6.3	
5	Airway smooth muscle prostaglandin-EP1 receptors directly modulate beta2-adrenergic receptors within a unique heterodimeric complex. <i>Journal of Clinical Investigation</i> , 2006 , 116, 1400-9	15.9	103
4	Regulation of Dopamine Receptor Trafficking and Responsiveness. 2010 , 193-217		1
3	BRET sensors unravel that Plasmodium falciparum serpentine receptor 12 (PFSR12) increases surface expression of mammalian GPCRs in HEK293 cells.		2
2	β-adrenoceptors regulate chemokine receptor-mediated leukocyte migration via formation of heteromeric receptor complexes.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2022 , 119, e2123511119	11.5	1
1	GPCR heteromers: An overview of their classification, function and physiological relevance. 13,		1