

Association between Renal Disease and Outcomes among Not Receiving Antiretroviral Therapy

Clinical Infectious Diseases

39, 1199-1206

DOI: 10.1086/424013

Citation Report

#	ARTICLE	IF	CITATIONS
1	Highly Active Antiretroviral Therapy and the Epidemic of HIV+ End-Stage Renal Disease. Journal of the American Society of Nephrology: JASN, 2005, 16, 2412-2420.	3.0	176
2	The effects of highly active antiretroviral therapy on albuminuria in HIV-infected persons: results from a randomized trial. Nephrology Dialysis Transplantation, 2005, 20, 2237-2242.	0.4	24
3	Guidelines for the Management of Chronic Kidney Disease in HIV-Infected Patients: Recommendations of the HIV Medicine Association of the Infectious Diseases Society of America. Clinical Infectious Diseases, 2005, 40, 1559-1585.	2.9	545
4	The Impact of Nutrition on Physiologic Changes in Persons Who Have HIV. Nursing Clinics of North America, 2006, 41, 455-468.	0.7	9
5	Response of HIV-associated proteinuria to antiretroviral therapy in HIV-1-infected children. Brazilian Journal of Infectious Diseases, 2006, 10, 408-10.	0.3	2
6	HIV-Associated Renal Diseases and Highly Active Antiretroviral Therapy-Induced Nephropathy. Clinical Infectious Diseases, 2006, 42, 1488-1495.	2.9	197
7	Commentary: What can epidemiology accomplish?. International Journal of Epidemiology, 2006, 35, 587-590.	0.9	14
8	Renal disease in an antiretroviral-naive HIV-infected outpatient population in Western Kenya. Nephrology Dialysis Transplantation, 2007, 22, 2208-2212.	0.4	89
9	The impact of HIV on chronic kidney disease outcomes. Kidney International, 2007, 72, 1380-1387.	2.6	60
10	An unusual case of acute kidney injury due to vancomycin lessons learnt from reliance on eGFR. Nephrology Dialysis Transplantation, 2007, 22, 2391-2394.	0.4	20
11	Microalbuminuria in HIV infection. Aids, 2007, 21, 1003-1009.	1.0	118
12	End-stage renal disease and chronic kidney disease in a cohort of African-American HIV-infected and at-risk HIV-seronegative participants followed between 1988 and 2004. Aids, 2007, 21, 2435-2443.	1.0	115
13	<i>Review:</i>Kidney Disease in the HIV-Infected Patient. AIDS Patient Care and STDs, 2007, 21, 813-824.	1.1	32
16	Cystatin C and Creatinine in an HIV Cohort: The Nutrition for Healthy Living Study. American Journal of Kidney Diseases, 2008, 51, 914-924.	2.1	50
17	Risk Factors for Proteinuria in HIV-Infected and -Uninfected Hispanic Drug Users. American Journal of Kidney Diseases, 2008, 52, 683-690.	2.1	7
18	Antiretroviral Therapy. Clinical Pharmacokinetics, 2008, 47, 153-172.	1.6	24
19	Renal Disease in Patients with HIV Infection. Drugs, 2008, 68, 963-980.	4.9	62
20	Frequency and associated factors of proteinuria in Iranian HIV-positive patients. International Journal of Infectious Diseases, 2008, 12, 490-494.	1.5	14

#	ARTICLE	IF	CITATIONS
21	Thrombotic Microangiopathy and Other Glomerular Disorders in the HIV-Infected Patient. <i>Seminars in Nephrology</i> , 2008, 28, 545-555.	0.6	30
22	Glomerular filtration rates in HIV-infected patients treated with and without tenofovir: a prospective, observational study. <i>Journal of Antimicrobial Chemotherapy</i> , 2008, 63, 374-379.	1.3	15
23	Active Tuberculosis Does Not Always Imply the Initiation of Highly Active Antiretroviral Therapy in HIV-Infected Patients. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2008, 47, 259-261.	0.9	0
24	Closing Bathhouses Unlikely to Decrease Number of Sex Acts and May Reduce Condom Use. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2008, 47, 264-266.	0.9	11
25	Closing Bathhouses Unlikely to Decrease Number of Sex Acts and May Reduce Condom Use. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2008, 47, 266.	0.9	18
26	The Achilles' Heel of HIV Treatment in Resource-Limited Settings. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2008, 47, 266-267.	0.9	4
27	Highly Active Antiretroviral Therapy Reduces Urinary Albumin Excretion in Women With HIV Infection. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2008, 48, 360-361.	0.9	6
28	Poor Validity of Urine Dipstick as a Screening Tool for Proteinuria in HIV-Positive Patients. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2008, 47, 261-263.	0.9	28
29	Racial differences in chronic kidney disease incidence and progression among individuals with HIV. <i>Nature Clinical Practice Nephrology</i> , 2008, 4, 652-653.	2.0	1
30	Kidney Disease in Patients with HIV Infection and AIDS. <i>Clinical Infectious Diseases</i> , 2008, 47, 1449-1457.	2.9	95
31	Tenofovir Nephrotoxicity: Focusing Research Questions and Putting Them into Clinical Context. <i>Journal of Infectious Diseases</i> , 2008, 197, 7-9.	1.9	19
32	Microalbuminuria associated with indicators of inflammatory activity in an HIV-positive population. <i>Nephrology Dialysis Transplantation</i> , 2008, 23, 3130-3137.	0.4	52
33	Will there be an epidemic of HIV-related chronic kidney disease in sub-Saharan Africa? Too soon to tell. <i>Kidney International</i> , 2008, 74, 845-847.	2.6	20
34	Decreases in AIDS Mortality and Increases in Primary and Secondary Syphilis in Men Who Have Sex With Men in the United States. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2008, 47, 263-264.	0.9	18
36	Prevalence of Chronic Kidney Disease in an Urban HIV Infected Population. <i>American Journal of the Medical Sciences</i> , 2008, 335, 89-94.	0.4	97
37	Baseline renal insufficiency and risk of death among HIV-infected adults on antiretroviral therapy in Lusaka, Zambia. <i>Aids</i> , 2008, 22, 1821-1827.	1.0	107
38	Insulin Resistance Affects Early Virologic Response in HIV-Infected Subjects Treated for Hepatitis C Infection. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2008, 47, 258-259.	0.9	8
39	A Comparison of the Predictive Performance of Different Methods of Kidney Function Estimation in a Well-Characterized HIV-Infected Population. <i>Nephron Clinical Practice</i> , 2009, 111, c39-c48.	2.3	74

#	ARTICLE	IF	CITATIONS
40	How does HIV impact on non-AIDS events in the era of HAART?. International Journal of STD and AIDS, 2009, 20, 1-3.	0.5	6
41	HIV-infected persons continue to lose kidney function despite successful antiretroviral therapy. Aids, 2009, 23, 2143-2149.	1.0	99
42	HIV-related renal disease and the utility of empiric therapy— not everyone needs to be biopsied. Nature Clinical Practice Nephrology, 2009, 5, 20-21.	2.0	2
43	The spectrum of kidney disease in patients with AIDS in the era of antiretroviral therapy. Kidney International, 2009, 75, 428-434.	2.6	104
44	Proteinuria, Creatinine Clearance, and Immune Activation in Antiretroviral-Naive HIV-Infected Subjects. Journal of Infectious Diseases, 2009, 200, 614-618.	1.9	22
45	Long-Term Evolution and Determinants of Renal Function in HIV-Infected Patients Who Began Receiving Combination Antiretroviral Therapy in 1997-1999, ANRS CO8 APROCO-COPILOTE. Clinical Infectious Diseases, 2009, 49, 1950-1954.	2.9	6
47	HIV and the kidney. Current Infectious Disease Reports, 2009, 11, 479-485.	1.3	13
48	Comparison of glomerular filtration rate estimates <i>vs</i>. 24-h creatinine clearance in HIV-positive patients. HIV Medicine, 2009, 10, 219-228.	1.0	11
49	Renal disease: the effects of HIV and antiretroviral therapy and the implications for early antiretroviral therapy initiation. Current Opinion in HIV and AIDS, 2009, 4, 167-170.	1.5	16
50	Interventions for HIV-associated nephropathy. , 2009, , CD007183.		14
51	The Impact of Kidney Function at Highly Active Antiretroviral Therapy Initiation on Mortality in HIV-Infected Women. Journal of Acquired Immune Deficiency Syndromes (1999), 2010, 55, 217-220.	0.9	37
52	PREVALENCE OF CHRONIC RENAL FAILURE STAGE 3 OR MORE IN HIV-INFECTED PATIENTS IN ANTWERP: AN OBSERVATIONAL STUDY. Acta Clinica Belgica, 2010, 65, 392-398.	0.5	4
53	Hepatitis C and the Risk of Kidney Disease and Mortality in Veterans With HIV. Journal of Acquired Immune Deficiency Syndromes (1999), 2010, 53, 222-226.	0.9	47
54	Biomarkers of impaired renal function. Current Opinion in HIV and AIDS, 2010, 5, 524-530.	1.5	38
56	Cystatin C, Albuminuria, and 5-Year All-Cause Mortality in HIV-Infected Persons. American Journal of Kidney Diseases, 2010, 56, 872-882.	2.1	95
57	Microalbuminuria predicts overt proteinuria among patients with HIV infection. HIV Medicine, 2010, 11, 419-426.	1.0	26
59	Association of visceral adiposity with increased intrarenal artery resistive index in HIV-1-infected patients receiving highly active antiretroviral therapy. Indian Journal of Sexually Transmitted Diseases and AIDS, 2010, 31, 16.	0.6	0
60	Association Between Kidney Function and Albuminuria With Cardiovascular Events in HIV-Infected Persons. Circulation, 2010, 121, 651-658.	1.6	153

#	ARTICLE	IF	CITATIONS
61	Collapsing glomerulopathy in an HIV-positive patient in a low-incidence belt. <i>Indian Journal of Nephrology</i> , 2010, 20, 211.	0.2	8
62	Estimated glomerular filtration rate, chronic kidney disease and antiretroviral drug use in HIV-positive patients. <i>Aids</i> , 2010, 24, 1667-1678.	1.0	353
63	Microalbuminuria Is Associated With All-Cause and AIDS Mortality in Women With HIV Infection. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2010, 55, 73-77.	0.9	65
64	Recent developments in HIV-related kidney disease. <i>HIV Therapy</i> , 2010, 4, 589-603.	0.6	17
65	Screening for Chronic Kidney Disease in HIV-Infected Patients. <i>Advances in Chronic Kidney Disease</i> , 2010, 17, 26-35.	0.6	41
66	HIV Through a Nephrologist's Lens. <i>Advances in Chronic Kidney Disease</i> , 2010, 17, 3-4.	0.6	1
69	Cost-Effectiveness of Tenofovir as First-Line Antiretroviral Therapy in India. <i>Clinical Infectious Diseases</i> , 2010, 50, 416-425.	2.9	54
70	The assessment of renal function in HIV-positive patients before the introduction of antiretroviral therapy. <i>HIV and AIDS Review</i> , 2010, 9, 45-47.	0.1	0
71	HIV and CKD Epidemiology. <i>Advances in Chronic Kidney Disease</i> , 2010, 17, 19-25.	0.6	28
72	Expert opinion on pharmacotherapy of kidney disease in HIV-infected patients. <i>Expert Opinion on Pharmacotherapy</i> , 2011, 12, 691-704.	0.9	9
73	The assessment of renal function in HIV-1 positive patients during antiretroviral therapy. <i>HIV and AIDS Review</i> , 2011, 10, 40-43.	0.1	1
74	Chronic Kidney Disease and Estimates of Kidney Function in HIV Infection: A Cross-Sectional Study in the Multicenter AIDS Cohort Study. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2011, 57, 380-386.	0.9	30
75	Prevalence of Kidney Disease in HIV-Infected and Uninfected Rwandan Women. <i>PLoS ONE</i> , 2011, 6, e18352.	1.1	23
76	Pre-Existing Albuminuria Predicts Aids and Non-Aids Mortality in Women Initiating Antiretroviral Therapy. <i>Antiviral Therapy</i> , 2011, 16, 591-596.	0.6	26
77	Reduced renal function is associated with progression to AIDS but not with overall mortality in HIV-infected kenyan adults not initially requiring combination antiretroviral therapy. <i>Journal of the International AIDS Society</i> , 2011, 14, 31-31.	1.2	10
78	Kidney markers predict mortality in patients with HIV disease. <i>Nature Reviews Nephrology</i> , 2011, 7, 186-188.	4.1	3
79	Clinical Characteristics of Kidney Disease in Japanese HIV-Infected Patients. <i>Nephron Clinical Practice</i> , 2011, 118, c285-c291.	2.3	44
80	Treatment of HIV-Associated Nephropathies. <i>Nephron Clinical Practice</i> , 2011, 118, c346-c354.	2.3	12

#	ARTICLE	IF	CITATIONS
81	Acute kidney injury in hospitalized HIV-infected patients: a cohort analysis. <i>Nephrology Dialysis Transplantation</i> , 2011, 26, 3888-3894.	0.4	33
82	Predictors of impaired renal function among HIV infected patients commencing highly active antiretroviral therapy in Jos, Nigeria. <i>Nigerian Medical Journal</i> , 2011, 52, 182.	0.6	10
83	The Use of Biomarkers for Assessing HAART-Associated Renal Toxicity in HIV-Infected Patients. <i>Current HIV Research</i> , 2012, 10, 521-531.	0.2	10
85	Incipient Renal Impairment as a Predictor of Subclinical Atherosclerosis in HIV-Infected Patients. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2012, 59, 141-148.	0.9	14
86	Cystatin C in HIV-infected patients: promising but not yet ready for prime time. <i>Nephrology Dialysis Transplantation</i> , 2012, 27, 1305-1313.	0.4	31
87	Urinary Markers of Kidney Injury and Kidney Function Decline in HIV-Infected Women. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2012, 61, 565-573.	0.9	51
88	Prevalence of Proteinuria and Elevated Serum Cystatin C among HIV-Infected Adolescents in the Reaching for Excellence in Adolescent Care and Health (REACH) Study. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2012, 61, 499-506.	0.9	1
89	The Evolution of Our Knowledge of HIV-Associated Kidney Disease in Africa. <i>American Journal of Kidney Diseases</i> , 2012, 60, 668-678.	2.1	13
90	Chapter 9: Infection-related glomerulonephritis. <i>Kidney International Supplements</i> , 2012, 2, 200-208.	4.6	26
91	The New Epidemiology of HIV-Related Kidney Disease. <i>Journal of AIDS & Clinical Research</i> , 2012, 01, 001.	0.5	16
92	How to manage HIV-infected patients with chronic kidney disease in the HAART era. <i>Clinical and Experimental Nephrology</i> , 2012, 16, 363-372.	0.7	30
93	Risk Factors for ESRD in HIV-Infected Individuals: Traditional and HIV-Related Factors. <i>American Journal of Kidney Diseases</i> , 2012, 59, 628-635.	2.1	122
94	Long-term risk of mortality for acute kidney injury in HIV-infected patients: a cohort analysis. <i>BMC Nephrology</i> , 2013, 14, 32.	0.8	16
95	Interventions for HIV-associated nephropathy. <i>The Cochrane Library</i> , 2013, , CD007183.	1.5	19
96	Human Immunodeficiency Virus-Associated Nephropathy: A Case Assessment. <i>Journal for Nurse Practitioners</i> , 2013, 9, 40-45.	0.4	0
97	High prevalence of renal dysfunction and association with risk of death amongst HIV-infected Ghanaians. <i>Journal of Infection</i> , 2013, 67, 43-50.	1.7	34
98	Renal failure in HIV-positive patients—a South African experience. <i>CKJ: Clinical Kidney Journal</i> , 2013, 6, 584-589.	1.4	25
99	Reply to Bibas et al. <i>Clinical Infectious Diseases</i> , 2013, 56, 1350.2-1350.	2.9	0

#	ARTICLE	IF	CITATIONS
100	Tenofovir Renal Toxicity: Evaluation of Cohorts and Clinical Studiesâ€”Part One. <i>Pharmacology & Pharmacy</i> , 2013, 04, 651-662.	0.2	7
101	Host APOL1 genotype is independently associated with proteinuria in HIV infection. <i>Kidney International</i> , 2013, 84, 834-840.	2.6	31
103	Does HIV Infection Promote Early Kidney Injury in Women?. <i>Antiviral Therapy</i> , 2014, 19, 79-87.	0.6	18
104	Comparisons of creatinine and cystatin C for detection of kidney disease and prediction of all-cause mortality in HIV-infected women. <i>Aids</i> , 2013, 27, 2291-2299.	1.0	26
105	Performance of creatinine and cystatin C-based glomerular filtration rate estimating equations in a European HIV-positive cohort. <i>Aids</i> , 2013, 27, 1573-1581.	1.0	48
106	High Prevalence of Signs of Renal Damage Despite Normal Renal Function in a Cohort of HIV-Infected Patients: Evaluation of Associated Factors. <i>AIDS Patient Care and STDs</i> , 2014, 28, 524-529.	1.1	16
107	Race and Other Risk Factors for Incident Proteinuria in a National Cohort of HIV-Infected Veterans. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2014, 67, 145-152.	0.9	8
108	Changes in Proteinuria and Albuminuria With Initiation of Antiretroviral Therapy. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2014, 67, 36-44.	0.9	19
109	Clinical Practice Guideline for the Management of Chronic Kidney Disease in Patients Infected With HIV: 2014 Update by the HIV Medicine Association of the Infectious Diseases Society of America. <i>Clinical Infectious Diseases</i> , 2014, 59, e96-e138.	2.9	254
110	Classification of human immunodeficiency virus-infected patients with chronic kidney disease using a combination of proteinuria and estimated glomerular filtration rate. <i>Clinical and Experimental Nephrology</i> , 2014, 18, 600-605.	0.7	11
111	Deteriorating renal function and clinical outcomes in HIV-positive persons. <i>Aids</i> , 2014, 28, 727-737.	1.0	25
112	Markers of renal disease and function are associated with systemic inflammation in <scp>HIV</scp> infection. <i>HIV Medicine</i> , 2015, 16, 591-598.	1.0	35
113	Morbidity and mortality of black HIV-positive patients with end-stage kidney disease receiving chronic haemodialysis in South Africa. <i>South African Medical Journal</i> , 2015, 105, 105.	0.2	2
114	Evaluation of the Prognostic Value of Impaired Renal Function on Clinical Progression in a Large Cohort of HIV-Infected People Seen for Care in Italy. <i>PLoS ONE</i> , 2015, 10, e0124252.	1.1	7
115	Prevalence and Pattern of Chronic Kidney Disease in Antiretroviral-NaÃ“ve Patients with HIV/AIDS. <i>Journal of the International Association of Providers of AIDS Care</i> , 2015, 14, 434-440.	0.6	16
116	Kidney Dysfunction and Markers of Inflammation in the Multicenter AIDS Cohort Study. <i>Journal of Infectious Diseases</i> , 2015, 212, 1100-1110.	1.9	32
117	Brachial and central blood pressure in HIV-infected subjects. <i>Hypertension Research</i> , 2015, 38, 405-412.	1.5	13
118	Impaired renal function and associated risk factors in newly diagnosed HIV-infected adults in Gulu Hospital, Northern Uganda. <i>BMC Nephrology</i> , 2015, 16, 43.	0.8	19

#	ARTICLE	IF	CITATIONS
119	Strong correlation between protein reagent strip and protein-to-creatinine ratio for detection of renal dysfunction in HIV-infected patients: a cross-sectional study. <i>AIDS Research and Therapy</i> , 2015, 12, 8.	0.7	1
120	Relationships Between Renal Parameters and Serum and Urine Markers of Inflammation in Those With and Without HIV Infection. <i>AIDS Research and Human Retroviruses</i> , 2015, 31, 375-383.	0.5	7
121	Proximal tubular dysfunction and kidney injury associated with tenofovir in HIV patients: a case series. <i>CKJ: Clinical Kidney Journal</i> , 2015, 8, 420-425.	1.4	39
122	Proximal Renal Tubular Dysfunction Related to Antiretroviral Therapy Among HIV-Infected Patients in an HIV Clinic in Mexico. <i>AIDS Patient Care and STDs</i> , 2015, 29, 181-185.	1.1	7
123	Human Immunodeficiency Virus Infection and Chronic Kidney Disease. , 2015, , 534-543.		0
124	Urinary Markers of Tubular Injury in HIV-Infected Patients. <i>Biochemistry Research International</i> , 2016, 2016, 1-8.	1.5	16
125	The efficacy and safety of tenofovir alafenamide versus tenofovir disoproxil fumarate in antiretroviral regimens for HIV-1 therapy. <i>Medicine (United States)</i> , 2016, 95, e5146.	0.4	70
126	Medium-grade tubular proteinuria is common in HIV-positive patients and specifically associated with exposure to tenofovir disoproxil Fumarate. <i>Infection</i> , 2016, 44, 641-649.	2.3	11
127	The Role of Transforming Growth Factor Beta-1 in the Progression of HIV/AIDS and Development of Non-AIDS-Defining Fibrotic Disorders. <i>Frontiers in Immunology</i> , 2017, 8, 1461.	2.2	61
128	Effects of Tobacco Usage and Antiretroviral Therapy on Biomarkers of Systemic Immune Activation in HIV-Infected Participants. <i>Mediators of Inflammation</i> , 2018, 2018, 1-10.	1.4	10
129	Epidemiological, clinical, and laboratory factors associated with chronic kidney disease in Mexican HIV-infected patients. <i>Jornal Brasileiro De Nefrologia: Orgao Oficial De Sociedades Brasileira E Latino-Americana De Nefrologia</i> , 2019, 41, 48-54.	0.4	4
130	Association between Use of Methadone, Other Central Nervous System Depressants, and QTc Interval—Prolonging Medications and Risk of Mortality in a Large Cohort of Women Living with or at Risk for Human Immunodeficiency Virus Infection. <i>Pharmacotherapy</i> , 2019, 39, 899-911.	1.2	1
131	<p>Predictors of chronic kidney disease among HIV&ndash;infected patients on highly active antiretroviral therapy at the University of Calabar Teaching Hospital, Calabar, South-South Nigeria</p>. <i>HIV/AIDS - Research and Palliative Care</i> , 2019, Volume 11, 61-67.	0.4	4
132	The baseline glomerular filtration rate, predictive of six-year survival in sub-Saharan African patients on antiretroviral therapy for HIV: Cohort study. <i>Nephrologie Et Therapeutique</i> , 2019, 15, 220-225.	0.2	1
133	Chronic kidney disease, cardiovascular disease, and osteoporotic fractures in patients with and without HIV in the US Veteran’s Affairs Administration System. <i>Current Medical Research and Opinion</i> , 2019, 35, 117-125.	0.9	10
134	Human Immunodeficiency Virus Infection and Chronic Kidney Disease. , 2020, , 849-861.		1
136	<p>Chronic Kidney Disease and Associated Factors Among HIV/AIDS Patients on HAART in Ethiopia</p>. <i>HIV/AIDS - Research and Palliative Care</i> , 2020, Volume 12, 591-599.	0.4	3
137	Medium–grade proteinuria is a risk factor for incident markers of chronic kidney disease. <i>HIV Medicine</i> , 2020, 21, 481-491.	1.0	3

#	ARTICLE	IF	CITATIONS
138	A Review of Chronic Comorbidities in Adults Living With HIV: State of the Science. Journal of the Association of Nurses in AIDS Care, 2021, 32, 322-346.	0.4	15
139	Characteristics of the MACS/WIHS Combined Cohort Study: Opportunities for Research on Aging With HIV in the Longest US Observational Study of HIV. American Journal of Epidemiology, 2021, 190, 1457-1475.	1.6	59
140	Apolipoprotein-1 risk variants and associated kidney phenotypes in an adult HIV cohort in Nigeria. Kidney International, 2021, 100, 146-154.	2.6	16
141	KDIGO 2021 Clinical Practice Guideline for the Management of Glomerular Diseases. Kidney International, 2021, 100, S1-S276.	2.6	782
142	Renal function in a cohort of HIV-infected patients initiating antiretroviral therapy in an outpatient setting in Ethiopia. PLoS ONE, 2021, 16, e0245500.	1.1	3
143	The Effects of Aging on HIV Disease. , 2009, , 331-346.		5
144	Prevalence of persistent microalbuminuria and associated factors among hiv infected children attending a Tertiary Hospital in Northern Tanzania: a cross sectional, analytical study. Pan African Medical Journal, 2015, 20, 251.	0.3	12
145	Nephropathies in HIV-infected patients: an overview. OA Nephrology, 2013, 1, .	0.2	1
146	Impact of Small Body Weight on Tenofovir-Associated Renal Dysfunction in HIV-Infected Patients: A Retrospective Cohort Study of Japanese Patients. PLoS ONE, 2011, 6, e22661.	1.1	92
147	Screening for Decreased Glomerular Filtration Rate and Associated Risk Factors in a Cohort of HIV-Infected Patients in a Middle-Income Country. PLoS ONE, 2014, 9, e93748.	1.1	18
148	Screening of kidney disease in HIV infected hospitalised patients. Asian Journal of Medical Sciences, 2014, 6, 58-62.	0.0	1
149	Prevalence and predictors of chronic kidney disease in newly diagnosed human immunodeficiency virus patients in Owerri, Nigeria. Indian Journal of Nephrology, 2016, 26, 10.	0.2	15
150	Chronic kidney disease at presentation is not an independent risk factor for AIDS-defining events or death in HIV-infected persons. Clinical Nephrology, 2013, 79, 93-100.	0.4	3
151	Epidemiology, clinical characteristics, and management of chronic kidney disease in human immunodeficiency virus-infected patients. World Journal of Nephrology, 2015, 4, 388.	0.8	31
152	The Pharmacologic Management of Insomnia in Patients with HIV. Journal of Clinical Sleep Medicine, 2009, 05, 251-262.	1.4	35
153	Prevalence of Chronic Kidney Disease in newly diagnosed patients with Human immunodeficiency virus in Ilorin, Nigeria. Jornal Brasileiro De Nefrologia: Orgao Oficial De Sociedades Brasileira E Latino-Americana De Nefrologia, 2015, 37, 177-84.	0.4	12
154	Comorbidities in Black Patients with HIV/AIDS. , 2009, , 159-177.		0
155	Acute Kidney Injury in Hospitalized HIV-Infected Patients in the HAART Era: An Epidemiological View. , 0, , .		0

#	ARTICLE	IF	CITATIONS
156	The Nephritis Associated with Viral Infections. Journal of Nephrology & Therapeutics, 2012, 01, .	0.1	0
157	Assessment of Renal Function among HIV-Infected Patients on Combination Antiretroviral Therapy at Tikur Anbessa Specialized Hospital, Addis Ababa, Ethiopia. Technology and Investment, 2016, 07, 107-122.	0.4	4
158	The pharmacologic management of insomnia in patients with HIV. Journal of Clinical Sleep Medicine, 2009, 5, 251-62.	1.4	15
159	The effects of HIV type-1 viral suppression and non-viral factors on quantitative proteinuria in the highly active antiretroviral therapy era. Antiviral Therapy, 2009, 14, 543-9.	0.6	15
161	The morbidity and mortality associated with kidney disease in an HIV-infected cohort in Puerto Rico. Ethnicity and Disease, 2010, 20, S1-163-7.	1.0	4
162	Albuminuria as a marker of cardiovascular risk in HIV-infected individuals receiving stable antiretroviral therapy. Hawai'i Journal of Medicine & Public Health: A Journal of Asia Pacific Medicine & Public Health, 2013, 72, 34-8.	0.4	3
163	Glomeruloesclerosis focal segmentaria de variante colapsante asociada a VIH. Revista Colombiana De Nefrología, 2020, 8, e514.	0.1	0
164	Prevalence, progression, and management of advanced chronic kidney disease in a cohort of people living with <scp>HIV</scp>. HIV Medicine, 2022, , .	1.0	0
165	Key reports from the 9th International Workshop on Adverse Drug Reactions and Lipodystrophy in HIV 2007. Antiviral Therapy, 2007, 12, 987-998.	0.6	2
166	The effects of HIV type-1 viral suppression and non-viral factors on quantitative proteinuria in the highly active antiretroviral therapy era. Antiviral Therapy, 2009, 14, 543-549.	0.6	30
167	Body mass index, proteinuria and total lymphocyte counts in predicting treatment responses among ART naïve individuals with HIV initiated on antiretroviral treatment in Dar es Salaam, Tanzania, 2019: a cohort study. BMJ Open, 2022, 12, e059193.	0.8	0
168	Change in ratio levels of KIM-1 / urine creatinine and increase serum creatinine levels in human immunodeficiency virus (HIV) patients receiving tenofovir-based antiretroviral (ARV) combination therapy. Bali Medical Journal, 2022, 11, 503-507.	0.1	0