CITATION REPORT List of articles citing

Local shear stress and brachial artery flow-mediated dilation: the Framingham Heart Study

DOI: 10.1161/01.hyp.0000137305.77635.68 Hypertension, 2004, 44, 134-9.

Source: https://exaly.com/paper-pdf/36556514/citation-report.pdf

Version: 2024-04-19

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
342	Shear stress and flow-mediated dilation. <i>Hypertension</i> , 2004 , 44, 119-20	8.5	9
341	Brachial artery vasodilator function and systemic inflammation in the Framingham Offspring Study. 2004 , 110, 3604-9		174
340	Arterial stiffness and wave reflection in hypertension: pathophysiologic and therapeutic implications. 2004 , 6, 436-41		56
339	May subclinical arterial disease help to better detect and treat high-risk asymptomatic individuals?. 2005 , 23, 1939-45		32
338	Bibliography Current World Literature. 2005 , 20, 552-616		
337	Flow-mediated vasodilation predicts the presence and extent of coronary artery disease assessed by stress thallium imaging. 2005 , 12, 538-44		19
336	Is there a place for duplex screening of the brachial artery in the maturation of arteriovenous fistulas?. 2005 , 18, 243-6		74
335	Tetrahydrobiopterin augments endothelium-dependent dilatation in sedentary but not in habitually exercising older adults. 2005 , 568, 1057-65		135
334	Endothelial dysfunction and cardiovascular risk profile in nonalcoholic fatty liver disease. 2005 , 42, 473	-80	469
333	Why is flow-mediated dilation dependent on arterial size? Assessment of the shear stimulus using phase-contrast magnetic resonance imaging. 2005 , 288, H822-8		79
332	Cross-sectional relations of peripheral microvascular function, cardiovascular disease risk factors, and aortic stiffness: the Framingham Heart Study. 2005 , 112, 3722-8		229
331	Update on nitric oxide-dependent vasodilation in human subjects. 2005 , 396, 541-53		30
330	Common genetic variation at the endothelial nitric oxide synthase locus and relations to brachial artery vasodilator function in the community. 2005 , 112, 1419-27		23
329	Flow-mediated dilation: just a marker of local shear stress?. <i>Hypertension</i> , 2005 , 45, e11-2; author reply e11-2	8.5	2
328	Flow-mediated vasodilation: a diagnostic instrument, or an experimental tool?. 2005 , 127, 2254-63		213
327	Exploring vascular benefits of endothelium-derived nitric oxide. 2005 , 18, 177S-183S		36
326	Wall shear stressan important determinant of endothelial cell function and structurein the arterial system in vivo. Discrepancies with theory. 2006 , 43, 251-69		309

(2007-2006)

325	Arterial stiffness or endothelial dysfunction as a surrogate marker of vascular risk. 2006 , 22 Suppl B, 72B-80B	114
324	Effect of combination therapy of benidipine hydrochloride and candesartan cilexetil on serum lipid metabolism and blood pressure in elderly hypertensive patients with type 2 diabetes mellitus. 2006 , 13, 149-57	5
323	Upper vs lower extremity arterial function after spinal cord injury. 2006 , 29, 138-46	38
322	Xanthine oxidase does not contribute to impaired peripheral conduit artery endothelium-dependent dilatation with ageing. 2006 , 571, 661-8	73
321	Nitrates as adjunct hypertensive treatment. 2006 , 8, 60-8	11
320	Modulatory influences on ageing of the vasculature in healthy humans. 2006 , 41, 501-7	62
319	Effects of systemic inflammation on endothelium-dependent vasodilation. 2006, 16, 15-20	88
318	SLE and Antiphospholipid Syndrome [411월37]. 2006 , 45, i158-i167	
317	Flow-mediated changes in pulse wave velocity: a new clinical measure of endothelial function. 2006 , 27, 302-9	85
316	Influence of atorvastatin treatment on L-arginine cerebrovascular reactivity and flow-mediated dilatation in patients with lacunar infarctions. 2006 , 37, 2540-5	69
315	Use of a flow-mediated vasodilation technique to assess endothelial function in dogs. 2006 , 67, 1533-40	18
314	2D-spatially-selective real-time magnetic resonance imaging for the assessment of microvascular function and its relation to the cardiovascular risk profile. 2006 , 8, 759-69	19
313	Age and flow-mediated dilation: a comparison of dilatory responsiveness in the brachial and popliteal arteries. 2006 , 291, H3043-9	101
312	Cross-sectional relations of multiple biomarkers from distinct biological pathways to brachial artery endothelial function. 2006 , 113, 938-45	86
311	Microcirculatory hemodynamics and endothelial dysfunction in systemic lupus erythematosus. 2006 , 26, 2281-7	43
310	Serum uric acid is associated with microvascular function in hypertensive individuals. 2007 , 21, 610-5	17
309	Acute effects of renin-angiotensin system blockade on arterial function in hypertensive patients. 2007 , 21, 654-63	25
308	Predictive value of reactive hyperemia for cardiovascular events in patients with peripheral arterial disease undergoing vascular surgery. 2007 , 27, 2113-9	200

307	Large and small artery endothelial function in patients with essential hypertensioneffect of ACE inhibition and beta-blockade. 2007 , 16, 106-13	19
306	Nitric oxide synthase-derived plasma nitrite predicts exercise capacity. 2007 , 41, 669-73; discussion 673	69
305	Commentary on Nitric oxide synthase-derived plasma nitrite predicts exercise capacityNitric oxide synthase-derived plasma nitrite predicts exercise capacity (12007, 41, 673-673)	78
304	Reactive hyperemia and cardiovascular risk. 2007 , 27, 2065-7	35
303	Physical inactivity rapidly induces insulin resistance and microvascular dysfunction in healthy volunteers. 2007 , 27, 2650-6	307
302	Prognostic significance of brachial flow-mediated vasodilation. 2007 , 115, 2373-5	54
301	Impaired flow-mediated dilation with age is not explained by L-arginine bioavailability or endothelial asymmetric dimethylarginine protein expression. 2007 , 102, 63-71	87
300	Association of cardiovascular risk factors with microvascular and conduit artery function in hypertensive subjects. 2007 , 20, 735-42	16
299	Impaired vascular function in patients with Fontan circulation. 2007 , 120, 221-6	46
298	Reactive hyperemic pre-ejection shear stress of brachial artery determines endothelial function in patients with untreated essential hypertension. 2007 , 122, 68-71	3
297	Large variations in absolute wall shear stress levels within one species and between species. 2007 , 195, 225-35	170
296	Arterial reactivity in lower extremities is progressively reduced as cardiovascular risk factors increase: comparison with upper extremities using magnetic resonance imaging. 2007 , 49, 939-45	15
295	Arterial ultrasonography and tonometry as adjuncts to cardiovascular risk stratification. 2007, 49, 1413-26	106
294	Limb-specific differences in flow-mediated dilation: the role of shear rate. 2007 , 103, 843-51	52
293	Peak vs. total reactive hyperemia: which determines the magnitude of flow-mediated dilation?. 2007 , 102, 1510-9	230
292	Imaging Markers of Subclinical Atherosclerosis. 2007 , 37, 1	7
291	Reproducibility of the flow-mediated dilation response to acute exercise in overweight men. 2007 , 33, 1579-85	34
290	Genome-wide association of echocardiographic dimensions, brachial artery endothelial function and treadmill exercise responses in the Framingham Heart Study. 2007 , 8 Suppl 1, S2	79

(2008-2007)

289	Electrical stimulation-evoked resistance exercise therapy improves arterial health after chronic spinal cord injury. 2007 , 45, 49-56	38
288	Relation of season and temperature to endothelium-dependent flow-mediated vasodilation in subjects without clinical evidence of cardiovascular disease (from the Framingham Heart Study). 2007 , 100, 518-23	59
287	Shear rates derived from ultrasound images and particle image velocimetry. 2008 , 55, 4753841-4753842	
286	Endothelial cytoskeletal elements are critical for flow-mediated dilation in human coronary arterioles. 2008 , 46, 469-78	47
285	The flow-mediated dilation response to acute exercise in overweight active and inactive men. Obesity, 2008, 16, 578-84	86
284	Aging is associated with greater nuclear NF kappa B, reduced I kappa B alpha, and increased expression of proinflammatory cytokines in vascular endothelial cells of healthy humans. 2008 , 7, 805-12	183
283	Hyperaemic blood-flow velocities in systole and diastole relate to coronary risk in divergent ways. 2008 , 28, 189-95	7
282	Metabolic syndrome, insulin resistance, and brachial artery vasodilator function in Framingham Offspring participants without clinical evidence of cardiovascular disease. 2008 , 101, 82-8	157
281	Relations of measures of endothelial function and kidney disease: the Framingham Heart Study. 2008 , 52, 859-67	16
280	Magnetic resonance imaging in vascular biology?. 2008 , 2, 9	3
280	Magnetic resonance imaging in vascular biology?. 2008 , 2, 9 Genetic contribution to brachial artery flow-mediated dilation: the Northern Manhattan Family Study. 2008 , 197, 212-6	3
	Genetic contribution to brachial artery flow-mediated dilation: the Northern Manhattan Family	
279	Genetic contribution to brachial artery flow-mediated dilation: the Northern Manhattan Family Study. 2008 , 197, 212-6 Soluble Fas ligand plasma levels are associated with forearm reactive hyperemia in subjects with	13
279 278	Genetic contribution to brachial artery flow-mediated dilation: the Northern Manhattan Family Study. 2008, 197, 212-6 Soluble Fas ligand plasma levels are associated with forearm reactive hyperemia in subjects with coronary artery disease: a novel biomarker of endothelial function?. 2008, 201, 407-12 Association between hemodynamics in the common carotid artery and severity of carotid	13
279 278 277	Genetic contribution to brachial artery flow-mediated dilation: the Northern Manhattan Family Study. 2008, 197, 212-6 Soluble Fas ligand plasma levels are associated with forearm reactive hyperemia in subjects with coronary artery disease: a novel biomarker of endothelial function?. 2008, 201, 407-12 Association between hemodynamics in the common carotid artery and severity of carotid atherosclerosis in patients with essential hypertension. 2008, 21, 765-70 Putative endothelial progenitor cells are associated with flow-mediated dilation in refractory	13 17 19
279278277276	Genetic contribution to brachial artery flow-mediated dilation: the Northern Manhattan Family Study. 2008, 197, 212-6 Soluble Fas ligand plasma levels are associated with forearm reactive hyperemia in subjects with coronary artery disease: a novel biomarker of endothelial function?. 2008, 201, 407-12 Association between hemodynamics in the common carotid artery and severity of carotid atherosclerosis in patients with essential hypertension. 2008, 21, 765-70 Putative endothelial progenitor cells are associated with flow-mediated dilation in refractory hypertensives. 2008, 17, 298-305 Relationship between brachial artery flow-mediated dilatation, hyperemic shear stress, and the	13 17 19
279 278 277 276	Genetic contribution to brachial artery flow-mediated dilation: the Northern Manhattan Family Study. 2008, 197, 212-6 Soluble Fas ligand plasma levels are associated with forearm reactive hyperemia in subjects with coronary artery disease: a novel biomarker of endothelial function?. 2008, 201, 407-12 Association between hemodynamics in the common carotid artery and severity of carotid atherosclerosis in patients with essential hypertension. 2008, 21, 765-70 Putative endothelial progenitor cells are associated with flow-mediated dilation in refractory hypertensives. 2008, 17, 298-305 Relationship between brachial artery flow-mediated dilatation, hyperemic shear stress, and the metabolic syndrome. 2008, 13, 263-70	13 17 19 13 31
279 278 277 276 275	Genetic contribution to brachial artery flow-mediated dilation: the Northern Manhattan Family Study. 2008, 197, 212-6 Soluble Fas ligand plasma levels are associated with forearm reactive hyperemia in subjects with coronary artery disease: a novel biomarker of endothelial function?. 2008, 201, 407-12 Association between hemodynamics in the common carotid artery and severity of carotid atherosclerosis in patients with essential hypertension. 2008, 21, 765-70 Putative endothelial progenitor cells are associated with flow-mediated dilation in refractory hypertensives. 2008, 17, 298-305 Relationship between brachial artery flow-mediated dilatation, hyperemic shear stress, and the metabolic syndrome. 2008, 13, 263-70 Flow-induced arterial remodeling relates to endothelial function in the human forearm. 2008, 117, 3126-33 C-reactive protein: the underlying cause of microvascular dysfunction in rheumatoid arthritis. 2008,	13 17 19 13 31 40

Commentary. Predictive value of reactive hyperemia for cardiovascular events in patients with peripheral arterial disease undergoing vascular surgery. **2008**, 20, 224-6

270	Interrelationships among noninvasive measures of postischemic macro- and microvascular reactivity. 2008 , 105, 427-32	133
269	Reactive hyperemia revisited. 2008 , 28, e23-4; author reply e25	8
268	Cross-sectional relations of digital vascular function to cardiovascular risk factors in the Framingham Heart Study. 2008 , 117, 2467-74	540
267	Comparison of arterial functional evaluations as a predictor of cardiovascular events in hypertensive patients: the Non-Invasive Atherosclerotic Evaluation in Hypertension (NOAH) study. 2008 , 31, 1135-45	70
266	Are the dynamic response characteristics of brachial artery flow-mediated dilation sensitive to the magnitude of increase in shear stimulus?. 2008 , 105, 282-92	60
265	A randomised interventional trial of omega-3-polyunsaturated fatty acids on endothelial function and disease activity in systemic lupus erythematosus. 2008 , 67, 841-8	97
264	Effects of central arterial aging on the structure and function of the peripheral vasculature: implications for end-organ damage. 2008 , 105, 1652-60	506
263	Effect of recipient arterial blood inflow on free flap survival area. 2008, 121, 505-513	42
262	Impact of shear stimulus, risk factor burden and early atherosclerosis on the time-course of brachial artery flow-mediated vasodilation. 2008 , 26, 508-15	19
261	Commentaries on viewpoint: pick your Poiseuille: normalizing the shear stimulus in studies of flow-mediated dilation. 2009 , 107, 1360; author reply 1366	2
260	Imaging Tools in Cardiovascular Research. 2009 , 105-121	
259	The brachial artery remodels to maintain local shear stress despite the presence of cardiovascular risk factors. 2009 , 29, 606-12	40
258	Adjusting flow-mediated dilation for shear stress stimulus allows demonstration of endothelial dysfunction in a population with moderate cardiovascular risk. 2009 , 46, 592-600	62
257	Diastolic wall shear stress in the internal carotid artery is associated with different cardiovascular risk factors than systolic wall shear stress. 2009 , 28, 185-90	7
256	Modulation of vascular endothelial function by low-density lipoprotein cholesterol with aging: influence of habitual exercise. 2009 , 22, 250-6	38
255	Brachial artery diameter, blood flow and flow-mediated dilation in sleep-disordered breathing. 2009 , 14, 351-60	34
254	Carotid and basilar artery wall shear stress in Alzheimer's disease and mild cognitive impairment. 2009 , 28, 220-4	11

(2010-2009)

253	Long-term hyperglycaemia impairs vascular smooth muscle cell function in women with type 1 diabetes mellitus. 2009 , 6, 25-31	20
252	Shear stress and flow-mediated dilation: all shear responses are not created equally. 2009 , 296, H31-2	12
251	Does arterial shear explain the magnitude of flow-mediated dilation?: a comparison between young and older humans. 2009 , 296, H57-64	84
250	Estimation of volume flow in curved tubes based on analytical and computational analysis of axial velocity profiles. 2009 , 21, 023602	20
249	Association between wall shear stress and carotid atherosclerosis in patients with never treated essential hypertension. 2009 , 22, 705-10	20
248	Association between arterial stiffness and variations in oestrogen-related genes. 2009 , 23, 636-44	23
247	Assessment of endothelial function using digital pulse amplitude tonometry. 2009, 19, 6-11	130
246	Comparison of new measures of vascular function to flow mediated dilatation as a measure of cardiovascular risk factors. 2009 , 103, 1610-5	53
245	The effect of oral antioxidants on brachial artery flow-mediated dilation following 5 and 10 min of ischemia. 2009 , 107, 445-53	33
244	Model-based assessment of dynamic arterial blood volume flow from ultrasound measurements. 2009 , 47, 641-8	27
243	Visceral and subcutaneous adiposity and brachial artery vasodilator function. <i>Obesity</i> , 2009 , 17, 2054-9 8	43
242	Assessment of blood volume flow in slightly curved arteries from a single velocity profile. 2009 , 42, 1664-72	15
241	Evidence of endothelial dysfunction in patients with inflammatory bowel disease. 2009, 7, 175-82	83
240	End-organ dysfunction and cardiovascular outcomes: the role of the microcirculation. 2009 , 116, 175-90	49
239	Pick your Poiseuille: normalizing the shear stimulus in studies of flow-mediated dilation. 2009 , 107, 1357-9	71
238	Measuring FMD in the brachial artery: how important is QRS gating?. 2010 , 109, 959-65	40
237	Effects of pentaerythritol tetranitrate on endothelial function in coronary artery disease: results of the PENTA study. 2010 , 99, 115-24	31
236	Effect of pioglitazone on endothelial function in impaired glucose tolerance. 2010 , 12, 709-15	15

235	The diagnostic value of endothelial function as a potential sensor of fatigue in health. 2010 , 6, 135-44	17
234	Pulse wave amplitude is associated with brachial artery diameter: implications for gender differences in microvascular function. 2010 , 15, 39-45	15
233	Ultrasound assessment of flow-mediated dilation. <i>Hypertension</i> , 2010 , 55, 1075-85	423
232	Maladaptive enlargement of the brachial artery in severe obesity is reversed with weight loss. 2010 , 15, 215-22	17
231	Dynamic Peripheral Vascular Sonography: A Novel Technique. 2010 , 26, 130-136	1
230	Clinical improvement in rheumatoid arthritis is associated with healthier microvascular function in patients who respond to antirheumatic therapy. 2010 , 37, 521-8	33
229	FGF-23 and vascular dysfunction in patients with stage 3 and 4 chronic kidney disease. 2010 , 78, 679-85	129
228	Nitric oxide is not obligatory for radial artery flow-mediated dilation following release of 5 or 10 min distal occlusion. 2010 , 298, H119-26	58
227	Sensitivity of digital thermal monitoring parameters to reactive hyperemia. 2010 , 132, 051005	14
226	Evaluation of cuff-induced ischemia in the lower extremity by magnetic resonance oximetry. 2010 , 55, 598-606	33
225	FMD, reproducibility, and acute exercise in the obese: are the results confounded?. 2010 , 109, 357-8	3
224	Gender differences in vascular function and insulin sensitivity in young adults. 2011 , 120, 153-60	27
223	Impaired flow-mediated dilatation response in uncomplicated Type diabetes mellitus: influence of shear stress and microvascular reactivity. 2011 , 121, 129-39	17
222	[Daily ailments among healthy, middle-aged adults - Situation report and explanatory approaches]. 2011 , 153, 101-106	
221	Is there a link between the late occurrence of a brachial artery aneurysm and the ligation of an arteriovenous fistula?. 2011 , 24, 341-2	17
220	Vascular function and multiple sclerosis. 2011 , 258, 2036-42	11
219	Arterial stiffness, pressure and flow pulsatility and brain structure and function: the Age, Gene/Environment SusceptibilityReykjavik study. 2011 , 134, 3398-407	569
218	The assessment of vascular function during dietary intervention trials in human subjects. 2011 , 106, 981-94	12

(2012-2011)

217	Relation of brachial and digital measures of vascular function in the community: the Framingham heart study. <i>Hypertension</i> , 2011 , 57, 390-6	8.5	287
216	Microvascular function predicts cardiovascular events in primary prevention: long-term results from the Firefighters and Their Endothelium (FATE) study. 2011 , 123, 163-9		278
215	Flow-mediated dilation and cardiovascular event prediction: does nitric oxide matter?. <i>Hypertension</i> , 2011 , 57, 363-9	8.5	329
214	The association of arterial shear and flow-mediated dilation in diabetes. 2011 , 16, 267-74		17
213	Clinical benefits of integrating cardiac and vascular models. 2011 , 5, 501-15		
212	Where are we heading with noninvasive clinical vascular physiology? Why and how should we assess endothelial function?. 2011 , 2011, 870132		11
211	Assessment of flow-mediated dilation in humans: a methodological and physiological guideline. 2011 , 300, H2-12		947
210	Impaired endothelial responses in apparently healthy young people associated with subclinical variation in blood pressure and cardiovascular phenotype. 2012 , 25, 46-53		23
209	Postprandial endothelial function does not differ in women by race: an insulin resistance paradox?. 2012 , 302, E218-25		10
208	Flow-mediated dilatation assessment in women with preeclampsia compared to women with gestational hypertension. 2012 , 31, 377-86		3
207	Vascular function and the role of oxidative stress in heart failure, heart transplant, and beyond. <i>Hypertension</i> , 2012 , 60, 659-68	8.5	30
206	Premenopausal women exhibit an inherent protection of endothelial function following a high-fat meal. 2012 , 19, 221-8		35
205	Impact of blood pressure cuff inflation rates on flow-mediated dilatation and contralateral arm response. 2012 , 26, 35-40		5
204	Relations of exercise blood pressure response to cardiovascular risk factors and vascular function in the Framingham Heart Study. 2012 , 125, 2836-43		112
203	The importance of velocity acceleration to flow-mediated dilation. 2012 , 2012, 589213		14
202	Aortic stiffness, blood pressure progression, and incident hypertension. 2012 , 308, 875-81		625
201	A randomized controlled trial assessing the effects of raltegravir intensification on endothelial function in treated HIV infection. 2012 , 61, 317-25		34
200	The Effects of Tetrahydro-iso-alpha Acids and Niacin on Monocyte-Edothelial Cell Interactions and Flow-mediated Vasodilation. 2012 , 1, 84-91		1

199	The optimal measure of microvascular function with velocity time integral for cardiovascular risk prediction. 2012 , 17, 287-93	6
198	Relationship between heart rate variability and endothelial function in healthy subjects. 2012 , 169, 107-12	14
197	Velocity acceleration as a determinant of flow-mediated dilation. 2012, 38, 580-92	26
196	Perioperative cardiovascular evaluation: heads or tails?. <i>Revista Da Associd</i> o <i>Mdica Brasileira</i> , 2012, 58, 505-512	3
195	Perioperative cardiovascular evaluation: heads or tails?. 2012 , 58, 505-512	
194	Carotid artery stiffness is not related to endothelial function in young healthy subjects. 2012 , 166, 85-8	9
193	Postprandial hyperglycemia and endothelial function in type 2 diabetes: focus on mitiglinide. **Cardiovascular Diabetology, 2012 , 11, 79** 8.7**	25
192	Use of ultrasound for non-invasive assessment of flow-mediated dilation. 2012 , 19, 407-21	60
191	There's more to flow-mediated dilation than nitric oxide. 2012 , 19, 589-600	42
190	The assessment of endothelial function: from research into clinical practice. 2012 , 126, 753-67	749
190	Type 2 diabetes mellitus worsens arterial stiffness in hypertensive patients through endothelial dysfunction. 2012 , 55, 1847-55	749 75
	Type 2 diabetes mellitus worsens arterial stiffness in hypertensive patients through endothelial	
189	Type 2 diabetes mellitus worsens arterial stiffness in hypertensive patients through endothelial dysfunction. 2012 , 55, 1847-55 Relation between digital peripheral arterial tonometry and brachial artery ultrasound measures of	75
189 188	Type 2 diabetes mellitus worsens arterial stiffness in hypertensive patients through endothelial dysfunction. 2012, 55, 1847-55 Relation between digital peripheral arterial tonometry and brachial artery ultrasound measures of vascular function in patients with coronary artery disease and in healthy volunteers. 2012, 109, 651-7 Comparison of calcium acetate and sevelamer on vascular function and fibroblast growth factor 23	75 43
189 188 187	Type 2 diabetes mellitus worsens arterial stiffness in hypertensive patients through endothelial dysfunction. 2012, 55, 1847-55 Relation between digital peripheral arterial tonometry and brachial artery ultrasound measures of vascular function in patients with coronary artery disease and in healthy volunteers. 2012, 109, 651-7 Comparison of calcium acetate and sevelamer on vascular function and fibroblast growth factor 23 in CKD patients: a randomized clinical trial. 2012, 59, 177-85	75 43 99
189 188 187	Type 2 diabetes mellitus worsens arterial stiffness in hypertensive patients through endothelial dysfunction. 2012, 55, 1847-55 Relation between digital peripheral arterial tonometry and brachial artery ultrasound measures of vascular function in patients with coronary artery disease and in healthy volunteers. 2012, 109, 651-7 Comparison of calcium acetate and sevelamer on vascular function and fibroblast growth factor 23 in CKD patients: a randomized clinical trial. 2012, 59, 177-85 The evaluation of endothelial functions in patients with celiac disease. 2012, 29, 471-7 Sex differences in the endothelial function of untreated hypertension. <i>Journal of Clinical</i>	75 43 99 15
189 188 187 186	Type 2 diabetes mellitus worsens arterial stiffness in hypertensive patients through endothelial dysfunction. 2012, 55, 1847-55 Relation between digital peripheral arterial tonometry and brachial artery ultrasound measures of vascular function in patients with coronary artery disease and in healthy volunteers. 2012, 109, 651-7 Comparison of calcium acetate and sevelamer on vascular function and fibroblast growth factor 23 in CKD patients: a randomized clinical trial. 2012, 59, 177-85 The evaluation of endothelial functions in patients with celiac disease. 2012, 29, 471-7 Sex differences in the endothelial function of untreated hypertension. <i>Journal of Clinical Hypertension</i> , 2012, 14, 228-35	75 43 99 15 6

181	In vivo assessment of endothelial function in human lower extremity arteries. 2013, 58, 1259-66	10
180	Flow-mediated dilation normalization predicts outcome in chronic heart failure patients. 2013 , 19, 260-7	27
179	Insulin status and vascular responses to weight loss in obesity. 2013 , 62, 2297-305	32
178	Is allometric scaling really a panacea for flow-mediated dilation? Commentary on paper by Atkinson and Batterham. 2013 , 228, 280-1	3
177	How should flow-mediated dilation be normalized to its stimulus?. 2013 , 33, 75-8	16
176	Bison meat has a lower atherogenic risk than beef in healthy men. 2013 , 33, 293-302	10
175	Hand ischemia associated with dialysis vascular access: an individualized access flow-based approach to therapy. 2013 , 26, 287-314	44
174	Endothelial function in women with and without a history of glucose intolerance in pregnancy. 2013 , 2013, 382670	11
173	Relations of arterial stiffness and endothelial function to brain aging in the community. 2013, 81, 984-91	171
172	Mineralocorticoid receptors modulate vascular endothelial function in human obesity. 2013 , 125, 513-20	35
171	Does circumferential stress help to explain flow-mediated dilation?. 2013 , 29, 103-10	1
170	The relationship between peripheral arterial tonometry and classic measures of endothelial function. 2013 , 18, 13-8	16
169	Peripheral artery disease is associated with severe impairment of vascular function. 2013, 18, 72-8	24
168	Normalized endothelial function but sustained cardiovascular risk profile 11 years following a pregnancy complicated by preeclampsia. 2013 , 36, 1081-7	45
167	The relationship between anthropometric indexes of adiposity and vascular function in the FATE cohort. <i>Obesity</i> , 2013 , 21, 266-73	16
166	Selenium and hypertension: do we need to reconsider selenium supplementation in cancer patients?. 2013 , 31, 1050-2	1
165	Bone marrow cell therapy in hypertensive kidney disease: contribution to cardiac fibrosis?. 2013 , 31, 1052-4	1
164	Response to 'Angiotensin II type 1 and type 2 receptor interplay in hypertension: lesson from a human model of vascular hyporeactivity'. 2013 , 31, 1056-7	

163	Is allometry really a panacea for the shortcomings of flow-mediated dilation?. 2013, 31, 1057-8	4
162	Selenium and hypertension: do we need to reconsider selenium supplementation in cancer patients?. 2013 , 31, 1049-50	4
161	Response to Van Koppen et al. 2013 , 31, 1054-5	
160	Angiotensin II type 1 and type 2 receptor interplay in hypertension: lesson from a human model of vascular hyporeactivity. 2013 , 31, 1055-6	1
159	Reply to Stoner et al. regarding 'A new approach to improve the specificity of flow-mediated dilation for indicating endothelial function in cardiovascular research'. 2013 , 31, 1058	
158	The viscous characterization of hydroxyethyl starch (HES) plasma volume expanders in a non-Newtonian blood analog. 2013 , 50, 177-90	2
157	Flow-mediated vasodilatation in the patients with anorexia nervosa. 2013, 114, 634-6	3
156	Brachial artery constriction during brachial artery reactivity testing predicts major adverse clinical outcomes in women with suspected myocardial ischemia: results from the NHLBI-sponsored 3.7 women's ischemia Syndrome Evaluation (WISE) Study. <i>PLoS ONE</i> , 2013 , 8, e74585	8
155	Redundant vasodilator pathways underlying radial artery flow-mediated dilation are preserved in healthy aging. 2014 , 2014, 876125	1
154	Endothelial function testing and cardiovascular disease: focus on peripheral arterial tonometry. 2014 , 10, 577-84	41
153	Cerebral endothelial function determined by cerebrovascular reactivity to L-arginine. 2014, 2014, 601515	10
152	Endothelial Dysfunction is Associated with Occult Coronary Artery Disease Detected by Positron Emission Tomography. 2014 , 4, 28-32	4
151	Proinflammatory endothelial activation detected by molecular imaging in obese nonhuman primates coincides with onset of insulin resistance and progressively increases with duration of insulin resistance. 2014 , 129, 471-8	59
150	Endothelial dysfunction in patients with coronary artery disease: insights from a flow-mediated dilation study. 2014 , 20, 583-8	12
149	Relation of mitochondrial oxygen consumption in peripheral blood mononuclear cells to vascular function in type 2 diabetes mellitus. 2014 , 19, 67-74	65
148	Relation of long-term exposure to air pollution to brachial artery flow-mediated dilation and reactive hyperemia. 2014 , 113, 2057-63	45
147	Vascular dysfunction and chronic obstructive pulmonary disease: the role of redox balance. Hypertension, 2014 , 63, 459-67	61
146	Can a combination of handgrip exercise and prolonged forearm occlusion elicit a maximal brachial artery FMD response?. 2014 , 114, 1297-307	1

(2015-2014)

145	Potentially spurious correlations between arterial size, flow-mediated dilation, and shear rate. <i>Hypertension</i> , 2014 , 64, 1328-33	8.5	4
144	Association beween resting heart rate, shear and flow-mediated dilation in healthy adults. 2014 , 99, 1439-48		5
143	Vascular Endothelial Function. 2014 , 1-37		
142	Endothelial function, arterial stiffness and adherence to the 2010 Dietary Guidelines for Americans: a cross-sectional analysis. 2015 , 113, 1773-81		27
141	Secondary prevention strategy of cardiovascular disease using endothelial function testing. 2015 , 79, 685-94		24
140	The presence of cerebral and/or systemic endothelial dysfunction in patients with leukoaraiosisa case control pilot study. 2015 , 15, 158		11
139	Cerebral/Peripheral Vascular Reactivity and Neurocognition in Middle-Age Athletes. <i>Medicine and Science in Sports and Exercise</i> , 2015 , 47, 2595-603	1.2	26
138	Predictive value of endothelial function by noninvasive peripheral arterial tonometry for coronary artery disease. 2015 , 26, 231-8		26
137	Donor artery aneurysm formation following the ligation of haemodialysis arteriovenous fistula: a systematic review and case reports. 2015 , 16, 5-12		21
136	A control systems approach to quantify wall shear stress normalization by flow-mediated dilation in the brachial artery. <i>PLoS ONE</i> , 2015 , 10, e0115977	3.7	12
135	"Smooth Muscle Cell Stiffness Syndrome"-Revisiting the Structural Basis of Arterial Stiffness. 2015 , 6, 335		75
134	Role of vascular function in predicting arteriovenous fistula outcomes: an observational pilot study. 2015 , 2, 19		8
133	Estimation of flow mediated vasodilation of the radial artery. 2015,		
132	Physical activity measured by accelerometry and its associations with cardiac structure and vascular function in young and middle-aged adults. 2015 , 4, e001528		50
131	Vascular Endothelial Function. 2015 , 89-120		4
130	Higher levels of adiponectin in vascular endothelial cells are associated with greater brachial artery flow-mediated dilation in older adults. 2015 , 63, 1-7		12
129	Cellular and molecular biology of aging endothelial cells. 2015 , 89, 122-35		270
128	The use of shear rate-diameter dose-response curves as an alternative to the flow-mediated dilation test. 2015 , 84, 85-90		3

127	Flow-mediated dilation: An evolving method. 2015 , 241, 143-4		4
126	Microcirculation. 2015 , 281-299		
125	A modification of Murray's law for shear-thinning rheology. 2015 , 137, 054503		1
124	Cardiometabolic and traditional cardiovascular risk factors and their potential impact on macrovascular and microvascular function: preliminary data. <i>Clinical Hemorheology and Microcirculation</i> , 2015 , 59, 53-65	2.5	21
123	Acute Hyperglycemia Impairs Vascular Function in Healthy and Cardiometabolic Diseased Subjects: Systematic Review and Meta-Analysis. 2015 , 35, 2060-72		67
122	Arterial Disorders. 2015,		1
121	Assessment and prognosis of peripheral artery measures of vascular function. 2015 , 57, 497-509		44
120	Effect of Selective Mineralocorticoid Receptor Blockade on Flow-Mediated Dilation and Insulin Resistance in Older Adults with Metabolic Syndrome. 2015 , 13, 356-61		8
119	Further Peripheral Vascular Dysfunction in Heart Failure Patients With a Continuous-Flow Left Ventricular Assist Device: The Role of Pulsatility. 2015 , 3, 703-11		61
118	Nonalcoholic fatty liver disease and vascular function: cross-sectional analysis in the Framingham heart study. 2015 , 35, 1284-91		53
117	Effects of short-term walnut consumption on human microvascular function and its relationship to plasma epoxide content. 2015 , 26, 1458-66		18
116	Association of peripheral microvascular dysfunction and erectile dysfunction. 2015 , 193, 612-7		24
115	CURRENT METHODS OF ENDOTHELIAL DYSFUNCTION ASSESSMENT AND THEIR POSSIBLE USE IN THE PRACTICAL MEDICINE. 2016 , 12, 733-742		15
114	Vascular Health in American Football Players: Cardiovascular Risk Increased in Division III Players. 2016 , 2016, 6851256		7
113	Cerebral Perfusion Enhancing Interventions: A New Strategy for the Prevention of Alzheimer Dementia. 2016 , 26, 618-31		29
112	Dialysis access-associated steal syndromes. 2016 , 29, 212-226		6
111	Reactivity to low-flow as a potential determinant for brachial artery flow-mediated vasodilatation. 2016 , 4, e12808		8
110	Microvascular Function Contributes to the Relation Between Aortic Stiffness and Cardiovascular Events: The Framingham Heart Study. 2016 , 9,		51

109	Role of T-Cell Dysfunction, Inflammation, and Coagulation in Microvascular Disease in HIV. 2016, 5,	32
108	WITHDRAWN: Etiology and mechanisms of age-related arterial stiffening. 2016,	
107	Reactive hyperemia is associated with adverse clinical outcomes in heart failure. 2016 , 178, 108-14	22
106	Phase-contrast magnetic resonance imaging for the evaluation of wall shear stress in the common carotid artery of a spontaneously hypertensive rat model at 7T: Location-specific change, regional distribution along the vascular circumference, and reproducibility analysis. 2016 , 34, 624-31	4
105	True Aneurysm of the Left Internal Thoracic Artery. 2016 , 31, 207.e13-5	
104	Exercise-induced heat stress disrupts the shear-dilatory relationship. 2016 , 101, 1541-1551	4
103	Relations of Arterial Stiffness and Brachial Flow-Mediated Dilation With New-Onset Atrial Fibrillation: The Framingham Heart Study. <i>Hypertension</i> , 2016 , 68, 590-6	52
102	Very low protein diets supplemented with keto-analogues in ESRD predialysis patients and its effect on vascular stiffness and AVF Maturation. 2016 , 17, 131	2
101	Cross-Sectional Associations of Flow Reversal, Vascular Function, and Arterial Stiffness in the Framingham Heart Study. 2016 , 36, 2452-2459	21
100	Ultrasound Assessment of Endothelial Function: A Technical Guideline of the Flow-mediated Dilation Test. 2016 ,	24
99	Acute effect of mineralocorticoid receptor antagonism on vascular function in healthy older adults. 2016 , 73, 86-94	10
98	Microvascular endothelial dysfunction in heart failure with preserved ejection fraction. 2016 , 102, 257-9	43
97	Intravenous Lipid Infusion Induces Endoplasmic Reticulum Stress in Endothelial Cells and Blood Mononuclear Cells of Healthy Adults. 2016 , 5,	24
96	Simultaneous Assessment of Systemic and Coronary Endothelial Function: Can We Kill Two Birds With One Stone?. 2016 , 9, e004182	O
95	Relations of circulating GDF-15, soluble ST2, and troponin-I concentrations with vascular function in the community: The Framingham Heart Study. 2016 , 248, 245-51	44
94	Microvascular Dysfunction as Opposed to Conduit Artery Disease Explains Sex-specific Chest Pain in Emergency Department Patients With Low to Moderate Cardiac Risk. 2016 , 38, 240-255.e1	5
93	The Human Microcirculation: Regulation of Flow and Beyond. 2016 , 118, 157-72	156
92	The effect of hypohydration on endothelial function in young healthy adults. 2017, 56, 1211-1217	27

91	Both flow-mediated dilation and constriction are associated with changes in blood flow and shear stress: Two complementary perspectives on endothelial function. Clinical Hemorheology and Microcirculation, 2016, 64, 255-266	14
90	Effects of Sugar-Sweetened Beverage Consumption on Microvascular and Macrovascular Function in a Healthy Population. 2017 , 37, 1250-1260	28
89	Exposure-response modeling of flow-mediated dilation provides an unbiased and informative measure of endothelial function. 2017 , 122, 1292-1303	4
88	Effect of gender and adiposity on inlyivo vascular function in young African Americans. 2017 , 11, 246-257	5
87	The association of endothelial function and tone by digital arterial tonometry with MRI left ventricular mass in African Americans: the Jackson Heart Study. 2017 , 11, 258-264	6
86	The effects of alpha 1-adrenoceptor blockade and angiotensin converting enzyme inhibition on central and brachial blood pressure and vascular reactivity: the doxazosin-ramipril study. 2017 , 32, 674-684	14
85	Endothelial Function Is Impaired in Patients Receiving Antihypertensive Drug Treatment Regardless of Blood Pressure Level: FMD-J Study (Flow-Mediated Dilation Japan). <i>Hypertension</i> , 8.5 2017 , 70, 790-797	16
84	Subclinical Atherosclerosis in Youth: Relation to Obesity, Insulin Resistance, and Polycystic Ovary Syndrome. 2017 , 190, 14-20	3
83	Beneficial effects of Angiotensin II receptor blockers in brain disorders. 2017 , 125, 91-103	40
82	Systemic Inflammation after Third Molar Removal: A Case-Control Study. 2017 , 96, 1505-1512	12
81	Dialysis Access Cases. 2017,	
80	Flow-mediated dilation stimulated by sustained increases in shear stress: a useful tool for assessing endothelial function in humans?. 2018 , 314, H508-H520	28
79	The relation of digital vascular function to cardiovascular risk factors in African-Americans using digital tonometry: the Jackson Heart Study. 2017 , 11, 325-333.e2	6
78	Advanced Thermal Measures of Vascular Reactivity. 2017,	
77	Pick Your Poiseuille: Normalizing the Shear Stimulus In Studies of Flow-Mediated Dilation. 2017 , 913022008	4
76	Effects of aerobic interval training on arterial stiffness and microvascular function in patients with metabolic syndrome. <i>Journal of Clinical Hypertension</i> , 2018 , 20, 11-18	25
75	Interrelationships Among Flow-Mediated Vasodilation, Nitroglycerine-Induced Vasodilation, Baseline Brachial Artery Diameter, Hyperemic Shear Stress, and Cardiovascular Risk Factors. 2017 , 7,	9
74	20-MHz Ultrasound for Measurements of Flow-Mediated Dilation and Shear Rate in the Radial Artery. 2018 , 44, 1187-1197	2

73	Brachial artery vasodilatory response and wall shear rate determined by multigate Doppler in a healthy young cohort. 2018 , 124, 150-159	8
7 ²	Liraglutide Treatment Reduces Endothelial Endoplasmic Reticulum Stress and Insulin Resistance in Patients With Diabetes Mellitus. 2018 , 7, e009379	22
71	Aortic stiffness, pressure and flow pulsatility, and target organ damage. 2018 , 125, 1871-1880	44
70	Relations of Microvascular Function, Cardiovascular Disease Risk Factors, and Aortic Stiffness in Blacks: The Jackson Heart Study. 2018 , 7, e009515	13
69	Mechanisms of Dysfunction in the Aging Vasculature and Role in Age-Related Disease. 2018 , 123, 825-848	160
68	UBC-Nepal expedition: upper and lower limb conduit artery shear stress and flow-mediated dilation on ascent to 5,050 m in lowlanders and Sherpa. 2018 , 315, H1532-H1543	14
67	Research Toolbox for Peripheral Arterial Disease - Minimally Invasive Assessment of the Vasculature and Skeletal Muscle. 2018 , 82, 2462-2469	2
66	Aging-Induced Biological Changes and Cardiovascular Diseases. 2018 , 2018, 7156435	46
65	Brief periods of inactivity reduce leg microvascular, but not macrovascular, function in healthy young men. 2018 , 103, 1425-1434	17
64	Arterial wall shear rate response to reactive hyperaemia is markedly different between young and older humans. 2019 , 597, 4151-4163	1
63	Expert consensus and evidence-based recommendations for the assessment of flow-mediated dilation in humans. 2019 , 40, 2534-2547	264
62	Relationship between the endothelial dysfunction and the expression of the ¶-subunit of BK channels in a non-hypertensive sleep apnea group. <i>PLoS ONE</i> , 2019 , 14, e0217138	4
61	The role of the endothelial glycocalyx in advanced age and cardiovascular disease. 2019, 45, 66-71	19
60	70-year legacy of the Framingham Heart Study. 2019 , 16, 687-698	63
59	Global REACH 2018: High Blood Viscosity and Hemoglobin Concentration Contribute to Reduced Flow-Mediated Dilation in High-Altitude Excessive Erythrocytosis. <i>Hypertension</i> , 2019 , 73, 1327-1335	31
58	The continuums of impairment in vascular reactivity across the spectrum of cardiometabolic health: A systematic review and network meta-analysis. 2019 , 20, 906-920	11
57	Associations of microvascular dysfunction with cardiovascular outcomes: The cardiac, endothelial function and arterial stiffness in ESRD (CERES) cohort. 2019 , 23, 58-68	6
56	Characterization of blood flow patterns and endothelial shear stress during flow-mediated dilation. 2019 , 39, 240-245	3

55	Relationship Between Endothelial Function and the Eliciting Shear Stress Stimulus in Women: Changes Across the Lifespan Differ to Men. 2019 , 8, e010994		13
54	Vascular Aging Is Accelerated in Flight Attendants With Occupational Secondhand Smoke Exposure. 2019 , 61, 197-202		1
53	Contribution of systemic vascular reactivity to variability in pulse volume amplitude response during reactive hyperemia. 2019 , 119, 753-760		0
52	Assessment of resistance vessel function in human skeletal muscle: guidelines for experimental design, Doppler ultrasound, and pharmacology. 2020 , 318, H301-H325		40
51	ASDIN white paper: Assessment and management of hemodialysis access-induced distal ischemia by interventional nephrologists. 2020 , 21, 543-553		7
50	Revision using distal inflow for high flow hemodialysis access alters arterial flow characteristics in the dialysis arm. 2020 , 71, 920-928		4
49	Comparison of arterial supercharging and venous superdrainage on improvement of survival of the extended perforator flap in rats. 2020 , 40, 874-880		1
48	Overview of the Assessment of Endothelial Function in Humans. 2020 , 7, 542567		15
47	Cognitive and vascular function in older adults with and without CKD. 2021 , 33, 1885-1894		2
46	Clinical Associations of Vascular Stiffness, Microvascular Dysfunction, and Prevalent Cardiovascular Disease in a Black Cohort: The Jackson Heart Study. 2020 , 9, e017018		4
45	Hormetic modulation of angiogenic factors by exercise-induced mechanical and metabolic stress in human skeletal muscle. 2020 , 319, H824-H834		2
44	TRAF3IP2 (TRAF3 Interacting Protein 2) Mediates Obesity-Associated Vascular Insulin Resistance and Dysfunction in Male Mice. <i>Hypertension</i> , 2020 , 76, 1319-1329	8.5	6
43	A multivariable miRNA signature delineates the systemic hemodynamic impact of arteriovenous shunt placement in a pilot study. <i>Scientific Reports</i> , 2020 , 10, 21809	4.9	5
42	Vascular Dysfunction, Oxidative Stress, and Inflammation in Chronic Kidney Disease. <i>Kidney360</i> , 2020 , 1, 501-509	1.8	3
41	Reactive hyperemia: a review of methods, mechanisms, and considerations. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2020 , 318, R605-R618	3.2	38
40	Early Endothelial Dysfunction in Type 1 Diabetes Is Accompanied by an Impairment of Vascular Smooth Muscle Function: A Meta-Analysis. <i>Frontiers in Endocrinology</i> , 2020 , 11, 203	5.7	12
39	Endothelial function in cardiovascular medicine: a consensus paper of the European Society of Cardiology Working Groups on Atherosclerosis and Vascular Biology, Aorta and Peripheral Vascular Diseases, Cardiovascular Pathophysiology and Microcirculation, and Thrombosis. Cardiovascular Research,	9.9	53
38	2021 , 117, 29-42 Digital thermal monitoring techniques to assess vascular reactivity following finger and brachial occlusions. <i>Journal of Clinical Hypertension</i> , 2021 , 23, 122-127	2.3	

(2011-2021)

37	Dapagliflozin effect on endothelial dysfunction in diabetic patients with atherosclerotic disease: a randomized active-controlled trial. <i>Cardiovascular Diabetology</i> , 2021 , 20, 74	8.7	16
36	High-sodium diet does not worsen endothelial function in female patients with postural tachycardia syndrome. <i>Clinical Autonomic Research</i> , 2021 , 31, 563-571	4.3	1
35	The effect of reducing posttraumatic stress disorder symptoms on cardiovascular risk: Design and methodology of a randomized clinical trial. <i>Contemporary Clinical Trials</i> , 2021 , 102, 106269	2.3	1
34	Wave Reflection at the Origin of a First-Generation Branch Artery and Target Organ Protection: The AGES-Reykjavik Study. <i>Hypertension</i> , 2021 , 77, 1169-1177	8.5	4
33	Peripheral microvascular dysfunction is also present in patients with ischemia and no obstructive coronary artery disease (INOCA). <i>Clinical Hemorheology and Microcirculation</i> , 2021 ,	2.5	1
32	Vascular health assessment with flow-mediated dilatation and retinal image analysis: a pilot study in an adult population from Cape Town. <i>Cardiovascular Journal of Africa</i> , 2021 , 32, 133-140	0.7	3
31	Age- and sex-related profiles for macro, macro/micro and microvascular reactivity indexes: Association between indexes and normative data from 2609 healthy subjects (3-85 years). <i>PLoS ONE</i> , 2021 , 16, e0254869	3.7	8
30	Relations of arterial stiffness and endothelial dysfunction with incident venous thromboembolism. <i>Thrombosis Research</i> , 2021 , 204, 108-113	8.2	
29	Successful embolization of a renal arteriovenous fistula; a feared kidney biopsy complication. <i>Radiology Case Reports</i> , 2021 , 16, 3182-3185	1	
28	Swing Point Stenosis. 2021 , 179-207		
28 27	Swing Point Stenosis. 2021, 179-207 Assessment of Macro- and Microvascular Function and Reactivity. 2011, 265-275		1
			1
27	Assessment of Macro- and Microvascular Function and Reactivity. 2011 , 265-275	1.4	
27 26	Assessment of Macro- and Microvascular Function and Reactivity. 2011, 265-275 Arterial Function. 2015, 373-383 Perioperative cardiovascular evaluation: heads or tails?. Revista Da Associalo Midica Brasileira,	1.4	1
27 26 25	Assessment of Macro- and Microvascular Function and Reactivity. 2011, 265-275 Arterial Function. 2015, 373-383 Perioperative cardiovascular evaluation: heads or tails?. Revista Da Associalo Malica Brasileira, 2012, 58, 505-512 The Relationship Between Anthropometric Indexes of Adiposity and Vascular Function in the FATE	·	1
27 26 25 24	Assessment of Macro- and Microvascular Function and Reactivity. 2011, 265-275 Arterial Function. 2015, 373-383 Perioperative cardiovascular evaluation: heads or tails?. Revista Da Associalo Midica Brasileira, 2012, 58, 505-512 The Relationship Between Anthropometric Indexes of Adiposity and Vascular Function in the FATE Cohort. Obesity, Attenuated Rapid-Onset Vasodilation to Forearm Muscle Contraction in Black Men. Medicine and	8	1 3
27 26 25 24 23	Assessment of Macro- and Microvascular Function and Reactivity. 2011, 265-275 Arterial Function. 2015, 373-383 Perioperative cardiovascular evaluation: heads or tails?. Revista Da Assocido Midica Brasileira, 2012, 58, 505-512 The Relationship Between Anthropometric Indexes of Adiposity and Vascular Function in the FATE Cohort. Obesity, Attenuated Rapid-Onset Vasodilation to Forearm Muscle Contraction in Black Men. Medicine and Science in Sports and Exercise, 2021, 53, 590-596 Reduced endothelium-dependent relaxation to anandamide in mesenteric arteries from young	1.2	1 1 3

Ultrasound Assessment of Brachial Artery Reactivity. **2011**, 395-410

18	Dialysis Access Steal Syndrome Following Percutaneous Transluminal Angioplasty in a Radial-Cephalic Fistula. 2017 , 267-272		
17	Carotid Artery IMT, Blood Pressure, and Cardiovascular Risk Factors in Males and Females. <i>International Journal of Exercise Science</i> , 2016 , 9, 482-490	1.3	3
16	High fidelity blood flow in a patient-specific arteriovenous fistula. <i>Scientific Reports</i> , 2021 , 11, 22301	4.9	1
15	Endothelial SIRT1 as a target for the prevention of arterial ageing: promises and challenges. <i>Journal of Cardiovascular Pharmacology</i> , 2021 , 78,	3.1	2
14	Clinical and Haemodynamic Effects of Arteriovenous Shunts in Patients with Heart Failure with Preserved Ejection Fraction <i>Cardiac Failure Review</i> , 2022 , 8, e05	4.2	
13	The endothelial glycocalyx in critical illness: A pediatric perspective Matrix Biology Plus, 2022, 14, 1001	061	0
12	Image_1.pdf. 2020 ,		
11	Image_2.pdf. 2020 ,		
10	Image_3.pdf. 2020 ,		
9	Table_1.DOCX. 2020 ,		
8	Impaired Vascular Endothelial Function is Associated with Peripheral Neuropathy in Patients with Type 2 Diabetes <i>Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy</i> , 2022 , 15, 1437-1449	3.4	O
7	Brachial artery blood flow by vascular ultrasound in education. <i>American Journal of Physiology - Advances in Physiology Education</i> ,	1.9	
6	Arterial Stiffness and Diabetes Risk in Framingham Heart Study and UK Biobank.		3
5	Endothelial and vascular smooth muscle dysfunction in hypertension. 2022 , 205, 115263		1
4	The impact of exercise training on endothelial function in postmenopausal women: A systematic review.		0
3	A computational study of aortic reconstruction in single ventricle patients.		0
2	Prognostic value of reactive hyperemia index using peripheral artery tonometry in patients with heart failure. 2023 , 13,		O

Endothelial Glycocalyx in Aging and Age-related Diseases. **2023**, 0

О