

A conserved basic loop in hepatitis C virus p7 protein is  
ion channel activity in mammalian cells but is dispensa  
mitochondria

Journal of General Virology

85, 451-461

DOI: [10.1099/vir.0.19634-0](https://doi.org/10.1099/vir.0.19634-0)

Citation Report

#	ARTICLE	IF	CITATIONS
1	Regulation of Hepatitis C Virus Polyprotein Processing by Signal Peptidase Involves Structural Determinants at the p7 Sequence Junctions. <i>Journal of Biological Chemistry</i> , 2004, 279, 41384-41392.	1.6	58
2	Steatosis and intrahepatic lymphocyte recruitment in hepatitis C virus transgenic mice. <i>Journal of General Virology</i> , 2004, 85, 1509-1520.	1.3	41
3	Triple Antiviral Therapy with Amantadine for IFN-Ribavirin Nonresponders with Recurrent Posttransplantation Hepatitis C. <i>Transplantation</i> , 2005, 79, 325-329.	0.5	23
4	The human T-cell leukemia virus type 1 p13II protein: effects on mitochondrial function and cell growth. <i>Cell Death and Differentiation</i> , 2005, 12, 905-915.	5.0	42
5	Analysis of the processing and transmembrane topology of the E2p7 protein of hepatitis C virus. <i>Journal of General Virology</i> , 2005, 86, 667-676.	1.3	33
6	Signal Peptide Cleavage and Internal Targeting Signals Direct the Hepatitis C Virus p7 Protein to Distinct Intracellular Membranes. <i>Journal of Virology</i> , 2005, 79, 15525-15536.	1.5	66
7	The Influenza A Virus M2 Cytoplasmic Tail Is Required for Infectious Virus Production and Efficient Genome Packaging. <i>Journal of Virology</i> , 2005, 79, 3595-3605.	1.5	165
8	Mitochondria as Functional Targets of Proteins Coded by Human Tumor Viruses. <i>Advances in Cancer Research</i> , 2005, 94, 87-142.	1.9	54
10	Hepatitis C Virus: Virology and Experimental Systems. <i>Clinics in Liver Disease</i> , 2006, 10, 773-791.	1.0	4
11	Mitochondrial dysfunction in hepatitis C virus infection. <i>Biochimica Et Biophysica Acta - Bioenergetics</i> , 2006, 1757, 1429-1437.	0.5	51
12	Protein-Protein Interactions: Modeling the Hepatitis C Virus Ion Channel p7. <i>Journal of Medicinal Chemistry</i> , 2006, 49, 648-655.	2.9	93
13	Amantadine triple therapy for non-responder hepatitis C patients. Clues for controversies (ANRS HC 03) Tj ETQq1 1,0,784314 rgBT /Ove	1.8	38
14	Structure and functions of hepatitis C virus proteins: 15 years after. <i>Folia Microbiologica</i> , 2006, 51, 665-680.	1.1	23
15	Role of myristoylation and N-terminal basic residues in membrane association of the human immunodeficiency virus type 1 Nef protein. <i>Journal of General Virology</i> , 2006, 87, 563-571.	1.3	97
16	Signal Peptide Peptidase-catalyzed Cleavage of Hepatitis C Virus Core Protein Is Dispensable for Virus Budding but Destabilizes the Viral Capsid. <i>Journal of Biological Chemistry</i> , 2006, 281, 27679-27692.	1.6	36
17	Evidence for the Formation of a Heptameric Ion Channel Complex by the Hepatitis C Virus P7 Protein in Vitro. <i>Journal of Biological Chemistry</i> , 2006, 281, 37057-37068.	1.6	120
18	Tagging of NS5A expressed from a functional hepatitis C virus replicon. <i>Journal of General Virology</i> , 2006, 87, 635-640.	1.3	21
19	Hepatitis C Virus p7 and NS2 Proteins Are Essential for Production of Infectious Virus. <i>Journal of Virology</i> , 2007, 81, 8374-8383.	1.5	398

#	ARTICLE	IF	CITATIONS
20	Hepatitis C Virus p7 Protein Is Crucial for Assembly and Release of Infectious Virions. PLoS Pathogens, 2007, 3, e103.	2.1	290
21	Hepatitis C virus p7 protein is localized in the endoplasmic reticulum when it is encoded by a replication-competent genome. Journal of General Virology, 2007, 88, 134-142.	1.3	38
22	Viral Determinants of Resistance to Treatment in Patients with Hepatitis C. Clinical Microbiology Reviews, 2007, 20, 23-38.	5.7	142
23	Triple therapy of initial high-dose interferon with ribavirin and amantadine for patients with chronic hepatitis C. Hepatology Research, 2007, 37, 325-330.	1.8	3
24	Mitochondrial Membrane Permeabilization in Cell Death. Physiological Reviews, 2007, 87, 99-163.	13.1	3,126
25	Cytopathic Mechanisms of HIV-1. Virology Journal, 2007, 4, 100.	1.4	46
26	Hepatitis C virus (HCV): an RNA virus with a pro-oncogenic potential. Digestive and Liver Disease, 2007, 39, S46-S51.	0.4	7
27	Hepatitis C virus proteins. World Journal of Gastroenterology, 2007, 13, 2406.	1.4	141
28	Antiviral effects of amantadine and iminosugar derivatives against hepatitis C virus. Hepatology, 2007, 46, 330-338.	3.6	127
29	Hepatitis C Virus p7 membrane protein quasispecies variability in chronically infected patients treated with interferon and ribavirin, with or without amantadine. Journal of Medical Virology, 2007, 79, 144-154.	2.5	19
30	Viroporins from RNA viruses induce caspase-dependent apoptosis. Cellular Microbiology, 2007, 10, 071027034427002-???.	1.1	91
31	Inhibition of hepatitis C virus p7 membrane channels in a liposome-based assay system. Antiviral Research, 2007, 76, 48-58.	1.9	75
32	A 2a/1b full-length p7 inter-genotypic chimeric genome of hepatitis C virus is infectious in vitro. Virology, 2007, 360, 17-26.	1.1	18
33	Hepatitis C Virus Infection—Pathobiology and Implications for New Therapeutic Options. Digestive Diseases and Sciences, 2007, 52, 857-875.	1.1	8
34	Placebo-controlled trial of 400 mg amantadine combined with peginterferon alfa-2a and ribavirin for 48 weeks in chronic hepatitis C virus-1 infection. Hepatology, 2008, 48, 1404-1411.	3.6	28
35	Genotype-dependent sensitivity of hepatitis C virus to inhibitors of the p7 ion channel. Hepatology, 2008, 48, 1779-1790.	3.6	109
36	Human oncogenic viruses: Hepatitis B and hepatitis C viruses and their role in hepatocarcinogenesis. Biochemistry (Moscow), 2008, 73, 504-513.	0.7	75
37	Architects of assembly: roles of Flaviviridae non-structural proteins in virion morphogenesis. Nature Reviews Microbiology, 2008, 6, 699-708.	13.6	202

#	ARTICLE	IF	CITATIONS
38	Chapter 2 Cutting the Gordian Knot-Development and Biological Relevance of Hepatitis C Virus Cell Culture Systems. <i>Advances in Virus Research</i> , 2008, 71, 51-133.	0.9	88
39	Chimeric GB virus B genomes containing hepatitis C virus p7 are infectious in vivo. <i>Journal of Hepatology</i> , 2008, 49, 908-915.	1.8	17
40	Transmembrane domain length of viral K+ channels is a signal for mitochondria targeting. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008, 105, 12313-12318.	3.3	41
41	Identification of the Membrane-active Regions of Hepatitis C Virus p7 Protein. <i>Journal of Biological Chemistry</i> , 2008, 283, 8089-8101.	1.6	31
42	New Developments in the Discovery of Agents to Treat Hepatitis C. <i>Current Topics in Medicinal Chemistry</i> , 2008, 8, 533-562.	1.0	43
43	Amantadine and rimantadine for influenza A in children and the elderly. , 2008, , CD002745.		41
44	The 3-dimensional structure of a hepatitis C virus p7 ion channel by electron microscopy. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009, 106, 12712-12716.	3.3	139
45	Plugging the holes in hepatitis C virus antiviral therapy. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009, 106, 12567-12568.	3.3	20
46	Chapter 2 Viral Channel-Forming Proteins. <i>International Review of Cell and Molecular Biology</i> , 2009, 275, 35-63.	1.6	25
47	Determinants of Hepatitis C Virus p7 Ion Channel Function and Drug Sensitivity Identified In Vitro. <i>Journal of Virology</i> , 2009, 83, 7970-7981.	1.5	62
48	Characterization of Determinants Important for Hepatitis C Virus p7 Function in Morphogenesis by Using trans -Complementation. <i>Journal of Virology</i> , 2009, 83, 11682-11693.	1.5	65
49	Reverse genetic analysis of a putative, influenza virus M2 HXXXWâ€like motif in the p7 protein of hepatitis C virus. <i>Journal of Viral Hepatitis</i> , 2009, 16, 187-194.	1.0	21
50	Ion channels as antiviral targets. <i>Virologica Sinica</i> , 2010, 25, 267-280.	1.2	12
51	A novel Hepatitis C virus p7 ion channel inhibitor, BIT225, inhibits bovine viral diarrhea virus in vitro and shows synergism with recombinant interferon-Î±-2b and nucleoside analogues. <i>Antiviral Research</i> , 2010, 86, 144-153.	1.9	83
52	The p13 protein of human T cell leukemia virus type 1 (HTLV-1) modulates mitochondrial membrane potential and calcium uptake. <i>Biochimica Et Biophysica Acta - Bioenergetics</i> , 2010, 1797, 945-951.	0.5	27
53	NMR Structure and Ion Channel Activity of the p7 Protein from Hepatitis C Virus. <i>Journal of Biological Chemistry</i> , 2010, 285, 31446-31461.	1.6	119
54	Hepatitis C Virus: Assembly and Release of Virus Particles. <i>Journal of Biological Chemistry</i> , 2010, 285, 22733-22739.	1.6	91
55	Intracellular Proton Conductance of the Hepatitis C Virus p7 Protein and Its Contribution to Infectious Virus Production. <i>PLoS Pathogens</i> , 2010, 6, e1001087.	2.1	162

#	ARTICLE	IF	CITATIONS
56	Last Stop Before Exit – Hepatitis C Assembly and Release as Antiviral Drug Targets. <i>Viruses</i> , 2010, 2, 1782-1803.	1.5	5
57	Hepatitis C Virus P7 – A Viroporin Crucial for Virus Assembly and an Emerging Target for Antiviral Therapy. <i>Viruses</i> , 2010, 2, 2078-2095.	1.5	44
59	The influence of different lipid environments on the structure and function of the hepatitis C virus p7 ion channel protein. <i>Molecular Membrane Biology</i> , 2011, 28, 254-264.	2.0	18
60	Comparative NMR studies demonstrate profound differences between two viroporins: p7 of HCV and Vpu of HIV-1. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2011, 1808, 554-560.	1.4	29
61	Promising Targets for Anti-Hepatitis C Virus Agents. <i>Current Medicinal Chemistry</i> , 2011, 18, 1239-1244.	1.2	5
62	Hepatitis C virus p7: molecular function and importance in hepatitis C virus life cycle and potential antiviral target. <i>Liver International</i> , 2011, 31, 606-617.	1.9	17
63	Emodin inhibits current through SARS-associated coronavirus 3a protein. <i>Antiviral Research</i> , 2011, 90, 64-69.	1.9	156
64	Resistance mutations define specific antiviral effects for inhibitors of the hepatitis C virus p7 ion channel. <i>Hepatology</i> , 2011, 54, 79-90.	3.6	62
65	Expression and purification of the membrane protein p7 from hepatitis C virus. <i>Biopolymers</i> , 2011, 96, 32-40.	1.2	25
66	Biochemical and Morphological Properties of Hepatitis C Virus Particles and Determination of Their Lipidome. <i>Journal of Biological Chemistry</i> , 2011, 286, 3018-3032.	1.6	308
67	Hepatitis C Virus NS2 Protein Serves as a Scaffold for Virus Assembly by Interacting with both Structural and Nonstructural Proteins. <i>Journal of Virology</i> , 2011, 85, 86-97.	1.5	139
68	A Concerted Action of Hepatitis C Virus P7 and Nonstructural Protein 2 Regulates Core Localization at the Endoplasmic Reticulum and Virus Assembly. <i>PLoS Pathogens</i> , 2011, 7, e1002144.	2.1	130
69	NS2 Protein of Hepatitis C Virus Interacts with Structural and Non-Structural Proteins towards Virus Assembly. <i>PLoS Pathogens</i> , 2011, 7, e1001278.	2.1	142
70	Hepatitis C Virus Nonstructural Protein 5B Is Involved in Virus Morphogenesis. <i>Journal of Virology</i> , 2012, 86, 5080-5088.	1.5	35
71	Classical Swine Fever Virus p7 Protein Is a Viroporin Involved in Virulence in Swine. <i>Journal of Virology</i> , 2012, 86, 6778-6791.	1.5	56
72	Amantadine and rimantadine for influenza A in children and the elderly. , 2012, 1, CD002745.		20
73	Genetic and functional heterogeneity of the hepatitis C virus p7 ion channel during natural chronic infection. <i>Virology</i> , 2012, 423, 30-37.	1.1	12
74	Mutations in hepatitis C virus p7 reduce both the egress and infectivity of assembled particles via impaired proton channel function. <i>Journal of General Virology</i> , 2013, 94, 2236-2248.	1.3	25

#	ARTICLE	IF	CITATIONS
75	Molecular biology of bovine viral diarrhea virus. <i>Biologicals</i> , 2013, 41, 2-7.	0.5	45
76	The p7 protein of the hepatitis C virus induces cell death differently from the influenza A virus viroporin M2. <i>Virus Research</i> , 2013, 172, 24-34.	1.1	29
78	The p7 protein of hepatitis C virus is degraded via the proteasome-dependent pathway. <i>Virus Research</i> , 2013, 176, 211-215.	1.1	12
79	Evidence suggesting that HCV p7 protects E2 glycoprotein from premature degradation during virus production. <i>Virus Research</i> , 2013, 176, 199-210.	1.1	15
80	The Lipophilic Bullet Hits the Targets: Medicinal Chemistry of Adamantane Derivatives. <i>Chemical Reviews</i> , 2013, 113, 3516-3604.	23.0	517
81	Viroporin activity and membrane topology of classic swine fever virus p7 protein. <i>International Journal of Biochemistry and Cell Biology</i> , 2013, 45, 1186-1194.	1.2	17
82	Virus-coded Ion Channels as Antiviral Targets. <i>RSC Drug Discovery Series</i> , 2013, , 295-362.	0.2	0
83	Viruses as Modulators of Mitochondrial Functions. <i>Advances in Virology</i> , 2013, 2013, 1-17.	0.5	111
84	Subcellular Localization and Function of an Epitope-Tagged p7 Viroporin in Hepatitis C Virus-Producing Cells. <i>Journal of Virology</i> , 2013, 87, 1664-1678.	1.5	42
85	Efficiency of E2-p7 Processing Modulates Production of Infectious Hepatitis C Virus. <i>Journal of Virology</i> , 2013, 87, 11255-11266.	1.5	18
86	Viroporins Customize Host Cells for Efficient Viral Propagation. <i>DNA and Cell Biology</i> , 2013, 32, 557-564.	0.9	27
87	Investigation of viral escape mutations within HCV p7 during treatment with amantadine in patients with chronic hepatitis C. <i>Antiviral Therapy</i> , 2013, 18, 803-811.	0.6	1
88	“Too little, too late?” Will inhibitors of the hepatitis C virus p7 ion channel ever be used in the clinic?. <i>Future Medicinal Chemistry</i> , 2014, 6, 1893-1907.	1.1	8
89	Docking assay of small molecule antivirals to p7 of HCV. <i>Computational Biology and Chemistry</i> , 2014, 53, 308-317.	1.1	22
90	Identification of novel human kinases that suppress hepatitis C virus infection. <i>Journal of Viral Hepatitis</i> , 2014, 21, 716-726.	1.0	3
91	Amantadine and rimantadine for influenza A in children and the elderly. <i>The Cochrane Library</i> , 2014, 2014, CD002745.	1.5	33
92	The minimalist architectures of viroporins and their therapeutic implications. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2014, 1838, 1058-1067.	1.4	39
93	The elusive function of the hepatitis C virus p7 protein. <i>Virology</i> , 2014, 462-463, 377-387.	1.1	33

#	ARTICLE	IF	CITATIONS
94	Pore-forming activity of pestivirus p7 in a minimal model system supports genus-specific viroporin function. <i>Antiviral Research</i> , 2014, 101, 30-36.	1.9	27
95	The stability of secreted, acid-labile H77/JFH-1 hepatitis C virus (HCV) particles is altered by patient isolate genotype 1a p7 sequences. <i>Virology</i> , 2014, 448, 117-124.	1.1	14
96	Structural and Functional Properties of the Hepatitis C Virus p7 Viroporin. <i>Viruses</i> , 2015, 7, 4461-4481.	1.5	37
97	Viral Membrane Channels: Role and Function in the Virus Life Cycle. <i>Viruses</i> , 2015, 7, 3261-3284.	1.5	33
98	Emerging Roles of Viroporins Encoded by DNA Viruses: Novel Targets for Antivirals?. <i>Viruses</i> , 2015, 7, 5375-5387.	1.5	22
99	Computational Docking Study of p7 Ion Channel from HCV Genotype 3 and Genotype 4 and Its Interaction with Natural Compounds. <i>PLoS ONE</i> , 2015, 10, e0126510.	1.1	18
100	Viroporins: structure, function and potential as antiviral targets. <i>Journal of General Virology</i> , 2015, 96, 2000-2027.	1.3	102
101	Synthesis and Antiviral Activity of Adamantylpeptides Against Hepatitis C Virus. <i>Pharmaceutical Chemistry Journal</i> , 2015, 49, 449-454.	0.3	0
102	Pathophysiological Consequences of Calcium-Conducting Viroporins. <i>Annual Review of Virology</i> , 2015, 2, 473-496.	3.0	67
103	The Molecular Biology of Pestiviruses. <i>Advances in Virus Research</i> , 2015, 93, 47-160.	0.9	186
104	Electrophysiology of Unconventional Channels and Pores. <i>Springer Series in Biophysics</i> , 2015, . .	0.4	9
105	The N-terminus of classical swine fever virus (CSFV) nonstructural protein 2 modulates viral genome RNA replication. <i>Virus Research</i> , 2015, 210, 90-99.	1.1	10
106	Porcine reproductive and respiratory syndrome virus envelope (E) protein interacts with mitochondrial proteins and induces apoptosis. <i>Archives of Virology</i> , 2016, 161, 1821-1830.	0.9	10
107	Hepatitis C virus p7 mediates membrane-to-membrane adhesion. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2016, 1861, 1096-1101.	1.2	4
108	Patch-Clamp Study of Hepatitis C p7 Channels Reveals Genotype-Specific Sensitivity to Inhibitors. <i>Biophysical Journal</i> , 2016, 110, 2419-2429.	0.2	21
109	Ion channel activity of the CSFV p7 viroporin in surrogates of the ER lipid bilayer. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2016, 1858, 30-37.	1.4	14
110	Functional characterization of p7 viroporin from hepatitis C virus produced in a cell-free expression system. <i>Protein Expression and Purification</i> , 2016, 118, 83-91.	0.6	9
111	The p7 viroporin of the hepatitis C virus contributes to liver inflammation by stimulating production of Interleukin-1 $\beta$ . <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2017, 1863, 712-720.	1.8	32

#	ARTICLE	IF	CITATIONS
112	Coxsackievirus B Escapes the Infected Cell in Ejected Mitophagosomes. <i>Journal of Virology</i> , 2017, 91, .	1.5	69
113	Classical swine fever virus nonstructural protein p7 modulates infectious virus production. <i>Scientific Reports</i> , 2017, 7, 12995.	1.6	4
114	Molecular dynamics investigation on structural and transport properties of p7 ion channel. <i>Journal of Biomolecular Structure and Dynamics</i> , 2017, 35, 2725-2735.	2.0	1
115	Hepatitis C virus p7 induces mitochondrial depolarization of isolated liver mitochondria. <i>Molecular Medicine Reports</i> , 2017, 16, 9533-9538.	1.1	5
116	The Unusual Transmembrane Partition of the Hexameric Channel of the Hepatitis C Virus. <i>Structure</i> , 2018, 26, 627-634.e4.	1.6	17
117	A direct role for hepatitis B virus X protein in inducing mitochondrial membrane permeabilization. <i>Journal of Viral Hepatitis</i> , 2018, 25, 412-420.	1.0	14
118	Advances in Membrane Proteins. , 2018, , .		0
119	Mitochondrial Proteins Coded by Human Tumor Viruses. <i>Frontiers in Microbiology</i> , 2018, 9, 81.	1.5	11
120	Targeting Endoplasmic Reticulum and/or Mitochondrial Ca <sup>2+</sup> Fluxes as Therapeutic Strategy for HCV Infection. <i>Frontiers in Chemistry</i> , 2018, 6, 73.	1.8	15
121	Mitochondria in Health and in Sickness. <i>Advances in Experimental Medicine and Biology</i> , 2019, , .	0.8	6
122	Hepatitis C virus sequence divergence preserves p7 viroporin structural and dynamic features. <i>Scientific Reports</i> , 2019, 9, 8383.	1.6	13
123	Virus Control of Cell Metabolism for Replication and Evasion of Host Immune Responses. <i>Frontiers in Cellular and Infection Microbiology</i> , 2019, 9, 95.	1.8	87
124	Influenza M2 protein regulates MAVS-mediated signaling pathway through interacting with MAVS and increasing ROS production. <i>Autophagy</i> , 2019, 15, 1163-1181.	4.3	75
125	Similarities between the effect of SARS-CoV-2 and HCV on the cellular level, and the possible role of ion channels in COVID19 progression: a review of potential targets for diagnosis and treatment. <i>Channels</i> , 2020, 14, 403-412.	1.5	21
126	Viroporins and inflammasomes: A key to understand virus-induced inflammation. <i>International Journal of Biochemistry and Cell Biology</i> , 2020, 122, 105738.	1.2	92
127	Hepatitis C Virus p7 Induces Membrane Permeabilization by Interacting with Phosphatidylserine. <i>International Journal of Molecular Sciences</i> , 2020, 21, 897.	1.8	7
128	Human neurotropic polyomavirus, JC virus, agnoprotein targets mitochondrion and modulates its functions. <i>Virology</i> , 2021, 553, 135-153.	1.1	7
129	Cell viability assay as a tool to study activity and inhibition of hepatitis C p7 channels. <i>Journal of General Virology</i> , 2021, 102, .	1.3	5



#	ARTICLE	IF	CITATIONS
130	Viroporins. Springer Series in Biophysics, 2015, , 153-181.	0.4	6
131	Structural and Functional Properties of Viral Membrane Proteins. , 2018, , 147-181.		5
132	The subcellular localization of the hepatitis C virus non-structural protein NS2 is regulated by an ion channel-independent function of the p7 protein. Journal of General Virology, 2011, 92, 819-830.	1.3	38
134	Generation of a Cell Culture-Adapted Hepatitis C Virus with Longer Half Life at Physiological Temperature. PLoS ONE, 2011, 6, e22808.	1.1	20
135	The N-terminal Helical Region of the Hepatitis C Virus p7 Ion Channel Protein Is Critical for Infectious Virus Production. PLoS Pathogens, 2015, 11, e1005297.	2.1	18
136	ANTIVIRAL COMPOUNDS AND PREPARATIONS EFFECTIVE AGAINST BOVINE VIRAL DIARRHEA. Voprosy Virusologii, 2017, 62, 204-210.	0.1	2
137	Screening of genes of proteins interacting with p7 protein of hepatitis C virus from human liver cDNA library by yeast two-hybrid system. World Journal of Gastroenterology, 2005, 11, 4709.	1.4	7
138	Rationally derived inhibitors of hepatitis C virus (HCV) p7 channel activity reveal prospect for bimodal antiviral therapy. ELife, 2020, 9, .	2.8	4
140	Role of Mitochondria in Host-Pathogen Interaction. Advances in Experimental Medicine and Biology, 2019, 1158, 45-57.	0.8	0
141	Unravelling the Immunomodulatory Effects of Viral Ion Channels, towards the Treatment of Disease. Viruses, 2021, 13, 2165.	1.5	13
142	Chronic hepatitis C: Portrait of a silent epidemic and the etiologic agent. , 2008, , 95-120.		0
143	Repurposing Novel Antagonists for Targeting p7 Viroporin of HCV Using In Silico Approach. Letters in Drug Design and Discovery, 2022, 19, 969-981.	0.4	0
144	Viroporins: Structure, function, and their role in the life cycle of SARS-CoV-2. International Journal of Biochemistry and Cell Biology, 2022, 145, 106185.	1.2	29
147	Amantadine Inhibits the Function of an Ion Channel Encoded by Gb Virus B, but Fails to Inhibit Virus Replication. Antiviral Therapy, 2006, 11, 289-295.	0.6	11
148	Amino Acid Variations in Hepatitis C Virus P7 and Sensitivity to Antiviral Combination Therapy with Amantadine in Chronic Hepatitis C. Antiviral Therapy, 2006, 11, 507-519.	0.6	35