

The hepatitis C virus NS5A protein binds to members of and regulates kinase activity

Journal of General Virology

85, 721-729

DOI: [10.1099/vir.0.19691-0](https://doi.org/10.1099/vir.0.19691-0)

Citation Report

#	ARTICLE	IF	CITATIONS
1	The Hepatitis C Virus NS5A Protein Activates a Phosphoinositide 3-Kinase-dependent Survival Signaling Cascade. <i>Journal of Biological Chemistry</i> , 2004, 279, 12232-12241.	1.6	199
2	The NS5A Protein of Hepatitis C Virus Is a Zinc Metalloprotein. <i>Journal of Biological Chemistry</i> , 2004, 279, 48576-48587.	1.6	301
3	Hepatitis C virus NS5A: tales of a promiscuous protein. <i>Journal of General Virology</i> , 2004, 85, 2485-2502.	1.3	362
4	Proteomic approach identifies HSP27 as an interacting partner of the hepatitis C virus NS5A protein. <i>Biochemical and Biophysical Research Communications</i> , 2004, 318, 514-519.	1.0	45
5	STAT3 induces anti-hepatitis C viral activity in liver cells. <i>Biochemical and Biophysical Research Communications</i> , 2004, 324, 518-528.	1.0	49
6	Phosphorylation of the p33 replication protein of Cucumber necrosis tomosvirus adjacent to the RNA binding site affects viral RNA replication. <i>Virology</i> , 2005, 343, 65-78.	1.1	39
7	Ribavirin Resistance in Hepatitis C Virus Replicon-Containing Cell Lines Conferred by Changes in the Cell Line or Mutations in the Replicon RNA. <i>Journal of Virology</i> , 2005, 79, 2346-2355.	1.5	83
8	Human VAP-B Is Involved in Hepatitis C Virus Replication through Interaction with NS5A and NS5B. <i>Journal of Virology</i> , 2005, 79, 13473-13482.	1.5	181
9	Hepatitis C Virus NS5A-Mediated Activation of Phosphoinositide 3-Kinase Results in Stabilization of Cellular β -Catenin and Stimulation of β -Catenin-Responsive Transcription. <i>Journal of Virology</i> , 2005, 79, 5006-5016.	1.5	137
10	Further studies on hepatitis C virus NS5A SH3 domain interactions: identification of residues critical for binding and implications for viral RNA replication and modulation of cell signalling. <i>Journal of General Virology</i> , 2005, 86, 1035-1044.	1.3	39
11	Host Cell Targets in HCV Therapy: Novel Strategy or Proven Practice?. <i>Antiviral Chemistry and Chemotherapy</i> , 2005, 16, 69-90.	0.3	9
12	Perturbation of epidermal growth factor receptor complex formation and Ras signalling in cells harbouring the hepatitis C virus subgenomic replicon. <i>Journal of General Virology</i> , 2005, 86, 1027-1033.	1.3	21
13	Insights into Human Lck SH3 Domain Binding Specificity: Different Binding Modes of Artificial and Native Ligands. <i>Biochemistry</i> , 2005, 44, 15042-15052.	1.2	25
14	Reduction of hepatitis C virus NS5A phosphorylation through its interaction with amphiphysin II. <i>Biochemical and Biophysical Research Communications</i> , 2005, 336, 572-578.	1.0	16
15	Effect of ethanol on innate antiviral pathways and HCV replication in human liver cells. <i>Virology Journal</i> , 2005, 2, 89.	1.4	51
16	Src Homology 3 Domain of Hepatitis C Virus NS5A Protein Interacts With Bin1 and Is Important for Apoptosis and Infectivity. <i>Gastroenterology</i> , 2006, 130, 794-809.	0.6	62
17	Hepatitis C Virus NS5A Protein A Master Regulator?. <i>Gastroenterology</i> , 2006, 130, 995-999.	0.6	20
18	The Role of Phosphoinositide 3-Kinase-Akt Signaling in Virus Infection. , 2006, , 57-80.		1

#	ARTICLE	IF	CITATIONS
19	The S2 accessory gene of equine infectious anemia virus is essential for expression of disease in ponies. <i>Virology</i> , 2006, 349, 22-30.	1.1	20
20	Unscrambling the role of human parvovirus B19 signaling in systemic autoimmunity. <i>Biochemical Pharmacology</i> , 2006, 72, 1453-1459.	2.0	27
21	Mechanistic link between the anti-HCV effect of interferon gamma and control of viral replication by a ras-MAPK signaling cascade. <i>Hepatology</i> , 2006, 43, 81-90.	3.6	42
22	State and Role of Src Family Kinases in Replication of Herpes Simplex Virus 1. <i>Journal of Virology</i> , 2006, 80, 3349-3359.	1.5	19
23	The NS5A Protein of the Hepatitis C Virus Genotype 1a Is Cleaved by Caspases to Produce C-terminal-truncated Forms of the Protein That Reside Mainly in the Cytosol. <i>Journal of Biological Chemistry</i> , 2006, 281, 13449-13462.	1.6	16
24	Mobility analysis of an NS5A-GFP fusion protein in cells actively replicating hepatitis C virus subgenomic RNA. <i>Journal of General Virology</i> , 2007, 88, 470-475.	1.3	36
25	A Rab-GAP TBC Domain Protein Binds Hepatitis C Virus NS5A and Mediates Viral Replication. <i>Journal of Virology</i> , 2007, 81, 11096-11105.	1.5	69
26	Japanese encephalitis virus infection stimulates Src tyrosine kinase in neuron/glia. <i>Neuroscience Letters</i> , 2007, 419, 263-268.	1.0	33
27	Phosphorylation of hepatitis C virus NS5A nonstructural protein: A new paradigm for phosphorylation-dependent viral RNA replication?. <i>Virology</i> , 2007, 364, 1-9.	1.1	144
28	The Hepatitis C Virus Nonstructural Protein NS5A Alters the Trafficking Profile of the Epidermal Growth Factor Receptor. <i>Traffic</i> , 2008, 9, 1497-1509.	1.3	37
29	Hepatitis C virus NS5A protein binds the SH3 domain of the Fyn tyrosine kinase with high affinity: mutagenic analysis of residues within the SH3 domain that contribute to the interaction. <i>Virology Journal</i> , 2008, 5, 24.	1.4	31
30	Role of hepatitis C virus proteins (C, NS3, NS5A) in hepatic oncogenesis. <i>Hepatology Research</i> , 2008, 38, 1-26.	1.8	62
31	Identification of Residues Required for RNA Replication in Domains II and III of the Hepatitis C Virus NS5A Protein. <i>Journal of Virology</i> , 2008, 82, 1073-1083.	1.5	175
32	A Single-Amino-Acid Mutation in Hepatitis C Virus NS5A Disrupting FKBP8 Interaction Impairs Viral Replication. <i>Journal of Virology</i> , 2008, 82, 3480-3489.	1.5	59
33	Hepatitis C virus NS5A protein interacts with and negatively regulates the non-receptor protein tyrosine kinase Syk. <i>Journal of General Virology</i> , 2008, 89, 1231-1242.	1.3	25
34	A comparative cell biological analysis reveals only limited functional homology between the NS5A proteins of hepatitis C virus and GB virus B. <i>Journal of General Virology</i> , 2008, 89, 1911-1920.	1.3	5
35	Human Butyrate-Induced Transcript 1 Interacts with Hepatitis C Virus NS5A and Regulates Viral Replication. <i>Journal of Virology</i> , 2008, 82, 2631-2641.	1.5	46
36	Identification of Human Kinases Involved in Hepatitis C Virus Replication by Small Interference RNA Library Screening. <i>Journal of Biological Chemistry</i> , 2008, 283, 29-36.	1.6	95

#	ARTICLE	IF	CITATIONS
37	Suppression of a pro-apoptotic K ⁺ channel as a mechanism for hepatitis C virus persistence. Proceedings of the National Academy of Sciences of the United States of America, 2009, 106, 15903-15908.	3.3	58
38	A Conserved Proline between Domains II and III of Hepatitis C Virus NS5A Influences both RNA Replication and Virus Assembly. Journal of Virology, 2009, 83, 10788-10796.	1.5	37
39	Interplay between host cell and hepatitis C virus in regulating viral replication. Biological Chemistry, 2009, 390, 1013-32.	1.2	22
40	All Three Domains of the Hepatitis C Virus Nonstructural NS5A Protein Contribute to RNA Binding. Journal of Virology, 2010, 84, 9267-9277.	1.5	108
43	Virus-specific mechanisms of carcinogenesis in hepatitis C virus associated liver cancer. Oncogene, 2011, 30, 1969-1983.	2.6	187
44	¹ H, ¹³ C, and ¹⁵ N resonance assignment of a 179 residue fragment of hepatitis C virus non-structural protein 5A. Biomolecular NMR Assignments, 2011, 5, 241-243.	0.4	9
45	An overview of HCV molecular biology, replication and immune responses. Virology Journal, 2011, 8, 161.	1.4	139
46	C-Src is required for complex formation between the hepatitis C virus-encoded proteins NS5A and NS5B: A prerequisite for replication. Hepatology, 2011, 53, 1127-1136.	3.6	27
47	Antiviral Stilbene 1,2-Diamines Prevent Initiation of Hepatitis C Virus RNA Replication at the Outset of Infection. Journal of Virology, 2011, 85, 5513-5523.	1.5	15
48	Hepatitis C Virus NS5A Protein Interacts with Phosphatidylinositol 4-Kinase Type III β and Regulates Viral Propagation. Journal of Biological Chemistry, 2011, 286, 11290-11298.	1.6	88
49	Analysis of Functional Differences between Hepatitis C Virus NS5A of Genotypes 1-7 in Infectious Cell Culture Systems. PLoS Pathogens, 2012, 8, e1002696.	2.1	34
50	Regulation of Neuronal Proapoptotic Potassium Currents by the Hepatitis C Virus Nonstructural Protein 5A. Journal of Neuroscience, 2012, 32, 8865-8870.	1.7	16
51	The promiscuous binding of the Fyn SH3 domain to a peptide from the NS5A protein. Acta Crystallographica Section D: Biological Crystallography, 2012, 68, 1030-1040.	2.5	22
52	Transient Structure and SH3 Interaction Sites in an Intrinsically Disordered Fragment of the Hepatitis C Virus Protein NS5A. Journal of Molecular Biology, 2012, 420, 310-323.	2.0	49
53	Interaction of Hepatitis C virus proteins with pattern recognition receptors. Virology Journal, 2012, 9, 126.	1.4	51
54	Interaction of Nonstructural Protein 5A of the Hepatitis C Virus with Src Homology 3 Domains Using Noncanonical Binding Sites. Biochemistry, 2013, 52, 6160-6168.	1.2	21
56	Hepatitis C Virus NS5A Inhibits Mixed Lineage Kinase 3 to Block Apoptosis. Journal of Biological Chemistry, 2013, 288, 24753-24763.	1.6	27
57	Hepatitis C virus molecular evolution: Transmission, disease progression and antiviral therapy. World Journal of Gastroenterology, 2014, 20, 15992.	1.4	45

#	ARTICLE	IF	CITATIONS
58	Hydrophobic Triarylâ€‘Substituted Î²â€‘Lactams as Activityâ€‘Based Probes for Profiling Eukaryotic Enzymes and Hostâ€‘Pathogen Interactions. <i>ChemBioChem</i> , 2014, 15, 2195-2200.	1.3	12
59	Hepatitis C virus NS5A is able to competitively displace c-Myc from the Bin1 SH3 domain <i>in vitro</i>. <i>Journal of Peptide Science</i> , 2014, 20, 334-340.	0.8	8
60	Modeling HCV disease in animals: virology, immunology and pathogenesis of HCV and GBV-B infections. <i>Frontiers in Microbiology</i> , 2014, 5, 690.	1.5	17
61	Insights into the Complexity and Functionality of Hepatitis C Virus NS5A Phosphorylation. <i>Journal of Virology</i> , 2014, 88, 1421-1432.	1.5	55
62	Structural Disorder in Viral Proteins. <i>Chemical Reviews</i> , 2014, 114, 6880-6911.	23.0	181
63	The intrinsic disorder status of the human hepatitis C virus proteome. <i>Molecular BioSystems</i> , 2014, 10, 1345-1363.	2.9	57
65	Expanding the Proteome of an RNA Virus by Phosphorylation of an Intrinsically Disordered Viral Protein. <i>Journal of Biological Chemistry</i> , 2014, 289, 24397-24416.	1.6	18
66	NS5A phosphorylation: its functional role in the life cycle of hepatitis C virus. <i>Future Virology</i> , 2015, 10, 751-762.	0.9	3
67	An SH3 binding motif within the nucleocapsid protein of porcine reproductive and respiratory syndrome virus interacts with the host cellular signaling proteins STAM1, TXK, Fyn, Hck, and cortactin. <i>Virus Research</i> , 2015, 204, 31-39.	1.1	11
68	Hepatitis C virus NS5A protein blocks epidermal growth factor receptor degradation via a proline motif- dependent interaction. <i>Journal of General Virology</i> , 2015, 96, 2133-2144.	1.3	16
69	Vinexin Î² Interacts with Hepatitis C Virus NS5A, Modulating Its Hyperphosphorylation To Regulate Viral Propagation. <i>Journal of Virology</i> , 2015, 89, 7385-7400.	1.5	6
70	Hepatitis C Virus Particle Assembly Involves Phosphorylation of NS5A by the c-Abl Tyrosine Kinase. <i>Journal of Biological Chemistry</i> , 2015, 290, 21857-21864.	1.6	17
71	Structure of the c-Src-SH3 domain in complex with a proline-rich motif of NS5A protein from the hepatitis C virus. <i>Journal of Structural Biology</i> , 2015, 189, 67-72.	1.3	13
72	In silico peptide based vaccine against hepatitis C virus. , 2016, , .		0
73	Functional differences in hepatitis C virus nonstructural (NS) 3/4A- and 5A-specific T cell responses. <i>Scientific Reports</i> , 2016, 6, 24991.	1.6	0
74	Hepatocellular Carcinoma and Hepatitis C Virus. , 2016, , 109-136.		1
75	Novel nucleoside analogues targeting <sc>HCV</sc> replication through an <sc>NS</sc>5Aâ€‘dependent inhibition mechanism. <i>Chemical Biology and Drug Design</i> , 2017, 90, 352-367.	1.5	5
76	Applications of computer-aided approaches in the development of hepatitis C antiviral agents. <i>Expert Opinion on Drug Discovery</i> , 2017, 12, 407-425.	2.5	45

#	ARTICLE	IF	CITATIONS
77	In silico identification of vaccine candidate from various screening methods against hepatitis C virus. International Journal of Bioinformatics Research and Applications, 2017, 13, 301.	0.1	0
78	Herpes Simplex Virus Type 1 Neuronal Infection Perturbs Golgi Apparatus Integrity through Activation of Src Tyrosine Kinase and Dyn-2 GTPase. Frontiers in Cellular and Infection Microbiology, 2017, 7, 371.	1.8	25
79	Hepatitis C virus: Morphogenesis, infection and therapy. World Journal of Hepatology, 2018, 10, 186-212.	0.8	98
80	Identification of two distinct peptide-binding pockets in the SH3 domain of human mixed-lineage kinase 3. Journal of Biological Chemistry, 2018, 293, 13553-13565.	1.6	9
81	Epistatic Interactions in NS5A of Hepatitis C Virus Suggest Drug Resistance Mechanisms. Genes, 2018, 9, 343.	1.0	12
82	STAT3 activation by E6 is essential for the differentiation-dependent HPV18 life cycle. PLoS Pathogens, 2018, 14, e1006975.	2.1	62
83	Viral Hepatitis: Chronic Hepatitis C. , 2019, , .		1
84	Laboratory and Molecular Diagnosis of Hepatitis C and Resistance Testing. , 2019, , 25-58.		0
85	Phosphorylated tyrosine 93 of hepatitis C virus nonstructural protein 5A is essential for interaction with host c-Src and efficient viral replication. Journal of Biological Chemistry, 2019, 294, 7388-7402.	1.6	5
86	Src Family Kinase Inhibitors Block Translation of Alphavirus Subgenomic mRNAs. Antimicrobial Agents and Chemotherapy, 2019, 63, .	1.4	27
87	Use of direct-acting antivirals for hepatitis C viral infection and association with intrahepatic cholangiocarcinoma: Is there a linkage?. Journal of Oncology Pharmacy Practice, 2019, 25, 1743-1748.	0.5	5
88	Use of QSAR Global Models and Molecular Docking for Developing New Inhibitors of c-src Tyrosine Kinase. International Journal of Molecular Sciences, 2020, 21, 19.	1.8	23
89	Self-association and conformational variation of NS5A domain 1 of hepatitis C virus. Journal of General Virology, 2018, 99, 194-208.	1.3	2
90	Targeting the NS5A protein of HCV: An emerging option. Drugs of the Future, 2011, 36, 691.	0.0	47
91	Hepatitis C Virus Diversity and Evolution in the Full Open-Reading Frame during Antiviral Therapy. PLoS ONE, 2008, 3, e2123.	1.1	45
92	HCV NS5A Protein Containing Potential Ligands for Both Src Homology 2 and 3 Domains Enhances Autophosphorylation of Src Family Kinase Fyn in B Cells. PLoS ONE, 2012, 7, e46634.	1.1	10
93	The PP4R1 sub-unit of protein phosphatase PP4 is essential for inhibition of NF- κ B by merkel polyomavirus small tumour antigen. Oncotarget, 2017, 8, 25418-25432.	0.8	32
94	Emerging resistance to directly-acting antiviral therapy in treatment of chronic Hepatitis C infectionâ€”A brief review of literature. Journal of Family Medicine and Primary Care, 2020, 9, 531.	0.3	9

#	ARTICLE	IF	CITATIONS
95	Inhibition of Hepatitis C Virus Genotype 1a Non-Structural Proteins by Small Interference RNA in Human Hepatoma Cell Lines. <i>Pharmacology & Pharmacy</i> , 2015, 06, 502-517.	0.2	3
96	Systematic Identification of Hepatocellular Proteins Interacting with NS5A of the Hepatitis C Virus. <i>BMB Reports</i> , 2004, 37, 741-748.	1.1	49
97	Viral proteins and Src family kinases: Mechanisms of pathogenicity from a <i>“œliaison dangereuse”</i> . <i>World Journal of Virology</i> , 2013, 2, 71.	1.3	25
98	Epigenetic Effects of Persistent Hepatitis C Virus Infection and Hepatocellular Carcinoma. , 2010, , 129-145.		0
99	Development of an immunoassay for the detection of human IgG against hepatitis C virus proteins using magnetic beads and flow cytometry. <i>Biotechnology and Biotechnological Equipment</i> , 2021, 35, 103-110.	0.5	5
101	A short hepatitis C virus NS5A peptide expression by AAV vector modulates human T cell activation and reduces vector immunogenicity. <i>Gene Therapy</i> , 2022, 29, 616-623.	2.3	1
103	Hepatitis C virus and hepatocellular carcinoma. , 2023, , 243-262.		0