

CITATION REPORT

List of articles citing

The coincidence of rarity and richness and the potential signature of history in centres of endemism

DOI: 10.1111/j.1461-0248.2004.00678.x
Ecology Letters, 2004, 7, 1180-1191.

Source: <https://exaly.com/paper-pdf/36745961/citation-report.pdf>

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

| # | Paper | IF | Citations |
|-----|---|-----|-----------|
| 290 | The role of spatial scale and the perception of large-scale species-richness patterns. <i>Ecology Letters</i> , 2004 , 8, 224-239 | 10 | 850 |
| 289 | Complementarity of Species Distributions as a Tool for Prioritising Conservation Actions in Africa: Testing the Efficiency of Using Coarse-Scale Distribution Data. 2005 , 1-24 | | 3 |
| 288 | Evidence of history in explaining diversity patterns in tropical riverine fish. <i>Journal of Biogeography</i> , 2005 , 32, 1899-1907 | 4.1 | 56 |
| 287 | Can the evolutionary-rates hypothesis explain species-energy relationships?. 2005 , 19, 899-915 | | 58 |
| 286 | Global hotspots of species richness are not congruent with endemism or threat. 2005 , 436, 1016-9 | | 818 |
| 285 | Biodiversity: turning up the heat on hotspots. 2005 , 436, 919-20 | | 96 |
| 284 | Cosmology: original questions. 2005 , 436, 920-1 | | 11 |
| 283 | The influence of spatial grain size on the suitability of the higher-taxon approach in continental priority-setting. 2005 , 8, 389-396 | | 20 |
| 282 | GENETIC AND MORPHOLOGICAL EVIDENCE FOR TWO SPECIES IN THE UDZUNGWA FOREST PARTRIDGE <i>XENOPERDIX UDZUNGWENSIS</i> . 2005 , 94, 191-201 | | 19 |
| 281 | The implications of different species concepts for describing biodiversity patterns and assessing conservation needs for African birds. <i>Ecography</i> , 2005 , 28, 682-692 | 6.5 | 17 |
| 280 | The Mid-Domain Effect: There's a Baby in the Bathwater. 2005 , 166, E149-E154 | | 72 |
| 279 | Book Review. 2006 , 77, 112-117 | | 0 |
| 278 | Human impacts and the global distribution of extinction risk. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2006 , 273, 2127-33 | 4.4 | 93 |
| 277 | The significance of geographic range size for spatial diversity patterns in Neotropical palms. <i>Ecography</i> , 2006 , 29, 21-30 | 6.5 | 81 |
| 276 | The river domain: why are there more species halfway up the river?. <i>Ecography</i> , 2006 , 29, 251-259 | 6.5 | 42 |
| 275 | Historical legacies in the geographical diversity patterns of New World palm (Arecaceae) subfamilies. 2006 , 151, 113-125 | | 63 |
| 274 | What drives elevational patterns of diversity? A test of geometric constraints, climate and species pool effects for pteridophytes on an elevational gradient in Costa Rica. <i>Global Ecology and Biogeography</i> , 2006 , 15, 358-371 | 6.1 | 183 |

| | | | |
|-----|---|-----|-----|
| 273 | Determinant variables of Iberian Peninsula Aphodiinae diversity (Coleoptera, Scarabaeoidea, Aphodiidae). <i>Journal of Biogeography</i> , 2006 , 33, 1021-1043 | 4.1 | 12 |
| 272 | Fern endemism and its correlates: contribution from an elevational transect in Costa Rica. <i>Diversity and Distributions</i> , 2006 , 12, 535-545 | 5 | 39 |
| 271 | Prevalence of intraspecific relationships between range size and abundance in Danish birds. <i>Diversity and Distributions</i> , 2006 , 12, 417-422 | 5 | 14 |
| 270 | Phylogeography of the <i>Calonectris</i> shearwaters using molecular and morphometric data. 2006 , 41, 322-32 | | 65 |
| 269 | The forest batis, <i>Batis mixta</i> , is two species: description of a new, narrowly distributed <i>Batis</i> species in the Eastern Arc biodiversity hotspot. 2006 , 147, 578-590 | | 21 |
| 268 | Global mammal distributions, biodiversity hotspots, and conservation. 2006 , 103, 19374-9 | | 289 |
| 267 | Rarity and Diversity in Forest Ant Assemblages of Great Smoky Mountains National Park. 2007 , 6, 215-228 | | 33 |
| 266 | Global patterns and determinants of vascular plant diversity. 2007 , 104, 5925-30 | | 810 |
| 265 | Environmental and historical constraints on global patterns of amphibian richness. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2007 , 274, 1167-73 | 4.4 | 216 |
| 264 | The biological importance of the Eastern Arc Mountains of Tanzania and Kenya. <i>Biological Conservation</i> , 2007 , 134, 209-231 | 6.2 | 373 |
| 263 | Correlations among species distributions, human density and human infrastructure across the high biodiversity tropical mountains of Africa. <i>Biological Conservation</i> , 2007 , 134, 164-177 | 6.2 | 93 |
| 262 | Predicting continental-scale patterns of bird species richness with spatially explicit models. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2007 , 274, 165-74 | 4.4 | 228 |
| 261 | A null-model for significance testing of presence-only species distribution models. <i>Ecography</i> , 2007 , 30, 727-736 | 6.5 | 316 |
| 260 | Vertebrate Conservation and Biodiversity. 2007 , | | 1 |
| 259 | Topography, energy and the global distribution of bird species richness. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2007 , 274, 1189-97 | 4.4 | 176 |
| 258 | Historical relationships of African mountains based on cladistic analysis of distributions and endemism of flightless insects. 2007 , 15, 340-355 | | 12 |
| 257 | Angiosperm biodiversity, endemism and conservation in the Neotropics. 2007 , 56, 1245-1254 | | 21 |
| 256 | Biogeographic patterns of the East African coastal forest vertebrate fauna. 2007 , 57-86 | | 1 |

| | | | |
|-----|---|-----|-----|
| 255 | Low predictive power of mid-domain effect to explain geographic species richness patterns in Palearctic songbirds. 2007 , 76, 197-204 | | 2 |
| 254 | Why are diversity and endemism Linked on islands?. <i>Ecography</i> , 2007 , 30, 331-333 | 6.5 | 24 |
| 253 | Revisiting Jablonski (1993): cladogenesis and range expansion explain latitudinal variation in taxonomic richness. 2007 , 20, 930-6 | | 25 |
| 252 | Global variation in diversification rates of flowering plants: energy vs. climate change. <i>Ecology Letters</i> , 2008 , 11, 173-83 | 10 | 99 |
| 251 | The role of transitional areas as avian biodiversity centres. <i>Global Ecology and Biogeography</i> , 2007 , 16, 187-196 | 6.1 | 44 |
| 250 | Ice age legacies in the geographical distribution of tree species richness in Europe. <i>Global Ecology and Biogeography</i> , 2007 , 16, 234-245 | 6.1 | 216 |
| 249 | When does diversity fit null model predictions? Scale and range size mediate the mid-domain effect. <i>Global Ecology and Biogeography</i> , 2007 , 16, 305-312 | 6.1 | 66 |
| 248 | Environmental predictors of global parrot (Aves: Psittaciformes) species richness and phylogenetic diversity. <i>Global Ecology and Biogeography</i> , 2007 , 16, 220-233 | 6.1 | 44 |
| 247 | Ground-dwelling beetle assemblages in the northern Cape Floristic Region: Patterns, correlates and implications. <i>Austral Ecology</i> , 2007 , 32, 210-224 | 1.5 | 14 |
| 246 | An assessment of endemism and species richness patterns in the Australian Anura. <i>Journal of Biogeography</i> , 2007 , 34, 583-596 | 4.1 | 70 |
| 245 | Realized climatic niches of deciduous trees: comparing western Eurasia and eastern North America. <i>Journal of Biogeography</i> , 2007 , 34, 1028-1040 | 4.1 | 23 |
| 244 | Improving the performance of indicator groups for the identification of important areas for species conservation. 2007 , 21, 731-40 | | 27 |
| 243 | How broad-scale studies of patterns and processes can serve to guide conservation planning in Africa. 2007 , 21, 659-67 | | 13 |
| 242 | Build-up of the Himalayan avifauna through immigration: a biogeographical analysis of the <i>Phylloscopus</i> and <i>Seicercus</i> warblers. <i>Evolution; International Journal of Organic Evolution</i> , 2007 , 61, 324-333 | 3.8 | 86 |
| 241 | Biogeographic patterns of the East African coastal forest vertebrate fauna. <i>Biodiversity and Conservation</i> , 2007 , 16, 883-912 | 3.4 | 32 |
| 240 | The relationship between biodiversity and population centres: the high Andes region as an example. <i>Biodiversity and Conservation</i> , 2007 , 16, 2739-2751 | 3.4 | 21 |
| 239 | Diversification of African greenbuls in space and time: linking ecological and historical processes. 2007 , 148, 359-367 | | 30 |
| 238 | The contribution of common and rare species to plant species richness patterns: the effect of habitat type and size of sampling unit. <i>Biodiversity and Conservation</i> , 2008 , 17, 3567-3577 | 3.4 | 14 |

| | | | |
|-----|--|-----|-----|
| 237 | Variability in Energy Influences Avian Distribution Patterns Across the USA. 2008 , 11, 854-867 | | 21 |
| 236 | Congruence between riverine fish species richness and endemism at the biogeographical scale: the role of history. 2008 , 18, 1311-1314 | | 4 |
| 235 | Patterns of endemism and species richness in Malagasy cophyline frogs support a key role of mountainous areas for speciation. <i>Evolution; International Journal of Organic Evolution</i> , 2008 , 62, 1890-907 | 3.8 | 122 |
| 234 | Climate change, elevational range shifts, and bird extinctions. 2008 , 22, 140-50 | | 389 |
| 233 | Geographical range size of tropical plants influences their response to anthropogenic activities. <i>Diversity and Distributions</i> , 2008 , 14, 59-68 | 5 | 12 |
| 232 | The influence of sampling intensity on the perception of the spatial distribution of tropical diversity and endemism: a case study of ferns from Bolivia. <i>Diversity and Distributions</i> , 2008 , 14, 123-130 | 5 | 36 |
| 231 | Spatial patterns of woody plant and bird diversity: functional relationships or environmental effects?. <i>Global Ecology and Biogeography</i> , 2008 , 17, 327-339 | 6.1 | 175 |
| 230 | Regional variation in the historical components of global avian species richness. <i>Global Ecology and Biogeography</i> , 2008 , 17, 340-351 | 6.1 | 31 |
| 229 | The coincidence of biodiversity patterns and human settlement in Africa. 2008 , 46, 33-42 | | 35 |
| 228 | Identifying suitable conservation targets: can GIS-based modelling serve to link coarse-scale complementarity to local selection of conservation sites?. 2008 , 46, 109-117 | | 2 |
| 227 | New perspectives on the origin and diversification of Africa's forest avifauna. 2008 , 46, 235-247 | | 125 |
| 226 | Distribution patterns of land snails in Ugandan rain forests support the existence of Pleistocene forest refugia. <i>Journal of Biogeography</i> , 2008 , 35, 1759-1768 | 4.1 | 25 |
| 225 | The mid-domain effect matters: simulation analyses of range-size distribution data from Mount Kinabalu, Borneo. <i>Journal of Biogeography</i> , 2008 , 35, 2138-2147 | 4.1 | 26 |
| 224 | Favorable environments and the persistence of naturally rare species. 2008 , 1, 65-74 | | 25 |
| 223 | Quaternary climate changes explain diversity among reptiles and amphibians. <i>Ecography</i> , 2008 , 31, 8-15 | 6.5 | 282 |
| 222 | Biodiversity Congruence and Conservation Strategies: A National Test. 2008 , 58, 632-639 | | 39 |
| 221 | Species diversity and endemism: testing the mid-domain effect on species richness patterns of songbirds in the Palearctic Region. 2008 , 77, 99-108 | | 6 |
| 220 | Elevational range and timing of breeding in the birds of Ladakh: the effects of body mass, status and diet. 2009 , 150, 505-510 | | 5 |

| | | | |
|-----|---|------|-----|
| 219 | Diversity, endemism and species turnover of millipedes within the south-western Australian global biodiversity hotspot. <i>Journal of Biogeography</i> , 2009 , 36, 1958-1971 | 4.1 | 33 |
| 218 | Dispersal to or from an African biodiversity hotspot?. <i>Molecular Ecology</i> , 2009 , 18, 1904-15 | 5.7 | 50 |
| 217 | Environmental and historical effects on richness and endemism patterns of carabid beetles in the western Palaearctic. <i>Ecography</i> , 2009 , 32, 705-714 | 6.5 | 56 |
| 216 | Botanical richness and endemism patterns of Borneo derived from species distribution models. <i>Ecography</i> , 2009 , 32, 180-192 | 6.5 | 118 |
| 215 | Disentangling regional and local tree diversity in the Amazon. <i>Ecography</i> , 2009 , 32, 46-54 | 6.5 | 54 |
| 214 | Patterns and causes of species richness: a general simulation model for macroecology. <i>Ecology Letters</i> , 2009 , 12, 873-86 | 10 | 232 |
| 213 | Spatial congruence between ecotones and range-restricted species: implications for conservation biogeography at the sub-continental scale. <i>Diversity and Distributions</i> , 2009 , 15, 379-389 | 5 | 23 |
| 212 | DIVERSIFICATION OF THE SOUTH AMERICAN AVIFAUNA: PATTERNS AND IMPLICATIONS FOR CONSERVATION IN THE ANDES1. 2009 , 96, 398-409 | | 16 |
| 211 | Stability predicts genetic diversity in the Brazilian Atlantic forest hotspot. <i>Science</i> , 2009 , 323, 785-9 | 33.3 | 741 |
| 210 | DETERMINANTS AND PREDICTION OF BROAD-SCALE PLANT RICHNESS ACROSS THE WESTERN NEOTROPICS1. 2009 , 96, 470-491 | | 12 |
| 209 | Can distribution models help refine inventory-based estimates of conservation priority? A case study in the Eastern Arc forests of Tanzania and Kenya. <i>Diversity and Distributions</i> , 2010 , 16, 628-642 | 5 | 36 |
| 208 | Biogeography of body size in Pacific island birds. <i>Ecography</i> , 2010 , 33, no-no | 6.5 | 9 |
| 207 | Patterns of persistence and isolation indicate resilience to climate change in montane rainforest lizards. <i>Molecular Ecology</i> , 2010 , 19, 2531-44 | 5.7 | 68 |
| 206 | Historical biogeography of an Indo-Pacific passerine bird family (Pachycephalidae): different colonization patterns in the Indonesian and Melanesian archipelagos. <i>Journal of Biogeography</i> , 2010 , 37, 245-257 | 4.1 | 51 |
| 205 | Multiple environmental determinants of regional species richness and effects of geographic range size. <i>Ecography</i> , 2010 , 33, 796-808 | 6.5 | 43 |
| 204 | Are lowland rainforests really evolutionary museums? Phylogeography of the green hylia (<i>Hylia prasina</i>) in the Afrotropics. 2010 , 55, 178-184 | | 34 |
| 203 | Pattern and process in the distribution of North American freshwater fish. <i>Biological Journal of the Linnean Society</i> , 2010 , 100, 46-61 | 1.9 | 50 |
| 202 | Pliocene forest dynamics as a primary driver of African bird speciation. <i>Global Ecology and Biogeography</i> , 2010 , 19, 111-121 | 6.1 | 77 |

| | | | |
|-----|--|-----|-----|
| 201 | Forest History in East Africa's Eastern Arc Mountains: Biological Science and the Uses of History. 2010 , 60, 309-313 | | 7 |
| 200 | Projected range contractions of montane biodiversity under global warming. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2010 , 277, 3401-10 | 4.4 | 250 |
| 199 | Spatial patterns of terrestrial vertebrates richness in Brazilian semiarid, Northeastern Brazil: Selecting hypotheses and revealing constraints. <i>Journal of Arid Environments</i> , 2010 , 74, 1418-1426 | 2.5 | 19 |
| 198 | Invertebrate diversity and national responsibility for species conservation across Europe [A multi-taxon approach. <i>Biological Conservation</i> , 2010 , 143, 2747-2756 | 6.2 | 37 |
| 197 | Spatial distribution of species richness and endemism of the genus <i>Acacia</i> in Australia. 2011 , 59, 601 | | 47 |
| 196 | Contribution of Current and Historical Processes to Patterns of Tree Diversity and Composition of the Amazon. 2011 , 347-359 | | 5 |
| 195 | Belowground carabid beetle diversity in the western Palaearctic - effects of history and climate on range-restricted taxa (Coleoptera, Carabidae). 2011 , 461-74 | | 15 |
| 194 | Specialization in plant-hummingbird networks is associated with species richness, contemporary precipitation and quaternary climate-change velocity. <i>PLoS ONE</i> , 2011 , 6, e25891 | 3.7 | 115 |
| 193 | . 2011 , | | 34 |
| 192 | References. 2011 , 227-285 | | |
| 191 | Centres of plant endemism in China: places for survival or for speciation?. <i>Journal of Biogeography</i> , 2011 , 38, 1267-1280 | 4.1 | 236 |
| 190 | Funding begets biodiversity. <i>Diversity and Distributions</i> , 2011 , 17, 191-200 | 5 | 38 |
| 189 | Are richness patterns of common and rare species equally well explained by environmental variables?. <i>Ecography</i> , 2011 , 34, 529-539 | 6.5 | 63 |
| 188 | Relative importance of water, energy, and heterogeneity in determining regional pteridophyte and seed plant richness in China. <i>Journal of Systematics and Evolution</i> , 2011 , 49, 95-107 | 2.9 | 12 |
| 187 | Evaluating environmental and geometrical constraints on endemic vertebrates of the semiarid Caatinga (Brazil). 2011 , 12, 664-673 | | 2 |
| 186 | Biodiversity Hotspots. 2011 , | | 55 |
| 185 | Testing of alternative hypotheses for speciation: A case study on ground vertebrates in tropical mountains. 2011 , 38, 551-557 | | 4 |
| 184 | The Great Escarpment of southern Africa: a new frontier for biodiversity exploration. <i>Biodiversity and Conservation</i> , 2011 , 20, 2543-2561 | 3.4 | 53 |

| | | | |
|-----|--|-----|-----|
| 183 | Diversification across an altitudinal gradient in the Tiny Greenbul (<i>Phyllastrephus debilis</i>) from the Eastern Arc Mountains of Africa. 2011 , 11, 117 | | 30 |
| 182 | The State of the World's Birds and the Future of Avian Diversity. 2011 , 379-403 | | |
| 181 | Bird Species-Richness Pattern in the Greater Himalayan Mountains: A General Introduction. 2011 , 70, 1-9 | | 5 |
| 180 | Taking the scenic route – the southern Great Escarpment (South Africa) as part of the Cape to Cairo floristic highway. 2011 , 4, 313-328 | | 11 |
| 179 | Spatial non-stationarity and anisotropy of compositional turnover in eastern Australian Myrtaceae species. 2012 , 26, 2065-2081 | | 12 |
| 178 | Latitude, elevational climatic zonation and speciation in New World vertebrates. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2012 , 279, 194-201 | 4.4 | 144 |
| 177 | The Role of Mountain Ranges in the Diversification of Birds. 2012 , 43, 249-265 | | 235 |
| 176 | Constraining null models with environmental gradients: a new method for evaluating the effects of environmental factors and geometric constraints on geographic diversity patterns. <i>Ecography</i> , 2012 , 35, 1147-1159 | 6.5 | 17 |
| 175 | Diversity and composition of demersal fishes along a depth gradient assessed by baited remote underwater stereo-video. <i>PLoS ONE</i> , 2012 , 7, e48522 | 3.7 | 52 |
| 174 | Prioritizing aquatic conservation areas using spatial patterns and partitioning of fish community diversity in a near-natural temperate basin. 2012 , 22, 799-812 | | 14 |
| 173 | Climate and the evolution of serpentine endemism in California. 2012 , 26, 1011-1023 | | 20 |
| 172 | Diversity and distribution of small mammals in the South American Dry Andes. <i>Austral Ecology</i> , 2012 , 37, 758-766 | 1.5 | 10 |
| 171 | Isolation in habitat refugia promotes rapid diversification in a montane tropical salamander. <i>Journal of Biogeography</i> , 2012 , 39, 353-370 | 4.1 | 31 |
| 170 | Patterns and processes of global riverine fish endemism. <i>Global Ecology and Biogeography</i> , 2012 , 21, 977-987 | 6.1 | 67 |
| 169 | Species Diversity Based in part on the article Species diversity by R.A. Kempton, which appeared in the Encyclopedia of Environmetrics.. 2013 , | | |
| 168 | Patterns of Life and the Processes That Produce Them. 2013 , 267-369 | | |
| 167 | River barriers and cryptic biodiversity in an evolutionary museum. <i>Ecology and Evolution</i> , 2013 , 3, 536-452.8 | | 42 |
| 166 | Range-diversity plots for conservation assessments: Using richness and rarity in priority setting. <i>Biological Conservation</i> , 2013 , 158, 313-320 | 6.2 | 11 |

| | | | |
|-----|--|-----|-----|
| 165 | Climate envelope models suggest spatio-temporal co-occurrence of refugia of African birds and mammals. <i>Global Ecology and Biogeography</i> , 2013 , 22, 351-363 | 6.1 | 38 |
| 164 | Genetic diversity in the two endangered endemic species <i>Kirengeshoma koreana</i> (Hydrangeaceae) and <i>Parasenecio pseudotaimingasa</i> (Asteraceae) from Korea: Insights into population history and implications for conservation. 2013 , 51, 60-69 | | 10 |
| 163 | Spatial heterogeneity of climate change in an Afromontane centre of endemism. <i>Ecography</i> , 2013 , 36, 518-530 | 6.5 | 27 |
| 162 | Rodent endemism, turnover and biogeographical transitions on elevation gradients in the northwestern Argentinian Andes. 2013 , 78, 322-331 | | 14 |
| 161 | Mapping the biodiversity of tropical insects: species richness and inventory completeness of African sphingid moths. <i>Global Ecology and Biogeography</i> , 2013 , 22, 586-595 | 6.1 | 57 |
| 160 | Broad-scale geographic patterns in body size and hind wing development of western Palaearctic carabid beetles (Coleoptera: Carabidae). <i>Ecography</i> , 2013 , 36, 166-177 | 6.5 | 25 |
| 159 | Historical climate-change influences modularity and nestedness of pollination networks. <i>Ecography</i> , 2013 , 36, 1331-1340 | 6.5 | 90 |
| 158 | Influence of the geological history of the Trans-Mexican Volcanic Belt on the diversification of <i>Nolina parviflora</i> (Asparagaceae: Nolinoideae). <i>Journal of Biogeography</i> , 2013 , 40, 1336-1347 | 4.1 | 48 |
| 157 | Habitat area and climate stability determine geographical variation in plant species range sizes. <i>Ecology Letters</i> , 2013 , 16, 1446-54 | 10 | 93 |
| 156 | Endemism patterns in the Italian leaf beetle fauna (Coleoptera, Chrysomelidae). 2013 , 177-205 | | 15 |
| 155 | Key ornamental innovations facilitate diversification in an avian radiation. 2013 , 110, 10687-92 | | 107 |
| 154 | Vascular plant diversity on the roof of the world: Spatial patterns and environmental determinants. <i>Journal of Systematics and Evolution</i> , 2013 , 51, 371-381 | 2.9 | 14 |
| 153 | Mapping global diversity patterns for migratory birds. <i>PLoS ONE</i> , 2013 , 8, e70907 | 3.7 | 72 |
| 152 | Predicting potential responses to future climate in an alpine ungulate: interspecific interactions exceed climate effects. 2014 , 20, 3872-82 | | 61 |
| 151 | Spatial Correlations among Total, Endemic, and Threatened Plant Diversity in Northwest Yunnan, China. 2014 , 955-959, 814-820 | | |
| 150 | Targeted vertebrate surveys enhance the faunal importance and improve explanatory models within the Eastern Arc Mountains of Kenya and Tanzania. <i>Diversity and Distributions</i> , 2014 , 20, 1438-1449 ⁵ | | 48 |
| 149 | Genetic structure and demographic history of the endangered and endemic schizothoracine fish <i>Gymnodiptychus pachycheilus</i> in Qinghai-Tibetan Plateau. 2014 , 31, 515-22 | | 4 |
| 148 | Spatial variation in the climatic predictors of species compositional turnover and endemism. <i>Ecology and Evolution</i> , 2014 , 4, 3264-78 | 2.8 | 9 |

| | | | |
|-----|---|-----|-----|
| 147 | Global distribution and conservation of evolutionary distinctness in birds. 2014 , 24, 919-30 | | 299 |
| 146 | Endemism on Islands [Case Studies. <i>Plant and Vegetation</i> , 2014 , 165-204 | 0.6 | |
| 145 | Endemism in Mainland Regions [Case Studies. <i>Plant and Vegetation</i> , 2014 , 205-308 | 0.6 | 8 |
| 144 | Endemism in Vascular Plants. <i>Plant and Vegetation</i> , 2014 , | 0.6 | 23 |
| 143 | Local and regional dominance of woody plants along an elevational gradient in a tropical montane forest of northwestern Bolivia. 2014 , 215, 39-54 | | 12 |
| 142 | Drivers of tree diversity in tropical rain forests: new insights from a comparison between littoral and hilly landscapes of Central Africa. <i>Journal of Biogeography</i> , 2014 , 41, 574-586 | 4.1 | 11 |
| 141 | Uncovering cryptic diversity and refugial persistence among small mammal lineages across the Eastern Afromontane biodiversity hotspot. 2014 , 71, 41-54 | | 56 |
| 140 | Major declines of woody plant species ranges under climate change in Yunnan, China. <i>Diversity and Distributions</i> , 2014 , 20, 405-415 | 5 | 57 |
| 139 | Mammal species richness and biogeographic structure at the southern boundaries of the Nearctic region. 2014 , 78, | | 6 |
| 138 | Refugia within refugia [patterns in endemism and genetic divergence are linked to Late Quaternary climate stability in the Iberian Peninsula. <i>Biological Journal of the Linnean Society</i> , 2014 , 113, 13-28 | 1.9 | 63 |
| 137 | Patterns of rain forest plant endemism in subtropical Australia relate to stable mesic refugia and species dispersal limitations. <i>Journal of Biogeography</i> , 2014 , 41, 222-238 | 4.1 | 50 |
| 136 | Commonness and rarity of plants in a reserve network: just two faces of the same coin. 2014 , 25, 369-380 | | 9 |
| 135 | A molecular phylogeny of Afromontane dwarf geckos (<i>Lygodactylus</i>) reveals a single radiation and increased species diversity in a South African montane center of endemism. 2014 , 80, 31-42 | | 17 |
| 134 | Suborbital climatic variability and centres of biological diversity in the Cape region of southern Africa. <i>Journal of Biogeography</i> , 2014 , 41, 1338-1351 | 4.1 | 14 |
| 133 | Biogeography of freshwater fishes of the Balkan Peninsula. 2014 , 738, 205-220 | | 52 |
| 132 | Centers of endemism and diversity patterns for typhlocybinae leafhoppers (Hemiptera: Cicadellidae: Typhlocybinae) in China. 2014 , 21, 523-36 | | 9 |
| 131 | References. 383-450 | | |
| 130 | Species Diversity. 2014 , | | |

| | | | |
|-----|--|-----|-----|
| 129 | Determinants of bird species richness, endemism, and island network roles in Wallacea and the West Indies: is geography sufficient or does current and historical climate matter?. <i>Ecology and Evolution</i> , 2014 , 4, 4019-31 | 2.8 | 15 |
| 128 | History, Epidemic Evolution, and Model Burn-In for a Network of Annual Invasion: Soybean Rust. 2015 , 105, 947-55 | | 18 |
| 127 | A global, remote sensing-based characterization of terrestrial habitat heterogeneity for biodiversity and ecosystem modelling. <i>Global Ecology and Biogeography</i> , 2015 , 24, 1329-1339 | 6.1 | 114 |
| 126 | In and out of refugia: historical patterns of diversity and demography in the North American Caesar's mushroom species complex. <i>Molecular Ecology</i> , 2015 , 24, 5938-56 | 5.7 | 10 |
| 125 | Optimising Regionalisation Techniques: Identifying Centres of Endemism in the Extraordinarily Endemic-Rich Cape Floristic Region. <i>PLoS ONE</i> , 2015 , 10, e0132538 | 3.7 | 16 |
| 124 | Species turnover in tropical montane forest avifauna links to climatic correlates. 2015 , 3, 541-552 | | 1 |
| 123 | Role of climate and geohistorical factors in driving plant richness patterns and endemism on the east Asian continental islands. <i>Ecography</i> , 2015 , 38, 639-648 | 6.5 | 30 |
| 122 | Simple mechanistic models can partially explain local but not range-wide co-occurrence of African mammals. <i>Global Ecology and Biogeography</i> , 2015 , 24, 762-773 | 6.1 | 5 |
| 121 | A georeferenced implementation of weighted endemism. 2015 , 6, 845-852 | | 26 |
| 120 | Amphibian biodiversity congruence and conservation priorities in China: Integrating species richness, endemism, and threat patterns. <i>Biological Conservation</i> , 2015 , 191, 650-658 | 6.2 | 14 |
| 119 | Species conservation importance index (SCI) for comparing sites conservation value at landscape level. 2015 , 38, 823-835 | | 6 |
| 118 | Competitive Interactions upon Secondary Contact Drive Elevational Divergence in Tropical Birds. 2015 , 186, 470-9 | | 43 |
| 117 | Partitioning the variation in African vertebrate distributions into environmental and spatial components - exploring the link between ecology and biogeography. <i>Ecography</i> , 2015 , 38, 450-461 | 6.5 | 11 |
| 116 | The potential drivers in forming avian biodiversity hotspots in the East Himalaya Mountains of Southwest China. 2015 , 10, 171-81 | | 37 |
| 115 | Phylogenetic endemism in terrestrial mammals. <i>Global Ecology and Biogeography</i> , 2015 , 24, 168-179 | 6.1 | 60 |
| 114 | The global ecology of bird migration: patterns and processes. 2016 , 8, | | 3 |
| 113 | The plant endemism in the Maritime and Ligurian Alps. 2016 , 31, | | 1 |
| 112 | Remotely Sensed High-Resolution Global Cloud Dynamics for Predicting Ecosystem and Biodiversity Distributions. <i>PLoS Biology</i> , 2016 , 14, e1002415 | 9.7 | 181 |

| | | | |
|-----|---|-----|-----|
| 111 | Functional diversity of North American broad-leaved trees is codetermined by past and current environmental factors. 2016 , 7, e01237 | | 21 |
| 110 | Explaining patterns of avian diversity and endemism: climate and biomes of southern Africa over the last 140,000 years. <i>Journal of Biogeography</i> , 2016 , 43, 874-886 | 4.1 | 19 |
| 109 | A decrease in heat insulation of the black-clawed brush-furred rat (<i>Lophuromys melanonyx</i> , Petter) during adaptation to high altitudes. 2016 , 466, 36-41 | | |
| 108 | Exploring the different facets of plant endemism in the South-Eastern Carpathians: a manifold approach for the determination of biotic elements, centres and areas of endemism. <i>Biological Journal of the Linnean Society</i> , 2016 , 119, 649-672 | 1.9 | 19 |
| 107 | Spatial analysis of endemism to redefine conservation areas in Western Ghats (India). 2016 , 34, 33-41 | | 4 |
| 106 | Taking the Long View: Integrating Recorded, Archeological, Paleoecological, and Evolutionary Data into Ecological Restoration. 2016 , 177, 90-102 | | 30 |
| 105 | Untangling a species complex of arid zone grasses (<i>Triodia</i>) reveals patterns congruent with co-occurring animals. 2016 , 101, 142-162 | | 16 |
| 104 | High proportion of smaller ranged hummingbird species coincides with ecological specialization across the Americas. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2016 , 283, | 4.4 | 26 |
| 103 | A high-resolution model of bat diversity and endemism for continental Africa. 2016 , 320, 9-28 | | 51 |
| 102 | Risk assessment for the Mexican freshwater crayfish: the roles of diversity, endemism and conservation status. 2017 , 27, 78-89 | | 3 |
| 101 | A comparison of Dynamic Habitat Indices derived from different MODIS products as predictors of avian species richness. 2017 , 195, 142-152 | | 44 |
| 100 | Shaping the Latitudinal Diversity Gradient: New Perspectives from a Synthesis of Paleobiology and Biogeography. 2017 , 189, 1-12 | | 75 |
| 99 | Environmental correlates of phylogenetic endemism in amphibians and the conservation of refugia in the Coastal Forests of Eastern Africa. <i>Diversity and Distributions</i> , 2017 , 23, 875-887 | 5 | 14 |
| 98 | Integrating biogeography, threat and evolutionary data to explore extinction crisis in the taxonomic group of cycads. <i>Ecology and Evolution</i> , 2017 , 7, 2735-2746 | 2.8 | 24 |
| 97 | Mexican land birds reveal complexity in fine-scale patterns of endemism. <i>Journal of Biogeography</i> , 2017 , 44, 1836-1846 | 4.1 | 12 |
| 96 | Endemism hotspots are linked to stable climatic refugia. 2017 , 119, 207-214 | | 116 |
| 95 | Islands conserve high species richness and areas of endemism of Hormaphidinae aphids. 2017 , 63, 623-632 | | 4 |
| 94 | An island view of endemic rarity: Environmental drivers and consequences for nature conservation. <i>Diversity and Distributions</i> , 2017 , 23, 1132-1142 | 5 | 19 |

| | | | |
|----|--|------|-----|
| 93 | Spatial patterns of the Iberian and Balearic endemic vascular flora. <i>Biodiversity and Conservation</i> , 2017 , 26, 479-508 | 3.4 | 34 |
| 92 | Three new species of Stiphornis (Aves: Muscicapidae) from the Afro-tropics, with a molecular phylogenetic assessment of the genus. 2017 , 15, 87-104 | | 7 |
| 91 | Congruent patterns between species richness and areas of endemism of the Greenideinae aphids (Hemiptera: Aphididae) revealed by global-scale data. 2018 , 183, 791-807 | | 5 |
| 90 | What makes the Sino-Himalayan mountains the major diversity hotspots for pheasants?. <i>Journal of Biogeography</i> , 2018 , 45, 640-651 | 4.1 | 34 |
| 89 | Long-term in situ persistence of biodiversity in tropical sky islands revealed by landscape genomics. <i>Molecular Ecology</i> , 2018 , 27, 432-448 | 5.7 | 20 |
| 88 | Multiple facets of rarity among rain forest trees in the Western Ghats of India. <i>Biological Conservation</i> , 2018 , 228, 110-119 | 6.2 | 3 |
| 87 | Vertebrate endemism in south-eastern Africa numerically redefines a biodiversity hotspot. <i>Zootaxa</i> , 2018 , 4382, 56-92 | 0.5 | 6 |
| 86 | Global species richness of hydrobiid snails determined by climate and evolutionary history. <i>Freshwater Biology</i> , 2018 , 63, 1225-1239 | 3.1 | 9 |
| 85 | Spatial Distribution and Population Ecology of <i>Drucina championi</i> (Lepidoptera: Nymphalidae), a Threatened Butterfly From Mountain Landscapes of Southern Mexico. <i>Annals of the Entomological Society of America</i> , 2018 , 111, 285-294 | 2 | 1 |
| 84 | Hotspots within a global biodiversity hotspot - areas of endemism are associated with high mountain ranges. <i>Scientific Reports</i> , 2018 , 8, 10345 | 4.9 | 69 |
| 83 | Energy efficiency drives the global seasonal distribution of birds. <i>Nature Ecology and Evolution</i> , 2018 , 2, 962-969 | 12.3 | 45 |
| 82 | Using phylogeography to define conservation priorities: The case of narrow endemic plants in the Mediterranean Basin hotspot. <i>Biological Conservation</i> , 2018 , 224, 258-266 | 6.2 | 32 |
| 81 | Contrasting patterns of diversification in a bird family (Aves: Gruiformes: Rallidae) are revealed by analysis of geospatial distribution of species and phylogenetic diversity. <i>Ecography</i> , 2019 , 42, 500-510 | 6.5 | 7 |
| 80 | Hotspots of vascular plant endemism in a global biodiversity hotspot in Southwest Asia suffer from significant conservation gaps. <i>Biological Conservation</i> , 2019 , 237, 299-307 | 6.2 | 21 |
| 79 | Accumulation over evolutionary time as a major cause of biodiversity hotspots in conifers. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2019 , 286, 20191887 | 4.4 | 10 |
| 78 | Population genetic structures of two ecologically distinct species and inferred based on nuclear and chloroplast DNA markers. <i>Ecology and Evolution</i> , 2019 , 9, 11406-11419 | 2.8 | 1 |
| 77 | Biogeographic Patterns of South American Anurans. 2019 , | | 10 |
| 76 | Building mountain biodiversity: Geological and evolutionary processes. <i>Science</i> , 2019 , 365, 1114-1119 | 33.3 | 156 |

| | | | |
|----|---|------|----|
| 75 | Projecting consequences of global warming for the functional diversity of fleshy-fruited plants and frugivorous birds along a tropical elevational gradient. <i>Diversity and Distributions</i> , 2019 , 25, 1362-1374 | 5 | 6 |
| 74 | Areas of endemism and recent speciation in the Southern Cone of South America, using Senecio (Asteraceae) as a proxy. <i>Biological Journal of the Linnean Society</i> , 2019 , 128, 70-82 | 1.9 | 1 |
| 73 | Patterns of Endemism in Turkey, the Meeting Point of Three Global Biodiversity Hotspots, Based on Three Diverse Families of Vascular Plants. <i>Frontiers in Ecology and Evolution</i> , 2019 , 7, | 3.7 | 8 |
| 72 | The comparative biogeography of Philippine geckos challenges predictions from a paradigm of climate-driven vicariant diversification across an island archipelago. <i>Evolution; International Journal of Organic Evolution</i> , 2019 , 73, 1151-1167 | 3.8 | 10 |
| 71 | Allopolyploidy in the Wintergreen Group of tribe Gaultherieae (Ericaceae) inferred from low-copy nuclear genes. <i>Nordic Journal of Botany</i> , 2019 , 37, | 1.1 | 3 |
| 70 | Preserving the tree of life of the fish family Cyprinidae in Africa in the face of the ongoing extinction crisis. <i>Genome</i> , 2019 , 62, 170-182 | 2.4 | 3 |
| 69 | Extreme genetic structure and dynamic range evolution in a montane passerine bird: implications for tropical diversification. <i>Biological Journal of the Linnean Society</i> , 2019 , 126, 487-506 | 1.9 | 15 |
| 68 | Spatial overlaps between the global protected areas network and terrestrial hotspots of evolutionary diversity. <i>Global Ecology and Biogeography</i> , 2019 , 28, 757-766 | 6.1 | 26 |
| 67 | Multiple macroevolutionary routes to becoming a biodiversity hotspot. <i>Science Advances</i> , 2019 , 5, eaau8067 | 8.67 | 10 |
| 66 | The origins and maintenance of global species endemism. <i>Global Ecology and Biogeography</i> , 2019 , 28, 170-183 | 6.1 | 13 |
| 65 | Museums and cradles of diversity are geographically coincident for narrowly distributed Neotropical snakes. <i>Ecography</i> , 2020 , 43, 328-339 | 6.5 | 16 |
| 64 | Cradles and museums of generic plant diversity across tropical Africa. <i>New Phytologist</i> , 2020 , 225, 2196-2213 | 9.23 | 34 |
| 63 | The potential role of species and functional composition in generating historical constraints on ecosystem processes. <i>Global Ecology and Biogeography</i> , 2020 , 29, 207-219 | 6.1 | 3 |
| 62 | Patterns of regional endemism among New Zealand invertebrates. <i>New Zealand Journal of Zoology</i> , 2020 , 47, 1-19 | 0.8 | 3 |
| 61 | The Past and Current Potential Distribution of the Fruit Fly <i>Anastrepha obliqua</i> (Diptera: Tephritidae) in South America. <i>Neotropical Entomology</i> , 2020 , 49, 284-291 | 1.2 | 2 |
| 60 | Climate-diversity relationships underlying cross-taxon diversity of the African fauna and their implications for conservation. <i>Diversity and Distributions</i> , 2020 , 26, 1330-1342 | 5 | 1 |
| 59 | Defining relictual biodiversity: Conservation units in speckled dace (Leuciscidae:) of the Greater Death Valley ecosystem. <i>Ecology and Evolution</i> , 2020 , 10, 10798-10817 | 2.8 | 1 |
| 58 | Spatial Phylogenetics, Biogeographical Patterns and Conservation Implications of the Endemic Flora of Crete (Aegean, Greece) under Climate Change Scenarios. <i>Biology</i> , 2020 , 9, | 4.9 | 13 |

| | | | |
|----|---|------|----|
| 57 | Spatially congruent sites of importance for global shark and ray biodiversity. <i>PLoS ONE</i> , 2020 , 15, e0235559 | 3.7 | 9 |
| 56 | Influence of climate stability on endemism of the vascular plants of the Chihuahuan Desert. <i>Journal of Arid Environments</i> , 2020 , 177, 104139 | 2.5 | 8 |
| 55 | The contribution of the edaphic factor as a driver of recent plant diversification in a Mediterranean biodiversity hotspot. <i>Journal of Ecology</i> , 2021 , 109, 987-999 | 6 | 14 |
| 54 | Do ecological specialization and functional traits explain the abundance-frequency relationship? Arable weeds as a case study. <i>Journal of Biogeography</i> , 2021 , 48, 37-50 | 4.1 | 3 |
| 53 | Plant Endemism Centres and Biodiversity Hotspots in Greece. <i>Biology</i> , 2021 , 10, | 4.9 | 17 |
| 52 | Influence of altitude and climate on species richness and endemism: A study case with non-volant small mammals in the Atlantic Forest, Brazil. <i>Austral Ecology</i> , 2021 , 46, 603-612 | 1.5 | |
| 51 | Vulnerability of global biodiversity hotspots to climate change. <i>Global Ecology and Biogeography</i> , 2021 , 30, 768-783 | 6.1 | 18 |
| 50 | Biogeography of the neotropical freshwater stingrays (Myliobatiformes: Potamotrygoninae) reveals effects of continent-scale paleogeographic change and drainage evolution. <i>Journal of Biogeography</i> , 2021 , 48, 1406-1419 | 4.1 | 12 |
| 49 | Comparative phylogeography of two Northern Rocky Mountain endemics: the widespread <i>Anguispira kochi occidentalis</i> and the narrow-range <i>Anguispira nimapuna</i> (Gastropoda: Discidae). <i>Biological Journal of the Linnean Society</i> , 2021 , 133, 817-834 | 1.9 | 1 |
| 48 | Biogeographic regionalization by spatial and environmental components: Numerical proposal. <i>PLoS ONE</i> , 2021 , 16, e0253152 | 3.7 | |
| 47 | A herpetofauna with dramatic endemism signals an overlooked biodiversity hotspot. <i>Biodiversity and Conservation</i> , 2021 , 30, 3167-3183 | 3.4 | 0 |
| 46 | Long-term changes in populations of rainforest birds in the Australia Wet Tropics bioregion: a climate-driven biodiversity emergency. | | |
| 45 | Evolutionary dynamics of the elevational diversity gradient in passerine birds. <i>Nature Ecology and Evolution</i> , 2021 , 5, 1259-1265 | 12.3 | 2 |
| 44 | Species distribution of <i>Quercus</i> (Fagaceae) along an altitude gradient, reveals zonation in a hotspot. <i>Botanical Sciences</i> , 2021 , 99, 722-734 | 1.4 | 0 |
| 43 | Endemics determine bioregionalization in the alpine zone of the Irano-Anatolian biodiversity hotspot (South-West Asia). <i>Alpine Botany</i> , 2021 , 131, 177-186 | 2.5 | 0 |
| 42 | The comparative biogeography of Philippine geckos challenges predictions from a paradigm of climate-driven vicariant diversification across an island archipelago. | | 2 |
| 41 | The role of transitional areas as avian biodiversity centres. <i>Global Ecology and Biogeography</i> , 2006 , 0611201101210009-??? | | |
| 40 | More endemic birds occur in regions with stable climate, more plant species and high altitudinal range in China. <i>Avian Research</i> , 2020 , 11, | 2 | 3 |

| | | | |
|----|---|------|-----|
| 39 | Global gradients in vertebrate diversity predicted by historical area-productivity dynamics and contemporary environment. <i>PLoS Biology</i> , 2012 , 10, e1001292 | 9.7 | 185 |
| 38 | Energetic Constraints on Species Coexistence in Birds. <i>PLoS Biology</i> , 2016 , 14, e1002407 | 9.7 | 28 |
| 37 | Elevational distribution and conservation biogeography of phanaeine dung beetles (Coleoptera: Scarabaeinae) in Bolivia. <i>PLoS ONE</i> , 2013 , 8, e64963 | 3.7 | 32 |
| 36 | Amphibian beta diversity in the Brazilian Atlantic Forest: contrasting the roles of historical events and contemporary conditions at different spatial scales. <i>PLoS ONE</i> , 2014 , 9, e109642 | 3.7 | 26 |
| 35 | Unequal Contribution of Widespread and Narrow-Ranged Species to Botanical Diversity Patterns. <i>PLoS ONE</i> , 2016 , 11, e0169200 | 3.7 | 3 |
| 34 | Diversity of the families of Coleoptera captured with pitfall traps in five different environments in Santa Maria, RS, Brazil. <i>Brazilian Journal of Biology</i> , 2011 , 71, 381-90 | 1.5 | 13 |
| 33 | A review of (Marchantiophyta) in the eastern Sino-Himalaya and Meta-Himalaya based mostly on types. <i>PhytoKeys</i> , 2020 , 153, 111-154 | 0.9 | 2 |
| 32 | Environmental Drivers of Diversification and Hybridization in Neotropical Butterflies. <i>Frontiers in Ecology and Evolution</i> , 2021 , 9, | 3.7 | 2 |
| 31 | Global determinants and conservation of evolutionary and geographic rarity in land vertebrates. <i>Science Advances</i> , 2021 , 7, eabe5582 | 14.3 | 4 |
| 30 | Patterns and Hotspots of Carabid Beetle Diversity in the Palaeartic: Insights from a Hyperdiverse Invertebrate Taxon. 2011 , 175-188 | | |
| 29 | Endemism and Tertiary Relict Forests. <i>Plant and Vegetation</i> , 2015 , 185-273 | 0.6 | |
| 28 | Extreme genetic structure and dynamic range evolution in a montane passerine bird: implications for tropical diversification. | | 1 |
| 27 | Different macroevolutionary routes to becoming a biodiversity hotspot. | | |
| 26 | South American Anurans: Species Diversity and Description Trends Through Time and Space. 2019 , 9-84 | | 1 |
| 25 | Studies on diversity indices and insect pest damage of walnuts in Kashmir, India. <i>Acta Agriculturae Slovenica</i> , 2019 , 113, 121 | 1.3 | 0 |
| 24 | Defining Relictual Biodiversity: Conservation Units in Speckled Dace (Cyprinidae:Rhinichthys oculus) of the Greater Death Valley Ecosystem. | | 0 |
| 23 | Beta Diversity along an Elevational Gradient at the Pico da Neblina (Brazil): Is Spider (Arachnida-Araneae) Community Composition Congruent with the Guayana Region Elevational Zonation?. <i>Diversity</i> , 2021 , 13, 620 | 2.5 | 0 |
| 22 | Assessing the Diversity and Distribution Pattern of the Speciose Genus Lycocerus (Coleoptera: Cantharidae) by the Global-Scale Data. <i>Frontiers in Ecology and Evolution</i> , 2022 , 10, | 3.7 | 0 |

| | | | |
|----|---|-----|---|
| 21 | The Australasian Grass Flora in a Global Context. <i>Journal of Systematics and Evolution</i> , | 2.9 | 0 |
| 20 | Assessing Climate Change Impacts on Island Bees: The Aegean Archipelago.. <i>Biology</i> , 2022 , 11, | 4.9 | 1 |
| 19 | Predicted alteration of vertebrate communities in response to climate-induced elevational shifts. <i>Diversity and Distributions</i> , | 5 | 1 |
| 18 | Long-term changes in populations of rainforest birds in the Australia Wet Tropics bioregion: A climate-driven biodiversity emergency.. <i>PLoS ONE</i> , 2021 , 16, e0254307 | 3.7 | 1 |
| 17 | Habitats hold an evolutionary signal of past climatic refugia. <i>Biodiversity and Conservation</i> , 1 | 3.4 | 0 |
| 16 | Table_1.XLSX. 2019 , | | |
| 15 | Table_2.docx. 2019 , | | |
| 14 | Eco-evolutionary causes and consequences of rarity in plants: a meta-analysis.. <i>New Phytologist</i> , 2022 , | 9.8 | |
| 13 | Habitat suitability of neotenic net-winged beetles (Coleoptera: Lycidae) in China using combined ecological models, with implications for biological conservation. <i>Diversity and Distributions</i> , | 5 | 2 |
| 12 | Filogeografí de >Tigridia durangensis (Tigridieae: Iridaceae), una especie endémica de la Zona de Transición Mexicana. <i>Botanical Sciences</i> , 2021 , 100, | 1.4 | |
| 11 | Exploring the Species Richness Pattern and Areas of Endemism of Tenebrionidae (Coleoptera) in Xinjiang, China. <i>Diversity</i> , 2022 , 14, 558 | 2.5 | |
| 10 | Ecological niche modeling, niche overlap, and good old Rabinowitz's rarities applied to the conservation of gymnosperms in a global biodiversity hotspot. | | |
| 9 | Status, Issues and Challenges of Biodiversity: Higher Plants. 2022 , 25-44 | | 0 |
| 8 | Centres of neo- and paleo-endemism for Chinese woody flora and their environmental features. 2022 , 276, 109817 | | 0 |
| 7 | Global patterns and drivers of herbivorous eriophyoid mite species diversity. | | 1 |
| 6 | Phylogenetic endemism of the world's seed plants. | | 0 |
| 5 | Disentangling the drivers of continental mammalian endemism. 2023 , 29, 2421-2435 | | 0 |
| 4 | Areas of endemism and environmental heterogeneity: a case study in Mexican legumes. 2023 , 36, 21-37 | | 0 |

- 3 Climate Cycles, Habitat Stability, and Lineage Diversification in an African Biodiversity Hotspot. **2023**, 15, 394 ○
- 2 Beta Diversity of Plant Communities in Relation to Soil C:N:P Stoichiometry across 150 Years of Vegetation Restoration in a Temperate Zone. **2023**, 14, 553 ○
- 1 Uncovering the determinants of biodiversity hotspots in China: Evidence from the drivers of multiple diversity metrics on insect assemblages and implications for conservation. **2023**, 880, 163287 ○