

CITATION REPORT

List of articles citing

Transformation Toughening in Zirconia-Containing Ceramic

DOI: 10.1111/j.1151-2916.2000.tb01221.x

Journal of the American Ceramic Society, 2004, 83, 461-487.

Source: <https://exaly.com/paper-pdf/36760668/citation-report.pdf>

Version: 2024-04-27

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
1287	Identification of Pressure-Induced Phase Transformations Using Nanoindentation. 2000 , 649, 891		5
1286	Formation of Cr ³⁺ stabilized ZrO ₂ nanocrystals in a single cubic metastable phase by a novel chemical route with a sucrose-polyvinyl alcohol polymer matrix. 2001 , 48, 281-291		34
1285	Die sink electrodischarge machining of zirconia based composites. 2001 , 100, 207-213		18
1284	5. High-pressure surface science. 2001 , 38, 355-445		8
1283	Estimation of the phase diagram for the ZrO ₂ -Y ₂ O ₃ -CeO ₂ system. <i>Journal of the European Ceramic Society</i> , 2001 , 21, 2903-2910	6	40
1282	Material fundamentals and clinical performance of plasma-sprayed hydroxyapatite coatings: a review. 2001 , 58, 570-92		787
1281	Size effect and time-dependent nanohardness of ZrO ₂ -based ceramics. 2001 , 43, 2105-2109		2
1280	Growth of Tetragonal Zirconia Coatings by Reactive Sputter Deposition. <i>Journal of the American Ceramic Society</i> , 2001 , 84, 2841-2844	3.8	24
1279	High temperature plastic deformation of a tetragonal Y ₂ O ₃ -stabilized ZrO ₂ single crystals. 2001 , 44, 2551-2555		12
1278	Craft Turned into Science. 2001 , 343-389		
1277	Transformation behavior of yttria stabilized tetragonal zirconia polycrystal-TiB ₂ composites. 2001 , 16, 2158-2169		22
1276	Interactions between toughening mechanisms: Transformation toughening versus plastic deformation. 2002 , 17, 2921-2928		10
1275	Effect of transformation volume contraction on the toughness of superelastic shape memory alloys. 2002 , 11, 947-955		43
1274	PROCESSING OF Cr ³⁺ /Cr ⁴⁺ STABILIZED c-ZrO ₂ NANOPARTICLES THROUGH THERMOMECHANICAL ATTRITION PROCESS. 2002 , 17, 529-542		2
1273	Development of ZrO ₂ -TiB ₂ composites. 2002 , 334, 200-204		41
1272	Chemical synthesis of nanocrystals of tantalum ion-doped tetragonal zirconia. 2002 , 53, 145-150		19
1271	The influence of zircon on the mechanical properties and thermal shock behaviour of slip-cast alumina-hullite refractories. 2002 , 57, 992-997		37

1270	Synthesis, microstructure and mechanical properties of ceria stabilized tetragonal zirconia prepared by spray drying technique. 2002 , 25, 15-20		29
1269	Measurement of the t->m and m->t transformations in Ce ³⁺ /ZrO ₂ by dilatometry and impedance spectroscopy. <i>Journal of the European Ceramic Society</i> , 2002 , 22, 337-345	6	4
1268	Stabilized nanoparticles of metastable ZrO ₂ with Cr ³⁺ /Cr ⁴⁺ cations: preparation from a polymer precursor and the study of the thermal and structural properties. <i>Journal of the European Ceramic Society</i> , 2002 , 22, 851-862	6	26
1267	Mechanical properties of Al ₂ O ₃ /ZrO ₂ composites. <i>Journal of the European Ceramic Society</i> , 2002 , 22, 2827-2833	6	201
1266	The influence of sulphur on the processing of zirconia based ceramics. <i>Journal of the European Ceramic Society</i> , 2002 , 22, 2813-2820	6	8
1265	High temperature plastic anisotropy of Y ₂ O ₃ partially stabilized ZrO ₂ single crystals. <i>Journal of the European Ceramic Society</i> , 2002 , 22, 2609-2613	6	13
1264	Crack growth resistance of alumina, zirconia and zirconia toughened alumina ceramics for joint prostheses. 2002 , 23, 937-45		440
1263	Phase Distribution and Residual Stresses in Melt-Grown Al ₂ O ₃ -ZrO ₂ (Y ₂ O ₃) Eutectics. <i>Journal of the American Ceramic Society</i> , 2002 , 85, 2025-2032	3.8	56
1262	The effect of deposition parameters on the properties of yttria-stabilized zirconia thin films. 2003 , 445, 14-19		57
1261	The microstructural features of an alumina-hullite-zirconia refractory material corroded by molten glass. <i>Ceramics International</i> , 2003 , 29, 305-309	5.1	24
1260	Microstructures and mechanical properties of Sr ₂ Nb ₂ O ₇ -toughened 3Y-TZP ceramics. <i>Ceramics International</i> , 2003 , 29, 635-640	5.1	5
1259	Processing effects on porosity-property correlations in plasma sprayed yttria-stabilized zirconia coatings. 2003 , 359, 100-111		148
1258	Role of Zr(OH) ₄ hard agglomerates in fabricating porous ZrO ₂ ceramics and the reinforcing mechanisms. 2003 , 51, 731-739		24
1257	Thermal shock resistance of yttria-stabilized zirconia with Palmqvist indentation cracks. <i>Journal of the European Ceramic Society</i> , 2003 , 23, 107-114	6	24
1256	Thermodynamic prediction of the nonstoichiometric phase Zr _{1-x} Ce _x O _{2-δ} in the ZrO ₂ -CeO _{1.5} -CeO ₂ system. <i>Journal of the European Ceramic Society</i> , 2003 , 23, 99-106	6	47
1255	Transformation-induced damping behaviour of Y-TZP zirconia ceramics. <i>Journal of the European Ceramic Society</i> , 2003 , 23, 481-489	6	37
1254	The influence of zircon in a model aluminosilicate glass tank forehearth refractory. <i>Journal of the European Ceramic Society</i> , 2003 , 23, 2083-2088	6	6
1253	Thorium (IV) or titanium (IV) stabilized tetragonal zirconia nanocrystalline powders processed by chemical synthesis. <i>Journal of the European Ceramic Society</i> , 2003 , 23, 3043-3047	6	6

1252	Low-temperature ageing of zirconia-toughened alumina ceramics and its implication in biomedical implants. <i>Journal of the European Ceramic Society</i> , 2003 , 23, 2975-2982	6	136
1251	Slow-Crack-Growth Behavior of Zirconia-Toughened Alumina Ceramics Processed by Different Methods. <i>Journal of the American Ceramic Society</i> , 2003 , 86, 115-120	3.8	86
1250	Synthesis of Niobium(V)-Stabilized Tetragonal Zirconia Nanocrystalline Powders. <i>Journal of the American Ceramic Society</i> , 2003 , 86, 514-516	3.8	13
1249	Chemical synthesis of nanocrystalline tin-doped cubic ZrO ₂ powders. 2003 , 57, 2140-2144		10
1248	Lifetime prediction of all-ceramic bridges by computational methods. 2003 , 82, 238-42		100
1247	High-Resolution Analytical Electron Microscopy Investigation of Metastable Tetragonal Phase Stabilization in Undoped, Sol-Gel Derived Zirconia Nanoceramics. 2003 , 788, 2111		
1246	Fundamental optical absorption edge of undoped tetragonal zirconium dioxide. 2003 , 82, 677-679		27
1245	Preparation of Al ₂ O ₃ -ZrO ₂ -Ni Nano-Composites by Spark Plasma Sintering. 2003 , 249, 5-8		3
1244	Synthesis of Monolithic ZrO ₂ in a New Polymorph of Orthorhombic Crystal Structure with a Mesoporous Precursor. 2003 , 62, 146-150		
1243	Synthesis of Tetragonal Zirconia Nanoparticles via an Aqueous Solution-Gel Method. 2004 , 264-268, 343-346		11
1242	Thermal Shock Behaviour of Alumina-Mullite-Zircon Refractories. 2004 , 264-268, 1747-1750		3
1241	Mechanical Properties of Alumina-Mullite-Zircon Refractories. 2004 , 264-268, 1791-1794		5
1240	State of Magnesia in Magnesia (10.4 mol%)-Doped Zirconia Powder Prepared from Coprecipitation. <i>Journal of the American Ceramic Society</i> , 2004 , 85, 1324-1326	3.8	6
1239	Laminar Ceramics Utilizing the Zirconia Tetragonal-to-Monoclinic Phase Transformation to Obtain a Threshold Strength. <i>Journal of the American Ceramic Society</i> , 2004 , 85, 3041-3048	3.8	43
1238	Tetragonal-to-Monoclinic Transformation in Mg-PSZ Studied by in Situ Neutron Diffraction. <i>Journal of the American Ceramic Society</i> , 2004 , 87, 465-472	3.8	7
1237	Doping effects of Yb ³⁺ on the crystal structures, nanoparticle properties and electrical behaviors of ZrO ₂ derived from a facile urea-based hydrothermal route. 2004 , 6, 523-531		19
1236	Toughness enhancement of Ce-TZP by annealing in argon. 2004 , 50, 679-683		9
1235	The Effect of Chemical States of Dopants on the Microstructures and Band Gaps of Metal-Doped ZrO ₂ Thin Films at Different Temperatures. 2004 , 108, 18098-18103		58

1234	Transformation behaviour of tetragonal zirconia: role of dopant content and distribution. 2004 , 366, 338-347		99
1233	Mechanical properties of Nd ₂ O ₃ /Y ₂ O ₃ -coated zirconia ceramics. 2004 , 374, 239-243		21
1232	Effect of zirconia addition on the oxidation resistance of Ni-toughened Al ₂ O ₃ . <i>Journal of the European Ceramic Society</i> , 2004 , 24, 833-840	6	8
1231	Microstructure-toughness-wear relationship of tetragonal zirconia ceramics. <i>Journal of the European Ceramic Society</i> , 2004 , 24, 2031-2040	6	96
1230	Reconstructive phase formation of ZrO ₂ nanoparticles in a new orthorhombic crystal structure from an energized porous ZrO(OH)·2H ₂ O precursor. <i>Ceramics International</i> , 2004 , 30, 239-249	5.1	44
1229	Improvement in wear resistance of plasma sprayed yttria stabilized zirconia coating using nanostructured powder. 2004 , 37, 77-84		57
1228	Toughness tailoring of yttria-doped zirconia ceramics. 2004 , 380, 215-221		55
1227	Thermodynamic vaporization studies of the manganese oxide-yttria stabilized zirconia (YSZ) solid solution. <i>Journal of the European Ceramic Society</i> , 2004 , 24, 2649-2656	6	16
1226	A low-temperature, soft chemistry method for the synthesis of zirconia nanoparticles in thermally evaporated fatty amine thin films. 2004 , 269, 126-30		7
1225	Effect of Al ₂ O ₃ addition on ZrO ₂ phase composition in the Al ₂ O ₃ -ZrO ₂ system. <i>Ceramics International</i> , 2004 , 30, 923-926	5.1	23
1224	Doping and grain size effects in nanocrystalline ZrO ₂ -Ce ₂ O ₃ system with complex phase transitions: XRD and Raman studies. 2004 , 6, 5410-5418		28
1223	ZrO ₂ -Al ₂ O ₃ composites with tailored toughness. 2004 , 372, 278-284		51
1222	Y-TZP ceramics with optimized toughness: new results. 2004 , 379, 228-232		31
1221	Mechanical properties of alumina-zirconia composites for ceramic abutments. 2004 , 7, 643-649		100
1220	Hard, tough and strong ZrO ₂ -WC composites from nanosized powders. <i>Journal of the European Ceramic Society</i> , 2005 , 25, 55-63	6	72
1219	Preparation of Al ₂ O ₃ -ZrO ₂ -Ni nanocomposite by pulse electric current and pressureless sintering. <i>Journal of the European Ceramic Society</i> , 2005 , 25, 3125-3133	6	20
1218	Atomic force microscopy of transformation toughening in ceria-stabilized zirconia. <i>Journal of the European Ceramic Society</i> , 2005 , 25, 3089-3096	6	38
1217	Determining thermal conductivity of plasma sprayed TBC by electrochemical impedance spectroscopy. 2005 , 190, 90-97		16

1216	âDesignerâNucleating Agents for Polypropylene. 2005 , 38, 3688-3695		205
1215	Stress Corrosion Cracking of Single-Crystal Tetragonal ZrO ₂ (Er ₂ O ₃). <i>Journal of the American Ceramic Society</i> , 2005 , 88, 3125-3130	3.8	10
1214	Fracture resistance of yttrium oxide partially-stabilized zirconia all-ceramic bridges after veneering and mechanical fatigue testing. <i>Dental Materials</i> , 2005 , 21, 476-82	5.7	191
1213	A critical comparison of methods for the determination of the aging sensitivity in biomedical grade yttria-stabilized zirconia. 2005 , 72, 239-45		133
1212	Toughening method and mechanisms for thermosets. 2005 , 98, 1663-1667		17
1211	Thermodynamic assessment of the system ZrO ₂ -CaO-MgO using new experimental results: Calculation of the isoplethal section MgO-CaO-ZrO ₂ . <i>Journal of the European Ceramic Society</i> , 2005 , 25, 681-693	6	27
1210	Composition design and mechanical properties of mixed (Ce,Y)-TZP ceramics obtained from coated starting powders. <i>Journal of the European Ceramic Society</i> , 2005 , 25, 3109-3115	6	29
1209	Processing and mechanical properties of ZrO ₂ -TiB ₂ composites. <i>Journal of the European Ceramic Society</i> , 2005 , 25, 3629-3637	6	38
1208	Effect of the composition and sintering process on mechanical properties and residual stresses in zirconia-âalumina composites. <i>Journal of the European Ceramic Society</i> , 2005 , 25, 3383-3392	6	95
1207	Doppler broadening measurements of the electron-positron annihilation radiation in nanocrystalline ZrO ₂ . 2005 , 40, 5265-5268		12
1206	Influences of ZrO ₂ nanoparticles on the microstructure and mechanical behavior of Ce-TZP/Al ₂ O ₃ nanocomposites. 2005 , 40, 6087-6090		9
1205	Toughness Enhancement of Al ₂ O ₃ /Ce-TZP Functionally Graded Materials by Annealing in Inert Atmosphere. 2005 , 492-493, 699-704		1
1204	Influence of Al ₂ O ₃ Addition on the Microstructure and Mechanical Properties of Pressureless Sintered Ce-TZP. 2005 , 492-493, 783-0		3
1203	Processing of a Graded Ceramic Cutting Tool in the Al ₂ O ₃ -ZrO ₂ -Ti(C,N) System by Electrophoretic Deposition. 2005 , 492-493, 705-710		9
1202	Study of PSZ Sintered in Low Oxygen Partial Pressure. 2005 , 498-499, 546-551		
1201	Systematic study of grain boundary atomistic structures and related properties in cubic zirconia bicrystals. 2005 , 96, 177-185		1
1200	Evaluation of crystallinity and film stress in yttria-stabilized zirconia thin films. 2005 , 23, 1419-1424		15
1199	Evaluation of the Effect of Heavy Rare Earth Elements on Electrical Resistivity of Zirconia-Yttria Ceramics. 2005 , 498-499, 305-310		2

1198	Ab initio lattice dynamics and phase transformations of ZrO ₂ . 2005 , 71,		90
1197	Partially stabilized zirconia single crystals: growth from the melt and investigation of the properties. 2005 , 275, e2173-e2179		29
1196	Chemical-Composition-Dependent Metastability of Tetragonal ZrO ₂ in Sol-Gel-Derived Films under Different Calcination Conditions. 2005 , 17, 4837-4844		78
1195	Toughening of yttria-stabilised tetragonal zirconia ceramics. 2005 , 50, 239-256		233
1194	Thermodynamics of Oxide Systems Relevant to Alternative Gate Dielectrics. 2005 , 57-108		20
1193	Nanostructured CeO ₂ -ZrO ₂ mixed oxides. 2005 , 15, 633-648		392
1192	Alumina/zirconia composite coated by biomimetic method. 2006 , 352, 5279-5283		11
1191	Pressureless Sintering of Injection Molded Zirconia Toughened Alumina Nanocomposites. 2006 , 114, 958-962		22
1190	Effect of Processing Parameters on the Mechanical and Microstructural Behavior of Ultra-Fine Al ₂ O ₃ -ZrO ₂ +8%Mol Y ₂ O ₃) Bioceramic, Densified By High-Frequency Induction Heat Sintering. 2006 , 3, 322-330		17
1189	Homogeneous ZrO ₂ -Al ₂ O ₃ Composite Prepared by Nano-ZrO ₂ Particle Multilayer-Coated Al ₂ O ₃ Particles. <i>Journal of the American Ceramic Society</i> , 2006 , 89, 1103-1106	3.8	15
1188	High-Frequency Induction Heat Sintering of Mechanically Alloyed Alumina-Yttria-Stabilized Zirconia Nano-Bioceramics. <i>Journal of the American Ceramic Society</i> , 2006 , 89, 1280-1285	3.8	54
1187	Experimental Investigation and Thermodynamic Assessment of the Nd ₂ O ₃ -Y ₂ O ₃ System. <i>Journal of the American Ceramic Society</i> , 2006 , 89, 2596-2601	3.8	2
1186	TiO ₂ -Doped Zirconia: Crystal Structure, Monoclinic-Tetragonal Phase Transition, and the New Tetragonal Compound Zr ₃ TiO ₈ . <i>Journal of the American Ceramic Society</i> , 2006 , 89, 3201-3210	3.8	25
1185	Coprecipitation Synthesis of MgO-Doped ZrO ₂ Nano Powder. <i>Journal of the American Ceramic Society</i> , 2006 , 89, 3577-3581	3.8	25
1184	R-Curve and Stress-Strain Behavior of Ferroelastic Ceramics. <i>Journal of the American Ceramic Society</i> , 2006 , 89, 3721-3727	3.8	34
1183	Toughening under non-uniform ferro-elastic domain switching. 2006 , 43, 4452-4464		17
1182	Differential sintering of Al ₂ O ₃ /ZrO ₂ -Ni composite, during pulse electric current sintering. <i>Ceramics International</i> , 2006 , 32, 241-247	5.1	11
1181	Studies on SnO ₂ -ZrO ₂ solid solution. <i>Ceramics International</i> , 2006 , 32, 939-941	5.1	9

1180	Finite element analysis of the fatigue crack growth rate in transformation toughening ceramics. 2006 , 22, 895-920		13
1179	Redox behavior during the transformation in zirconia with low yttria content. 2006 , 438-440, 387-390		2
1178	An alternative approach to the crystallography of martensitic transformation in ZrO ₂ . 2006 , 438-440, 343-345		4
1177	X-ray, Raman and FTIRS studies of the microstructural evolution of zirconia particles caused by the thermal treatment. 2006 , 179, 2965-2971		37
1176	Electrically conductive ZrO ₂ -TiN composites. <i>Journal of the European Ceramic Society</i> , 2006 , 26, 3173-3179		50
1175	Yb ₂ O ₃ and Y ₂ O ₃ co-doped zirconia ceramics. <i>Journal of the European Ceramic Society</i> , 2006 , 26, 3607-3612		16
1174	Corrosion of selected ceramic materials in hot gas environment. <i>Journal of the European Ceramic Society</i> , 2006 , 26, 3557-3565	6	70
1173	Hardness and fracture toughness of mullite-zirconia composites obtained by slip casting. 2006 , 419, 290-296		41
1172	Martensite crystallography—the role of the shape strain. 2006 , 438-440, 43-47		10
1171	CVD deposition and characterization of coloured Al ₂ O ₃ /ZrO ₂ multilayers. 2006 , 201, 4032-4036		20
1170	Residual stress development in Pb(Zr,Ti)O ₃ /ZrO ₂ /SiO ₂ stacks for piezoelectric microactuators. 2006 , 510, 213-221		36
1169	Metastable Nature of Zirconia Femoral Heads From a 20-Year Perspective Of Clinical and Simulator Wear Studies. 2006 , 17, 165-178		11
1168	R-curve behaviour of 2Y-TZP with submicron grain size. <i>Journal of the European Ceramic Society</i> , 2006 , 26, 3575-3582	6	23
1167	Edge-to-edge matching of lattice planes and coupling of crystallography and migration mechanisms of planar interfaces. 2006 , 37, 841-849		16
1166	Thermodynamics of some ZrO ₂ -containing ceramics. 2006 , 10, 65-73		1
1165	Interaction of toughening mechanisms in a hybrid epoxy system. 2006 , 100, 4470-4475		10
1164	Improved Oxide-Based Interfacial Coatings for the Next Generation of CMC's. 2006 , 50, 51-56		
1163	Strengthening Zirconia by Adding Both Nickel and Alumina Particles. 2006 , 313, 47-52		

1162	Fabrication, Wear and Performance of Ceramic Cutting Tools. 2006 , 45, 1776-1785	7
1161	Novel synthesis of advanced composites of Al ₂ O ₃ reinforced with Ce TZP through co-precipitation process. 2006 , 105, 222-227	7
1160	Stress evolution as a function of substrate bias in rf magnetron sputtered yttria-stabilized zirconia films. 2006 , 24, 1091-1095	11
1159	YTTRIA-STABILIZED ZIRCONIA THERMAL BARRIER COATINGS – A REVIEW. 2006 , 13, 535-544	126
1158	Radio frequency dual magnetron sputtering deposition and characterization of nanocomposite Al ₂ O ₃ -ZrO ₂ thin films. 2006 , 24, 309-316	26
1157	Experimental study and thermodynamic assessment of the ZrO ₂ -Dy ₂ O ₃ system. 2007 , 98, 91-98	4
1156	ZrO ₂ -TiN Composites. 2007 , 554, 135-140	2
1155	Design of Multiphase Materials. 2007 , 280-283, 963-966	
1154	Evidence of stress-induced tetragonal-to-monoclinic phase transformation during sputter deposition of yttria-stabilized zirconia. 2007 , 22, 1105-1111	9
1153	First-Principles Calculations on Crystal Structure and Thermodynamic Properties of Ceramics. 2007 , 336-338, 2517-2520	
1152	The Stability of TZP-YSZ Binary Suspensions. 2007 , 336-338, 2385-2387	2
1151	Influence of 3Y-TZP on Microstructure and Mechanical Properties of Al ₂ O ₃ -Based Composites. 2007 , 353-358, 1540-1543	
1150	Phase stability of thermal barrier oxides: A comparative study of Y and Yb additions. 2007 , 98, 1177-1187	30
1149	Aging of retrieved zirconia femoral heads. 2007 , 462, 122-9	28
1148	Mechanical wet-milling and subsequent consolidation of ultra-fine Al ₂ O ₃ -(ZrO ₂ +3%Y ₂ O ₃) bioceramics by using high-frequency induction heat sintering. 2007 , 17, 21-26	20
1147	Interband Transitions in Sol-Gel-Derived ZrO ₂ Films under Different Calcination Conditions. 2007 , 19, 4804-4810	72
1146	Zirconia Heads in Perspective: A Survey of Zirconia Outcomes in Total Hip Replacement. 2007 , 17, 119-130	13
1145	Fracture surface morphology in thermosets modified with hollow microspheres. 2007 , 105, 3287-3294	5

1144	Effect of YSZ thin film coating thickness on the strength of a ceramic substrate. 2007 , 83, 459-63		8
1143	Opportunities for TBCs in the ZrO ₂ -Y ₂ O ₃ -Ta ₂ O ₅ system. 2007 , 201, 6044-6050		103
1142	Improvement of mechanical properties of Al ₂ O ₃ /Ti ₃ SiC ₂ multilayer ceramics by adding SiC whiskers into Al ₂ O ₃ layers. <i>Ceramics International</i> , 2007 , 33, 385-388	5.1	33
1141	Effect of citric acid on the synthesis of nano-crystalline yttria stabilized zirconia powders by nitrate-nitrate process. <i>Ceramics International</i> , 2007 , 33, 1463-1468	5.1	79
1140	Microstructure and thermal conductivity of porous ZrO ₂ ceramics. 2007 , 55, 3663-3669		53
1139	Crack tip process zone domain switching in a soft lead zirconate titanate ceramic. 2007 , 55, 5538-5548		52
1138	Synergistic toughening mechanism in 3Y-TZP/Nb composites. 2007 , 55, 5924-5933		34
1137	Mechanical properties and microstructure of TiN/TZP nanocomposites. 2007 , 447, 83-86		8
1136	Toughening of Ti ₃ SiC ₂ with 3Y-TZP addition by spark plasma sintering. 2007 , 447, 303-306		12
1135	Consolidation and mechanical properties of nanostructured hydroxyapatite (ZrO ₂ + 3 mol% Y ₂ O ₃) bioceramics by high-frequency induction heat sintering. 2007 , 456, 368-372		67
1134	Effect of the addition of YAG (Y ₃ Al ₅ O ₁₂) nanopowder on the mechanical properties of lanthanum zirconate. 2007 , 460-461, 504-508		26
1133	Synthesis of zirconium titanate with an ordered M-fergusonite (beta) structure. 2007 , 180, 2885-2895		7
1132	Elastic properties and damping behaviour of alumina-alumina/zirconia laminates. <i>Journal of the European Ceramic Society</i> , 2007 , 27, 1307-1311	6	10
1131	ZrO ₂ -WC nanocomposites with superior properties. <i>Journal of the European Ceramic Society</i> , 2007 , 27, 1247-1251	6	57
1130	Preparation and properties of Y ₂ O ₃ partially stabilized ZrO ₂ crystals. 2007 , 43, 1223-1229		8
1129	Load-bearing capacity of all-ceramic posterior four-unit fixed partial dentures with different zirconia frameworks. 2007 , 115, 161-6		69
1128	Influence of CeO ₂ Reduction on the Microstructure and Mechanical Properties of Pulsed Electric Current Sintered Y ₂ O ₃ -CeO ₂ Co-Stabilized ZrO ₂ Ceramics. <i>Journal of the American Ceramic Society</i> , 2007 , 90, 1420-1426	3.8	14
1127	A Comparative Study of the Structure and Properties of Sn-Modified Lead Zirconate Titanate Ferroelectric and Antiferroelectric Ceramics. <i>Journal of the American Ceramic Society</i> , 2007 , 90, 2090-2094 ⁸		13

1126	Pressureless sintering of ZrO ₂ -B ₂ O ₃ composites: Microstructure and properties. 2007 , 25, 179-188		32
1125	Elucidating of the microstructure of ZrO ₂ ceramics with additions of 1200°C heat treated ultrafine MgO powders: Aging at 1420°C. 2007 , 106, 45-53		11
1124	Processing and mechanical properties of textured mullite/zirconia composites. <i>Journal of the European Ceramic Society</i> , 2007 , 27, 1463-1467	6	22
1123	Sliding Wear of Electrically Conductive ZrO ₂ -WC Composites Against WC-Co Cemented Carbide. 2008 , 30, 191-198		12
1122	Pulsed electric current sintering of electrically conductive ceramics. 2008 , 43, 6435-6440		17
1121	Y ₂ O ₃ and Nd ₂ O ₃ co-stabilized ZrO ₂ -WC composites. 2008 , 43, 5784-5789		10
1120	Microstructure, mechanical properties and thermal shock resistance of hot-pressed ZrO ₂ (3Y)-BN composites. 2008 , 497, 195-199		36
1119	Lowering the sintering temperature for EPD coatings by applying reaction bonding. <i>Journal of the European Ceramic Society</i> , 2008 , 28, 1793-1799	6	19
1118	Phase equilibria in the refractory oxide systems of zirconia, hafnia and yttria with rare-earth oxides. <i>Journal of the European Ceramic Society</i> , 2008 , 28, 2363-2388	6	106
1117	Processing and properties of a mica-apatite glass-ceramic reinforced with Y-PSZ particles. <i>Journal of the European Ceramic Society</i> , 2008 , 28, 2693-2699	6	30
1116	Pressureless sintering and mechanical properties of mica glass-ceramic/Y-PSZ composite. <i>Journal of the European Ceramic Society</i> , 2008 , 28, 2687-2692	6	33
1115	Fracture toughness, strength and slow crack growth in a ceria stabilized zirconia-alumina nanocomposite for medical applications. 2008 , 29, 3636-3641		158
1114	Influence of cyclic fatigue in water on the load-bearing capacity of dental bridges made of zirconia. 2008 , 4, 1440-7		77
1113	Critical zirconia amount to enhance the strength of alumina. <i>Ceramics International</i> , 2008 , 34, 2129-2135	5.1	24
1112	Reciprocative sliding wear of ZrO ₂ -TiCN composites against WC-Co cemented carbide. 2008 , 265, 1767-1775		10
1111	Investigation of the microstructure and nanostructure of partially stabilized zirconia crystals. 2008 , 3, 710-715		2
1110	Nanoindentation and mechanical properties of solids in submicrovolumes, thin near-surface layers, and films: A Review. 2008 , 50, 2205-2236		160
1109	Optimized Nanosecond Pulsed Laser Micromachining of Y-TZP Ceramics. <i>Journal of the American Ceramic Society</i> , 2008 , 91, 391-397	3.8	33

1108	Codoping of zirconia with yttria and scandia. 2008 , 58, 215-218	13
1107	A novel development of ZrB ₂ /ZrO ₂ functionally graded ceramics for ultrahigh-temperature application. 2008 , 59, 1214-1217	22
1106	Synthesis and characterization of nanocrystallined zirconia by hydrothermal method. 2008 , 43, 723-729	57
1105	Microstructure and mechanical properties of hot pressed ZrB ₂ -SiCp-ZrO ₂ composites. 2008 , 62, 2404-2406	17
1104	Evaluation of bond strength of various margin ceramics to a zirconia ceramic. 2008 , 36, 822-7	20
1103	Lanthanum zirconate ceramic toughened by BaTiO ₃ secondary phase. 2008 , 452, 406-409	42
1102	Production of high conductivity composite zirconia solid oxide electrolytes with good mechanical strength through net-shape. 2008 , 18, 5237	8
1101	Zirconia. 2008 , 169-197	20
1100	Phase analysis of Al ₂ O ₃ -ZrO ₂ composite powders prepared by co-precipitation method. 2008 , 23, 220-223	2
1099	Mechanochemical synthesis of alumina-zirconia nanocomposite powder. 2008 , 107, 318-321	7
1098	Preparation and Characterization of Zirconia-Based Multi-Phase Nanocomposite. 2008 , 368-372, 762-764	1
1097	Dieltrico de vidro de elevada confiabilidade mecânica e termomecânica produzido por tñpera de dois estqios (tñpera tñmica + troca ãnica). 2009 , 14, 845-860	1
1096	Microstructure and mechanical properties of zirconia-toughened ZrB ₂ -MoSi ₂ composites prepared by hot-pressing. 2009 , 60, 100-103	16
1095	Higher fracture toughness of tetragonal zirconia ceramics through nanocrystalline structure. 2009 , 61, 56-59	48
1094	Y ₂ O ₃ -Nd ₂ O ₃ double stabilized ZrO ₂ -TiCN nanocomposites. 2009 , 113, 596-601	6
1093	Using high-purity MgO nanopowder as a stabilizer in two different particle size monoclinic ZrO ₂ : Its influence on the fracture toughness. 2009 , 114, 407-414	7
1092	Compressive strain-dependent bending strength property of Al ₂ O ₃ -ZrO ₂ (1.5 mol% Y ₂ O ₃) composites performance by HIP. 2009 , 114, 756-762	11
1091	Reciprocating sliding friction and wear behavior of electrical discharge machined zirconia-based composites against WC-Co cemented carbide. 2009 , 27, 449-457	15

1090	Fracture toughness of an Al ₂ O ₃ ceramic for joint prostheses under sinter and sinter-HIP conditions. 2009 , 27, 722-728		19
1089	On the wide range of mechanical properties of ZTA and ATZ based dental ceramic composites by varying the Al ₂ O ₃ and ZrO ₂ content. 2009 , 27, 962-970		82
1088	Bioactivity and osteoblast response of the micro-arc oxidized zirconia films. 2009 , 88, 117-27		49
1087	Stresses and distortions within zirconia-fixed dental prostheses due to the veneering process. 2009 , 5, 3231-9		49
1086	Fracture behaviour of Mg-PSZ ceramics: Comparative estimates. <i>Ceramics International</i> , 2009 , 35, 2735-2740		16
1085	EDM machinability and frictional behavior of ZrO ₂ -WC composites. 2009 , 41, 1085-1093		17
1084	Fracture resistance of all-ceramic crowns placed on a preparation with a slice-formed finishing line. 2009 , 36, 516-23		18
1083	Synthesis of ZrO ₂ Nanoparticles by Freeze Drying. 2009 , 6, 324-334		14
1082	Damage tolerance and R-curve behavior of ZrB ₂ -ZrO ₂ composites. 2009 , 516, 297-301		17
1081	Influence of secondary phases on the tribological response of electro-discharge machined zirconia-based composites against WC-Co cemented carbide. 2009 , 267, 2157-2166		7
1080	Preparation, microstructure and mechanical properties of ZrB ₂ -ZrO ₂ ceramics. <i>Journal of the European Ceramic Society</i> , 2009 , 29, 779-786	6	36
1079	Hydrolysis-induced aqueous gelcasting for near-net shape forming of ZTA ceramic composites. <i>Journal of the European Ceramic Society</i> , 2009 , 29, 1393-1401	6	37
1078	Effect of abrasive grinding on the strength of Y-TZP. <i>Journal of the European Ceramic Society</i> , 2009 , 29, 2665-2669	6	41
1077	Crystallographic features of phase transformations in solids. 2009 , 54, 1101-1170		164
1076	Structure characterization and mechanical properties of CeO ₂ -ZrO ₂ solid solution system. <i>Ceramics International</i> , 2009 , 35, 3005-3011	5.1	28
1075	On the kinetics and impact of tetragonal to monoclinic transformation in an alumina/zirconia composite for arthroplasty applications. 2009 , 30, 5279-82		107
1074	Zirconia-parylene multilayer thin films for enhanced fracture resistance of dental ceramics. 2009 , 223, 897-902		9
1073	Piezoelectric MEMS sensors: state-of-the-art and perspectives. 2009 , 20, 092001		372

1072	Ablation behavior of ZrB ₂ -SiC-ZrO ₂ ceramic composites by means of the oxyacetylene torch. 2009 , 51, 2071-2079		52
1071	Thermal shock behavior of ZrB ₂ -SiC ultra-high temperature ceramics with addition of zirconia. 2009 , 478, 386-391		36
1070	Industrial precipitation of yttrium chloride and zirconyl chloride: Effect of pH on ceramic properties for yttria partially stabilised zirconia. 2009 , 480, 639-644		3
1069	Microstructure, mechanical properties and thermal shock resistance of ZrO ₂ -LaPO ₄ composites. 2009 , 480, 863-866		24
1068	Experimental determination of the Raman sampling depth in zirconia ceramics. 2009 , 63, 1288-92		29
1067	FUEL CELLS – SOLID OXIDE FUEL CELLS Membranes. 2009 , 34-50		0
1066	Joining of engineering ceramics. 2009 , 54, 283-331		175
1065	Zirconia nanoparticles: a martensitic phase transition at low temperature. 2009 , 4, 95-103		2
1064	Degradation resistance of 3Y-TZP ceramics sintered using spark plasma sintering. 2009 , 5, 012014		1
1063	Influence of hydrothermal and mechanical conditions on the strength of zirconia. 2010 , 6, 4547-52		85
1062	Variation in properties of ZrO ₂ -Y ₂ O ₃ -CeO ₂ -Al ₂ O ₃ powders during thermal treatment at 400 to 1300°C. 2010 , 49, 125-134		5
1061	Low temperature degradation -aging- of zirconia: A critical review of the relevant aspects in dentistry. <i>Dental Materials</i> , 2010 , 26, 807-20	5-7	427
1060	Fatigue of zirconia and dental bridge geometry: Design implications. <i>Dental Materials</i> , 2010 , 26, 1133-6	5-7	26
1059	Effect of heat treatment after accelerated aging on phase transformation in 3Y-TZP. 2010 , 93, 236-43		12
1058	Analysis in vitro of the cytotoxicity of potential implant materials. I: Zirconia-titania sintered ceramics. 2010 , 94, 305-11		22
1057	Novel Zirconia-Alumina Nanocomposites Combining High Strength and Toughness. 2010 , 12, 1220-1223		11
1056	Metal Oxide Nanoparticles. 2010 , 1-76		2
1055	The comparative study of photocatalytic self-cleaning properties of synthesized nanoscale titania and zirconia onto polyacrylonitrile fibers. 2010 , 118, n/a-n/a		3

1054	Yttria-stabilized zirconia thin films by pulsed laser deposition: Microstructural and compositional control. <i>Journal of the European Ceramic Society</i> , 2010 , 30, 489-495	6	64
1053	Follow-up of zirconia crystallization on a surface modified alumina powder. <i>Journal of the European Ceramic Society</i> , 2010 , 30, 3377-3387	6	15
1052	Sintering behavior of ultra-fine Al ₂ O ₃ /ZrO ₂ +Xmol% Y ₂ O ₃) ceramics by high-frequency induction heating. 2010 , 527, 4926-4931		6
1051	Al ₂ O ₃ (w)-Al ₂ O ₃ (n)-ZrO ₂ (TZ-3Y)(n) multi-scale nanocomposite: an alternative for different dental applications?. 2010 , 6, 563-70		24
1050	Amorphous-to-crystalline transition of silicon-incorporated anodic ZrO ₂ and improved dielectric properties. 2010 , 55, 3144-3151		13
1049	Fundamental formulation for transformation toughening. 2010 , 47, 3214-3220		29
1048	Influence of preliminary damage on the load-bearing capacity of zirconia fixed dental prostheses. 2010 , 19, 606-13		9
1047	Pressureless Sintering t-zirconia@Al ₂ O ₃ (54 mol%) Core-Shell Nanopowders at 1120°C Provides Dense t-Zirconia-Toughened Al ₂ O ₃ Nanocomposites. <i>Journal of the American Ceramic Society</i> , 2010 , 93, 709-715	3.8	14
1046	Influence of the veneering process on the marginal fit of zirconia fixed dental prostheses. 2010 , 37, 283-91		62
1045	Effect of Mullite Grains Orientation on Toughness of Mullite/Zirconia Composites. 2010 , 273-278		2
1044	Stability of Nanocrystalline Spark Plasma Sintered 3Y-TZP. <i>Materials</i> , 2010 , 3, 800-814	3.5	23
1043	Elaboration and Mechanical Characterization of Al ₂ O ₃ -ZrO ₂ -YAG Ultrafine Composites. 2010 , 62, 76-81		1
1042	Properties of Mullite-Zirconia Composites Prepared through Reaction Sintering Kaolin, Al ₂ O ₃ , and ZrO ₂ . 2010 , 160-162, 1772-1778		2
1041	Calcium Oxygen Zirconium. 2010 , 69-86		
1040	Synthesis of Refractory Materials by Skull Melting Technique. 2010 , 433-477		14
1039	High Temperature Corrosion of Ceramics and Refractory Materials. 2010 , 668-690		3
1038	Functionally Graded All Ceramic HIP Joint. 2010 , 323-356		
1037	Graded zirconia glass for resistance to veneer fracture. 2010 , 89, 1057-62		43

1036	Hydrothermal stability of mixed stabilised tetragonal (Y, Nd)-ZrO ₂ ceramics. 2010 , 495, 556-560	9
1035	Fabrication and mechanical reinforcement of piezoelectric nanocomposites with ZrO ₂ nanoparticles embedded in situ. 2010 , 491, 452-455	16
1034	Laser ablation characteristics of yttria-doped zirconia in the nanosecond and femtosecond regimes. 2010 , 107, 014908	44
1033	Ceramics for Dental Applications: A Review. <i>Materials</i> , 2010 , 3, 351-368	3.5 244
1032	First-principles thermodynamic modeling of atomic ordering in yttria-stabilized zirconia. 2010 , 82,	26
1031	Ceramic thermal barrier coating materials. 2011 , 25-52	6
1030	Density Functional Theory Study of Carboxylic Acids Adsorption and Enolization on Monoclinic Zirconia Surfaces. 2011 , 115, 16012-16018	50
1029	Ceramics: Definition and Characteristics. 2011 , 1-13	1
1028	Toughness Optimization in Zirconia-Based Ceramics. 2011 , 173-214	1
1027	Microstructure and mechanism of Al ₂ O ₃ -ZrO ₂ eutectic coating prepared by combustion-assisted thermal explosion spraying. 2011 , 258, 1531-1534	14
1026	All-ceramic systems: laboratory and clinical performance. 2011 , 55, 333-52, ix	157
1025	Synthesis and crystallization behavior of 3 mol% yttria stabilized tetragonal zirconia polycrystals (3Y-TZP) nanosized powders prepared using a simple co-precipitation process. 2011 , 509, 6864-6870	50
1024	Reliability and failure modes of implant-supported zirconium-oxide fixed dental prostheses related to veneering techniques. 2011 , 39, 489-98	57
1023	Yttria Tetragonal Zirconia Biomaterials: Kinetic Investigation. 2011 , 27, 332-337	19
1022	Ceramic Hip Replacements: Wear Behavior Affects the Outcome – A Tribological and Clinical Approach. 2011 , 25-40	2
1021	Micro-solid oxide fuel cells using free-standing 3mol.% yttria-stabilised-tetragonal-zirconia-polycrystal electrolyte foils. 2011 , 196, 10069-10073	12
1020	Low temperature preparation of Ce-TZP/Ba hexaaluminate composites. 2011 , 119, 903-908	1
1019	Phase transformation of zirconia ceramics by hydrothermal degradation. 2011 , 30, 286-92	47

1018 Case Study: Transformation-Toughened Zirconia. **2011**, 142-166

1017 Overview: Structural Ceramics. **2011**, 111-141

1016 Stress analysis of an all-ceramic FDP loaded according to different occlusal concepts. **2011**, 38, 278-85 13

1015 The Antiferroelectric<->Ferroelectric Phase Transition in Lead-Containing and Lead-Free Perovskite Ceramics. *Journal of the American Ceramic Society*, **2011**, 94, 4091-4107 3.8 277

1014 Nanostructured Spark Plasma Sintered Ce-TZP Ceramics. *Journal of the American Ceramic Society*, **2011**, 95, n/a-n/a 3.8 2

1013 Investigation of the domain switching zone near a crack tip in pre-poled lead zirconate titanate ceramic via in situ X-ray diffraction. **2011**, 64, 1-4 17

1012 Plastic deformation and allotropic phase transformations in zirconia ceramics during high-pressure torsion. **2011**, 65, 974-977 78

1011 Preparation of YSZ-TZP solid electrolytes by gel-casting technology. **2011**, 23 Suppl, S170-2 8

1010 Evaluation of the absolute marginal discrepancy of zirconia-based ceramic copings. **2011**, 105, 108-14 58

1009 Assessment of zirconia doped hardmetals as tribomaterials. **2011**, 271, 1909-1915 21

1008 From porcelain-fused-to-metal to zirconia: clinical and experimental considerations. *Dental Materials*, **2011**, 27, 83-96 5.7 273

1007 Densification behaviour and properties of manganese oxide doped Y-TZP ceramics. *Ceramics International*, **2011**, 37, 3583-3590 5.1 23

1006 Transformation-strengthened ZrO₂-CeO₂ ceramic on the basis of powders synthesized using the ultrasonic spray pyrolysis method. **2011**, 2, 499-502

1005 Structure and phase composition studies of partially stabilized zirconia. **2011**, 5, 166-171 11

1004 Recent developments on WC-based bulk composites. **2011**, 46, 571-589 77

1003 Calcia-doped yttria-stabilized zirconia for thermal barrier coatings: synthesis and characterization. **2011**, 46, 5709-5714 11

1002 Effects of sintering temperature and particle size on the translucency of zirconium dioxide dental ceramic. **2011**, 22, 2429-35 122

1001 Microstructural design of ZrO₂-Y₂O₃-CeO₂-Al₂O₃ materials. **2011**, 49, 528-536 10

1000	Impact of Wire-EDM on Tribological Characteristics of ZrO ₂ -based Composites in Dry Sliding Contact with WC-Co-Cemented Carbide. 2011 , 43, 1-15		4
999	Different CAD/CAM-processing routes for zirconia restorations: influence on fitting accuracy. <i>Clinical Oral Investigations</i> , 2011 , 15, 527-36	4.2	55
998	Phase stability and microstructure evolution of yttria-stabilized zirconia during firing in a reducing atmosphere. <i>Ceramics International</i> , 2011 , 37, 1401-1407	5.1	10
997	Determination of the Phase Distribution in Sintered TRIP-Matrix / Mg-PSZ Composites using EBSD. 2011 , 82, 1094-1100		38
996	Processing of Ceramic Preforms for TRIP-Matrix-Composites. 2011 , 82, 1032-1039		11
995	Microstructure and Local Strain Fields in a High-Alloyed Austenitic Cast Steel and a Steel-Matrix Composite Material after in situ Tensile and Cyclic Deformation. 2011 , 82, 990-997		15
994	Phase Composition of Mg-PSZ in Manganese Alloyed TRIP-Steel MMC Processed via Steel Casting and Conductive Sintering. 2011 , 13, 480-486		7
993	Investigation of Stress Induced Phase Transformation in TRIP-Steel/Mg-PSZ Composites Using EBSD. 2011 , 13, 1037-1041		4
992	A 3D numerical simulation of stress distribution and fracture process in a zirconia-based FPD framework. 2011 , 96, 376-85		7
991	Microstructural design and elaboration of multiphase ultra-fine ceramics. <i>Ceramics International</i> , 2011 , 37, 139-144	5.1	26
990	Phase transformation kinetics of 3 mol% yttria partially stabilized zirconia (3Y-PSZ) nanopowders prepared by a non-isothermal process. <i>Ceramics International</i> , 2011 , 37, 341-347	5.1	31
989	Influence of chemical composition on sintering ability of ZTA ceramics consolidated from freeze dried granules. <i>Ceramics International</i> , 2011 , 37, 835-841	5.1	10
988	Optical and mechanical properties of amorphous and crystalline yttria-stabilized zirconia thin films prepared by pulsed laser deposition. 2011 , 59, 2330-2340		85
987	Zirconium nitride nano-particulate reinforced Alon composites: Fabrication, mechanical properties and toughening mechanisms. <i>Journal of the European Ceramic Society</i> , 2011 , 31, 883-892	6	26
986	Thermal stability in air of surface nitrided 3Y-TZP. <i>Journal of the European Ceramic Society</i> , 2011 , 31, 1015-1025		
985	Magnetic field oriented tetragonal zirconia with anisotropic toughness. <i>Journal of the European Ceramic Society</i> , 2011 , 31, 1405-1412	6	8
984	Microstructure-property relations in composite yttria-substituted zirconia solid electrolytes. 2011 , 193, 52-59		8
983	Mechanical Characterization and Wear Performance of WC -ZrO ₂ -Ni Cermets Produced by Hot Isostatic Pressing. 2011 , 214, 344-348		5

982	Comparison of the Low Temperature Degradation Properties of Two Y-TZP Ceramics for Dental Applications. 2011 , 492, 107-111	1
981	Microstructure and Properties of Zirconia-Mullite Nanocomposites Obtained from Si-Al-Zr-O Amorphous Bulks Doped with CaO and MgO. 2011 , 142, 87-91	1
980	Role of Pyrolysis Conditions on Fracture Behaviour of Fibre Reinforced Composites. 2011 , 465, 455-458	1
979	Micro-Raman spectroscopy of indentation induced phase transformation in nanozirconia ceramics. 2011 , 110, 114-119	9
978	Light activated phase transformation of metastable tetragonal nanocrystalline zirconia. 2012 , 46, 2911-2917	
977	The Effect of Sintering Temperature on the Physical Properties and Bending Strength of Zirconia Toughened Ceramic. 2012 , 519, 273-276	1
976	Reinforcement of Porcelain by Mullite Fiber for Power Applications. 2012 , 512-515, 596-599	
975	Densification and Microstructure Development in Zirconia Toughened Hardmetals. 2012 , 527, 50-55	5
974	Synthesis and Characterization of Porous ZrO ₂ -Y ₂ O ₃ -TiO ₂ Ceramics Prepared by Coprecipitation. 2012 , 727-728, 1387-1392	1
973	Structure and mechanical properties of ZrO ₂ (MgO) / CaSiO ₃ composites. 2012 ,	
972	Restorative Materials / Ceramics. 2012 , 253-275	3
971	Inter-Particle Distance and Toughening Mechanisms in Particulate Thermosetting Composites. 2012 , 65-115	2
970	High Temperature Internal Friction in Fine Grain and Nano-Crystalline Zirconia. 2012 , 184, 271-276	2
969	Degradation of dental ZrO ₂ -based materials after hydrothermal fatigue. Part I: XRD, XRF, and FESEM analyses. 2012 , 31, 256-65	16
968	Fabrication of Ce-TZP/Ba hexaaluminate composites using amorphous precursor of the second phase. 2012 , 120, 111-115	11
967	Nonuniform ferroelastic domain switching driven by two-parameter crack tip stress field. 2012 , 96, 226-240	6
966	A novel criterion for nonuniform domain switching of tetragonal ferroelectrics. 2012 , 45, 61-71	9
965	Ytterbia (2.25 mol.-%) stabilised zirconia (Yb-TZP) manufactured from coated nanopowder. 2012 , 111, 275-279	8

964	Plasma Dissociated Zircon (PDZ) Processing; Influence of the Zr:Si Ratio in the Composition, Microstructure and Thermal Re-Crystallization. 2012 , 1, 337-342		6
963	First-Principles Assessment of the Reactions of Boric Acid on NiO(001) and ZrO ₂ (1 11) Surfaces. 2012 , 116, 10113-10119		7
962	Orbital-decomposed electronic structures of cubic zirconia. 2012 , 152, 1673-1677		6
961	Densification and mechanical properties of fine-grained Al ₂ O ₃ -ZrO ₂ composites consolidated by spark plasma sintering. 2012 , 512, 63-67		48
960	Pitfalls of local and quantitative phase analysis in partially stabilized zirconia. 2012 , 45, 1136-1144		23
959	The nanostructured origin of deformation twinning. 2012 , 12, 887-92		189
958	Deconvolving Ferroelastic and Phase Transformation Toughening in Pb(Zr _{1-x} Ti _x)O ₃ and Pb _{1-x} La _x (Zr _{1-x} Ti _x)O ₃ . <i>Journal of the American Ceramic Society</i> , 2012 , 95, 3713-3715	3.8	6
957	Mechanical properties of zirconia toughened alumina with 10±4 vol.% 1.5 mol% Y-TZP reinforcement. <i>Journal of the European Ceramic Society</i> , 2012 , 32, 3905-3910	6	31
956	Alumina toughened zirconia from yttria coated powders. <i>Journal of the European Ceramic Society</i> , 2012 , 32, 3911-3918	6	27
955	Mechanical properties of zirconia toughened alumina with 10±4 vol.% 1Y-TZP reinforcement. <i>Journal of the European Ceramic Society</i> , 2012 , 32, 4177-4184	6	42
954	Effect of dopants and sintering temperature on microstructure and low temperature degradation of dental Y-TZP-zirconia. <i>Journal of the European Ceramic Society</i> , 2012 , 32, 4091-4104	6	59
953	Comparison of plasma electrolytic oxidation of zirconium alloy in silicate- and aluminate-based electrolytes and wear properties of the resulting coatings. 2012 , 85, 25-32		55
952	J-integral based fracture toughness of 15Cr±Ni stainless steel during phase transformation. 2012 , 96, 328-339		7
951	Critical grain size and fracture toughness of 2 mol.% yttria-stabilized zirconia at ambient and cryogenic temperatures. 2012 , 67, 963-966		17
950	Nanostructured ZrO ₂ membranes prepared by liquid-injection chemical vapor deposition. 2012 , 163, 229-236		7
949	Simple and rapid synthesis of ZrO ₂ nanoparticles from Zr(OEt) ₄ and Zr(OH) ₄ using a hydrothermal method. 2012 , 14, 2117		34
948	Cyclic Deformation of Powder Metallurgy Stainless Steel/Mg-PSZ Composite Materials. 2012 , 83, 554-564		20
947	Impact of air-abrasion on fracture load and failure type of veneered anterior Y-TZP crowns before and after chewing simulation. 2012 , 100, 1683-90		5

946	Preparation and characterization of Mg-Zr mixed oxide aerogels and their application as aldol condensation catalysts. 2012 , 13, 3282-92		21
945	Load-bearing capacity of artificially aged zirconia fixed dental prostheses with heterogeneous abutment supports. <i>Clinical Oral Investigations</i> , 2012 , 16, 961-8	4.2	8
944	Low-temperature degradation of different zirconia ceramics for dental applications. 2012 , 8, 1213-20		167
943	Structure and the Electrical Properties of Pb(Zr,Ti)O ₃ ∕ Zirconia Composites. <i>Journal of the American Ceramic Society</i> , 2012 , 95, 651-657	3.8	22
942	Rheological properties of aqueous alumina∕alumina-doped Y-PSZ suspensions. <i>Ceramics International</i> , 2012 , 38, 1843-1849	5.1	9
941	Dense nanostructured zirconia compacts obtained by colloidal filtration of binary mixtures. <i>Ceramics International</i> , 2012 , 38, 2111-2117	5.1	15
940	Reaction and phases from monoclinic zirconia and calcium aluminate cement at high temperatures. <i>Ceramics International</i> , 2012 , 38, 4237-4244	5.1	6
939	Thermo-mechanical properties of mullite/zirconia reinforced alumina ceramic composites. 2012 , 41, 31-36		43
938	Directed assembly of metal oxide nanoparticles by DNA. 2012 , 79, 78-80		1
937	High toughness and strength in yttria∕yttria costabilized zirconia ceramics. 2012 , 67, 301-304		6
936	Processing and characterization of high-density zirconia∕carbon nanotube composites. 2012 , 549, 50-59		27
935	Erosive wear of advanced composites based on WC. 2012 , 46, 254-260		20
934	Characterization of agglomeration state in nanocrystalline 3YSZ powders through pressure∕displacement curves and nanoindentation of green compacts. 2012 , 228, 272-276		2
933	Optimization of the strength of SOFC anode supports. <i>Journal of the European Ceramic Society</i> , 2012 , 32, 1041-1052	6	49
932	Comparison of different grinding procedures on the flexural strength of zirconia. 2012 , 107, 309-15		48
931	Enhancing the bioactivity of zirconia and zirconia composites by surface modification. 2012 , 100, 832-40		24
930	Martensitic Phase Transformation in TRIP-Steel/Mg-PSZ Honeycomb Composite Materials on Mechanical Load. 2012 , 14, 53-60		20
929	Elaboration and mechanical characterization of multi-phase alumina-based ultra-fine composites. 2012 , 47, 1077-1084		16

928	The effect of zirconia sintering temperature on flexural strength, grain size, and contrast ratio. <i>Clinical Oral Investigations</i> , 2013 , 17, 269-74	4.2	153
927	Phase Stability and Mechanical Properties of Zirconia and Zirconia Composites. 2013 , 10, 129-141		35
926	Polymorphism, what it is and how to identify it: a systematic review. 2013 , 3, 16905		127
925	Microstructure, mechanical properties and machining performance of spark plasma sintered Al ₂ O ₃ -ZrO ₂ -TiCN nanocomposites. <i>Journal of the European Ceramic Society</i> , 2013 , 33, 2597-2607	6	25
924	Effects of Surface and Interface in Oxide Nanoparticle System. 2013 , 135-144		2
923	Processing of different alumina-zirconia composites by slip casting. <i>Ceramics International</i> , 2013 , 39, 6657-6667	5.1	7
922	Study of the structural and physicochemical properties of nanostructured zirconia crystals for fabricating an innovative electrosurgical tool. 2013 , 58, 161-164		1
921	R-curves in transformation toughened lead zirconate titanate. 2013 , 100, 86-91		4
920	The aging effect on the low temperature mechanical strength of 3.2YSZ single crystals manufactured by the Skull melting method. <i>Ceramics International</i> , 2013 , 39, 2031-2036	5.1	4
919	Mechanical properties and resistance to low temperature degradation of surface nitrided 3Y-TZP. <i>Journal of the European Ceramic Society</i> , 2013 , 33, 3145-3155	6	2
918	Monitoring the t -> m Martensitic Phase Transformation by Photoluminescence Emission in Eu ³⁺ -Doped Zirconia Powders. <i>Journal of the American Ceramic Society</i> , 2013 , 96, 2628-2635	3.8	36
917	Structure and mechanical properties of Fe _{1-x} Mnx/TiB ₂ multilayer coatings: Possible role of transformation toughening. 2013 , 237, 158-163		11
916	Microstructure evolution of radio-frequency magnetron sputtered oxide thin films in the Crâ€”râ€”D system. 2013 , 548, 143-149		8
915	Investigations of physical and mechanical properties of polymeric nanocomposites (review). 2013 , 49, 1357-1368		11
914	Ytterbia-stabilized TZPâ€”Breaking the limits of strength-toughness correlations for zirconia?. <i>Journal of the European Ceramic Society</i> , 2013 , 33, 965-973	6	18
913	Current status of zirconia restoration. 2013 , 57, 236-61		398
912	Effect of artificial aging and surface treatment on bond strengths to dental zirconia. 2013 , 38, 168-76		18
911	Research of antibacterial activity on silver containing yttria-stabilized-zirconia bioceramic. <i>Ceramics International</i> , 2013 , 39, 3591-3596	5.1	17

910	Intraoral treatment of veneering porcelain chipping of fixed dental restorations: a review and clinical application. 2013 , 144, 31-44		73
909	Influence of Matrix Strength and Volume Fraction of Mg-PSZ on the Cyclic Deformation Behavior of Hot Pressed TRIP/TWIP-Matrix Composite Materials. 2013 , 15, 550-557		9
908	Effect of Phase Structure on Sintering Behavior of Zirconia Nanopowders. <i>Journal of the American Ceramic Society</i> , 2013 , 96, 3720-3727	3.8	13
907	A martensitic phase transition in nanocrystalline 3Y-TZP powders under hydrostatic pressure conditions. 2013 , 86, 987-999		3
906	Bond strength of resin cement to zirconia ceramic with different surface treatments. 2013 , 28, 259-66		94
905	The detailed orbital-decomposed electronic structures of tetragonal ZrO ₂ . 2013 , 411, 126-130		7
904	Influence of thermal treatment on the formation of zirconia nanostructured powder by thermal decomposition of different precursors. 2013 , 381, 93-99		10
903	Influence of the microstructure evolution of ZrO ₂ fiber on the fracture toughness of ZrB ₂ /SiC nanocomposite ceramics. 2013 , 49, 808-813		20
902	Isothermal and adiabatic Young's moduli of alumina and zirconia ceramics at elevated temperatures. <i>Journal of the European Ceramic Society</i> , 2013 , 33, 3085-3093	6	61
901	Phase field modeling of the tetragonal-to-monoclinic phase transformation in zirconia. 2013 , 61, 5223-5235		106
900	Deceleration of hydrothermal degradation of 3Y-TZP by alumina and lanthana co-doping. 2013 , 9, 6226-35		48
899	Effect of adding Y ₂ O ₃ on structural and mechanical properties of Al ₂ O ₃ /ZrO ₂ ceramics. <i>Ceramics International</i> , 2013 , 39, S433-S436	5.1	28
898	Density functional theory study of lactic acid adsorption and dehydration reaction on monoclinic 011, , and zirconia surfaces. 2013 , 300, 174-182		17
897	The detailed geometrical and electronic structures of monoclinic zirconia. 2013 , 74, 518-523		17
896	Microstructure and tribological properties of pulsed electric current sintered alumina/zirconia nanocomposites with different solid lubricants. <i>Ceramics International</i> , 2013 , 39, 2093-2105	5.1	25
895	ZrO ₂ (3Y) toughened WC composites prepared by spark plasma sintering. 2013 , 572, 62-67		35
894	Effect of oxide nanofillers on fabrication, structure, and properties of zirconia-based composites. <i>Journal of the European Ceramic Society</i> , 2013 , 33, 2321-2325	6	10
893	Synthesis of spherical (30 nm) and rod-like (200 nm) zirconia co-reinforced mullite nanocomposites. <i>Ceramics International</i> , 2013 , 39, 4163-4170	5.1	5

892	Enhanced Hydrothermal Resistance of Y-TZP Ceramics Through Colloidal Processing. <i>Journal of the American Ceramic Society</i> , 2013 , 96, 1070-1076	3.8	14
891	Phase Evolution upon Aging of Air Plasma Sprayed t?-Zirconia Coatings: IIâ€Microstructure Evolution. <i>Journal of the American Ceramic Society</i> , 2013 , 96, 299-307	3.8	49
890	Mechanical Properties of Ceramics. 2013 , 609-632		2
889	The phase formation and stability of tetragonal ZrO2 prepared in a silica bath. <i>Ceramics International</i> , 2013 , 39, 1729-1739	5.1	19
888	Effect of ZrO2 content on microstructure, mechanical properties and thermal shock resistance of (ZrB2+3Y-ZrO2)/BN composites. 2013 , 573, 106-110		25
887	Photoluminescence properties and photocatalytic activities of zirconia nanotube arrays fabricated by anodization. 2013 , 35, 1461-1466		51
886	Crystallization behavior of tetragonal ZrO2 prepared in a silica bath. 2013 , 567, 93-99		9
885	Thermal shock resistant and flame retardant ceramic nanocomposites. 2013 , 3-50		
884	Influence of plasma spraying parameters on properties of thermal barrier coatings. 2013 , 29, 559-567		10
883	Synthesis of Alumina-Zirconia-Yttria Ceramics and Correlation of Mechanical Properties with Phase Formation and Microstructure. 2013 , 455, 97-103		
882	Effect of sintering process parameters on the properties of 3Y-PSZ ceramics. 2013 , 47, 012005		1
881	The Structure-Property-Processing Relationship for Sintered Yttria-Stabilized Zirconia (YSZ)/Alumina Bioceramics. 2013 , 25, 1350005		1
880	Effect of Sintering Process Parameters on the Properties of 3Y-PSZ Ceramics. 2013 , 749, 44-48		1
879	Sintered Properties of Y-TZP/ZrB2 Ceramics. 2013 , 372, 169-172		1
878	Study on Preparation and Performance of CaO-ZrO2 Composite Powders. 2013 , 826, 244-247		
877	In Situ Tensile Deformation of TRIP Steel / Mg-PSZ Composites. 2013 , 738-739, 77-81		7
876	Comparison of different zirconia powders for slip casting of aluminaâ€zirconia ceramics. 2013 , 112, 39-45		4
875	Influence of Precursor Zirconium Carbide Powders on the Properties of the Spark Plasma Sintered Ceramic Composite Materials. 2013 , 297-308		2

874	Processing and Properties of Zirconia Toughened WC-Based Cermets. 2013 , 97-103		1
873	Zircônia tetragonal estabilizada por fria: comportamento mecânico, adesão e longevidade clínica. 2013 , 59, 633-639		5
872	The use of ceramic matrix composites for metal cutting applications. 2014 , 623-654		7
871	Modification of properties of yttria stabilized zirconia epitaxial thin films by excimer laser annealing. 2014 , 6, 22316-25		25
870	Large-scale synthesis of YSZ nanopowder by Pechini method. 2014 , 37, 969-973		15
869	Sliding Wear Response of Nanostructured YSZ Suspension Plasma-Sprayed Coating. 2014 , 23, 1350-1361		7
868	High-Frequency Induction Heat Sintering of Mechanically Alloyed Alumina-Yttria-Stabilized Zirconia Nano-Bioceramics. 2014 , 79-84		
867	Toughness, Fatigue and Thermal Shock of Ceramics. 2014 , 299-319		1
866	Characterization of a micro-roughened TiO ₂ /ZrO ₂ coating: mechanical properties and HBMSC responses in vitro. 2014 , 46, 572-81		11
865	Effect of Nano-Al ₂ O ₃ on the Microstructure and Properties of ZrO ₂ Dental Materials Prepared by Microwave Sintering. 2014 , 618, 3-7		2
864	Optimization of Process Parameters of Zirconia Reinforced Alumina by Powder Forming Process Using Response Surface Method. 2014 , 984-985, 129-139		7
863	Bioceramics for Hip Joints: The Physical Chemistry Viewpoint. <i>Materials</i> , 2014 , 7, 4367-4410	3.5	22
862	The Role of Infiltration Temperature in the Reaction Bonding of Boron Carbide by Silicon Infiltration. <i>Journal of the American Ceramic Society</i> , 2014 , 97, 3286-3293	3.8	19
861	Sintering properties of zirconia-based ceramic composite. 2014 , 18, S6-105-S6-108		1
860	Simultaneous Enhancement of Fracture Toughness and Unipolar Strain in Pb(Zr,Ti)O ₃ -ZrO ₂ Composites Through Composition Adjustment. <i>Journal of the American Ceramic Society</i> , 2014 , 97, 1582-1588	3.8	10
859	Mechanically reliable thermoelectric (TE) nanocomposites by dispersing and embedding TE-nanostructures inside a tetragonal ZrO matrix: the concept and experimental demonstration in graphene oxide-3YSZ system. 2014 , 15, 014201		14
858	Influence of Titanium Carbide Fraction on Material Properties and EDM of ZrO ₂ -TiC Ceramics. 2014 , 611-612, 637-642		1
857	Thermal stability and mechanical properties of zirconia-hydroxyapatite composites. 2014 , 18, S4-487-S4-489		2

856	Thermodynamic analysis and experimental verification of interface reactions of iron aluminide/tetragonal zirconia composite. 2014 , 113, 102-107		2
855	Effect of Grain Growth Inhibitors VC/Cr ₃ C ₂ on WC-ZrO ₂ -Ni Composite Mechanics. 2014 , 604, 106-109		1
854	Studies on Structural Parameters of ZrO ₂ -SnO ₂ Binary System. 2014 , 717-719		1
853	Corrosion of Ceramic Materials. 2014 , 413-446		7
852	Laser Ablation Resistance Behavior of Organosilicone Composite Coating on Various Substrates. 2014 , 789, 461-465		4
851	Transformation toughening in an antiferroelectric ceramic. 2014 , 62, 114-121		33
850	Deposition of alumina stabilized zirconia at room temperature by plasma focus device. 2014 , 288, 304-312		30
849	Quantification of the amount of light passing through zirconia: the effect of material shade, thickness, and curing conditions. 2014 , 42, 684-90		34
848	Fatigue behaviour of hot pressed austenitic TWIP steel and TWIP steel/Mg-PSZ composite materials. 2014 , 65, 9-17		20
847	Mechanical behaviour of zirconia-hullite directionally solidified eutectics. 2014 , 61, 211-216		22
846	Process investigation on meso-scale hard milling of ZrO ₂ by diamond coated tools. 2014 , 38, 82-91		27
845	A thermoanalysis of phase transformations and linear shrinkage kinetics of ceramics made from ultrafine plasmochemical ZrO ₂ (Y)-Al ₂ O ₃ powders. 2014 , 115, 1439-1445		17
844	Influence of roughness on the efficacy of grazing incidence X-ray diffraction to characterize grinding-induced phase changes in yttria-tetragonal zirconia polycrystals (Y-TZP). 2014 , 49, 1630-1638		11
843	Evaluation of the shear bond strength of resin cement to Y-TZP ceramic after different surface treatments. 2014 , 36, 479-86		54
842	Toughening effect of multi-walled boron nitride nanotubes and their influence on the sintering behaviour of 3Y-TZP zirconia ceramics. <i>Journal of the European Ceramic Society</i> , 2014 , 34, 1829-1843	6	29
841	Sintering, microstructure and hardness of different alumina-zirconia composites. <i>Ceramics International</i> , 2014 , 40, 5289-5298	5.1	21
840	Phase transformation behavior of 3mol% yttria partially-stabilized ZrO ₂ (3Y-PSZ) precursor powder by an isothermal method. <i>Ceramics International</i> , 2014 , 40, 3243-3251	5.1	28
839	Effects of silica-coating and a zirconate coupling agent on shear bond strength of flowable resin-zirconia bonding. 2014 , 50, 11-16		20

838	Alumina- and Zirconia-based Ceramics for Load-bearing Applications. 2014 , 219-253		15
837	Wear behavior of Co-free hardmetals doped by zirconia and produced by conventional PM and SPS routines. 2014 , 312, 83-90		9
836	Formation and structure of fine multi-particle layered organo-modified zirconium dioxides fabricated by Langmuir-Blodgett technique. 2014 , 446, 109-117		18
835	Electrophoretic deposition of yttria-stabilised zirconia powder from aqueous suspensions for fabricating ceramics with channel-like pores. <i>Journal of the European Ceramic Society</i> , 2014 , 34, 401-412	6	8
834	Porous LSCF/dense 3YSZ interface fracture toughness measured by single cantilever beam wedge test. <i>Journal of the European Ceramic Society</i> , 2014 , 34, 2351-2361	6	5
833	The phase stability and toughening effect of 3Y-TZP dispersed in the lanthanum zirconate ceramics. 2014 , 604, 34-39		31
832	Phase field modeling of stress-induced tetragonal-to-monoclinic transformation in zirconia and its effect on transformation toughening. 2014 , 64, 208-219		77
831	Wear-resistant coatings formed on Zircaloy-2 by plasma electrolytic oxidation in sodium aluminate electrolytes. 2014 , 116, 453-466		57
830	Artificial hip joints: The biomaterials challenge. 2014 , 31, 3-20		62
829	One-pot synthesis of monoclinic ZrO ₂ nanocrystals under subcritical hydrothermal conditions. 2014 , 85, 57-61		38
828	Spark Plasma Sintering of Nanoceramic Composites. 2014 , 177-205		5
827	Development of Ce-PSZ-/Y-PSZ-Toughened Alumina Inserts for High-Speed Machining Steel. 2014 , 11, 228-239		6
826	A Dilatometric Study of Sintering of Composite Ceramics Manufactured from Ultrafine ZrO ₂ (Y)-Al ₂ O ₃ Powders Under Different Thermal-Temporal Firing Conditions. 2014 , 57, 411-415		1
825	Assembled nano-structures from micron-sized precursors. 2014 , 4, 30754-30757		2
824	Thermal behavior and phase transformation of ZrO ₂ -10%SiO ₂ precursor powder prepared by a co-precipitation route without adding stability agent. 2014 , 616, 413-419		4
823	Toughness enhancement of nanostructured hard coatings: Design strategies and toughness measurement techniques. 2014 , 257, 206-212		29
822	The use of ceramic matrix composites for metal cutting applications. 2014 , 537-569		3
821	Crack healing and strengthening of SiC whisker and ZrO ₂ fiber reinforced ZrB ₂ ceramics. <i>Ceramics International</i> , 2014 , 40, 16811-16815	5.1	19

820	Small-scale mechanical behavior of zirconia. 2014 , 80, 239-249		25
819	Metastable adaptive orthorhombic martensite in zirconia nanoparticles. 2014 , 47, 684-691		9
818	Chemical reaction mechanisms between Y2O3 stabilized ZrO2 and Gd doped CeO2 with PH3 in coal syngas. 2014 , 268, 904-910		8
817	Assessment of low-temperature degradation of Y-TZP ceramics based on Raman-spectroscopic analysis and hardness indentation. <i>Journal of the European Ceramic Society</i> , 2014 , 34, 4311-4319	6	10
816	A 3 years retrospective study of survival for zirconia-based single crowns fabricated from intraoral digital impressions. 2014 , 42, 1151-5		38
815	Ceramic matrix composite thermal barrier coatings for turbine parts. 2014 , 524-536		4
814	Loading rate effect on the mechanical behavior of zirconia in nanoindentation. 2014 , 619, 247-255		30
813	Phase transformation and crystalline growth of 4 mol% yttria partially stabilized zirconia. 2014 , 70, 428-440		8
812	Al2O3-3YTZP-Graphene multilayers produced by tape casting and spark plasma sintering. <i>Journal of the European Ceramic Society</i> , 2014 , 34, 2427-2434	6	23
811	Densification and characterization of spark plasma sintered ZrCâZrO2 composites. 2014 , 597, 75-81		19
810	Development of a Novel Ceramic Support Layer for Planar Solid Oxide Cells. 2014 , 14, 153-161		13
809	Effect of valeric acid on the agglomeration of zirconia particles and effects of the sintering temperature on the strut wall thickness of particle-stabilized foam. <i>Journal of the European Ceramic Society</i> , 2014 , 34, 1303-1310	6	14
808	Growth kinetics of tetragonal and monoclinic ZrO2 crystallites in 3mol% yttria partially stabilized ZrO2 (3Y-PSZ) precursor powder. 2014 , 592, 288-295		15
807	Shape memory effect and pseudoelasticity behavior in tetragonal zirconia polycrystals: A phase field study. 2014 , 60, 71-86		59
806	Fabrication and mechanical properties of TiB2/ZrO2 functionally graded ceramics. 2014 , 46, 1-5		11
805	Oxidation behavior and phase transition of ZrB2âBiCwâZrO2f ceramic. 2014 , 78, 13-21		19
804	A comparison of microstructure and mechanical properties of 12Ce-TZP reinforced with alumina and in situ formed strontium- or lanthanum hexaaluminate precipitates. <i>Journal of the European Ceramic Society</i> , 2014 , 34, 413-423	6	40
803	Bioactive glass/ZrO2 composites for orthopaedic applications. 2014 , 9, 015005		10

802	Influence of sintering conditions on low-temperature degradation of dental zirconia. <i>Dental Materials</i> , 2014 , 30, 669-78	5.7	82
801	Influence of niobium addition on microstructure, mechanical properties and oxidation resistance of ZrN coatings. 2014 , 570, 256-261		13
800	Oxidation behavior of ZrC-based composites in static laboratory air up to 1300°C. 2014 , 46, 159-167		9
799	Texturing of 3Y-TZP zirconia by electrophoretic deposition in a high magnetic field of 17.4 T. <i>Journal of the European Ceramic Society</i> , 2014 , 34, 3879-3885	6	4
798	Advances in zirconia toughened alumina biomaterials for total joint replacement. 2014 , 31, 107-16		152
797	Phase composition, structure and mechanical properties of PSZ (partially stabilized zirconia) crystals as a function of stabilizing impurity content. 2014 , 586, S231-S235		29
796	Zirconia ceramics, their contrast ratio and grain size depending on sintering parameters. 2014 , 33, 591-8		43
795	Rietveld Study on Evolution of Crystalline Structure of YSZ Nanoparticles during Co-Precipitation Synthesis. 2015 , 44, 2716-2720		6
794	Structure, phase composition and mechanical properties of ZrO ₂ partially stabilized with Y ₂ O ₃ . <i>Modern Electronic Materials</i> , 2015 , 1, 26-31	0.3	6
793	Sintering of Composite Ceramic Based on Zirconium and Aluminum Oxide Powders. 2015 , 56, 418-420		1
792	Effect of ZrO ₂ Addition on Densification and Mechanical Properties of MgAl ₂ O ₄ -CaAl ₄ O ₇ -CaAl ₁₂ O ₁₉ Composite. <i>Journal of the American Ceramic Society</i> , 2015 , 98, 4117-4123 ^{3.8}		19
791	Microstructure Evolution and Model Analysis of Al ₂ O ₃ /ZrO ₂ Hypoeutectic Ceramic During Rapid Solidification. 2015 , 18, 146-151		3
790	Phase transformations in nanostructured coatings based on Zr-Y-O and produced by a pulse magnetron sputtering method. 2015 ,		1
789	Fracture mechanics by three-dimensional crack-tip synchrotron X-ray microscopy. 2015 , 373,		61
788	Sol-gel synthesis, structure, sintering and properties of bioactive and inert nano-apatite-zirconia glass-ceramics. <i>Ceramics International</i> , 2015 , 41, 11024-11045	5.1	42
787	Effect of repeated firings on flexural strength of veneered zirconia. <i>Dental Materials</i> , 2015 , 31, e151-6	5.7	10
786	Reactive hot pressing of ZrB ₂ -based composites with changes in ZrO ₂ /SiC ratio and sintering conditions. Part I: Densification behavior. <i>Ceramics International</i> , 2015 , 41, 8388-8396	5.1	62
785	Size effects and shape memory properties in ZrO ₂ ceramic micro- and nano-pillars. 2015 , 101, 40-43		52

784	Three different alumina-zirconia composites: Sintering, microstructure and mechanical properties. 2015 , 639, 136-144		12
783	Novel Metal-Matrix Composites Prepared by Paper Manufacturing Technology. 2015 , 825-826, 117-124		
782	Application of Micro-Raman Spectroscopy to the Study of Yttria-Stabilized Tetragonal Zirconia Polycrystal (Y-TZP) Phase Transformation. 2015 , 69, 810-4		17
781	Direct coagulation casting of yttria-stabilized zirconia using magnesium citrate and glycerol diacetate. <i>Ceramics International</i> , 2015 , 41, 5772-5778	5.1	23
780	A mechanistic study on the antibacterial behavior of silver doped bioceramic. 2015 , 629, 362-367		13
779	Mechanical and tribological characteristics of tungsten cermet composites sintered with Co-based and zirconia mixed binders. 2015 , 50, 163-177		3
778	Elastico-mechanoluminescence and crystal-structure relationships in persistent luminescent materials and II-VI semiconductor phosphors. 2015 , 463, 62-67		27
777	Effect of variant strain accommodation on the three-dimensional microstructure formation during martensitic transformation: Application to zirconia. 2015 , 87, 45-55		30
776	Nanoindentation characterization of the elasticity, plasticity and machinability of zirconia. 2015 , 628, 181-187		21
775	Fracture toughness of 3 mol% yttria-stabilized zirconia at cryogenic temperatures. <i>Ceramics International</i> , 2015 , 41, 3888-3895	5.1	4
774	Synthesis and characterization of ceria-yttria co-stabilized zirconia (CYSZ) nanoparticles by sol-gel process for thermal barrier coatings (TBCs) applications. 2015 , 74, 603-612		23
773	Quantitative analysis for in situ sintering of 3% yttria-stabilized zirconia in the transmission electron microscope. 2015 , 152, 35-43		11
772	An eigenstrain approach to predict phase transformation and self-accommodation in partially stabilized zirconia. 2015 , 86, 361-373		12
771	Spark plasma sintering and characterization of 2Y-TZP ceramics. <i>Ceramics International</i> , 2015 , 41, 4829-4835		10
770	Change in the phase composition, structure and mechanical properties of directed melt crystallised partially stabilised zirconia crystals depending on the concentration of Y ₂ O ₃ . <i>Journal of the European Ceramic Society</i> , 2015 , 35, 1889-1894	6	21
769	Preparation of Nanocrystalline Calcia-Stabilized Tetragonal Zirconia by High-Energy Milling of Baddeleyite. 2015 , 12, E82-E89		10
768	Synthesis, characterization and sintering behavior influencing mechanical, thermal and physical properties of pure cordierite and cordierite-ceria. 2015 , 4, 22-30		7
767	Azeotropic distillation, ethanol washing, and freeze drying on coprecipitated gels for production of high surface area 3Y-TZP and 8YSZ powders: A comparative study. <i>Ceramics International</i> , 2015 , 41, 14148-14156	5.1	13

766	Textured and hierarchically structured calcium phosphate ceramic blocks through hydrothermal treatment. 2015 , 67, 93-103		27
765	Structure, phase composition, and spectral-luminescent properties of ZrO ₂ -Y ₂ O ₃ -Er ₂ O ₃ crystals. 2015 , 57, 1579-1587		5
764	Influence of yttria additives on structural, microstructural and mechanical properties of alumina-zirconia composites prepared by two-stage sintering. <i>Ceramics International</i> , 2015 , 41, S123-S126	5 ¹	8
763	Influence of the crystal structure on the physical properties of monoclinic ZrO ₂ nanocrystals. 2015 , 1, 1-6		3
762	Instrumented and Vickers Indentation for the Characterization of Stiffness, Hardness and Toughness of Zirconia Toughened Al ₂ O ₃ and SiC Armor. 2015 , 31, 773-783		68
761	First principles study of structural, magnetic and electronic properties of C-doped monoclinic ZrO ₂ . 2015 , 389, 90-94		10
760	Slow crack growth behavior of 3Y-TZP in cryogenic environment using dynamic fatigue and indentation technique. 2015 , 636, 203-206		4
759	An investigation of the thermal stability of Nd _x Y _y Zr _{1-x-y} O ₂ inert matrix fuel materials. 2015 , 635, 245-255		8
758	Microstructure, mechanical properties and low temperature degradation resistance of 2Y-TZP ceramic materials derived from nanopowders prepared by laser vaporization. <i>Journal of the European Ceramic Society</i> , 2015 , 35, 2685-2691	6	24
757	Synthesis and thermal stability of zirconia and yttria-stabilized zirconia microspheres. 2015 , 448, 582-92		57
756	Micropillar compression inside zirconia degraded layer. <i>Journal of the European Ceramic Society</i> , 2015 , 35, 4051-4058	6	9
755	Influence of Sintering Temperature on Microstructure and Properties of Magnesia Partially Stabilized Zirconia Ceramics. 2015 , 345-351		
754	Light transmittance by a multi-coloured zirconia material. 2015 , 34, 310-4		51
753	Influence of coloring procedure on flexural resistance of zirconia blocks. 2015 , 114, 98-102		48
752	The effects of sintering temperature and duration on the flexural strength and grain size of zirconia. 2015 , 1, 43-50		33
751	Ceramics and ceramic coatings in orthopaedics. <i>Journal of the European Ceramic Society</i> , 2015 , 35, 4327-4369	43	126
750	Combustion synthesis and properties of nanocrystalline zirconium oxide. 2015 , 18, 1094-1105		13
749	Electrical discharge machining of metal doped Y-TZP/TiC nanocomposites. <i>Journal of the European Ceramic Society</i> , 2015 , 35, 4031-4037	6	9

748	Adhesion to Zirconium Dioxide Used for Dental Reconstructions: Surface Conditioning Concepts, Challenges, and Future Prospects. 2015 , 2, 190-194		4
747	Electrical and mechanical properties of 25 wt% tetragonal/cubic zirconia based composite thin films prepared by combination of aqueous tape casting and net shape methods. 2015 , 35, 98-105		2
746	Double-walled carbon nanotube/zirconia composites: Preparation by spark plasma sintering, electrical conductivity and mechanical properties. <i>Ceramics International</i> , 2015 , 41, 13731-13738	5.1	25
745	Phase composition and spectral-luminescent properties of yttrium partially stabilized zirconia crystals doped with Nd ₂ O ₃ and CeO ₂ . 2015 , 118, 918-923		4
744	Sintering Behavior and Microstructure Character of Magnesia Partially Stabilized Zirconia Ceramics. 2015 , 752-753, 109-112		1
743	Influence of Mg-PSZ Particle Size on the Fatigue Behaviour of a High Alloy Steel Matrix Composite. 2015 , 825-826, 176-181		3
742	The effect of calcia content on phase composition and mechanical properties of Ca-TZP prepared by high-energy milling of baddeleyite. <i>Ceramics International</i> , 2015 , 41, 13804-13809	5.1	16
741	The effect of adding magnesium oxide on the mechanical properties of the tricalcium phosphate-zirconia composites. 2015 , 151, 50-59		8
740	Annealing aged zirconia: Study of surface mechanical properties at the micrometric length scale. <i>Journal of the European Ceramic Society</i> , 2015 , 35, 1031-1039	6	7
739	Protection of yttria-stabilized zirconia for dental applications by oxidic PVD coating. 2015 , 11, 488-93		22
738	Processing of alumina-zirconia composites by surface modification route with enhanced hardness and wear resistance. <i>Ceramics International</i> , 2015 , 41, 889-898	5.1	42
737	Effect of notch depth on fracture toughness of Y-TZP and determination of its actual value. <i>Ceramics International</i> , 2015 , 41, 869-872	5.1	24
736	Microstructure and mechanical properties of ZTA/BN machinable ceramics fabricated by reactive hot pressing. <i>Journal of the European Ceramic Society</i> , 2015 , 35, 641-649	6	18
735	Nanostructured crystals of partially yttria-stabilized and Nd ³⁺ doped zirconia: Structure and luminescent properties. 2015 , 621, 295-300		9
734	Crack-healing and pre-oxidation behavior of ZrO ₂ fiber toughened ZrB ₂ -based ceramics. 2015 , 48, 5-10		11
733	Processing and characterization of WC-0Ni/1Ni-BCr based yttria stabilized zirconia spark plasma sintered composites. 2015 , 48, 157-166		3
732	In vitro fracture toughness of commercial Y-TZP ceramics: a systematic review. 2015 , 24, 1-11		11
731	Ceramics: Transformation Toughening. 2016 ,		

730	Fabrication and Mechanical Properties of Bone-like Tricalcium Phosphate and Zirconia Composites. 2016 , 65, 25-31		
729	Influence of Specimen Preparation and Test Methods on the Flexural Strength Results of Monolithic Zirconia Materials. <i>Materials</i> , 2016 , 9,	3.5	17
728	Bonding of TRIP-Steel/Al ₂ O ₃ -(3Y)-TZP Composites and (3Y)-TZP Ceramic by a Spark Plasma Sintering (SPS) Apparatus. <i>Materials</i> , 2016 , 9,	3.5	5
727	High-Temperature TEM investigation of the phase composition and structure of the Zr-Y-O/Si-Al-N multilayer coatings. 2016 , 124, 012124		
726	Comparison of the fit accuracy of zirconia-based prostheses generated by two CAD/CAM systems. 2016 , 8, 439-448		15
725	The effect of grinding on the mechanical behavior of Y-TZP ceramics: A systematic review and meta-analyses. 2016 , 63, 417-442		50
724	Crystal orientation dependence of the stress-induced martensitic transformation in zirconia-based shape memory ceramics. 2016 , 116, 124-135		46
723	High-Temperature Stable Zirconia Particles Doped with Yttrium, Lanthanum, and Gadolinium. 2016 , 33, 645-655		10
722	Development of Ageing Resistant and Bioactive t-ZrO ₂ Polymorph by the Combined Additions of Ca ²⁺ , and SiO ₂ . <i>Journal of the American Ceramic Society</i> , 2016 , 99, 1212-1220	3.8	13
721	Artificial Aging of Zirconium Dioxide: An Evaluation of Current Knowledge and Clinical Relevance. 2016 , 3, 193-197		7
720	Induction of ferroelectricity in nanoscale ZrO ₂ /HfO ₂ bilayer thin films on Pt/Ti/SiO ₂ /Si substrates. 2016 , 115, 68-75		39
719	Highly Porous Materials with Unique Mechanical Properties from Smart Capillary Suspensions. 2016 , 28, 1689-96		29
718	Ablation behavior of ZrC-La ₂ O ₃ coating for SiC-coated carbon/carbon composites under an oxyacetylene torch. <i>Ceramics International</i> , 2016 , 42, 14236-14245	5.1	32
717	Synthesis and Characterization of Stabilized Zirconia Toughened Alumina (ZTA) Doped Niobium Pentoxide (Nb ₂ O ₅). 2016 , 78, 01098		0
716	Tough to brittle transition with increasing grain size in 3Yb-TZP ceramics manufactured from stabilizer coated nanopowder. 2016 , 124, 1083-1089		6
715	Retention behavior of double-crown attachments with zirconia primary and secondary crowns. <i>Dental Materials</i> , 2016 , 32, 695-702	5.7	13
714	Influence of zirconia addition on the properties of magnesia refractories. <i>Ceramics International</i> , 2016 , 42, 11373-11386	5.1	15
713	Self-healing ZrB ₂ -SiO ₂ oxidation resistance coating for SiC coated carbon/carbon composites. 2016 , 110, 265-272		55

712	Fracture toughness enhancement of brittle nanostructured materials by spatial heterogeneity: A micromechanical proof for CrN/Cr and TiN/SiO _x multilayers. 2016 , 104, 227-234		43
711	Theoretical and experimental studies of doping effects on thermodynamic properties of (Dy, Y)-ZrO ₂ . 2016 , 114, 7-14		11
710	The effect of La ₂ O ₃ on the microstructure and room temperature mechanical properties of t-ZrO ₂ . <i>Ceramics International</i> , 2016 , 42, 9443-9447	5.1	12
709	Colloidal processing of low-concentrated zirconia nanosuspension using osmotic consolidation. <i>Ceramics International</i> , 2016 , 42, 11838-11843	5.1	5
708	Bioinert Ceramics: Zirconia and Alumina. 2016 , 59-89		14
707	Study of crack propagation behavior in single crystalline tetragonal zirconia with the phase field method. 2016 , 159, 155-173		31
706	The detailed crystal and electronic structures of the cotunnite-type ZrO ₂ . 2016 , 239, 27-31		1
705	Effects of the precipitation of stabilizers on the mechanism of grain fracturing in a zirconia metering nozzle. 2016 , 23, 1041-1047		6
704	LaPO ₄ as a toughening agent for rare earth zirconate ceramics. 2016 , 111, 389-393		13
703	Phase transformation and slow crack growth study of Y-TZP dental ceramic. 2016 , 676, 531-535		7
702	Pressureless sintering and mechanical properties of 3Y-TZP-reinforced LZAS glass-ceramic composites. <i>Ceramics International</i> , 2016 , 42, 18053-18057	5.1	4
701	Stress induced phase transformation in Ti ₆₀ Cu ₁₄ Ni ₁₂ Sn ₄ Ta ₁₀ nanostructure dendrite composite: In situ high-energy X-ray diffraction study. 2016 , 185, 376-379		1
700	Strength, toughness and aging stability of highly-translucent Y-TZP ceramics for dental restorations. <i>Dental Materials</i> , 2016 , 32, e327-e337	5.7	150
699	Fracture toughness of solid oxide fuel cell anode substrates determined by a double-torsion technique. 2016 , 327, 629-637		9
698	Structure, phase composition, and spectral luminescence properties of partially stabilized zirconium dioxide crystals doped with Yb ³⁺ ions. 2016 , 58, 1308-1313		1
697	Influence of different reinforcing particles on the scratch resistance and microstructure of different WCâNi composites. 2016 , 352-353, 130-135		6
696	Competing mechanisms between dislocation and phase transformation in plastic deformation of single crystalline yttria-stabilized tetragonal zirconia nanopillars. 2016 , 120, 337-347		28
695	Ceramic of the MulliteâZrO ₂ âAlON System During Spark Plasma Sintering. 2016 , 57, 146-150		3

694	Zirconia in biomedical applications. 2016 , 13, 945-963		84
693	Surface resistivity regulation of zirconia ceramics for anti-static purposes by novel solution infiltration method. <i>Ceramics International</i> , 2016 , 42, 18503-18506	5.1	8
692	Effect of loading configuration on strength values in a highly transformable zirconia-based composite. <i>Dental Materials</i> , 2016 , 32, e211-9	5.7	15
691	Thermal shock behaviour of laminated multilayer refractories for steel casting applications reinforced by residual stresses. <i>Ceramics International</i> , 2016 , 42, 13562-13571	5.1	7
690	Advances of solution chemistry in stabilizing different crystal phases of inorganic nano-compounds. 2016 , 18, 9209-9222		9
689	Impedance and modulus spectroscopy of ZrO ₂ -TiO ₂ -V ₂ O ₅ nanocomposite. 2016 , 2, 271-275		9
688	Zirconia based ceramics, some clinical and biological aspects: Review. 2016 , 2, 55-64		96
687	Effect of TiO ₂ and ZrO ₂ reinforcements on properties of Al ₂ O ₃ coatings fabricated by thermal flame spraying. 2016 , 26, 1345-1352		22
686	Wettability of Molten Aluminum-Silicon Alloys on Graphite and Surface Tension of Those Alloys at 1273 K (1000 °C). 2016 , 47, 3201-3212		9
685	Effects of artificial aging conditions on yttria-stabilized zirconia implant abutments. 2016 , 116, 277-85		21
684	Effect of pH on crystallization of nanocrystalline zirconia in a microwave-hydrothermal process. 2016 , 31, 68-73		7
683	Determining europium compositional fluctuations in partially stabilized zirconia nanopowders: a non-line-broadening-based method. 2016 , 72, 29-38		3
682	Microstructure, mechanical and high-temperature dielectric properties of zirconia-reinforced fused silica ceramics. <i>Ceramics International</i> , 2016 , 42, 6436-6443	5.1	19
681	Microstructure, crystallization and shape memory behavior of titania and yttria co-doped zirconia. <i>Journal of the European Ceramic Society</i> , 2016 , 36, 1277-1283	6	24
680	Effect of cation dopant radius on the hydrothermal stability of tetragonal zirconia: Grain boundary segregation and oxygen vacancy annihilation. 2016 , 106, 48-58		61
679	The effect of sintering temperature on the microstructure and phase transformation in tetragonal YSZ and LZ/YSZ composites. <i>Ceramics International</i> , 2016 , 42, 2456-2465	5.1	26
678	Comparative study of TRIP/TWIP assisted high density composite honeycomb structures under compressive load. 2016 , 136, 297-304		17
677	Yttria-stabilized zirconia microspheres: Yttr building blocks for high-temperature photonics. 2016 , 4, 62-74		28

676	Colloidal processing of fully stabilized zirconia laminates comprising graphene oxide-enriched layers. <i>Journal of the European Ceramic Society</i> , 2016 , 36, 1797-1804	6	20
675	Structural and antibacterial activity of hydroxyapatite and fluorohydroxyapatite co-substituted with zirconium-erbium ions. 2016 , 122, 1		8
674	Fatigue limit of polycrystalline zirconium oxide ceramics: Effect of grinding and low-temperature aging. 2016 , 61, 45-54		39
673	The studies of a new ceramic composite $(Zr_{0.92}Y_{0.08})O_{1.96}$ dispersed lanthanum titanium aluminium oxide. 2016 , 115, 24-27		1
672	Microstructure and properties of alumina ceramics prepared from submicrometer alumina powder with $MgO \cdot ZrO_2$ coated on alumina grain surface. 2016 , 669, 55-59		3
671	Reactive hot pressing of ZrB ₂ -based composites with changes in ZrO ₂ /SiC ratio and sintering conditions. Part II: Mechanical behavior. <i>Ceramics International</i> , 2016 , 42, 2724-2733	5-1	65
670	Fracture Load and Phase Transformation of Monolithic Zirconia Crowns Submitted to Different Aging Protocols. 2016 , 41, E118-E130		18
669	Experimental characterization and damage modeling of a particle reinforced TWIP-steel matrix composite. 2016 , 662, 342-355		9
668	Fine grained $Al_2O_3 \cdot ZrO_2$ (Y_2O_3) ceramics by controlled crystallization of amorphous phase. <i>Journal of the European Ceramic Society</i> , 2016 , 36, 1791-1796	6	17
667	Effect of co-doping NiO and Nb ₂ O ₅ on phase stability and mechanical properties of Y_2O_3 -stabilized ZrO ₂ /Al ₂ O ₃ composites. 2016 , 27, 877-881		1
666	Mechanical behavior of a Y-TZP ceramic for monolithic restorations: effect of grinding and low-temperature aging. 2016 , 63, 70-7		50
665	SiC and ZrN nano-particulate reinforced ALON composites: Preparation, mechanical properties and toughening mechanisms. <i>Ceramics International</i> , 2016 , 42, 6072-6079	5-1	8
664	The influence of unshielded small cracks in the fracture toughness of yttria and of ceria stabilised zirconia. <i>Journal of the European Ceramic Society</i> , 2016 , 36, 147-153	6	16
663	On the Development of Experimental Methods for the Determination of Fracture Mechanical Parameters of Ceramics. 2016 , 197-214		2
662	Structural and Chemical Analysis of the Zirconia-Veneering Ceramic Interface. 2016 , 95, 102-9		20
661	Milling properties of low temperature sintered zirconia blocks for dental use. 2017 , 73, 692-699		9
660	Graphene nanosheet-induced toughening of yttria-stabilized zirconia. 2017 , 123, 1		15
659	Nanoindentation of ZrO ₂ and ZrO ₂ /Zr systems by molecular dynamics simulation. 2017 , 486, 250-266		15

658	Trends and perspectives in modification of zirconium oxide for a dental prosthetic applications â review. 2017 , 37, 229-245		17
657	Phase-change sintering of BaCl ₂ transparent ceramics. 2017 , 705, 517-523		2
656	The Peculiarities of Structure Formation and Properties of Zirconia-Based Nanocomposites with Addition of AlO and NiO. 2017 , 12, 125		13
655	Discrepancies in the hardness data and the role of grinding-induced surface effects for a porous zirconate ceramic. <i>Journal of the American Ceramic Society</i> , 2017 , 100, 1717-1723	3.8	3
654	Optical Properties of Nanocrystalline Monoclinic YO Stabilized by Grain Size and Plastic Strain Effects via High-Pressure Torsion. 2017 , 56, 2576-2580		34
653	High-temperature fracture toughness of mullite with monoclinic zirconia. <i>Journal of the American Ceramic Society</i> , 2017 , 100, 1570-1577	3.8	6
652	The effect of microstructure control on mechanical properties of 12Ce-TZP via two-step sintering method. 2017 , 711, 686-692		7
651	Effect of reinforcement concentration on the properties of hot extruded Al-Al ₂ O ₃ composites synthesized through microwave sintering process. 2017 , 696, 60-69		94
650	Effects of artificial aging on the biaxial flexural strength of Ce-TZP/Al ₂ O ₃ and Y-TZP after various occlusal adjustments. <i>Ceramics International</i> , 2017 , 43, 9951-9959	5.1	7
649	Carbon nanotubes stabilize high temperature phase and toughen Al ₂ O ₃ -based thermal barrier coatings. 2017 , 124, 76-87		26
648	Absence of toughening behavior in 0.94(Na 1/2 Bi 1/2)TiO ₃ -0.06BaTiO ₃ relaxor ceramic. 2017 , 136, 115-119		11
647	Granular shape memory ceramic packings. 2017 , 132, 455-466		16
646	Optimum control of the mechanical properties of alumina/nickel laminated composites. <i>Ceramics International</i> , 2017 , 43, 10632-10636	5.1	5
645	Consolidation of undoped, monoclinic zirconia polycrystals by flash sintering. <i>Journal of the American Ceramic Society</i> , 2017 , 100, 3851-3857	3.8	17
644	Analysis of properties of partially stabilized zirconia-doped Na ⁺ -beta-alumina prepared by calcining-cum-sintering process. 2017 , 96, 143-148		13
643	Fatigue strength of yttria-stabilized zirconia polycrystals: Effects of grinding, polishing, glazing, and heat treatment. 2017 , 75, 512-520		22
642	Low-temperature aging of baddeleyite-based Ca-TZP ceramics. <i>Journal of the American Ceramic Society</i> , 2017 , 100, 3283-3292	3.8	7
641	Ageing kinetics and strength of airborne-particle abraded 3Y-TZP ceramics. <i>Dental Materials</i> , 2017 , 33, 847-856	5.7	24

640	Highly translucent and strong ZrO ₂ -SiO ₂ nanocrystalline glass ceramic prepared by sol-gel method and spark plasma sintering with fine 3D microstructure for dental restoration. <i>Journal of the European Ceramic Society</i> , 2017 , 37, 4067-4081	6	28
639	Nanostructured ZrO ₂ synthesized by using pressurized and supercritical fluids—its structural and microstructural evolution and thermal stability. 2017 , 128, 182-193		5
638	Hardness evaluation of PMMA reinforced with two different calcinations temperatures of ZrO ₂ -Al ₂ O ₃ -SiO ₂ filler system. 2017 , 172, 012067		8
637	Mechanical behavior of yttria-stabilized tetragonal zirconia polycrystalline ceramic after different zirconia surface treatments. 2017 , 77, 828-835		27
636	Cyclic contact loading of Y-TZP ceramics with spherical SSiC shape under ambient air and water-lubricated conditions. <i>Journal of the European Ceramic Society</i> , 2017 , 37, 2449-2458	6	1
635	Microarc oxidation discharge types and bio properties of the coating synthesized on zirconium. 2017 , 77, 374-383		32
634	Production and characterization of a tool steel-PSZ composite by mechanical alloying and spark plasma sintering. 2017 , 709, 742-751		10
633	Fractography of self-glazed zirconia with improved reliability. <i>Journal of the European Ceramic Society</i> , 2017 , 37, 4339-4345	6	32
632	Ferroelectric glass-ceramics. 2017 , 42, 213-219		11
631	CAD/CAM machining Vs pre-sintering in-lab fabrication techniques of Y-TZP ceramic specimens: Effects on their mechanical fatigue behavior. 2017 , 71, 201-208		15
630	Current progress and perspectives of applying cold sintering process to ZrO ₂ -based ceramics. 2017 , 136, 141-148		37
629	Nanomechanical properties of zirconia- yttria and alumina zirconia- yttria biomedical ceramics, subjected to low temperature aging. <i>Ceramics International</i> , 2017 , 43, 3931-3939	5-1	33
628	Advance Techniques for the Synthesis of Nanostructured Zirconia-Based Ceramics for Thermal Barrier Application. 2017 , 21-91		6
627	Micro-Raman analysis of the fuel-cladding interface in a high burnup PWR fuel rod. 2017 , 495, 392-404		16
626	Enhanced properties of novel zirconia-based osteo-implant systems. 2017 , 9, 622-632		17
625	Effects of specimen size and yttria concentration on mechanical properties of single crystalline yttria-stabilized tetragonal zirconia nanopillars. 2017 , 122, 014302		12
624	Effect of the valence state of ce ions on the phase stability and mechanical properties of the crystals of ZrO ₂ -based solid solutions. 2017 , 59, 1934-1939		3
623	Scaffold-reinforced perovskite compound solar cells. 2017 , 10, 2500-2508		50

622	Composition dependence of the adjustable microstructure and mechanical properties of ytterbia-ceria-costabilised TZP. 2017 , 727, 627-632		2
621	Gadolinium Doping in Zirconia-Toughened Alumina Systems and Their Structural, Mechanical, and Aging Behavior Repercussions. 2017 , 56, 10998-11007		13
620	Effect of MgO on the physical, mechanical and microstructural properties of ZTA-TiO ₂ composites. 2017 , 707, 118-124		15
619	Effects of temperature-gradient-induced damage of zirconia metering nozzles. 2017 , 24, 999-1003		3
618	Determination of fracture toughness of Y-TZP ceramics. <i>Ceramics International</i> , 2017 , 43, 16319-16322	5.1	12
617	Nanoindentation of Advanced Ceramics: Applications to ZrO ₂ Materials. 2017 , 459-480		0
616	Dental Ceramics for Restoration and Metal Veneering. 2017 , 61, 797-819		78
615	Physicomechanical properties of spark plasma sintered carbon nanotube-containing ceramic matrix nanocomposites. 2017 , 9, 12779-12820		25
614	Mechanically inspired laser scribing of thin brittle materials. <i>Journal of the American Ceramic Society</i> , 2017 , 100, 5318-5326	3.8	1
613	Improving bioactivity of inert bioceramics by a novel Mg-incorporated solution treatment. 2017 , 425, 564-575		9
612	Effect of CMAS Composition on Hot Corrosion Behavior of Gadolinium Zirconate Thermal Barrier Coating Materials. 2017 , 164, C526-C531		7
611	In-situ coagulation of yttria-stabilized zirconia suspension via dispersant hydrolysis using sodium tripolyphosphate. <i>Journal of the European Ceramic Society</i> , 2017 , 37, 4868-4875	6	14
610	Stress-Induced Cubic-to-Hexagonal Phase Transformation in Perovskite Nanothin Films. 2017 , 17, 5148-5155		20
609	Fused magnesia-zirconia co-clinker for fired refractories. <i>Ceramics International</i> , 2017 , 43, 14263-14270	5.1	5
608	Chemical segregation in a 12Ce-ZrO ₂ /3Y-ZrO ₂ ceramic composite. 2017 , 132, 83-91		2
607	Hardness and toughness enhancement of CeO ₂ addition to ZTA ceramics through HIPping technique. 2017 , 69, 60-65		21
606	Electron paramagnetic resonance study of Ce doped partially stabilized ZrO ₂ crystals. <i>Modern Electronic Materials</i> , 2017 , 3, 95-98	0.3	4
605	Anisotropy of mechanical properties and hardening mechanism in ZrO ₂ -Y ₂ O ₃ solid solution crystals. <i>Modern Electronic Materials</i> , 2017 , 3, 142-147	0.3	1

604	Enhanced shape memory and superelasticity in small-volume ceramics: a perspective on the controlling factors. 2017 , 7, 747-754		12
603	Thermal Expansion of Composite Ceramic of the Zirconium Dioxide α -Aluminum Oxide System. 2017 , 57, 516-519		4
602	Monolithic zirconia dental crowns. Internal fit, margin quality, fracture mode and load at fracture. <i>Dental Materials</i> , 2017 , 33, 1012-1020	5.7	47
601	Dielectric relaxation in alumina based ceramics studied by thermally stimulated depolarization current method. 2017 , 139, 134-138		1
600	Use of High-Tech Electrosurgical Instruments to Increase the Efficacy and Safety of Operations on the Thyroid Gland. 2017 , 51, 11-15		1
599	Cold sintering process for ZrO ₂ -based ceramics: significantly enhanced densification evolution in yttria-doped ZrO ₂ . <i>Journal of the American Ceramic Society</i> , 2017 , 100, 491-495	3.8	45
598	Si-B-C-N monoliths with LaB ₆ -induced well-developed BN(C) flakes. 2017 , 187, 36-39		5
597	Effect of YSZ-incorporated glass-based composite coating on oxidation behavior of K438G superalloy at 1000 °C. <i>Journal of the European Ceramic Society</i> , 2017 , 37, 1013-1022	6	7
596	Strength and toughness of nanocrystalline SiO ₂ stishovite toughened by fracture-induced amorphization. 2017 , 124, 316-324		6
595	Advanced ZrO ₂ -Based Ceramic Nanocomposites for Optical and Other Engineering Applications. 2017 , 497-570		2
594	Surface micro-morphology, phase transformation, and mechanical reliability of ground and aged monolithic zirconia ceramic. 2017 , 65, 849-856		40
593	Slow crack growth and hydrothermal aging stability of an alumina-toughened zirconia composite made from La ₂ O ₃ -doped 2Y-TZP. <i>Journal of the European Ceramic Society</i> , 2017 , 37, 1865-1871	6	21
592	Grain boundary design of thin films: Using tilted brittle interfaces for multiple crack deflection toughening. 2017 , 122, 130-137		48
591	Densification and biocompatibility of sintering 3.0 mol% yttria-tetragonal ZrO ₂ polycrystal ceramics with x wt% Fe ₂ O ₃ and 5.0 wt% mica powders additive. <i>Ceramics International</i> , 2017 , 43, 1809-1818	5.1	5
590	Structural, dielectric and impedance studies on high-k ZrO ₂ -TiO ₂ nanocomposite. 2017 , 28, 4690-4694		2
589	Solidification mechanism and microstructure evolution of Al ₂ O ₃ -ZrO ₂ ceramic coating prepared by combustion synthesis and thermal explosion spraying. <i>Ceramics International</i> , 2017 , 43, 4037-4041	5.1	22
588	Aggravated test of Intermediate temperature solid oxide fuel cells fed with tar-contaminated syngas. 2017 , 340, 150-159		17
587	Design and development of dental ceramics. 2017 , 355-389		4

586	Types of ceramics. 2017 , 21-82		7
585	Phase transformations of nanostructured Zr-Y-O coatings under loading. 2017 ,		1
584	Design of ceramic materials for orthopedic devices. 2017 , 331-353		1
583	Effect of strontium hexaaluminate addition on the damage-tolerance of yttria-stabilized zirconia. <i>Ceramics International</i> , 2017 , 43, 15891-15898	5.1	6
582	Nanostructured Zirconia Ceramic Based on Baddeleyite Domestic Raw. 2017 , 12, 400-408		5
581	Assessment of mechanical properties of ceramic materials. 2017 , 83-109		0
580	Clinical issues of ceramic devices used in total hip arthroplasty. 2017 , 313-328		1
579	Mechanical behavior of yttria-stabilized tetragonal zirconia polycrystal: Effects of different aging regimens. 2017 , 31, e94		14
578	The effect of coloring liquid dipping time on the fracture load and color of zirconia ceramics. 2017 , 9, 67-73		16
577	Zirconia/Hydroxyapatite Composites Synthesized Via Sol-Gel: Influence of Hydroxyapatite Content and Heating on Their Biological Properties. <i>Materials</i> , 2017 , 10,	3.5	50
576	Effect of ceramic thickness, grinding, and aging on the mechanical behavior of a polycrystalline zirconia. 2017 , 31, e82		15
575	Improving the Strength of ZTA Foams with Different Strategies: Immersion Infiltration and Recoating. <i>Materials</i> , 2017 , 10,	3.5	7
574	Nonbrittle nanopore deformation of anodic aluminum oxide membranes. <i>Journal of the American Ceramic Society</i> , 2018 , 101, 2170-2180	3.8	11
573	Ten-year survival and chipping rates and clinical quality grading of zirconia-based fixed dental prostheses. <i>Clinical Oral Investigations</i> , 2018 , 22, 2905-2915	4.2	19
572	The effect of La ₂ O ₃ on the microstructure and mechanical properties of 12Ce-TZP. <i>Ceramics International</i> , 2018 , 44, 6713-6718	5.1	4
571	H ₁₃ β partially stabilized zirconia nanocomposites fabricated by high-energy mechanical milling and selective laser melting. 2018 , 146, 286-297		12
570	Characterization of zirconia specimens fabricated by ceramic on-demand extrusion. <i>Ceramics International</i> , 2018 , 44, 12245-12252	5.1	32
569	The effect of deposition time on the structural, morphological and luminescence properties of Y ₂ O ₃ :Eu ³⁺ thin films prepared by pulsed laser deposition. 2018 , 124, 1		8

568	Zirconia-Based Biomaterials for Hard Tissue Reconstruction. 2018 , 9, 1179061X1876788		12
567	Wear behaviour of tetragonal zirconia polycrystal with a porous surface. 2018 , 75, 85-93		8
566	Optimized route for the production of zirconia structures with controlled surface porosity for biomedical applications. <i>Ceramics International</i> , 2018 , 44, 12496-12503	5.1	12
565	Experimental investigation of particle size distribution and morphology of alumina-yttria-ceria-zirconia powders obtained via sol-gel route. 2018 , 38, 535-543		10
564	Anisotropic properties of Na- β -alumina + YSZ composite synthesized by vapor phase method. 2018 , 33, 81-89		9
563	Comparison between microwave and conventional sintering on the properties and microstructural evolution of tetragonal zirconia. <i>Ceramics International</i> , 2018 , 44, 8922-8927	5.1	31
562	Zirconia toughened mica glass ceramics for dental restorations. <i>Dental Materials</i> , 2018 , 34, e36-e45	5.7	18
561	Strength and fracture toughness of zirconia dental ceramics. <i>Dental Materials</i> , 2018 , 34, 365-375	5.7	54
560	Microstructure and wear behaviour of powder and suspension hybrid Al ₂ O ₃ -YSZ coatings. <i>Ceramics International</i> , 2018 , 44, 8498-8504	5.1	29
559	Multi-length scale tribology of hydroxyapatite reinforced with ceria and silver. 2018 , 404-405, 12-21		12
558	Ab initio calculations of ideal strength and lattice instability in W-Ta and W-Re alloys. 2018 , 97,		4
557	An investigation on the preparation of nanocrystalline hydrous zirconia from zirconium tungstate. 2018 , 20, 1		2
556	Microstructure and Mechanical Behavior of Cryomilled Al-Mg Composites Reinforced with Nanometric Yttria Partially Stabilized Zirconia. 2018 , 71-86		3
555	Wire electrical discharge machining of 3Y-TZP/Ta ceramic-metal composites. 2018 , 739, 62-68		14
554	Influence of a surface conditioner to pre-sintered zirconia on the biaxial flexural strength and phase transformation. <i>Dental Materials</i> , 2018 , 34, 486-493	5.7	14
553	A combined structural, microstructural and dilatometric analysis of MgPSZ. <i>Journal of the European Ceramic Society</i> , 2018 , 38, 1769-1777	6	2
552	Effects of additive amount, testing method, fabrication process and sintering temperature on the mechanical properties of Al ₂ O ₃ /3Y-TZP composites. 2018 , 191, 446-460		22
551	Thermal stability of structure, microstructure and enhanced properties of Zr-Ta films with a low and high Ta content. 2018 , 335, 95-103		3

550	Laser milling of yttria-stabilized zirconia by using a Q-switched Yb:YAG fiber laser: experimental analysis. 2018 , 94, 1373-1385		17
549	Fracture load of colored and non-colored high translucent zirconia three-unit fixed dental prosthesis frameworks. 2018 , 4, 38-43		3
548	Influence of low-temperature degradation on the wear characteristics of zirconia against polymer-infiltrated ceramic-network material. 2018 , 120, 596-602		10
547	Effects of ZrO ₂ and Y ₂ O ₃ on physical and mechanical properties of ceramic bond and ceramic CBN composites. 2018 , 75, 18-24		9
546	A lithium salt additive Li ₂ ZrF ₆ for enhancing the electrochemical performance of high-voltage LiNi _{0.5} Mn _{1.5} O ₄ cathode. 2018 , 24, 2965-2972		4
545	Nano-scale mechanical behavior of pre-crystallized CAD/CAM zirconia-reinforced lithium silicate glass ceramic. 2018 , 82, 35-44		9
544	Critical loading conditions of amorphization, phase transformation, and dilation cracking in 6H-silicon carbide. <i>Journal of the American Ceramic Society</i> , 2018 , 101, 3585-3596	3.8	12
543	Impact of sandblasting on the mechanical properties and aging resistance of alumina and zirconia based ceramics. <i>Journal of the European Ceramic Society</i> , 2018 , 38, 915-925	6	19
542	The effect of microstructure and chromia content on the properties of zirconia toughened alumina. <i>Ceramics International</i> , 2018 , 44, 2011-2020	5.1	25
541	Influence of porosity on mechanical properties of tetragonal stabilized zirconia. <i>Journal of the European Ceramic Society</i> , 2018 , 38, 1720-1735	6	30
540	Fracture behavior of Ce-TZP/alumina/aluminate composites with different amounts of transformation toughening. Influence of the testing methods. <i>Journal of the European Ceramic Society</i> , 2018 , 38, 1778-1789	6	18
539	Microstructure and mechanical properties of ZTA composites fabricated by oscillatory pressure sintering. <i>Ceramics International</i> , 2018 , 44, 505-510	5.1	31
538	Novel Zirconia Materials in Dentistry. 2018 , 97, 140-147		254
537	Effect of molten zone ablated by femtosecond lasers on fracture toughness of Si ₃ N ₄ measured by SEVNB method. <i>Journal of the European Ceramic Society</i> , 2018 , 38, 2243-2246	6	13
536	Effect of thickness and surface modifications on flexural strength of monolithic zirconia. 2018 , 119, 987-993		35
535	Role of grain boundaries in determining strength and plastic deformation of yttria-stabilized tetragonal zirconia bicrystals. 2018 , 53, 5706-5718		11
534	Low-temperature sintering and microstructure evolution of Bi ₂ O ₃ -doped YSZ. <i>Ceramics International</i> , 2018 , 44, 1026-1033	5.1	8
533	Review: microstructure-development mechanism during sintering in polycrystalline zirconia. 2018 , 63, 375-406		29

532	Influence of whisker-aspect-ratio on densification, microstructure and mechanical properties of Al ₂ O ₃ whiskers-reinforced CeO ₂ -stabilized ZrO ₂ composites. <i>Journal of the European Ceramic Society</i> , 2018 , 38, 1796-1801	6	16
531	Chemical and nanoindentation study of diffusion during sintering of 12Ce-ZrO ₂ /3Y-ZrO ₂ powder layers. <i>Ceramics International</i> , 2018 , 44, 2485-2490	5.1	1
530	Effect of CeO ₂ and Al ₂ O ₃ contents on Ce-ZrO ₂ /Al ₂ O ₃ composites. <i>Journal of the American Ceramic Society</i> , 2018 , 101, 2066-2073	3.8	3
529	A preliminary study on the physical and biocompatibility characteristics of Zirconia-Silicon Nitride bio-ceramics. 2018 , 402, 012031		2
528	Development of alumina toughened zirconia nanocomposites using spark plasma sintering. 2018 , 5, 16928-16935		5
527	Investigation of ductile-brittle transition in machining of yttrium-stabilized zirconia (YSZ). 2018 , 26, 446-453		7
526	Baddeleyite as a widespread and sensitive indicator of meteorite bombardment in planetary crusts. 2018 , 46, 719-722		13
525	Increasing Fracture Toughness and Transmittance of Transparent Ceramics using Functional Low-Thermal Expansion Coatings. 2018 , 8, 15644		5
524	Wear performance of self-glazed zirconia crowns with different amount of occlusal adjustment after 6 months of clinical use. 2018 , 117, 445-451		9
523	Properties of thick ceramic composite coatings synthesized on an aluminium alloy by cathodic plasma electrolytic deposition. 2018 , 356, 80-88		7
522	Effects of the content of in-situ grown mullite on the microstructure and mechanical properties of 3Y-TZP ceramics fabricated by gel-casting. <i>Ceramics International</i> , 2018 , 44, 21882-21892	5.1	3
521	Effect of Amount and Size of Quartz on Mechanical and Dielectric Properties of Electrical Porcelain. 2018 , 77, 132-137		6
520	Influence of Cold Isostatic Pressure on Formation of Secondary Nanoscale Zirconia Inclusions in Alumina Grains in Ceramic Composites 3Y-TZP with Small Amount of Al ₂ O ₃ . 2018 ,		
519	Mechanical reliability, fatigue strength and survival analysis of new polycrystalline translucent zirconia ceramics for monolithic restorations. 2018 , 85, 57-65		85
518	Performance of Si ₃ N ₄ /(W, Ti)C graded ceramic tool in high-speed turning iron-based superalloys. <i>Ceramics International</i> , 2018 , 44, 15579-15587	5.1	16
517	Effect of focused ion beam sample preparation on the phase composition of zirconia. <i>Ceramics International</i> , 2018 , 44, 17643-17654	5.1	5
516	Effect of sintering profile on densification, microstructure and mechanical properties of Al ₂ O ₃ -3YSZ-Ni composite. <i>Ceramics International</i> , 2018 , 44, 17434-17439	5.1	3
515	Properties of 3Y-TZP zirconia ceramics with graphene addition obtained by spark plasma sintering. <i>Ceramics International</i> , 2018 , 44, 16931-16936	5.1	20

514	Environmental Degradation of Advanced Ceramics and Glasses. 2018 , 207-223		
513	Fracture characterization of ceria partially stabilized zirconia using the GMTSN criterion. 2018 , 199, 647-657	17	
512	Comparative analyses of the IV group oxides additives influence on the sintering kinetics of zirconia nanopowders. 2018 , 13, e0200869	7	
511	Mechanical performance of Y-TZP monolithic ceramic after grinding and aging: Survival estimates and fatigue strength. 2018 , 87, 288-295	22	
510	Mn-stabilized zirconia ceramics: Phase transformation and mixed ionic-electronic conductivity. <i>Ceramics International</i> , 2018 , 44, 19383-19389	5.1	2
509	Microstructure and mechanical properties of Al ₂ O ₃ -ZrO ₂ ceramic deposited by laser direct material deposition. <i>Ceramics International</i> , 2018 , 44, 18960-18968	5.1	14
508	Enhanced Mechanical Properties in ED-Machinable Zirconia-Tungsten Carbide Composites with Yttria-Neodymia Co-Stabilized Zirconia Matrix. 2018 , 1, 26-37		6
507	Mechanism of Reduced Sintering Temperature of Al ₂ O ₃ -ZrO ₂ Nanocomposites Obtained by Microwave Hydrothermal Synthesis. <i>Materials</i> , 2018 , 11,	3.5	15
506	Enhanced Tribological and Bacterial Resistance of Carbon Nanotube with Ceria- and Silver-Incorporated Hydroxyapatite Biocoating. 2018 , 8,		17
505	Influence of SiC fiber on thermal cycling lifetime of SiC fibers /YSZ thermal barrier coatings by atmospheric plasma spraying. <i>Ceramics International</i> , 2018 , 44, 18285-18293	5.1	13
504	Study of Transformation Toughening Behavior of an Edge Through Crack in Zirconia Ceramics with the Cohesive Zone Model. 2018 , 10, 1850066		5
503	Nb ₂ AlC-particle induced accelerated crack healing in ZrO ₂ matrix composites. <i>Ceramics International</i> , 2018 , 44, 19352-19361	5.1	9
502	SEM and TEM analysis of composite of ZrO ₂ -Ti system. 2018 , 25, 1091-1099		1
501	Hot corrosion behavior of plasma sprayed 8YSZ-alumina- CNT composite coating in Na ₂ SO ₄ -30% V ₂ O ₅ molten salt environment. <i>Ceramics International</i> , 2018 , 44, 21533-21545	5.1	17
500	A review on the hydrothermal ageing behaviour of Y-TZP ceramics. <i>Ceramics International</i> , 2018 , 44, 20630-20634		34
499	Fracture toughness testing of biomedical ceramic-based materials using beams, plates and discs. <i>Journal of the European Ceramic Society</i> , 2018 , 38, 5533-5544	6	36
498	Next-generation flexible solid oxide fuel cells with high thermomechanical stability. 2018 , 6, 18018-18024		5
497	Oxygen Migration and Local Structural Changes with Schottky Defects in Pure Zirconium Oxide Crystals. 2018 , 87, 054801		1

496	In-situ high temperature micromechanical testing of ultrafine grained yttria-stabilized zirconia processed by spark plasma sintering. 2018 , 155, 128-137		11
495	Thermochemical calculations of the oxidation behavior of Nb ₂ AlC MAX phase in ZrO ₂ matrix composites. <i>Ceramics International</i> , 2018 , 44, 15747-15753	5.1	1
494	Energetic design of grain boundary networks for toughening of nanocrystalline oxides. <i>Journal of the European Ceramic Society</i> , 2018 , 38, 4260-4267	6	18
493	3D printing of ceramic-based scaffolds for bone tissue engineering: an overview. 2018 , 6, 4397-4412		112
492	Theoretical description of zirconia ceramics aging kinetics. 2019 , 55, 65-70		
491	Impact of pressure in static and dynamic pressing of ultrafine plasmochemical ZrO ₂ (Y)-Al ₂ O ₃ powders on compact density and compaction efficiency during sintering. <i>Ceramics International</i> , 2019 , 45, 9368-9375	5.1	4
490	Reactive flash sintering: MgO and Al ₂ O ₃ transform and sinter into single-phase polycrystals of MgAl ₂ O ₄ . <i>Journal of the American Ceramic Society</i> , 2019 , 102, 2294-2303	3.8	26
489	Mica glass ceramics for dental restorations. 2019 , 34, 2-11		7
488	In situ toughened two-phase B ₁₂ (C, Si, B) ₃ BiC ceramics fabricated via liquid silicon infiltration. <i>Journal of the American Ceramic Society</i> , 2019 , 102, 2094-2103	3.8	4
487	Alumina and spinel react into single-phase high-alumina spinel in . <i>Journal of the American Ceramic Society</i> , 2019 , 102, 644-653	3.8	25
486	Effect of high-temperature annealing on the valence state of Ce ions and the mechanical properties of (ZrO ₂) _{0.972} (Y ₂ O ₃) _{0.02} (CeO ₂) _{0.008} crystals. 2019 , 238, 121930		1
485	Fabrication of ZrC/ZrO ₂ composite continuous fibers with a radial gradient using pack carburizing. <i>Ceramics International</i> , 2019 , 45, 23037-23042	5.1	1
484	Ultrashort-pulse laser as a surface treatment for bonding between zirconia and resin cement. <i>Dental Materials</i> , 2019 , 35, 1545-1556	5.7	10
483	Fabrication, Characterization, and Evaluation of Monolithic NiTi Nanolaminate Coatings. 2019 , 62, 1007-1018		1
482	Characterisation of damage mechanisms in oxide ceramics indented at dynamic and quasi-static strain rates. <i>Journal of the European Ceramic Society</i> , 2019 , 39, 4936-4945	6	8
481	A prospective clinical of lithium disilicate pressed zirconia and monolithic zirconia in posterior implant-supported prostheses: A 24-month follow-up. 2019 , 57, 134		
480	Thermal Plasma Synthesis of Zirconia Powder and Preparation of Premixed Ca-Doped Zirconia. 2019 , 39, 1397-1411		3
479	Reduced cracking in polycrystalline ZrO ₂ -CeO ₂ shape-memory ceramics by meeting the cofactor conditions. 2019 , 177, 230-239		16

478	Two-step sintering of TiB ₂ -0wt%TiN composites. 2019 , 84, 105037		4
477	The influence of Al ₂ O ₃ content on Al ₂ O ₃ -ZrO ₂ composite-textural structural and morphological studies. 2019 , 6, 105201		3
476	Physical properties of conventional and monolithic yttria-zirconia materials after low-temperature degradation. <i>Ceramics International</i> , 2019 , 45, 21038-21043	5.1	4
475	Investigation into the Wear and Dent Resistance of Ni/Ti Nanolaminates and Superelastic NiTi Coating. 2019 , 28, 6033-6041		3
474	Staged microstructural study of flash sintered titania. 2019 , 8, 100451		6
473	The Influence of Wire Electrical Discharge Machining Cutting Parameters on the Surface Roughness and Flexural Strength of ZrO/TiN Ceramic Nanocomposites Obtained by Spark Plasma Sintering. 2019 , 9,		9
472	Gelation, Phase-Formation, and Sintering Processes in the Sol-Gel Method of Producing Aluminosilicate Glass-Ceramic Modified by Refractory Hafnium and Zirconium Oxides. 2019 , 76, 203-209		2
471	Progress in the synthesis of Al- and Cr-based sesquioxide coatings for protective applications. 2019 , 37, 060802		2
470	Effects of CeO ₂ Addition on Slip - Cast Yttria Tetragonal Zirconia Polycrystals Toughened Alumina (ZTA). 2019 , 814, 340-346		10
469	Alumina-Doped Zirconia Submicro-Particles: Synthesis, Thermal Stability, and Microstructural Characterization. <i>Materials</i> , 2019 , 12,	3.5	10
468	The effect of YF ₃ on the mechanical properties and low-temperature degradation of 3Y-TZP ceramics. <i>Ceramics International</i> , 2019 , 45, 24212-24220	5.1	4
467	Effects of Low-Modulus BN Inclusions on Properties of Y-TZP Ceramic. 2019 , 10, 1159-1163		2
466	HfO ₂ :Eu nanoparticles excited by X-rays and UV-visible radiation used in biological imaging. 2019 , 37, 1176-1182		7
465	High-fracture toughness and aging-resistance of 3Y-TZP ceramics with a low Al ₂ O ₃ content for dental applications. <i>Ceramics International</i> , 2019 , 45, 6066-6073	5.1	9
464	Reaping the remarkable benefits of a "burst nucleation" approach for a ceria doped zirconia system. 2019 , 802, 318-325		4
463	Effect of Co on thermal and mechanical properties of Si ₃ N ₄ based ceramic tool material. <i>Ceramics International</i> , 2019 , 45, 19435-19441	5.1	10
462	Nanoroughening of sandblasted 3Y-TZP surface by alumina coating deposition for improved osseointegration and bacteria reduction. <i>Journal of the European Ceramic Society</i> , 2019 , 39, 4347-4357	6	10
461	Air-abrasion using new silica-alumina powders containing different silica concentrations: Effect on the microstructural characteristics and fatigue behavior of a Y-TZP ceramic. 2019 , 98, 11-19		4

460	Evaluation of Phase Transformation and Mechanical Properties of Metastable Yttria-Stabilized Zirconia by Nanoindentation. <i>Materials</i> , 2019 , 12,	3.5	10
459	Role of a low level of La ₂ O ₃ dopant on the tetragonal-to-monoclinic phase transformation of ceria-yttria co-stabilized zirconia. <i>Journal of the European Ceramic Society</i> , 2019 , 39, 4338-4346	6	6
458	Effect of Nitrogen on the Fatigue Crack Growth Behavior of 316L Austenitic Stainless Steels. 2019 , 50, 3091-3105		4
457	Effect of YSZ with different Y ₂ O ₃ contents on toughening behavior of Al ₂ O ₃ /Ba- Al_2O_3 /ZrO ₂ composites. <i>Ceramics International</i> , 2019 , 45, 18037-18043	5.1	4
456	Investigation of the Ductile Cutting Behavior of Monocrystalline Yttria-Stabilized Zirconia During Ultra-Precision Orthogonal Cutting. 2019 , 20, 1475-1484		2
455	Fracture resistance of yttria stabilized zirconia manufactured from stabilizer-coated nanopowder by micro cantilever bending tests. <i>Journal of the European Ceramic Society</i> , 2019 , 39, 3830-3836	6	2
454	Evidence of Phase Transitions and Their Role in the Transient Behavior of Mechanical Properties and Low Temperature Degradation of 3Y-TZP Made from Stabilizer-Coated Powder. 2019 , 2, 271-285		9
453	An investigation of equibiaxial flexural strength and hardness properties of Al ₂ O ₃ - Ni nanocomposites based microstructures with ZrO ₂ and Cr ₂ O ₃ additives. 2019 , 758, 103-111		4
452	Comparison of temperature dependent deformation mechanisms of 8YSZ thermal barrier coatings prepared by air-plasma-spray and D-gun thermal spray: An in situ study. <i>Journal of the European Ceramic Society</i> , 2019 , 39, 3120-3128	6	11
451	Synthesis and characterization of zirconia toughened alumina ceramics prepared by co-precipitation method. <i>Ceramics International</i> , 2019 , 45, 16054-16061	5.1	17
450	Nanoscale self-healing mechanisms in shape memory ceramics. 2019 , 5,		14
449	On the origins and the evolution of the fuel-cladding bonding phenomenon in PWR fuel rods. 2019 , 520, 110-120		7
448	Investigation on the microstructure and creep behavior of laser remelted thermal barrier coating. 2019 , 369, 257-264		10
447	Influence of ZrO ₂ Nanoparticles on the Microstructural Development of Cement Mortars with Limestone Aggregates. 2019 , 9, 598		3
446	Dental Resin-Zirconia Bonding Promotion Using High-Silica PVD Coating with High Ionization Sputtering Processing. 2019 , 9, 182		4
445	Anisotropy of the mechanical properties and features of the tetragonal to monoclinic transition in partially stabilized zirconia crystals. 2019 , 792, 1255-1260		7
444	Mechanical properties and transformation hardening mechanism in yttria, ceria, neodymia and ytterbia co-doped zirconia based solid solutions. 2019 , 232, 28-33		3
443	Trade-off between fracture resistance and translucency of zirconia and lithium-disilicate glass ceramics for monolithic restorations. 2019 , 91, 24-34		69

442	Mechanical properties and aging behaviour of Y-TZP with 64S bioglass additions for dental restorations. 2019 , 118, 329-339		3
441	Martensitic Transformation Effect on the Dislocation Emission from a Semi-infinite Crack Tip in Nanocomposites. 2019 , 32, 160-172		1
440	The Influence of Various Dopants and Sintering Techniques on the Properties of the Yttria-Ceria-Zirconia System As an Electrolyte for Solid Oxide Fuel Cells. 2019 , 48, 3527-3536		6
439	High-speed intermittent turning of GH2132 alloy with Si ₃ N ₄ /(W, Ti)C/Co graded ceramic tool. 2019 , 100, 401-408		12
438	Yttria Ceria Co-Stabilized Zirconia Reinforced with Alumina and Strontium Hexaaluminate. 2019 , 9, 729		6
437	The effects of surface grinding and polishing on the phase transformation and flexural strength of zirconia. 2019 , 11, 1-6		8
436	Microwave dielectric properties of zirconia fabricated using NanoParticle Jetting. 2019 , 27, 586-594		25
435	Fracture morphology and toughening mechanism of Al ₂ O ₃ /ZrO ₂ eutectic ceramic prepared by the combustion synthesis under ultra-high temperature. 2019 , 81, 21-26		10
434	The effect of dolomite addition onto the phases and hardness of zirconia toughened alumina. 2019 ,		
433	High-temperature electrical properties of polycrystalline MgO-doped ZrO ₂ . 2019 , 113, 182-189		9
432	Molecular dynamics investigation of the fracture mechanism of a glass-ceramic containing cleavable crystals. <i>Journal of the American Ceramic Society</i> , 2019 , 102, 5138-5148	3.8	10
431	PHASE COMPOSITION STABILITY OF NANOSTRUCTURED COMPOSITE CERAMICS BASED ON CaO-ZrO ₂ UNDER HYDROTHERMAL IMPACT. 2019 , 14, 125-131		5
430	Fundamental Concepts of Enamel and Dentin Adhesion. 2019 , 136-169		1
429	Comparison of mechanical properties of zirconia crystals partially stabilized with yttria and gadolinia. 2019 , 1347, 012059		1
428	Submicronic nanostructured spherical zirconium-cerium powders for products of an orthopedic stomatology. 2019 , 1347, 012084		
427	Microstructure and Phase Composition of Yttria-Stabilized Zirconia Nanofibers Prepared by High-Temperature Calcination of Electrospun Zirconium Acetylacetonate/Yttrium Nitrate/Polyacrylonitrile Fibers. 2019 , 7, 82		4
426	High-translucent yttria-stabilized zirconia ceramics are wear-resistant and antagonist-friendly. <i>Dental Materials</i> , 2019 , 35, 1776-1790	5.7	24
425	Effect of electron beam irradiation on structural phase transformations of zirconia-based composite reinforced by alumina nanofibers and carbon nanotubes. 2019 , 1393, 012106		3

424	The influence of stress states on the martensitic transformation in Y-TZP ceramic. 2019 , 696, 012013	
423	Synthesis and Study of Composite Materials in the $ZrO_2(Y_2O_3)-MgAl_2O_4$ System. 2019 , 45, 388-394	2
422	Atomic force microscopy of deformation relief in $ZrO_2 (Y_2O_3)$ ceramics. 2019 ,	
421	3D Printing of Zirconia—What is the Future?. 2019 , 6, 339-343	10
420	The effect of titania doping on structure and mechanical properties of calcia-stabilized zirconia ceramic. 2019 , 8, 6086-6093	6
419	Stress-induced phase transformation in shape memory ceramic nanoparticles. 2019 , 126, 215109	3
418	Laser seal welding of end plug to thin-walled nanostructured high-strength molybdenum alloy cladding with a zirconium interlayer. 2019 , 267, 338-347	22
417	Friction and wear behaviours of in situ reduced graphene oxide reinforced zirconia ceramic. 2019 , 79, 164-170	6
416	Enhancing mechanical properties of glass fabric composite with surfactant treated zirconia nanoparticles. 2019 , 118, 131-141	8
415	The effect of silica content on microstructure and mechanical properties of calcia-stabilized tetragonal zirconia polycrystalline ceramic. <i>Ceramics International</i> , 2019 , 45, 627-633	5.1 6
414	Understanding Degradation Mechanisms and Improving Stability of Perovskite Photovoltaics. 2019 , 119, 3418-3451	663
413	Effect of 64S bioglass addition on sintering kinetic, flexural strength and osteoblast cell response of yttria-partially stabilized zirconia ceramics. 2019 , 16, 517-530	5
412	A review of computational modeling techniques in study and design of shape memory ceramics. 2019 , 160, 120-136	16
411	Response of pre-crystallized CAD/CAM zirconia-reinforced lithium silicate glass ceramic to cyclic nanoindentation. 2019 , 92, 58-70	4
410	Mechanical behaviour of extremely tough TZP bioceramics. 2019 , 90, 395-403	9
409	Microstructure and mechanical properties of hot-pressed $Al_2O_3-hullite-ZrO_2-Bi_2O_3$ composites. 2019 , 740-741, 390-397	20
408	Enamel wear and aging of translucent zirconias: In vitro and clinical studies. 2019 , 121, 417-425	9
407	Strength limits in mesoscaled 3Y-TZP ceramics for micro-surgical instruments. 2019 , 91, 99-108	0

406	Microstructure evolution of bulk metallic glass during thermal oxidation under plastic strain. 2019 , 147, 192-200		5
405	Transparent tetragonal-cubic zirconia composite ceramics densified by spark plasma sintering and hot isostatic pressing. <i>Journal of the European Ceramic Society</i> , 2019 , 39, 1428-1435	6	16
404	Ultralight and high-strength bulk alumina/zirconia composite ceramic foams through direct foaming method. <i>Ceramics International</i> , 2019 , 45, 1464-1467	5.1	17
403	Surface structures of ZrO ₂ films on Rh(111): From two layers to bulk termination. 2019 , 679, 180-187		8
402	Pitfalls of determining the elastic properties of stabilized zirconia with indentation methods. <i>Ceramics International</i> , 2019 , 45, 9491-9496	5.1	2
401	Slow crack growth resistance of electrically conductive zirconia-based composites with non-oxide reinforcements. <i>Journal of the European Ceramic Society</i> , 2019 , 39, 641-646	6	2
400	Iron oxide colouring of highly-translucent 3Y-TZP ceramics for dental restorations. <i>Journal of the European Ceramic Society</i> , 2019 , 39, 499-507	6	7
399	Layered Manufacturing of Dental Ceramics: Fracture Mechanics, Microstructure, and Elemental Composition of Lithography-Sintered Ceramic. 2019 , 28, e310-e318		14
398	Dense and strong ZrO ₂ ceramics fully densified in . 2019 , 118, 23-29		4
397	The Effect of Sintering Time on the Marginal Fit of Zirconia Copings. 2019 , 28, e285-e289		16
396	Sintering behavior and phase transformation of YSZ-LZ composite coatings. <i>Ceramics International</i> , 2020 , 46, 1307-1313	5.1	8
395	The Effect of PrâEr Colorant on the Chroma of Dental Zirconia Ceramics. 2020 , 49, 780-786		
394	Tracking the calcium-magnesium-alumino-silicate (CMAS) infiltration into an air-plasma spray thermal barrier coating using X-ray imaging. 2020 , 176, 94-98		9
393	Thermal and mechanical shock resistances of Si ₃ N ₄ /(W, Ti)C graded nano-composite ceramic tool material. <i>Ceramics International</i> , 2020 , 46, 2317-2324	5.1	4
392	Effects of twin boundaries and pre-existing defects on mechanical properties and deformation mechanisms of yttria-stabilized tetragonal zirconia. <i>Journal of the European Ceramic Society</i> , 2020 , 40, 108-114	6	11
391	Fracture load of two thicknesses of different zirconia types after fatiguing and thermocycling. 2020 , 123, 635-640		8
390	One-step preparation of CaO-doped partially stabilized zirconia from fused zirconia. <i>Ceramics International</i> , 2020 , 46, 6484-6490	5.1	25
389	Phase transformation induces plasticity with negligible damage in ceria-stabilized zirconia-based ceramics. 2020 , 183, 261-273		16

388	Forty years after the promise of «ceramic steel?»: Zirconia-based composites with a metal-like mechanical behavior. <i>Journal of the American Ceramic Society</i> , 2020 , 103, 1482-1513	3.8	39
387	Phase field study of the grain size and temperature dependent mechanical responses of tetragonal zirconia polycrystals: A discussion of tension-compression asymmetry. 2020 , 172, 109326		10
386	Effects of binder and compression strength on molding parameters of dental ceramic blocks. <i>Ceramics International</i> , 2020 , 46, 10186-10193	5.1	2
385	A Review on Binderless Tungsten Carbide: Development and Application. 2019 , 12, 13		39
384	Phase field modeling of crack propagation in shape memory ceramics –Application to zirconia. 2020 , 174, 109509		14
383	Tetragonal phase stability maps of ceria-yttria co-doped zirconia: From powders to sintered ceramics. <i>Ceramics International</i> , 2020 , 46, 9396-9405	5.1	9
382	Continuous alumina fiber-reinforced yttria-stabilized zirconia composites with high density and toughness. <i>Journal of the European Ceramic Society</i> , 2020 , 40, 1539-1548	6	10
381	Evolution of microstructure and residual stresses in gradually ground/polished 3Y-TZP. <i>Journal of the European Ceramic Society</i> , 2020 , 40, 1582-1591	6	9
380	A study of mechanical properties of alumina-zirconia composite films prepared by a combination of tape casting and solution impregnation method. 2020 , 56, 167-174		2
379	Chemistry of C-C Bond Formation Reactions Used in Biomass Upgrading: Reaction Mechanisms, Site Requirements, and Catalytic Materials. 2020 , 207-297		
378	The controlled preparation and stability mechanism of partially stabilized zirconia by microwave intensification. <i>Ceramics International</i> , 2020 , 46, 7523-7530	5.1	21
377	Ferroelastic domain switching toughening in Ce-Ni co-stabilized zirconia ceramics obtained from coated starting powders. 2020 , 820, 153177		8
376	Influence of Aging on Biaxial Flexural Strength and Hardness of Translucent 3Y-TZP. <i>Materials</i> , 2019 , 13,	3.5	4
375	Tuning the Microstructure and Thickness of Ceramic Layers with Advanced Coating Technologies Using Zirconia as an Example. 2020 , 22, 2000529		3
374	Vertical marginal fit of zirconia copings fabricated with one direct and three indirect digital scanning techniques. 2021 , 126, 421-426		1
373	Reliability and aging behavior of three different zirconia grades used for monolithic four-unit fixed dental prostheses. <i>Dental Materials</i> , 2020 , 36, e329-e339	5.7	10
372	Synthesis, Structure, and Properties of Zirconia-Modified Aluminosilicate Glass-Ceramics. 2020 , 56, 1065-1071		1
371	Features of the Electrophoretic Formation of Bulk Compacts Based on Zirconium Oxide Nanopowder. 2020 , 94, 2096-2102		1

370	Synthesis and Characterization of Spherical Calcium Carbonate Nanoparticles Derived from Cockle Shells. 2020 , 10, 7170		7
369	Manufacturing and Mechanical Characterization of Fly-Ash-Reinforced Materials for Furnace Lining Applications. 2020 , 29, 6307-6321		2
368	Study of the Fracture Behavior of Tetragonal Zirconia Polycrystal with a Modified Phase Field Model. <i>Materials</i> , 2020 , 13,	3.5	2
367	Plasma electrolytic oxidation of Zircaloy-2 alloy in potassium hydroxide/sodium silicate electrolytes: The effect of silicate concentration. 2020 ,		4
366	Toughening Mechanism of Mullite Matrix Composites: A Review. 2020 , 10, 672		22
365	Effect of Heat Treatment on the Structure and Phase Composition of the Nanosized Powder Based on a ZrO ₂ Solid Solution. 2020 , 59, 1-8		5
364	Design of a Vââi alloy with superelastic nano-precipitates. 2020 , 196, 710-722		2
363	Influence of grinding/polishing on the mechanical, phase stability and cell adhesion properties of yttria-stabilized zirconia. <i>Journal of the European Ceramic Society</i> , 2020 , 40, 4304-4314	6	2
362	Melt grown ZrO ₂ single crystals partially stabilized with Gd ₂ O ₃ : Phase composition and indentation induced transformations. 2020 , 535, 125546		1
361	Undercooling versus stress induced martensitic phase transformation: The case of MgO âpartially stabilized zirconia. 2020 , 174, 109460		2
360	Double Torsion testing of thin porous zirconia supports for energy applications: Toughness and slow crack growth assessment. <i>Journal of the European Ceramic Society</i> , 2020 , 40, 3191-3199	6	6
359	Coarse-grain CeO ₂ doped ZrO ₂ ceramic prepared by spark plasma sintering. <i>Journal of the European Ceramic Society</i> , 2020 , 40, 4844-4852	6	5
358	Role of Magnesium and the Effect of Surface Roughness on the Hydroxyapatite-Forming Ability of Zirconia Induced by Biomimetic Aqueous Solution Treatment. <i>Materials</i> , 2020 , 13,	3.5	4
357	Understanding the mismatch strain and orientation of nanoscale second phase on the superelasticity of zirconia. 2020 , 22, 100521		2
356	Mechanical behavior of tetragonal zirconia nanopillars subjected to uniaxial loading: A molecular dynamics study. 2020 , 151, 103666		2
355	Effects of cyclic loading on subsurface microstructural changes of zirconia polycrystals in nanoscale mechanical processing. 2020 , 159, 103626		6
354	Effect of Heat Treatment on the Physicochemical Properties of Ultrafine ZrO ₂ â2O ₃ âCeO ₂ âAl ₂ O ₃ âCoO Powders. 2020 , 59, 359-367		1
353	Mechanical Properties of 2Y-TZP Fabricated from Detonation Synthesized Powder. 2020 , 3, 440-452		4

352	Microstructural evolution and hot corrosion behavior of La _{0.8} Ba _{0.2} TiO ₃ YSZ double-layer thermal barrier coatings in Na ₂ SO ₄ +V ₂ O ₅ molten salt at 900 °C. 2020 , 399, 126175		8
351	Molybdenum Oxide and Nickel Nitrate as Cooperative Sintering Aids for Yttria-Stabilized Zirconia. <i>Materials</i> , 2020 , 13,	3.5	0
350	Atomic Hourglass and Thermometer Based on Diffusion of a Mobile Dopant in VO. 2020 , 142, 15513-15526		10
349	Influence of Margin Designs on Crack Initiation of High Translucency Monolithic Zirconia Crowns. 2021 , 30, 490-499		
348	Ceramic Composite Armour for Ballistic Protection. 2020 , 357-402		
347	Synthesis and Properties of Novel Calcia-Stabilized Zirconia (Ca-SZ) with Nano Calcium Oxide Derived from Cockle Shells and Commercial Source for Dental Application. 2020 , 10, 5751		5
346	Thermal Barrier Coatings Based on ZrO ₂ Solid Solutions. 2020 , 59, 179-200		2
345	Microstructural Analysis and Tribological Behavior of Ti-Based Alloys with a Ceramic Layer Using the Thermal Spray Method. 2020 , 10, 1216		11
344	Fracture toughness enhancement of yttria-stabilized tetragonal zirconia polycrystalline ceramics through magnesia-partially stabilized zirconia addition. 2020 , 5, 527-534		8
343	The Influence of Silicon Dioxide on the Stability of the Phase Composition and Mechanical Properties of Alumina-Toughened Zirconia-Based Ceramics. 2020 , 65, 2016-2025		6
342	Modification of barium aluminosilicate glass-ceramics with zirconium oxide additives. 2020 , 848, 012013		
341	Grinding the intaglio surface of yttria partially- and fully-stabilized zirconia polycrystals restorations: Effect on their fatigue behavior. 2020 , 109, 103800		3
340	Oxidation and cracking resistances of La ₂ O ₃ modified ZrB ₂ SiC coating on SiC coated graphite in static air. 2020 , 251, 123157		5
339	Evaluation of fracture toughness of zirconia ceramics with heterogeneous yttrium distribution microstructures. 2020 , 56, 1229-1235		1
338	Spray pyrolysis of yttria-stabilized zirconia nanoparticles and their densification into bulk transparent windows. 2020 , 22, 1		1
337	Seeded Growth Synthesis of Zirconia@Gold Particles in Aqueous Solution. 2020 , 10,		1
336	Mechanical properties of biocompatible Y-TZP/Al ₂ O ₃ composites obtained from mechanically alloyed powders. 2020 , 42, 1		4
335	Improving the fracture toughness of stabilized zirconia-based solid oxide cells fuel electrode supports: Effects of type and concentration of stabilizer(s). <i>Journal of the European Ceramic Society</i> , 2020 , 40, 5670-5682	6	10

334	Hierarchically structured diamond composite with exceptional toughness. 2020 , 582, 370-374		59
333	Mechanical and thermal properties of light weight boron-mullite Al ₅ BO ₉ . <i>Journal of the American Ceramic Society</i> , 2020 , 103, 5939-5951	3.8	2
332	Effects of Material Reactivity on the Sintering Properties of Magnesium Oxide Partially Stabilized Zirconia Metering Nozzle. 2020 , 980, 25-33		
331	Structural Ceramic Oxides. 2020 , 319-326		
330	Green Ceramic Machining: Influence of the Cutting Speed and the Binder Percentage on the Y-TZP Behavior. 2020 , 4, 50		3
329	Microstructure and mechanical properties of SPS sintered Al ₂ O ₃ -ZrO ₂ (3Y)-SiC ceramic composites. 2020 , 781, 139197		14
328	Surface modification of ZrO ₂ -3Y ₂ O ₃ ceramics with continuous Ar ⁺ ion beams. 2020 , 388, 125598		4
327	Effect of coloring liquids on color of zirconia frameworks and bond strength of zirconia/veneering ceramic. 2020 , 124, 110-115		2
326	Effect of Methacryloyloxydecyl Dihydrogen Phosphate-Containing Silane and Adhesive Used Alone or in Combination on the Bond Strength and Chemical Interaction With Zirconia Ceramics Under Thermal Aging. 2020 , 45, 516-527		3
325	Preparation, Microstructure, Mechanical Properties and Biocompatibility of Ta-Coated 3Y-TZP Ceramic Deposited by a Plasma Surface Alloying Technique. <i>Materials</i> , 2020 , 13,	3.5	2
324	Crystal structure and thermomechanical properties of CaO-PSZ ceramics synthesised from fused ZrO ₂ . <i>Ceramics International</i> , 2020 , 46, 15357-15363	5.1	5
323	Effect of high-speed sintering on the flexural strength of hydrothermal and thermo-mechanically aged zirconia materials. <i>Dental Materials</i> , 2020 , 36, 1144-1150	5.7	10
322	An effort towards hard and tough coatings by cathodic arc deposition of Zr-Cr-O coating system. 2020 , 400, 126177		2
321	Additive manufacturing of zirconia ceramics: a state-of-the-art review. 2020 , 9, 9029-9048		33
320	Burst Strength of BIOLOXdelta Femoral Heads and Its Dependence on Low-Temperature Environmental Degradation. <i>Materials</i> , 2020 , 13,	3.5	4
319	Enhancement of mechanical properties of ceria-calcia stabilized zirconia by alumina reinforcement. <i>Journal of the European Ceramic Society</i> , 2020 , 40, 3714-3722	6	7
318	Importance of tetragonal phase in high-translucent partially stabilized zirconia for dental restorations. <i>Dental Materials</i> , 2020 , 36, 491-500	5.7	16
317	Enhanced mechanical properties of ZrO-AlO dental ceramic composites by altering AlO form. <i>Dental Materials</i> , 2020 , 36, e117-e125	5.7	8

316	Effect of dwell time on cold sintering assisted sintering based highly transparent 0.9K0.5Na0.5NbO3-0.1LiBiO3 ceramics. 2020 , 826, 154249		4
315	Few-monolayer yttria-doped zirconia films: Segregation and phase stabilization. 2020 , 152, 064709		2
314	Photocatalytic hydrogen generation on low-bandgap black zirconia (ZrO2) produced by high-pressure torsion. 2020 , 8, 3643-3650		31
313	High fracture toughness of 3Y-TZP ceramic over a wide sintering range. 2020 , 244, 122693		8
312	Current review on the utilization of nanoparticles for ceramic matrix reinforcement. 2020 , 345-367		4
311	Phase transition and interface evolution of Al2O3/ZrO2 particles in plasma-sprayed coatings. <i>Ceramics International</i> , 2020 , 46, 12275-12281	5.1	4
310	In situ coagulation of yttria-stabilized zirconia ceramic with enhancement of green body via polyvinyl pyrrolidone crosslink. 2020 , 137, 48889		1
309	Adaptation and self-healing effect of tribo-oxidizing in high-speed sliding friction on ZrB2-SiC ceramic composite. 2020 , 446-447, 203204		9
308	Evaluation of fracture toughness of zrO2-3.0 mol%Y2O3 ceramics utilizing wedge splitting loading of double cantilever specimen with a chevron notch. 2020 , 110, 104409		5
307	Nanoporous zirconia microspheres prepared by salt-assisted spray drying. 2020 , 2, 1		1
306	Microstructure and mechanical properties of Al2O3/ZrO2 composites by two-step sintering. 2020 , 17, 1619-1628		
305	Cyclic martensitic transformations and damage evolution in shape memory zirconia: Single crystals vs polycrystals. <i>Journal of the American Ceramic Society</i> , 2020 , 103, 4678-4690	3.8	7
304	Properties of 2 mol% Yttria Stabilized Zirconia-Alumina-Cerium Hexaaluminate Composites. 2020 , 3, 190-198		4
303	Concurrent modeling of martensitic transformation and crack growth in polycrystalline shape memory ceramics. 2021 , 241, 107403		4
302	Bioceramic composites for orthopaedic applications: A comprehensive review of mechanical, biological, and microstructural properties. <i>Ceramics International</i> , 2021 , 47, 3013-3030	5.1	29
301	Low Temperature Degradation and Mechanical Properties of Alumina Reinforced Ceria-Zirconia by Colloidal Processing. <i>Journal of the European Ceramic Society</i> , 2021 , 41, 1459-1470	6	2
300	Evaluation of translucency, Marten's hardness, biaxial flexural strength and fracture toughness of 3Y-TZP, 4Y-TZP and 5Y-TZP materials. <i>Dental Materials</i> , 2021 , 37, 212-222	5.7	12
299	Effect of dip-coating process on mechanical behavior of 3Y-TZP using different aging-free coatings. <i>Ceramics International</i> , 2021 , 47, 6896-6904	5.1	0

298	Fabrication and characterization of tetragonal yttria-stabilized zirconia single-crystalline thin film. <i>Journal of the American Ceramic Society</i> , 2021 , 104, 1198-1203	3.8	0
297	Preparation of epitaxial yttria-stabilized zirconia with non-equilibrium t' phase and ferroelastic domain by pulsed laser deposition. 2021 , 537, 147790		1
296	3Y-TZP Toughened and Oxidation-resistant U3Si2 Composites for Accident Tolerant Fuels. 2021 , 544, 152691		3
295	Zirconium oxide and the crystallinity hallows. 2021 , 57, 225-236		1
294	Role of grain constraint on the martensitic transformation in ceria-doped zirconia. <i>Journal of the American Ceramic Society</i> , 2021 , 104, 1156-1168	3.8	3
293	Biaxial flexural strength, crystalline structure, and grain size of new commercially available zirconia-based ceramics for dental appliances produced using a new slip-casting method. 2021 , 114, 104180		2
292	Application of Kubelka-Munk model on the optical characterization of translucent dental zirconia. 2021 , 258, 123994		5
291	Thermal, mechanical and morphological properties of polyurethane-zirconia loading. 2021 , 16, 454-462		0
290	The number of specimens in a furnace affects the biaxial flexural strength of veneered zirconia specimens after sintering. 2021 , 35, 663-672		
289	Influence of Sintering on the Development of Alumina-Toughened Nanocomposites: Conventional Versus Microwave. 2021 , 163-179		
288	Mechanical Properties of Dental Ceramics. 2021 , 784-797		
287	Influence of zirconia surface treatments of a bilayer restorative assembly on the fatigue performance. 2021 , 65, 162-170		0
286	Direct Electric-Field Induced Phase Transformation in Paraelectric Zirconia via Electrical Susceptibility Mismatch. 2021 , 126, 015701		3
285	Nanomaterials Through Powder Metallurgy: Production, Processing, and Potential Applications Toward Energy and Environment. 2021 , 859-897		1
284	Assessment of Mechanical Properties of Bioceramics. 2021 , 772-783		
283	Ceramics for joint replacement. 2021 , 123-143		0
282	Subcritical Crack Growth: Basic Relations and Experimental Evaluation. 2021 , 797-810		1
281	New Trends in Ceramics for Dentistry. 2021 , 501-510		

280 R-Curve Behavior of Ceramics. **2021**, 775-796

279 Overview of conventional and unconventional sintering methods. **2021**, 15-35

278 Defects in flash-sintered ceramics and their effects on mechanical properties. **2021**, 46, 44-51 9

277 Biomechanical evaluation of anterior implants associated with titanium and zirconia abutments and monotype zirconia implants. **2021**, 65, 73-77 4

276 Investigation of the dynamic behaviour ceramic matrix composites obtained by additive technologies. **2021**, 8, 026503

275 Structure-property relations for a phase-pure, nanograined tetragonal zirconia ceramic stabilized with minimum CaO doping. *Journal of the American Ceramic Society*, **2021**, 104, 3497-3507 3.8 5

274 Improving surface features of PEO coatings on titanium and titanium alloys with zirconia particles: A review. **2021**, 22, 100888 13

273 Atomic Layer Deposition of ZrO on Titanium Inhibits Bacterial Adhesion and Enhances Osteoblast Viability. **2021**, 16, 1509-1523 2

272 Selective formation of cubic or tetragonal zirconia thin films of transparent, with no use of metal ion stabilizer by heating molecular precursor films under mild conditions. **2021**, 14, 2151012 0

271 Strength Properties of Zirconium Ceramics with Silica Additives Hardened with Alumina. **2021**, 63, 295-299

270 Study on the Penetration Performance of a 5.8 mm Ceramic Composite Projectile. *Materials*, **2021**, 14, 3.5 0

269 Assessing the atomic structure of the defect complex in a solid electrolyte by photoluminescence measurements. **2021**, 60, 032004 1

268 Structure, Phase Composition, and Mechanical Properties of Composites Based on ZrO₂ and Multi-Walled Carbon Nanotubes. **2021**, 12, 482-490 1

267 Tuning the mechanical toughness of the metal nanoparticle-implanted glass: The effect of nanoparticle growth conditions. *Journal of the American Ceramic Society*, **2021**, 104, 5341-5353 3.8 2

266 Influence of nanoparticle additions on structure and fretting corrosion behavior of micro-arc oxidation coatings on zirconium alloy. **2021**, 410, 126949 4

265 Mechanical characteristics, structure, and phase stability of tetragonal crystals of ZrO₂-2O₃ solid solutions doped with cerium and neodymium oxides. **2021**, 150, 109808 4

264 Effects of ZrC content on the microstructure and mechanical property of ZrC/ZTA composites consolidated by hot pressing. **2021**, 860, 158402 2

263 Flexural strength and translucency characterization of aesthetic monolithic zirconia and relevance to clinical indications: A systematic review. *Dental Materials*, **2021**, 37, 711-730 5.7 12

262	Laser surface texturing of zirconia-based ceramics for dental applications: A review. 2021 , 123, 112034		20
261	Oral Tissue Interactions and Cellular Response to Zirconia Implant-Prosthetic Components: A Critical Review. <i>Materials</i> , 2021 , 14,	3-5	4
260	Thermal expansion and phase transformation in the rare earth di-titanate (RTiO) system. 2021 , 77, 397-407		0
259	A Systematic Review on Current Status of Zirconia Bonding with Novel Silane Couplant for Dental Restorations. 1		
258	Grain-size effect on cracking accumulation in yttria-doped zirconia ceramics during cyclic martensitic transformations. 2021 , 209, 116789		2
257	Influence of the application of a pre-sintered surface augmentation on zirconia and lithium disilicate bonding using an adhesive composite resin cement. <i>Dental Materials</i> , 2021 , 37, e382-e390	5-7	
256	A novel approach to improving the electromechanical properties of PZT-based piezoelectric ceramics via a grain coating modification strategy. <i>Ceramics International</i> , 2021 , 47, 16294-16302	5-1	5
255	Peptidic biofunctionalization of laser patterned dental zirconia: A biochemical-topographical approach. 2021 , 125, 112096		4
254	Visualization of transformation toughening of zirconia ceramics during dynamic fracture. 2021 , 118, 231901		
253	Development of mullite fibers and novel zirconia-toughened mullite fibers for high temperature applications. <i>Journal of the European Ceramic Society</i> , 2021 , 41, 3570-3580	6	1
252	Phase microstructure and morphology evolution of MgO-PSZ ceramics during the microwave sintering process. <i>Ceramics International</i> , 2021 , 47, 15849-15858	5-1	4
251	Effect of sintering temperature on phase transformation behavior and hardness of high-pressure high-temperature sintered 10 mol% Mg-PSZ. <i>Ceramics International</i> , 2021 , 47, 15180-15185	5-1	2
250	Liquefaction-induced plasticity from entropy-boosted amorphous ceramics. 2021 , 23, 101011		2
249	Strength Analysis and Stress-Strain Deformation Behavior of 3 mol% Y-TZP and 21 wt.% AlO ₃ -3 mol% Y-TZP. <i>Materials</i> , 2021 , 14,	3-5	0
248	The effects of sintering additives on the ceramic matrix composite of ZrO ₂ : microstructure, densification, and mechanical properties â a review. 1-17		1
247	Precipitation Hardening in Ferroelectric Ceramics. 2021 , 33, e2102421		9
246	Ultrafast olivine-ringwoodite transformation during shock compression. 2021 , 12, 4305		5
245	Strength and hydrothermal stability of NiO-stabilized zirconia solid oxide cells fuel electrode supports. <i>Journal of the European Ceramic Society</i> , 2021 , 41, 4206-4216	6	3

244	On the effect of sintering temperature on the fracture energy of an Alumina-Mullite-Zirconia castable at 600 °C. <i>Journal of the European Ceramic Society</i> , 2021 , 41, 4406-4418	6	5
243	Impact of varying step-stress protocols on the fatigue behavior of 3Y-TZP, 4Y-TZP and 5Y-TZP ceramic. <i>Dental Materials</i> , 2021 , 37, 1073-1082	5-7	3
242	Obtaining ZrO ₂ mol % Y ₂ O ₃ Ceramics with Various Degrees of Tetragonality and Studying Low Temperature Degradation. 2021 , 47, 382-389		1
241	A comprehensive study of dense zirconia components fabricated by additive manufacturing. 2021 , 43, 101994		4
240	Emerging Multimodel Zirconia Nanosystems for High-Performance Biomedical Applications. 2021 , 1, 2100039		8
239	Additive manufacturing of zirconia ceramics by material jetting. <i>Journal of the European Ceramic Society</i> , 2021 , 41, 5292-5306	6	5
238	Effect of Vacuum Annealing on Microstructure and Hot-Salt Corrosion Behavior of CoNiCrAlY/YSZ/LaMgAl ₁₁ O ₁₉ Double-Ceramic Coating. 2021 , 11, 951		1
237	Relationships between fracture toughness, Y ₂ O ₃ fraction and phases content in modern dental Yttria-doped zirconias. <i>Journal of the European Ceramic Society</i> , 2021 ,	6	4
236	Surface modification of Zirconium based alloys for bio application by Micro-arc oxidation process: A Review. 2021 , 1973, 012110		
235	Influence of La ₂ O ₃ addition on microstructure and mechanical properties of alumina-dispersed zirconia. 1		1
234	Increasing dental zirconia micro-retentive aspect through ultra-short pulsed laser microstructuring: study on flexural strength and crystal phase characterization. <i>Clinical Oral Investigations</i> , 2021 , 1	4-2	0
233	Influence of starting powder choice on structure property relations in gadolinia stabilized zirconia 3Gd-TZP manufactured from co-milled starting powders. <i>Journal of the European Ceramic Society</i> , 2021 , 41, 7783-7783	6	0
232	Three-dimensional phase field modeling of fracture in shape memory ceramics. 2021 , 204, 106550		0
231	New Perspectives on Zirconia Composites as Biomaterials. 2021 , 5, 244		3
230	Synthesis of Precursors of Complex Oxide Systems Using Electrogenerated Reagents. 2021 , 47, 489-495		
229	Mechanical properties and phase-transformation behavior of carbon nanotube-reinforced yttria-stabilized zirconia composites. <i>Ceramics International</i> , 2021 ,	5-1	3
228	Optimized sintering and mechanical properties of Y-TZP ceramics for dental restorations by adding lithium disilicate glass ceramics. 1		4
227	The effects of the addition of tetragonal-ZrO ₂ on the mechanical properties of MgAl ₂ O ₄ -ZrO ₂ composites. <i>Ceramics International</i> , 2021 ,	5-1	0

226	The Influence of the ZrO ₂ Solid Solution Amount on the Physicochemical Properties of Al ₂ O ₃ -ZrO ₂ -Y ₂ O ₃ -CeO ₂ Powders. 2021 , 60, 129		5
225	Insight into t→m transition of MW treated 3Y-PSZ ceramics by grazing incidence X-ray diffraction. <i>Journal of the European Ceramic Society</i> , 2021 , 42, 227-227	6	0
224	Influence of MnO ₂ and Ta ₂ O ₅ /YSZ addition on properties of Na ⁺ /M ⁺ -alumina solid electrolytes prepared by a synthesizing-cum-sintering process. <i>Ceramics International</i> , 2021 , 47, 24743-24751	5.1	1
223	Preparation of the rod-shaped SiO ₂ @C abrasive and effects of its microstructure on the polishing of zirconia ceramics. 2021 ,		0
222	Electrode kinetics of porous Ni-3YSZ cermet operated in fuel cell and electrolysis modes for solid oxide cell application. 2021 , 389, 138765		3
221	Investigation of the properties of Ti-TiN-(Ti,Al,Nb,Zr)N composite coating and its efficiency in increasing wear resistance of metal cutting tools. 2021 , 421, 127432		1
220	Effect of sintering condition and low-temperature degradation on the flexural strength and phase transformation of zirconia. 2021 , 126, 692.e1-692.e14		
219	Green Ceramic Machining: Determination of the Recommended Feed Rate for Y-TZP Milling. 2021 , 5, 231		1
218	Improving the mechanical impact and bending resistances of enamel via B ₂ O ₃ addition. <i>Ceramics International</i> , 2021 , 47, 27195-27200	5.1	0
217	Subsurface multilayer evolution of ZrB ₂ -SiC ceramics in high-speed sliding and adhesion transfer conditions. 2021 , 482-483, 203956		1
216	Microstructural and mechanical properties of Al ₂ O ₃ and ZTA foams prepared by thermo-foaming technique. <i>Ceramics International</i> , 2021 , 47, 29881-29887	5.1	1
215	Mechanical performance of a hybrid zirconia developed through hydrothermal treatment and Room-Temperature Atomic Layer Deposition (RT-ALD). 2021 , 123, 104783		1
214	Revisit of the structure of θ precipitate in Al-Cu-Mg-Ag alloys. 2021 , 205, 114204		3
213	Ferroelastic deformation mechanism and mechanical properties of [001]-oriented YSZ film by indentation. 2022 , 889, 161557		1
212	Microstructural evolution and mechanical properties of WC-6CO cemented carbide prepared SPS: incorporation of YSZ as a reinforcer.. 2021 , 11, 6304-6311		1
211	Mechanical and Friction Properties of Al ₂ O ₃ -ZrO ₂ -TiC Composite with Varying TiC Contents Fabricated by Spark Plasma Sintering. 2021 , 52, 767-775		3
210	Production and Characterization of Ceramic Bushings from Alumina-Toughened Yttrium-Stabilized Tetragonal Zirconia Composites for Projection Welding Applications. 2021 , 46, 2579-2588		1
209	Thermal Shock and Thermal Fatigue Behavior of Ceramics: Microstructural Effects. 2021 , 879-890		1

208	Zirconia Ceramics: Clinical and Biological Aspects in Dentistry. 2021 , 817-832		0
207	Comparison of Microwave and Conventionally Sintered Yttria Doped Zirconia Ceramics and Hydroxyapatite-Zirconia Nanocomposites. 17-26		1
206	Production of Multilayer Ceramic Laminates with Improved Mechanical Properties. 89-102		1
205	Scanning Electron Microscopy and Complementary In Situ Characterization Techniques for Characterization of Deformation and Damage Processes. 2020 , 485-527		1
204	Bioinert Ceramics: Zirconia and Alumina. 2015 , 1-25		1
203	Ceramic Composite Armour for Ballistic Protection. 2019 , 1-46		3
202	Oxygen âYttrium âZirconium. 2010 , 598-624		1
201	Long-Term Stability of Ceramic Composite in Total Hip Arthroplasty. 2012 , 145-153		1
200	Ceramics: Transformation Toughening. 2001 , 1113-1116		1
199	HIGH-PRESSURE SURFACE SCIENCE. 2001 , 195-237		5
198	Stability properties and structural characteristics of CaO-partially stabilized zirconia ceramics synthesized from fused ZrO ₂ by microwave sintering. <i>Ceramics International</i> , 2020 , 46, 16842-16848	5.1	10
197	Practical and theoretical considerations on the fracture toughness testing of dental restorative materials. <i>Dental Materials</i> , 2018 , 34, 97-119	5.7	47
196	Graphene added multilayer ceramic sandwich (GMCS) composites: Structure, preparation and properties. <i>Journal of the European Ceramic Society</i> , 2020 , 40, 4792-4798	6	4
195	Silicon nitride laser cladding: A feasible technique to improve the biological response of zirconia. 2020 , 191, 108649		10
194	Catalyst enhancing aluminum titanate for increasing strength of nickel-zirconia cermets. 2017 , 209, 307-310		5
193	RETRACTED: Bioactivity, antibacterial activity and functionality of zirconia doped zinc phosphate bioglasses for application in dentistry. 2020 , 114, 111052		3
192	Effect of different grinding protocols on surface characteristics and fatigue behavior of yttria-stabilized zirconia polycrystalline: An in vitro study. 2020 , 124, 486.e1-486.e8		2
191	Effect of Carbon Nanotubes and Graphene Nanoplatelets on the Mechanical Properties of Zirconia-Based Composites. 2020 ,		2

- 190 EXPERIMENTAL SILANE PRIMER AND GRIT-BLASTING DISTANCE IN ORTHODONTIC BONDING OF ZIRCONIA SURFACES. **2020**, 469-477 1
- 189 Effect of Grinding and Multi-Stimuli Aging on the Fatigue Strength of a Y-TZP Ceramic. **2018**, 29, 60-67 8
- 188 Influence of alumina air-abrasion for highly translucent partially stabilized zirconia on flexural strength, surface properties, and bond strength of resin cement. **2020**, 28, e20190371 13
- 187 Dureza e resist ncia ao desgaste da camada de ZrN formada por nitreta o a plasma sobre zirc nia parcialmente estabilizada com  ria. **2010**, 56, 300-304 2
- 186 Optical properties of translucent zirconia: A review of the literature. **2019**, 3, 45-51 13
- 185 An experimental study on hydrothermal degradation of cubic-containing translucent zirconia. **2020**, 12, 265-272 4
- 184 Assessing Flexural Strength Degradation of New Cubic Containing Zirconia Materials. **2020**, 21, 114-118 2
- 183 Effects of microstructural change of zirconia surface on tensile bond strength with resin cement. **2021**, 48, 211-220
- 182 New Concepts in the Design of Tough Ceramics. **2004**, 5-17
- 181 Transformation Toughening. **2007**, 20-1-20-20
- 180 Cerium  Oxygen   Zirconium. **2010**, 87-110
- 179 Photoluminescence and Fabrication of Zirconia Nanofibers from Electrospinning an Alkoxide Sol Templated on a Polyvinyl Butyral. **2010**, 47, 343-352 3
- 178 R-Curve and Stress-Strain Behavior of Hard and Soft PZT Ceramics. 115-120
- 177 Local T/M-Phase Amount Determination in the Vicinity of Indentations and Scratches in Zirconia. 59-71
- 176 Fabrication of ZrO₂-SiC Composites from Natural Zircon Ore by Carbothermal Reduction. 175-181
- 175 Long-Term Stability of Ceramic Composite in Total Hip Arthroplasty. **2013**, 17-25
- 174 Homogeneous ZrO₂-Al₂O₃ Composite Prepared by Nano-ZrO₂ Particle Multilayer-Coated Al₂O₃ Particles. 463-466
- 173 Influence of Sintering Temperature on Microstructure and Properties of Magnesia Partially Stabilized Zirconia Ceramics. **2015**, 345-351

- 172 Influence of Al₂O₃ addition on microstructure and mechanical properties of 3YSZ-Al₂O₃ composites. **2015**, 57, 499-505 1
- 171 Ceramics: Transformation Toughening. **2016**, 818-822
- 170 Validation of a High Performance Alumina Matrix Composite for Use in Total Joint Replacement. **2016**, 167-172
- 169 Alumina Composite: The Present Generation of Load Bearing Ceramics in Orthopedics. **2016**, 159-166
- 168 Comparative Study on Conventional Sintering with Microwave Sintering and Vacuum Sintering of Y₂O₃-ZrO₂-Al₂O₃-ZrO₂ Ceramics. **2016**, 04, 71-78
- 167 Polycrystalline Zirconia For Joint Replacement. **2016**, 157-306
- 166 Shear Bond Strength of Veneering Ceramics to Different Core Materials. **2016**, 43, 121-130
- 165 La céramique d'alumine composite ZTA en chirurgie orthopédique à [BIOLOX] delta. **2017**, 121-129
- 164 THE INFLUENCE OF SANDBLASTING AND AGING ON Y-TZP CERAMIC DURING STATIC AND DYNAMIC LOADING. **2017**, 81-90 0
- 163 The Properties of Nanocrystalline Powder of 90% Al₂O₃-10% ZrO₂ (wt.%) Obtained via the Hydrothermal Synthesis/Mechanical Mixing. **2017**, 15, 309-317 4
- 162 Synthesis and Characterization of ZrO₂ Ceramic Ink for Dispenser Printing. **2018**, 28, 95-100
- 161 Analysis of Attrition Rate of Y₂O₃ Stabilized Zirconia Beads with Different Microstructure and Mechanical Properties. **2018**, 28, 349-354
- 160 Erosion and Toughening Mechanisms of Electroless Ni-P-Nano-NiTi Composite Coatings on API X100 Steel under Single Particle Impact. **2019**, 09, 88-106 1
- 159 Restorative Materials: Ceramics. **2019**, 209-227
- 158 Microstructure Design for Oxide/Non-oxide Ceramics for Structural Applications. **2019**, 135-144
- 157 Analysis of Attrition Rate of 50 μm Size Y₂O₃ Stabilized Zirconia Beads with Different Microstructure and Test Conditions. **2019**, 29, 233-240
- 156 Assessment Of Hardness And Local Damage Of Ceramics And Glass By The Method Of Scraping Up To Chipping Out. **2019**, 2019, 55-60
- 155  **2019**, 14, 39-45

154 Multi-scale Modeling of Partially Stabilized Zirconia with Applications to TRIP-Matrix Composites. **2020**, 679-721

153 Nanomaterials through Powder Metallurgy: Production, Processing, and Potential Applications toward Energy and Environment. **2020**, 1-40 1

152 The effect of short and long duration sintering method on microstructure and flexural strength of zirconia. **2020**, 42, 73-79

151 Effect of micron aluminium powder on mechanical properties and microstructural in zirconia toughened alumina ceramics. **2020**, 15, 684-687

150 Tribological behavior of ZrB₂-SiC ceramics during dry sliding on steel. **2020**,

149 Structural and Optical Properties of (PMMA/ZrO/Ag) New Nanocomposites for Optoelectronics and UV Detectors Applications. **2020**, 18, 0

148 Effect of Heat Treatment on the Thermal Conductivity of Single Crystals of ZrO₂-Based Solid Solutions Stabilized with Scandium and Yttrium Oxides. **2020**, 62, 2357-2364 0

147 Nanoindentation of ZrB₂-SiC worn surface after high-speed sliding. **2020**,

146 Novel In-situ Coagulation Casting of Ceramic Suspensions. **2020**, 405-548

145 The effect of different aging protocols on the flexural strength and phase transformations of two monolithic zirconia ceramics. **2020**, 18, 2280800020982677

144 Self-adaptation mechanisms in the subsurface of different CMCs and MMCs in high-speed sliding. **2020**,

143 Modelling the mechanical behavior of ZTA composites under dynamic loading. **2020**,

142 Influence of testing environment on static fatigue behavior of a glass and a polycrystalline ceramic. **2021**, 32, 56-64

141 Edge-to-edge matching of lattice planes and coupling of crystallography and migration mechanisms of planar interfaces. **2006**, 37, 841-849

140 Edge-to-edge matching of lattice planes and coupling of crystallography and migration mechanisms of planar interfaces. **2006**, 37, 841-849

139 Preparation of Cerium Stabilized Zirconia Bulk Ceramics by Spark Plasma Sintering. 405, 396-401

138 Production of light hydrocarbons at atmospheric pressure from CO₂ hydrogenation using CexZr(1-x)O₂ iron-based catalysts. **2022**, 55, 101805 4

137 Mechanical properties of unidirectional laminated hybrid SiC/Nextel®720 fiber-reinforced oxide matrix composites fabricated by a novel precursor infiltration and pyrolysis method. **2022**, 832, 142375 0

136	Swift heavy ion induced phase transformations in partially stabilized ZrO ₂ . 2022 , 192, 109917		1
135	Effect of treated zirconium dioxide nanoparticles on the flexural properties of autopolymerized resin for interim fixed restorations: An in vitro study. 2021 ,		1
134	Mechanical and thermal properties of ZrC/ZTA composites prepared by spark plasma sintering. <i>Ceramics International</i> , 2021 , 48, 6453-6453	5.1	1
133	Fabrication and reaction mechanism of MgO-stabilized ZrO ₂ powders by combustion synthesis. <i>Ceramics International</i> , 2021 , 48, 7261-7261	5.1	3
132	Effect of cementation techniques on fracture load of monolithic zirconia crowns. 2021 , 8, 160-169		0
131	Effect of zirconium on precursor chemistry, phase stability, and oxidation of polyvinylsilazane-derived SiCN ceramics. 2022 , 57, 939		1
130	Flexural strength of 3Y-TZP bioceramics obtained by direct write assembly as function of residual connected-porosity.. 2021 , 126, 105035		1
129	Fundamental formulation for anti-plane eigenstrain problems. 2022 , 165, 104188		0
128	Doping of tantalum, niobium, and hafnium in a translucent ZrO ₂ -SiO ₂ nanocrystalline glass-ceramic. <i>Journal of the European Ceramic Society</i> , 2022 , 42, 1731-1742	6	0
127	Selective Coimmobilization of His-Tagged Enzymes on Yttrium-Stabilized Zirconia-Based Membranes for Continuous Asymmetric Bioreductions.. 2022 ,		1
126	Microstructural evolution and mechanical properties of nano-ATZ ceramics by solid solution precipitation. 2022 , 16, 1293-1304		2
125	The resin bond to high-translucent zirconia-A systematic review.. 2022 ,		1
124	ZrO ₂ Matrix Toughened Ceramic Material-Strength and Toughness. 2101278		1
123	Effects of pressure on the phase transformations and mechanical properties of 10 mol% Mg-PSZ sintered by HPHT. 2022 , 24, 886-892		
122	[Ca ₂₄ Al ₂₈ O ₆₄] ₄₊ 4e ⁻ electride ceramic realizes mechanical and electrical transport properties coordinated regulation via composite ZrO ₂ . 2022 , 33, 6380		0
121	Dilatometric inspection of phase changes in Mg-PSZ. 2022 , 709, 179147		1
120	Nacre-like alumina composites reinforced by zirconia particles. <i>Journal of the European Ceramic Society</i> , 2022 , 42, 2319-2330	6	0
119	Development of Zirconia Toughend Nanocomposites Using the Technique of Spark Plasma Sintering: Role of Reinforcement. 2022 , 175-191		1

118	ZnO ₂ .7Al ₂ O ₃ Nanocomposite with high optical transparency. <i>Journal of the American Ceramic Society</i> ,	3.8	
117	Structural and electrochemical corrosion studies of spin coated ZrO thin films over stainless steel alloy for bone defect applications.. 2022 , 20, 22808000211066784		
116	Composition, processing, and properties of biphasic zirconia bioceramics: Relationship to competing strength and optical properties. <i>Ceramics International</i> , 2022 ,	5.1	2
115	Microstructure and Piezoelectric Properties of Lead Zirconate Titanate Nanocomposites Reinforced with In-Situ Formed ZrO Nanoparticles.. <i>Materials</i> , 2022 , 15,	3.5	
114	Electron Beam Sintering of Composite Al ₂ O ₃ -ZrO ₂ Ceramics in the Forevacuum Pressure Range. 2022 , 12, 278		
113	Tribological wear properties of Yttrium Stabilized Tetragonal Zirconia Coatings on Ti6Al7Nb using Air Plasma Spraying. 2022 ,		0
112	The color stability and antibacterial of provisional polyethyl methacrylate (PEMA) resin with zirconia nanoparticles. 2022 , 38, 18-25		
111	Evaluation of Mechanical and Electrical Performance of Aging Resistance ZTA Composites Reinforced with Graphene Oxide Consolidated by SPS.. <i>Materials</i> , 2022 , 15,	3.5	2
110	Microstructural development for optimum fracture toughness of Al ₂ O ₃ -3YSZ composites. 1-15		1
109	Blackening Mechanism and Mechanical Properties Variation of Zirconia Ceramic Induced by Active Metal Brazing. 2200105		0
108	Ceramic Toughening Strategies for Biomedical Applications.. 2022 , 10, 840372		1
107	Changes in the Properties of Ultrafine Al ₂ O ₃ ârO ₂ âO ₃ âeO ₂ Powders After Heat Treatment in the Range 400â450°C.		0
106	Experimental analysis and numerical simulations of the mechanical properties of a (Ce,Y)-TZP/AlO/H6A ceramic composite containing coupled toughening mechanisms.. 2022 , 129, 105171		
105	3D printing of fibre-reinforced ceramic composites with hierarchical structure. 1-6		0
104	Influence of nanopowder sintering technology on crack resistance of tetragonal zirconium dioxide. 2021 , 11, 409-415		
103	Autonomous materials synthesis via hierarchical active learning of nonequilibrium phase diagrams.. 2021 , 7, eabg4930		3
102	High-Density Nanowells Formation in Ultrafast Laser-Irradiated Thin Film Metallic Glass.. 2022 , 14, 103		0
101	Initial sintering mechanism and additive effect in zirconia ceramics. <i>Journal of the American Ceramic Society</i> ,	3.8	0

100	Fatigue strength of 5Y-FSZ: glazing and polishing effects.. <i>Clinical Oral Investigations</i> , 2022 , 1	4.2	
99	Mechanical properties-translucency-microstructure relationships in commercial monolayer and multilayer monolithic zirconia ceramics.. <i>Dental Materials</i> , 2022 ,	5.7	2
98	Conventional versus additive manufacturing in the structural performance of dense alumina-zirconia ceramics: 20 years of research, challenges and future perspectives. 2022 , 77, 838-879		2
97	Structural, physical and mechanical properties of zirconia-polymorph/alumina composites. 2022 , 285, 126102		1
96	1Yb-2Sm-TZP, a new co-stabilized zirconia material with high toughness and low temperature degradation resistance. <i>Journal of the European Ceramic Society</i> , 2022 ,	6	0
95	CaO-doped tetragonal ZrO ₂ nanoparticles as an effective adsorbent for the removal of organic dye waste. 2022 , 153651		0
94	Cytotoxicity and Bonding Property of Bioinspired Nacre-like Ceramic-Polymer Composites. 2022 , 10,		1
93	Effect of Cooling Rate on Mechanical Properties, Translucency, Opalescence, and Light Transmission Properties of Monolithic 4Y-TZP during Glazing. <i>Materials</i> , 2022 , 15, 4357	3.5	0
92	Full Digital Workflow in the Esthetic Dental Restoration. 2022 , 2022, 1-6		0
91	Martensitic Transformation Temperatures of Ceramics.		
90	Highly flexible solid oxide fuel cells using phase-controlled electrolyte support. <i>Journal of the European Ceramic Society</i> , 2022 ,	6	1
89	Phase transformation and incompatibility at grain boundaries in zirconia-based shape memory ceramics: a micromechanics-based simulation study. 2022 , 57, 11132-11150		0
88	Chemistry and Microstructure. 2022 , 3-37		
87	Thermal conductivity of single crystals zirconia stabilized by scandium, yttrium, gadolinium, and ytterbium oxides. <i>Modern Electronic Materials</i> , 2022 , 8, 1-6	0.3	
86	One-step synthesis of t-ZrO ₂ from Zircon using magnesium-calcium minerals as stabilizers. <i>Ceramics International</i> , 2022 ,	5.1	
85	Preparation and properties of cordierite glass-ceramic as veneer porcelain for silicon nitride dental ceramics. <i>Journal of the European Ceramic Society</i> , 2022 ,	6	
84	Accuracy of additively manufactured zirconia four-unit fixed dental prostheses fabricated by stereolithography, digital light processing and material jetting compared with subtractive manufacturing. <i>Dental Materials</i> , 2022 ,	5.7	3
83	Self-Lubricating Effect of WC/Y ₂ O ₃ /ZrO ₂ /Al ₂ O ₃ Hybrid Ceramic Matrix Composites with Dispersed Hadfield Steel Particles during High-Speed Sliding against an HSS Disk. <i>Lubricants</i> , 2022 , 10, 140	3.1	2

82	Impact of the material and sintering protocol, layer thickness, and thermomechanical aging on the two-body wear and fracture load of 4Y-TZP crowns. <i>Clinical Oral Investigations</i> ,	4.2	0
81	Cohesive properties of refractory castable at 600 °C: Effect of sintering and testing temperature. <i>Journal of the European Ceramic Society</i> , 2022 ,	6	0
80	The Effect of Yttria Content on Microstructure, Strength, and Fracture Behavior of Yttria-Stabilized Zirconia. <i>Materials</i> , 2022 , 15, 5212	3.5	2
79	The multiple dependence of controllable microstructure and mechanical properties of (AlO _{1.5}) (NdO _{1.5}) (CeO ₂) _{0.12-1.5} (ZrO ₂) _{0.88+} ceramics. 2022 ,		0
78	Transformation toughening in zirconium tantalum ceramics. 2022 , 65, 1772-1779		0
77	Bioinspired Laminated Bioceramics with High Toughness for Bone Tissue Engineering.		
76	Capacitive, resistive and sensitivity studies of conventional- and plasma-sintered magnesia-stabilized ZrO ₂ @mullite composite. 2022 , 137,		
75	Revealing a correlation between microstructure, stoichiometry, coherency strains and mechanical behavior of bulk polycrystalline oxide-based age hardened/toughened ceramic alloys. 2022 , 143810		
74	Advanced zirconia ceramics stabilized with yttria and magnesia: Structure and Vickers microhardness. 2022 , 134, 105425		
73	Peculiarities of the Phase Formation during Electroconsolidation of Al ₂ O ₃ âSiO ₂ âZrO ₂ Powders Mixtures. 2022 , 15, 6073		3
72	Microstructure and mechanical properties of zirconia toughened nacre-like alumina ceramics. 2022 , 855, 143908		0
71	High temperature ionic and electronic conductivity in MgPSZ. 2022 , 385, 116009		0
70	ZrO ₂ optical coatings with high toughness deposited by magnetron sputtering. 2022 ,		0
69	Microstructure and Mechanical Properties of Zirconia Toughened Nacre-Like Alumina Ceramics.		0
68	Pressureless sintering of yttria-gadolinia co-stabilized zirconia. 2022 ,		0
67	Effect of in-situ formed whiskers diameter from tourmaline on microstructure and mechanical properties of 3Y-TZP ceramics. 2022 ,		0
66	3D Printing of Bioinert Oxide Ceramics for Medical Applications. 2022 , 13, 155		1
65	Significantly toughened PZT-based piezoelectric ceramics simultaneously keeping excellent electrical properties via incorporating trace amount of yttria-partially-stabilized zirconia. 2022 ,		0

- 64 Influence of Porosity on R-Curve Behaviour of Tetragonal Stabilized Zirconia. **2022**, 5, 533-549 ○
- 63 Effect of surface treatments on biaxial flexural strength, fatigue resistance, and fracture toughness of high versus low translucency zirconia. **2022**, 22, ○
- 62 Toughness mechanism and plastic insensitivity of submicron second phase Ta in a novel Ta₂Hf₆Ta₂O₁₇ composite ceramic. **2022**, ○
- 61 Phase Formation and Stabilization Behavior of Ca-PSZ by Post-Heat Treatment. **2022**, 12, 1479 ○
- 60 Terahertz-induced martensitic transformation in partially stabilized zirconia. ○
- 59 A review on optical properties and application of transparent ceramics. **2022**, 21, 712-738 ○
- 58 Thermal conductivity of single crystals zirconia stabilized by scandium, yttrium, gadolinium, and ytterbium oxides. **2022**, 25, 115-124 ○
- 57 Influence of the Grain Size of ZrO₂(Y₂O₃) Ceramics on the Hardness, Fracture Toughness and Formation of a Transformation-Deformation Relief in the Indentation Zone. **2022**, 65, 635-642 ○
- 56 Zirconia for Dental Implants. **2022**, 479-485 ○
- 55 Micromechanical properties and microstructure evolution of magnesia partially stabilized zirconia prepared by spark plasma sintering. **2022**, ○
- 54 Effects of air annealing treatments on the microstructure, components, and mechanical properties of magnetron sputtered Al₂O₃â€¦Cr₂O₃â€¦ZrO₂ composite coatings. **2022**, 1
- 53 Advanced ceramics and coatings for erosion-related applications in mineral and oil and gas production: A technical review. ○
- 52 Tuning of phase content, microstructure and thermal expansion of MgPSZ. **2022**, ○
- 51 A review on sintering and mechanical processing of 3Y-ZTP zirconia ceramics. **2022**, ○
- 50 Thermal conductivity of Y₂O₃-stabilized ZrO₂ cubic single crystals: effects of defect structure. ○
- 49 Effect of Hydrothermal Degradation on Flexural Fatigue Strength of Various Cubic-Containing Translucent Zirconia. ○
- 48 Plastic deformation in silicon nitride ceramics via bond switching at coherent interfaces. **2022**, 378, 371-376 4
- 47 Preparation and mechanical properties of the 2.5D ASf/ZrO₂ composites after high-temperature heat treatment. **2022**, ○

46	A Review of Biomaterials and Associated Performance Metrics Analysis in Pre-Clinical Finite Element Model and in Implementation Stages for Total Hip Implant System. 2022 , 14, 4308	2
45	Effects of argon plasma and aging on the mechanical properties and phase transformation of 3Y-TZP zirconia. 2022 , 33, 100-107	0
44	A phase-field model for interactive evolution of phase transformation and cracking in superelastic shape memory ceramics. 2023 , 216, 111844	1
43	Development of sea urchin type silica stabilised zirconia nanospheres with enhanced antimicrobial and osteoactivity properties. 2022 , 20, 228080002211363	0
42	ZrO ₂ -based Nanopowders for Fuel Cells and Catalysis. 2022 ,	0
41	Ceria-stabilized zirconia-based composites printed by stereolithography: Impact of the processing method on the ductile behaviour and its transformation features. 2022 ,	0
40	Ceramic composites toughened by vat photopolymerization 3D printing technology. 2023 , 146, 42-48	1
39	Effect of Elevated Temperature on the Properties of Self-Compacting Mortar Containing Nanomaterials and Zircon Sand. 2022 , 2022, 1-18	0
38	Effects of Particle Abrasion Media and Pressure on Flexural Strength and Bond Strength of Zirconia. 2022 ,	0
37	Tough and damage-tolerant monolithic zirconia ceramics with transformation-induced plasticity by grain-boundary segregation. 2022 ,	0
36	Zirconium dioxide stabilized with yttrium oxide and cerium oxide (8Ce2YSZ) for solid oxide fuel cell anode and electrolyzers application. 2022 , 2022, 111-126	0
35	Effect of different surface treatments on the biaxial flexural strength of zirconia ceramics. 2022 ,	0
34	Introduction to Ceramic Materials. 2023 , 1-46	0
33	Thermal Stability of Semiconductor Nanocrystal Solids: Understanding Nanocrystal Sintering and Grain Growth. 2022 , 126, 21136-21148	0
32	Antibacterial Effect of Zirconia Nanoparticles on Polyethyl Methacrylate Resin for Provisional Crowns. Volume 17, 6551-6560	0
31	Effect of rare-earths (La, Nd, Pr) on zirconate ceramics for thermal barrier coatings. 2022 , 12, 379-384	0
30	Monoclinic phase-free, low temperature spark plasma sintering of CeO ₂ -doped ZrO ₂ ceramics and its associated benefits on mechanical properties. 2022 ,	0
29	Improving low temperature degradation of 3Y-TZP ceramics via high temperature carburizing. 2022 ,	0

- 28 Influences of nano-3Y-TZP reinforcement on phase transformation and crystallite size modification of zirconia-toughened alumina and Rietveld refinement of crystallographic data. ○
- 27 The effect of groove and notch tip angles on testing fracture toughness by SEVNB method: models and experimental validation. 1-14 ○
- 26 Ultrashort pulsed laser ablation of zirconia toughened alumina: Material removal mechanism and surface characteristics. **2023**, 615, 156407 ○
- 25 The Effect of Processing Parameters on the Mechanical Properties of Calcia-Stabilized Zirconia (CSZ) for Dental Use. **2023**, 13, 75 ○
- 24 Stressed oxidation of metallic glasses. **2023**, 149-178 ○
- 23 The effects of multiphase composition on structure and mechanical properties of ZrO₂/SiO₂ ceramic fibers by sol-gel process. **2023**, ○
- 22 Novel Prosthetic Solutions for High-Quality Aesthetics. ○
- 21 The effect of microscopic phenomena on the performance of iron-based oxygen carriers of chemical looping hydrogen production. **2023**, 327, 122434 ○
- 20 Fatigue performance analysis of strength-graded zirconia polycrystals for monolithic three-unit implant-supported prostheses. **2023**, 140, 105736 ○
- 19 Fabrication and characterization of alumina and zirconia-toughened alumina porous structures. **2023**, ○
- 18 Low-yttria doped zirconia: Bridging the gap between strong and tough ceramics. **2023**, ○
- 17 The effect of high strain rate impact in Yttria stabilized zirconia. **2023**, 229, 111908 ○
- 16 Fabrication and characterization of macroporous alumina -nano tetragonal zirconia -nano spinel ceramic composites. **2023**, 301, 127617 1
- 15 Effect of MWCNTs on micromechanical and high-temperature tribological behavior of ZTA-MgO ceramic composites. **2023**, 35, 105869 ○
- 14 Effect of cyclic loading on the microstructure of thin zirconia tapes. **2023**, 43, 4498-4505 ○
- 13 The effect of surface treatments on the adhesive bond in all-ceramic dental crowns using four-point bending and dynamic loading tests. **2023**, 139, 105686 1
- 12 Enhancing the toughness of nano-composite coating for light alloys by the plastic phase transformation of zirconia. **2023**, 163, 103555 ○
- 11 Long-Term Stability of Hydrothermally Aged and/or Dynamically Loaded One-Piece Diameter Reduced Zirconia Oral Implants. **2023**, 14, 123 ○

- 10 A Strength Behavior Approach for 3Y-TZP Ceramics Dental Implants Based on Finite Element Simulations. 26,
- 9 Shape memory ceramics. **2023**, 13-24
- 8 The use of the monolithic ceramic and direct monolithic composite in the aesthetic rehabilitation of tooth wear. **2023**, 234, 406-412
- 7 Structure and Properties of 3D Printed Zirconia Applied in Dentistry. **2023**, 24, 106-131
- 6 Ca-ATZ/Ca-ATZ+SiO₂ functionally graded ceramic. **2023**, 122, 31-35
- 5 Y-TZP nanostructures with non-homogeneous yttria distribution for improved hydrothermal degradation resistance and mechanical properties. **2023**,
- 4 Evaluation of Mechanical, Tribological, and Thermal Characterization of GZ TBCs for Heavy Duty Diesel Engine Application.
- 3 Formulation for zirconia toughened alumina (ZTA) reinforced metal matrix composites based on a three-phase concentric inclusion model. **2023**, 104660
- 2 Bibliometric analysis of zirconia publications between 1980 and 2021: Global productivity and publication trends. **2023**,
- 1 Service life assessment of yttria stabilized zirconia (YSZ) based thermal barrier coating through wear behaviour. **2023**, 9, e16107