CITATION REPORT List of articles citing

Albuminuria as a predictor of cardiovascular and renal outcomes in people with known atherosclerotic cardiovascular disease

DOI: 10.1111/j.1523-1755.2004.09215.x Kidney International, 2004, , S59-62.

Source: https://exaly.com/paper-pdf/36779431/citation-report.pdf

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
63	Albuminuria, not only a cardiovascular/renal risk marker, but also a target for treatment?. <i>Kidney</i> International, 2004 , S2-6	9.9	59
62	Hypertensive renal vascular disease and cardiovascular endpoints. <i>Current Opinion in Cardiology</i> , 2006 , 21, 305-9	2.1	5
61	Reevaluation by high-performance liquid chromatography: clinical significance of microalbuminuria in individuals at high risk of cardiovascular disease in the Heart Outcomes Prevention Evaluation (HOPE) Study. <i>American Journal of Kidney Diseases</i> , 2006 , 48, 889-96	7.4	21
60	Traditional cardiovascular risk factors as clinical markers after kidney transplantation. <i>Transplantation Reviews</i> , 2006 , 20, 88-94	3.3	8
59	Distribution of lifestyle and emerging risk factors by 10-year risk for coronary heart disease. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2006 , 13, 745-52		11
58	Microalbuminuria and urinary albumin excretion: French clinical practice guidelines. <i>Diabetes and Metabolism</i> , 2007 , 33, 303-9	5.4	17
57	Chronic kidney disease: effects on the cardiovascular system. <i>Circulation</i> , 2007 , 116, 85-97	16.7	1084
56	Urinary albumin excretion and the risk of graft loss and death in proteinuric and non-proteinuric renal transplant recipients. <i>American Journal of Transplantation</i> , 2007 , 7, 618-25	8.7	84
55	Antihypertensive therapy in the presence of proteinuria. <i>American Journal of Kidney Diseases</i> , 2007 , 49, 12-26	7.4	475
54	[Chronic kidney disease and the cardiovascular system]. Der Internist, 2008, 49, 413-4, 416-8, 420-1	O	4
53	Prevalence and determinants of microalbuminuria among diabetic patients in the United Arab Emirates. <i>BMC Nephrology</i> , 2008 , 9, 1	2.7	23
52	Cardiovascular events and all-cause mortality by albuminuria and decreased glomerular filtration rate in patients with vascular disease. <i>Journal of Internal Medicine</i> , 2008 , 264, 351-60	10.8	26
51	Predictive value of nephelometric and high-performance liquid chromatography assays of urine albumin for mortality in a high-risk Aboriginal population. <i>American Journal of Kidney Diseases</i> , 2008 , 52, 672-82	7.4	16
50	Enfermedad cardiovascular y funcifi renal. Mecanismos patogficos. <i>Revista Espanola De Cardiologia Suplementos</i> , 2008 , 8, 10E-21E	0.2	1
49	Slowing nephropathy progression: focus on proteinuria reduction. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2008 , 3 Suppl 1, S3-10	6.9	83
48	Efficacy and safety of long-term losartan therapy demonstrated by a prospective observational study in Japanese patients with hypertension: The Japan Hypertension Evaluation with Angiotensin II Antagonist Losartan Therapy (J-HEALTH) study. <i>Hypertension Research</i> , 2008 , 31, 295-304	4.7	24
47	Selective enrichment of albumin in biological samples by CE using segmental filling with sodium octyl sulfate in the background electrolyte. <i>Electrophoresis</i> , 2009 , 30, 532-9	3.6	6

(2016-2009)

46	Sources of Urinary Proteins and their Analysis by Urinary Proteomics for the Detection of Biomarkers of Disease. <i>Proteomics - Clinical Applications</i> , 2009 , 3, 1029-1043	3.1	51
45	Association of urinary albumin excretion with insulin resistance in Japanese subjects: impact of gender difference on insulin resistance. <i>Internal Medicine</i> , 2009 , 48, 1621-7	1.1	5
44	Improved endothelial function with simvastatin but unchanged insulin sensitivity with simvastatin or ezetimibe. <i>Metabolism: Clinical and Experimental</i> , 2010 , 59, 921-6	12.7	25
43	N-terminal fragment of pro-brain natriuretic peptide (NT-proBNP) for predicting silent myocardial ischaemia in type 2 diabetes mellitus independent of microalbuminuria. <i>Diabetes/Metabolism Research and Reviews</i> , 2010 , 26, 534-9	7.5	7
42	Albuminuria is strongly associated with arterial stiffness, especially in diabetic or hypertensive subjectsa population-based study (Taichung Community Health Study, TCHS). <i>Atherosclerosis</i> , 2010 , 211, 315-21	3.1	41
41	Recognition, pathogenesis, and treatment of different stages of nephropathy in patients with type 2 diabetes mellitus. <i>Mayo Clinic Proceedings</i> , 2011 , 86, 444-56	6.4	84
40	The association of urinary albumin excretion and metabolic complications in polycystic ovary syndrome. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2011 , 154, 57-61	2.4	10
39	Chronic kidney disease epidemic: myth and reality. <i>Internal and Emergency Medicine</i> , 2011 , 6 Suppl 1, 69-76	3.7	26
38	Endothelial dysfunction and cardiovascular disease in early-stage chronic kidney disease: cause or association?. <i>Atherosclerosis</i> , 2012 , 223, 86-94	3.1	88
37	Vascular complications in diabetic kidney disease patients. Clinical Queries Nephrology, 2012 , 1, 178-18	32	1
36	Anaemia, diabetes and chronic kidney disease: where are we now?. <i>Journal of Renal Care</i> , 2012 , 38 Suppl 1, 67-77	1.6	18
		1.0	
35	Albumin and glycated albumin activate KIM-1 release in tubular epithelial cells through distinct kinetics and mechanisms. <i>Inflammation Research</i> , 2014 , 63, 831-9	7.2	1
35 34			1
	kinetics and mechanisms. <i>Inflammation Research</i> , 2014 , 63, 831-9 Role of soluble endothelial cell-selective adhesion molecule biomarker in albuminuria and kidney function changes in patients with coronary artery disease: the Heart and Soul Study.	7.2	
34	kinetics and mechanisms. <i>Inflammation Research</i> , 2014 , 63, 831-9 Role of soluble endothelial cell-selective adhesion molecule biomarker in albuminuria and kidney function changes in patients with coronary artery disease: the Heart and Soul Study. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2014 , 34, 231-6 Protective effects of epigallocatechin gallate (EGCG) on streptozotocin-induced diabetic	7.2 9.4	12
34	kinetics and mechanisms. <i>Inflammation Research</i> , 2014 , 63, 831-9 Role of soluble endothelial cell-selective adhesion molecule biomarker in albuminuria and kidney function changes in patients with coronary artery disease: the Heart and Soul Study. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2014 , 34, 231-6 Protective effects of epigallocatechin gallate (EGCG) on streptozotocin-induced diabetic nephropathy in mice. <i>Acta Histochemica</i> , 2014 , 116, 1210-5 Effects of Small Dense LDL in Diabetic Nephropathy in Females with Type 2 Diabetes Mellitus.	7.2 9.4 2	12
34 33 32	kinetics and mechanisms. <i>Inflammation Research</i> , 2014 , 63, 831-9 Role of soluble endothelial cell-selective adhesion molecule biomarker in albuminuria and kidney function changes in patients with coronary artery disease: the Heart and Soul Study. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2014 , 34, 231-6 Protective effects of epigallocatechin gallate (EGCG) on streptozotocin-induced diabetic nephropathy in mice. <i>Acta Histochemica</i> , 2014 , 116, 1210-5 Effects of Small Dense LDL in Diabetic Nephropathy in Females with Type 2 Diabetes Mellitus. <i>Journal of Lipid and Atherosclerosis</i> , 2016 , 5, 11 Coronary artery disease (CAD) in chronic kidney disease patients. <i>Giornale De Techniche</i>	7.2 9.4 2	12 33 0

28 Albuminuria as a Biomarker of the Renal Disease. **2016**, 427-444

27	A high-salt diet enhances leukocyte adhesion in association with kidney injury in young Dahl salt-sensitive rats. <i>Hypertension Research</i> , 2017 , 40, 912-920	4.7	10
26	Kidney Disease Among Aboriginal and Torres Strait Islander People in Australia. 2017, 167-180		2
25	YKL-40: A biomarker for early nephropathy in type 2 diabetic patients and its association with inflammatory cytokines. <i>Immunobiology</i> , 2018 , 223, 718-727	3.4	13
24	Urine Albumin Creatinine Ratio May Predict Graft Function After Kidney Transplant. <i>Transplantation Proceedings</i> , 2019 , 51, 1331-1336	1.1	1
23	Fractional excretion of phosphorus and vascular calcification in stage 3 chronic kidney disease. Journal of Investigative Medicine, 2019, 67, 674-680	2.9	6
22	Inflammation and Oxidative Stress in Chronic Kidney Disease-Potential Therapeutic Role of Minerals, Vitamins and Plant-Derived Metabolites. <i>International Journal of Molecular Sciences</i> , 2019 , 21,	6.3	88
21	Pulse Wave Velocity and Machine Learning to Predict Cardiovascular Outcomes in Prediabetic and Diabetic Populations. <i>Journal of Medical Systems</i> , 2019 , 44, 16	5.1	15
20	Plasminogenuria is associated with podocyte injury, edema, and kidney dysfunction in incident glomerular disease. <i>FASEB Journal</i> , 2020 , 34, 16191-16204	0.9	5
19	Normal-range urinary albumin excretion associates with blood pressure and renal electrolyte handling in pregnancy. <i>American Journal of Physiology - Renal Physiology</i> , 2020 , 319, F1-F7	4.3	1
18	[Study of the effect of chronic kidney disease on the incidence of cardiovascular events in a native Spanish population]. <i>Medicina Clūica</i> , 2021 , 157, 569-574	1	
17	Role of Albuminuria in Detecting Cardio-Renal Risk and Outcome in Diabetic Subjects. <i>Diagnostics</i> , 2021 , 11,	3.8	4
16	Framing Cause-Effect Relationship of Acute Coronary Syndrome in Patients with Chronic Kidney Disease. <i>Diagnostics</i> , 2021 , 11,	3.8	2
15	Albuminuria as a Biomarker of the Renal Disease. 2015 , 1-18		1
14	Measurement of urine albumin by liquid chromatography-isotope dilution tandem mass spectrometry and its application to value assignment of external quality assessment samples and certification of reference materials. <i>Clinical Chemistry and Laboratory Medicine</i> , 2021 , 59, 711-720	5.9	1
13	Differences in Factors Associated with Albuminuria according to Gender and Comorbidities of Hypertension and Diabetes. <i>Korean Journal of Family Medicine</i> , 2015 , 36, 316-22	1.7	2
12	Treatment of Hypertension in Patients with Renal Disease. 2007, 647-657		

Evaluation. **2008**, 33-48

BMC Infectious Diseases, 2022, 22,

on multiple clinical analyzers using different statistical models.

Systemic Diseases and Glaucoma. 2010, 689-709 10 1 Systemic Diseases and Glaucoma. 2014, 479-507 9 8 CVD in CKD: Focus on the Dyslipidemia Problem. 2014, 67-91 Proteinuria is independently associated with carotid atherosclerosis: a multicentric study. BMC 2.3 Cardiovascular Disorders, 2021, 21, 554 Study of the effect of chronic kidney disease on the incidence of cardiovascular events in a native 6 0.3 Spanish population. Medicina Claica (English Edition), 2021, Clinical Use of Insulin Glargine 300 U/mL in Adults with Type 2 Diabetes: Hypothetical Case Studies... 3.6 Diabetes Therapy, 2022, 1 Changes in Kidney Fat upon Dietary-Induced Weight Loss.. Nutrients, 2022, 14, 6.7 О METS-IR, a novel score to evaluate insulin sensitivity, is associated with the urinary albumin-creatinine ratio in Chinese adults: A cross-sectional REACTION study.. Journal of Diabetes 3.9 Investigation, 2022,

Etiology of Persistent Microalbuminuria in Nigeria (P_MICRO study): protocol and study design.

Commutability assessment of human urine certified reference materials for albumin and creatinine

4