

Oxygen sensing by HIF hydroxylases

Nature Reviews Molecular Cell Biology

5, 343-354

DOI: [10.1038/nrm1366](https://doi.org/10.1038/nrm1366)

Citation Report

#	ARTICLE	IF	CITATIONS
1	The Hypoxia-Inducible Factor and Tumor Progression Along the Angiogenic Pathway. <i>International Review of Cytology</i> , 2004, 242, 157-213.	6.2	72
2	Genetic Analysis of the Role of the Asparaginyl Hydroxylase Factor Inhibiting Hypoxia-inducible Factor (HIF) in Regulating HIF Transcriptional Target Genes. <i>Journal of Biological Chemistry</i> , 2004, 279, 42719-42725.	1.6	137
3	Many Amino Acid Substitutions in a Hypoxia-inducible Transcription Factor (HIF)-1 α -like Peptide Cause Only Minor Changes in Its Hydroxylation by the HIF Prolyl 4-Hydroxylases. <i>Journal of Biological Chemistry</i> , 2004, 279, 55051-55059.	1.6	37
4	c-Jun NH2-Terminal Kinase Activation Contributes to Hypoxia-Inducible Factor 1 α -Dependent P-Glycoprotein Expression in Hypoxia. <i>Cancer Research</i> , 2004, 64, 9057-9061.	0.4	103
5	Intracellular signaling mechanisms in photodynamic therapy. <i>Biochimica Et Biophysica Acta: Reviews on Cancer</i> , 2004, 1704, 59-86.	3.3	184
6	Crystal Structure and Mechanistic Implications of 1-Aminocyclopropane-1-Carboxylic Acid Oxidase α "The Ethylene-Forming Enzyme. <i>Chemistry and Biology</i> , 2004, 11, 1383-1394.	6.2	123
8	Mammalian Tissue Oxygen Levels Modulate Iron-Regulatory Protein Activities in Vivo. <i>Science</i> , 2004, 306, 2087-2090.	6.0	222
9	Hypoxia induces transcription of 6-phosphofructo-2-kinase/fructose-2,6-biphosphatase-4 gene via hypoxia-inducible factor-1 α activation. <i>FEBS Letters</i> , 2004, 576, 14-20.	1.3	101
10	Regulating cell survival by controlling cellular energy production: novel functions for ancient signaling pathways?. <i>FEBS Letters</i> , 2004, 577, 1-4.	1.3	21
11	Disruption of dimerization and substrate phosphorylation inhibit factor inhibiting hypoxia-inducible factor (FIH) activity. <i>Biochemical Journal</i> , 2004, 383, 429-437.	1.7	71
12	Factor inhibiting hypoxia-inducible factor (FIH) and other asparaginyl hydroxylases. <i>Biochemical Society Transactions</i> , 2004, 32, 943-945.	1.6	31
13	Chapter 14 Chronic lung vascular hyperpermeability. <i>Advances in Molecular and Cell Biology</i> , 2005, , 401-422.	0.1	0
14	Oxidation by 2-oxoglutarate oxygenases: non-haem iron systems in catalysis and signalling. <i>Philosophical Transactions Series A, Mathematical, Physical, and Engineering Sciences</i> , 2005, 363, 807-828.	1.6	56
15	Proteomic Analysis and Extensive Protein Identification from Dry, Germinating Arabidopsis Seeds and Young Seedlings. <i>BMB Reports</i> , 2005, 38, 650-660.	1.1	35
16	Copper-dependent activation of hypoxia-inducible factor (HIF)-1: implications for ceruloplasmin regulation. <i>Blood</i> , 2005, 105, 4613-4619.	0.6	267
17	A fluorescence-based assay for 2-oxoglutarate-dependent oxygenases. <i>Analytical Biochemistry</i> , 2005, 336, 125-131.	1.1	52
18	Acute Mountain Sickness, Vitamin C, Free Radicals, and HIF-1 α . <i>Wilderness and Environmental Medicine</i> , 2005, 16, 172-173.	0.4	4
19	Alternative Footwear to Avoid Jungle Rot. <i>Wilderness and Environmental Medicine</i> , 2005, 16, 173-174.	0.4	2

#	ARTICLE	IF	CITATIONS
20	Use of novel monoclonal antibodies to determine the expression and distribution of the hypoxia regulatory factors PHD-1, PHD-2, PHD-3 and FIH in normal and neoplastic human tissues. <i>Histopathology</i> , 2005, 47, 602-610.	1.6	77
21	HIF, a missing link between metabolism and cancer. <i>Nature Medicine</i> , 2005, 11, 1047-1048.	15.2	58
22	Mitochondrial tumour suppressors: a genetic and biochemical update. <i>Nature Reviews Cancer</i> , 2005, 5, 857-866.	12.8	585
23	Reversion of lethality and growth defects in <i>Drosophila</i> oxygen sensor mutant flies by loss of Hypoxia-inducible Factor-1/Sima. <i>EMBO Reports</i> , 2005, 6, 1070-1075.	2.0	86
24	Ubiquitin Protein Modification and Signal Transduction: Implications for Inflammatory Bowel Diseases. <i>Inflammatory Bowel Diseases</i> , 2005, 11, 1097-1107.	0.9	16
25	Hypoxia-inducible factor as a physiological regulator. <i>Experimental Physiology</i> , 2005, 90, 791-797.	0.9	137
26	Succinate links TCA cycle dysfunction to oncogenesis by inhibiting HIF-1 prolyl hydroxylase. <i>Cancer Cell</i> , 2005, 7, 77-85.	7.7	1,764
27	Neuronal apoptosis linked to EglN3 prolyl hydroxylase and familial pheochromocytoma genes: Developmental culling and cancer. <i>Cancer Cell</i> , 2005, 8, 155-167.	7.7	494
28	Genetic evidence for a tumor suppressor role of HIF-2. <i>Cancer Cell</i> , 2005, 8, 131-141.	7.7	174
29	A common pathway for genetic events leading to pheochromocytoma. <i>Cancer Cell</i> , 2005, 8, 91-93.	7.7	30
30	Negative and positive regulation of HIF-1: A complex network. <i>Biochimica Et Biophysica Acta: Reviews on Cancer</i> , 2005, 1755, 107-120.	3.3	180
31	NO restores HIF-1 hydroxylation during hypoxia: Role of reactive oxygen species. <i>Free Radical Biology and Medicine</i> , 2005, 39, 925-936.	1.3	110
32	Multifaceted roles of glycolytic enzymes. <i>Trends in Biochemical Sciences</i> , 2005, 30, 142-150.	3.7	570
33	The correlation between sampling site and gene expression in the term human placenta. <i>Placenta</i> , 2005, 26, 372-379.	0.7	148
34	Induction of the von Hippel-Lindau tumor suppressor gene by late hypoxia limits HIF-1 expression. <i>Journal of Cellular Biochemistry</i> , 2005, 95, 1264-1275.	1.2	22
35	Protein Posttranslational Modifications: The Chemistry of Proteome Diversifications. <i>Angewandte Chemie - International Edition</i> , 2005, 44, 7342-7372.	7.2	1,275
37	Tissue hyperoxygenation promotes oxidative metabolism in motor unit. <i>Journal of Neuroscience Research</i> , 2005, 80, 584-591.	1.3	6
38	Hypoxia-responsive transcription factors. <i>Pflugers Archiv European Journal of Physiology</i> , 2005, 450, 363-371.	1.3	396

#	ARTICLE	IF	CITATIONS
39	Splice isoform of 6-phosphofructo-2-kinase/fructose-2,6-bisphosphatase-4: Expression and hypoxic regulation. <i>Molecular and Cellular Biochemistry</i> , 2005, 280, 227-234.	1.4	24
40	Reactive oxygen and nitrogen species: Friends or foes?. <i>Biochemistry (Moscow)</i> , 2005, 70, 215-221.	0.7	51
41	Targeting Hypoxia-Inducible Factor (HIF) as a Therapeutic Strategy for CNS Disorders. <i>CNS and Neurological Disorders</i> , 2005, 4, 85-92.	4.3	46
42	Selective Activation of Inflammatory Pathways by Intermittent Hypoxia in Obstructive Sleep Apnea Syndrome. <i>Circulation</i> , 2005, 112, 2660-2667.	1.6	793
43	Integration of Oxygen Signaling at the Consensus HRE. <i>Science Signaling</i> , 2005, 2005, re12-re12.	1.6	788
44	Protection of HIF-1-deficient primary renal tubular epithelial cells from hypoxia-induced cell death is glucose dependent. <i>American Journal of Physiology - Renal Physiology</i> , 2005, 289, F1217-F1226.	1.3	33
45	Effect of Low Glutamine/Glucose on Hypoxia-Induced Elevation of Hypoxia-Inducible Factor-1 α in Human Pancreatic Cancer MiaPaCa-2 and Human Prostatic Cancer DU-145 Cells. <i>Clinical Cancer Research</i> , 2005, 11, 4694-4700.	3.2	61
46	Coordinate Regulation of the Oxygen-Dependent Degradation Domains of Hypoxia-Inducible Factor 1 α . <i>Molecular and Cellular Biology</i> , 2005, 25, 6415-6426.	1.1	220
47	Hypoxia inducible factor 1 α regulates T cell receptor signal transduction. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005, 102, 17071-17076.	3.3	109
48	Signal Pathway of Hypoxia-Inducible Factor-1 α Phosphorylation and its Interaction with von Hippel-Lindau Tumor Suppressor Protein During Ischemia in MiaPaCa-2 Pancreatic Cancer Cells. <i>Clinical Cancer Research</i> , 2005, 11, 7607-7613.	3.2	62
49	COPD: current therapeutic interventions and future approaches. <i>European Respiratory Journal</i> , 2005, 25, 1084-1106.	3.1	237
50	Motexafin Gadolinium and Zinc Induce Oxidative Stress Responses and Apoptosis in B-Cell Lymphoma Lines. <i>Cancer Research</i> , 2005, 65, 11676-11688.	0.4	64
51	Manipulation of oxygen tensions for in vitro cell culture using a hypoxic workstation. <i>Expert Review of Proteomics</i> , 2005, 2, 307-314.	1.3	6
52	Arrest-defective-1 Protein, an Acetyltransferase, Does Not Alter Stability of Hypoxia-inducible Factor (HIF)-1 α and Is Not Induced by Hypoxia or HIF. <i>Journal of Biological Chemistry</i> , 2005, 280, 31132-31140.	1.6	93
53	Hypoxic Augmentation of Ca ²⁺ Channel Currents Requires a Functional Electron Transport Chain. <i>Journal of Biological Chemistry</i> , 2005, 280, 21706-21712.	1.6	18
54	TCR Engagement Increases Hypoxia-Inducible Factor-1 α Protein Synthesis via Rapamycin-Sensitive Pathway under Hypoxic Conditions in Human Peripheral T Cells. <i>Journal of Immunology</i> , 2005, 174, 7592-7599.	0.4	131
55	Reversible Inactivation of HIF-1 Prolyl Hydroxylases Allows Cell Metabolism to Control Basal HIF-1 α . <i>Journal of Biological Chemistry</i> , 2005, 280, 41928-41939.	1.6	341
56	BMK1/ERK5 Is a Novel Regulator of Angiogenesis by Destabilizing Hypoxia Inducible Factor 1 α . <i>Circulation Research</i> , 2005, 96, 1145-1151.	2.0	58

#	ARTICLE	IF	CITATIONS
57	Effect of desferrioxamine and metals on the hydroxylases in the oxygen sensing pathway. FASEB Journal, 2005, 19, 1308-1310.	0.2	192
58	C-EPO: Ready for Prime-Time Preconditioning?. Cerebrovascular Diseases, 2005, 19, 272-273.	0.8	11
59	The insulin-PI3K/TOR pathway induces a HIF-dependent transcriptional response in Drosophila by promoting nuclear localization of HIF-1 β /Sima. Journal of Cell Science, 2005, 118, 5431-5441.	1.2	89
60	Hypoxia inducible factor (HIF) in rheumatology: low O ₂ ! See what HIF can do!. Annals of the Rheumatic Diseases, 2005, 64, 971-980.	0.5	132
61	The Skp1 Prolyl Hydroxylase from Dictyostelium Is Related to the Hypoxia-inducible Factor-1 β Class of Animal Prolyl 4-Hydroxylases. Journal of Biological Chemistry, 2005, 280, 14645-14655.	1.6	43
62	HIF-1 α -dependent induction of apical CD55 coordinates epithelial clearance of neutrophils. FASEB Journal, 2005, 19, 950-959.	0.2	68
63	Inflammatory Hypoxia: Role of Hypoxia-Inducible Factor. Cell Cycle, 2005, 4, 255-257.	1.3	137
64	Mechanism of Taurine: 1 α -Ketoglutarate Dioxygenase (TauD) from Escherichia coli. European Journal of Inorganic Chemistry, 2005, 2005, 4245-4254.	1.0	178
65	Structure-function correlations in oxygen activating non-heme iron enzymes. Chemical Communications, 2005, , 5843.	2.2	90
66	Hypoxia-inducible factor prolyl hydroxylase 2 has a high affinity for ferrous iron and 2-oxoglutarate. Molecular BioSystems, 2005, 1, 321.	2.9	98
67	HIF-1 α -dependent repression of equilibrative nucleoside transporter (ENT) in hypoxia. Journal of Experimental Medicine, 2005, 202, 1493-1505.	4.2	310
68	Binding of Natively Unfolded HIF-1 β ODD Domain to p53. Molecular Cell, 2005, 17, 11-21.	4.5	98
69	OS-9. Molecular Cell, 2005, 17, 472-473.	4.5	8
70	Bacterially produced human HIF-1 β is competent for heterodimerization and specific DNA-binding. Biochemical and Biophysical Research Communications, 2005, 331, 464-470.	1.0	22
71	Signalling hypoxia by HIF hydroxylases. Biochemical and Biophysical Research Communications, 2005, 338, 617-626.	1.0	305
72	The von Hippel-Lindau protein, HIF hydroxylation, and oxygen sensing. Biochemical and Biophysical Research Communications, 2005, 338, 627-638.	1.0	197
73	Kinetic and spectroscopic investigation of Coll, Nill, and N-oxalylglycine inhibition of the FeII-ketoglutarate dioxygenase, TauD. Biochemical and Biophysical Research Communications, 2005, 338, 191-197.	1.0	38
74	Oxygen sensing requires mitochondrial ROS but not oxidative phosphorylation. Cell Metabolism, 2005, 1, 409-414.	7.2	678

#	ARTICLE	IF	CITATIONS
75	Hypoxia-inducible factor 1: regulation by hypoxic and non-hypoxic activators. <i>International Journal of Biochemistry and Cell Biology</i> , 2005, 37, 535-540.	1.2	467
76	Interaction between HIF-1 α (ODD) and hARD1 does not induce acetylation and destabilization of HIF-1 α . <i>FEBS Letters</i> , 2005, 579, 6428-6432.	1.3	80
77	COPing with hypoxia. <i>Seminars in Cell and Developmental Biology</i> , 2005, 16, 462-473.	2.3	20
78	Neuroprotection by hypoxic preconditioning: HIF-1 and erythropoietin protect from retinal degeneration. <i>Seminars in Cell and Developmental Biology</i> , 2005, 16, 531-538.	2.3	81
79	Role of coactivators in transcriptional activation by the aryl hydrocarbon receptor. <i>Archives of Biochemistry and Biophysics</i> , 2005, 433, 379-386.	1.4	284
80	The enzymology of clavam and carbapenem biosynthesis. <i>Chemical Communications</i> , 2005, , 4251.	2.2	63
81	The inhibition of factor inhibiting hypoxia-inducible factor (FIH) by $\hat{1}^2$ -oxocarboxylic acids. <i>Chemical Communications</i> , 2005, , 5438.	2.2	30
82	Oxygen-dependent gene expression in fishes. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2005, 288, R1079-R1090.	0.9	231
83	Redox regulation of the hypoxia-inducible factor. <i>Biological Chemistry</i> , 2006, 387, 1337-46.	1.2	162
84	Pathogenesis of Renal Anemia. <i>Seminars in Nephrology</i> , 2006, 26, 261-268.	0.6	159
85	Cobalt induces hypoxia-inducible factor-1 α (HIF-1 α) in HeLa cells by an iron-independent, but ROS-, PI-3K- and MAPK-dependent mechanism. <i>Free Radical Research</i> , 2006, 40, 847-856.	1.5	102
86	Differential Regulation of the Transcriptional Activities of Hypoxia-Inducible Factor 1 Alpha (HIF-1 α) and HIF-2 α in Stem Cells. <i>Molecular and Cellular Biology</i> , 2006, 26, 3514-3526.	1.1	259
87	Hypoxia-Induced Pulmonary Vascular Remodeling. <i>Circulation Research</i> , 2006, 99, 675-691.	2.0	876
88	Peroxisomal Localization of Hypoxia-Inducible Factors and Hypoxia-Inducible Factor Regulatory Hydroxylases in Primary Rat Hepatocytes Exposed to Hypoxia-Reoxygenation. <i>American Journal of Pathology</i> , 2006, 169, 1251-1269.	1.9	54
89	Novel strategies for stimulating erythropoiesis and potential new treatments for anaemia. <i>Lancet</i> , The, 2006, 368, 947-953.	6.3	141
90	Recent Advances in Erythropoietic Agents in Renal Anemia. <i>Seminars in Nephrology</i> , 2006, 26, 313-318.	0.6	44
91	Hypoxic Preconditioning and Erythropoietin Protect Retinal Neurons from Degeneration. <i>Advances in Experimental Medicine and Biology</i> , 2006, 588, 119-131.	0.8	41
92	Gene expression profiling reveals the profound upregulation of hypoxia-responsive genes in primary human astrocytes. <i>Physiological Genomics</i> , 2006, 25, 435-449.	1.0	115

#	ARTICLE	IF	CITATIONS
93	HIF-1-mediated expression of pyruvate dehydrogenase kinase: A metabolic switch required for cellular adaptation to hypoxia. <i>Cell Metabolism</i> , 2006, 3, 177-185.	7.2	3,112
94	Mitochondrial regulation of hypoxia-induced increase of adrenomedullin mRNA in HL-1 cells. <i>Biochemical and Biophysical Research Communications</i> , 2006, 343, 885-892.	1.0	11
95	Reconstitution of human hypoxia inducible factor HIF-1 in yeast: A simple in vivo system to identify and characterize HIF-1 \pm effectors. <i>Biochemical and Biophysical Research Communications</i> , 2006, 346, 1289-1296.	1.0	9
96	Mitochondria: Oxygen sinks rather than sensors?. <i>Medical Hypotheses</i> , 2006, 66, 380-383.	0.8	30
97	VHL and p53: Tumor Suppressors Team Up to Prevent Cancer. <i>Molecular Cell</i> , 2006, 22, 437-439.	4.5	30
98	Rheostat Control of Gene Expression by Metabolites. <i>Molecular Cell</i> , 2006, 24, 1-11.	4.5	86
99	Mutation of von Hippel-Lindau Tumour Suppressor and Human Cardiopulmonary Physiology. <i>PLoS Medicine</i> , 2006, 3, e290.	3.9	163
100	Epo regulation: a 3-dimensional challenge. <i>Blood</i> , 2006, 107, 4198-4199.	0.6	0
101	GPVI: no magic bullet for thrombosis. <i>Blood</i> , 2006, 107, 4199-4199.	0.6	0
102	Structure of the Na ⁺ /H ⁺ antiporter NhaA. <i>Acta Crystallographica Section A: Foundations and Advances</i> , 2006, 62, s31-s31.	0.3	0
103	Chronic hypoxia inhibits Na ⁺ /Ca ²⁺ exchanger expression in cortical astrocytes. <i>NeuroReport</i> , 2006, 17, 649-652.	0.6	9
104	Oxygen-sensing in tumors. <i>Current Opinion in Clinical Nutrition and Metabolic Care</i> , 2006, 9, 366-378.	1.3	27
105	HYPOXIA-INDUCED ERYTHROPOIETIN PRODUCTION: A PARADIGM FOR OXYGEN-REGULATED GENE EXPRESSION. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2006, 33, 968-979.	0.9	125
106	Activators of the energy sensing kinase AMPK inhibit random cell movement and chemotaxis in U937 cells. <i>Immunology and Cell Biology</i> , 2006, 84, 6-12.	1.0	21
107	Angiogenesis in Gliomas: Biology and Molecular Pathophysiology. <i>Brain Pathology</i> , 2005, 15, 297-310.	2.1	298
108	Failure to prolyl hydroxylate hypoxia-inducible factor \pm phenocopies VHL inactivation in vivo. <i>EMBO Journal</i> , 2006, 25, 4650-4662.	3.5	210
110	Expression of hypoxia-inducible transcription factors in developing human and rat kidneys. <i>Kidney International</i> , 2006, 69, 114-122.	2.6	106
111	Hypoxia-inducible factors: where, when and why?. <i>Kidney International</i> , 2006, 69, 15-17.	2.6	3

#	ARTICLE	IF	CITATIONS
112	Acute renal failure outcomes in children and adults. <i>Kidney International</i> , 2006, 69, 17-19.	2.6	21
113	Succinate dehydrogenase and fumarate hydratase: linking mitochondrial dysfunction and cancer. <i>Oncogene</i> , 2006, 25, 4675-4682.	2.6	596
114	Design and synthesis of substituted pyridine derivatives as HIF-1 α prolyl hydroxylase inhibitors. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2006, 16, 5616-5620.	1.0	37
115	An assay for Fe(II)/2-oxoglutarate-dependent dioxygenases by enzyme-coupled detection of succinate formation. <i>Analytical Biochemistry</i> , 2006, 353, 69-74.	1.1	27
116	Theoretical studies of enzyme mechanisms involving high-valent iron intermediates. <i>Journal of Inorganic Biochemistry</i> , 2006, 100, 727-743.	1.5	48
117	Structural studies on 2-oxoglutarate oxygenases and related double-stranded β -helix fold proteins. <i>Journal of Inorganic Biochemistry</i> , 2006, 100, 644-669.	1.5	390
118	Regulating cellular oxygen sensing by hydroxylation. <i>Cardiovascular Research</i> , 2006, 71, 642-651.	1.8	189
119	Hypoxia-inducible factors in the kidney. <i>American Journal of Physiology - Renal Physiology</i> , 2006, 291, F271-F281.	1.3	284
120	Preconditional Activation of Hypoxia-Inducible Factors Ameliorates Ischemic Acute Renal Failure. <i>Journal of the American Society of Nephrology: JASN</i> , 2006, 17, 1970-1978.	3.0	260
121	A precious metal: Iron, an essential nutrient for all cells. <i>Genes and Nutrition</i> , 2006, 1, 25-39.	1.2	216
122	Dynamic Production of Hypoxia-Inducible Factor-1 α in Early Transplanted Islets. <i>American Journal of Transplantation</i> , 2006, 6, 2636-2643.	2.6	83
123	Oxidative stress and oxidant signaling in obstructive sleep apnea and associated cardiovascular diseases. <i>Free Radical Biology and Medicine</i> , 2006, 40, 1683-1692.	1.3	198
124	Survivin-Dependent and -Independent Pathways and the Induction of Cancer Cell Death by Tetra-O-methyl Nordihydroguaiaretic Acid. <i>Seminars in Oncology</i> , 2006, 33, 479-485.	0.8	26
125	ARDeT about acetylation and deacetylation in hypoxia signalling. <i>Trends in Cell Biology</i> , 2006, 16, 616-621.	3.6	33
126	Sensing and responding to hypoxia via HIF in model invertebrates. <i>Journal of Insect Physiology</i> , 2006, 52, 349-364.	0.9	140
127	Hypoxia Blocks 11 β -Hydroxysteroid Dehydrogenase Type 2 Induction in Human Trophoblast Cells During Differentiation by a Time-dependent Mechanism that Involves both Translation and Transcription. <i>Placenta</i> , 2006, 27, 832-840.	0.7	29
128	Cytochrome c oxidase expression in chronic and intermittent hypoxia rat gastrocnemius muscle quantitated by CE. <i>Electrophoresis</i> , 2006, 27, 3897-3903.	1.3	17
129	Soluble nickel inhibits HIF-prolyl-hydroxylases creating persistent hypoxic signaling in A549 cells. <i>Molecular Carcinogenesis</i> , 2006, 45, 479-489.	1.3	79

#	ARTICLE	IF	CITATIONS
130	Hypoxia and Expression of Hypoxia-Inducible Factor in the Aging Kidney. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2006, 61, 795-805.	1.7	88
131	The Positive Regulation of p53 by the Tumor Suppressor VHL. <i>Cell Cycle</i> , 2006, 5, 2054-2056.	1.3	52
132	Hypoxia, HIF and the Placenta. <i>Cell Cycle</i> , 2006, 5, 495-498.	1.3	64
133	Effects of Transferrin Receptor Blockade on Cancer Cell Proliferation and Hypoxia-Inducible Factor Function and Their Differential Regulation by Ascorbate. <i>Cancer Research</i> , 2006, 66, 2749-2756.	0.4	66
134	Regulation of Respiration and Endothelial Gene Expression by S-Nitrosothiols in Health and Disease. <i>Proceedings of the American Thoracic Society</i> , 2006, 3, 166-169.	3.5	7
136	Novel Drugs and the Response to Hypoxia: HIF Stabilizers and Prolyl Hydroxylase. <i>Recent Patents on Cardiovascular Drug Discovery</i> , 2006, 1, 129-139.	1.5	32
137	Transcriptional repression of Na-K-2Cl cotransporter NKCC1 by hypoxia-inducible factor-1. <i>American Journal of Physiology - Cell Physiology</i> , 2006, 291, C282-C289.	2.1	33
138	Natural Product-Derived Small Molecule Activators of Hypoxia-Inducible Factor-1 (HIF-1). <i>Current Pharmaceutical Design</i> , 2006, 12, 2673-2688.	0.9	62
139	Sex-related dimorphic response of HIF-1 α expression in myocardial ischemia. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2006, 291, H957-H964.	1.5	19
140	Molecular Biology of Renal Cell Cancer and the Identification of Therapeutic Targets. <i>Journal of Clinical Oncology</i> , 2006, 24, 5593-5600.	0.8	60
141	Multi-Cellular Eukaryote Chemotypes (From One Billion Years Ago). , 2006, , 315-363.		0
142	Regulation of E-cadherin Expression by VHL and Hypoxia-Inducible Factor. <i>Cancer Research</i> , 2006, 66, 3567-3575.	0.4	248
143	Understanding hypoxia signalling in cells â€“ a new therapeutic opportunity?. <i>Clinical Medicine</i> , 2006, 6, 573-578.	0.8	29
144	Direct spectroscopic detection of a C-H-cleaving high-spin Fe(IV) complex in a prolyl-4-hydroxylase. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006, 103, 14738-14743.	3.3	289
145	HIF α 1: hypoxiaâ€“inducible factor or dysoxiaâ€“inducible factor?. <i>FASEB Journal</i> , 2006, 20, 828-832.	0.2	76
146	High Glucose Blunts Vascular Endothelial Growth Factor Response to Hypoxia via the Oxidative Stress-Regulated Hypoxia-Inducible Factor/Hypoxia-Responsible Element Pathway. <i>Journal of the American Society of Nephrology: JASN</i> , 2006, 17, 1405-1413.	3.0	115
147	Hypoxia-Inducible Factor 1 as a Possible Target for Cancer Chemoprevention: Figure 1.. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2006, 15, 2332-2335.	1.1	46
148	Regulation of the Ring Finger E3 Ligase Siah2 by p38 MAPK. <i>Journal of Biological Chemistry</i> , 2006, 281, 35316-35326.	1.6	75

#	ARTICLE	IF	CITATIONS
149	HIF1 α delays premature senescence through the activation of MIF. <i>Genes and Development</i> , 2006, 20, 3366-3371.	2.7	145
150	The role of hypoxia inducible factor-1 in cell metabolism – a possible target in cancer therapy. <i>Expert Opinion on Therapeutic Targets</i> , 2006, 10, 583-599.	1.5	14
151	Von Hippel-Lindau disease and endocrine tumour susceptibility. <i>Endocrine-Related Cancer</i> , 2006, 13, 415-425.	1.6	71
152	Growth Properties of Colonic Tumor Cells Are a Function of the Intrinsic Mitochondrial Membrane Potential. <i>Cancer Research</i> , 2006, 66, 1591-1596.	0.4	69
153	YC-1 Induces S Cell Cycle Arrest and Apoptosis by Activating Checkpoint Kinases. <i>Cancer Research</i> , 2006, 66, 6345-6352.	0.4	58
154	Overexpression and nuclear translocation of hypoxia-inducible factor prolyl hydroxylase PHD2 in head and neck squamous cell carcinoma is associated with tumor aggressiveness.. <i>Clinical Cancer Research</i> , 2006, 12, 1080-1087.	3.2	83
155	Mouse model for noninvasive imaging of HIF prolyl hydroxylase activity: Assessment of an oral agent that stimulates erythropoietin production. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006, 103, 105-110.	3.3	274
156	Concordant Regulation of Gene Expression by Hypoxia and 2-Oxoglutarate-dependent Dioxygenase Inhibition. <i>Journal of Biological Chemistry</i> , 2006, 281, 15215-15226.	1.6	434
157	The Length of Peptide Substrates Has a Marked Effect on Hydroxylation by the Hypoxia-inducible Factor Prolyl 4-Hydroxylases. <i>Journal of Biological Chemistry</i> , 2006, 281, 28712-28720.	1.6	111
158	Identification of MAPK Phosphorylation Sites and Their Role in the Localization and Activity of Hypoxia-inducible Factor-1 α . <i>Journal of Biological Chemistry</i> , 2006, 281, 33095-33106.	1.6	231
159	Prolyl hydroxylase-1 negatively regulates I κ B kinase-beta, giving insight into hypoxia-induced NF κ B activity. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006, 103, 18154-18159.	3.3	687
160	Posttranslational hydroxylation of ankyrin repeats in I κ B proteins by the hypoxia-inducible factor (HIF) asparaginyl hydroxylase, factor inhibiting HIF (FIH). <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006, 103, 14767-14772.	3.3	258
161	The Contact Allergen Nickel Triggers a Unique Inflammatory and Proangiogenic Gene Expression Pattern via Activation of NF- κ B and Hypoxia-Inducible Factor-1 α . <i>Journal of Immunology</i> , 2007, 178, 3198-3207.	0.4	71
162	Acute postnatal ablation of Hif-2 α results in anemia. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007, 104, 2301-2306.	3.3	394
163	Asparaginyl Hydroxylation of the Notch Ankyrin Repeat Domain by Factor Inhibiting Hypoxia-inducible Factor. <i>Journal of Biological Chemistry</i> , 2007, 282, 24027-24038.	1.6	189
164	Inhibition of Hypoxia-inducible Factor (HIF) Hydroxylases by Citric Acid Cycle Intermediates. <i>Journal of Biological Chemistry</i> , 2007, 282, 4524-4532.	1.6	441
165	Suppression of the Hypoxia-Inducible Factor-1 Response in Cervical Carcinoma Xenografts by Proteasome Inhibitors. <i>Cancer Research</i> , 2007, 67, 1735-1743.	0.4	61
166	Mucin 1 Oncoprotein Blocks Hypoxia-inducible Factor 1 α Activation in a Survival Response to Hypoxia. <i>Journal of Biological Chemistry</i> , 2007, 282, 257-266.	1.6	64

#	ARTICLE	IF	CITATIONS
167	Transcriptional Up-regulation of Inhibitory PAS Domain Protein Gene Expression by Hypoxia-inducible Factor 1 (HIF-1). <i>Journal of Biological Chemistry</i> , 2007, 282, 14073-14082.	1.6	95
168	Prolyl 4-hydroxylase-1 mediates O ₂ signaling during development of <i>Dictyostelium</i> . <i>Development (Cambridge)</i> , 2007, 134, 3349-3358.	1.2	55
169	Cell-Permeating α -Ketoglutarate Derivatives Alleviate Pseudohypoxia in Succinate Dehydrogenase-Deficient Cells. <i>Molecular and Cellular Biology</i> , 2007, 27, 3282-3289.	1.1	339
170	Hypoxia-Inducible Factor 1 and Dysregulated c-Myc Cooperatively Induce Vascular Endothelial Growth Factor and Metabolic Switches Hexokinase 2 and Pyruvate Dehydrogenase Kinase 1. <i>Molecular and Cellular Biology</i> , 2007, 27, 7381-7393.	1.1	540
171	Identification of Pur α as a New Hypoxia Response Factor Responsible for Coordinated Induction of the β 2 Integrin Family. <i>Journal of Immunology</i> , 2007, 179, 1934-1941.	0.4	31
172	Structural and Mechanistic Studies on the Inhibition of the Hypoxia-inducible Transcription Factor Hydroxylases by Tricarboxylic Acid Cycle Intermediates. <i>Journal of Biological Chemistry</i> , 2007, 282, 3293-3301.	1.6	194
173	Organ Protection by Hypoxia and Hypoxia-Inducible Factors. <i>Methods in Enzymology</i> , 2007, 435, 219-245.	0.4	54
174	The Peptidyl Prolyl cis/trans Isomerase FKBP38 Determines Hypoxia-Inducible Transcription Factor Prolyl-4-Hydroxylase PHD2 Protein Stability. <i>Molecular and Cellular Biology</i> , 2007, 27, 3758-3768.	1.1	100
175	Hypoxia Suppresses Glutamate Transport in Astrocytes. <i>Journal of Neuroscience</i> , 2007, 27, 3946-3955.	1.7	107
176	Hypoxia and podocyte-specific <i>Vhlh</i> deletion confer risk of glomerular disease. <i>American Journal of Physiology - Renal Physiology</i> , 2007, 293, F1397-F1407.	1.3	54
177	Cell Type-Specific, Topoisomerase II-Dependent Inhibition of Hypoxia-Inducible Factor-1 α Protein Accumulation by NSC 644221. <i>Clinical Cancer Research</i> , 2007, 13, 1010-1018.	3.2	47
178	Hypoxia-regulated p53 and its effect on radiosensitivity in cancer cells. <i>International Journal of Radiation Biology</i> , 2007, 83, 443-456.	1.0	13
179	KCl Depolarization Increases HIF-1 Transcriptional Activity via the Calcium-Independent Pathway in SGC7901 Gastric Cancer Cells. <i>Tumor Biology</i> , 2007, 28, 173-180.	0.8	4
180	Differential Regulation of Hypoxia-Inducible Factor-1 through Receptor Tyrosine Kinase Transactivation in Vascular Smooth Muscle Cells. <i>Endocrinology</i> , 2007, 148, 4023-4031.	1.4	47
181	Constitutively Overexpressed Erythropoietin Reduces Infarct Size in a Mouse Model of Permanent Coronary Artery Ligation. <i>Methods in Enzymology</i> , 2007, 435, 145-155.	0.4	7
182	A Novel Promoter Element Containing Multiple Overlapping Xenobiotic and Hypoxia Response Elements Mediates Induction of Cytochrome P450S1 by Both Dioxin and Hypoxia. <i>Journal of Biological Chemistry</i> , 2007, 282, 10881-10893.	1.6	60
183	Multiple Factors Affecting Cellular Redox Status and Energy Metabolism Modulate Hypoxia-Inducible Factor Prolyl Hydroxylase Activity In Vivo and In Vitro. <i>Molecular and Cellular Biology</i> , 2007, 27, 912-925.	1.1	295
184	Androgen-Dependent Gene Expression of Prostate-Specific Antigen Is Enhanced Synergistically by Hypoxia in Human Prostate Cancer Cells. <i>Molecular Cancer Research</i> , 2007, 5, 383-391.	1.5	73

#	ARTICLE	IF	CITATIONS
185	Renal Iron Metabolism: Transferrin Iron Delivery and the Role of Iron Regulatory Proteins. <i>Journal of the American Society of Nephrology: JASN</i> , 2007, 18, 401-406.	3.0	86
186	Studies on the activity of the hypoxia-inducible-factor hydroxylases using an oxygen consumption assay. <i>Biochemical Journal</i> , 2007, 401, 227-234.	1.7	196
187	Hypoxia Stimulates Degradation of 3-Hydroxy-3-methylglutaryl-coenzyme A Reductase through Accumulation of Lanosterol and Hypoxia-Inducible Factor-mediated Induction of Insigs. <i>Journal of Biological Chemistry</i> , 2007, 282, 27436-27446.	1.6	103
188	The Qo site of the mitochondrial complex III is required for the transduction of hypoxic signaling via reactive oxygen species production. <i>Journal of Cell Biology</i> , 2007, 177, 1029-1036.	2.3	510
189	Hypoxia-Inducible Factor Linked to Differential Kidney Cancer Risk Seen with Type 2A and Type 2B VHL Mutations. <i>Molecular and Cellular Biology</i> , 2007, 27, 5381-5392.	1.1	102
190	An Endoplasmic Reticulum Transmembrane Prolyl 4-Hydroxylase Is Induced by Hypoxia and Acts on Hypoxia-inducible Factor 1α . <i>Journal of Biological Chemistry</i> , 2007, 282, 30544-30552.	1.6	124
191	Hypoxia-inducible factor 2 (HIF-2) regulates hepatic erythropoietin in vivo. <i>Journal of Clinical Investigation</i> , 2007, 117, 1068-1077.	3.9	496
192	Ascorbate deficiency results in impaired neutrophil apoptosis and clearance and is associated with up-regulation of hypoxia-inducible factor 1α . <i>Journal of Leukocyte Biology</i> , 2007, 81, 1236-1244.	1.5	89
193	MgcRacGAP Interacts with HIF- 1α and Regulates its Transcriptional Activity. <i>Cellular Physiology and Biochemistry</i> , 2007, 20, 995-1006.	1.1	37
194	HIF- 1α regulation of <i>Sox9</i> is necessary to maintain differentiation of hypoxic prechondrogenic cells during early skeletogenesis. <i>Development (Cambridge)</i> , 2007, 134, 3917-3928.	1.2	260
195	From critters to cancers: bridging comparative and clinical research on oxygen sensing, HIF signaling, and adaptations towards hypoxia. <i>Integrative and Comparative Biology</i> , 2007, 47, 552-577.	0.9	28
196	IOP1, a novel hydrogenase-like protein that modulates hypoxia-inducible factor- 1α activity. <i>Biochemical Journal</i> , 2007, 401, 341-352.	1.7	41
197	Identification of a region on hypoxia-inducible-factor prolyl 4-hydroxylases that determines their specificity for the oxygen degradation domains. <i>Biochemical Journal</i> , 2007, 408, 231-240.	1.7	36
198	Enzyme substrate recognition in oxygen sensing: how the HIF trap snaps. <i>Biochemical Journal</i> , 2007, 408, e5-e6.	1.7	11
199	Structural and mechanistic studies on the peroxisomal oxygenase phytanoyl-CoA 2-hydroxylase (PhyH). <i>Biochemical Society Transactions</i> , 2007, 35, 870-875.	1.6	22
200	New Developments and Novel Therapeutic Perspectives for Vitamin C ., <i>Journal of Nutrition</i> , 2007, 137, 2171-2184.	1.3	352
201	Oxidative Stress and Transcriptional Regulation in Alzheimer Disease. <i>Alzheimer Disease and Associated Disorders</i> , 2007, 21, 276-291.	0.6	136
202	Modulation of vascular gene expression by hypoxia. <i>Current Opinion in Lipidology</i> , 2007, 18, 508-514.	1.2	24

#	ARTICLE	IF	CITATIONS
203	Comparison of hypoxia-inducible factor-1 alpha in hypoxia-sensitive and hypoxia-tolerant fish species. <i>Comparative Biochemistry and Physiology Part D: Genomics and Proteomics</i> , 2007, 2, 177-186.	0.4	54
204	Metabolic consideration of epiphyseal growth: Survival responses in a taxing environment. <i>Bone</i> , 2007, 40, 561-567.	1.4	24
205	p53 and NF- κ B Crosstalk: IKK κ Tips the Balance. <i>Molecular Cell</i> , 2007, 26, 158-159.	4.5	94
206	Can Irradiated Tumors Take NO for an Answer?. <i>Molecular Cell</i> , 2007, 26, 157-158.	4.5	2
207	pVHL Acts as an Adaptor to Promote the Inhibitory Phosphorylation of the NF- κ B Agonist Card9 by CK2. <i>Molecular Cell</i> , 2007, 28, 15-27.	4.5	163
208	Hypoxia increases cytoplasmic expression of NDRG1, but is insufficient for its membrane localization in human hepatocellular carcinoma. <i>FEBS Letters</i> , 2007, 581, 989-994.	1.3	49
209	The cellular basis for diverse responses to oxygen. <i>Free Radical Biology and Medicine</i> , 2007, 42, 165-174.	1.3	235
210	Hypoxia Up-Regulates Hypoxia-Inducible Factor-1 α Transcription by Involving Phosphatidylinositol 3-Kinase and Nuclear Factor κ B in Pulmonary Artery Smooth Muscle Cells. <i>Molecular Biology of the Cell</i> , 2007, 18, 4691-4697.	0.9	377
211	Hypoxia-Inducible Transcription Factors and Their Role in Renal Disease. <i>Seminars in Nephrology</i> , 2007, 27, 363-372.	0.6	33
212	Determination and Modulation of Prolyl-4-Hydroxylase Domain Oxygen Sensor Activity. <i>Methods in Enzymology</i> , 2007, 435, 43-60.	0.4	17
213	New agents that stimulate erythropoiesis. <i>Blood</i> , 2007, 109, 868-873.	0.6	92
214	A wrinkle in the unfolding of hypoxic response: HIF and ATF4. <i>Blood</i> , 2007, 110, 3492-3493.	0.6	3
215	Hematopoietic cell transplantation: a lifelong commitment. <i>Blood</i> , 2007, 110, 3493-3494.	0.6	2
216	Hypoxia-Inducible Factor-1 α Under the Control of Nitric Oxide. <i>Methods in Enzymology</i> , 2007, 435, 463-478.	0.4	33
217	Regulated Function of the Prolyl-4-Hydroxylase Domain (PHD) Oxygen Sensor Proteins. <i>Antioxidants and Redox Signaling</i> , 2007, 9, 1329-1338.	2.5	33
218	The flavonoid quercetin induces hypoxia-inducible factor-1 α (HIF-1 α) and inhibits cell proliferation by depleting intracellular iron. <i>Free Radical Research</i> , 2007, 41, 342-356.	1.5	44
220	Selected Molecular Mechanisms of Metal Toxicity and Carcinogenicity. , 2007, , 79-100.		10
221	Probing the Iron \sim Substrate Orientation for Taurine/ α -Ketoglutarate Dioxygenase Using Deuterium Electron Spin Echo Envelope Modulation Spectroscopy. <i>Biochemistry</i> , 2007, 46, 5951-5959.	1.2	27

#	ARTICLE	IF	CITATIONS
222	Oxygen Sensitivity of Reporter Genes: Implications for Preclinical Imaging of Tumor Hypoxia. <i>Molecular Imaging</i> , 2007, 6, 7290.2007.00017.	0.7	21
223	Hypoxia promotes fibrogenesis in vivo via HIF-1 stimulation of epithelial-to-mesenchymal transition. <i>Journal of Clinical Investigation</i> , 2007, 117, 3810-20.	3.9	778
224	Iridium complex, a phosphorescent light-emitting diode material, serves as a novel chemical probe for imaging hypoxic tumor tissues. <i>Nature Precedings</i> , 0, , .	0.1	1
225	Hypoxia-inducible factor 2 β is essential for hypoxic induction of the human articular chondrocyte phenotype. <i>Arthritis and Rheumatism</i> , 2007, 56, 3297-3306.	6.7	132
226	Erythropoietin gene expression in renal carcinoma is considerably more frequent than paraneoplastic polycythemia. <i>International Journal of Cancer</i> , 2007, 121, 2434-2442.	2.3	34
227	Molecular cloning and characterization of the <i>Xenopus</i> hypoxia-inducible factor 1 β (xHIF1 β). <i>Journal of Cellular Biochemistry</i> , 2007, 102, 1542-1552.	1.2	11
228	Induction of activating transcription factor 3 by anoxia is independent of p53 and the hypoxic HIF signalling pathway. <i>Oncogene</i> , 2007, 26, 284-289.	2.6	75
229	Gene therapy progress and prospects: therapeutic angiogenesis for ischemic cardiovascular disease. <i>Gene Therapy</i> , 2007, 14, 781-789.	2.3	41
230	Iron-regulatory proteins limit hypoxia-inducible factor-2 β expression in iron deficiency. <i>Nature Structural and Molecular Biology</i> , 2007, 14, 420-426.	3.6	253
231	Reduced oxygen tension attenuates differentiation capacity of human mesenchymal stem cells and prolongs their lifespan. <i>Aging Cell</i> , 2007, 6, 745-757.	3.0	442
232	HIF2 β reduces growth rate but promotes angiogenesis in a mouse model of neuroblastoma. <i>BMC Cancer</i> , 2007, 7, 139.	1.1	33
233	Harnessing the hypoxia-inducible factor in cancer and ischemic disease. <i>Biochemical Pharmacology</i> , 2007, 73, 450-457.	2.0	102
234	Targeted Inactivation of Fh1 Causes Proliferative Renal Cyst Development and Activation of the Hypoxia Pathway. <i>Cancer Cell</i> , 2007, 11, 311-319.	7.7	158
235	Fumarate Hydratase Deficiency and Cancer: Activation of Hypoxia Signaling?. <i>Cancer Cell</i> , 2007, 11, 303-305.	7.7	44
236	Modeling Synovial Sarcoma: Timing Is Everything. <i>Cancer Cell</i> , 2007, 11, 305-307.	7.7	17
237	Hypoxia signalling controls metabolic demand. <i>Current Opinion in Cell Biology</i> , 2007, 19, 223-229.	2.6	279
238	Modulation of hypoxia-inducible factor-1 alpha in cultured primary cells by intracellular ascorbate. <i>Free Radical Biology and Medicine</i> , 2007, 42, 765-772.	1.3	98
239	Vitamin C modulation of H ₂ O ₂ -induced damage and iron homeostasis in human cells. <i>Free Radical Biology and Medicine</i> , 2007, 43, 1165-1175.	1.3	53

#	ARTICLE	IF	CITATIONS
240	Enhanced sensitivity of protein kinase B/Akt to insulin in hypoxia is independent of HIF1 α and promotes cell viability. <i>European Journal of Cell Biology</i> , 2007, 86, 393-403.	1.6	2
241	Regulation of Cytokine-Induced HIF-1 α Expression in Rheumatoid Synovial Fibroblasts. <i>Annals of the New York Academy of Sciences</i> , 2007, 1108, 340-348.	1.8	92
242	A Novel Class of Prolyl Hydroxylase Inhibitors Induces Angiogenesis and Exerts Organ Protection Against Ischemia. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2007, 27, 2548-2554.	1.1	112
243	The Hypoxia-Inducible Factor 2 α N-Terminal and C-Terminal Transactivation Domains Cooperate To Promote Renal Tumorigenesis In Vivo. <i>Molecular and Cellular Biology</i> , 2007, 27, 2092-2102.	1.1	172
244	Genetic insights into the hypoxia-inducible factor (HIF) pathway. <i>Advances in Enzyme Regulation</i> , 2007, 47, 288-306.	2.9	5
245	Hypoxia and gastrointestinal disease. <i>Journal of Molecular Medicine</i> , 2007, 85, 1295-1300.	1.7	275
246	Hypoxia and the HIF system in kidney disease. <i>Journal of Molecular Medicine</i> , 2007, 85, 1325-1330.	1.7	212
247	Hypoxia and cancer. <i>Journal of Molecular Medicine</i> , 2007, 85, 1301-1307.	1.7	617
248	The family of iron responsive RNA structures regulated by changes in cellular iron and oxygen. <i>Cellular and Molecular Life Sciences</i> , 2007, 64, 2945-2955.	2.4	93
249	Effects of hypoxia on tumor metabolism. <i>Cancer and Metastasis Reviews</i> , 2007, 26, 291-298.	2.7	123
250	Erythropoietin: physiology and molecular mechanisms. <i>Heart Failure Reviews</i> , 2008, 13, 405-414.	1.7	35
251	Contribution of HIF-1 α or HIF-2 α to erythropoietin expression: in vivo evidence based on chromatin immunoprecipitation. <i>Annals of Hematology</i> , 2008, 87, 11-17.	0.8	53
252	A Dialogue between the Hypoxia-Inducible Factor and the Tumor Microenvironment. <i>Cancer Microenvironment</i> , 2008, 1, 53-68.	3.1	79
253	Inhibitory effect of Hypoxia inducible factor-1 antisense oligonucleotide on growth of human hepatocellular carcinoma cells. <i>Medical Oncology</i> , 2008, 25, 88-92.	1.2	10
254	Cellular oxygen sensing in health and disease. <i>Pediatric Nephrology</i> , 2008, 23, 681-694.	0.9	57
255	Iron-dependent degradation of IRP2 requires its C-terminal region and IRP structural integrity. <i>BMC Molecular Biology</i> , 2008, 9, 15.	3.0	17
256	The von Hippel-Lindau gene. <i>Cancer</i> , 2008, 113, 1768-1778.	2.0	39
257	Targeting vasculature in urologic tumors: Mechanistic and therapeutic significance. <i>Journal of Cellular Biochemistry</i> , 2008, 103, 691-708.	1.2	36

#	ARTICLE	IF	CITATIONS
258	Flavonoidsâ€induced accumulation of hypoxiaâ€inducible factor (HIF)â€1/2 is mediated through chelation of iron. <i>Journal of Cellular Biochemistry</i> , 2008, 103, 1989-1998.	1.2	72
259	Coordination changes and auto-hydroxylation of FIH-1: Uncoupled O ₂ -activation in a human hypoxia sensor. <i>Journal of Inorganic Biochemistry</i> , 2008, 102, 2120-2129.	1.5	22
260	Genetic causes of erythrocytosis and the oxygen-sensing pathway. <i>Blood Reviews</i> , 2008, 22, 321-332.	2.8	41
261	Discovery of novel hydroxy-thiazoles as HIF-1 α prolyl hydroxylase inhibitors: SAR, synthesis, and modeling evaluation. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2008, 18, 3925-3928.	1.0	41
262	Structure-guided design of substituted aza-benzimidazoles as potent hypoxia inducible factor-1 α prolyl hydroxylase-2 inhibitors. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2008, 18, 5023-5026.	1.0	26
263	Inhibition of Hypoxia Inducible Factor Hydroxylases Protects Against Renal Ischemia-Reperfusion Injury. <i>Journal of the American Society of Nephrology: JASN</i> , 2008, 19, 39-46.	3.0	246
264	Prolyl 4-hydroxylases, key enzymes in the synthesis of collagens and regulation of the response to hypoxia, and their roles as treatment targets. <i>Annals of Medicine</i> , 2008, 40, 402-417.	1.5	202
265	<i>Inhibition of Advanced Glycation End Products</i> . <i>Annals of the New York Academy of Sciences</i> , 2008, 1126, 141-146.	1.8	13
266	Feedback regulation of cholesterol synthesis: sterol-accelerated ubiquitination and degradation of HMG CoA reductase. <i>Cell Research</i> , 2008, 18, 609-621.	5.7	311
267	NF- κ B links innate immunity to the hypoxic response through transcriptional regulation of HIF-1 α . <i>Nature</i> , 2008, 453, 807-811.	13.7	1,333
268	CITED2 mediates the paradoxical responses of HIF-1 α to proteasome inhibition. <i>Oncogene</i> , 2008, 27, 1939-1944.	2.6	33
269	One hit, two outcomes for VHL-mediated tumorigenesis. <i>Nature Cell Biology</i> , 2008, 10, 1127-1128.	4.6	8
270	The role of oxygen availability in embryonic development and stem cell function. <i>Nature Reviews Molecular Cell Biology</i> , 2008, 9, 285-296.	16.1	806
271	The human side of hypoxiaâ€inducible factor. <i>British Journal of Haematology</i> , 2008, 141, 325-334.	1.2	222
272	The specific contribution of hypoxia-inducible factor-2 α to hypoxic gene expression in vitro is limited and modulated by cell type-specific and exogenous factors. <i>Experimental Cell Research</i> , 2008, 314, 2016-2027.	1.2	61
273	Genomic structure and expression of Jmjd6 and evolutionary analysis in the context of related JmjC domain containing proteins. <i>BMC Genomics</i> , 2008, 9, 293.	1.2	40
274	Flavonoids induce HIF-1 α but impair its nuclear accumulation and activity. <i>Free Radical Biology and Medicine</i> , 2008, 44, 657-670.	1.3	75
275	VDUP1 mediates nuclear export of HIF1 α via CRM1-dependent pathway. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2008, 1783, 838-848.	1.9	57

#	ARTICLE	IF	CITATIONS
276	Nuclear translocation of hypoxia-inducible factors (HIFs): Involvement of the classical importin $\hat{1}\pm/\hat{1}^2$ pathway. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2008, 1783, 394-404.	1.9	107
277	Oxygen Homeostasis: How the Worm Adapts to Variable Oxygen Levels. <i>Current Biology</i> , 2008, 18, R559-R560.	1.8	11
278	Vascular endothelial growth factor in eye disease. <i>Progress in Retinal and Eye Research</i> , 2008, 27, 331-371.	7.3	607
279	Neutrophils as Sources of Extracellular Nucleotides: Functional Consequences at the Vascular Interface. <i>Trends in Cardiovascular Medicine</i> , 2008, 18, 103-107.	2.3	110
280	Regulation of HIF: Prolyl Hydroxylases. <i>Novartis Foundation Symposium</i> , 2008, , 15-32.	1.2	48
281	Mononuclear non-heme iron enzymes with the 2-His-1-carboxylate facial triad: recent developments in enzymology and modeling studies. <i>Chemical Society Reviews</i> , 2008, 37, 2716.	18.7	461
282	Mutation of the von Hippel-Lindau Gene Alters Human Cardiopulmonary Physiology. <i>Advances in Experimental Medicine and Biology</i> , 2008, 605, 51-56.	0.8	15
284	Oxygen Sensing by Metazoans: The Central Role of the HIF Hydroxylase Pathway. <i>Molecular Cell</i> , 2008, 30, 393-402.	4.5	2,614
285	Abundance of asparaginyl-hydroxylase FIH is regulated by Siah-1 under normoxic conditions. <i>Neuroscience Letters</i> , 2008, 433, 209-214.	1.0	31
286	Targeting tumour hypoxia in breast cancer. <i>European Journal of Cancer</i> , 2008, 44, 2766-2773.	1.3	68
287	Variable patterns in the molecular evolution of the hypoxia-inducible factor-1 alpha (HIF-1 $\hat{1}\pm$) gene in teleost fishes and mammals. <i>Gene</i> , 2008, 420, 1-10.	1.0	23
288	Inhibition of advanced glycation end products (AGEs): An implicit goal in clinical medicine for the treatment of diabetic nephropathy?. <i>Diabetes Research and Clinical Practice</i> , 2008, 82, S25-S29.	1.1	25
289	Synthesis and conformational analysis of cyclic analogues of inverse $\hat{1}^3$ -turns. <i>Organic and Biomolecular Chemistry</i> , 2008, 6, 3476.	1.5	9
290	Somatic inactivation of the PHD2 prolyl hydroxylase causes polycythemia and congestive heart failure. <i>Blood</i> , 2008, 111, 3236-3244.	0.6	262
291	RNA-Binding Proteins HuR and PTB Promote the Translation of Hypoxia-Inducible Factor 1 $\hat{1}\pm$. <i>Molecular and Cellular Biology</i> , 2008, 28, 93-107.	1.1	257
292	Molecular Biology of Renal Cortical Tumors. <i>Urologic Clinics of North America</i> , 2008, 35, 573-580.	0.8	29
293	Auto-hydroxylation of FIH-1: an Fe(ii), $\hat{1}\pm$ -ketoglutarate-dependent human hypoxia sensor. <i>Chemical Communications</i> , 2008, , 4768.	2.2	27
294	The human oxygen sensing machinery and its manipulation. <i>Chemical Society Reviews</i> , 2008, 37, 1308.	18.7	100

#	ARTICLE	IF	CITATIONS
295	Cobalt chloride decreases EC-SOD expression through intracellular ROS generation and p38-MAPK pathways in COS7 cells. <i>Free Radical Research</i> , 2008, 42, 949-956.	1.5	39
296	Biochemical Characterization of Human Prolyl Hydroxylase Domain Protein 2 Variants Associated with Erythrocytosis. <i>Biochemistry</i> , 2008, 47, 11165-11167.	1.2	23
297	Clinical and molecular progress in hereditary paraganglioma. <i>Journal of Medical Genetics</i> , 2008, 45, 689-694.	1.5	78
298	Kinetic Rationale for Selectivity toward N- and C-terminal Oxygen-dependent Degradation Domain Substrates Mediated by a Loop Region of Hypoxia-Inducible Factor Prolyl Hydroxylases. <i>Journal of Biological Chemistry</i> , 2008, 283, 3808-3815.	1.6	72
299	Characterization of a Novel <i>Caenorhabditis elegans</i> Prolyl 4-Hydroxylase with a Unique Substrate Specificity and Restricted Expression in the Pharynx and Excretory Duct. <i>Journal of Biological Chemistry</i> , 2008, 283, 10679-10689.	1.6	6
301	Loss of the SdhB, but Not the SdhA, Subunit of Complex II Triggers Reactive Oxygen Species-Dependent Hypoxia-Inducible Factor Activation and Tumorigenesis. <i>Molecular and Cellular Biology</i> , 2008, 28, 718-731.	1.1	392
302	Synthesis and Anticancer Properties of Water-Soluble Zinc Ionophores. <i>Cancer Research</i> , 2008, 68, 5318-5325.	0.4	83
303	(2 <i>R</i>)-[(4-Biphenylsulfonyl)amino]- <i>N</i> -hydroxy-3-phenylpropionamide (BiPS), a Matrix Metalloprotease Inhibitor, Is a Novel and Potent Activator of Hypoxia-Inducible Factors. <i>Molecular Pharmacology</i> , 2008, 74, 282-288.	1.0	9
304	mAKAP Compartmentalizes Oxygen-Dependent Control of HIF-1 β . <i>Science Signaling</i> , 2008, 1, ra18.	1.6	50
305	Hypoxia-inducible factor signaling in the development of tissue fibrosis. <i>Cell Cycle</i> , 2008, 7, 1128-1132.	1.3	174
306	Hypoxia-Induced Signaling in the Cardiovascular System. <i>Annual Review of Physiology</i> , 2008, 70, 51-71.	5.6	64
307	Hypoxia-Inducible Factor-1 Is Central to Cardioprotection. <i>Circulation</i> , 2008, 118, 166-175.	1.6	372
308	Atypical CRM1-dependent Nuclear Export Signal Mediates Regulation of Hypoxia-inducible Factor-1 β by MAPK. <i>Journal of Biological Chemistry</i> , 2008, 283, 27620-27627.	1.6	84
309	PHDs overactivation during chronic hypoxia α desensitizes β HIF β and protects cells from necrosis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008, 105, 4745-4750.	3.3	210
310	Translational repression during chronic hypoxia is dependent on glucose levels. <i>Rna</i> , 2008, 14, 771-781.	1.6	18
311	Impaired DNA double-strand break repair contributes to chemoresistance in HIF-1 β -deficient mouse embryonic fibroblasts. <i>Carcinogenesis</i> , 2008, 29, 2306-2316.	1.3	54
312	Prolyl Hydroxylase PHD3 Activates Oxygen-dependent Protein Aggregation. <i>Molecular Biology of the Cell</i> , 2008, 19, 2231-2240.	0.9	53
313	Xanthine oxidoreductase in respiratory and cardiovascular disorders. <i>American Journal of Physiology - Lung Cellular and Molecular Physiology</i> , 2008, 294, L830-L840.	1.3	77

#	ARTICLE	IF	CITATIONS
314	Activation of Hsp90-eNOS and increased NO generation attenuate respiration of hypoxia-treated endothelial cells. <i>American Journal of Physiology - Cell Physiology</i> , 2008, 295, C1281-C1291.	2.1	21
315	Mitochondria, oxygen sensing and the regulation of HIF-2 α . Focus on α -induction of HIF-2 α is dependent on mitochondrial O ₂ consumption in an O ₂ -sensitive adrenomedullary chromaffin cell line. <i>American Journal of Physiology - Cell Physiology</i> , 2008, 294, C1300-C1302.	2.1	5
316	Stable expression of HIF-1 α in tubular epithelial cells promotes interstitial fibrosis. <i>American Journal of Physiology - Renal Physiology</i> , 2008, 295, F1023-F1029.	1.3	234
317	A novel mode of action of YC-1 in HIF inhibition: stimulation of FIH-dependent p300 dissociation from HIF-1 α . <i>Molecular Cancer Therapeutics</i> , 2008, 7, 3729-3738.	1.9	151
318	hsa-miR-210 Is Induced by Hypoxia and Is an Independent Prognostic Factor in Breast Cancer. <i>Clinical Cancer Research</i> , 2008, 14, 1340-1348.	3.2	617
319	Cells Silenced for SDHB Expression Display Characteristic Features of the Tumor Phenotype. <i>Cancer Research</i> , 2008, 68, 4058-4067.	0.4	92
320	Hypoxia-inducible Transcription Factor-2 α in Endothelial Cells Regulates Tumor Neovascularization through Activation of Ephrin A1. <i>Journal of Biological Chemistry</i> , 2008, 283, 18926-18936.	1.6	68
321	pVHL is a regulator of glucose metabolism and insulin secretion in pancreatic β cells. <i>Genes and Development</i> , 2008, 22, 3135-3146.	2.7	88
322	A Gain-of-Function Mutation in the HIF2A Gene in Familial Erythrocytosis. <i>New England Journal of Medicine</i> , 2008, 358, 162-168.	13.9	287
323	Molecular Targeting Agents in Renal Cell Carcinoma: Present Strategies and Future Perspectives. <i>Current Pharmaceutical Design</i> , 2008, 14, 1058-1077.	0.9	6
324	HIF Activation Protects From Acute Kidney Injury. <i>Journal of the American Society of Nephrology: JASN</i> , 2008, 19, 486-494.	3.0	158
325	Familial erythrocytosis: molecular links to red blood cell control. <i>Haematologica</i> , 2008, 93, 963-967.	1.7	21
326	Sphingosine Kinase 1: A New Modulator of Hypoxia Inducible Factor 1 α during Hypoxia in Human Cancer Cells. <i>Cancer Research</i> , 2008, 68, 8635-8642.	0.4	133
327	Genetophysiology: Using Genetic Strategies to Explore Hypoxic Adaptation. <i>High Altitude Medicine and Biology</i> , 2008, 9, 123-129.	0.5	21
328	Acellular haemoglobin attenuates hypoxia-inducible factor-1 α (HIF-1 α) and its target genes in haemodiluted rats. <i>Biochemical Journal</i> , 2008, 414, 461-469.	1.7	19
330	Misincorporation of the Proline Analog Azetidine-2-Carboxylic Acid in the Pathogenesis of Multiple Sclerosis: A Hypothesis. <i>Journal of Neuropathology and Experimental Neurology</i> , 2008, 67, 1035-1040.	0.9	49
331	Physiological basis for the use of erythropoietin in critically ill patients at risk for acute kidney injury. <i>Current Opinion in Critical Care</i> , 2008, 14, 621-626.	1.6	32
332	Erythropoietin and HAPE. <i>Aviation, Space, and Environmental Medicine</i> , 2008, 79, 807-807.	0.6	0

#	ARTICLE	IF	CITATIONS
333	A novel heterozygous HIF2AM535I mutation reinforces the role of oxygen sensing pathway disturbances in the pathogenesis of familial erythrocytosis. <i>Haematologica</i> , 2008, 93, 1068-1071.	1.7	64
334	Oxygenases for oxygen sensing. <i>Pure and Applied Chemistry</i> , 2008, 80, 1837-1847.	0.9	2
335	Renal Hypoxia and Dysoxia After Reperfusion of the Ischemic Kidney. <i>Molecular Medicine</i> , 2008, 14, 502-516.	1.9	241
336	THE MOLECULAR, CELLULAR, AND GENETIC BASIS OF HEMOGLOBIN DISORDERS. , 2009, , 1-2.		0
338	Targeting the A2B adenosine receptor during gastrointestinal ischemia and inflammation. <i>Expert Opinion on Therapeutic Targets</i> , 2009, 13, 1267-1277.	1.5	51
339	Paper-supported 3D cell culture for tissue-based bioassays. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009, 106, 18457-18462.	3.3	373
340	A Role for von Hippel-Lindau Protein in Pancreatic β -Cell Function. <i>Diabetes</i> , 2009, 58, 433-441.	0.3	83
341	Prolyl Hydroxylase Inhibitors Depend on Extracellular Glucose and Hypoxia-Inducible Factor (HIF)-2 α to Inhibit Cell Death Caused by Nerve Growth Factor (NGF) Deprivation: Evidence that HIF-2 α Has a Role in NGF-Promoted Survival of Sympathetic Neurons. <i>Molecular Pharmacology</i> , 2009, 75, 1198-1209.	1.0	35
342	Epigenetic Regulation of Foxp3 Expression in Regulatory T Cells by DNA Methylation. <i>Journal of Immunology</i> , 2009, 182, 259-273.	0.4	498
343	HIF at a glance. <i>Journal of Cell Science</i> , 2009, 122, 1055-1057.	1.2	195
344	Erythropoietins, Erythropoietic Factors, and Erythropoiesis. , 2009, , .		14
345	Erythrocytosis-associated HIF-2 α Mutations Demonstrate a Critical Role for Residues C-terminal to the Hydroxylacceptor Proline. <i>Journal of Biological Chemistry</i> , 2009, 284, 9050-9058.	1.6	55
346	Genome-wide Association of Hypoxia-inducible Factor (HIF)-1 α and HIF-2 α DNA Binding with Expression Profiling of Hypoxia-inducible Transcripts. <i>Journal of Biological Chemistry</i> , 2009, 284, 16767-16775.	1.6	516
347	Brewing complications: the effect of acute ethanol exposure on wound healing. <i>Journal of Leukocyte Biology</i> , 2009, 86, 1125-1134.	1.5	25
349	Mutual Regulation of Hypoxia-Inducible Factor and Mammalian Target of Rapamycin as a Function of Oxygen Availability. <i>Molecular Cancer Research</i> , 2009, 7, 88-98.	1.5	51
350	Hypoxia-Inducible Factor 2 Regulates Hepatic Lipid Metabolism. <i>Molecular and Cellular Biology</i> , 2009, 29, 4527-4538.	1.1	283
351	Signalling Cross Talk of the HIF System: Involvement of the FIH Protein. <i>Current Pharmaceutical Design</i> , 2009, 15, 3904-3907.	0.9	34
352	Translation of basic science into clinical medicine: novel targets for diabetic nephropathy. <i>Nephrology Dialysis Transplantation</i> , 2009, 24, 1373-1377.	0.4	9

#	ARTICLE	IF	CITATIONS
353	p62 degradation by autophagy: Another way for cancer cells to survive under hypoxia. <i>Autophagy</i> , 2009, 5, 410-412.	4.3	43
354	The hypoxic response and aging. <i>Cell Cycle</i> , 2009, 8, 2324-2324.	1.3	32
355	Regulation of HIF-1 α ; at the Transcriptional Level. <i>Current Pharmaceutical Design</i> , 2009, 15, 3844-3852.	0.9	56
356	Role of Oxygen in Cancer: Looking Beyond Hypoxia. <i>Anti-Cancer Agents in Medicinal Chemistry</i> , 2009, 9, 517-525.	0.9	19
357	Sphingosine-1-Phosphate. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2009, 29, 902-908.	1.1	58
358	Respiratory Hypoxia and Oxidative Stress in the Brain. Is the Endogenous Erythropoietin an Antioxidant?. <i>Current Chemical Biology</i> , 2009, 3, 238-252.	0.2	0
359	Proteomics-based Identification of Novel Factor Inhibiting Hypoxia-inducible Factor (FIH) Substrates Indicates Widespread Asparaginyl Hydroxylation of Ankyrin Repeat Domain-containing Proteins. <i>Molecular and Cellular Proteomics</i> , 2009, 8, 535-546.	2.5	123
360	Metallothionein: a new soldier in the fight against chronic renal hypoxia?. <i>Kidney International</i> , 2009, 75, 257-259.	2.6	1
361	The molecular basis for impaired hypoxia-induced VEGF expression in diabetic tissues. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009, 106, 13505-13510.	3.3	370
362	Nutlin-3, an Hdm2 antagonist, inhibits tumor adaptation to hypoxia by stimulating the FIH-mediated inactivation of HIF-1 α . <i>Carcinogenesis</i> , 2009, 30, 1768-1775.	1.3	47
363	Missense Mutations That Cause Bruck Syndrome Affect Enzymatic Activity, Folding, and Oligomerization of Lysyl Hydroxylase 2. <i>Journal of Biological Chemistry</i> , 2009, 284, 30917-30924.	1.6	43
364	Chapter 7 Small Ubiquitin-Like Modifiers in Cellular Malignancy and Metastasis. <i>International Review of Cell and Molecular Biology</i> , 2009, 273, 265-311.	1.6	22
365	Metal Ions-Stimulated Iron Oxidation in Hydroxylases Facilitates Stabilization of HIF-1 α Protein. <i>Toxicological Sciences</i> , 2009, 107, 394-403.	1.4	35
366	Reduced Adipose Tissue Oxygenation in Human Obesity. <i>Diabetes</i> , 2009, 58, 718-725.	0.3	665
367	Key Role for Activin B in Cellular Transformation after Loss of the von Hippel-Lindau Tumor Suppressor. <i>Molecular and Cellular Biology</i> , 2009, 29, 1707-1718.	1.1	22
368	Drug Discovery for Overcoming Chronic Kidney Disease (CKD): Prolyl-Hydroxylase Inhibitors to Activate Hypoxia-Inducible Factor (HIF) as a Novel Therapeutic Approach in CKD. <i>Journal of Pharmacological Sciences</i> , 2009, 109, 24-31.	1.1	37
369	Hypoxia-Induced Autophagy Is Mediated through Hypoxia-Inducible Factor Induction of BNIP3 and BNIP3L via Their BH3 Domains. <i>Molecular and Cellular Biology</i> , 2009, 29, 2570-2581.	1.1	1,228
370	HIF Prolyl 4-Hydroxylases and their Potential as Drug Targets. <i>Current Pharmaceutical Design</i> , 2009, 15, 3878-3885.	0.9	47

#	ARTICLE	IF	CITATIONS
371	HIF in Kidney Disease and Development. <i>Journal of the American Society of Nephrology: JASN</i> , 2009, 20, 1877-1887.	3.0	133
372	c-Jun Protects Hypoxia-Inducible Factor-1 α from Degradation via Its Oxygen-Dependent Degradation Domain in a Nontranscriptional Manner. <i>Cancer Research</i> , 2009, 69, 7704-7712.	0.4	45
373	Bistability by multiple phosphorylation of regulatory proteins. <i>Progress in Biophysics and Molecular Biology</i> , 2009, 100, 47-56.	1.4	74
374	Structural Basis for Binding of Hypoxia-Inducible Factor to the Oxygen-Sensing Prolyl Hydroxylases. <i>Structure</i> , 2009, 17, 981-989.	1.6	205
375	Oxygenases Get to Grips with Polypeptides. <i>Structure</i> , 2009, 17, 913-914.	1.6	1
376	KasA, Another Brick in the Mycobacterial Cell Wall. <i>Structure</i> , 2009, 17, 914-915.	1.6	4
377	Expression of iron-related genes in human brain and brain tumors. <i>BMC Neuroscience</i> , 2009, 10, 36.	0.8	74
378	Prolyl hydroxylase inhibition attenuates post-ischemic cardiac injury via induction of endoplasmic reticulum stress genes. <i>Vascular Pharmacology</i> , 2009, 51, 110-118.	1.0	40
379	RNA-binding proteins implicated in the hypoxic response. <i>Journal of Cellular and Molecular Medicine</i> , 2009, 13, 2759-2769.	1.6	66
380	Molecular responses to hypoxia: ancient pathways, clinical promises. <i>Journal of Cellular and Molecular Medicine</i> , 2009, 13, 2757-2758.	1.6	0
381	Hypoxia-inducible factor 1 α under rapid enzymatic hypoxia: Cells sense decrements of oxygen but not hypoxia per se. <i>Free Radical Biology and Medicine</i> , 2009, 46, 182-191.	1.3	37
382	Genetic origins and clinical phenotype of familial and acquired erythrocytosis and thrombocytosis. <i>American Journal of Hematology</i> , 2009, 84, 46-54.	2.0	22
385	Organ preservation solutions attenuate accumulation and nuclear translocation of hypoxia-inducible factor-1 α in the hepatoma cell line HepG2. <i>Cell Biochemistry and Function</i> , 2009, 27, 516-525.	1.4	3
386	Mechanisms of induction of adenosine receptor genes and its functional significance. <i>Journal of Cellular Physiology</i> , 2009, 218, 35-44.	2.0	72
387	Increase in gene dosage is a mechanism of HIF-1 α constitutive expression in head and neck squamous cell carcinomas. <i>Genes Chromosomes and Cancer</i> , 2009, 48, 441-454.	1.5	18
388	Nitrite as regulator of hypoxic signaling in mammalian physiology. <i>Medicinal Research Reviews</i> , 2009, 29, 683-741.	5.0	373
389	The protein level of hypoxia-inducible factor-1 α is increased in the plateau pika (<i>Ochotona</i>) Tj ETQq0 0 0 rgBT/Overlock 10 Tf 50	1.2	27
390	Evidence for a Stereoelectronic Effect in Human Oxygen Sensing. <i>Angewandte Chemie - International Edition</i> , 2009, 48, 1784-1787.	7.2	58

#	ARTICLE	IF	CITATIONS
391	Iron-Mediated Cleavage of C-C Bonds in Vicinal Tricarbonyl Compounds in Water. <i>Angewandte Chemie - International Edition</i> , 2009, 48, 2796-2800.	7.2	56
392	Backbone Resonance Assignment of a Proteolysis-Resistant Fragment in the Oxygen-Dependent Degradation Domain of the Hypoxia Inducible Factor 1. <i>Molecules and Cells</i> , 2009, 27, 493-496.	1.0	5
393	Involvement of HIF-1 in UVB-Induced Epidermal Hyperplasia. <i>Molecules and Cells</i> , 2009, 28, 537-544.	1.0	14
394	Azetidine-2-carboxylic acid in the food chain. <i>Phytochemistry</i> , 2009, 70, 100-104.	1.4	30
395	Effects of soluble cobalt and cobalt incorporated into calcium phosphate layers on osteoclast differentiation and activation. <i>Biomaterials</i> , 2009, 30, 548-555.	5.7	96
396	Inflammation status of rabbit carotid artery model endothelium during intermittent hypoxia exposure and its relationship with leptin. <i>Sleep and Breathing</i> , 2009, 13, 277-283.	0.9	19
397	Renal toxicity of targeted therapies. <i>Targeted Oncology</i> , 2009, 4, 121-133.	1.7	47
398	The PAS-domain kinase PASKIN: a new sensor in energy homeostasis. <i>Cellular and Molecular Life Sciences</i> , 2009, 66, 876-883.	2.4	24
399	The complete evaluation of erythrocytosis: congenital and acquired. <i>Leukemia</i> , 2009, 23, 834-844.	3.3	102
400	Metalloproteins and metal sensing. <i>Nature</i> , 2009, 460, 823-830.	13.7	1,031
401	Angiogenin protects motoneurons against hypoxic injury. <i>Cell Death and Differentiation</i> , 2009, 16, 1238-1247.	5.0	98
402	Structural and functional characterization of 2-oxo-histidine in oxidized PerR protein. <i>Nature Chemical Biology</i> , 2009, 5, 53-59.	3.9	110
403	Inhibition of oxygen sensors as a therapeutic strategy for ischaemic and inflammatory disease. <i>Nature Reviews Drug Discovery</i> , 2009, 8, 139-152.	21.5	302
404	Generating specificity and diversity in the transcriptional response to hypoxia. <i>Nature Reviews Genetics</i> , 2009, 10, 821-832.	7.7	310
405	Inhibition of Siah ubiquitin ligase function. <i>Oncogene</i> , 2009, 28, 289-296.	2.6	74
406	Hypoxia-activated autophagy accelerates degradation of SQSTM1/p62. <i>Oncogene</i> , 2009, 28, 334-344.	2.6	144
407	Silibinin inhibits hypoxia-inducible factor-1 and mTOR/p70S6K/4E-BP1 signalling pathway in human cervical and hepatoma cancer cells: implications for anticancer therapy. <i>Oncogene</i> , 2009, 28, 313-324.	2.6	161
408	Onconeural cerebellar degeneration-related antigen, Cdr2, is strongly expressed in papillary renal cell carcinoma and leads to attenuated hypoxic response. <i>Oncogene</i> , 2009, 28, 3274-3285.	2.6	23

#	ARTICLE	IF	CITATIONS
409	Reactivating HIF prolyl hydroxylases under hypoxia results in metabolic catastrophe and cell death. <i>Oncogene</i> , 2009, 28, 4009-4021.	2.6	108
410	Impact of cyclic hypoxia on HIF α regulation in endothelial cells – new insights for anti-tumor treatments. <i>FEBS Journal</i> , 2009, 276, 509-518.	2.2	41
411	Inhibitor of nuclear factor κ B α derepresses hypoxia-inducible factor α during moderate hypoxia by sequestering factor inhibiting hypoxia-inducible factor from hypoxia-inducible factor α . <i>FEBS Journal</i> , 2009, 276, 3470-3480.	2.2	32
412	Cellular oxygen sensing, signalling and how to survive translational arrest in hypoxia. <i>Acta Physiologica</i> , 2009, 195, 205-230.	1.8	49
413	Vitamin C: update on physiology and pharmacology. <i>British Journal of Pharmacology</i> , 2009, 157, 1097-1110.	2.7	356
414	Hypoxia inducible factor (HIF) α is required for the development of the catecholaminergic phenotype of sympathoadrenal cells. <i>Journal of Neurochemistry</i> , 2009, 110, 622-630.	2.1	32
415	Gene regulation in response to graded hypoxia: The non-redundant roles of the oxygen sensors and FIH in the HIF pathway. <i>Journal of Theoretical Biology</i> , 2009, 259, 304-316.	0.8	50
416	Kinetic characterization and identification of a novel inhibitor of hypoxia-inducible factor prolyl hydroxylase 2 using a time-resolved fluorescence resonance energy transfer-based assay technology. <i>Analytical Biochemistry</i> , 2009, 384, 213-223.	1.1	63
417	How mitochondria produce reactive oxygen species. <i>Biochemical Journal</i> , 2009, 417, 1-13.	1.7	6,321
418	Jmjd6 Catalyses Lysyl-Hydroxylation of U2AF65, a Protein Associated with RNA Splicing. <i>Science</i> , 2009, 325, 90-93.	6.0	356
419	Nonrenal regulation of EPO synthesis. <i>Kidney International</i> , 2009, 75, 682-688.	2.6	70
420	Different Modes of Inhibitor Binding to Prolyl Hydroxylase by Combined Use of X-ray Crystallography and NMR Spectroscopy of Paramagnetic Complexes. <i>Journal of the American Chemical Society</i> , 2009, 131, 16654-16655.	6.6	22
421	Application of a Proteolysis/Mass Spectrometry Method for Investigating the Effects of Inhibitors on Hydroxylase Structure. <i>Journal of Medicinal Chemistry</i> , 2009, 52, 2799-2805.	2.9	43
422	Prolyl hydroxylases as regulators of cell metabolism. <i>Biochemical Society Transactions</i> , 2009, 37, 291-294.	1.6	79
423	Erythropoietin: An Historical Overview of Physiology, Molecular Biology and Gene Regulation. , 2009, , 1-18.		0
424	Regulation of chemokine gene expression by hypoxia via cooperative activation of NF κ B and histone deacetylase. <i>International Journal of Biochemistry and Cell Biology</i> , 2009, 41, 2270-2280.	1.2	26
425	Hypoxia-inducible factor-1 (HIF-1) pathway activation by quercetin in human lens epithelial cells. <i>Experimental Eye Research</i> , 2009, 89, 995-1002.	1.2	16
426	Oxygen Sensors at the Crossroad of Metabolism. <i>Cell Metabolism</i> , 2009, 9, 11-22.	7.2	251

#	ARTICLE	IF	CITATIONS
427	Comparative proteome analysis using amine-reactive isobaric tagging reagents coupled with 2D LC/MS/MS in 3T3-L1 adipocytes following hypoxia or normoxia. <i>Biochemical and Biophysical Research Communications</i> , 2009, 383, 135-140.	1.0	17
428	Transport of hypoxia-inducible factor HIF-1 α into the nucleus involves importins 4 and 7. <i>Biochemical and Biophysical Research Communications</i> , 2009, 390, 235-240.	1.0	62
429	Diesel exhaust exposure induces angiogenesis. <i>Toxicology Letters</i> , 2009, 191, 57-68.	0.4	19
430	Taking advantage of tumor cell adaptations to hypoxia for developing new tumor markers and treatment strategies. <i>Journal of Enzyme Inhibition and Medicinal Chemistry</i> , 2009, 24, 1-39.	2.5	167
431	Hypoxia-inducible Factor Prolyl-4-hydroxylase PHD2 Protein Abundance Depends on Integral Membrane Anchoring of FKBP38. <i>Journal of Biological Chemistry</i> , 2009, 284, 23046-23058.	1.6	66
432	Asparagine β -hydroxylation stabilizes the ankyrin repeat domain fold. <i>Molecular BioSystems</i> , 2009, 5, 52-58.	2.9	49
434	Oxygen regulates epithelial-to-mesenchymal transition: insights into molecular mechanisms and relevance to disease. <i>Kidney International</i> , 2009, 76, 492-499.	2.6	91
435	Introduction to Signalling Cascades. , 2009, , 37-75.		1
436	The human <i>urocortin 2</i> gene is regulated by hypoxia: identification of a hypoxia-responsive element in the 3' flanking region. <i>Biochemical Journal</i> , 2009, 424, 119-127.	1.7	23
437	Activating transcription factor 2 increases transactivation and protein stability of hypoxia-inducible factor 1 α in hepatocytes. <i>Biochemical Journal</i> , 2009, 424, 285-296.	1.7	21
438	Endothelial deletion of hypoxia-inducible factor-2 α (HIF-2 α) alters vascular function and tumor angiogenesis. <i>Blood</i> , 2009, 114, 469-477.	0.6	214
439	Hypoxia-Inducible Factor-3.ALPHA. Functions as an Accelerator of 3T3-L1 Adipose Differentiation. <i>Biological and Pharmaceutical Bulletin</i> , 2009, 32, 1166-1172.	0.6	43
440	Erythropoiesis. , 2009, , 24-45.		1
441	Factors Interacting with HIF-1 α mRNA: Novel Therapeutic Targets. <i>Current Pharmaceutical Design</i> , 2009, 15, 3853-3860.	0.9	53
442	The VHL Tumor Suppressor: Master Regulator of HIF. <i>Current Pharmaceutical Design</i> , 2009, 15, 3895-3903.	0.9	125
443	HIF Prolyl-4-hydroxylase Interacting Proteins: Consequences for Drug Targeting. <i>Current Pharmaceutical Design</i> , 2009, 15, 3886-3894.	0.9	21
444	The Hypoxic Patient and CM-Induced Adverse Reactions. <i>Neuroradiology Journal</i> , 2009, 22, 313-323.	0.6	0
445	Chronic Inhibition of Hypoxia-inducible Factor Prolyl 4-hydroxylase Improves Ventricular Performance, Remodeling, and Vascularity After Myocardial Infarction in the Rat. <i>Journal of Cardiovascular Pharmacology</i> , 2010, 56, 147-155.	0.8	84

#	ARTICLE	IF	CITATIONS
446	The role of hypoxia, increased oxygen consumption, and hypoxia-inducible factor-1 alpha in progression of chronic kidney disease. <i>Current Opinion in Nephrology and Hypertension</i> , 2010, 19, 43-50.	1.0	66
447	Target Inhibition in Antiangiogenic Therapy A Wide Spectrum of Selectivity and Specificity. <i>Cancer Journal (Sudbury, Mass)</i> , 2010, 16, 635-642.	1.0	15
448	Effects of normoxic and hypoxic exercise regimens on cardiac, muscular, and cerebral hemodynamics suppressed by severe hypoxia in humans. <i>Journal of Applied Physiology</i> , 2010, 109, 219-229.	1.2	52
449	Structural and Pharmacological Effects of Ring-Closing Metathesis in Peptides. <i>Molecules</i> , 2010, 15, 6638-6677.	1.7	35
450	Thymosin β 4 expression correlates with lymph node metastasis through hypoxia inducible factor-1 α induction in breast cancer. <i>Oncology Reports</i> , 2010, 25, .	1.2	2
451	Investigating the dependence of the hypoxia-inducible factor hydroxylases (factor inhibiting HIF and) Tj ETQq1 1 0.784314 rgBT /Over 135-142.	1.7	118
452	Hepatic HIF-2 regulates erythropoietic responses to hypoxia in renal anemia. <i>Blood</i> , 2010, 116, 3039-3048.	0.6	264
453	Erythrocytosis associated with a novel missense mutation in the HIF2A gene. <i>Haematologica</i> , 2010, 95, 829-832.	1.7	35
455	Therapeutic Manipulation of the HIF Hydroxylases. <i>Antioxidants and Redox Signaling</i> , 2010, 12, 481-501.	2.5	75
456	HIF prolyl hydroxylase-3 mediates alpha-ketoglutarate-induced apoptosis and tumor suppression. <i>Journal of Molecular Medicine</i> , 2010, 88, 839-849.	1.7	63
457	Crystal Structures of Human FIH-1 in Complex with Quinol Family Inhibitors. <i>Molecules and Cells</i> , 2010, 29, 471-474.	1.0	14
458	Extracellular matrix genes as hypoxia-inducible targets. <i>Cell and Tissue Research</i> , 2010, 339, 19-29.	1.5	61
459	How to overcome retinal neuropathy: The fight against angiogenesisrelated blindness. <i>Archives of Pharmacal Research</i> , 2010, 33, 1557-1565.	2.7	44
460	Hyperoxaluria-induced tubular ischemia: the effect of verapamil on the limitation of tissue HIF-1 alpha levels in renal parenchyma. <i>International Urology and Nephrology</i> , 2010, 42, 361-367.	0.6	3
461	Inflammation accelerates atherosclerotic processes in obstructive sleep apnea syndrome (OSAS). <i>Sleep and Breathing</i> , 2010, 14, 261-269.	0.9	57
462	HIF-2 α as a possible therapeutic target of osteoarthritis. <i>Osteoarthritis and Cartilage</i> , 2010, 18, 1552-1556.	0.6	62
463	Transcriptional responses to oxidative stress: Pathological and toxicological implications. , 2010, 125, 376-393.		217
464	Mitochondrial complex III: An essential component of universal oxygen sensing machinery?. <i>Respiratory Physiology and Neurobiology</i> , 2010, 174, 175-181.	0.7	49

#	ARTICLE	IF	CITATIONS
465	Structural studies on human 2-oxoglutarate dependent oxygenases. <i>Current Opinion in Structural Biology</i> , 2010, 20, 659-672.	2.6	238
466	A profile of prognostic and molecular factors in European and Māori breast cancer patients. <i>BMC Cancer</i> , 2010, 10, 543.	1.1	6
467	Expression and regulation of HIF-1alpha in macrophages under inflammatory conditions; significant reduction of VEGF by CaMKII inhibitor. <i>BMC Musculoskeletal Disorders</i> , 2010, 11, 61.	0.8	48
468	Consequences of IκappaB alpha hydroxylation by the factor inhibiting HIF (FIH). <i>FEBS Letters</i> , 2010, 584, 4725-4730.	1.3	19
469	Retention of prolyl hydroxylase PHD2 in the cytoplasm prevents PHD2-induced anchorage-independent carcinoma cell growth. <i>Experimental Cell Research</i> , 2010, 316, 1169-1178.	1.2	12
470	Liprin-14 is a new hypoxia-inducible target gene required for maintenance of cell-cell contacts. <i>Experimental Cell Research</i> , 2010, 316, 2883-2892.	1.2	17
471	Tumour hypoxia induces a metabolic shift causing acidosis: a common feature in cancer. <i>Journal of Cellular and Molecular Medicine</i> , 2010, 14, 771-794.	1.6	536
472	The role of HIF prolyl hydroxylases in tumour growth. <i>Journal of Cellular and Molecular Medicine</i> , 2010, 14, 758-770.	1.6	83
473	Angiogenesis as a strategic target for prostate cancer therapy. <i>Medicinal Research Reviews</i> , 2010, 30, 23-66.	5.0	42
474	Evidence for the slow reaction of hypoxia-inducible factor prolyl hydroxylase-2 with oxygen. <i>FEBS Journal</i> , 2010, 277, 4089-4099.	2.2	75
475	Increased chemoresistance induced by inhibition of HIF-prolyl hydroxylase domain enzymes. <i>Cancer Science</i> , 2010, 101, 129-136.	1.7	16
476	Expression of key hypoxia sensing prolyl hydroxylases PHD1, 2 and 3 in pancreaticobiliary cancer. <i>Histopathology</i> , 2010, 56, 908-920.	1.6	38
477	PIASy stimulates HIF1 SUMOylation and negatively regulates HIF1 activity in response to hypoxia. <i>Oncogene</i> , 2010, 29, 5568-5578.	2.6	60
478	Transcriptional regulation of endochondral ossification by HIF-2 during skeletal growth and osteoarthritis development. <i>Nature Medicine</i> , 2010, 16, 678-686.	15.2	443
479	Functional effects of cancer mitochondria on energy metabolism and tumorigenesis: utility of trans-mitochondrial cybrids. <i>Annals of the New York Academy of Sciences</i> , 2010, 1201, 137-146.	1.8	34
480	Detection of Hypoxia Inducible Factors and Angiogenic Growth Factors during Foetal Endochondral and Intramembranous Ossification. <i>Journal of Veterinary Medicine Series C: Anatomia Histologia Embryologia</i> , 2010, 39, 376-384.	0.3	32
481	Characterization of two carnation petal prolyl 4 hydroxylases. <i>Physiologia Plantarum</i> , 2010, 140, 199-207.	2.6	25
482	Aspartyl-(asparaginyl) 2-Hydroxylase, Hypoxia-Inducible Factor-1 and Notch Cross-Talk in Regulating Neuronal Motility. <i>Oxidative Medicine and Cellular Longevity</i> , 2010, 3, 347-356.	1.9	46

#	ARTICLE	IF	CITATIONS
483	Cellular Senescence: Many Roads, One Final Destination. <i>Scientific World Journal</i> , The, 2010, 10, 727-741.	0.8	11
484	In Vivo Imaging of HIF-Active Tumors by an Oxygen-Dependent Degradation Protein Probe with an Interchangeable Labeling System. <i>PLoS ONE</i> , 2010, 5, e15736.	1.1	34
485	Prediction and Analysis of Protein Hydroxyproline and Hydroxylysine. <i>PLoS ONE</i> , 2010, 5, e15917.	1.1	24
486	Pyrithione-zinc Prevents UVB-induced Epidermal Hyperplasia by Inducing HIF-1 α . <i>Korean Journal of Physiology and Pharmacology</i> , 2010, 14, 91.	0.6	16
487	Hypoxia-inducible Factor-1 Activation in Nonhypoxic Conditions: The Essential Role of Mitochondrial-derived Reactive Oxygen Species. <i>Molecular Biology of the Cell</i> , 2010, 21, 3247-3257.	0.9	144
488	EP1 Prostanoid Receptor Coupling to G α Up-Regulates the Expression of Hypoxia-Inducible Factor-1 α through Activation of a Phosphoinositide-3 Kinase Signaling Pathway. <i>Molecular Pharmacology</i> , 2010, 77, 1025-1036.	1.0	51
489	PHF8, a gene associated with cleft lip/palate and mental retardation, encodes for an N ϵ -dimethyl lysine demethylase. <i>Human Molecular Genetics</i> , 2010, 19, 217-222.	1.4	153
490	Induction of SENP1 in Endothelial Cells Contributes to Hypoxia-driven VEGF Expression and Angiogenesis. <i>Journal of Biological Chemistry</i> , 2010, 285, 36682-36688.	1.6	69
491	VHL Inactivation Induces HIF1 and Aurora Kinase A. <i>Journal of the American Society of Nephrology: JASN</i> , 2010, 21, 2041-2046.	3.0	60
492	Transcriptome Remodeling in Hypoxic Inflammation. <i>Journal of Dental Research</i> , 2010, 89, 430-444.	2.5	31
493	Hypoxic Conversion of SMAD7 Function from an Inhibitor into a Promoter of Cell Invasion. <i>Cancer Research</i> , 2010, 70, 5984-5993.	0.4	32
494	Phosphorescent Light-Emitting Iridium Complexes Serve as a Hypoxia-Sensing Probe for Tumor Imaging in Living Animals. <i>Cancer Research</i> , 2010, 70, 4490-4498.	0.4	319
495	Prolyl Hydroxylase EGLN3 Regulates Skeletal Myoblast Differentiation through an NF- κ B-dependent Pathway. <i>Journal of Biological Chemistry</i> , 2010, 285, 8927-8935.	1.6	62
496	Inhibition of Prolyl Hydroxylases Increases Erythropoietin Production in ESRD. <i>Journal of the American Society of Nephrology: JASN</i> , 2010, 21, 2151-2156.	3.0	304
497	Anemia in Chronic Kidney Disease. , 2010, , 951-958.		2
498	The hypoxia-inducible factor HIF-1 functions as both a positive and negative modulator of aging. <i>Biological Chemistry</i> , 2010, 391, 1131-7.	1.2	61
499	Regulation of human metabolism by hypoxia-inducible factor. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010, 107, 12722-12727.	3.3	160
500	Reciprocal Regulation of Rac1 and PAK-1 by HIF-1 α : A Positive-Feedback Loop Promoting Pulmonary Vascular Remodeling. <i>Antioxidants and Redox Signaling</i> , 2010, 13, 399-412.	2.5	61

#	ARTICLE	IF	CITATIONS
501	HIF-2 β Enhances β -Catenin/TCF-Driven Transcription by Interacting with β -Catenin. <i>Cancer Research</i> , 2010, 70, 10101-10111.	0.4	73
502	A therapeutic role for targeting c-Myc/Hif-1- dependent signaling pathways. <i>Cell Cycle</i> , 2010, 9, 1722-1728.	1.3	72
503	Structural and Functional Insights into <i>Saccharomyces cerevisiae</i> Tpa1, a Putative Prolylhydroxylase Influencing Translation Termination and Transcription. <i>Journal of Biological Chemistry</i> , 2010, 285, 30767-30778.	1.6	30
504	A Novel Ca ²⁺ /Calmodulin Antagonist HBC Inhibits Angiogenesis and Down-regulates Hypoxia-inducible Factor. <i>Journal of Biological Chemistry</i> , 2010, 285, 25867-25874.	1.6	34
505	<i>Arabidopsis</i> RAP2.2: An Ethylene Response Transcription Factor That Is Important for Hypoxia Survival. <i>Plant Physiology</i> , 2010, 153, 757-772.	2.3	293
506	Regulated oxygen sensing by protein hydroxylation in renal erythropoietin-producing cells. <i>American Journal of Physiology - Renal Physiology</i> , 2010, 298, F1287-F1296.	1.3	87
507	Inflammatory stimulation and hypoxia cooperatively activate HIF-1 β in bronchial epithelial cells: involvement of PI3K and NF- κ B. <i>American Journal of Physiology - Lung Cellular and Molecular Physiology</i> , 2010, 298, L660-L669.	1.3	57
508	EPAS1 Is Required for Spermatogenesis in the Postnatal Mouse Testis. <i>Biology of Reproduction</i> , 2010, 82, 1227-1236.	1.2	29
509	Activation of hypoxia-inducible factor attenuates renal injury in rat remnant kidney. <i>Nephrology Dialysis Transplantation</i> , 2010, 25, 77-85.	0.4	128
510	Loss of ATM positively regulates the expression of hypoxia inducible factor 1 (HIF-1) through oxidative stress: Role in the physiopathology of the disease. <i>Cell Cycle</i> , 2010, 9, 2886-2894.	1.3	40
511	Oxygen Sensing: A Common Crossroad in Cancer and Neurodegeneration. <i>Current Topics in Microbiology and Immunology</i> , 2010, 345, 71-103.	0.7	21
512	Analysis of HIF-1a and its regulator, PHD2, in retroperitoneal sarcomas: clinico-pathologic implications. <i>Cancer Biology and Therapy</i> , 2010, 9, 303-311.	1.5	10
513	High glucose activates HIF-1-mediated signal transduction in glomerular mesangial cells through a carbohydrate response element binding protein. <i>Kidney International</i> , 2010, 78, 48-59.	2.6	120
514	HIF-2 β - a mediator of osteoarthritis?. <i>Cell Research</i> , 2010, 20, 977-979.	5.7	21
515	Targeting Hypoxic Cells through the DNA Damage Response. <i>Clinical Cancer Research</i> , 2010, 16, 5624-5629.	3.2	93
516	Benzimidazole-2-pyrazole HIF Prolyl 4-Hydroxylase Inhibitors as Oral Erythropoietin Secretagogues. <i>ACS Medicinal Chemistry Letters</i> , 2010, 1, 526-529.	1.3	57
517	Hypoxia Tolerance in Animals: Biology and Application. <i>Physiological and Biochemical Zoology</i> , 2010, 83, 733-752.	0.6	99
518	Hypoxic regulation of erythropoiesis and iron metabolism. <i>American Journal of Physiology - Renal Physiology</i> , 2010, 299, F1-F13.	1.3	266

#	ARTICLE	IF	CITATIONS
519	Prolyl Hydroxylase-3 Is Down-regulated in Colorectal Cancer Cells and Inhibits IKK \hat{I}^2 Independent of Hydroxylase Activity. <i>Gastroenterology</i> , 2010, 138, 606-615.	0.6	141
520	Selective Inhibitors of the JMJD2 Histone Demethylases: Combined Nondenaturing Mass Spectrometric Screening and Crystallographic Approaches. <i>Journal of Medicinal Chemistry</i> , 2010, 53, 1810-1818.	2.9	146
521	Diabetic nephropathy: a disorder of oxygen metabolism?. <i>Nature Reviews Nephrology</i> , 2010, 6, 83-95.	4.1	70
522	Hepatitis C Virus-Linked Mitochondrial Dysfunction Promotes Hypoxia-Inducible Factor 1 \hat{I}^{\pm} -Mediated Glycolytic Adaptation. <i>Journal of Virology</i> , 2010, 84, 647-660.	1.5	145
523	Chemical Basis for the Selectivity of the von Hippel Lindau Tumor Suppressor pVHL for Prolyl-Hydroxylated HIF-1 \hat{I}^{\pm} . <i>Biochemistry</i> , 2010, 49, 6936-6944.	1.2	16
524	Neuroprotective Multifunctional Iron Chelators: From Redox-Sensitive Process to Novel Therapeutic Opportunities. <i>Antioxidants and Redox Signaling</i> , 2010, 13, 919-949.	2.5	79
525	Sirtuin 1 Modulates Cellular Responses to Hypoxia by Deacetylating Hypoxia-Inducible Factor 1 \hat{I}^{\pm} . <i>Molecular Cell</i> , 2010, 38, 864-878.	4.5	645
526	Differential regulation of Snail by hypoxia and hyperglycemia in human proximal tubule cells. <i>International Journal of Biochemistry and Cell Biology</i> , 2010, 42, 1689-1697.	1.2	33
527	Ethyl pyruvate stabilizes hypoxia-inducible factor 1 alpha via stimulation of the TCA cycle. <i>Cancer Letters</i> , 2010, 295, 236-241.	3.2	16
528	Expression of nuclear FIH independently predicts overall survival of clear cell renal cell carcinoma patients. <i>European Journal of Cancer</i> , 2010, 46, 3375-3382.	1.3	28
529	Integrity of the prolyl hydroxylase domain protein 2:erythropoietin pathway in aging mice. <i>Blood Cells, Molecules, and Diseases</i> , 2010, 45, 9-19.	0.6	15
530	Hydroxylase inhibition reduces synaptic transmission and protects against a glutamate-induced ischemia in the CA1 region of the rat hippocampus. <i>Neuroscience</i> , 2010, 167, 1014-1024.	1.1	22
531	Powering Reprogramming with Vitamin C. <i>Cell Stem Cell</i> , 2010, 6, 1-2.	5.2	36
532	Renal studies provide an insight into cardiac extracellular matrix remodeling during health and disease. <i>Journal of Molecular and Cellular Cardiology</i> , 2010, 48, 497-503.	0.9	10
533	Redox Control of Protein-DNA Interactions: From Molecular Mechanisms to Significance in Signal Transduction, Gene Expression, and DNA Replication. <i>Antioxidants and Redox Signaling</i> , 2010, 13, 1429-1476.	2.5	45
534	Hypoxia-Inducible Factors: Post-translational Crosstalk of Signaling Pathways. <i>Methods in Molecular Biology</i> , 2010, 647, 215-236.	0.4	20
535	Metabolic Shifts in Immunity and Inflammation. <i>Journal of Immunology</i> , 2010, 184, 4062-4068.	0.4	328
536	Biology of Endoplasmic Reticulum Stress in the Heart. <i>Circulation Research</i> , 2010, 107, 1185-1197.	2.0	266

#	ARTICLE	IF	CITATIONS
537	Phosphorescent light-emitting iridium complexes serve as a hypoxia-sensing probe for tumor imaging in living animals. Proceedings of SPIE, 2010, , .	0.8	1
538	HIF pathway mutations and erythrocytosis. Expert Review of Hematology, 2010, 3, 93-101.	1.0	26
539	The role of the PTEN gene in malignant gliomas. Neurologia I Neurochirurgia Polska, 2010, 44, 80-86.	0.6	24
540	The Hypoxia-Inducible Factor-2 β Is Stabilized by Oxidative Stress Involving NOX4. Antioxidants and Redox Signaling, 2010, 13, 425-436.	2.5	81
543	Hypoxia: an alarm signal during intestinal inflammation. Nature Reviews Gastroenterology and Hepatology, 2010, 7, 281-287.	8.2	376
544	Iron Homeostasis and Its Interaction with Prolyl Hydroxylases. Antioxidants and Redox Signaling, 2010, 12, 445-458.	2.5	73
545	Prolyl hydroxylase and hypoxia inducible factor: potential targets for cancer therapy. Immunopharmacology and Immunotoxicology, 2011, 33, 568-575.	1.1	4
546	The Extract of Rhodiolae Crenulatae Radix et Rhizoma Induces the Accumulation of HIF-1 α via Blocking the Degradation Pathway in Cultured Kidney Fibroblasts. Planta Medica, 2011, 77, 894-899.	0.7	20
547	The Role of Psychologic Stress-Induced Hypoxia-Inducible Factor-1 α in Rat Experimental Periodontitis. Journal of Periodontology, 2011, 82, 934-941.	1.7	32
548	Hypoxic Induction of Human Erythroid-Specific β -Aminolevulinat Synthase Mediated by Hypoxia-Inducible Factor 1. Biochemistry, 2011, 50, 1194-1202.	1.2	24
549	Hypoxia and Metabolic Factors That Influence Inflammatory Bowel Disease Pathogenesis. Gastroenterology, 2011, 140, 1748-1755.	0.6	102
550	TRPA1 underlies a sensing mechanism for O ₂ . Nature Chemical Biology, 2011, 7, 701-711.	3.9	235
551	Some Molecular Aspects in the Biology of Respiration. , 2011, , 85-140.		0
552	Erythropoietin. , 2011, 1, 1759-1794.		44
553	Expression of Hypoxia-Inducible Factor-1 α in Human Periodontal Tissue. Journal of Periodontology, 2011, 82, 136-141.	1.7	65
554	New era for drug discovery and development in renal disease. Nature Reviews Nephrology, 2011, 7, 469-477.	4.1	17
555	Design and Synthesis of Novel Small-Molecule Inhibitors of the Hypoxia Inducible Factor Pathway. Journal of Medicinal Chemistry, 2011, 54, 8471-8489.	2.9	44
556	Inhibition of 2-oxoglutarate dependent oxygenases. Chemical Society Reviews, 2011, 40, 4364.	18.7	336

#	ARTICLE	IF	CITATIONS
557	Pathogenesis of Tubular Interstitial Nephritis. <i>Contributions To Nephrology</i> , 2011, 169, 297-310.	1.1	12
558	Induction of the Mitochondrial NDUFA4L2 Protein by HIF-1 α Decreases Oxygen Consumption by Inhibiting Complex I Activity. <i>Cell Metabolism</i> , 2011, 14, 768-779.	7.2	276
559	Mouse Fem1b interacts with and induces ubiquitin-mediated degradation of Ankrd37. <i>Gene</i> , 2011, 485, 153-159.	1.0	20
560	von Hippel-Lindau protein adjusts oxygen sensing of the FIH asparaginyl hydroxylase. <i>International Journal of Biochemistry and Cell Biology</i> , 2011, 43, 795-804.	1.2	9
561	Hypoxia, stem cells and bone tumor. <i>Cancer Letters</i> , 2011, 313, 129-136.	3.2	58
562	Induction of hypoxia inducible factor (HIF-1 α) in rat kidneys by iron chelation with the hydroxypyridinone, CP94. <i>Biochimica Et Biophysica Acta - Gene Regulatory Mechanisms</i> , 2011, 1809, 262-268.	0.9	22
563	Prolyl hydroxylase domain protein 3 targets Pax2 for destruction. <i>Biochemical and Biophysical Research Communications</i> , 2011, 409, 315-320.	1.0	17
564	Inactivation of prolyl hydroxylase domain (PHD) protein by epigallocatechin (EGCG) stabilizes hypoxia-inducible factor (HIF-1 α) and induces hepcidin (Hamp) in rat kidney. <i>Biochemical and Biophysical Research Communications</i> , 2011, 416, 421-426.	1.0	10
565	EMT: A new vision of hypoxia promoting cancer progression. <i>Cancer Biology and Therapy</i> , 2011, 11, 714-723.	1.5	218
566	Advances in Characterization of Human Sirtuin Isoforms: Chemistries, Targets and Therapeutic Applications. <i>Current Medicinal Chemistry</i> , 2011, 18, 1919-1935.	1.2	59
567	Hypoxic downregulation of cellular proliferation and loss of phenotype stability in human osteoblasts is mediated by HIF-1 α . <i>Clinical Hemorheology and Microcirculation</i> , 2011, 49, 279-286.	0.9	11
568	Post-Transcriptional Control of the Hypoxic Response by RNA-Binding Proteins and MicroRNAs. <i>Frontiers in Molecular Neuroscience</i> , 2011, 4, 7.	1.4	98
569	Detection of the Onset of Ischemia and Carcinogenesis by Hypoxia-Inducible Transcription Factor-Based In Vivo Bioluminescence Imaging. <i>PLoS ONE</i> , 2011, 6, e26640.	1.1	8
570	The hypoxia-inflammatory link and potential drug targets. <i>Current Opinion in Anaesthesiology</i> , 2011, 24, 363-369.	0.9	52
571	Lung Cell Hypoxia: Role of Mitochondrial Reactive Oxygen Species Signaling in Triggering Responses. <i>Proceedings of the American Thoracic Society</i> , 2011, 8, 477-484.	3.5	70
572	High-resolution genome-wide mapping of HIF-binding sites by ChIP-seq. <i>Blood</i> , 2011, 117, e207-e217.	0.6	623
573	Pathophysiological Response to Hypoxia - From the Molecular Mechanisms of Malady to Drug Discovery: Epigenetic Regulation of the Hypoxic Response via Hypoxia-Inducible Factor and Histone Modifying Enzymes. <i>Journal of Pharmacological Sciences</i> , 2011, 115, 453-458.	1.1	33
574	Understanding the Broad-Spectrum Neuroprotective Action Profile of Green Tea Polyphenols in Aging and Neurodegenerative Diseases. <i>Journal of Alzheimer's Disease</i> , 2011, 25, 187-208.	1.2	129

#	ARTICLE	IF	CITATIONS
575	Gene expression analysis in clear cell renal cell carcinoma using gene set enrichment analysis for biostatistical management. <i>BJU International</i> , 2011, 108, E29-E35.	1.3	14
577	Sphingosine kinase 1 pathway is involved in melatonin-induced HIF-1 α inactivation in hypoxic PC-3 prostate cancer cells. <i>Journal of Pineal Research</i> , 2011, 51, 87-93.	3.4	75
578	Why is the partial oxygen pressure of human tissues a crucial parameter? Small molecules and hypoxia. <i>Journal of Cellular and Molecular Medicine</i> , 2011, 15, 1239-1253.	1.6	971
579	Andrographolide down-regulates hypoxia-inducible factor-1 α in human non-small cell lung cancer A549 cells. <i>Toxicology and Applied Pharmacology</i> , 2011, 250, 336-345.	1.3	57
580	Physiological and biochemical aspects of hydroxylations and demethylations catalyzed by human 2-oxoglutarate oxygenases. <i>Trends in Biochemical Sciences</i> , 2011, 36, 7-18.	3.7	260
581	Dietary hyperglycemia, glycemic index and metabolic retinal diseases. <i>Progress in Retinal and Eye Research</i> , 2011, 30, 18-53.	7.3	132
582	PHD1 interacts with ATF4 and negatively regulates its transcriptional activity without prolyl hydroxylation. <i>Experimental Cell Research</i> , 2011, 317, 2789-2799.	1.2	26
583	Redox signaling in cardiac myocytes. <i>Free Radical Biology and Medicine</i> , 2011, 50, 777-793.	1.3	260
584	Vitamins C and E: Beneficial effects from a mechanistic perspective. <i>Free Radical Biology and Medicine</i> , 2011, 51, 1000-1013.	1.3	685
585	Oxygen and cytokine-dependent changes in choline phospholipid saturation in hematopoietic progenitor cells detected by MALDI-TOF mass spectrometry. <i>Chemistry and Physics of Lipids</i> , 2011, 164, 636-642.	1.5	4
586	Extracellular Adenosine: A Safety Signal That Dampens Hypoxia-Induced Inflammation During Ischemia. <i>Antioxidants and Redox Signaling</i> , 2011, 15, 2221-2234.	2.5	83
587	¹ H NMR metabolomics identification of markers of hypoxia-induced metabolic shifts in a breast cancer model system. <i>Journal of Biomolecular NMR</i> , 2011, 49, 185-193.	1.6	61
588	Prevention of apoptosis by the interaction between FIH1 and Bax. <i>Molecular and Cellular Biochemistry</i> , 2011, 348, 1-9.	1.4	10
589	Chronic hypoxia-induced alterations of key enzymes of glucose oxidative metabolism in developing mouse liver are mTOR dependent. <i>Molecular and Cellular Biochemistry</i> , 2011, 357, 189-197.	1.4	12
590	R132H-mutation of isocitrate dehydrogenase-1 is not sufficient for HIF-1 α upregulation in adult glioma. <i>Acta Neuropathologica</i> , 2011, 121, 279-281.	3.9	67
591	Iron-chelating backbone coupled with monoamine oxidase inhibitory moiety as novel pluripotential therapeutic agents for Alzheimer's disease: a tribute to Moussa Youdim. <i>Journal of Neural Transmission</i> , 2011, 118, 479-492.	1.4	51
592	Inborn and acquired metabolic defects in cancer. <i>Journal of Molecular Medicine</i> , 2011, 89, 213-220.	1.7	132
593	Red ginseng deregulates hypoxia-induced genes by dissociating the HIF-1 dimer. <i>Journal of Natural Medicines</i> , 2011, 65, 344-352.	1.1	11

#	ARTICLE	IF	CITATIONS
594	HIF-1 inhibitors as anti-cancer therapy. <i>Science China Chemistry</i> , 2011, 54, 24-30.	4.2	7
595	Regulation of mammalian target of rapamycin complex 1 (mTORC1) by hypoxia: causes and consequences. <i>Targeted Oncology</i> , 2011, 6, 95-102.	1.7	19
596	Effects of ischemic pre- and postconditioning on HIF-1 α , VEGF and TGF- β 2 expression after warm ischemia and reperfusion in the rat liver. <i>Comparative Hepatology</i> , 2011, 10, 3.	0.9	25
597	Advances in understanding ischemic acute kidney injury. <i>BMC Medicine</i> , 2011, 9, 11.	2.3	121
599	5-Hydroxymethylcytosine, the Sixth Base of the Genome. <i>Angewandte Chemie - International Edition</i> , 2011, 50, 6460-6468.	7.2	221
600	Effects of polynitrogen compounds on the activity of recombinant human HIF-1 α prolyl hydroxylase 3 in <i>E. coli</i> . <i>Journal of Inorganic Biochemistry</i> , 2011, 105, 391-399.	1.5	4
601	Texaphyrins: Tumor Localizing Redox Active Expanded Porphyrins. <i>Anti-Cancer Agents in Medicinal Chemistry</i> , 2011, 11, 222-232.	0.9	32
602	Interplay of Hypoxia and A2B Adenosine Receptors in Tissue Protection. <i>Advances in Pharmacology</i> , 2011, 61, 145-186.	1.2	69
603	Hypoxia Inducible Factor-Dependent Regulation of Angiogenesis by Nitro-Fatty Acids. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2011, 31, 1360-1367.	1.1	21
604	Oxygen and Retinopathy of Prematurity. <i>International Ophthalmology Clinics</i> , 2011, 51, 17-31.	0.3	3
605	Differential Sensitivity of Hypoxia Inducible Factor Hydroxylation Sites to Hypoxia and Hydroxylase Inhibitors. <i>Journal of Biological Chemistry</i> , 2011, 286, 13041-13051.	1.6	148
606	Mitoxantrone Inhibits HIF-1 α Expression in a Topoisomerase II-Independent Pathway. <i>Clinical Cancer Research</i> , 2011, 17, 5026-5037.	3.2	30
607	A DNA-dependent stress response involving DNA-PK occurs in hypoxic cells and contributes to cellular adaptation to hypoxia. <i>Journal of Cell Science</i> , 2011, 124, 1943-1951.	1.2	73
608	Hypoxia-induced transcriptional repression of the melanoma-associated oncogene <i>MITF</i> . <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011, 108, E924-33.	3.3	101
609	Cardiopulmonary function in two human disorders of the hypoxia-inducible factor (HIF) pathway: von Hippel-Lindau disease and HIF-1 α gain-of-function mutation. <i>FASEB Journal</i> , 2011, 25, 2001-2011.	0.2	86
611	Spironolactone and Enalapril Differentially Up-Regulate the Expression of VEGF and Heme Oxygenase-1 in the Neonatal Rat Kidney. <i>Pediatric Research</i> , 2011, 69, 378-383.	1.1	9
612	Hypoxia-inducible Factor 1 α Subunit Stabilization by NEDD8 Conjugation Is Reactive Oxygen Species-dependent. <i>Journal of Biological Chemistry</i> , 2011, 286, 6963-6970.	1.6	80
613	Regulation of Type II Transmembrane Serine Proteinase TMPRSS6 by Hypoxia-inducible Factors. <i>Journal of Biological Chemistry</i> , 2011, 286, 4090-4097.	1.6	90

#	ARTICLE	IF	CITATIONS
614	Systems Biology Approach in <i>Chlamydomonas</i> Reveals Connections between Copper Nutrition and Multiple Metabolic Steps. <i>Plant Cell</i> , 2011, 23, 1273-1292.	3.1	204
616	Hypoxia. 1. Intracellular sensors for oxygen and oxidative stress: novel therapeutic targets. <i>American Journal of Physiology - Cell Physiology</i> , 2011, 300, C226-C231.	2.1	118
617	Epigenetics: New Questions on the Response to Hypoxia. <i>International Journal of Molecular Sciences</i> , 2011, 12, 4705-4721.	1.8	68
618	TRP channels: sensors and transducers of gasotransmitter signals. <i>Frontiers in Physiology</i> , 2012, 3, 324.	1.3	45
619	Stem Cells and Metabolism. <i>Else-Kröner-Fresenius-Symposia</i> , 2012, , 92-99.	0.1	0
620	Preischemic targeting of HIF prolyl hydroxylation inhibits fibrosis associated with acute kidney injury. <i>American Journal of Physiology - Renal Physiology</i> , 2012, 302, F1172-F1179.	1.3	104
621	Breast Cancer Chemoprevention: Old and New Approaches. <i>Journal of Biomedicine and Biotechnology</i> , 2012, 2012, 1-15.	3.0	52
622	Dynamic Change of Chromatin Conformation in Response to Hypoxia Enhances the Expression of GLUT3 (SLC2A3) by Cooperative Interaction of Hypoxia-Inducible Factor 1 and KDM3A. <i>Molecular and Cellular Biology</i> , 2012, 32, 3018-3032.	1.1	230
623	Hypoxia induces H ₂ O ₂ production and activates antioxidant defence system in grapevine buds through mediation of H ₂ O ₂ and ethylene. <i>Journal of Experimental Botany</i> , 2012, 63, 4123-4131.	2.4	106
624	Hypoxia signaling during intestinal ischemia and inflammation. <i>Current Opinion in Critical Care</i> , 2012, 18, 178-185.	1.6	49
625	Vitamin C Deficiency Activates the Purine Nucleotide Cycle in Zebrafish. <i>Journal of Biological Chemistry</i> , 2012, 287, 3833-3841.	1.6	63
626	Beyond the Antioxidant: The Double Life of Vitamin C. <i>Sub-Cellular Biochemistry</i> , 2012, 56, 49-65.	1.0	55
627	Low expression of prolyl hydroxylase 2 is associated with tumor grade and poor prognosis in patients with colorectal cancer. <i>Experimental Biology and Medicine</i> , 2012, 237, 860-866.	1.1	16
628	Estrogen receptor β is a novel target of the Von Hippel-Lindau protein and is responsible for the proliferation of VHL-deficient cells under hypoxic conditions. <i>Cell Cycle</i> , 2012, 11, 4462-4473.	1.3	34
629	Oxygenation of the Newborn: A Molecular Approach. <i>Neonatology</i> , 2012, 101, 315-325.	0.9	70
630	Small-molecule inhibitors of the HIF pathway and synthetic lethal interactions. <i>Expert Opinion on Therapeutic Targets</i> , 2012, 16, 463-480.	1.5	17
631	Interaction with ErbB4 Promotes Hypoxia-inducible Factor-1 α Signaling. <i>Journal of Biological Chemistry</i> , 2012, 287, 9659-9671.	1.6	40
632	Methemoglobinemia and ascorbate deficiency in hemoglobin E β^2 thalassemia: metabolic and clinical implications. <i>Blood</i> , 2012, 120, 2939-2944.	0.6	21

#	ARTICLE	IF	CITATIONS
633	Inhibitory effects of epigallocatechin-3-gallate on cell proliferation and the expression of HIF-1 α and P-gp in the human pancreatic carcinoma cell line PANC-1. <i>Oncology Reports</i> , 2012, 27, 1567-72.	1.2	18
634	Colon-Derived Microbial Metabolites of Dietary Phenolic Compounds. , 2012, , 221-252.		1
635	HIF α -prolyl hydroxylases and cardiovascular diseases. <i>Toxicology Mechanisms and Methods</i> , 2012, 22, 347-358.	1.3	26
636	Evidence for inhibition of HIF-1 α prolyl hydroxylase 3 activity by four biologically active tetraazamacrocycles. <i>Organic and Biomolecular Chemistry</i> , 2012, 10, 3913.	1.5	4
637	Pathophysiology of ischemic acute tubular necrosis. <i>Clinical Queries Nephrology</i> , 2012, 1, 18-26.	0.2	4
638	Influence of low oxygen tensions on macrophage polarization. <i>Immunobiology</i> , 2012, 217, 1233-1240.	0.8	47
639	Modulation of the Hypoxic Response Following Partial Bladder Outlet Obstruction. <i>Journal of Urology</i> , 2012, 188, 1549-1554.	0.2	21
641	Population Pharmacokinetic and Pharmacodynamic Model-Based Comparability Assessment of a Recombinant Human Epoetin Alfa and the Biosimilar HX575. <i>Journal of Clinical Pharmacology</i> , 2012, 52, 1624-1644.	1.0	34
642	Lipopolysaccharide and Hypoxia-Induced HIF-1 α Activation in Human Gingival Fibroblasts. <i>Journal of Periodontology</i> , 2012, 83, 816-824.	1.7	34
643	Crystal Structure and Functional Analysis of JMJD5 Indicate an Alternate Specificity and Function. <i>Molecular and Cellular Biology</i> , 2012, 32, 4044-4052.	1.1	59
644	Delayed myocardial preconditioning induced by cobalt chloride in the rat: HIF-1 α and iNOS involvement. <i>Fundamental and Clinical Pharmacology</i> , 2012, 26, 454-462.	1.0	19
645	Skeletal Muscle-Specific Genetic Determinants Contribute to the Differential Strain-Dependent Effects of Hindlimb Ischemia in Mice. <i>American Journal of Pathology</i> , 2012, 180, 2156-2169.	1.9	66
646	Ferroportin-mediated iron transport: Expression and regulation. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2012, 1823, 1426-1433.	1.9	258
647	Honokiol inhibits HIF pathway and hypoxia-induced expression of histone lysine demethylases. <i>Biochemical and Biophysical Research Communications</i> , 2012, 422, 369-374.	1.0	25
648	Cancer nanomedicines targeting tumor extracellular pH. <i>Colloids and Surfaces B: Biointerfaces</i> , 2012, 99, 116-126.	2.5	110
649	Structural Insight into the Prolyl Hydroxylase PHD2: A Molecular Dynamics and DFT Study. <i>European Journal of Inorganic Chemistry</i> , 2012, 2012, 4973-4985.	1.0	5
650	Novel Therapeutic Approach for Neurodegenerative Pathologies: Multitarget Iron-Chelating Drugs Regulating Hypoxia-Inducible Factor 1 Signal Transduction Pathway. <i>Neurodegenerative Diseases</i> , 2012, 10, 112-115.	0.8	12
651	Epigenetic regulation of HIF-1 α in renal cancer cells involves HIF-1 α /2 α binding to a reverse hypoxia-response element. <i>Oncogene</i> , 2012, 31, 1065-1072.	2.6	32

#	ARTICLE	IF	CITATIONS
652	Treatment with a Novel Hypoxia-Inducible Factor Hydroxylase Inhibitor (TRC160334) Ameliorates Ischemic Acute Kidney Injury. <i>American Journal of Nephrology</i> , 2012, 36, 208-218.	1.4	29
653	A novel regulation of VEGF expression by HIF-1 α and STAT3 in HDM2 transfected prostate cancer cells. <i>Journal of Cellular and Molecular Medicine</i> , 2012, 16, 1750-1757.	1.6	24
654	Hypoxia-inducible factor 1 α -mediated human <i>GATA1</i> induction promotes erythroid differentiation under hypoxic conditions. <i>Journal of Cellular and Molecular Medicine</i> , 2012, 16, 1889-1899.	1.6	43
655	Infection by <i>Leishmania amazonensis</i> in mice: A potential model for chronic hypoxia. <i>Acta Histochemica</i> , 2012, 114, 797-804.	0.9	19
656	Decarboxylation mechanisms in biological system. <i>Bioorganic Chemistry</i> , 2012, 43, 2-14.	2.0	88
657	Anemia in chronic kidney disease patients. <i>Clinical Queries Nephrology</i> , 2012, 1, 198-204.	0.2	3
658	Mechanisms of Pathological VEGF Production in the Retina and Modification with VEGF-Antagonists. , 2012, , 277-305.		8
659	Water Soluble Vitamins. <i>Sub-Cellular Biochemistry</i> , 2012, , .	1.0	9
660	Dynamic Combinatorial Mass Spectrometry Leads to Inhibitors of a 2-Oxoglutarate-Dependent Nucleic Acid Demethylase. <i>Journal of Medicinal Chemistry</i> , 2012, 55, 2173-2184.	2.9	49
661	The FIH hydroxylase is a cellular peroxide sensor that modulates HIF transcriptional activity. <i>EMBO Reports</i> , 2012, 13, 251-257.	2.0	120
662	Culture of human mesenchymal stem cells at low oxygen tension improves growth and genetic stability by activating glycolysis. <i>Cell Death and Differentiation</i> , 2012, 19, 743-755.	5.0	230
663	Transient Ureteral Obstruction Prevents against Kidney Ischemia/Reperfusion Injury via Hypoxia-Inducible Factor (HIF)-2 α Activation. <i>PLoS ONE</i> , 2012, 7, e29876.	1.1	24
664	pVHL Mediates K63-Linked Ubiquitination of nCLU. <i>PLoS ONE</i> , 2012, 7, e35848.	1.1	17
665	Oxygen Sensing Mesenchymal Progenitors Promote Neo-Vasculogenesis in a Humanized Mouse Model In Vivo. <i>PLoS ONE</i> , 2012, 7, e44468.	1.1	52
666	In Vivo Imaging of Brain Ischemia Using an Oxygen-Dependent Degradative Fusion Protein Probe. <i>PLoS ONE</i> , 2012, 7, e48051.	1.1	7
668	Targeting dysregulation of brain iron homeostasis in ageing. <i>Nutrition and Aging (Amsterdam,)</i> Tj ETQq1 1 0.784314,rgBT /Oyerlock 10 0,3		4
669	Regulation of EC-SOD in Hypoxic Adipocytes. , 2012, , .		0
670	The importance of the multiple target action of green tea polyphenols for neuroprotection. <i>Frontiers in Bioscience - Scholar</i> , 2012, S4, 581.	0.8	0

#	ARTICLE	IF	CITATIONS
671	The updated biology of hypoxia-inducible factor. <i>EMBO Journal</i> , 2012, 31, 2448-2460.	3.5	473
672	The role of androgens on hypoxia-inducible factor (HIF)-1 α -induced angiogenesis and on the survival of ischemically challenged skin flaps in a rat model. <i>Microsurgery</i> , 2012, 32, 475-481.	0.6	11
673	Overexpression of factor inhibiting HIF-1 enhances vessel maturation and tumor growth <i>via</i> platelet-derived growth factor- β . <i>International Journal of Cancer</i> , 2012, 131, E603-13.	2.3	30
674	Targeting the von Hippel-Lindau E3 Ubiquitin Ligase Using Small Molecules To Disrupt the VHL/HIF-1 α Interaction. <i>Journal of the American Chemical Society</i> , 2012, 134, 4465-4468.	6.6	382
675	Adenosine and Hypoxia-Inducible Factor Signaling in Intestinal Injury and Recovery. <i>Annual Review of Physiology</i> , 2012, 74, 153-175.	5.6	111
676	HIF-1 α protein is upregulated in HIF-2 α depleted cells via enhanced translation. <i>FEBS Letters</i> , 2012, 586, 1652-1657.	1.3	19
677	New Anemia Therapies: Translating Novel Strategies From Bench to Bedside. <i>American Journal of Kidney Diseases</i> , 2012, 59, 444-451.	2.1	50
678	Involvement of SIRT1 in hypoxic down-regulation of c-Myc and β -catenin and hypoxic preconditioning effect of polyphenols. <i>Toxicology and Applied Pharmacology</i> , 2012, 259, 210-218.	1.3	45
679	Conditional hypoxia inducible factor-1 α induction in embryonic pulmonary epithelium impairs maturation and augments lymphangiogenesis. <i>Developmental Biology</i> , 2012, 362, 24-41.	0.9	32
680	Renal cancer: Oxygen meets metabolism. <i>Experimental Cell Research</i> , 2012, 318, 1057-1067.	1.2	28
681	Gene expression profiles associated with anaemia and ITPA genotypes in patients with chronic hepatitis C (CHC). <i>Journal of Viral Hepatitis</i> , 2012, 19, 414-422.	1.0	9
682	Two new mutations in the <i>HIF2A</i> gene associated with erythrocytosis. <i>American Journal of Hematology</i> , 2012, 87, 439-442.	2.0	37
683	Molecular Mechanism Underlying the Detection of Colorectal Cancer by 18F-2-Fluoro-2-Deoxy-d-Glucose Positron Emission Tomography. <i>Journal of Gastrointestinal Surgery</i> , 2012, 16, 394-400.	0.9	32
684	Nitric oxide signaling in hypoxia. <i>Journal of Molecular Medicine</i> , 2012, 90, 217-231.	1.7	113
685	Protein oxidation: role in signalling and detection by mass spectrometry. <i>Amino Acids</i> , 2012, 42, 5-21.	1.2	56
686	Hypoxia-inducible factor (HIF) network: insights from mathematical models. <i>Cell Communication and Signaling</i> , 2013, 11, 42.	2.7	68
687	Zinc Promotes the Death of Hypoxic Astrocytes by Upregulating Hypoxia-Induced Hypoxia-Inducible Factor-1 α Expression via Poly(ADP-ribose) Polymerase-1. <i>CNS Neuroscience and Therapeutics</i> , 2013, 19, 511-520.	1.9	34
688	Clinical Pharmacokinetics and Pharmacodynamics of Erythropoiesis-Stimulating Agents. <i>Clinical Pharmacokinetics</i> , 2013, 52, 1063-1083.	1.6	16

#	ARTICLE	IF	CITATIONS
689	Computational Methods for Transcriptional Regulatory Networks. , 2013, , 468-473.		0
690	A multivalent peptide as an activator of hypoxia inducible factor-1 α . Bioorganic and Medicinal Chemistry Letters, 2013, 23, 1716-1719.	1.0	1
691	CHC promotes tumor growth and angiogenesis through regulation of HIF-1 α and VEGF signaling. Cancer Letters, 2013, 331, 58-67.	3.2	35
692	Prolyl Hydroxylase Inhibition During Hyperoxia Prevents Oxygen-Induced Retinopathy in the Rat 50/10 Model. , 2013, 54, 4919.		27
693	Mapping the HIF Transcription Factor in Cancer by ChIP-Seq Technology. , 2013, , 91-117.		0
694	Attenuation of streptozotocin-induced diabetic retinopathy with low molecular weight fucoidan via inhibition of vascular endothelial growth factor. Experimental Eye Research, 2013, 115, 96-105.	1.2	56
696	Inhibition of Hypoxia-Inducible Factor Prolyl Hydroxylase Domain Oxygen Sensors: Tricking the Body into Mounting Orchestrated Survival and Repair Responses. Journal of Medicinal Chemistry, 2013, 56, 9369-9402.	2.9	139
697	Hypoxia Promotes the Production and Inhibits the Destruction of Human Articular Cartilage. Arthritis and Rheumatism, 2013, 65, 1302-1312.	6.7	105
698	Onconeural antigen Cdr2 correlates with HIF prolyl-4-hydroxylase PHD1 and worse prognosis in renal cell carcinoma. Experimental and Molecular Pathology, 2013, 94, 453-457.	0.9	8
699	Novel Therapeutic Strategy With Hypoxia-Inducible Factors via Reversible Epigenetic Regulation Mechanisms in Progressive Tubulointerstitial Fibrosis. Seminars in Nephrology, 2013, 33, 375-382.	0.6	40
700	Dysregulation of Hypoxia-Inducible Factor by Presenilin/3-Secretase Loss-of-Function Mutations. Journal of Neuroscience, 2013, 33, 1915-1926.	1.7	16
701	Treatment with the vascular disruptive agent OXi4503 induces an immediate and widespread epithelial to mesenchymal transition in the surviving tumor. Cancer Medicine, 2013, 2, 595-610.	1.3	13
702	Berberine Modulates Epigenetics via Inhibition of Hypoxia-Induced Histone Lysine Demethylases Expression. Drug Development Research, 2013, 74, 15-22.	1.4	1
703			

#	ARTICLE	IF	CITATIONS
708	Coping with Endoplasmic Reticulum Stress in the Cardiovascular System. Annual Review of Physiology, 2013, 75, 49-67.	5.6	148
709	Protein N-terminal acetyltransferases in cancer. Oncogene, 2013, 32, 269-276.	2.6	139
710	Complementary RNA and Protein Profiling Identifies Iron as a Key Regulator of Mitochondrial Biogenesis. Cell Reports, 2013, 3, 237-245.	2.9	67
711	Enhancement of in vitro cell motility and invasiveness of human malignant pleural mesothelioma cells through the HIF-1 α -MUC1 pathway. Cancer Letters, 2013, 339, 82-92.	3.2	9
712	Selective Small Molecule Probes for the Hypoxia Inducible Factor (HIF) Prolyl Hydroxylases. ACS Chemical Biology, 2013, 8, 1488-1496.	1.6	105
713	Differential expression of adenylate kinase 4 in the context of disparate stress response strategies of HEK293 and HepG2 cells. Archives of Biochemistry and Biophysics, 2013, 533, 11-17.	1.4	22
714	Novel complex crystal structure of prolyl hydroxylase domain-containing protein 2 (PHD2): 2,8-Diazaspiro[4.5]decan-1-ones as potent, orally bioavailable PHD2 inhibitors. Bioorganic and Medicinal Chemistry, 2013, 21, 6349-6358.	1.4	17
715	Different evolutionary patterns of hypoxia-inducible factor 1 α (HIF-1 α) isoforms in the basal branches of Actinopterygii and Sarcopterygii. FEBS Open Bio, 2013, 3, 479-483.	1.0	18
716	Diabetic nephropathy: are there new and potentially promising therapies targeting oxygen biology?. Kidney International, 2013, 84, 693-702.	2.6	60
717	TRP channels as sensors of oxygen availability. Pflugers Archiv European Journal of Physiology, 2013, 465, 1075-1085.	1.3	12
718	Large-scale investigation of oxygen response mutants in Saccharomyces cerevisiae. Molecular BioSystems, 2013, 9, 1351.	2.9	24
719	Targeting dysregulation of brain iron homeostasis in Parkinson's disease by iron chelators. Free Radical Biology and Medicine, 2013, 62, 52-64.	1.3	163
720	Engineered Proteins for Controlling Gene Expression. , 2013, , 125-138.		1
721	Ecological photodynamic therapy: New trend to disrupt the intricate networks within tumor ecosystem. Biochimica Et Biophysica Acta: Reviews on Cancer, 2013, 1835, 86-99.	3.3	14
722	Ascorbate oxidase is the potential conductor of a symphony of signaling pathways. Plant Signaling and Behavior, 2013, 8, e23213.	1.2	65
723	Oxygen sensing and hypoxia signalling pathways in animals: the implications of physiology for cancer. Journal of Physiology, 2013, 591, 2027-2042.	1.3	235
724	A dynamic model of the hypoxia-inducible factor 1-alpha (HIF-1 α) network. Journal of Cell Science, 2013, 126, 1454-63.	1.2	112
725	Cancer metabolism: Key players in metabolic reprogramming. Cancer Science, 2013, 104, 275-281.	1.7	210

#	ARTICLE	IF	CITATIONS
726	Inhibition of Transforming Growth Factor β 1/Smad3 Signaling Decreases Hypoxia-Inducible Factor-1 α Protein Stability by Inducing Prolyl Hydroxylase 2 Expression in Human Periodontal Ligament Cells. <i>Journal of Periodontology</i> , 2013, 84, 1346-1352.	1.7	20
727	Emerging roles of TRPA1 in sensation of oxidative stress and its implications in defense and danger. <i>Archives of Pharmacal Research</i> , 2013, 36, 783-791.	2.7	20
728	The role of hyperoxia in the pathogenesis of experimental BPD. <i>Seminars in Perinatology</i> , 2013, 37, 69-78.	1.1	120
729	Targeting the HIF pathway in inflammation and immunity. <i>Current Opinion in Pharmacology</i> , 2013, 13, 646-653.	1.7	119
730	Spectroscopic Studies of the Mononuclear Non-Heme Fe ^{II} Enzyme FIH: Second-Sphere Contributions to Reactivity. <i>Journal of the American Chemical Society</i> , 2013, 135, 9665-9674.	6.6	44
731	Vasoactive intestinal peptide induces oxidative stress and suppresses metastatic potential in human clear cell renal cell carcinoma. <i>Molecular and Cellular Endocrinology</i> , 2013, 365, 212-222.	1.6	14
732	Emerging novel functions of the oxygen-sensing prolyl hydroxylase domain enzymes. <i>Trends in Biochemical Sciences</i> , 2013, 38, 3-11.	3.7	123
733	Does Vitamin C Deficiency Increase Lifestyle-Associated Vascular Disease Progression? Evidence Based on Experimental and Clinical Studies. <i>Antioxidants and Redox Signaling</i> , 2013, 19, 2084-2104.	2.5	42
734	Identification of HIF-1 α promoter and expression regulation of HIF-1 α gene by LPS and hypoxia in zebrafish. <i>Fish Physiology and Biochemistry</i> , 2013, 39, 1153-1163.	0.9	14
735	Prolyl 4 α -hydroxylases, master regulators of the hypoxia response. <i>Acta Physiologica</i> , 2013, 208, 148-165.	1.8	96
736	Texaphyrins and water-soluble zinc(II) ionophores: development, mechanism of anticancer activity, and synergistic effects. <i>Bioinorganic Reaction Mechanisms</i> , 2013, 9, 3-14.	0.5	3
737	The Bioavailability of Vitamin C from Kiwifruit. <i>Advances in Food and Nutrition Research</i> , 2013, 68, 125-147.	1.5	38
738	The concept of "origin" problem definition and attempt of analysis. <i>Biopolymers and Cell</i> , 2013, 29, 428-440.	0.1	2
739	HIF1A Reduces Acute Lung Injury by Optimizing Carbohydrate Metabolism in the Alveolar Epithelium. <i>PLoS Biology</i> , 2013, 11, e1001665.	2.6	138
740	The Proteome of Copper, Iron, Zinc, and Manganese Micronutrient Deficiency in <i>Chlamydomonas reinhardtii</i> . <i>Molecular and Cellular Proteomics</i> , 2013, 12, 65-86.	2.5	85
741	Oxygen-dependent expression of cytochrome c oxidase subunit 4-2 gene expression is mediated by transcription factors RBPJ, CXXC5 and CHCHD2. <i>Nucleic Acids Research</i> , 2013, 41, 2255-2266.	6.5	146
742	Red blood cells in sports: effects of exercise and training on oxygen supply by red blood cells. <i>Frontiers in Physiology</i> , 2013, 4, 332.	1.3	276
743	Control of creatine metabolism by HIF is an endogenous mechanism of barrier regulation in colitis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013, 110, 19820-19825.	3.3	111

#	ARTICLE	IF	CITATIONS
744	The regulation, localization, and functions of oxygen-sensing prolyl hydroxylase PHD3. <i>Biological Chemistry</i> , 2013, 394, 449-457.	1.2	36
745	Hypoxia-Inducible Factor Signaling in Pheochromocytoma: Turning the Rudder in the Right Direction. <i>Journal of the National Cancer Institute</i> , 2013, 105, 1270-1283.	3.0	146
746	Hydroxylase-dependent regulation of the NF- κ B pathway. <i>Biological Chemistry</i> , 2013, 394, 479-493.	1.2	37
747	Renal anemia: from incurable to curable. <i>American Journal of Physiology - Renal Physiology</i> , 2013, 305, F1239-F1248.	1.3	50
748	Hypoxia and Integrin-Mediated Epithelial Restitution during Mucosal Inflammation. <i>Frontiers in Immunology</i> , 2013, 4, 272.	2.2	43
749	Factor Inhibiting HIF-1 (FIH-1) modulates protein interactions of Apoptosis-Stimulating p53 binding Protein 2 (ASPP2). <i>Journal of Cell Science</i> , 2013, 126, 2629-40.	1.2	42
750	3 α -Hydroxyazetidine Carboxylic Acids: Non-Proteinogenic Amino Acids for Medicinal Chemists. <i>ChemMedChem</i> , 2013, 8, 658-666.	1.6	23
751	Oxygen sensitivity of mitochondrial function in rat arterial chemoreceptor cells. <i>Journal of Physiology</i> , 2013, 591, 3549-3563.	1.3	81
752	Regulation of Hypoxia-inducible Factor 1 \pm (HIF-1 \pm) by Lysophosphatidic Acid Is Dependent on Interplay between p53 and Kr μ ppel-like Factor 5. <i>Journal of Biological Chemistry</i> , 2013, 288, 25244-25253.	1.6	61
753	HIF-independent role of prolyl hydroxylases in the cellular response to amino acids. <i>Oncogene</i> , 2013, 32, 4549-4556.	2.6	106
754	Hypoxic retinal M μ ller cells promote vascular permeability by HIF-1 μ -dependent up-regulation of angiopoietin-like 4. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013, 110, E3425-34.	3.3	126
755	A mechanism for induction of a hypoxic response by vaccinia virus. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013, 110, 12444-12449.	3.3	63
756	First Phase Insulin Secretion and Type 2 Diabetes. <i>Current Molecular Medicine</i> , 2013, 13, 126-139.	0.6	27
757	Congenital erythrocytosis associated with gain-of-function HIF2A gene mutations and erythropoietin levels in the normal range. <i>Haematologica</i> , 2013, 98, 1624-1632.	1.7	27
758	Acclimatization to chronic intermittent hypoxia in mine workers: a challenge to mountain medicine in Chile. <i>Biological Research</i> , 2013, 46, 59-67.	1.5	43
759	State of the art paper Function and expression of prolyl hydroxylase 3 in cancers. <i>Archives of Medical Science</i> , 2013, 4, 589-593.	0.4	7
760	Managing dialysis patients who develop anemia caused by chronic kidney disease: focus on peginesatide. <i>International Journal of Nanomedicine</i> , 2013, 8, 3297.	3.3	8
761	Effects of Vitamin C on health: a review of evidence. <i>Frontiers in Bioscience - Landmark</i> , 2013, 18, 1017.	3.0	179

#	ARTICLE	IF	CITATIONS
762	The Role of Adipose Tissue in Insulin Resistance in Women of African Ancestry. <i>Journal of Obesity</i> , 2013, 2013, 1-9.	1.1	30
763	Reactive Muller Glia as Potential Retinal Progenitors. , 2013, , .		3
764	Effects of Varying Degrees of Intermittent Hypoxia on Proinflammatory Cytokines and Adipokines in Rats and 3T3-L1 Adipocytes. <i>PLoS ONE</i> , 2014, 9, e86326.	1.1	77
765	Effect of Proline Analogues on Activity of Human Prolyl Hydroxylase and the Regulation of HIF Signal Transduction Pathway. <i>PLoS ONE</i> , 2014, 9, e95692.	1.1	8
766	An Increase in Reactive Oxygen Species by Dereglulation of ARNT Enhances Chemotherapeutic Drug-Induced Cancer Cell Death. <i>PLoS ONE</i> , 2014, 9, e99242.	1.1	20
767	Hypoxia-Inducible Factor 2 Alpha Is Essential for Hepatic Outgrowth and Functions via the Regulation of <i>leg1</i> Transcription in the Zebrafish Embryo. <i>PLoS ONE</i> , 2014, 9, e101980.	1.1	32
768	The Hypoxia-Inducible Factor Pathway, Prolyl Hydroxylase Domain Protein Inhibitors, and Their Roles in Bone Repair and Regeneration. <i>BioMed Research International</i> , 2014, 2014, 1-11.	0.9	70
769	Prolyl hydroxylase domain enzymes: important regulators of cancer metabolism. <i>Hypoxia (Auckland, N Z)</i> Tj ETQq1 1 0,784314 rgBT /Over 1,9 48	1.9	48
770	The role of HIFs in ischemia-reperfusion injury. <i>Hypoxia (Auckland, N Z)</i> , 2014, 2, 107.	1.9	26
771	Complete Blood Count Alterations after Six Months of Continuous Positive Airway Pressure Treatment in Patients with Severe Obstructive Sleep Apnea. <i>Journal of Clinical Sleep Medicine</i> , 2014, 10, 873-878.	1.4	29
772	The Rate-Limiting Step of O ₂ Activation in the $\hat{1}\pm$ -Ketoglutarate Oxygenase Factor Inhibiting Hypoxia Inducible Factor. <i>Biochemistry</i> , 2014, 53, 8077-8084.	1.2	15
773	Hyperoxia reverses glucotoxicity-induced inhibition of insulin secretion in rat INS-1 $\hat{1}^2$ cells. <i>Bioscience, Biotechnology and Biochemistry</i> , 2014, 78, 843-850.	0.6	10
774	Analysis of hypoxia-inducible factor alpha polyploidization reveals adaptation to Tibetan plateau in the evolution of schizothoracine fish. <i>BMC Evolutionary Biology</i> , 2014, 14, 192.	3.2	73
775	Ascorbate as a Co-Factor for Fe- and 2-Oxoglutarate Dependent Dioxygenases: Physiological Activity in Tumor Growth and Progression. <i>Frontiers in Oncology</i> , 2014, 4, 359.	1.3	132
776	Pien Tze Huang inhibits hypoxia-induced epithelial-mesenchymal transition in human colon carcinoma cells through suppression of the HIF-1 pathway. <i>Experimental and Therapeutic Medicine</i> , 2014, 7, 1237-1242.	0.8	19
777	The IRP/IRE system in vivo: insights from mouse models. <i>Frontiers in Pharmacology</i> , 2014, 5, 176.	1.6	254
778	HIF-1 $\hat{1}\pm$ restricts NF- $\hat{1}^B$ dependent gene expression to control innate immunity signals. <i>DMM Disease Models and Mechanisms</i> , 2015, 8, 169-81.	1.2	82
779	Cellular and Molecular Defenses Against Hypoxia. , 2014, , 23-35.		3

#	ARTICLE	IF	CITATIONS
780	Human Papillomavirus 16 E6 Contributes HIF-1 α Induced Warburg Effect by Attenuating the VHL-HIF-1 α Interaction. <i>International Journal of Molecular Sciences</i> , 2014, 15, 7974-7986.	1.8	65
781	Oxidative stress at high altitude: genotype–phenotype correlations. <i>Advances in Genomics and Genetics</i> , 2014, , 29.	0.8	1
782	The placental pursuit for an adequate oxidant balance between the mother and the fetus. <i>Frontiers in Pharmacology</i> , 2014, 5, 149.	1.6	72
783	The roles of Jumonji-type oxygenases in human disease. <i>Epigenomics</i> , 2014, 6, 89-120.	1.0	141
784	Endoplasmic Reticulum (ER) Stress and Hypoxia Response Pathways Interact to Potentiate Hypoxia-inducible Factor 1 (HIF-1) Transcriptional Activity on Targets Like Vascular Endothelial Growth Factor (VEGF). <i>Journal of Biological Chemistry</i> , 2014, 289, 3352-3364.	1.6	164
785	Pharmacokinetic modeling of ascorbate diffusion through normal and tumor tissue. <i>Free Radical Biology and Medicine</i> , 2014, 77, 340-352.	1.3	38
786	Lessons learned from adult clinical experience to inform evaluations of VEGF pathway inhibitors in children with cancer. <i>Pediatric Blood and Cancer</i> , 2014, 61, 1497-1505.	0.8	9
787	Bone resorption facilitates osteoblastic bone metastatic colonization by cooperation of insulinàlike growth factor and hypoxia. <i>Cancer Science</i> , 2014, 105, 553-559.	1.7	11
788	Gestational hypoxia and epigenetic programming of brain development disorders. <i>Drug Discovery Today</i> , 2014, 19, 1883-1896.	3.2	23
789	The Oncometabolite Fumarate Promotes Pseudohypoxia Through Noncanonical Activation of NF- κ B Signaling. <i>Journal of Biological Chemistry</i> , 2014, 289, 24691-24699.	1.6	44
790	PHD Inhibition Mitigates and Protects Against Radiation-Induced Gastrointestinal Toxicity via HIF2. <i>Science Translational Medicine</i> , 2014, 6, 236ra64.	5.8	120
791	TRPs as Chemosensors (ROS, RNS, RCS, Gasotransmitters). <i>Handbook of Experimental Pharmacology</i> , 2014, 223, 767-794.	0.9	59
792	Hypoxic Stress Facilitates Acute Activation and Chronic Downregulation of Fanconi Anemia Proteins. <i>Molecular Cancer Research</i> , 2014, 12, 1016-1028.	1.5	39
793	Mimicking Hypoxia to Treat Anemia: HIF-Stabilizer BAY 85-3934 (Molidustat) Stimulates Erythropoietin Production without Hypertensive Effects. <i>PLoS ONE</i> , 2014, 9, e111838.	1.1	140
794	Jumonji domain containing protein 6 (Jmjd6) modulates splicing and specifically interacts with arginineàserine-rich (RS) domains of SR- and SR-like proteins. <i>Nucleic Acids Research</i> , 2014, 42, 7833-7850.	6.5	61
795	Stem Cells, Redox Signaling, and Stem Cell Aging. <i>Antioxidants and Redox Signaling</i> , 2014, 20, 1902-1916.	2.5	89
796	Enhancement of Tunability of MAPK Cascade Due to Coexistence of Processive and Distributive Phosphorylation Mechanisms. <i>Biophysical Journal</i> , 2014, 106, 1215-1226.	0.2	8
797	Impact of low oxygen tension on stemness, proliferation and differentiation potential of human adipose-derived stem cells. <i>Biochemical and Biophysical Research Communications</i> , 2014, 448, 218-224.	1.0	120

#	ARTICLE	IF	CITATIONS
798	Local inhibition of hypoxia-inducible factor reduces neointima formation after arterial injury in ApoE ^{-/-} mice. <i>Atherosclerosis</i> , 2014, 233, 641-647.	0.4	23
799	Peritubular capillary rarefaction: a new therapeutic target in chronic kidney disease. <i>Pediatric Nephrology</i> , 2014, 29, 333-342.	0.9	84
800	NF- κ B enhances hypoxia-driven T-cell immunosuppression via upregulation of adenosine A2A receptors. <i>Cellular Signalling</i> , 2014, 26, 1060-1067.	1.7	47
801	Emerging evidence of the physiological role of hypoxia in mammary development and lactation. <i>Journal of Animal Science and Biotechnology</i> , 2014, 5, 9.	2.1	33
802	Integrated analysis of microRNA and mRNA expression and association with HIF binding reveals the complexity of microRNA expression regulation under hypoxia. <i>Molecular Cancer</i> , 2014, 13, 28.	7.9	135
803	JMJD5 Regulates Cell Cycle and Pluripotency in Human Embryonic Stem Cells. <i>Stem Cells</i> , 2014, 32, 2098-2110.	1.4	40
804	Expression Pattern of Carbonic Anhydrase IX in Medullary Thyroid Carcinoma Supports a Role for RET-Mediated Activation of the HIF Pathway. <i>American Journal of Pathology</i> , 2014, 184, 953-965.	1.9	31
805	Global microRNA depletion suppresses tumor angiogenesis. <i>Genes and Development</i> , 2014, 28, 1054-1067.	2.7	66
806	Hydroxylation of the eukaryotic ribosomal decoding center affects translational accuracy. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, 4019-4024.	3.3	111
807	Coumestrol suppresses hypoxia inducible factor 1 α by inhibiting ROS mediated sphingosine kinase 1 in hypoxic PC-3 prostate cancer cells. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2014, 24, 2560-2564.	1.0	32
808	Inhibition of Hypoxia-Induced Gene Transcription by Substituted Pyrazolyl Oxadiazoles: Initial Lead Generation and Structure-Activity Relationships. <i>ChemMedChem</i> , 2014, 9, 61-66.	1.6	5
809	The Hypoxia-Inducible Factor Renders Cancer Cells More Sensitive to Vitamin C-induced Toxicity. <i>Journal of Biological Chemistry</i> , 2014, 289, 3339-3351.	1.6	45
810	Reciprocal Regulation of HIF-1 α and LincRNA-p21 Modulates the Warburg Effect. <i>Molecular Cell</i> , 2014, 53, 88-100.	4.5	453
811	Human adaptation to the hypoxia of high altitude: the Tibetan paradigm from the pregenomic to the postgenomic era. <i>Journal of Applied Physiology</i> , 2014, 116, 875-884.	1.2	91
812	Oxygen regulates molecular mechanisms of cancer progression and metastasis. <i>Cancer and Metastasis Reviews</i> , 2014, 33, 183-215.	2.7	10
813	Biology of Glucose Transport in the Mammary Gland. <i>Journal of Mammary Gland Biology and Neoplasia</i> , 2014, 19, 3-17.	1.0	103
814	Oxygen sensing strategies in mammals and bacteria. <i>Journal of Inorganic Biochemistry</i> , 2014, 133, 63-72.	1.5	45
815	Promotion of airway anastomotic microvascular regeneration and alleviation of airway ischemia by deferoxamine nanoparticles. <i>Biomaterials</i> , 2014, 35, 803-813.	5.7	46

#	ARTICLE	IF	CITATIONS
816	Interleukin-1 β promotes hypoxia-induced apoptosis of glioblastoma cells by inhibiting hypoxia-inducible factor-1 mediated adrenomedullin production. <i>Cell Death and Disease</i> , 2014, 5, e1020-e1020.	2.7	32
817	Targeting hypoxia signalling for the treatment of ischaemic and inflammatory diseases. <i>Nature Reviews Drug Discovery</i> , 2014, 13, 852-869.	21.5	291
818	The role of epigenetics in age-related macular degeneration. <i>Eye</i> , 2014, 28, 1407-1417.	1.1	54
819	Profilin-1 phosphorylation directs angiocrine expression and glioblastoma progression through HIF-1 β accumulation. <i>Nature Cell Biology</i> , 2014, 16, 445-456.	4.6	83
820	Non-enzymatic chemistry enables 2-hydroxyglutarate-mediated activation of 2-oxoglutarate oxygenases. <i>Nature Communications</i> , 2014, 5, 3423.	5.8	69
821	Adding a Functional Handle to Nature's Building Blocks: The Asymmetric Synthesis of β -Hydroxy α -Amino Acids. <i>Chemistry - an Asian Journal</i> , 2014, 9, 1752-1764.	1.7	20
822	Prolyl-4-hydroxylase 2 enhances hypoxia-induced glioblastoma cell death by regulating the gene expression of hypoxia-inducible factor-1 β . <i>Cell Death and Disease</i> , 2014, 5, e1322-e1322.	2.7	13
823	Quality Control and Infiltration of Translation by Amino Acids Outside of the Genetic Code. <i>Annual Review of Genetics</i> , 2014, 48, 149-166.	3.2	33
824	Targeting Mitochondrial Oxidative Metabolism in Melanoma Causes Metabolic Compensation through Glucose and Glutamine Utilization. <i>Cancer Research</i> , 2014, 74, 3535-3545.	0.4	74
825	Loss of HIF-1 β impairs GLUT4 translocation and glucose uptake by the skeletal muscle cells. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2014, 306, E1065-E1076.	1.8	56
826	Structures of Human ALKBH5 Demethylase Reveal a Unique Binding Mode for Specific Single-stranded N6-Methyladenosine RNA Demethylation. <i>Journal of Biological Chemistry</i> , 2014, 289, 17299-17311.	1.6	138
827	Nestin expression in mesenchymal stromal cells: regulation by hypoxia and osteogenesis. <i>BMC Veterinary Research</i> , 2014, 10, 173.	0.7	24
828	Hypoxia inducible factors in liver disease and hepatocellular carcinoma: Current understanding and future directions. <i>Journal of Hepatology</i> , 2014, 61, 1397-1406.	1.8	152
829	HIF prolyl hydroxylase inhibition prior to transient focal cerebral ischaemia is neuroprotective in mice. <i>Journal of Neurochemistry</i> , 2014, 131, 177-189.	2.1	41
830	Cell cycle progression in response to oxygen levels. <i>Cellular and Molecular Life Sciences</i> , 2014, 71, 3569-3582.	2.4	91
831	Mutations in ASPH Cause Facial Dysmorphism, Lens Dislocation, Anterior-Segment Abnormalities, and Spontaneous Filtering Blebs, or Traboulsi Syndrome. <i>American Journal of Human Genetics</i> , 2014, 94, 755-759.	2.6	50
832	Glucosamine-Induced Sp1 O β -GlcNAcylation Ameliorates Hypoxia-Induced SGLT Dysfunction in Primary Cultured Renal Proximal Tubule Cells. <i>Journal of Cellular Physiology</i> , 2014, 229, 1557-1568.	2.0	38
833	Glucose and glutamine metabolism control by APC and SCF during the G1-to-S phase transition of the cell cycle. <i>Journal of Physiology and Biochemistry</i> , 2014, 70, 569-581.	1.3	22

#	ARTICLE	IF	CITATIONS
834	Radiation promotes malignant progression of glioma cells through HIF-1 α stabilization. <i>Cancer Letters</i> , 2014, 354, 132-141.	3.2	53
835	Nonlinear signalling networks and cell-to-cell variability transform external signals into broadly distributed or bimodal responses. <i>Journal of the Royal Society Interface</i> , 2014, 11, 20140383.	1.5	24
836	Hypoxia-inducible factor-1 α is required for transforming growth factor- β 1-induced type I collagen, periostin and α -smooth muscle actin expression in human periodontal ligament cells. <i>Archives of Oral Biology</i> , 2014, 59, 595-600.	0.8	19
837	Hypoxia-induced angiogenesis is increased by the controlled release of deferoxamine from gelatin hydrogels. <i>Acta Biomaterialia</i> , 2014, 10, 3641-3649.	4.1	33
838	Endothelin-1 mediated high glucose-induced epithelial \rightarrow mesenchymal transition in renal tubular cells. <i>Diabetes Research and Clinical Practice</i> , 2014, 104, 176-182.	1.1	16
839	Intracellular ascorbate enhances hypoxia-inducible factor (HIF)-hydroxylase activity and preferentially suppresses the HIF-1 transcriptional response. <i>Free Radical Biology and Medicine</i> , 2014, 69, 308-317.	1.3	90
840	Preferential cytotoxicity of the type I ribosome inactivating protein alpha-momorcharin on human nasopharyngeal carcinoma cells under normoxia and hypoxia. <i>Biochemical Pharmacology</i> , 2014, 89, 329-339.	2.0	44
841	Over-expression of prolyl hydroxylase-1 blocks NF- κ B-mediated cyclin D1 expression and proliferation in lung carcinoma cells. <i>Cancer Genetics</i> , 2014, 207, 188-194.	0.2	28
842	Bone Marrow Endosteal Mesenchymal Progenitors Depend on HIF Factors for Maintenance and Regulation of Hematopoiesis. <i>Stem Cell Reports</i> , 2014, 2, 794-809.	2.3	23
843	The Meaning, Measurement and Modification of Hypoxia in the Laboratory and the Clinic. <i>Clinical Oncology</i> , 2014, 26, 277-288.	0.6	173
844	Reactive oxygen at the heart of metabolism. <i>Trends in Cardiovascular Medicine</i> , 2014, 24, 113-120.	2.3	24
845	Molecular Mechanisms of Angiogenesis. , 2014, , .		5
846	Targeting histone lysine demethylases \rightarrow Progress, challenges, and the future. <i>Biochimica Et Biophysica Acta - Gene Regulatory Mechanisms</i> , 2014, 1839, 1416-1432.	0.9	170
847	Does Vitamin C Deficiency Affect Cognitive Development and Function?. <i>Nutrients</i> , 2014, 6, 3818-3846.	1.7	79
848	GENE DOPING IN SPORT \rightarrow PERSPECTIVES AND RISKS. <i>Biology of Sport</i> , 2014, 31, 251-259.	1.7	42
849	Erythrocytosis associated with a novel missense mutation in the BPGM gene. <i>Haematologica</i> , 2014, 99, e201-e204.	1.7	35
850	Regulation of the 2-oxoglutarate-dependent dioxygenases and implications for cancer. <i>Biochemical Society Transactions</i> , 2014, 42, 945-951.	1.6	25
852	KLF5 promotes hypoxia-induced survival and inhibits apoptosis in non-small cell lung cancer cells via HIF-1 α . <i>International Journal of Oncology</i> , 2014, 45, 1507-1514.	1.4	50

#	ARTICLE	IF	CITATIONS
853	Oxygen and Aging. Annual Review of Gerontology and Geriatrics, 2014, 34, 59-91.	0.5	4
854	Low-power photodynamic therapy induces survival signaling in perihilar cholangiocarcinoma cells. BMC Cancer, 2015, 15, 1014.	1.1	29
855	REST mediates resolution of HIF-dependent gene expression in prolonged hypoxia. Scientific Reports, 2015, 5, 17851.	1.6	54
856	Modeling the interplay between the HIF-1 and p53 pathways in hypoxia. Scientific Reports, 2015, 5, 13834.	1.6	60
857	The role of hypoxia-inducible factor-1 α in zinc oxide nanoparticle-induced nephrotoxicity in vitro and in vivo. Particle and Fibre Toxicology, 2015, 13, 52.	2.8	59
858	Contribution of the Type II Chaperonin, TRiC/CCT, to Oncogenesis. International Journal of Molecular Sciences, 2015, 16, 26706-26720.	1.8	65
859	Prolyl-4-Hydroxylase 2 Potentially Contributes to Hepatocellular Carcinoma-Associated Erythrocytosis by Maintaining Hepatocyte Nuclear Factor-4 α Expression. Cellular Physiology and Biochemistry, 2015, 37, 2257-2264.	1.1	3
860	Live <i>Faecalibacterium prausnitzii</i> in an apical anaerobic model of the intestinal epithelial barrier. Cellular Microbiology, 2015, 17, 226-240.	1.1	73
861	Posttranscriptional adaptations of the vascular endothelium to hypoxia. Current Opinion in Hematology, 2015, 22, 243-251.	1.2	0
862	Iron, oxygen, and the pulmonary circulation. Journal of Applied Physiology, 2015, 119, 1421-1431.	1.2	22
863	Selected Molecular Mechanisms of Metal Toxicity and Carcinogenicity. , 2015, , 173-196.		15
864	Involvement of Hypoxia-Inducible Factors in the Dysregulation of Oxygen Homeostasis in Sepsis. Cardiovascular & Hematological Disorders Drug Targets, 2015, 15, 29-40.	0.2	41
865	Down-regulation of ARNT promotes cancer metastasis by activating the fibronectin/integrin β 1/FAK axis. Oncotarget, 2015, 6, 11530-11546.	0.8	37
866	HIF-1 α Upregulation due to Depletion of the Free Ubiquitin Pool. Journal of Korean Medical Science, 2015, 30, 1388.	1.1	5
867	Disparate roles of zinc in chemical hypoxia-induced neuronal death. Frontiers in Cellular Neuroscience, 2015, 9, 1.	1.8	232
868	Hypoxia-Independent Drivers of Melanoma Angiogenesis. Frontiers in Oncology, 2015, 5, 102.	1.3	14
869	Identification of the Lipodepsipeptide MDN-0066, a Novel Inhibitor of VHL/HIF Pathway Produced by a New Pseudomonas Species. PLoS ONE, 2015, 10, e0125221.	1.1	37
870	Potent and Selective Triazole-Based Inhibitors of the Hypoxia-Inducible Factor Prolyl-Hydroxylases with Activity in the Murine Brain. PLoS ONE, 2015, 10, e0132004.	1.1	57

#	ARTICLE	IF	CITATIONS
871	Cancer as a Proinflammatory Environment: Metastasis and Cachexia. <i>Mediators of Inflammation</i> , 2015, 2015, 1-13.	1.4	48
872	Inflammatory Response Mechanisms Exacerbating Hypoxemia in Coexistent Pulmonary Fibrosis and Sleep Apnea. <i>Mediators of Inflammation</i> , 2015, 2015, 1-13.	1.4	27
873	Hypoxia Induces a Metabolic Shift and Enhances the Stemness and Expansion of Cochlear Spiral Ganglion Stem/Progenitor Cells. <i>BioMed Research International</i> , 2015, 2015, 1-12.	0.9	12
874	The Role of Oxygen Sensors, Hydroxylases, and HIF in Cardiac Function and Disease. <i>Oxidative Medicine and Cellular Longevity</i> , 2015, 2015, 1-10.	1.9	11
875	EBV-LMP1 targeted DNAzyme enhances radiosensitivity by inhibiting tumor angiogenesis via the JNKs/HIF-1 pathway in nasopharyngeal carcinoma. <i>Oncotarget</i> , 2015, 6, 5804-5817.	0.8	55
876	The oncoprotein HBXIP promotes glucose metabolism reprogramming via downregulating SCO2 and PDHA1 in breast cancer. <i>Oncotarget</i> , 2015, 6, 27199-27213.	0.8	41
877	Hypoxia in breast cancer. <i>Polish Journal of Pathology</i> , 2015, 4, 337-346.	0.1	12
878	Photoacoustic lifetime imaging for direct <i>in vivo</i> tissue oxygen monitoring. <i>Journal of Biomedical Optics</i> , 2015, 20, 036004.	1.4	38
879	Lung Stem Cells in the Epithelium and Vasculature. <i>Pancreatic Islet Biology</i> , 2015, , .	0.1	1
880	Role of HIF-1 \pm and HIF-2 \pm in osteoarthritis. <i>Joint Bone Spine</i> , 2015, 82, 144-147.	0.8	115
881	Effects of dimethylglycine on wound healing of palatal mucosa in a rat model. <i>BMC Oral Health</i> , 2015, 15, 60.	0.8	32
882	Mechanisms of Sudden Cardiac Death. <i>Circulation Research</i> , 2015, 116, 1937-1955.	2.0	99
883	The oxygenase Jmjd6—a case study in conflicting assignments. <i>Biochemical Journal</i> , 2015, 468, 191-202.	1.7	76
884	Iron and colorectal cancer: evidence from <i>in vitro</i> and animal studies. <i>Nutrition Reviews</i> , 2015, 73, 308-317.	2.6	28
885	Environmental and Metabolic Sensors That Control T Cell Biology. <i>Frontiers in Immunology</i> , 2015, 6, 99.	2.2	45
886	Hypoxia-induced gene expression results from selective mRNA partitioning to the endoplasmic reticulum. <i>Nucleic Acids Research</i> , 2015, 43, 3219-3236.	6.5	38
887	Destruction of a distal hypoxia response element abolishes trans-activation of the PAC1 gene mediated by HIF-independent chromatin looping. <i>Nucleic Acids Research</i> , 2015, 43, 5810-5823.	6.5	25
888	Molecular mechanisms of ischemic preconditioning in the kidney. <i>American Journal of Physiology - Renal Physiology</i> , 2015, 309, F821-F834.	1.3	67

#	ARTICLE	IF	CITATIONS
889	Transglutaminases. , 2015, , .		10
890	Regulation of Transglutaminase 2 by Oxidative Stress. , 2015, , 315-331.		1
891	Paricalcitol protects against TGF- β 1-induced fibrotic responses in hypoxia and stabilises HIF-1 α in renal epithelia. <i>Experimental Cell Research</i> , 2015, 330, 371-381.	1.2	16
892	Importance of the HIF pathway in cobalt nanoparticle-induced cytotoxicity and inflammation in human macrophages. <i>Nanotoxicology</i> , 2015, 9, 905-917.	1.6	44
893	HIF1A-dependent increase in endothelin 2 levels in granulosa cells: role of hypoxia, LH/cAMP, and reactive oxygen species. <i>Reproduction</i> , 2015, 149, 11-20.	1.1	28
894	Myeloid HIF-1 attenuates the progression of renal fibrosis in murine obstructive nephropathy. <i>Journal of Pharmacological Sciences</i> , 2015, 127, 181-189.	1.1	17
895	Senescence marker protein-30/gluconolactonase deficiency exacerbates diabetic nephropathy through tubular injury in a mouse model of type 1 diabetes. <i>Journal of Diabetes Investigation</i> , 2015, 6, 35-43.	1.1	18
896	Renal developmental defects resulting from in utero hypoxia are associated with suppression of ureteric β -catenin signaling. <i>Kidney International</i> , 2015, 87, 975-983.	2.6	39
897	The role of inflammation in hypoxic pulmonary hypertension: from cellular mechanisms to clinical phenotypes. <i>American Journal of Physiology - Lung Cellular and Molecular Physiology</i> , 2015, 308, L229-L252.	1.3	158
898	Defects in the adherens junction complex (E-cadherin/ β -catenin) in inflammatory bowel disease. <i>Cell and Tissue Research</i> , 2015, 360, 749-760.	1.5	78
899	Metabolic regulation of intestinal epithelial barrier during inflammation. <i>Tissue Barriers</i> , 2015, 3, e970936.	1.6	34
900	The hypoxia signaling pathway and hypoxic adaptation in fishes. <i>Science China Life Sciences</i> , 2015, 58, 148-155.	2.3	118
901	Anemia: progress in molecular mechanisms and therapies. <i>Nature Medicine</i> , 2015, 21, 221-230.	15.2	209
902	Novel perspectives on the PHD-HIF oxygen sensing pathway in cardioprotection mediated by IPC and RIPC. <i>Frontiers in Physiology</i> , 2015, 6, 137.	1.3	26
903	Structure of the Ribosomal Oxygenase OGFOD1 Provides Insights into the Regio- and Stereoselectivity of Prolyl Hydroxylases. <i>Structure</i> , 2015, 23, 639-652.	1.6	32
904	Quantifying the Binding Interaction between the Hypoxia-Inducible Transcription Factor and the von Hippel-Lindau Suppressor. <i>Journal of Chemical Theory and Computation</i> , 2015, 11, 3946-3954.	2.3	2
905	Cellular and molecular mechanisms of inflammation-induced angiogenesis. <i>IUBMB Life</i> , 2015, 67, 145-159.	1.5	182
906	A cross-sectional study of the prevalence and associations of iron deficiency in a cohort of patients with chronic obstructive pulmonary disease. <i>BMJ Open</i> , 2015, 5, e007911.	0.8	48

#	ARTICLE	IF	CITATIONS
907	Clinical significance of hypoxia-inducible factor 1 and VEGF-A in osteosarcoma. <i>International Journal of Clinical Oncology</i> , 2015, 20, 1233-1243.	1.0	30
908	Sirtuins and the Metabolic Hurdles in Cancer. <i>Current Biology</i> , 2015, 25, R569-R583.	1.8	60
909	Inhibitors of Jumonji C-Domain Histone Demethylases. , 2015, , 439-469.		1
910	2-Oxoglutarate-dependent dioxygenases are sensors of energy metabolism, oxygen availability, and iron homeostasis: potential role in the regulation of aging process. <i>Cellular and Molecular Life Sciences</i> , 2015, 72, 3897-3914.	2.4	78
911	Mitochondrial-Mediated Apoptosis Pathway in Alveolar Epithelial Cells Exposed to the Metals in Combustion-Generated Particulate Matter. <i>Journal of Toxicology and Environmental Health - Part A: Current Issues</i> , 2015, 78, 697-709.	1.1	26
912	Molecular Connections between Cancer Cell Metabolism and the Tumor Microenvironment. <i>International Journal of Molecular Sciences</i> , 2015, 16, 11055-11086.	1.8	104
913	Pheochromocytoma: Gasping for Air. <i>Hormones and Cancer</i> , 2015, 6, 191-205.	4.9	26
914	Hemangioblastomas of the Central Nervous System. , 2015, , 955-961.		0
915	Oxygen regulates proliferation of neural stem cells through Wnt/ β -catenin signalling. <i>Molecular and Cellular Neurosciences</i> , 2015, 67, 84-92.	1.0	51
916	Iron metabolism: a double-edged sword in the resistance of glioblastoma to therapies. <i>Trends in Endocrinology and Metabolism</i> , 2015, 26, 322-331.	3.1	67
917	Hypoxia signalling manipulation for bone regeneration. <i>Expert Reviews in Molecular Medicine</i> , 2015, 17, e6.	1.6	59
918	Biochemical Diversity of 2-Oxoglutarate-Dependent Oxygenases. <i>2-Oxoglutarate-Dependent Oxygenases</i> , 2015, , 1-58.	0.8	31
919	Two functional loci in the promoter of EPAS1 gene involved in high-altitude adaptation of Tibetans. <i>Scientific Reports</i> , 2014, 4, 7465.	1.6	31
920	Protective effects of polyunsaturated fatty acids supplementation against testicular damage induced by intermittent hypobaric hypoxia in rats. <i>Journal of Biomedical Science</i> , 2015, 22, 8.	2.6	22
921	HIF-1 α is required for hematopoietic stem cell mobilization and 4-prolyl hydroxylase inhibitors enhance mobilization by stabilizing HIF-1 α . <i>Leukemia</i> , 2015, 29, 1366-1378.	3.3	45
922	A strategy based on nucleotide specificity leads to a subfamily-selective and cell-active inhibitor of N ⁶ -methyladenosine demethylase FTO. <i>Chemical Science</i> , 2015, 6, 112-122.	3.7	85
923	Multifaceted control of DNA repair pathways by the hypoxic tumor microenvironment. <i>DNA Repair</i> , 2015, 32, 180-189.	1.3	122
924	Oxygen-sensing PHDs regulate bone homeostasis through the modulation of osteoprotegerin. <i>Genes and Development</i> , 2015, 29, 817-831.	2.7	78

#	ARTICLE	IF	CITATIONS
925	Oral Delivery of Prolyl Hydroxylase Inhibitor. <i>Inflammatory Bowel Diseases</i> , 2015, 21, 267-275.	0.9	52
926	Hypoxic regulation of plasminogen activator inhibitor-1 expression in human buccal mucosa fibroblasts stimulated with arecoline. <i>Journal of Oral Pathology and Medicine</i> , 2015, 44, 669-673.	1.4	28
927	Influence of vitamin C and vitamin E on redox signaling: Implications for exercise adaptations. <i>Free Radical Biology and Medicine</i> , 2015, 84, 65-76.	1.3	94
928	Nonantibiotic Effects of Fluoroquinolones in Mammalian Cells. <i>Journal of Biological Chemistry</i> , 2015, 290, 22287-22297.	1.6	72
929	Kinetic Investigations of the Role of Factor Inhibiting Hypoxia-inducible Factor (FIH) as an Oxygen Sensor. <i>Journal of Biological Chemistry</i> , 2015, 290, 19726-19742.	1.6	69
930	Phospholipid scramblase 1 is required for β 2-glycoprotein I binding in hypoxia and reoxygenation-induced endothelial inflammation. <i>Journal of Leukocyte Biology</i> , 2015, 98, 791-804.	1.5	7
931	Tumor cell survival pathways activated by photodynamic therapy: a molecular basis for pharmacological inhibition strategies. <i>Cancer and Metastasis Reviews</i> , 2015, 34, 643-690.	2.7	191
932	RHOBTB3 promotes proteasomal degradation of HIF α through facilitating hydroxylation and suppresses the Warburg effect. <i>Cell Research</i> , 2015, 25, 1025-1042.	5.7	45
933	PHD3 Stabilizes the Tight Junction Protein Occludin and Protects Intestinal Epithelial Barrier Function. <i>Journal of Biological Chemistry</i> , 2015, 290, 20580-20589.	1.6	53
934	Structure and Mechanism of a Viral Collagen Prolyl Hydroxylase. <i>Biochemistry</i> , 2015, 54, 6093-6105.	1.2	19
935	Affinity-Based Fluorescence Polarization Assay for High-Throughput Screening of Prolyl Hydroxylase 2 Inhibitors. <i>ACS Medicinal Chemistry Letters</i> , 2015, 6, 1236-1240.	1.3	22
936	Understanding Metabolic Regulation at a Systems Level: Metabolite Sensing, Mathematical Predictions, and Model Organisms. <i>Annual Review of Genetics</i> , 2015, 49, 553-575.	3.2	52
937	Signal molecule changes in the gills and lungs of the African lungfish <i>Protopterus annectens</i> , during the maintenance and arousal phases of aestivation. <i>Nitric Oxide - Biology and Chemistry</i> , 2015, 44, 71-80.	1.2	30
938	Warburg meets non-coding RNAs: the emerging role of ncRNA in regulating the glucose metabolism of cancer cells. <i>Tumor Biology</i> , 2015, 36, 81-94.	0.8	26
939	Hypoxia and hypoxia inducible factors in tumor metabolism. <i>Cancer Letters</i> , 2015, 356, 263-267.	3.2	129
940	The modulation of hypoxia-inducible factor-1 α /plasminogen activator inhibitor-1 axis in human gingival fibroblasts stimulated with cyclosporine A. <i>Journal of the Formosan Medical Association</i> , 2015, 114, 58-63.	0.8	10
941	Genetic modification of hypoxia signaling in animal models and its effect on cancer. <i>Clinical and Translational Oncology</i> , 2015, 17, 90-102.	1.2	11
942	Glutathione from <i>Aspergillus fumigatus</i> reverses epithelial to mesenchymal transition: Implications in renal fibrosis. <i>International Journal of Medical Microbiology</i> , 2015, 305, 11-19.	1.5	5

#	ARTICLE	IF	CITATIONS
961	Reduced use of glucose by normoxic cow's mammary gland under acute inflammation: an example of homeostatic aerobic glycolysis. <i>RSC Advances</i> , 2016, 6, 114644-114657.	1.7	3
962	A genetically encoded biosensor for visualizing hypoxia responses <i>in vivo</i> . <i>Biology Open</i> , 2017, 6, 296-304.	0.6	23
963	Cold sensitivity of TRPA1 is unveiled by the prolyl hydroxylation blockade-induced sensitization to ROS. <i>Nature Communications</i> , 2016, 7, 12840.	5.8	83
964	Hypoxia-inducible factor prolyl hydroxylase 1 (PHD1) deficiency promotes hepatic steatosis and liver-specific insulin resistance in mice. <i>Scientific Reports</i> , 2016, 6, 24618.	1.6	28
965	Mitochondrial Interactions Mediate Transcriptional Responses to Hypoxia in <i>Drosophila</i> . <i>Molecular Biology and Evolution</i> , 2017, 34, msw246.	3.5	38
966	Amperometric sensing of HIF1 α expressed in cancer cells and the effect of hypoxic mimicking agents. <i>Biosensors and Bioelectronics</i> , 2016, 83, 312-318.	5.3	22
967	Comparative studies of hemolymph physiology response and HIF-1 expression in different strains of <i>Litopenaeus vannamei</i> under acute hypoxia. <i>Chemosphere</i> , 2016, 153, 198-204.	4.2	19
968	Hypoxia-inducible factor 1 in autoimmune diseases. <i>Cellular Immunology</i> , 2016, 303, 7-15.	1.4	58
969	Comparative systems pharmacology of HIF stabilization in the prevention of retinopathy of prematurity. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016, 113, E2516-25.	3.3	95
970	Heme changes HIF-1 α , eNOS and nitrite production in HUVECs after simvastatin, HU, and ascorbic acid therapies. <i>Microvascular Research</i> , 2016, 106, 128-136.	1.1	15
971	Prolyl hydroxylation regulates protein degradation, synthesis, and splicing in human induced pluripotent stem cell-derived cardiomyocytes. <i>Cardiovascular Research</i> , 2016, 110, 346-358.	1.8	27
972	Therapeutic targeting of hypoxia and hypoxia-inducible factors in cancer. , 2016, 164, 152-169.		507
973	Adequate hypoxia inducible factor 1 α signaling is indispensable for bone regeneration. <i>Bone</i> , 2016, 87, 176-186.	1.4	39
974	Tuning the Transcriptional Response to Hypoxia by Inhibiting Hypoxia-inducible Factor (HIF) Prolyl and Asparaginyl Hydroxylases. <i>Journal of Biological Chemistry</i> , 2016, 291, 20661-20673.	1.6	91
975	pVHL mediates K63-linked ubiquitination of IKK α , leading to IKK α inactivation. <i>Cancer Letters</i> , 2016, 383, 1-8.	3.2	15
976	Hypoxia Positively Regulates the Expression of pH-Sensing G-Protein-Coupled Receptor OGR1 (GPR68). <i>Cellular and Molecular Gastroenterology and Hepatology</i> , 2016, 2, 796-810.	2.3	34
977	Correlation of HIF-1 α /HIF-2 α expression with FDG uptake in lung adenocarcinoma. <i>Annals of Nuclear Medicine</i> , 2016, 30, 708-715.	1.2	13
978	Hypoxia enhances osteogenic differentiation in retinoic acid-treated murine-induced pluripotent stem cells. <i>Tissue Engineering and Regenerative Medicine</i> , 2016, 13, 547-553.	1.6	5

#	ARTICLE	IF	CITATIONS
979	The hypoxia-inducible factor (HIF) couples immunity with metabolism. <i>Seminars in Immunology</i> , 2016, 28, 469-477.	2.7	45
980	Iron Deprivation Induces Transcriptional Regulation of Mitochondrial Biogenesis. <i>Journal of Biological Chemistry</i> , 2016, 291, 20827-20837.	1.6	28
981	Mitochondrial metabolic remodeling in response to genetic and environmental perturbations. <i>Wiley Interdisciplinary Reviews: Systems Biology and Medicine</i> , 2016, 8, 272-285.	6.6	17
982	Congenital erythrocytosis. <i>International Journal of Laboratory Hematology</i> , 2016, 38, 59-65.	0.7	13
983	Mechanisms of transcription factor acetylation and consequences in hearts. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2016, 1862, 2221-2231.	1.8	28
984	Tumour hypoxia causes DNA hypermethylation by reducing TET activity. <i>Nature</i> , 2016, 537, 63-68.	13.7	521
985	Hypoxia-inducible factor-1 plays a role in phosphate-induced vascular smooth muscle cell calcification. <i>Kidney International</i> , 2016, 90, 598-609.	2.6	101
986	Advances in understanding the mechanisms of erythropoiesis in homeostasis and disease. <i>British Journal of Haematology</i> , 2016, 174, 661-673.	1.2	41
987	Cancer-associated isocitrate dehydrogenase mutations induce mitochondrial DNA instability. <i>Human Molecular Genetics</i> , 2016, 25, 3524-3538.	1.4	8
988	REST is a hypoxia-responsive transcriptional repressor. <i>Scientific Reports</i> , 2016, 6, 31355.	1.6	60
989	Structural basis for oxygen degradation domain selectivity of the HIF prolyl hydroxylases. <i>Nature Communications</i> , 2016, 7, 12673.	5.8	109
990	Anti-angiogenic Therapy for Retinal Disease. <i>Handbook of Experimental Pharmacology</i> , 2016, 242, 271-307.	0.9	38
991	Potent and selective chemical probe of hypoxic signalling downstream of HIF-1 α hydroxylation via VHL inhibition. <i>Nature Communications</i> , 2016, 7, 13312.	5.8	167
992	Oligooxopiperazines as Topographical Helix Mimetics. <i>Topics in Heterocyclic Chemistry</i> , 2016, , 1-24.	0.2	1
993	Crosstalk between toll-like receptors and hypoxia-dependent pathways in health and disease. <i>Journal of Investigative Medicine</i> , 2016, 64, 369-375.	0.7	7
994	Golgi Associated HIF1 α Serves as a Reserve in Melanoma Cells. <i>Journal of Cellular Biochemistry</i> , 2016, 117, 853-859.	1.2	5
995	Structural reverse genetics study of the $\text{PI}5\text{P}_4\text{K}^2$ nucleotide complexes reveals the presence of the GTP bioenergetic system in mammalian cells. <i>FEBS Journal</i> , 2016, 283, 3556-3562.	2.2	10
996	Effect of hypoxia on tissue factor pathway inhibitor expression in breast cancer. <i>Journal of Thrombosis and Haemostasis</i> , 2016, 14, 387-396.	1.9	18

#	ARTICLE	IF	CITATIONS
997	Treatment with anti-IL-6 receptor antibody prevented increase in serum hepcidin levels and improved anemia in mice inoculated with IL-6-producing lung carcinoma cells. <i>BMC Cancer</i> , 2016, 16, 270.	1.1	22
998	Stimulation of the hypoxia pathway modulates chemotherapy resistance in Hodgkin's lymphoma cells. <i>Tumor Biology</i> , 2016, 37, 8229-8237.	0.8	8
999	Prolyl hydroxylase-2 inhibits liver tumor cell proliferation and cyclin D1 expression in a hydroxylase-dependent manner. <i>International Journal of Biochemistry and Cell Biology</i> , 2016, 77, 129-140.	1.2	8
1000	PTP1B controls non-mitochondrial oxygen consumption by regulating RNF213 to promote tumour survival during hypoxia. <i>Nature Cell Biology</i> , 2016, 18, 803-813.	4.6	95
1001	<i>Bacillus anthracis</i> Prolyl 4-Hydroxylase Modifies Collagen-like Substrates in Asymmetric Patterns. <i>Journal of Biological Chemistry</i> , 2016, 291, 13360-13374.	1.6	15
1002	Hypercapnia Suppresses the HIF-dependent Adaptive Response to Hypoxia. <i>Journal of Biological Chemistry</i> , 2016, 291, 11800-11808.	1.6	47
1003	Inhibition of hypoxia-inducible factor 1 with acriflavine sensitizes hypoxic tumor cells to photodynamic therapy with zinc phthalocyanine-encapsulating cationic liposomes. <i>Nano Research</i> , 2016, 9, 1639-1662.	5.8	82
1004	Hypoxia and Mucosal Inflammation. <i>Annual Review of Pathology: Mechanisms of Disease</i> , 2016, 11, 77-100.	9.6	100
1005	Twist1 is involved in trophoblast syncytialization by regulating GCM1. <i>Placenta</i> , 2016, 39, 45-54.	0.7	31
1006	Chronic hypoxia in pregnancy affects thymus development in Balb/c mouse offspring via IL2 Signaling. <i>Molecular Reproduction and Development</i> , 2016, 83, 337-346.	1.0	6
1007	Hypoxia inducible factor 1 α : A critical factor for the immune response to pathogens and Leishmania. <i>Cellular Immunology</i> , 2016, 309, 42-49.	1.4	18
1008	Mitochondrial Function in Sepsis. <i>Shock</i> , 2016, 45, 271-281.	1.0	142
1009	Transcription factors and cognate signalling cascades in the regulation of autophagy. <i>Biological Reviews</i> , 2016, 91, 429-451.	4.7	20
1010	Orchestrating the network of molecular pathways affecting aging: Role of nonselective autophagy and mitophagy. <i>Mechanisms of Ageing and Development</i> , 2016, 153, 30-40.	2.2	40
1011	Hypoxia and metabolic adaptation of cancer cells. <i>Oncogenesis</i> , 2016, 5, e190-e190.	2.1	572
1012	Hypoxic regulation of the noncoding genome and NEAT1. <i>Briefings in Functional Genomics</i> , 2016, 15, 174-185.	1.3	46
1013	Mimosine suppresses the PGF2 α -induced synthesis of osteoprotegerin but not interleukin-6 in osteoblasts. <i>International Journal of Molecular Medicine</i> , 2016, 37, 533-541.	1.8	1
1014	Pharmacological targeting of the HIF hydroxylases - A new field in medicine development. <i>Molecular Aspects of Medicine</i> , 2016, 47-48, 54-75.	2.7	111

#	ARTICLE	IF	CITATIONS
1015	The Hypoxic Response and Aging. , 2016, , 133-159.		0
1016	Hypoxia-Inducible Factor Stabilizers: a New Avenue for Reducing BP While Helping Hemoglobin?. Current Hypertension Reports, 2016, 18, 23.	1.5	17
1017	Prolyl hydroxylase 3 overexpression accelerates the progression of atherosclerosis in ApoE ^{-/-} /A ^{-/-} mice. Biochemical and Biophysical Research Communications, 2016, 473, 99-106.	1.0	14
1018	Stimulatory effect of cobalt ions incorporated into calcium phosphate coatings on neovascularization in an in vivo intramuscular model in goats. Acta Biomaterialia, 2016, 36, 267-276.	4.1	36
1019	Expanding roles of the hypoxia-response network in chronic kidney disease. Clinical and Experimental Nephrology, 2016, 20, 835-844.	0.7	44
1020	Hypoxia: The Force that Drives Chronic Kidney Disease. Clinical Medicine and Research, 2016, 14, 15-39.	0.4	115
1021	Stabilization of HIF-1 α by FG-4592 promotes functional recovery and neural protection in experimental spinal cord injury. Brain Research, 2016, 1632, 19-26.	1.1	54
1022	Reaction of PerR with Molecular Oxygen May Assist H ₂ O ₂ Sensing in Anaerobes. ACS Chemical Biology, 2016, 11, 1438-1444.	1.6	10
1023	Increased endothelial microparticles and oxidative stress at extreme altitude. European Journal of Applied Physiology, 2016, 116, 739-748.	1.2	19
1024	Prolyl hydroxylase mediated inhibition of fatty acid synthase to combat tumor growth in mammary gland carcinoma. Breast Cancer, 2016, 23, 820-829.	1.3	24
1025	The Impact of Hypoxia and Mesenchymal Transition on Glioblastoma Pathogenesis and Cancer Stem Cells Regulation. World Neurosurgery, 2016, 88, 222-236.	0.7	14
1026	Recent Progress in Histone Demethylase Inhibitors. Journal of Medicinal Chemistry, 2016, 59, 1308-1329.	2.9	165
1027	The Lipid Kinase PI5P4K β Is an Intracellular GTP Sensor for Metabolism and Tumorigenesis. Molecular Cell, 2016, 61, 187-198.	4.5	62
1028	Pharmacological models and approaches for pathophysiological conditions associated with hypoxia and oxidative stress. , 2016, 158, 1-23.		52
1029	Targeting antioxidant pathways with ferrocenylated N-heterocyclic carbene supported gold(<i>scp</i>) complexes in A549 lung cancer cells. Chemical Science, 2016, 7, 1245-1256.	3.7	82
1030	Redox-sensitive transient receptor potential channels in oxygen sensing and adaptation. Pflugers Archiv European Journal of Physiology, 2016, 468, 85-97.	1.3	45
1031	H3K9me3 facilitates hypoxia-induced p53-dependent apoptosis through repression of APAK. Oncogene, 2016, 35, 793-799.	2.6	55
1032	Hypoxia \hat{c} stimulated membrane trafficking requires T \hat{c} plastin. Acta Physiologica, 2017, 221, 59-73.	1.8	15

#	ARTICLE	IF	CITATIONS
1033	L-2-Hydroxyglutarate production arises from noncanonical enzyme function at acidic pH. <i>Nature Chemical Biology</i> , 2017, 13, 494-500.	3.9	190
1034	Hematological evaluation in males with obstructive sleep apnea before and after positive airway pressure. <i>Revista Portuguesa De Pneumologia</i> , 2017, 23, 71-78.	0.7	15
1035	LincRNA-p21: function and mechanism in cancer. <i>Medical Oncology</i> , 2017, 34, 98.	1.2	72
1036	Determinants of hypoxia-inducible factor activity in the intestinal mucosa. <i>Journal of Applied Physiology</i> , 2017, 123, 1328-1334.	1.2	13
1037	Hypoxia and the hypoxia-regulated transcription factor HIF-1 α suppress the host defence of airway epithelial cells. <i>Innate Immunity</i> , 2017, 23, 373-380.	1.1	46
1038	Structural and stereoelectronic insights into oxygenase-catalyzed formation of ethylene from 2-oxoglutarate. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017, 114, 4667-4672.	3.3	45
1039	Hypoxia-inducible factor 1 α activates insulin-induced gene 2 (Insig-2) transcription for degradation of 3-hydroxy-3-methylglutaryl (HMG)-CoA reductase in the liver. <i>Journal of Biological Chemistry</i> , 2017, 292, 9382-9393.	1.6	80
1040	Pulmonary hypertension with warm hands. <i>Thorax</i> , 2017, 72, 1164-1166.	2.7	3
1041	Recent advances in CKD and ESRD: A literature update. <i>Hemodialysis International</i> , 2017, 21, 11-18.	0.4	3
1042	The EGLN-HIF O ₂ -Sensing System: Multiple Inputs and Feedbacks. <i>Molecular Cell</i> , 2017, 66, 772-779.	4.5	192
1043	Comparison of the Hydroxylase Inhibitor Dimethyloxalylglycine and the Iron Chelator Deferoxamine in Diabetic and Aged Wound Healing. <i>Plastic and Reconstructive Surgery</i> , 2017, 139, 695e-706e.	0.7	50
1044	Tissue metabolism and the inflammatory bowel diseases. <i>Journal of Molecular Medicine</i> , 2017, 95, 905-913.	1.7	25
1045	Endothelial cell metabolism in health and disease: impact of hypoxia. <i>EMBO Journal</i> , 2017, 36, 2187-2203.	3.5	186
1046	Time-dependent inhibition of PHD2. <i>Bioscience Reports</i> , 2017, 37, .	1.1	4
1047	Uremic Toxins Affect the Imbalance of Redox State and Overexpression of Prolyl Hydroxylase 2 in Human Adipose Tissue-Derived Mesenchymal Stem Cells Involved in Wound Healing. <i>Stem Cells and Development</i> , 2017, 26, 948-963.	1.1	12
1048	Drug resistance in pancreatic cancer: Impact of altered energy metabolism. <i>Critical Reviews in Oncology/Hematology</i> , 2017, 114, 139-152.	2.0	205
1049	Hypoxia and HIF pathway in cancer and the placenta. <i>Placenta</i> , 2017, 56, 8-13.	0.7	86
1050	Copper-doped mesoporous hydroxyapatite microspheres synthesized by a microwave-hydrothermal method using creatine phosphate as an organic phosphorus source: application in drug delivery and enhanced bone regeneration. <i>Journal of Materials Chemistry B</i> , 2017, 5, 1039-1052.	2.9	56

#	ARTICLE	IF	CITATIONS
1051	The Activity of JmjC Histone Lysine Demethylase KDM4A is Highly Sensitive to Oxygen Concentrations. <i>ACS Chemical Biology</i> , 2017, 12, 1011-1019.	1.6	70
1052	Modelling pyruvate dehydrogenase under hypoxia and its role in cancer metabolism. <i>Royal Society Open Science</i> , 2017, 4, 170360.	1.1	19
1054	Enhanced HIF2 α expression during human trophoblast differentiation into syncytiotrophoblast suppresses transcription of placental growth factor. <i>Scientific Reports</i> , 2017, 7, 12455.	1.6	25
1055	Glucose Metabolism and Oxygen Availability Govern Reactivation of the Latent Human Retrovirus HTLV-1. <i>Cell Chemical Biology</i> , 2017, 24, 1377-1387.e3.	2.5	59
1056	EGF regulation of proximal tubule cell proliferation and VEGF-A secretion. <i>Physiological Reports</i> , 2017, 5, e13453.	0.7	22
1057	A microfluidic oxygen gradient demonstrates differential activation of the hypoxia-regulated transcription factors HIF-1 α and HIF-2 α . <i>Integrative Biology (United Kingdom)</i> , 2017, 9, 742-750.	0.6	25
1058	Intestinal hypoxia and hypoxia-induced signalling as therapeutic targets for IBD. <i>Nature Reviews Gastroenterology and Hepatology</i> , 2017, 14, 596-611.	8.2	90
1059	Molecular and cellular mechanisms of HIF prolyl hydroxylase inhibitors in clinical trials. <i>Chemical Science</i> , 2017, 8, 7651-7668.	3.7	174
1060	Autophagy, its mechanisms and regulation: Implications in neurodegenerative diseases. <i>Ageing Research Reviews</i> , 2017, 40, 64-74.	5.0	79
1061	Endothelial Epas1 Deficiency Is Sufficient To Promote Parietal Epithelial Cell Activation and FSGS in Experimental Hypertension. <i>Journal of the American Society of Nephrology: JASN</i> , 2017, 28, 3563-3578.	3.0	20
1062	NMR studies of the non-haem Fe(II) and 2-oxoglutarate-dependent oxygenases. <i>Journal of Inorganic Biochemistry</i> , 2017, 177, 384-394.	1.5	4
1063	Changes in the coelomic microclimate during carbon dioxide laparoscopy: morphological and functional implications. <i>Pleura and Peritoneum</i> , 2017, 2, 17-31.	0.5	11
1064	Metabolic Regulation of T Cell Immunity. <i>Advances in Experimental Medicine and Biology</i> , 2017, 1011, 87-130.	0.8	5
1065	Hypoxia ameliorates intestinal inflammation through NLRP3/mTOR downregulation and autophagy activation. <i>Nature Communications</i> , 2017, 8, 98.	5.8	224
1066	Comparison of serum acetyl hydrolase (PAF-AH) and paraoxonase 1 (PON1) values between prostate cancer patients and a control group. <i>Kaohsiung Journal of Medical Sciences</i> , 2017, 33, 572-577.	0.8	5
1067	Histone methylase MLL1 coordinates with HIF and regulate lncRNA HOTAIR expression under hypoxia. <i>Gene</i> , 2017, 629, 16-28.	1.0	40
1068	Impaired liver regeneration after hepatectomy and bleeding is associated with a shift from hepatocyte proliferation to hypertrophy. <i>FASEB Journal</i> , 2017, 31, 5283-5295.	0.2	18
1069	Estrogen receptor 1 (ESR1) regulates VEGFA in adipose tissue. <i>Scientific Reports</i> , 2017, 7, 16716.	1.6	60

#	ARTICLE	IF	CITATIONS
1070	Loss of HIF-1 α in natural killer cells inhibits tumour growth by stimulating non-productive angiogenesis. <i>Nature Communications</i> , 2017, 8, 1597.	5.8	132
1071	Players of "hypoxia orchestra" TM " what is the role of FMISO?. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2017, 44, 1679-1681.	3.3	9
1072	Oxygen metabolism and innate immune responses in the gut. <i>Journal of Applied Physiology</i> , 2017, 123, 1321-1327.	1.2	9
1073	Asymmetric distribution of hypoxia-inducible factor 1 α regulates dorsoventral axis in the early sea urchin embryo. <i>Development (Cambridge)</i> , 2017, 144, 2940-2950.	1.2	19
1074	Hypoxia Sensing in Plants: On a Quest for Ion Channels as Putative Oxygen Sensors. <i>Plant and Cell Physiology</i> , 2017, 58, 1126-1142.	1.5	55
1075	Erythrocytosis in hepatocellular carcinoma portends poor prognosis by respiratory dysfunction secondary to mitochondrial DNA mutations. <i>Hepatology</i> , 2017, 65, 134-151.	3.6	20
1076	PHD2 Is a Regulator for Glycolytic Reprogramming in Macrophages. <i>Molecular and Cellular Biology</i> , 2017, 37, .	1.1	25
1077	Hypoxia in Atherogenesis. <i>Angiology</i> , 2017, 68, 472-493.	0.8	32
1078	A mechanistic link between renal ischemia and fibrosis. <i>Medical Molecular Morphology</i> , 2017, 50, 1-8.	0.4	30
1079	Homology modeling and molecular dynamics simulation of the HIF2 α degradation-related HIF2 α -VHL complex. <i>Journal of Molecular Graphics and Modelling</i> , 2017, 71, 116-123.	1.3	3
1080	The Role of Hypoxia-Inducible Factor 1 in Mild Cognitive Impairment. <i>Cellular and Molecular Neurobiology</i> , 2017, 37, 969-977.	1.7	40
1081	Differences in oxidative metabolism modulation induced by ischemia/reperfusion between trained and untrained individuals assessed by NIRS. <i>Physiological Reports</i> , 2017, 5, e13384.	0.7	13
1082	Effects of hypoxia-inducible factor 1 α on endometrial receptivity of women with polycystic ovary syndrome. <i>Molecular Medicine Reports</i> , 2018, 17, 414-421.	1.1	20
1083	Hypoxia and Inflammation in Cancer, Focus on HIF and NF- κ B. <i>Biomedicines</i> , 2017, 5, 21.	1.4	133
1084	Comparative Response of Brain to Chronic Hypoxia and Hyperoxia. <i>International Journal of Molecular Sciences</i> , 2017, 18, 1914.	1.8	57
1085	Strange Bedfellows: Nuclear Factor, Erythroid 2-Like 2 (Nrf2) and Hypoxia-Inducible Factor 1 (HIF-1) in Tumor Hypoxia. <i>Antioxidants</i> , 2017, 6, 27.	2.2	79
1086	The Role of Hypoxia in Glioblastoma Invasion. <i>Cells</i> , 2017, 6, 45.	1.8	224
1087	Mechanism Governing Human Kappa-Opioid Receptor Expression under Desferrioxamine-Induced Hypoxic Mimic Condition in Neuronal NMB Cells. <i>International Journal of Molecular Sciences</i> , 2017, 18, 211.	1.8	3

#	ARTICLE	IF	CITATIONS
1088	Systems Biology: Methods and Applications. , 2017, , 434-480.		0
1089	Nutrient and Metabolic Sensing in T Cell Responses. <i>Frontiers in Immunology</i> , 2017, 8, 247.	2.2	82
1090	Parthenolide suppresses hypoxia-inducible factor-1 α signaling and hypoxia induced epithelial-mesenchymal transition in colorectal cancer. <i>International Journal of Oncology</i> , 2017, 51, 1809-1820.	1.4	31
1091	Hypoxia and its Emerging Therapeutics in Neurodegenerative, Inflammatory and Renal Diseases. , 0, , .		6
1092	Localized Delivery of shRNA against PHD2 Protects the Heart from Acute Myocardial Infarction through Ultrasound-Targeted Cationic Microbubble Destruction. <i>Theranostics</i> , 2017, 7, 51-66.	4.6	46
1094	The prolyl 4-hydroxylase inhibitor GSK360A decreases post-stroke brain injury and sensory, motor, and cognitive behavioral deficits. <i>PLoS ONE</i> , 2017, 12, e0184049.	1.1	27
1095	Orexin A affects HepG2 human hepatocellular carcinoma cells glucose metabolism via HIF-1 α -dependent and -independent mechanism. <i>PLoS ONE</i> , 2017, 12, e0184213.	1.1	22
1096	TRP channels in oxygen physiology: distinctive functional properties and roles of TRPA1 in O α 2 α sensing. <i>Proceedings of the Japan Academy Series B: Physical and Biological Sciences</i> , 2017, 93, 464-482.	1.6	20
1097	Para-hydroxyphenylpyruvate inhibits the pro-inflammatory stimulation of macrophage preventing LPS-mediated nitro-oxidative unbalance and immunometabolic shift. <i>PLoS ONE</i> , 2017, 12, e0188683.	1.1	12
1098	Roles of Transient Receptor Potential Ankyrin 1 in Oxaliplatin-Induced Peripheral Neuropathy. <i>Biological and Pharmaceutical Bulletin</i> , 2017, 40, 947-953.	0.6	37
1099	Attenuation of prostaglandin E1-induced osteoprotegerin synthesis in osteoblasts by normoxic HIF inducers. <i>Molecular Medicine Reports</i> , 2017, 15, 1847-1852.	1.1	1
1100	Hypoxia-inducible factor prolyl hydroxylase 2 (PHD2) is a direct regulator of epidermal growth factor receptor (EGFR) signaling in breast cancer. <i>Oncotarget</i> , 2017, 8, 9885-9898.	0.8	27
1101	Does Hypoxia Cause Carcinogenic Iron Accumulation in Alcoholic Liver Disease (ALD)?. <i>Cancers</i> , 2017, 9, 145.	1.7	17
1102	The NOR1/OSCP1 proteins in cancer: from epigenetic silencing to functional characterization of a novel tumor suppressor. <i>Journal of Cancer</i> , 2017, 8, 626-635.	1.2	21
1103	FBP1 modulates cell metabolism of breast cancer cells by inhibiting the expression of HIF-1 α . <i>Neoplasma</i> , 2017, 64, 535-542.	0.7	31
1104	Protein Surface Recognition by Synthetic Molecules. , 2017, , 295-349.		0
1105	Vitamin C Against Cancer. , 2017, , .		3
1106	Hypoxia enhances H ₂ O ₂ -mediated upregulation of hepcidin: Evidence for NOX4-mediated iron regulation. <i>Redox Biology</i> , 2018, 16, 1-10.	3.9	25

#	ARTICLE	IF	CITATIONS
1107	Involvement of HIF-1 α -regulated miR-21, acting via the Akt/NF- κ B pathway, in malignant transformation of HBE cells induced by cigarette smoke extract. <i>Toxicology Letters</i> , 2018, 289, 14-21.	0.4	20
1108	Discovery of Molidustat (BAYâ€¦85â€³934): A Smallâ€Molecule Oral HIFâ€Prolyl Hydroxylase (HIFâ€PH) Inhibitor for the Treatment of Renal Anemia. <i>ChemMedChem</i> , 2018, 13, 988-1003.	1.6	51
1109	Hypoxia-Induced Matrix Metalloproteinase-13 Expression in Exosomes from Nasopharyngeal Carcinoma Enhances Metastases. <i>Cell Death and Disease</i> , 2018, 9, 382.	2.7	92
1110	Need (more than) two to <i>Tango</i>: Multiple tools to adapt to changes in oxygen availability. <i>BioFactors</i> , 2018, 44, 207-218.	2.6	27
1111	Enhancing proliferation and optimizing the culture condition for human bone marrow stromal cells using hypoxia and fibroblast growth factor-2. <i>Stem Cell Research</i> , 2018, 28, 87-95.	0.3	18
1112	ROS and redox signaling in myocardial ischemia-reperfusion injury and cardioprotection. <i>Free Radical Biology and Medicine</i> , 2018, 117, 76-89.	1.3	549
1113	E3 Ligase VHL Promotes Group 2 Innate Lymphoid Cell Maturation and Function via Glycolysis Inhibition and Induction of Interleukin-33 Receptor. <i>Immunity</i> , 2018, 48, 258-270.e5.	6.6	76
1114	Recapitulation of cancer stem cell niches in glioblastoma on 3D microfluidic cell culture devices under gravity-driven perfusion. <i>Journal of Industrial and Engineering Chemistry</i> , 2018, 62, 352-361.	2.9	12
1115	Hypoxia induces pulmonary fibroblast proliferation through NFAT signaling. <i>Scientific Reports</i> , 2018, 8, 2709.	1.6	61
1116	Pharmacologic ascorbate (P-AscHâ”) suppresses hypoxia-inducible Factor-1 α (HIF-1 α) in pancreatic adenocarcinoma. <i>Clinical and Experimental Metastasis</i> , 2018, 35, 37-51.	1.7	25
1117	High-intensity interval training in hypoxia does not affect muscle HIF responses to acute hypoxia in humans. <i>European Journal of Applied Physiology</i> , 2018, 118, 847-862.	1.2	5
1118	Skin Rejuvenation through HIF-1 α Modulation. <i>Plastic and Reconstructive Surgery</i> , 2018, 141, 600e-607e.	0.7	18
1119	Role of hypoxia-inducible factor-1 in the development of renal fibrosis in mouse obstructed kidney: Special references to HIF-1 dependent gene expression of profibrogenic molecules. <i>Journal of Pharmacological Sciences</i> , 2018, 136, 31-38.	1.1	31
1120	Prolyl hydroxylase 2 is dispensable for homeostasis of intestinal epithelium in mice. <i>Acta Biochimica Et Biophysica Sinica</i> , 2018, 50, 540-546.	0.9	6
1121	2-Oxoglutarate regulates binding of hydroxylated hypoxia-inducible factor to prolyl hydroxylase domain 2. <i>Chemical Communications</i> , 2018, 54, 3130-3133.	2.2	29
1122	YcfDRM is a thermophilic oxygen-dependent ribosomal protein uL16 oxygenase. <i>Extremophiles</i> , 2018, 22, 553-562.	0.9	6
1123	Transcriptomic Profiling in Human Decidua of Severe Preeclampsia Detected by RNA Sequencing. <i>Journal of Cellular Biochemistry</i> , 2018, 119, 607-615.	1.2	59
1124	Dimethylxalylglycine preserves the intestinal microvasculature and protects against intestinal injury in a neonatal mouse NEC model: role of VEGF signaling. <i>Pediatric Research</i> , 2018, 83, 545-553.	1.1	25

#	ARTICLE	IF	CITATIONS
1125	Mitochondrial retrograde signaling in the nervous system. <i>FEBS Letters</i> , 2018, 592, 663-678.	1.3	34
1126	Î±-Ketoglutarate prevents skeletal muscle protein degradation and muscle atrophy through PHD3/ADRB2 pathway. <i>FASEB Journal</i> , 2018, 32, 488-499.	0.2	37
1127	Mechanisms of anti-cancer effects of ascorbate: Cytotoxic activity and epigenetic modulation. <i>Blood Cells, Molecules, and Diseases</i> , 2018, 69, 57-64.	0.6	58
1128	Manipulation of neural progenitor fate through the oxygen sensing pathway. <i>Methods</i> , 2018, 133, 44-53.	1.9	8
1129	Autophagy in diabetic kidney disease: regulation, pathological role and therapeutic potential. <i>Cellular and Molecular Life Sciences</i> , 2018, 75, 669-688.	2.4	186
1130	Phospholipases <i>AtPLD1</i> and <i>AtPLD2</i> function differently in hypoxia. <i>Physiologia Plantarum</i> , 2018, 162, 98-108.	2.6	8
1131	Retinal energy demands control vascular supply of the retina in development and disease: The role of neuronal lipid and glucose metabolism. <i>Progress in Retinal and Eye Research</i> , 2018, 64, 131-156.	7.3	105
1132	Harnessing the properties of cobalt coordination complexes for biological application. <i>Coordination Chemistry Reviews</i> , 2018, 375, 221-233.	9.5	84
1133	JNK2 up-regulates hypoxia-inducible factors and contributes to hypoxia-induced erythropoiesis and pulmonary hypertension. <i>Journal of Biological Chemistry</i> , 2018, 293, 271-284.	1.6	14
1134	Autophagy induction plays a protective role against hypoxic stress in human dental pulp cells. <i>Journal of Cellular Biochemistry</i> , 2018, 119, 1992-2002.	1.2	24
1135	Transcriptomic profiling of VHL-dependent long noncoding RNAs in clear cell renal cell carcinoma. <i>European Urology Supplements</i> , 2018, 17, e2956.	0.1	0
1136	High Doses of Vitamin C and Leukemia: In Vitro Update. , 2018, , .		1
1137	Hypoxia induces lactate secretion and glycolytic efflux by downregulating mitochondrial pyruvate carrier levels in human umbilical vein endothelial cells. <i>Molecular Medicine Reports</i> , 2018, 18, 1710-1717.	1.1	15
1139	HIF prolyl hydroxylase inhibition protects skeletal muscle from eccentric contraction-induced injury. <i>Skeletal Muscle</i> , 2018, 8, 35.	1.9	14
1141	Hypoxia-Activated, Small-Molecule-Induced Gene Expression. <i>ACS Chemical Biology</i> , 2018, 13, 3354-3360.	1.6	11
1142	Cancer RNome: Evolution and Sustenance. , 2018, , 113-242.		1
1143	HIF-1 as a Marker of Age-Related Diseases Associated with Tissue Hypoxia. <i>Biology Bulletin Reviews</i> , 2018, 8, 497-508.	0.3	1
1144	PGK1 is a Potential Survival Biomarker and Invasion Promoter by Regulating the HIF-1 Mediated Epithelial-Mesenchymal Transition Process in Breast Cancer. <i>Cellular Physiology and Biochemistry</i> , 2018, 51, 2434-2444.	1.1	66

#	ARTICLE	IF	CITATIONS
1145	Identification of Common and Rare Genetic Variation Associated With Plasma Protein Levels Using Whole-Exome Sequencing and Mass Spectrometry. <i>Circulation Genomic and Precision Medicine</i> , 2018, 11, e002170.	1.6	26
1146	PHD3 Acts as Tumor Suppressor in Mouse Osteosarcoma and Influences Tumor Vascularization via PDGF-C Signaling. <i>Cancers</i> , 2018, 10, 496.	1.7	5
1147	Born to sense: biophysical analyses of the oxygen sensing prolyl hydroxylase from the simplest animal <i>Trichoplax adhaerens</i> . <i>Hypoxia (Auckland, N Z)</i> , 2018, Volume 6, 57-71.	1.9	12
1148	Oxygen Saturation on Admission Is a Predictive Biomarker for PD-L1 Expression on Circulating Monocytes and Impaired Immune Response in Patients With Sepsis. <i>Frontiers in Immunology</i> , 2018, 9, 2008.	2.2	18
1149	Effects of estradiol on HIF-1 α expression and trophoblast differentiation in first trimester villous explant cultures. <i>Obstetrics and Gynecology Science</i> , 2018, 61, 71.	0.6	2
1150	Hypoxia and Selective Autophagy in Cancer Development and Therapy. <i>Frontiers in Cell and Developmental Biology</i> , 2018, 6, 104.	1.8	146
1151	Mechanistic Elucidation of Two Catalytically Versatile Iron(II)- and α -Ketoglutarate-Dependent Enzymes: Cases Beyond Hydroxylation. <i>Comments on Inorganic Chemistry</i> , 2018, 38, 127-165.	3.0	4
1152	Strengthening the Brain's Resistance Training with Blood Flow Restriction an Effective Strategy for Cognitive Improvement?. <i>Journal of Clinical Medicine</i> , 2018, 7, 337.	1.0	22
1153	LincRNA-p21 promotes mesenchymal stem cell migration capacity and survival through hypoxic preconditioning. <i>Stem Cell Research and Therapy</i> , 2018, 9, 280.	2.4	75
1154	The Krebs Cycle Connection: Reciprocal Influence Between Alternative Splicing Programs and Cell Metabolism. <i>Frontiers in Oncology</i> , 2018, 8, 408.	1.3	14
1155	Hypoxia, cytokines and stromal recruitment: parallels between pathophysiology of encapsulating peritoneal sclerosis, endometriosis and peritoneal metastasis. <i>Pleura and Peritoneum</i> , 2018, 3, 20180103.	0.5	36
1156	The morphological and functional significance of the NOS/NO system in the respiratory, osmoregulatory, and contractile organs of the African lungfish. <i>Acta Histochemica</i> , 2018, 120, 654-666.	0.9	8
1157	Characterisation of a Mouse Model of Breast Cancer with Metabolic Syndrome. <i>In Vivo</i> , 2018, 32, 1071-1080.	0.6	7
1158	The role of hypoxic signalling in metastasis: towards translating knowledge of basic biology into novel anti-tumour strategies. <i>Clinical and Experimental Metastasis</i> , 2018, 35, 563-599.	1.7	25
1159	Fatty Acids Prevent Hypoxia-Inducible Factor-1 α Signaling Through Decreased Succinate in Diabetes. <i>JACC Basic To Translational Science</i> , 2018, 3, 485-498.	1.9	55
1160	Metabolic Suppression of HIF-1 α Contributes to Susceptibility of Ischemic Injury in Diabetic Hearts. <i>JACC Basic To Translational Science</i> , 2018, 3, 499-502.	1.9	2
1161	Adventures in Defining Roles of Oxygenases in the Regulation of Protein Biosynthesis. <i>Chemical Record</i> , 2018, 18, 1760-1781.	2.9	4
1162	The emerging roles of ribosomal histidyl hydroxylases in cell biology, physiology and disease. <i>Cellular and Molecular Life Sciences</i> , 2018, 75, 4093-4105.	2.4	19

#	ARTICLE	IF	CITATIONS
1163	Angiogenic Self-Assembling Peptide Scaffolds for Functional Tissue Regeneration. <i>Biomacromolecules</i> , 2018, 19, 3597-3611.	2.6	39
1164	SINHCAF/FAM60A and SIN3A specifically repress HIF-2 α expression. <i>Biochemical Journal</i> , 2018, 475, 2073-2090.	1.7	11
1165	Integrating the DNA damage and protein stress responses during cancer development and treatment. <i>Journal of Pathology</i> , 2018, 246, 12-40.	2.1	79
1166	NDRG3 lowers the metastatic potential in prostate cancer as a feedback controller of hypoxia-inducible factors. <i>Experimental and Molecular Medicine</i> , 2018, 50, 1-13.	3.2	11
1167	Hypoxia-inducible transcription factors in fish: expression, function and interconnection with the circadian clock. <i>Journal of Experimental Biology</i> , 2018, 221, .	0.8	54
1168	3-Fluoro-4-hydroxyprolines: Synthesis, Conformational Analysis, and Stereoselective Recognition by the VHL E3 Ubiquitin Ligase for Targeted Protein Degradation. <i>Journal of the American Chemical Society</i> , 2018, 140, 9299-9313.	6.6	102
1169	Expression of HIF-1 α in A Pancreatic Ductal Adenocarcinoma in A Patient with Newly Diagnosed Type 2 Diabetes. <i>AACE Clinical Case Reports</i> , 2018, 4, 263-266.	0.4	0
1170	Transcriptome analysis demonstrates that long noncoding RNA is involved in the hypoxic response in <i>Larimichthys crocea</i> . <i>Fish Physiology and Biochemistry</i> , 2018, 44, 1333-1347.	0.9	15
1172	Voluntary exercise slows breast tumor establishment and reduces tumor hypoxia in ApoE ^{-/-} mice. <i>Journal of Applied Physiology</i> , 2018, 124, 938-949.	1.2	27
1173	Mitochondrial genome modulates myocardial Akt/Glut/HK salvage pathway in spontaneously hypertensive rats adapted to chronic hypoxia. <i>Physiological Genomics</i> , 2018, 50, 532-541.	1.0	8
1174	MicroRNA-224 Promotes Pancreatic Cancer Cell Proliferation and Migration by Targeting the TXNIP-Mediated HIF1 α Pathway. <i>Cellular Physiology and Biochemistry</i> , 2018, 48, 1735-1746.	1.1	54
1175	Models of intermittent hypoxia and obstructive sleep apnea: molecular pathways and their contribution to cancer. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2018, 315, R669-R687.	0.9	88
1176	Hypoxia-Inducible Factor 2-Dependent Pathways Driving Von Hippel-Lindau-Deficient Renal Cancer. <i>Frontiers in Oncology</i> , 2018, 8, 214.	1.3	46
1177	Single and Multiphoton Responsive Nanomaterials for the Investigation of Cancer Microenvironment. , 2018, , 63-95.		0
1178	Hypoxia, Metabolism and Immune Cell Function. <i>Biomedicines</i> , 2018, 6, 56.	1.4	126
1179	Inhibition of prolyl hydroxylase domain proteins selectively enhances venous thrombus neovascularisation. <i>Thrombosis Research</i> , 2018, 169, 105-112.	0.8	2
1180	Aldolase A as a prognostic factor and mediator of progression via inducing epithelial-mesenchymal transition in gastric cancer. <i>Journal of Cellular and Molecular Medicine</i> , 2018, 22, 4377-4386.	1.6	25
1181	Assessing cardiovascular risk in ATM heterozygotes. <i>Revista Da Associação MÃ©dica Brasileira</i> , 2018, 64, 148-153.	0.3	2

#	ARTICLE	IF	CITATIONS
1182	Pheochromocytoma/Paraganglioma: A Poster Child for Cancer Metabolism. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2018, 103, 1779-1789.	1.8	5
1183	FG-4592 Accelerates Cutaneous Wound Healing by Epidermal Stem Cell Activation via HIF-1 α Stabilization. <i>Cellular Physiology and Biochemistry</i> , 2018, 46, 2460-2470.	1.1	19
1184	Different effects of granulocyte colony-stimulating factor and erythropoietin on erythropoiesis. <i>Stem Cell Research and Therapy</i> , 2018, 9, 119.	2.4	8
1186	New Directions in the Study and Treatment of Metastatic Cancer. <i>Frontiers in Oncology</i> , 2018, 8, 258.	1.3	14
1187	The Hypoxia-Inducible Factor-1 α in Angiogenesis and Cancer: Insights from the Drosophila Model. , 2018, , ,		2
1188	Studies on the Substrate Selectivity of the Hypoxia-Inducible Factor Prolyl Hydroxylase...2 Catalytic Domain. <i>ChemBioChem</i> , 2018, 19, 2262-2267.	1.3	6
1189	3-Hydroxypyruvate Destabilizes Hypoxia Inducible Factor and Induces Angiostasis. , 2018, 59, 3440.		9
1190	4-bp insertion/deletion polymorphism within the promoter of EGLN2 gene is associated with susceptibility to cancer in Asian population: Evidence from a meta-analysis. <i>Meta Gene</i> , 2018, 17, 141-146.	0.3	5
1191	CD146-HIF-1 α hypoxic reprogramming drives vascular remodeling and pulmonary arterial hypertension. <i>Nature Communications</i> , 2019, 10, 3551.	5.8	75
1192	Association between an indel polymorphism within the distal promoter of <i>EGLN2</i> and cancer risk: An updated meta-analysis. <i>Molecular Genetics & Genomic Medicine</i> , 2019, 7, e00936.	0.6	2
1193	HIF1 α Inhibitor Rescues Acute-on-Chronic Liver Failure. <i>Annals of Hepatology</i> , 2019, 18, 757-764.	0.6	13
1194	Molecular nephrology: types of acute tubular injury. <i>Nature Reviews Nephrology</i> , 2019, 15, 599-612.	4.1	91
1195	Lysophosphatidic Acid and Autotaxin-associated Effects on the Initiation and Progression of Colorectal Cancer. <i>Cancers</i> , 2019, 11, 958.	1.7	19
1196	Oxygen-dependent bond formation with FIH regulates the activity of the client protein OTUB1. <i>Redox Biology</i> , 2019, 26, 101265.	3.9	16
1197	TP53111 suppresses epithelial-mesenchymal transition and metastasis of breast cancer cells. <i>BMB Reports</i> , 2019, 52, 379-384.	1.1	13
1198	Salidroside and FG-4592 ameliorate high glucose-induced glomerular endothelial cells injury via HIF upregulation. <i>Biomedicine and Pharmacotherapy</i> , 2019, 118, 109175.	2.5	32
1199	The Many Facets of Tumor Heterogeneity: Is Metabolism Lagging Behind?. <i>Cancers</i> , 2019, 11, 1574.	1.7	28
1200	Mechanisms of hypoxia signalling: new implications for nephrology. <i>Nature Reviews Nephrology</i> , 2019, 15, 641-659.	4.1	199

#	ARTICLE	IF	CITATIONS
1201	Mitochondrial Alkbh1 localises to mtRNA granules and its knockdown induces mitochondrial UPR in humans and <i>C. elegans</i> . <i>Journal of Cell Science</i> , 2019, 132, .	1.2	19
1202	Enhanced angiogenic activity of dimethylallylglycine-treated canine adipose tissue-derived mesenchymal stem cells. <i>Journal of Veterinary Medical Science</i> , 2019, 81, 1663-1670.	0.3	9
1203	Hypoxia and reprogramming of host pathogen interactions. <i>Current Opinion in Physiology</i> , 2019, 7, 15-20.	0.9	11
1204	Small-molecules that covalently react with a human prolyl hydroxylase " towards activity modulation and substrate capture. <i>Chemical Communications</i> , 2019, 55, 1020-1023.	2.2	6
1205	Ataxia-telangiectasia: A review of clinical features and molecular pathology. <i>Pediatric Allergy and Immunology</i> , 2019, 30, 277-288.	1.1	121
1206	Integrating multiple-level molecular data to infer the distinctions between glioblastoma and lower-grade glioma. <i>International Journal of Cancer</i> , 2019, 145, 952-961.	2.3	3
1207	Hypoxia Mimetic Agents for Ischemic Stroke. <i>Frontiers in Cell and Developmental Biology</i> , 2018, 6, 175.	1.8	54
1208	Hydroxylase Inhibition Selectively Induces Cell Death in Monocytes. <i>Journal of Immunology</i> , 2019, 202, 1521-1530.	0.4	7
1209	Upregulation of endogenous erythropoietin expression by DLBS6747, a bioactive fraction of Ipomoea batatas L. leaves, via increasing HIF1 transcription factor in HEK293 kidney cells. <i>Journal of Ethnopharmacology</i> , 2019, 235, 190-198.	2.0	2
1210	Hypoxia-Modified Cancer Cell Metabolism. <i>Frontiers in Cell and Developmental Biology</i> , 2019, 7, 4.	1.8	359
1211	Oxygen sensor FIH inhibits HACE1-dependent ubiquitination of Rac1 to enhance metastatic potential in breast cancer cells. <i>Oncogene</i> , 2019, 38, 3651-3666.	2.6	18
1212	Effect of lincRNA-p21 targeting HIF-1 on biological functions of liver cancer cells. <i>Oncology Letters</i> , 2019, 17, 4964-4968.	0.8	8
1213	Targeted and Interactome Proteomics Revealed the Role of PHD2 in Regulating BRD4 Proline Hydroxylation. <i>Molecular and Cellular Proteomics</i> , 2019, 18, 1772-1781.	2.5	18
1214	Sulforaphane Inhibits Nonmuscle Invasive Bladder Cancer Cells Proliferation through Suppression of HIF-1-Mediated Glycolysis in Hypoxia. <i>Journal of Agricultural and Food Chemistry</i> , 2019, 67, 7844-7854.	2.4	32
1215	Hypoxia-Inducible Factor-1 Knockdown Plus Glutamine Supplementation Attenuates the Predominance of Necrosis over Apoptosis by Relieving Cellular Energy Stress in Acute Pancreatitis. <i>Oxidative Medicine and Cellular Longevity</i> , 2019, 2019, 1-15.	1.9	7
1216	Biochemical and structural investigations clarify the substrate selectivity of the 2-oxoglutarate oxygenase JMJD6. <i>Journal of Biological Chemistry</i> , 2019, 294, 11637-11652.	1.6	25
1217	Effect of Hypoxia-Induced MicroRNA-210 Expression on Cardiovascular Disease and the Underlying Mechanism. <i>Oxidative Medicine and Cellular Longevity</i> , 2019, 2019, 1-12.	1.9	44
1218	The E3 ligase VHL promotes follicular helper T cell differentiation via glycolytic-epigenetic control. <i>Journal of Experimental Medicine</i> , 2019, 216, 1664-1681.	4.2	71

#	ARTICLE	IF	CITATIONS
1219	Hypoxic Environment Promotes Barrier Formation in Human Intestinal Epithelial Cells through Regulation of MicroRNA 320a Expression. <i>Molecular and Cellular Biology</i> , 2019, 39, .	1.1	34
1220	Pheochromocytomas and Paragangliomas: Bypassing Cellular Respiration. <i>Cancers</i> , 2019, 11, 683.	1.7	22
1221	2-Oxonanonoidal Antibiotic Actinolactomycin Inhibits Cancer Progression by Suppressing HIF-1 α . <i>Cells</i> , 2019, 8, 439.	1.8	2
1222	Prolyl hydroxylase 3 stabilizes the p53 tumor suppressor by inhibiting the p53 α -MDM2 interaction in a hydroxylase-independent manner. <i>Journal of Biological Chemistry</i> , 2019, 294, 9949-9958.	1.6	13
1223	Platelet HIF-2 α promotes thrombogenicity through PAI-1 synthesis and extracellular vesicle release. <i>Haematologica</i> , 2019, 104, 2482-2492.	1.7	31
1224	A disintegrin α -like and metalloproteinase with thrombospondin α 1 (ADAMTS α 1) levels in gingival crevicular fluid correlate with vascular endothelial growth factor α , hypoxia α -inducible factor α 1 α , and clinical parameters in patients with advanced periodontitis. <i>Journal of Periodontology</i> , 2019, 90, 1182-1189.	1.7	17
1225	Hypoxia Rescues Frataxin Loss by Restoring Iron Sulfur Cluster Biogenesis. <i>Cell</i> , 2019, 177, 1507-1521.e16.	13.5	80
1226	Near-infrared spectroscopy detects transient decrements and recovery of microvascular responsiveness following prolonged forearm ischemia. <i>Microvascular Research</i> , 2019, 125, 103879.	1.1	7
1227	Protein Hydroxylation by Hypoxia-Inducible Factor (HIF) Hydroxylases: Unique or Ubiquitous?. <i>Cells</i> , 2019, 8, 384.	1.8	142
1228	Localization of Injury and Repair Pathways. , 2019, , 173-178.e2.		4
1229	Novel potential causative genes in carotid paragangliomas. <i>BMC Medical Genetics</i> , 2019, 20, 48.	2.1	4
1230	Studies on spiro[4.5]decanone prolyl hydroxylase domain inhibitors. <i>MedChemComm</i> , 2019, 10, 500-504.	3.5	8
1231	Mito-Nuclear Communication by Mitochondrial Metabolites and Its Regulation by B-Vitamins. <i>Frontiers in Physiology</i> , 2019, 10, 78.	1.3	38
1232	Putative Role of Nuclear Factor-Kappa B But Not Hypoxia-Inducible Factor-1 α in Hypoxia-Dependent Regulation of Oxidative Stress in Hematopoietic Stem and Progenitor Cells. <i>Antioxidants and Redox Signaling</i> , 2019, 31, 211-226.	2.5	7
1233	Revisiting the role of hypoxia-inducible factors in pulmonary hypertension. <i>Current Opinion in Physiology</i> , 2019, 7, 33-40.	0.9	14
1234	Plasma cupping induces VEGF expression in skin cells through nitric oxide-mediated activation of hypoxia inducible factor 1. <i>Scientific Reports</i> , 2019, 9, 3821.	1.6	18
1235	The EPO-FGF23 Signaling Pathway in Erythroid Progenitor Cells: Opening a New Area of Research. <i>Frontiers in Physiology</i> , 2019, 10, 304.	1.3	33
1236	Pre-treatment with FK506 reduces hepatic ischemia-reperfusion injury in rats. <i>Clinics and Research in Hepatology and Gastroenterology</i> , 2019, 43, 161-170.	0.7	5

#	ARTICLE	IF	CITATIONS
1237	Exploring the molecular interface between hypoxia-inducible factor signalling and mitochondria. Cellular and Molecular Life Sciences, 2019, 76, 1759-1777.	2.4	147
1238	Inhibition of the Oxygen Sensor PHD2 Enhances Tissue-Engineered Endochondral Bone Formation. Journal of Bone and Mineral Research, 2019, 34, 333-348.	3.1	15
1239	Activation of HIF-1 by μ -Opioid Receptors Induces COX-2 Expression in Breast Cancer Cells and Leads to Paracrine Activation of Vascular Endothelial Cells. Journal of Pharmacology and Experimental Therapeutics, 2019, 370, 480-489.	1.3	20
1240	Activation of oxygen-responsive pathways are associated with altered protein metabolism in Arctic char exposed to hypoxia. Journal of Experimental Biology, 2019, 222, .	0.8	7
1241	A fluorescent nanoprobe based on azoreductase-responsive metal-organic frameworks for imaging VEGF mRNA under hypoxic conditions. Analyst, The, 2019, 144, 6254-6261.	1.7	22
1242	Anti-Hypoxic Molecular Mechanisms of Rhodiola crenulata Extract in Zebrafish as Revealed by Metabonomics. Frontiers in Pharmacology, 2019, 10, 1356.	1.6	8
1243	Mitochondrial fragmentation limits NK cell-based tumor immunosurveillance. Nature Immunology, 2019, 20, 1656-1667.	7.0	156
1244	Can molecular markers of oxygen homeostasis and the measurement of tissue oxygen be leveraged to optimize red blood cell transfusions?. Current Opinion in Hematology, 2019, 26, 453-460.	1.2	2
1245	Erythropoietin in tumor angiogenesis. Experimental Cell Research, 2019, 374, 266-273.	1.2	33
1246	Effects of Molidustat in the Treatment of Anemia in CKD. Clinical Journal of the American Society of Nephrology: CJASN, 2019, 14, 28-39.	2.2	78
1247	Loss of ciliary zonule protein hydroxylation and lens stability as a predicted consequence of biallelic ASPH variation. Ophthalmic Genetics, 2019, 40, 12-16.	0.5	15
1248	Dynamic regulation of epigenetic demethylation by oxygen availability and cellular redox. Free Radical Biology and Medicine, 2019, 131, 282-298.	1.3	36
1249	Hypoxia Restrains Lipid Utilization via Protein Kinase A and Adipose Triglyceride Lipase Downregulation through Hypoxia-Inducible Factor. Molecular and Cellular Biology, 2019, 39, .	1.1	29
1250	Selective Inhibitors of a Human Prolyl Hydroxylase (OGFOD1) Involved in Ribosomal Decoding. Chemistry - A European Journal, 2019, 25, 2019-2024.	1.7	5
1251	Deletion of an intronic HIF-2 binding site suppresses hypoxia-induced WT1 expression. Biochimica Et Biophysica Acta - Gene Regulatory Mechanisms, 2019, 1862, 71-83.	0.9	9
1252	Iron Homeostasis in the Lungs – A Balance between Health and Disease. Pharmaceuticals, 2019, 12, 5.	1.7	54
1253	The mitochondrial retrograde signaling regulates Wnt signaling to promote tumorigenesis in colon cancer. Cell Death and Differentiation, 2019, 26, 1955-1969.	5.0	60
1254	Defining Physiological Normoxia for Improved Translation of Cell Physiology to Animal Models and Humans. Physiological Reviews, 2019, 99, 161-234.	13.1	204

#	ARTICLE	IF	CITATIONS
1255	Metabolic Stressâ€™ Signaling and Metabolic Adaptation. , 2019, , 139-148.		2
1256	Pyruvate dehydrogenase kinase 1 and carbonic anhydrase IX targeting in hypoxic tumors. <i>Neoplasma</i> , 2019, 66, 63-72.	0.7	4
1257	Pulmonary endoplasmic reticulum stressâ€™ scars, smoke, and suffocation. <i>FEBS Journal</i> , 2019, 286, 322-341.	2.2	21
1258	Adjuvant drug-assisted bone healing: Part II â€™ Modulation of angiogenesis. <i>Clinical Hemorheology and Microcirculation</i> , 2020, 73, 409-438.	0.9	5
1259	Sialyltransferase7A promotes angiotensin II-induced cardiomyocyte hypertrophy via HIF-1±-TAK1 signalling pathway. <i>Cardiovascular Research</i> , 2020, 116, 114-126.	1.8	10
1260	Exercise induces tissue hypoxia and HIF-1± redistribution in the small intestine. <i>Journal of Sport and Health Science</i> , 2020, 9, 82-89.	3.3	14
1261	Discovery of prolyl hydroxylase 2 inhibitors with new chemical scaffolds as in vivo active erythropoietin inducers through a combined virtual screening strategy. <i>Chemical Biology and Drug Design</i> , 2020, 95, 270-278.	1.5	6
1262	A review on transcriptional regulation responses to hypoxia in mesenchymal stem cells. <i>Cell Biology International</i> , 2020, 44, 14-26.	1.4	9
1263	Impact of hypoxia on DNA repair and genome integrity. <i>Mutagenesis</i> , 2020, 35, 61-68.	1.0	47
1264	Studies on the selectivity of proline hydroxylases reveal new substrates including bicycles. <i>Bioorganic Chemistry</i> , 2020, 94, 103386.	2.0	13
1265	Quantitative MSâ€™Based Proteomics: Comparing the MCFâ€™7 Cellular Response to Hypoxia and a 2â€™Oxoglutarate Analogue. <i>ChemBioChem</i> , 2020, 21, 1647-1655.	1.3	9
1266	HIF hydroxylase inhibitors decrease cellular oxygen consumption depending on their selectivity. <i>FASEB Journal</i> , 2020, 34, 2344-2358.	0.2	26
1267	The Redox Theory of Development. <i>Antioxidants and Redox Signaling</i> , 2020, 32, 715-740.	2.5	37
1268	Intrabody against prolyl hydroxylase 2 ameliorates acetaminophen-induced acute liver injury in mice via concomitant promotion of angiogenesis and redox homeostasis. <i>Biomedicine and Pharmacotherapy</i> , 2020, 123, 109783.	2.5	10
1269	Vascular Changes in the Retina and Choroid of Patients With EPAS1 Gain-of-Function Mutation Syndrome. <i>JAMA Ophthalmology</i> , 2020, 138, 148.	1.4	4
1270	Introduction to the state-of-the-art 3D bioprinting methods, design, and applications in orthopedics. <i>Bioprinting</i> , 2020, 18, e00070.	2.9	48
1271	Effects of orally active hypoxia inducible factor alpha prolyl hydroxylase inhibitor, FG4592 on renal fibrogenic potential in mouse unilateral ureteral obstruction model. <i>Journal of Pharmacological Sciences</i> , 2020, 142, 93-100.	1.1	26
1272	Structureâ€™Activity Relationship and Crystallographic Studies on 4â€™Hydroxypyrimidine HIF Prolyl Hydroxylase Domain Inhibitors. <i>ChemMedChem</i> , 2020, 15, 270-273.	1.6	21

#	ARTICLE	IF	CITATIONS
1273	Label-Free Interactome Analysis Revealed an Essential Role of CUL3-KEAP1 Complex in Mediating the Ubiquitination and Degradation of PHD2. <i>Journal of Proteome Research</i> , 2020, 19, 260-268.	1.8	4
1274	Hypoxia-Inducible Lysine Methyltransferases: G9a and GLP Hypoxic Regulation, Non-histone Substrate Modification, and Pathological Relevance. <i>Frontiers in Genetics</i> , 2020, 11, 579636.	1.1	14
1275	Regulation of Vascular Calcification by Reactive Oxygen Species. <i>Antioxidants</i> , 2020, 9, 963.	2.2	34
1276	Metabolic Profiling of Human Gastric Cancer Cells Treated With Salazosulfapyridine. <i>Technology in Cancer Research and Treatment</i> , 2020, 19, 153303382092862.	0.8	5
1277	2-Oxoglutarate-dependent dioxygenases in cancer. <i>Nature Reviews Cancer</i> , 2020, 20, 710-726.	12.8	119
1278	Recent advances in epigenetic proteolysis targeting chimeras (Epi-PROTACs). <i>European Journal of Medicinal Chemistry</i> , 2020, 207, 112750.	2.6	12
1279	Targeting histone demethylase KDM5B for cancer treatment. <i>European Journal of Medicinal Chemistry</i> , 2020, 208, 112760.	2.6	21
1280	TET is targeted for proteasomal degradation by the PHD-pVHL pathway to reduce DNA hydroxymethylation. <i>Journal of Biological Chemistry</i> , 2020, 295, 16299-16313.	1.6	11
1281	E3 Ubiquitin Ligase Von Hippel-Lindau Protein Promotes Th17 Differentiation. <i>Journal of Immunology</i> , 2020, 205, 1009-1023.	0.4	12
1282	Hypoxia in chronic kidney disease: towards a paradigm shift?. <i>Nephrology Dialysis Transplantation</i> , 2021, 36, 1782-1790.	0.4	22
1283	Zebrafish <i>phd3</i> Negatively Regulates Antiviral Responses via Suppression of Irf7 Transactivity Independent of Its Prolyl Hydroxylase Activity. <i>Journal of Immunology</i> , 2020, 205, 1135-1146.	0.4	6
1284	Recent advances in strategies for overcoming hypoxia in photodynamic therapy of cancer. <i>Cancer Letters</i> , 2020, 492, 116-135.	3.2	67
1285	O ₂ -Dependent Protein Internalization Underlies Astrocytic Sensing of Acute Hypoxia by Restricting Multimodal TRPA1 Channel Responses. <i>Current Biology</i> , 2020, 30, 3378-3396.e7.	1.8	32
1286	Hypoxic Regulation of Gene Transcription and Chromatin: Cause and Effect. <i>International Journal of Molecular Sciences</i> , 2020, 21, 8320.	1.8	29
1287	Current and Emerging Drugs in the Treatment of Anemia in Patients with Chronic Kidney Disease. <i>Journal of Pharmacy and Pharmaceutical Sciences</i> , 2020, 23, 278-288.	0.9	3
1288	Isocitrate dehydrogenase variants in cancer – Cellular consequences and therapeutic opportunities. <i>Current Opinion in Chemical Biology</i> , 2020, 57, 122-134.	2.8	35
1289	Cross-Species Insights Into Genomic Adaptations to Hypoxia. <i>Frontiers in Genetics</i> , 2020, 11, 743.	1.1	48
1290	Platelets in chronic obstructive pulmonary disease: An update on pathophysiology and implications for antiplatelet therapy. <i>Respiratory Medicine</i> , 2020, 171, 106098.	1.3	20

#	ARTICLE	IF	CITATIONS
1291	In vivo survival strategies for cellular adaptation to hypoxia: HIF1 α -dependent suppression of mitochondrial oxygen consumption and decrease of intracellular hypoxia are critical for survival of hypoxic chondrocytes. <i>Bone</i> , 2020, 140, 115572.	1.4	7
1292	Asparagine Hydroxylation is a Reversible Post-translational Modification. <i>Molecular and Cellular Proteomics</i> , 2020, 19, 1777-1789.	2.5	13
1293	A small-molecule probe for monitoring binding to prolyl hydroxylase domain 2 by fluorescence polarisation. <i>Chemical Communications</i> , 2020, 56, 14199-14202.	2.2	7
1294	Cognitive Enhancer Noopept Activates Transcription Factor HIF-1. <i>Doklady Biochemistry and Biophysics</i> , 2020, 494, 256-260.	0.3	3
1295	Specific cyprinid HIF isoforms contribute to cellular mitochondrial regulation. <i>Scientific Reports</i> , 2020, 10, 17246.	1.6	10
1296	HIF α independent mechanisms in renal carcinoma cells modulate divergent outcomes in fibronectin assembly mediated by hypoxia and CoCl ₂ . <i>Scientific Reports</i> , 2020, 10, 18560.	1.6	4
1297	Role of the Hypoxia-Inducible Factor Pathway in Normal and Osteoarthritic Meniscus and in Mice after Destabilization of the Medial Meniscus. <i>Cartilage</i> , 2021, 13, 1442S-1455S.	1.4	2
1298	Conditional ablation of MAPK7 expression in chondrocytes impairs endochondral bone formation in limbs and adaptation of chondrocytes to hypoxia. <i>Cell and Bioscience</i> , 2020, 10, 103.	2.1	5
1299	Orchestration of lincRNA-p21 and miR-155 in Modulating the Adaptive Dynamics of HIF-1 α . <i>Frontiers in Genetics</i> , 2020, 11, 871.	1.1	7
1300	Hypoxia Protects Rat Bone Marrow Mesenchymal Stem Cells Against Compression-Induced Apoptosis in the Degenerative Disc Microenvironment Through Activation of the HIF-1 α /YAP Signaling Pathway. <i>Stem Cells and Development</i> , 2020, 29, 1309-1319.	1.1	12
1301	High-throughput screening in multicellular spheroids for target discovery in the tumor microenvironment. <i>Expert Opinion on Drug Discovery</i> , 2020, 15, 955-967.	2.5	11
1302	How DNA methylation affects the Warburg effect. <i>International Journal of Biological Sciences</i> , 2020, 16, 2029-2041.	2.6	15
1303	A human protein hydroxylase that accepts D-residues. <i>Communications Chemistry</i> , 2020, 3, .	2.0	6
1304	Mannose Binding Lectin Is Hydroxylated by Collagen Prolyl-4-hydroxylase and Inhibited by Some PHD Inhibitors. <i>Kidney360</i> , 2020, 1, 447-457.	0.9	4
1305	The prolyl hydroxylase inhibitor roxadustat: Paradigm in drug discovery and prospects for clinical application beyond anemia. <i>Drug Discovery Today</i> , 2020, 25, 1262-1269.	3.2	18
1306	Oxygen Pathology and Oxygen-Functional Materials for Therapeutics. <i>Matter</i> , 2020, 2, 1115-1147.	5.0	8
1307	Analysis of Multiplicity of Hypoxia-Inducible Factors in the Evolution of Triplophysa Fish (Osteichthyes: Nemacheilinae) Reveals Hypoxic Environments Adaptation to Tibetan Plateau. <i>Frontiers in Genetics</i> , 2020, 11, 433.	1.1	10
1308	Differential susceptibility of PC12 and BRL cells and the regulatory role of HIF-1 α signaling pathway in response to acute methylmercury exposure under normoxia. <i>Toxicology Letters</i> , 2020, 331, 82-91.	0.4	7

#	ARTICLE	IF	CITATIONS
1309	Beyond glycolysis: Hypoxia signaling as a master regulator of alternative metabolic pathways and the implications in clear cell renal cell carcinoma. <i>Cancer Letters</i> , 2020, 489, 19-28.	3.2	23
1310	Effect of post-implant exercise on tumour growth rate, perfusion and hypoxia in mice. <i>PLoS ONE</i> , 2020, 15, e0229290.	1.1	22
1311	Iron Deficiency in Chronic Kidney Disease: Updates on Pathophysiology, Diagnosis, and Treatment. <i>Journal of the American Society of Nephrology: JASN</i> , 2020, 31, 456-468.	3.0	140
1312	Proline Hydroxylation Primes Protein Kinases for Autophosphorylation and Activation. <i>Molecular Cell</i> , 2020, 79, 376-389.e8.	4.5	22
1313	Long-Noncoding RNA (lncRNA) in the Regulation of Hypoxia-Inducible Factor (HIF) in Cancer. <i>Non-coding RNA</i> , 2020, 6, 27.	1.3	33
1315	Effects of Exercise on the Tumour Microenvironment. <i>Advances in Experimental Medicine and Biology</i> , 2020, 1225, 31-51.	0.8	14
1316	A comparative view on vitamin C effects on H_2O_2 versus H_2O_2 cell activation and differentiation. <i>Journal of Leukocyte Biology</i> , 2020, 107, 1009-1022.	1.5	10
1317	Jumonji domain-containing protein 6 protein and its role in cancer. <i>Cell Proliferation</i> , 2020, 53, e12747.	2.4	31
1318	Effects of Germline VHL Deficiency on Growth, Metabolism, and Mitochondria. <i>New England Journal of Medicine</i> , 2020, 382, 835-844.	13.9	23
1319	Inhibition of Endothelial PHD2 Suppresses Post-Ischemic Kidney Inflammation through Hypoxia-Inducible Factor-1. <i>Journal of the American Society of Nephrology: JASN</i> , 2020, 31, 501-516.	3.0	25
1320	Effects of Water Acidification on Senegalese Sole <i>Solea senegalensis</i> Health Status and Metabolic Rate: Implications for Immune Responses and Energy Use. <i>Frontiers in Physiology</i> , 2020, 11, 26.	1.3	16
1321	Dimethylalloylglycine induces pexophagy in a HIF-2 α dependent manner involving autophagy receptor p62. <i>Biochemical and Biophysical Research Communications</i> , 2020, 525, 46-52.	1.0	6
1322	Hypoxia-inducible factors in metabolic reprogramming during sepsis. <i>FEBS Journal</i> , 2020, 287, 1478-1495.	2.2	27
1323	Mechanism of Molecular Oxygen Diffusion in a Hypoxia-Sensing Prolyl Hydroxylase Using Multiscale Simulation. <i>Journal of the American Chemical Society</i> , 2020, 142, 2253-2263.	6.6	19
1324	Energy Metabolism in Cancer: The Roles of STAT3 and STAT5 in the Regulation of Metabolism-Related Genes. <i>Cancers</i> , 2020, 12, 124.	1.7	48
1325	Direct Peritoneal Resuscitation with Pyruvate Protects the Spinal Cord and Induces Autophagy via Regulating PHD2 in a Rat Model of Spinal Cord Ischemia-Reperfusion Injury. <i>Oxidative Medicine and Cellular Longevity</i> , 2020, 2020, 1-15.	1.9	9
1326	Prolyl hydroxylase 3 controls the intestine goblet cell generation through stabilizing ATOH1. <i>Cell Death and Differentiation</i> , 2020, 27, 2131-2142.	5.0	7
1327	Hypoxia-inducible factor (HIF) prolyl hydroxylase inhibitors induce autophagy and have a protective effect in an in-vitro ischaemia model. <i>Scientific Reports</i> , 2020, 10, 1597.	1.6	34

#	ARTICLE	IF	CITATIONS
1328	Mitochondrial MUL1 E3 ubiquitin ligase regulates Hypoxia Inducible Factor (HIF-1 α) and metabolic reprogramming by modulating the UBXN7 cofactor protein. <i>Scientific Reports</i> , 2020, 10, 1609.	1.6	17
1329	Zinc Inhibits HIF-Prolyl Hydroxylase Inhibitor-Aggravated VSMC Calcification Induced by High Phosphate. <i>Frontiers in Physiology</i> , 2019, 10, 1584.	1.3	30
1330	Understanding the Oxygen-Sensing Pathway and Its Therapeutic Implications in Diseases. <i>American Journal of Pathology</i> , 2020, 190, 1584-1595.	1.9	33
1331	Dysregulation of 2-oxoglutarate-dependent dioxygenases by hyperglycaemia: does this link diabetes and vascular disease?. <i>Clinical Epigenetics</i> , 2020, 12, 59.	1.8	9
1332	Air Exposure Affects Physiological Responses, Innate Immunity, Apoptosis and DNA Methylation of Kuruma Shrimp, <i>Marsupenaeus japonicus</i> . <i>Frontiers in Physiology</i> , 2020, 11, 223.	1.3	16
1333	Synthesis of Novel Pyridine α -Carboxylates as Small α -Molecule Inhibitors of Human Aspartate/Asparagine α -Hydroxylase. <i>ChemMedChem</i> , 2020, 15, 1139-1149.	1.6	10
1334	Immunological Techniques to Assess Protein Thiol Redox State: Opportunities, Challenges and Solutions. <i>Antioxidants</i> , 2020, 9, 315.	2.2	19
1335	Hypoxia-inducible factor-1 α shifts metabolism from oxidative phosphorylation to glycolysis in response to pathogen challenge in <i>Apostichopus japonicus</i> . <i>Aquaculture</i> , 2020, 526, 735393.	1.7	10
1336	HIF-1 α Stabilization Enhances Angio-/Vasculogenic Properties of SHED. <i>Journal of Dental Research</i> , 2020, 99, 804-812.	2.5	14
1337	Hypoxia α -induced pulmonary hypertension α ” Utilizing experiments of nature. <i>British Journal of Pharmacology</i> , 2021, 178, 121-131.	2.7	20
1338	Synthetic biology of hypoxia. <i>New Phytologist</i> , 2021, 229, 50-56.	3.5	13
1339	Acute hypoxia and reoxygenation: Effect on oxidative stress and hypoxia signal transduction in the juvenile yellow catfish (<i>Pelteobagrus fulvidraco</i>). <i>Aquaculture</i> , 2021, 531, 735903.	1.7	44
1340	Effects of short-term physical training on the interleukin-15 signalling pathway and glucose tolerance in aged rats. <i>Cytokine</i> , 2021, 137, 155306.	1.4	0
1341	Primary Human Colonic Mucosal Barrier Crosstalk with Super Oxygen-Sensitive <i>Faecalibacterium prausnitzii</i> in Continuous Culture. <i>Med</i> , 2021, 2, 74-98.e9.	2.2	55
1342	Emerging cellular and molecular determinants of idiopathic pulmonary fibrosis. <i>Cellular and Molecular Life Sciences</i> , 2021, 78, 2031-2057.	2.4	175
1343	Hypoxia-induced thyroid hormone receptor expression regulates cell-cycle progression in renal tubule epithelial cells. <i>Endocrine Journal</i> , 2021, 68, 1309-1320.	0.7	8
1344	Cellular and Molecular Processes in Pulmonary Hypertension. <i>Advances in Experimental Medicine and Biology</i> , 2021, 1304, 21-38.	0.8	3
1345	Mechanisms Regulating Hypoxia Tolerance in <i>Drosophila</i> and Humans. , 2021, , 241-251.		0

#	ARTICLE	IF	CITATIONS
1346	HIF in Nephrotoxicity during Cisplatin Chemotherapy: Regulation, Function and Therapeutic Potential. <i>Cancers</i> , 2021, 13, 180.	1.7	9
1347	Population Genomics of High-Altitude Adaptation. <i>Evolutionary Studies</i> , 2021, , 67-100.	0.2	0
1348	HIF-1 α Metabolic Pathways in Human Cancer. <i>Advances in Experimental Medicine and Biology</i> , 2021, 1280, 243-260.	0.8	24
1349	Oxygen Enrichment Ameliorates Cardiorespiratory Alterations Induced by Chronic High-Altitude Hypoxia in Rats. <i>Frontiers in Physiology</i> , 2020, 11, 616145.	1.3	8
1350	The fundamental discoveries in oxygen sensing: implications for heart diseases and cardiomyocytes maturation. <i>Cosmos: Problems of Biological Sciences</i> , 2021, 69, 563-577.	0.0	0
1351	Metabolic Reprogramming of Cancer Cells during Tumor Progression and Metastasis. <i>Metabolites</i> , 2021, 11, 28.	1.3	83
1352	Iron Sucrose: A Double-Edged Sword in High Phosphate Media-Induced Vascular Calcification. <i>Calcified Tissue International</i> , 2021, 108, 798-807.	1.5	3
1353	HIF1A Alleviates compression-induced apoptosis of nucleus pulposus derived stem cells via upregulating autophagy. <i>Autophagy</i> , 2021, 17, 3338-3360.	4.3	82
1354	Effect of Modified HIF-1 α Linked to Carbonic Anhydrase IX Inhibitor and Glycosylated Cisplatin on Solid Tumors: Short Review. <i>Journal of Biosciences and Medicines</i> , 2021, 09, 59-72.	0.1	0
1355	HIF-Prolyl Hydroxylase Domain Proteins (PHDs) in Cancer—Potential Targets for Anti-Tumor Therapy?. <i>Cancers</i> , 2021, 13, 988.	1.7	16
1356	The Role of Hypoxia in Glioblastoma Radiotherapy Resistance. <i>Cancers</i> , 2021, 13, 542.	1.7	52
1357	The HIF-1 α antisense long non-coding RNA drives a positive feedback loop of HIF-1 α mediated transactivation and glycolysis. <i>Nature Communications</i> , 2021, 12, 1341.	5.8	91
1358	A RCT Testing If a Storybook Can Teach Children About Home Safety. <i>Journal of Pediatric Psychology</i> , 2021, 46, 866-877.	1.1	1
1359	The Role of Hypoxia in Endometrial Cancer. <i>Current Pharmaceutical Biotechnology</i> , 2022, 23, 221-234.	0.9	4
1361	The Role of 2-Oxoglutarate Dependent Dioxygenases in Gliomas and Glioblastomas: A Review of Epigenetic Reprogramming and Hypoxic Response. <i>Frontiers in Oncology</i> , 2021, 11, 619300.	1.3	12
1363	Tumor Hypoxia Drives Genomic Instability. <i>Frontiers in Cell and Developmental Biology</i> , 2021, 9, 626229.	1.8	21
1364	Effect of 8-Day Fasting on Leukocytes Expression of Genes and Proteins Involved in Iron Metabolism in Healthy Men. <i>International Journal of Molecular Sciences</i> , 2021, 22, 3248.	1.8	4
1365	Hypoxia-Driven Effects in Cancer: Characterization, Mechanisms, and Therapeutic Implications. <i>Cells</i> , 2021, 10, 678.	1.8	53

#	ARTICLE	IF	CITATIONS
1366	The role of metabolism in chondrocyte dysfunction and the progression of osteoarthritis. Ageing Research Reviews, 2021, 66, 101249.	5.0	257
1367	HIF Pathways in Clear Cell Renal Cancer. , 0, , .		2
1368	Hypoxia-induced inflammation: Profiling the first 24-hour posthypoxic plasma and central nervous system changes. PLoS ONE, 2021, 16, e0246681.	1.1	6
1369	Combined vitrectomy, near-confluent panretinal endolaser, bevacizumab and cyclophotocoagulation for neovascular glaucoma " a retrospective interventional case series. F1000Research, 2020, 9, 1236.	0.8	5
1370	The Multiple Roles of Ascorbate in the Abiotic Stress Response of Plants: Antioxidant, Cofactor, and Regulator. Frontiers in Plant Science, 2021, 12, 598173.	1.7	48
1371	Thioredoxin-interacting protein is a favored target of miR-125b, promoting metastasis and progression of pancreatic cancer via the HIF1 pathway. Journal of Biochemical and Molecular Toxicology, 2021, 35, e22782.	1.4	8
1372	Differential Cytotoxicity Mechanisms of Copper Complexed with Disulfiram in Oral Cancer Cells. International Journal of Molecular Sciences, 2021, 22, 3711.	1.8	22
1373	HIF- Prolyl Hydroxylase Inhibitors and Their Implications for Biomedicine: A Comprehensive Review. Biomedicines, 2021, 9, 468.	1.4	50
1374	Structural Basis of Prolyl Hydroxylase Domain Inhibition by Molidustat. ChemMedChem, 2021, 16, 2082-2088.	1.6	22
1375	GRK6 Depletion Induces HIF Activity in Lung Adenocarcinoma. Frontiers in Oncology, 2021, 11, 654812.	1.3	2
1376	HIF-dependent induction of the mitochondrial chaperone TRAP1 regulates bioenergetic adaptations to hypoxia. Cell Death and Disease, 2021, 12, 434.	2.7	17
1377	Human Oxygenase Variants Employing a Single Protein Fe II Ligand Are Catalytically Active. Angewandte Chemie, 2021, 133, 14778-14784.	1.6	0
1378	Metabolomics bridging proteomics along metabolites/oncometabolites and protein modifications: Paving the way toward integrative multiomics. Journal of Pharmaceutical and Biomedical Analysis, 2021, 199, 114031.	1.4	8
1379	Inhibition of the Oxygen-Sensing Asparaginyl Hydroxylase Factor Inhibiting Hypoxia-Inducible Factor: A Potential Hypoxia Response Modulating Strategy. Journal of Medicinal Chemistry, 2021, 64, 7189-7209.	2.9	17
1381	Human Oxygenase Variants Employing a Single Protein Fe ^{II} Ligand Are Catalytically Active. Angewandte Chemie - International Edition, 2021, 60, 14657-14663.	7.2	10
1382	Inhibiting PHD2 in human periodontal ligament cells via lentiviral vector-mediated RNA interference facilitates cell osteogenic differentiation and periodontal repair. Journal of Leukocyte Biology, 2021, 110, 449-459.	1.5	2
1383	Gain-of-function Tibetan PHD2D4E;C127S variant suppresses monocyte function: A lesson in inflammatory response to inspired hypoxia. EBioMedicine, 2021, 68, 103418.	2.7	8
1384	Post-Translational Modifications of Deubiquitinating Enzymes: Expanding the Ubiquitin Code. Frontiers in Pharmacology, 2021, 12, 685011.	1.6	34

#	ARTICLE	IF	CITATIONS
1385	Carbon monoxide is an inhibitor of HIF prolyl hydroxylase domain 2. <i>ChemBioChem</i> , 2021, 22, 2521-2525.	1.3	3
1386	The non-canonical functions of HIF prolyl hydroxylases and their dual roles in cancer. <i>International Journal of Biochemistry and Cell Biology</i> , 2021, 135, 105982.	1.2	10
1387	Bidirectional Crosstalk Between Hypoxia Inducible Factors and Glucocorticoid Signalling in Health and Disease. <i>Frontiers in Immunology</i> , 2021, 12, 684085.	2.2	13
1388	LRP5 Regulates HIF-1 α Stability via Interaction with PHD2 in Ischemic Myocardium. <i>International Journal of Molecular Sciences</i> , 2021, 22, 6581.	1.8	3
1389	Expression of Hypoxia-Inducible Factor1 α in Varicocele Disease: a Comprehensive Systematic Review. <i>Reproductive Sciences</i> , 2022, 29, 2731-2743.	1.1	8
1390	Hypoxia-Inducible Factor Regulates Endothelial Metabolism in Cardiovascular Disease. <i>Frontiers in Physiology</i> , 2021, 12, 670653.	1.3	16
1391	Hypoxia Signaling in Parkinson's Disease: There Is Use in Asking "What HIF?" <i>Biology</i> , 2021, 10, 723.	1.3	18
1392	Hypoxia and Hypoxia-Inducible Factor Signaling in Muscular Dystrophies: Cause and Consequences. <i>International Journal of Molecular Sciences</i> , 2021, 22, 7220.	1.8	20
1393	Engineering Tools for Regulating Hypoxia in Tumour Models. <i>Journal of Cellular and Molecular Medicine</i> , 2021, 25, 7581-7592.	1.6	9
1394	Hypoxia-Inducible Factor (HIF) in Ischemic Stroke and Neurodegenerative Disease. <i>Frontiers in Cell and Developmental Biology</i> , 2021, 9, 703084.	1.8	41
1395	X-ray free-electron laser studies reveal correlated motion during isopenicillin <i>N</i> synthase catalysis. <i>Science Advances</i> , 2021, 7, .	4.7	23
1396	Hypoxia-Inducible Factor (HIF): Fuel for Cancer Progression. <i>Current Molecular Pharmacology</i> , 2021, 14, 321-332.	0.7	20
1397	HIF1 α is required for NK cell metabolic adaptation during virus infection. <i>ELife</i> , 2021, 10, .	2.8	12
1398	Hypoxic preconditioning protects against ischemic kidney injury through the IDO1/kynurenine pathway. <i>Cell Reports</i> , 2021, 36, 109547.	2.9	25
1399	Prolyl-4-hydroxylase 3 maintains β^2 cell glucose metabolism during fatty acid excess in mice. <i>JCI Insight</i> , 2021, 6, .	2.3	5
1400	Hypoxia Inducible Factors as Central Players in the Pathogenesis and Pathophysiology of Cardiovascular Diseases. <i>Frontiers in Cardiovascular Medicine</i> , 2021, 8, 709509.	1.1	14
1401	Emerging roles for thiol dioxygenases as oxygen sensors. <i>FEBS Journal</i> , 2022, 289, 5426-5439.	2.2	10
1402	Adaptation Mechanisms of Yak (<i>Bos grunniens</i>) to High-Altitude Environmental Stress. <i>Animals</i> , 2021, 11, 2344.	1.0	20

#	ARTICLE	IF	CITATIONS
1403	Hypoxia in Cancer and Fibrosis: Part of the Problem and Part of the Solution. <i>International Journal of Molecular Sciences</i> , 2021, 22, 8335.	1.8	13
1405	NK cells in hypoxic skin mediate a trade-off between wound healing and antibacterial defence. <i>Nature Communications</i> , 2021, 12, 4700.	5.8	29
1406	Nitric oxide-releasing micelles with intelligent targeting for enhanced anti-tumor effect of cisplatin in hypoxia. <i>Journal of Nanobiotechnology</i> , 2021, 19, 246.	4.2	15
1407	Clinical Pathological Features and Current Animal Models of Type 3 Macular Neovascularization. <i>Frontiers in Neuroscience</i> , 2021, 15, 734860.	1.4	11
1408	Multimiomics Analysis of Neuroblastoma Cells Reveals a Diversity of Malignant Transformations. <i>Frontiers in Cell and Developmental Biology</i> , 2021, 9, 727353.	1.8	5
1409	HIF in the heart: development, metabolism, ischemia, and atherosclerosis. <i>Journal of Clinical Investigation</i> , 2021, 131, .	3.9	53
1410	Activation of HIF1 α Rescues the Hypoxic Response and Reverses Metabolic Dysfunction in the Diabetic Heart. <i>Diabetes</i> , 2021, 70, 2518-2531.	0.3	18
1411	The evolutionary and physiological significance of the Hif pathway in teleost fishes. <i>Journal of Experimental Biology</i> , 2021, 224, .	0.8	16
1412	Inhibition of JMJD6 by 2-oxoglutarate Mimics. <i>ChemMedChem</i> , 2022, 17, e202100398.	1.6	5
1413	Bioinorganic systems responsive to the diatomic gases O ₂ , NO, and CO: From biological sensors to therapy. <i>Coordination Chemistry Reviews</i> , 2021, 445, 214096.	9.5	14
1414	The role of circadian and redox rhythms in cancer hypoxia. <i>Advances in Redox Research</i> , 2021, 3, 100018.	0.9	3
1415	Effects of hypoxia and hyperoxia on growth parameters and transcription levels of growth, immune system and stress related genes in rainbow trout. <i>Comparative Biochemistry and Physiology Part A, Molecular & Integrative Physiology</i> , 2021, 262, 111060.	0.8	17
1416	Pathobiology of Pulmonary Hypertension. , 2022, , 530-541.		0
1417	The regulation of FGF23 production in bone and outside of bone. , 2021, , 31-51.		0
1418	Transcriptomic profile of VEGF-regulated genes in human cervical epithelia. <i>Cell and Tissue Research</i> , 2021, 384, 771-788.	1.5	3
1419	OxLDL as an Inducer of a Metabolic Shift in Cancer Cells. <i>Journal of Cancer</i> , 2021, 12, 5817-5824.	1.2	5
1420	RNA m6A Modification: The Mediator Between Cellular Stresses and Biological Effects. <i>RNA Technologies</i> , 2021, , 353-390.	0.2	1
1421	Synthesis of 2-oxoglutarate derivatives and their evaluation as cosubstrates and inhibitors of human aspartate/asparagine- β -hydroxylase. <i>Chemical Science</i> , 2021, 12, 1327-1342.	3.7	8

#	ARTICLE	IF	CITATIONS
1423	Mitochondrial ROS Production Initiates $\text{A}\hat{\text{I}}^{21}$ -40-Mediated Up-Regulation of L-Type Ca^{2+} Channels during Chronic Hypoxia. , 2006, 580, 197-201.		2
1425	Postnatal Hypoxia and the Developing Brain: Cellular and Molecular Mechanisms of Injury. Contemporary Clinical Neuroscience, 2009, , 255-276.	0.3	1
1426	A Review of Post-translational Modifications and Subcellular Localization of Ets Transcription Factors: Possible Connection with Cancer and Involvement in the Hypoxic Response. Methods in Molecular Biology, 2010, 647, 3-30.	0.4	54
1427	Iron Chelators & HIF-1 $\hat{\text{I}}\pm$: A New Frontier for Skin Rejuvenation. , 2019, , 201-209.		1
1428	The Role of Hypoxia in Radiation Response. , 2016, , 29-42.		1
1429	Role of the HIF oxygen sensing pathway in cell defense and proliferation through the control of amino acid metabolism. Biochimica Et Biophysica Acta - Molecular Cell Research, 2020, 1867, 118733.	1.9	13
1430	Unlocking mammalian regeneration through hypoxia inducible factor one alpha signaling. Biomaterials, 2021, 269, 120646.	5.7	19
1431	Current developments in nanotechnology for improved cancer treatment, focusing on tumor hypoxia. Journal of Controlled Release, 2020, 324, 413-429.	4.8	76
1432	Use of cyclic peptides to induce crystallization: case study with prolyl hydroxylase domain 2. Scientific Reports, 2020, 10, 21964.	1.6	5
1433	CHAPTER 6. The Role of 2-Oxoglutarate-Dependent Oxygenases in Hypoxia Sensing. 2-Oxoglutarate-Dependent Oxygenases, 2015, , 169-209.	0.8	7
1434	Oxygen sensing and hypoxia-induced responses. Essays in Biochemistry, 2007, 43, 1-16.	2.1	51
1435	Hypoxia in cancer cell metabolism and pH regulation. Essays in Biochemistry, 2007, 43, 165-178.	2.1	86
1436	Gene transcription and chromatin regulation in hypoxia. Biochemical Society Transactions, 2020, 48, 1121-1128.	1.6	22
1437	Connexin 43 prevents the progression of diabetic renal tubulointerstitial fibrosis by regulating the SIRT1-HIF-1 $\hat{\text{I}}\pm$ signaling pathway. Clinical Science, 2020, 134, 1573-1592.	1.8	24
1438	Kinetic parameters of human aspartate/asparagine $\hat{\text{I}}^2$ -hydroxylase suggest that it has a possible function in oxygen sensing. Journal of Biological Chemistry, 2020, 295, 7826-7838.	1.6	18
1440	Oxygen $\hat{\text{I}}\pm$ sensing mechanisms in cells. FEBS Journal, 2020, 287, 3888-3906.	2.2	50
1441	Metabolic ROS Signaling: To Immunity and Beyond. Biochemistry (Moscow), 2020, 85, 1650-1667.	0.7	13
1442	A report of succinate dehydrogenase B deficiency associated with metastatic papillary renal cell carcinoma: successful treatment with the multi-targeted tyrosine kinase inhibitor sunitinib. BMJ Case Reports, 2009, 2009, bcr0820080732-bcr0820080732.	0.2	13

#	ARTICLE	IF	CITATIONS
1443	Mitochondrial metabolism in pulmonary hypertension: beyond mountains there are mountains. <i>Journal of Clinical Investigation</i> , 2018, 128, 3704-3715.	3.9	104
1444	Systemic silencing of Phd2 causes reversible immune regulatory dysfunction. <i>Journal of Clinical Investigation</i> , 2019, 129, 3640-3656.	3.9	30
1445	Impaired angiogenesis and extracellular matrix metabolism in autosomal-dominant hyper-IgE syndrome. <i>Journal of Clinical Investigation</i> , 2020, 130, 4167-4181.	3.9	13
1446	Hypoxia-inducible factors and diabetes. <i>Journal of Clinical Investigation</i> , 2020, 130, 5063-5073.	3.9	84
1447	HIF-1 and HIF-2: working alone or together in hypoxia?. <i>Journal of Clinical Investigation</i> , 2007, 117, 862-865.	3.9	233
1448	Hypoxia-inducible factor-1 α regulates β 2 cell function in mouse and human islets. <i>Journal of Clinical Investigation</i> , 2010, 120, 2171-2183.	3.9	191
1449	VEGF ameliorates pulmonary hypertension through inhibition of endothelial apoptosis in experimental lung fibrosis in rats. <i>Journal of Clinical Investigation</i> , 2009, 119, 1298-1311.	3.9	184
1450	The unfolded protein response protects human tumor cells during hypoxia through regulation of the autophagy genes MAP1LC3B and ATG5. <i>Journal of Clinical Investigation</i> , 2010, 120, 127-141.	3.9	675
1451	Herpesvirus entry mediator regulates hypoxia-inducible factor-1 α and erythropoiesis in mice. <i>Journal of Clinical Investigation</i> , 2011, 121, 4810-4819.	3.9	12
1452	Reducing radiation-induced gastrointestinal toxicity – the role of the PHD/HIF axis. <i>Journal of Clinical Investigation</i> , 2016, 126, 3708-3715.	3.9	44
1453	Prolyl hydroxylase 2 inactivation enhances glycogen storage and promotes excessive neutrophilic responses. <i>Journal of Clinical Investigation</i> , 2017, 127, 3407-3420.	3.9	71
1454	Vitamin C in Pneumonia and Sepsis. , 2020, , 115-135.		7
1455	Mitochondrial hematology and oncology. , 2006, , 209-239.		1
1456	Erythropoietin regulation of red blood cell production: from bench to bedside and back. <i>F1000Research</i> , 2020, 9, 1153.	0.8	37
1457	Combined vitrectomy, near-confluent panretinal endolaser, bevacizumab and cyclophotocoagulation for neovascular glaucoma – a retrospective interventional case series. <i>F1000Research</i> , 2020, 9, 1236.	0.8	4
1458	<i>Pseudomonas</i> expression of an oxygen sensing prolyl hydroxylase homologue regulates neutrophil host responses in vitro and in vivo. <i>Wellcome Open Research</i> , 2017, 2, 104.	0.9	11
1459	Glucose and glutamine availability regulate HepG2 transcriptional responses to low oxygen. <i>Wellcome Open Research</i> , 2018, 3, 126.	0.9	6
1460	FIH Regulates Cellular Metabolism through Hydroxylation of the Deubiquitinase OTUB1. <i>PLoS Biology</i> , 2016, 14, e1002347.	2.6	78

#	ARTICLE	IF	CITATIONS
1461	Lactic Acidosis Triggers Starvation Response with Paradoxical Induction of TXNIP through MondoA. PLoS Genetics, 2010, 6, e1001093.	1.5	110
1462	Macrophage Migration Inhibitory Factor Activates Hypoxia-Inducible Factor in a p53-Dependent Manner. PLoS ONE, 2008, 3, e2215.	1.1	96
1463	Oxygen Sensing in Drosophila: Multiple Isoforms of the Prolyl Hydroxylase Fatiga Have Different Capacity to Regulate HIF1 α /Sima. PLoS ONE, 2010, 5, e12390.	1.1	19
1464	IKK2 Inhibition Attenuates Laser-Induced Choroidal Neovascularization. PLoS ONE, 2014, 9, e87530.	1.1	24
1465	Influence of Oxygen Tension on Dopaminergic Differentiation of Human Fetal Stem Cells of Midbrain and Forebrain Origin. PLoS ONE, 2014, 9, e96465.	1.1	17
1466	Molecular Characterisation, Evolution and Expression of Hypoxia-Inducible Factor in Aurelia sp.1. PLoS ONE, 2014, 9, e100057.	1.1	11
1467	Intermediary Metabolite Precursor Dimethyl-2-Ketoglutarate Stabilizes Hypoxia-Inducible Factor-1 α by Inhibiting Prolyl-4-Hydroxylase PHD2. PLoS ONE, 2014, 9, e113865.	1.1	30
1468	Flavonoid Compound Icarin Activates Hypoxia Inducible Factor-1 α in Chondrocytes and Promotes Articular Cartilage Repair. PLoS ONE, 2016, 11, e0148372.	1.1	53
1469	Comparison of VEGF-A secretion from tumor cells under cellular stresses in conventional monolayer culture and microfluidic three-dimensional spheroid models. PLoS ONE, 2020, 15, e0240833.	1.1	14
1470	Computational EPAS1 rSNP Analysis, Transcriptional Factor Binding Sites And High Altitude Sickness Or Adaptation. Journal of Proteomics and Genomics Research, 2014, 1, 31-59.	0.7	2
1471	Cell Type-Specific Oxidative Stress Genomic Signatures in the Globus Pallidus of Dopamine-Depleted Mice. Journal of Neuroscience, 2020, 40, 9772-9783.	1.7	14
1472	Expression and hypoxia-responsiveness of 6-phosphofructo-2-kinase/fructose-2,6-bisphosphatase 4 in mammary gland malignant cell lines.. Acta Biochimica Polonica, 2005, 52, 881-888.	0.3	25
1473	Hypoxic regulation of PFKFB-3 and PFKFB-4 gene expression in gastric and pancreatic cancer cell lines and expression of PFKFB genes in gastric cancers.. Acta Biochimica Polonica, 2006, 53, 789-799.	0.3	62
1474	Glycolysis, tumor metabolism, cancer growth and dissemination. A new pH-based etiopathogenic perspective and therapeutic approach to an old cancer question. Oncoscience, 2014, 1, 777-802.	0.9	198
1475	Boosting the hypoxic response in myeloid cells accelerates resolution of fibrosis and regeneration of the liver in mice. Oncotarget, 2017, 8, 15085-15100.	0.8	15
1476	HIF1/2 α mediates hypoxia-induced LDHA expression in human pancreatic cancer cells. Oncotarget, 2017, 8, 24840-24852.	0.8	120
1477	Suppression of homology-dependent DNA double-strand break repair induces PARP inhibitor sensitivity in VHL-deficient human renal cell carcinoma. Oncotarget, 2018, 9, 4647-4660.	0.8	22
1478	Hypoxic-induced truncation of voltage-dependent anion channel 1 is mediated by both asparagine endopeptidase and calpain 1 activities. Oncotarget, 2018, 9, 12825-12841.	0.8	12

#	ARTICLE	IF	CITATIONS
1479	Hypoxia-inducible factor 1 alpha is regulated by RBM38, a RNA-binding protein and a p53 family target, via mRNA translation. <i>Oncotarget</i> , 2015, 6, 305-316.	0.8	21
1480	Ferroptosis: A cell death from modulation of oxidative phosphorylation and PKM2-dependent glycolysis in melanoma. <i>Oncotarget</i> , 2014, 5, 12694-12703.	0.8	13
1481	AMP-activated protein kinase is dispensable for maintaining ATP levels and for survival following inhibition of glycolysis, but promotes tumour engraftment of Ras-transformed fibroblasts. <i>Oncotarget</i> , 2015, 6, 11833-11847.	0.8	7
1482	Mitochondrial stress controls the radiosensitivity of the oxygen effect: Implications for radiotherapy. <i>Oncotarget</i> , 2016, 7, 21469-21483.	0.8	63
1483	Hypoxia primes human normal prostate epithelial cells and cancer cell lines for the NLRP3 and AIM2 inflammasome activation. <i>Oncotarget</i> , 2016, 7, 28183-28194.	0.8	35
1484	Epigenetic Metalloenzymes. <i>Current Medicinal Chemistry</i> , 2019, 26, 2748-2785.	1.2	12
1485	Angiogenesis-Related Proteins - Their Role in the Pathogenesis and Treatment of Inflammatory Bowel Disease. <i>Current Protein and Peptide Science</i> , 2015, 16, 249-258.	0.7	11
1486	Targeting Hypoxia to Augment Mucosal Barrier Function. <i>Journal of Epithelial Biology & Pharmacology</i> , 2012, 5, 67-76.	1.2	7
1487	Molecular mechanisms of the neuroprotective neurorescue action of multi-target green tea polyphenols. <i>Frontiers in Bioscience - Scholar</i> , 2012, S4, 581-598.	0.8	45
1488	HIF Signaling Pathway in Pheochromocytoma and Other Neuroendocrine Tumors. <i>Physiological Research</i> , 2014, 63, S251-S262.	0.4	42
1489	Cyclic Hypoxia: An Update on Its Characteristics, Methods to Measure It and Biological Implications in Cancer. <i>Cancers</i> , 2021, 13, 23.	1.7	82
1490	Cilastatin Preconditioning Attenuates Renal Ischemia-Reperfusion Injury via Hypoxia Inducible Factor-1 α Activation. <i>International Journal of Molecular Sciences</i> , 2020, 21, 3583.	1.8	8
1491	CSB modulates the competition between HIF-1 and p53 upon hypoxia. <i>Mathematical Biosciences and Engineering</i> , 2019, 16, 5274-5262.	1.0	11
1492	Prolyl hydroxylase-3 is a novel renal cell carcinoma biomarker. <i>Investigative and Clinical Urology</i> , 2019, 60, 425.	1.0	7
1493	New deals on the transcriptional and post-transcriptional regulation of TRP channel target genes during the angiogenesis of glioma. <i>Journal of Experimental and Integrative Medicine</i> , 2011, 1, 221.	0.1	6
1494	Vitamin C enhances the expression of IL17 in a Jmjd2-dependent manner. <i>BMB Reports</i> , 2017, 50, 49-54.	1.1	50
1495	A new twist in neuroendocrine tumor research: Pacak-Zhuang syndrome, HIF-2 α as the major player in its pathogenesis and future therapeutic options. <i>Biomedical Papers of the Medical Faculty of the University Palacky&#x0301;, Olomouc, Czechoslovakia</i> , 2014, 158, 175-180.	0.2	10
1496	Genetic Mouse Models for Osteoarthritis Research. , 0, , .		1

#	ARTICLE	IF	CITATIONS
1497	Comparative study of antioxidants as cancer preventives through inhibition of HIF-1 alpha activity. <i>Bioinformatics</i> , 2009, 4, 233-236.	0.2	19
1498	Lack of activity of recombinant HIF prolyl hydroxylases (PHDs) on reported non-HIF substrates. <i>ELife</i> , 2019, 8, .	2.8	70
1499	Discovery of novel inhibitors disrupting HIF-1α/von Hippelâ€“Lindau interaction through shape-based screening and cascade docking. <i>PeerJ</i> , 2016, 4, e2757.	0.9	8
1500	Mechanisms and triggers of adaptation to hypoxia. <i>Reviews on Clinical Pharmacology and Drug Therapy</i> , 2021, 19, 269-280.	0.2	0
1501	Î²-Hydroxybutyrate Exacerbates Hypoxic Injury by Inhibiting HIF-1Î±-Dependent Glycolysis in Cardiomyocytesâ€“Adding Fuel to the Fire?. <i>Cardiovascular Drugs and Therapy</i> , 2022, 36, 383-397.	1.3	10
1502	Reprogramming of glucocorticoid receptor function by hypoxia. <i>EMBO Reports</i> , 2022, 23, e53083.	2.0	7
1503	Developmentally regulated GTPases: structure, function and roles in disease. <i>Cellular and Molecular Life Sciences</i> , 2021, 78, 7219-7235.	2.4	11
1504	Hypoxia-inducible factor-prolyl hydroxylase inhibitors for renal anemia in chronic kidney disease: Advantages and disadvantages. <i>European Journal of Pharmacology</i> , 2021, 912, 174583.	1.7	32
1505	TRIP4 transcriptionally activates DDIT4 and subsequent mTOR signaling to promote glioma progression. <i>Free Radical Biology and Medicine</i> , 2021, 177, 31-47.	1.3	4
1508	Therapeutic Strategies that Target the HIF System. , 2008, , 359-373.		0
1509	Regulation of Angiogenesis by von Hippel Lindau Protein and HIF2. , 2008, , 181-191.		0
1510	Functional Role of a Conserved Sequence Motif in the Oxygen-dependent Degradation Domain of Hypoxia-inducible Factor 1Î± in the Recognition of p53. <i>Genomics and Informatics</i> , 2008, 6, 72-76.	0.4	0
1511	Mitochondrial Tumor Suppressors. , 2009, , 151-162.		1
1512	Regulation of endogenous erythropoietin production. , 2009, , 19-40.		1
1513	The Molecular Biology of Kidney Cancer and Its Clinical Translation into Treatment Strategies. , 2009, , 79-97.		0
1514	Anemia in PD Patients. , 2009, , 713-736.		1
1515	Respiratory Hypoxia and Oxidative Stress in the Brain. Is the Endogenous Erythropoietin an Antioxidant?. <i>Current Chemical Biology</i> , 2009, 3, 238-252.	0.2	4
1517	Regulation of Oxygen Homeostasis by Prolyl Hydroxylase Domains. , 2011, , 419-436.		0

#	ARTICLE	IF	CITATIONS
1518	Novel Therapeutic Approaches Against Oxidative Stress and Hypoxia, Targeting Intracellular Sensor Molecules for Oxygen and Oxidative Stress. , 2011, , 633-656.		0
1519	Oxygen-Dependent Regulation of Erythropoiesis. , 2011, , 437-463.		0
1520	Intricate Link between Hypoxia and Oxidative Stress in Chronic Kidney Disease. , 2011, , 465-477.		0
1521	Myeloproliferative Neoplasms. , 2011, , 698-732.		2
1522	Functional Designs of the Gas Exchangers. , 2011, , 141-221.		1
1523	Engineered Proteins for Controlling Gene Expression. , 2011, , 159-176.		0
1524	Obstructive sleep apnea and hypertension: Interactions and clinical implications. , 2011, , 236-250.		0
1525	Biological Aspects in Renal Cell Carcinoma. , 0, , .		0
1526	Molecular Biology and Genetics. , 2013, , 19-37.		0
1527	Cell Cycle Signaling, Hypoxia. , 2013, , 311-314.		0
1528	Reciprocal Crosstalk Between Angiogenesis and Metabolism. , 2014, , 219-233.		0
1529	Hematopoietic Stem Cells and Chronic Hypoxia-Induced Pulmonary Vascular Remodelling. Pancreatic Islet Biology, 2015, , 241-256.	0.1	0
1530	Current studies and possibilities of cation/Ca ²⁺ channels as a target of pesticides. Japanese Journal of Pesticide Science, 2015, 40, 68-74.	0.0	0
1531	Glycemic Index and Eye Health. , 2016, , 219-271.		0
1532	Imaging of Glycolysis with 18F-FDG PET. , 2017, , 87-94.		0
1539	Fructose Metabolism and Acute Myeloid Leukemia. Exploratory Research and Hypothesis in Medicine, 2021, 000, 000-000.	0.1	3
1540	A novel mouse model of obstructive sleep apnea by bulking agent-induced tongue enlargement results in left ventricular contractile dysfunction. PLoS ONE, 2020, 15, e0243844.	1.1	9
1541	HIF-1 \pm as a Potential Therapeutic Target for Tuberculosis Treatment. , 2021, , 41-59.		0

#	ARTICLE	IF	CITATIONS
1542	ĐžŃ, Đ¼ĐµŃ,Đ°Đ±Đ¾Đ»Đ,Đ·Đ¼Đ° Đ° Đ,Đ¼Đ¼ŃfĐ¼Đ,Ń,ĐµŃ,Ńf: ĐĐĐš Đ, ĐŃŃfĐ³Đ,Đµ ŃĐ,Đ³Đ¼Đ°Đ»Ń. <i>Biochemistry</i> , 2020, 8		
1543	Triad role of hepcidin, ferroportin, and Nrf2 in cardiac iron metabolism: From health to disease. <i>Journal of Trace Elements in Medicine and Biology</i> , 2022, 69, 126882.	1.5	14
1544	Hypoxia- and hyperoxia-related gene expression dynamics during developmental critical windows of the tropical gar <i>Atractosteus tropicus</i> . <i>Comparative Biochemistry and Physiology Part A, Molecular & Integrative Physiology</i> , 2022, 263, 111093.	0.8	5
1546	Histone demethylase inhibitors and their potential in cancer treatment. , 2020, , 143-177.		1
1547	NF-ĤB and HIF Signaling in Osteoarthritis. , 2020, , 605-608.		1
1548	Hemangioblastomas of the central nervous system. , 2020, , 225-231.		0
1549	Investigation of angiogenic factors in obese rats exposed to low oxygen pressure. <i>Medical Science and Discovery</i> , 2020, 7, 426-430.	0.1	0
1550	Metabolic Reprogramming and Renal Fibrosis. <i>Frontiers in Medicine</i> , 2021, 8, 746920.	1.2	15
1552	What molecular and genetic changes are characteristic of renal tumors? Based on the new knowledge, is molecular targeting feasible?. , 2008, , 117-124.		0
1553	Expression of Erythropoietin and Its Receptor in the Central Nervous System. , 2006, , 15-31.		0
1555	Introducing, OncoTarget. <i>Oncotarget</i> , 2010, 1, 2-2.	0.8	0
1560	Renal expression of hypoxia inducible factor-1Ĥ in patients with chronic kidney disease: a clinicopathologic study from nephrectomized kidneys. <i>Indian Journal of Medical Research</i> , 2013, 137, 102-10.	0.4	5
1561	Stimulating retinal blood vessel protection with hypoxia-inducible factor stabilization: identification of novel small-molecule hydrazones to inhibit hypoxia-inducible factor prolyl hydroxylase (an) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 262 2013, 111, 169-79.	1.4	4
1562	Vitamin C inhibit the proliferation, migration and epithelial-mesenchymal-transition of lens epithelial cells by destabilizing HIF-1Ĥ. <i>International Journal of Clinical and Experimental Medicine</i> , 2015, 8, 15155-63.	1.3	8
1563	Changes in the coelomic microclimate during carbon dioxide laparoscopy: morphological and functional implications. <i>Pleura and Peritoneum</i> , 2017, 2, 17-31.	0.5	5
1564	Correlation analysis of serum cystatin C, uric acid and lactate dehydrogenase levels before chemotherapy on the prognosis of small-cell lung cancer. <i>Oncology Letters</i> , 2021, 21, 73.	0.8	1
1566	Cyclosporin A alleviates trophoblast apoptosis and senescence by promoting autophagy in preeclampsia. <i>Placenta</i> , 2022, 117, 95-108.	0.7	10
1567	MicroRNA-31 inhibits traumatic brain injury-triggered neuronal cell apoptosis by regulating hypoxia-inducible factor-1A/vascular endothelial growth factor A axis. <i>NeuroReport</i> , 2022, 33, 1-12.	0.6	5

#	ARTICLE	IF	CITATIONS
1568	Purinergic signaling in systemic sclerosis. <i>Rheumatology</i> , 2021, , .	0.9	0
1569	2-Oxoglutarate derivatives can selectively enhance or inhibit the activity of human oxygenases. <i>Nature Communications</i> , 2021, 12, 6478.	5.8	10
1570	Inhibition of AlkB Nucleic Acid Demethylases: Promising New Epigenetic Targets. <i>Journal of Medicinal Chemistry</i> , 2021, 64, 16974-17003.	2.9	11
1571	Enhanced glucose metabolism through activation of HIF-1 α covers the energy demand in a rat embryonic heart primordium after heartbeat initiation. <i>Scientific Reports</i> , 2022, 12, 74.	1.6	13
1572	Correlation analysis of serum cystatin C, uric acid and lactate dehydrogenase levels before chemotherapy on the prognosis of smallâ€‘cell lung cancer. <i>Oncology Letters</i> , 2020, 21, 73.	0.8	4
1573	PHD3 as a Prognosis Marker and its relationship with Immune Infiltration in Lung Adenocarcinoma. <i>Combinatorial Chemistry and High Throughput Screening</i> , 2022, 25, .	0.6	0
1574	Quantitative Proteome and Transcriptome Dynamics Analysis Reveals Iron Deficiency Response Networks and Signature in Neuronal Cells. <i>Molecules</i> , 2022, 27, 484.	1.7	2
1576	Oxygen Sensing in Innate Immune Cells: How Inflammation Broadens Classical Hypoxia-Inducible Factor Regulation in Myeloid Cells. <i>Antioxidants and Redox Signaling</i> , 2022, 37, 956-971.	2.5	6
1577	Selected molecular mechanisms of metal toxicity and carcinogenicity. , 2022, , 253-278.		1
1578	The transcription factor HIF-1 α mediates plasticity of NKp46+ innate lymphoid cells in the gut. <i>Journal of Experimental Medicine</i> , 2022, 219, .	4.2	22
1579	Circadian clocks' interactions with oxygen sensing and signalling. <i>Acta Physiologica</i> , 2022, 234, e13770.	1.8	12
1580	MicroRNA-31 regulates T-cell metabolism via HIF1 α and promotes chronic GVHD pathogenesis in mice. <i>Blood Advances</i> , 2022, 6, 3036-3052.	2.5	7
1582	Kaempferol increases intracellular ATP content in C2C12 myotubes under hypoxic conditions by suppressing the HIF-1 α stabilization and/or by enhancing the mitochondrial complex IV activity. <i>Journal of Nutritional Biochemistry</i> , 2022, 103, 108949.	1.9	12
1583	Neuroprotective strategies for acute ischemic stroke: Targeting oxidative stress and prolyl hydroxylase domain inhibition in synaptic signalling. <i>Brain Disorders</i> , 2022, 5, 100030.	1.1	12
1584	Dorsal-ventral axis formation in sea urchin embryos. <i>Current Topics in Developmental Biology</i> , 2022, 146, 183-210.	1.0	0
1585	Heme-Based Gas Sensors in Nature and Their Chemical and Biotechnological Applications. <i>Biochem</i> , 2022, 2, 43-63.	0.5	7
1586	Conserved and convergent mechanisms underlying performanceâ€‘life-history trade-offs. <i>Journal of Experimental Biology</i> , 2022, 225, .	0.8	10
1587	Harveian Oration 2020: Elucidation of molecular oxygen sensing mechanisms in human cells: implications for medicine. <i>Clinical Medicine</i> , 2022, 22, 23-33.	0.8	1

#	ARTICLE	IF	CITATIONS
1588	Pseudohypoxic HIF pathway activation dysregulates collagen structure-function in human lung fibrosis. <i>ELife</i> , 2022, 11, .	2.8	31
1589	Hypoxia-Inducible Factors and Burn-Associated Acute Kidney Injury—A New Paradigm?. <i>International Journal of Molecular Sciences</i> , 2022, 23, 2470.	1.8	1
1590	iASPP is essential for HIF-1 α stabilization to promote angiogenesis and glycolysis via attenuating VHL-mediated protein degradation. <i>Oncogene</i> , 2022, 41, 1944-1958.	2.6	4
1591	The Asparagine Hydroxylase FIH: A Unique Oxygen Sensor. <i>Antioxidants and Redox Signaling</i> , 2022, 37, 913-935.	2.5	19
1592	Clinical Potential of Hypoxia Inducible Factors Prolyl Hydroxylase Inhibitors in Treating Nonanemic Diseases. <i>Frontiers in Pharmacology</i> , 2022, 13, 837249.	1.6	21
1593	Role of prolyl hydroxylase domain proteins in bone metabolism. <i>Osteoporosis and Sarcopenia</i> , 2022, 8, 1-10.	0.7	4
1595	Regulation of chromatin accessibility by hypoxia and HIF. <i>Biochemical Journal</i> , 2022, 479, 767-786.	1.7	19
1596	Increased Ascorbate Content of Glioblastoma Is Associated With a Suppressed Hypoxic Response and Improved Patient Survival. <i>Frontiers in Oncology</i> , 2022, 12, 829524.	1.3	4
1597	Hypoxia-induced GLT8D1 promotes glioma stem cell maintenance by inhibiting CD133 degradation through N-linked glycosylation. <i>Cell Death and Differentiation</i> , 2022, 29, 1834-1849.	5.0	24
1598	Dysregulation of Oxygen Sensing/Response Pathways in Pregnancies Complicated by Idiopathic Intrauterine Growth Restriction and Early-Onset Preeclampsia. <i>International Journal of Molecular Sciences</i> , 2022, 23, 2772.	1.8	6
1599	The hypoxia-inducible factor prolyl hydroxylase inhibitor FG4592 promotes natriuresis through upregulation of COX2 in the renal medulla. <i>Hypertension Research</i> , 2022, 45, 814-823.	1.5	1
1600	Neutrophil-derived Myeloperoxidase and Hypochlorous Acid Critically Contribute to 20-HETE Increases that Drive Post-Ischemic Angiogenesis. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2022, , JPET-AR-2021-001036.	1.3	3
1601	Mitochondrial dysfunction and vascular aging in comorbid pathology. <i>Pacific Medical Journal</i> , 2022, , 10-16.	0.0	2
1602	HIF activation enhances Fc γ 3R11b expression on mononuclear phagocytes impeding tumor targeting antibody immunotherapy. <i>Journal of Experimental and Clinical Cancer Research</i> , 2022, 41, 131.	3.5	9
1603	Regulatory Crosstalk between Physiological Low O ₂ Concentration and Notch Pathway in Early Erythropoiesis. <i>Biomolecules</i> , 2022, 12, 540.	1.8	0
1604	Deletion of hypoxia-inducible factor prolyl 4-hydroxylase 2 in FoxD1-lineage mesenchymal cells leads to congenital truncal alopecia. <i>Journal of Biological Chemistry</i> , 2022, 298, 101787.	1.6	1
1605	Endothelial Dysfunction and Cardiovascular Risk in Obstructive Sleep Apnea: A Review Article. <i>Life</i> , 2022, 12, 537.	1.1	13
1606	Zygotic hypoxia-inducible factor alpha regulates spicule elongation in the sea urchin embryo. <i>Developmental Biology</i> , 2022, 484, 63-74.	0.9	1

#	ARTICLE	IF	CITATIONS
1607	Chronic intracellular hypoxia as a clustering and stratifying factor for clinical severity grade in nephrotic syndrome in children. <i>Ukrainian Journal of Nephrology and Dialysis</i> , 2022, , 3-11.	0.0	0
1608	A Link Between Methylglyoxal and Heart Failure During HIV-1 Infection. <i>Frontiers in Cardiovascular Medicine</i> , 2021, 8, 792180.	1.1	3
1609	Exploring the Pivotal Neurophysiologic and Therapeutic Potentials of Vitamin C in Glioma. <i>Journal of Oncology</i> , 2021, 2021, 1-12.	0.6	0
1610	Prolyl-4-hydroxylases 2 and 3 control erythropoietin production in renin-expressing cells of mouse kidneys. <i>Journal of Physiology</i> , 2022, 600, 671-694.	1.3	13
1611	Role of the IL-6/Jak/Stat Pathway in Tumor Angiogenesis: Influence of Estrogen Status. , 0, , .		1
1612	Janus, or the Inevitable Battle Between Too Much and Too Little Oxygen. <i>Antioxidants and Redox Signaling</i> , 2022, 37, 972-989.	2.5	7
1613	Mammalian O2 Sensing and Signalling. 2-Oxoglutarate-Dependent Oxygenases, 2017, , 219-252.	0.8	0
1640	Inhibition of the HIF-1 Survival Pathway as a Strategy to Augment Photodynamic Therapy Efficacy. <i>Methods in Molecular Biology</i> , 2022, 2451, 285-403.	0.4	1
1641	Crosstalk between Heme Oxygenase-1 and Iron Metabolism in Macrophages: Implications for the Modulation of Inflammation and Immunity. <i>Antioxidants</i> , 2022, 11, 861.	2.2	10
1642	PHD3 inhibits cell proliferation through hydroxylation of PAX2 at proline 9. <i>Acta Biochimica Et Biophysica Sinica</i> , 2022, 54, 708-715.	0.9	3
1643	Î²-Klotho promotes glycolysis and glucose-stimulated insulin secretion via GP130. <i>Nature Metabolism</i> , 2022, 4, 608-626.	5.1	12
1644	Clinicopathological characteristics of high-altitude polycythemia-related kidney disease in Tibetan inhabitants. <i>Kidney International</i> , 2022, 102, 196-206.	2.6	13
1645	Remodeling Osteoarthritic Articular Cartilage under Hypoxic Conditions. <i>International Journal of Molecular Sciences</i> , 2022, 23, 5356.	1.8	4
1646	Modulating Nucleus Oxygen Concentration by Altering Intramembrane Cholesterol Levels: Creating Hypoxic Nucleus in Oxidic Conditions. <i>International Journal of Molecular Sciences</i> , 2022, 23, 5077.	1.8	2
1647	Hidden Agenda - The Involvement of Endoplasmic Reticulum Stress and Unfolded Protein Response in Inflammation-Induced Muscle Wasting. <i>Frontiers in Immunology</i> , 2022, 13, .	2.2	5
1648	Factor inhibiting HIF can catalyze two asparaginyl hydroxylations in VNVN motifs of ankyrin fold proteins. <i>Journal of Biological Chemistry</i> , 2022, 298, 102020.	1.6	4
1649	Hypoxia induces adrenomedullin from lung epithelia, stimulating ILC2 inflammation and immunity. <i>Journal of Experimental Medicine</i> , 2022, 219, .	4.2	8
1650	Inhibition of hypoxia-inducible factor-prolyl hydroxylation protects from cyclophosphamide-induced bladder injury and urinary dysfunction. <i>American Journal of Physiology - Renal Physiology</i> , 2022, 323, F81-F91.	1.3	1

#	ARTICLE	IF	CITATIONS
1651	Physiological function of the dynamic oxygen signaling pathway at the maternal-fetal interface. <i>Journal of Reproductive Immunology</i> , 2022, 151, 103626.	0.8	3
1652	Effect of acute iron infusion on insulin secretion: A randomized, double-blind, placebo-controlled trial. <i>EClinicalMedicine</i> , 2022, 48, 101434.	3.2	1
1653	Chloroquine attenuates chronic hypoxia-induced testicular damage via suppressing endoplasmic reticulum stress and apoptosis in experimental rat model. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2022, , .	0.9	4
1654	Hypoxia Stress Induces Tissue Damage, Immune Defense, and Oxygen Transport Change in Gill of Silver Carp (<i>Hypophthalmichthys molitrix</i>): Evaluation on Hypoxia by Using Transcriptomics. <i>Frontiers in Marine Science</i> , 2022, 9, .	1.2	6
1655	Crosstalk of Epigenetic and Metabolic Signaling Underpinning Glioblastoma Pathogenesis. <i>Cancers</i> , 2022, 14, 2655.	1.7	6
1656	Stressing the Regulatory Role of Long Non-Coding RNA in the Cellular Stress Response during Cancer Progression and Therapy. <i>Biomedicines</i> , 2022, 10, 1212.	1.4	3
1657	Passiflora mollissima Seed Extract Induced Antiproliferative and Cytotoxic Effects on CAL 27 Spheroids. <i>Advances in Pharmacological and Pharmaceutical Sciences</i> , 2022, 2022, 1-15.	0.7	1
1658	Tetrahydropyridin-4-ylpicolinoylglycines as novel and orally active prolyl hydroxylase 2 (PHD2) inhibitors for the treatment of renal anemia. <i>European Journal of Medicinal Chemistry</i> , 2022, 238, 114479.	2.6	3
1659	Elevated plasma level of the glycolysis byproduct methylglyoxal on admission is an independent biomarker of mortality in ICU COVID-19 patients. <i>Scientific Reports</i> , 2022, 12, .	1.6	2
1660	Combined proteomic and biochemical analyses redefine the consensus sequence requirement for epidermal growth factor-like domain hydroxylation. <i>Journal of Biological Chemistry</i> , 2022, 298, 102129.	1.6	5
1661	Self-Sustained Regulation or Self-Perpetuating Dysregulation: ROS-dependent HIF-YAP-Notch Signaling as a Double-Edged Sword on Stem Cell Physiology and Tumorigenesis. <i>Frontiers in Cell and Developmental Biology</i> , 0, 10, .	1.8	4
1662	Pharmacological Activation of the HIF Pathway Exerts Distinct Proliferative Effects in MDA-MB-231 and MCF7 cells ^{**} . <i>ChemistrySelect</i> , 2022, 7, .	0.7	0
1663	Hypoxia signaling in human health and diseases: implications and prospects for therapeutics. <i>Signal Transduction and Targeted Therapy</i> , 2022, 7, .	7.1	81
1664	Spectroscopic studies reveal details of substrate-induced conformational changes distant from the active site in isopenicillin N synthase. <i>Journal of Biological Chemistry</i> , 2022, , 102249.	1.6	0
1665	Contribution of HIF-P4H isoenzyme inhibition to metabolism indicates major beneficial effects being conveyed by HIF-P4H-2 antagonism. <i>Journal of Biological Chemistry</i> , 2022, 298, 102222.	1.6	2
1666	EBF1 promotes triple-negative breast cancer progression by surveillance of the HIF1 \pm pathway. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2022, 119, .	3.3	4
1667	A Mesenchymal Tumor Cell State Confers Increased Dependency on the BCL-XL Antiapoptotic Protein in Kidney Cancer. <i>Clinical Cancer Research</i> , 2022, 28, 4689-4701.	3.2	5
1668	Hypoxia-Inducible Factor 1-Alpha Stabilizers in the Treatment of Inflammatory Bowel Diseases: Oxygen as a Novel IBD Therapy?. <i>Journal of Crohn's and Colitis</i> , 2022, 16, 1924-1932.	0.6	5

#	ARTICLE	IF	CITATIONS
1669	Boosting the anti-tumor performance of disulfiram against glioblastoma by using ultrasmall nanoparticles and HIF-1 α inhibitor. <i>Composites Part B: Engineering</i> , 2022, 243, 110117.	5.9	6
1670	Thymoquinone has a synergistic effect with PHD inhibitors to ameliorate ischemic brain damage in mice. <i>Phytomedicine</i> , 2022, 104, 154298.	2.3	5
1671	Brain-iron deficiency models of restless legs syndrome. <i>Experimental Neurology</i> , 2022, 356, 114158.	2.0	16
1672	LncRNA-FAM66C Was Identified as a Key Regulator for Modulating Tumor Microenvironment and Hypoxia-Related Pathways in Glioblastoma. <i>Frontiers in Public Health</i> , 0, 10, .	1.3	2
1673	The Anti-Leukemia Effect of Ascorbic Acid: From the Pro-Oxidant Potential to the Epigenetic Role in Acute Myeloid Leukemia. <i>Frontiers in Cell and Developmental Biology</i> , 0, 10, .	1.8	4
1674	Exploring links between 2 α -oxoglutarate α -dependent oxygenases and Alzheimer's disease. <i>Alzheimer's and Dementia</i> , 2022, 18, 2637-2668.	0.4	5
1675	A novel quantitative prognostic model for initially diagnosed non-small cell lung cancer with brain metastases. <i>Cancer Cell International</i> , 2022, 22, .	1.8	2
1676	Stabilization of the c-Myc Protein via the Modulation of Threonine 58 and Serine 62 Phosphorylation by the Disulfiram/Copper Complex in Oral Cancer Cells. <i>International Journal of Molecular Sciences</i> , 2022, 23, 9137.	1.8	1
1677	Hypoxic stress and hypoxia-inducible factors in leukemias. <i>Frontiers in Oncology</i> , 0, 12, .	1.3	3
1678	Chemical inhibition of oxygen-sensing prolyl hydroxylases impairs angiogenic competence of human vascular endothelium through metabolic reprogramming. <i>IScience</i> , 2022, 25, 105086.	1.9	3
1679	Relation of Hypoxia Inducible Factor, Dyslipidemia and CAD Saudi Patients With Type 2 Diabetes. <i>In Vivo</i> , 2022, 36, 2481-2489.	0.6	3
1680	Metabolic dysregulation in cancer progression. , 2022, , 1-39.		0
1681	Measurement of kinetic isotope effects on peptide hydroxylation using MALDI-MS. <i>Methods in Enzymology</i> , 2023, , 363-380.	0.4	0
1682	Expression analysis of HIF-3 α as a potent prognostic biomarker in various types of human cancers: a case of meta-analysis. <i>Research in Pharmaceutical Sciences</i> , 2022, 17, 508.	0.6	2
1683	Overcoming the Impact of Hypoxia in Driving Radiotherapy Resistance in Head and Neck Squamous Cell Carcinoma. <i>Cancers</i> , 2022, 14, 4130.	1.7	6
1684	A new role for Hif-1 α . <i>ELife</i> , 0, 11, .	2.8	0
1686	Breast Tumor Cell-Stimulated Bone Marrow-Derived Mesenchymal Stem Cells Promote the Sprouting Capacity of Endothelial Cells by Promoting VEGF Expression, Mediated in Part through HIF-1 α Increase. <i>Cancers</i> , 2022, 14, 4711.	1.7	3
1687	Hnrnpk maintains chondrocytes survival and function during growth plate development via regulating Hif1 α -glycolysis axis. <i>Cell Death and Disease</i> , 2022, 13, .	2.7	6

#	ARTICLE	IF	CITATIONS
1688	High Glucose and Carbonyl Stress Impair HIF-1-Regulated Responses and the Control of Mycobacterium tuberculosis in Macrophages. <i>MBio</i> , 2022, 13, .	1.8	6
1689	The novel prolyl hydroxylase-2 inhibitor caffeic acid upregulates hypoxia inducible factor and protects against hypoxia. <i>European Journal of Pharmacology</i> , 2022, 934, 175307.	1.7	1
1690	Nilotinib alleviated acetaminophen-induced acute hepatic injury in mice through inhibiting HIF-1 α /VEGF-signaling pathway. <i>International Immunopharmacology</i> , 2022, 112, 109268.	1.7	2
1692	Host Cell Redox Alterations Promote Latent HIV-1 Reactivation through Atypical Transcription Factor Cooperativity. <i>Viruses</i> , 2022, 14, 2288.	1.5	0
1693	Fipronil impairs the GABAergic brain responses of Nile Tilapia during the transition from normoxia to acute hypoxia. <i>Journal of Experimental Zoology Part A: Ecological and Integrative Physiology</i> , 2023, 339, 138-152.	0.9	2
1694	Expression and Variations in EPAS1 Associated with Oxygen Metabolism in Sheep. <i>Genes</i> , 2022, 13, 1871.	1.0	1
1695	Methyltransferase SMYD3 impairs hypoxia tolerance by augmenting hypoxia signaling independent of its enzymatic activity. <i>Journal of Biological Chemistry</i> , 2022, 298, 102633.	1.6	5
1696	The intricate interplay between HIFs, ROS, and the ubiquitin system in the tumor hypoxic microenvironment. , 2022, 240, 108303.		12
1697	Steppogenin suppresses tumor growth and sprouting angiogenesis through inhibition of HIF-1 α in tumors and DLL4 activity in the endothelium. <i>Phytomedicine</i> , 2023, 108, 154513.	2.3	3
1698	A lipid droplet-specific near-infrared automatic oxygen-supplied AIEgen for photodynamic therapy and metastasis inhibition of hypoxic tumors. <i>Chemical Engineering Journal</i> , 2023, 453, 139838.	6.6	5
1699	Black Cohosh Herbal Extract and Hematologic Alterations in B6C3F1/N Mice. <i>Toxicologic Pathology</i> , 2022, 50, 886-889.	0.9	0
1700	Transcriptomic analysis of juvenile cobia in response to hypoxic stress. <i>Aquaculture International</i> , 2023, 31, 931-955.	1.1	1
1701	Mutual Regulation between Redox and Hypoxia-Inducible Factors in Cardiovascular and Renal Complications of Diabetes. <i>Antioxidants</i> , 2022, 11, 2183.	2.2	8
1702	Engineering of the microenvironment to accelerate vascular regeneration. <i>Trends in Molecular Medicine</i> , 2023, 29, 35-47.	3.5	3
1703	TREM-1 governs NLRP3 inflammasome activation of macrophages by firing up glycolysis in acute lung injury. <i>International Journal of Biological Sciences</i> , 2023, 19, 242-257.	2.6	28
1704	Biochemical and structural insights into FIH-catalysed hydroxylation of transient receptor potential ankyrin repeat domains. <i>ChemBioChem</i> , 0, , .	1.3	0
1705	The HIF-prolyl hydroxylases have distinct and nonredundant roles in colitis-associated cancer. <i>JCI Insight</i> , 2022, 7, .	2.3	4
1707	Continuous and intermittent hypoxia in cancer. , 2022, , 31-47.		0

#	ARTICLE	IF	CITATIONS
1708	Focusing on the hypoxia-inducible factor pathway: role, regulation, and therapy for osteoarthritis. <i>European Journal of Medical Research</i> , 2022, 27, .	0.9	2
1709	Hypoxia-induced factor and its role in liver fibrosis. <i>PeerJ</i> , 0, 10, e14299.	0.9	3
1710	Deferoxamine mesylate enhances mandibular advancementâ€induced condylar osteogenesis by promoting Hâ€type angiogenesis. <i>Journal of Oral Rehabilitation</i> , 2023, 50, 234-242.	1.3	2
1711	Hypoxia signaling pathway: A central mediator in endocrine tumors. <i>Frontiers in Endocrinology</i> , 0, 13, .	1.5	3
1712	Hyaluronic acid and multiwalled carbon nanotubes as bioink additives for cartilage tissue engineering. <i>Scientific Reports</i> , 2023, 13, .	1.6	6
1713	Effects of medications on hypoxiaâ€inducible factor in the retina: A review. <i>Clinical and Experimental Ophthalmology</i> , 2023, 51, 205-216.	1.3	6
1714	Hypoxia and Hypoxia Mimetic Agents As Potential Priming Approaches to Empower Mesenchymal Stem Cells. <i>Current Stem Cell Research and Therapy</i> , 2024, 19, 33-54.	0.6	1
1715	Two Color Imaging of Different Hypoxia Levels in Cancer Cells. <i>Journal of the American Chemical Society</i> , 2023, 145, 2572-2583.	6.6	12
1716	Stress Activated MAP Kinases and Cyclin-Dependent Kinase 5 Mediate Nuclear Translocation of Nrf2 via Hsp90â€Pin1-Dynein Motor Transport Machinery. <i>Antioxidants</i> , 2023, 12, 274.	2.2	3
1717	Impaired protein hydroxylase activity causes replication stress and developmental abnormalities in humans. <i>Journal of Clinical Investigation</i> , 2023, 133, .	3.9	2
1718	Alteration of antioxidant status, glucose metabolism, and hypoxia signal pathway in <i>Eurocheir sinensis</i> after acute hypoxic stress and reoxygenation. <i>Comparative Biochemistry and Physiology Part - C: Toxicology and Pharmacology</i> , 2023, 268, 109604.	1.3	1
1719	Hypoxia-Inducible Factor Prolyl Hydroxylase Inhibitors and Iron Metabolism. <i>International Journal of Molecular Sciences</i> , 2023, 24, 3037.	1.8	9
1720	Hypoxic microenvironment in cancer: molecular mechanisms and therapeutic interventions. <i>Signal Transduction and Targeted Therapy</i> , 2023, 8, .	7.1	81
1721	NF-â€B mediated regulation of tumor cell proliferation in hypoxic microenvironment. <i>Frontiers in Pharmacology</i> , 0, 14, .	1.6	6
1722	Carcinogenic Effects of Areca Nut and Its Metabolites: A Review of the Experimental Evidence. <i>Clinics and Practice</i> , 2023, 13, 326-346.	0.6	8
1723	Metabolic networks during dark anoxia. , 2023, , 317-341.		0
1724	Circular RNA PIP5K1A promotes glycolysis and malignancy of non-small cell lung cancer via miR-656-3p/GBE1 axis under hypoxia. <i>Molecular and Cellular Toxicology</i> , 0, , .	0.8	0
1725	Anoxia Rapidly Induces Changes in Expression of a Large and Diverse Set of Genes in Endothelial Cells. <i>International Journal of Molecular Sciences</i> , 2023, 24, 5157.	1.8	2

#	ARTICLE	IF	CITATIONS
1727	Structural basis of vitamin C recognition and transport by mammalian SVCT1 transporter. <i>Nature Communications</i> , 2023, 14, .	5.8	3
1728	Molecular Regulation of the Response of Brain Pericytes to Hypoxia. <i>International Journal of Molecular Sciences</i> , 2023, 24, 5671.	1.8	3
1729	The impact of hepatocyte-specific deletion of hypoxia-inducible factors on the development of polymicrobial sepsis with focus on GR and PPAR α function. <i>Frontiers in Immunology</i> , 0, 14, .	2.2	1
1730	Oxygen-Generating Biomaterials for Translational Bone Regenerative Engineering. <i>ACS Applied Materials & Interfaces</i> , 2023, 15, 50721-50741.	4.0	5
1731	Resting natural killer cell homeostasis relies on tryptophan/ NAD^+ metabolism and $\text{HIF}1\alpha$. <i>EMBO Reports</i> , 2023, 24, .	2.0	3
1732	Assays to Study Hypoxia-Inducible Factor Prolyl Hydroxylase Domain 2 (PHD2), a Key Human Oxygen Sensing Protein. <i>Methods in Molecular Biology</i> , 2023, , 187-206.	0.4	0
1733	Kinetic Measurements to Investigate the Oxygen-Sensing Properties of Plant Cysteine Oxidases. <i>Methods in Molecular Biology</i> , 2023, , 207-230.	0.4	1
1748	Role and Application of Biomolecules for Regeneration of Cartilage Tissue. , 2023, , 155-208.		0
1760	Modulation of hypoxia-inducible factor-1 signaling pathways in cancer angiogenesis, invasion, and metastasis by natural compounds: a comprehensive and critical review. <i>Cancer and Metastasis Reviews</i> , 0, , .	2.7	1
1791	Glycolytic enzymes in non-glycolytic web: functional analysis of the key players. <i>Cell Biochemistry and Biophysics</i> , 0, , .	0.9	0
1801	Intertwined regulators: hypoxia pathway proteins, microRNAs, and phosphodiesterases in the control of steroidogenesis. <i>Pflügers Archiv European Journal of Physiology</i> , 0, , .	1.3	0