

CITATION REPORT

List of articles citing

The worldwide leaf economics spectrum

DOI: 10.1038/nature02403

Nature, 2004, 428, 821-7.

Source: <https://exaly.com/paper-pdf/36819588/citation-report.pdf>

Version: 2024-04-24

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
2287	References. 434-472		
2286	Modeling Bryophyte Productivity Across Gradients of Water Availability Using Canopy Form-Function Relationships. 441-458		4
2285	Adaptive role of leaf habit in extinct polar forests. 2004 , 6, 181-186		15
2284	Photosynthesis or persistence: nitrogen allocation in leaves of evergreen and deciduous Quercus species. 2004 , 27, 1047-1054		316
2283	N : P ratios in terrestrial plants: variation and functional significance. 2004 , 164, 243-266		1458
2282	Sprouting by plants: the effects of modular organization. 2004 , 18, 939-945		24
2281	Leaf traits and herbivory rates of tropical tree species differing in successional status. 2004 , 6, 746-54		129
2280	Interspecific difference in the photosynthesis-nitrogen relationship: patterns, physiological causes, and ecological importance. 2004 , 117, 481-94		303
2279	Leaf canopy as a dynamic system: ecophysiology and optimality in leaf turnover. 2005 , 95, 521-33		191
2278	Spatial and age-dependent modifications of photosynthetic capacity in four Mediterranean oak species. 2004 , 31, 1179-1193		45
2277	Global organization of terrestrial plant-nutrient interactions. 2004 , 101, 10849-50		139
2276	LATITUDINAL VARIATION IN PALATABILITY OF SALT-MARSH PLANTS: ARE DIFFERENCES CONSTITUTIVE?. 2005 , 86, 1571-1579		70
2275	Variations of construction cost associated to leaf area renewal in saplings of two co-occurring temperate tree species (<i>Acer platanoides</i> L. and <i>Fraxinus excelsior</i> L.) along a light gradient. 2005 , 62, 545-551		20
2274	Pair-wise competition-trials amongst seedlings of ten dipterocarp species; the role of initial height, growth rate and leaf attributes. 2005 , 21, 317-328		6
2273	Relative growth rate and biomass allocation in ten woody species with different leaf longevity using phylogenetic independent contrasts (PICs). 2005 , 7, 484-94		40
2272	Understanding a flammable planet - climate, fire and global vegetation patterns. 2005 , 165, 341-5		36
2271	Threshold models applied to seed germination ecology. 2005 , 165, 338-41		45

2270	Modelling and theory. 2005 , 165, 337-338	2
2269	Performance of trees in forest canopies: explorations with a bottom-up functional-structural plant growth model. 2005 , 166, 827-43	50
2268	Assessing the generality of global leaf trait relationships. 2005 , 166, 485-96	1343
2267	Leaf hydraulic architecture correlates with regeneration irradiance in tropical rainforest trees. 2005 , 167, 403-13	159
2266	Global biogeography of plant chemistry: filling in the blanks. 2005 , 168, 263-6	59
2265	Why don't leaf-eating animals prevent the formation of vegetation? Relative vs absolute dietary requirements. 2005 , 168, 271-3	6
2264	Towards a multifunctional rhizosphere concept: back to the future?. 2005 , 168, 266-8	7
2263	Nitrogen/phosphorus leaf stoichiometry and the scaling of plant growth. 2005 , 8, 636-642	179
2262	Modulation of leaf economic traits and trait relationships by climate. 2005 , 14, 411-421	535
2261	Plant allometry, stoichiometry and the temperature-dependence of primary productivity. 2005 , 14, 585-598	226
2260	Rubisco specificity factor tends to be larger in plant species from drier habitats and in species with persistent leaves. 2005 , 28, 571-579	220
2259	Leaf internal diffusion conductance limits photosynthesis more strongly in older leaves of Mediterranean evergreen broad-leaved species. 2005 , 28, 1552-1566	210
2258	Climatic and ecological determinants of leaf lifespan in polar forests of the high CO Cretaceous 'greenhouse' world.. 2005 , 11, 2177-2195	24
2257	Relative contribution of meristem activities and specific leaf area to shoot relative growth rate in C3 grass species. 2005 , 19, 925-931	8
2256	Are liverworts imitating mycorrhizas?. 2005 , 165, 345-9	37
2255	Linking leaf and root trait syndromes among 39 grassland and savannah species. 2005 , 167, 493-508	356
2254	Measuring quality of service: phosphate 'à la carte' by arbuscular mycorrhizal fungi. 2005 , 168, 268-71	13
2253	Alternative height strategies among 45 dicot rain forest species from tropical Queensland, Australia. 2005 , 93, 521-535	141

2252	Tradeoffs between height growth rate, stem persistence and maximum height among plant species in a post-fire succession. 2005 , 111, 57-66	60
2251	Toward a stoichiometric framework for evolutionary biology. 2005 , 109, 6-17	82
2250	Are you what you eat? Physiological constraints on organismal stoichiometry in an elementally imbalanced world. 2005 , 109, 18-28	213
2249	A functional method for classifying European grasslands for use in joint ecological and economic studies. 2005 , 6, 119-131	23
2248	Estimation of fuel moisture content by inversion of radiative transfer models to simulate equivalent water thickness and dry matter content: analysis at leaf and canopy level. 2005 , 43, 819-826	136
2247	A genetic analysis of relative growth rate and underlying components in <i>Hordeum spontaneum</i> . 2005 , 142, 360-77	35
2246	Tight coupling between leaf area index and foliage N content in arctic plant communities. 2005 , 142, 421-7	55
2245	Photosynthesis and reflectance indices for rainforest species in ecosystems undergoing progression and retrogression along a soil fertility chronosequence in New Zealand. 2005 , 144, 233-44	52
2244	What determines interspecific variation in relative growth rate of <i>Eucalyptus</i> seedlings?. 2005 , 144, 373-81	19
2243	Leaf Mechanical Properties in Sclerophyll Woodland and Shrubland on Contrasting Soils. 2005 , 276, 95-113	40
2242	Does rainfall explain variation in leaf morphology and physiology among populations of red ironbark (<i>Eucalyptus sideroxylon</i> subsp. <i>tricarpa</i>) grown in a common garden?. 2005 , 25, 1369-78	47
2241	Consistent Shifts in Alpine Plant Traits along a Mesotopographical Gradient. 2005 , 37, 444-453	115
2240	The relationship between nuclear DNA content and leaf strategy in seed plants. 2005 , 96, 1321-30	28
2239	Functional- and abundance-based mechanisms explain diversity loss due to N fertilization. 2005 , 102, 4387-92	731
2238	Tree Species Effects on Soils: Implications for Global Change. 2005 ,	27
2237	Factors that shape seed mass evolution. 2005 , 102, 10540-4	217
2236	The cost of carnivory for <i>Darlingtonia californica</i> (Sarraceniaceae): evidence from relationships among leaf traits. 2005 , 92, 1085-93	36
2235	Key plant structural and allocation traits depend on relative age in the perennial herb <i>Pimpinella saxifraga</i> . 2005 , 96, 323-30	14

2234	Intra-specific variation in leaf attributes of four savanna tree species across a rainfall gradient in tropical Australia. 2005 , 53, 323	26
2233	Herbarium Data Reveal an Association between Fleshy Fruit Type and Earlier Flowering Time. 2005 , 166, 663-670	55
2232	Correlations of climate and plant ecology to leaf size and shape: potential proxies for the fossil record. 2005 , 92, 1141-51	204
2231	PERFORMANCE TRADE-OFFS AMONG TROPICAL TREE SEEDLINGS IN CONTRASTING MICROHABITATS. 2005 , 86, 2461-2472	110
2230	Light-acclimation of cladode photosynthetic potentials in <i>Casuarina glauca</i> : trade-offs between physiological and structural investments. 2005 , 32, 571-582	11
2229	Leaf photosynthetic traits of 14 tropical rain forest species in relation to leaf nitrogen concentration and shade tolerance. 2005 , 25, 1127-37	64
2228	How much will it cost to save grassland diversity?. 2005 , 122, 263-273	64
2227	LINKING BIOGEOGRAPHY AND COMMUNITY ECOLOGY: LATITUDINAL VARIATION IN PLANT-HERBIVORE INTERACTION STRENGTH. 2005 , 86, 2310-2319	188
2226	Diversity of leaf traits related to productivity in 31 <i>Populus deltoides</i> x <i>Populus nigra</i> clones. 2005 , 25, 425-35	77
2225	Why do evergreen trees dominate the Australian seasonal tropics?. 2005 , 53, 379	89
2224	Niche evolution and adaptive radiation: testing the order of trait divergence. 2006 , 87, S50-61	203
2223	Plasticity of leaf morphological traits, leaf nutrient content, and water capture in the Mediterranean evergreen oak <i>Quercus ilex</i> subsp. <i>ballota</i> in response to fertilization and changes in competitive conditions Associate Editor: Jos Ram Obeso.. 2006 , 13, 258-270	65
2222	Toward synthesis of relationships among leaf longevity, instantaneous photosynthetic rate, lifetime leaf carbon gain, and the gross primary production of forests. 2006 , 168, 373-83	59
2221	Genetic variation of leaf traits related to productivity in a <i>Populus deltoides</i> [<i>Populus nigra</i> family]. 2006 , 36, 390-400	46
2220	Form defining function: interpreting leaf functional variability in integrated plant phenotypes. 2006 , 114, 187-190	26
2219	Phylogenetic and growth form variation in the scaling of nitrogen and phosphorus in the seed plants. 2006 , 168, E103-22	312
2218	Leaf structural diversity is related to hydraulic capacity in tropical rain forest trees. 2006 , 87, 483-91	258
2217	Plant allometry, leaf nitrogen and phosphorus stoichiometry, and interspecific trends in annual growth rates. 2006 , 97, 155-63	122

2216	A trait-based test for habitat filtering: convex hull volume. 2006 , 87, 1465-71	766
2215	Alternative designs and the evolution of functional diversity. 2006 , 167, 55-66	155
2214	Fundamental trade-offs generating the worldwide leaf economics spectrum. 2006 , 87, 535-41	340
2213	Leaf life span plasticity in tropical seedlings grown under contrasting light regimes. 2006 , 97, 245-55	44
2212	Contrasted effects of water limitation on leaf functions and growth of two emergent co-occurring plant species, <i>Cladium mariscus</i> and <i>Phragmites australis</i> . 2006 , 84, 191-198	21
2211	Leaf emergence in relation to leaf traits in temperate woody species in East-Chinese <i>Quercus fabri</i> forests. 2006 , 30, 212-222	15
2210	The light environment, morphology and growth of the early successional tree species <i>Litsea citriodora</i> . 2006 , 236, 251-258	3
2209	A structural equation model to integrate changes in functional strategies during old-field succession. 2006 , 87, 504-17	119
2208	Leaf hydraulics. 2006 , 57, 361-81	655
2207	Do abiotic differences explain contrasting graminoid functional traits in sagebrush steppe, USA and Patagonian steppe, Argentina?. 2006 , 65, 62-82	5
2206	Rebuilding community ecology from functional traits. 2006 , 21, 178-85	2730
2205	Land-plant ecology on the basis of functional traits. 2006 , 21, 261-8	666
2204	How close are we to a predictive science of the biosphere?. 2006 , 21, 400-7	129
2203	Response to Kearney and Porter: Both functional and community ecologists need to do more for each other. 2006 , 21, 482-483	7
2202	Integrative Ecological Research: Case-Specific Validation of Ecological Knowledge for Environmental Problem Solving. 2006 , 15, 115-120	11
2201	Divergent leaf traits among congeneric tropical trees with contrasting habitat associations on Borneo. 2006 , 22, 397-408	42
2200	Effects of water availability, nitrogen supply and atmospheric CO concentrations on plant nitrogen natural abundance values. 2006 , 33, 219-227	16
2199	Bivariate line-fitting methods for allometry. 2006 , 81, 259-91	1546

2198	Species differences in carbon isotope ratios, specific leaf area and nitrogen concentrations in leaves of Eucalyptus growing in a common garden compared with along an aridity gradient. 2006 , 127, 434-444	30
2197	Cross-species patterns in the coordination between leaf and stem traits, and their implications for plant hydraulics. 2006 , 127, 445-456	86
2196	Variation in hydraulic conductivity of mangroves: influence of species, salinity, and nitrogen and phosphorus availability. 2006 , 127, 457-464	55
2195	Conventional functional classification schemes underestimate the relationship with ecosystem functioning. 2006 , 9, 111-20	212
2194	Ecosystem allometry: the scaling of nutrient stocks and primary productivity across plant communities. 2006 , 9, 419-27	82
2193	Functional diversity: back to basics and looking forward. 2006 , 9, 741-58	1456
2192	Ecosystem productivity can be predicted from potential relative growth rate and species abundance. 2006 , 9, 1061-7	145
2191	Scaling-up from leaf to canopy-aggregate properties in sclerophyll shrub species. 2006 , 31, 310-316	11
2190	Comparative analysis of leaf angle and sclerophylly of <i>Aspidosperma quebracho-blanco</i> on a water deficit gradient. 2006 , 31, 882-891	12
2189	Irradiance, temperature and rainfall influence leaf dark respiration in woody plants: evidence from comparisons across 20 sites. 2006 , 169, 309-19	123
2188	Impact of drought on productivity and water use efficiency in 29 genotypes of <i>Populus deltoides</i> x <i>Populus nigra</i> . 2006 , 169, 765-77	328
2187	Suites of root traits differ between annual and perennial species growing in the field. 2006 , 170, 357-68	222
2186	A test of the generality of leaf trait relationships on the Tibetan Plateau. 2006 , 170, 835-48	127
2185	Interactions of drought and shade effects on seedlings of four <i>Quercus</i> species: physiological and structural leaf responses. 2006 , 170, 819-33	184
2184	Leaf size modifies support biomass distribution among stems, petioles and mid-ribs in temperate plants. 2006 , 171, 91-104	141
2183	Relating geographical variation in pollination types to environmental and spatial factors using novel statistical methods. 2006 , 172, 127-39	60
2182	Leaf lifespan and lifetime carbon balance of individual leaves in a stand of an annual herb, <i>Xanthium canadense</i> . 2006 , 172, 104-16	47
2181	Correlated evolution of stem and leaf hydraulic traits in <i>Pereskia</i> (Cactaceae). 2006 , 172, 479-789	59

2180	Plant traits in response to raising groundwater levels in wetland restoration: evidence from three case studies. 2006 , 9, 251-260	11
2179	Trait convergence and trait divergence in herbaceous plant communities: Mechanisms and consequences. 2006 , 17, 255-260	616
2178	Specific leaf area as a superior predictor of changes in field layer abundance during forest succession. 2006 , 17, 577-582	51
2177	The controversy over traits conferring shade-tolerance in trees: ontogenetic changes revisited. 2006 , 94, 464-470	123
2176	Ecophysiological determinants of plant performance under flooding: a comparative study of seven plant families. 2006 , 94, 1117-1129	113
2175	Expression profiling and local adaptation of <i>Boechera holboellii</i> populations for water use efficiency across a naturally occurring water stress gradient. 2006 , 15, 1229-37	77
2174	Complex adjustments of photosynthetic potentials and internal diffusion conductance to current and previous light availabilities and leaf age in Mediterranean evergreen species <i>Quercus ilex</i> . 2006 , 29, 1159-78	133
2173	Differences in construction costs and chemical composition between deciduous and evergreen woody species are small as compared to differences among families. 2006 , 29, 1629-43	101
2172	Biomass partitioning and leaf N,P - stoichiometry: comparisons between tree and herbaceous current-year shoots. 2006 , 29, 2030-42	47
2171	Net assimilation rate, specific leaf area and leaf mass ratio: which is most closely correlated with relative growth rate? A meta-analysis. 2006 , 20, 565-574	203
2170	Leaf traits and resprouting ability in the Mediterranean basin. 2006 , 20, 941-947	62
2169	Ecotype adaptation and acclimation of leaf traits to rainfall in 29 species of 16-year-old <i>Eucalyptus</i> at two common gardens. 2006 , 20, 929-940	36
2168	Plantecology: the cost of leafing. <i>Nature</i> , 2006 , 444, 539-241	50.4 13
2167	Universal scaling of respiratory metabolism, size and nitrogen in plants. <i>Nature</i> , 2006 , 439, 457-61	50.4 388
2166	Co-variations in litter decomposition, leaf traits and plant growth in species from a Mediterranean old-field succession. 2006 , 20, 21-30	162
2165	NMR determination of photorespiration in intact leaves using in vivo ¹³ CO ₂ labeling. 2006 , 178, 1-10	51
2164	Chlorophyll index and photosynthetic carbon sequestration in Northern Eurasia. 2006 , 53, 689-697	3
2163	Costs of reproduction as related to the timing of phenological phases in the dioecious Shrub <i>Pistacia lentiscus</i> L. 2006 , 8, 103-11	16

2162	Nutrient limitation and stoichiometry of carnivorous plants. 2006 , 8, 740-7	133
2161	Litter N:P ratios indicate whether N or P limits the decomposability of graminoid leaf litter. 2006 , 287, 131-143	73
2160	Seasonal variation in leaf properties and ecosystem carbon budget in a cool-temperate deciduous broad-leaved forest: simulation analysis at Takayama site, Japan. 2006 , 21, 137-149	47
2159	Leaf gas exchange of trees in old-growth and young secondary forest stands in Sulawesi, Indonesia. 2006 , 20, 278-285	13
2158	Spatial variation in sapwood area to leaf area ratio and specific leaf area within a crown of silver birch. 2006 , 20, 311-319	28
2157	Carbon dioxide fluxes in a spatially and temporally heterogeneous temperate grassland. 2006 , 147, 291-302	74
2156	Foliar pH as a new plant trait: can it explain variation in foliar chemistry and carbon cycling processes among subarctic plant species and types?. 2006 , 147, 315-26	71
2155	Nutritional differences and leaf acclimation of climbing plants and the associated vegetation in different types of an Andean montane rainforest. 2006 , 147, 417-25	23
2154	Changes in resource concentration and defence during leaf development in a tough-leaved (<i>Nothofagus moorei</i>) and soft-leaved (<i>Toona ciliata</i>) species. 2006 , 148, 583-92	29
2153	Leaf strategies and soil N across a regional humidity gradient in Patagonia. 2006 , 148, 612-24	61
2152	Stoichiometry and large-scale patterns of leaf carbon and nitrogen in the grassland biomes of China. 2006 , 149, 115-22	169
2151	Comparison of the physiology, morphology, and leaf demography of tropical saplings with different crown shapes. 2006 , 119, 459-67	6
2150	A holistic tree seedling model for the investigation of functional trait diversity. 2006 , 193, 141-181	23
2149	Leaf traits determine the growth-survival trade-off across rain forest tree species. 2006 , 167, 758-65	164
2148	Phylogenetic ecology at world scale, a new fusion between ecology and evolution. 2006 , 87, S163-5	31
2147	Functional significance of shade-induced leaf senescence in dense canopies: an experimental test using transgenic tobacco. 2006 , 168, 597-607	54
2146	COMPARISONS OF STRUCTURE AND LIFE SPAN IN ROOTS AND LEAVES AMONG TEMPERATE TREES. 2006 , 76, 381-397	307
2145	The leaf size-twigg size spectrum of temperate woody species along an altitudinal gradient: an invariant allometric scaling relationship. 2006 , 97, 97-107	81

2144	Sclerophylly in two contrasting tropical environments: low nutrients vs. low rainfall. 2006 , 93, 1601-14	43
2143	How strong is intracanalopy leaf plasticity in temperate deciduous trees?. 2006 , 93, 829-39	142
2142	Plant biomechanics in an ecological context. 2006 , 93, 1546-65	200
2141	Phosphorus and nitrogen limitations to photosynthesis in Rocky Mountain bristlecone pine (<i>Pinus aristata</i>) in Colorado. 2006 , 26, 1477-86	16
2140	Progress in Botany. 2006 ,	1
2139	Structural determinants of leaf light-harvesting capacity and photosynthetic potentials. 2006 , 385-419	110
2138	Do we underestimate the importance of leaf size in plant economics? Disproportional scaling of support costs within the spectrum of leaf physiognomy. 2007 , 100, 283-303	154
2137	Functional diversity of carbon-gain, water-use, and leaf-allocation traits in trees of a threatened lowland dry forest in Hawaii. 2007 , 94, 1459-69	27
2136	High seedling relative growth rate and specific leaf area are traits of invasive species: phylogenetically independent contrasts of woody angiosperms. 2007 , 94, 526-32	224
2135	Partitioning concurrent influences of nitrogen and phosphorus supply on photosynthetic model parameters of <i>Pinus radiata</i> . 2007 , 27, 335-44	29
2134	Shoot biomass growth is related to the vertical leaf nitrogen gradient in <i>Salix</i> canopies. 2007 , 27, 1551-9	38
2133	Interspecific variability of stem photosynthesis among tree species. 2007 , 27, 53-61	63
2132	Comparative plant ecology as a tool for integrating across scales. 2007 , 99, 965-6	19
2131	The ecological and functional correlates of nocturnal transpiration. 2007 , 27, 577-84	87
2130	Lateral CO ₂ diffusion inside dicotyledonous leaves can be substantial: quantification in different light intensities. 2007 , 145, 680-90	23
2129	Seasonal and spatial variations in leaf nitrogen content and resorption in a <i>Quercus serrata</i> canopy. 2007 , 27, 63-70	26
2128	Variation in Scots pine needle longevity and nutrient conservation in different habitats and latitudes. 2007 , 37, 1599-1604	15
2127	Geographic variation in ecophysiological traits of black cottonwood (<i>Populus trichocarpa</i>) This article is one of a selection of papers published in the Special Issue on Poplar Research in Canada.. 2007 , 85, 1202-1213	49

2126	Genome size evolution in relation to leaf strategy and metabolic rates revisited. 2007 , 99, 495-505	51
2125	Carnivorous syndrome in Asian pitcher plants of the genus <i>Nepenthes</i> . 2007 , 100, 527-36	46
2124	<i>Pteridium caudatum</i> (L.) Maxon Behaves as a Potassium Plant and Accumulates Aluminum in the Subterranean Organs. 2007 , 97, 81-94	4
2123	Plasticity in mesophyll volume fraction modulates light-acclimation in needle photosynthesis in two pines. 2007 , 27, 1137-51	46
2122	"Diminishing returns" in the scaling of functional leaf traits across and within species groups. 2007 , 104, 8891-6	143
2121	Organ Partitioning and Distribution across the Seed Plants: Assessing the Relative Importance of Phylogeny and Function. 2007 , 168, 751-761	20
2120	Predicting leaf physiology from simple plant and climate attributes: a global GLOPNET analysis. 2007 , 17, 1982-8	181
2119	Plant structural traits and their role in anti-herbivore defence. 2007 , 8, 157-178	496
2118	Leaf traits and leaf life spans of two xeric-adapted palmettos. 2007 , 94, 1297-308	15
2117	Assessing the effects of land-use change on plant traits, communities and ecosystem functioning in grasslands: a standardized methodology and lessons from an application to 11 European sites. 2007 , 99, 967-85	403
2116	Comparative cryptogam ecology: a review of bryophyte and lichen traits that drive biogeochemistry. 2007 , 99, 987-1001	293
2115	Leaf mass per area ratio in <i>Quercus ilex</i> leaves under a wide range of climatic conditions. The importance of low temperatures. 2007 , 31, 168-173	55
2114	Leaf nutrient concentration, nutrient resorption and litter decomposition in an evergreen broad-leaved forest in eastern China. 2007 , 239, 150-158	62
2113	Response of leaf respiration to water stress in Mediterranean species with different growth forms. 2007 , 68, 206-222	73
2112	Controls over foliar N:P ratios in tropical rain forests. 2007 , 88, 107-18	331
2111	Plant-trait-based modeling assessment of ecosystem-service sensitivity to land-use change. 2007 , 17, 2377-86	110
2110	Terrestrial Ecosystems in a Changing World. 2007 ,	43
2109	Scaling mass and morphology in leaves: an extension of the WBE model. 2007 , 88, 1132-41	73

2108	Patterns of morphological leaf traits among pteridophytes along humidity and temperature gradients in the Bolivian Andes. 2007 , 34, 963-971	43
2107	Fossil leaf economics quantified: calibration, Eocene case study, and implications. 2007 , 33, 574-589	96
2106	Relationships among ecologically important dimensions of plant trait variation in seven neotropical forests. 2007 , 99, 1003-15	265
2105	Extending the leaf economics spectrum to decomposition: evidence from a tropical forest. 2007 , 88, 1126-31	108
2104	Foliar nitrogen responses to elevated atmospheric nitrogen deposition in nine temperate forest canopy species. 2007 , 41, 5191-7	43
2103	Ecological and evolutionary determinants of a key plant functional trait: wood density and its community-wide variation across latitude and elevation. 2007 , 94, 451-9	342
2102	The Implications of Scaling Approaches for Understanding Resilience and Reorganization in Ecosystems. 2007 , 57, 489-499	49
2101	The scaling of leaf area and mass: the cost of light interception increases with leaf size. 2007 , 274, 2109-14	140
2100	Are species adapted to their regeneration niche, adult niche, or both?. 2007 , 169, 433-42	163
2099	What determines the magnitude of carbon cycle-climate feedbacks?. 2007 , 21, n/a-n/a	48
2098	The influence of spatial and size scale on phylogenetic relatedness in tropical forest communities. 2007 , 88, 1770-80	217
2097	The leaf economics spectrum of Poaceae reflects variation in survival strategies. 2007 , 141, 337-343	25
2096	The Biomechanics of Chewing and Plant Fracture: Mechanisms and Implications. 2007 , 34, 317-372	55
2095	PLANT TRAITS IN A STATE AND TRANSITION FRAMEWORK AS MARKERS OF ECOSYSTEM RESPONSE TO LAND-USE CHANGE. 2007 , 77, 33-52	189
2094	Assessing the ability of three land ecosystem models to simulate gross carbon uptake of forests from boreal to Mediterranean climate in Europe. 2007 , 4, 647-656	65
2093	Robustness to failure of assumptions of tests for a common slope amongst several allometric lines--a simulation study. 2007 , 49, 286-99	6
2092	Leaf shape and venation pattern alter the support investments within leaf lamina in temperate species: a neglected source of leaf physiological differentiation?. 2007 , 21, 28	100
2091	Biological scaling: does the exception prove the rule?. <i>Nature</i> , 2007 , 445, E9-10; discussion E10-1	50.4 103

2090	Does the exception prove the rule? (Reply). <i>Nature</i> , 2007 , 445, E10-E11	50.4	11
2089	Does the exception prove the rule? (Reply). <i>Nature</i> , 2007 , 445, E11-E11	50.4	3
2088	A general integrative model for scaling plant growth, carbon flux, and functional trait spectra. <i>Nature</i> , 2007 , 449, 218-22	50.4	184
2087	Modes of speciation and the neutral theory of biodiversity. 2007 , 116, 241-258		69
2086	Let the concept of trait be functional!. 2007 , 116, 882-892		2260
2085	A trait-based approach to community assembly: partitioning of species trait values into within- and among-community components. 2007 , 10, 135-45		534
2084	New method for rapid assessment of the functional composition of herbaceous plant communities. 2007 , 32, 927-936		26
2083	Leaf functional traits of tropical forest plants in relation to growth form. 2007 , 21, 19		140
2082	Components of nutrient residence time and the leaf economics spectrum in species from Mediterranean old-fields differing in successional status. 2007 , 21, 235-245		50
2081	Nitrogen cycling dynamics in the carnivorous northern pitcher plant, <i>Sarracenia purpurea</i> . 2007 , 21, 835-843		35
2080	Leaf traits affect the above-ground productivity and quality of pasture grasses. 2007 , 21, 844-853		80
2079	Physical defence traits enhance seedling survival of neotropical tree species. 2007 , 21, 1044-1054		69
2078	Plant trait responses to grazing $\&$ global synthesis. 2007 , 13, 313-341		665
2077	Plant strategy theories: a comment on Craine (2005). 2007 , 95, 227-230		46
2076	Are plant growth-form-based classifications useful in predicting northern ecosystem carbon cycling feedbacks to climate change?. 2007 , 95, 1167-1180		55
2075	Explaining interspecific differences in sapling growth and shade tolerance in temperate forests. 2007 , 95, 1250-1260		56
2074	Complementarity as a mechanism of coexistence between functional groups of grasses. 2007 , 95, 1296-1305		98
2073	Prey availability directly affects physiology, growth, nutrient allocation and scaling relationships among leaf traits in 10 carnivorous plant species. 2007 , 96, 071106211313002-???		10

2072	A new framework for predicting invasive plant species. 2007 , 96, 071119203335006-???	28
2071	Geographical distributions in tropical trees: can geographical range predict performance and habitat association in co-occurring tree species?. 2007 , 34, 1916-1926	38
2070	Photosynthesis and resource distribution through plant canopies. 2007 , 30, 1052-71	354
2069	A test of the optimality approach to modelling canopy properties and CO ₂ uptake by natural vegetation. 2007 , 30, 1586-98	56
2068	Banksia species (Proteaceae) from severely phosphorus-impooverished soils exhibit extreme efficiency in the use and re-mobilization of phosphorus. 2007 , 30, 1557-65	115
2067	Are correlations among foliar traits in ferns consistent with those in the seed plants?. 2007 , 173, 306-12	48
2066	Correlated evolution of genome size and seed mass. 2007 , 173, 422-37	137
2065	Predicting the limits to tree height using statistical regressions of leaf traits. 2007 , 174, 626-636	39
2064	Optimal nitrogen allocation controls tree responses to elevated CO ₂ . 2007 , 174, 811-822	131
2063	Evolutionary control of leaf element composition in plants. 2007 , 174, 516-523	249
2062	Nitrogen resorption and photosynthetic activity over leaf life span in an evergreen shrub, <i>Rhododendron ferrugineum</i> , in a subalpine environment. 2007 , 175, 301-310	18
2061	Leaf trait relationships of native and invasive plants: community- and global-scale comparisons. 2007 , 176, 635-643	317
2060	Symbiont-mediated changes in <i>Lolium arundinaceum</i> inducible defenses: evidence from changes in gene expression and leaf composition. 2007 , 176, 673-679	56
2059	Global meta-analysis shows that relationships of leaf mass per area with species shade tolerance depend on leaf habit and ontogeny. 2007 , 176, 764-774	89
2058	Leaf dry matter content and lateral spread predict response to land use change for six subalpine grassland species. 2007 , 18, 289-300	98
2057	Tree morphology in seasonally dry montane forest in Argentina: Relationships with shade tolerance and nutrient shortage. 2007 , 18, 313-326	8
2056	Leaf trait co-variation, response and effect in a chronosequence. 2007 , 18, 563-570	22
2055	The causes of variation in tree seedling traits: the roles of environmental selection versus chance. 2007 , 61, 455-69	37

2054	Contrasting Structure and Function of Pubescent and Glabrous Varieties of Hawaiian <i>Metrosideros polymorpha</i> (Myrtaceae) at High Elevation. 2007 , 40, 070606001740001-???	10
2053	SEIBDGM: A new Dynamic Global Vegetation Model using a spatially explicit individual-based approach. 2007 , 200, 279-307	284
2052	Energy and water exchanges modulated by soil-plant nitrogen cycling in a temperate Pacific Northwest conifer forest. 2007 , 201, 331-347	13
2051	Evaluation of leaf traits for indirect selection of high yielding poplar hybrids. 2007 , 61, 103-116	52
2050	Plant Functional Types: Are We Getting Any Closer to the Holy Grail?. 2007 , 149-164	162
2049	The successional status of tropical rainforest tree species is associated with differences in leaf carbon isotope discrimination and functional traits. 2007 , 64, 169-176	26
2048	A trait database for Guianan rain forest trees permits intra- and inter-specific contrasts. 2007 , 64, 781-786	19
2047	The genetics of nitrogen use in hexaploid wheat: N utilisation, development and yield. 2007 , 114, 403-19	173
2046	Spatial patterns of photosynthetic characteristics and leaf physical traits of plants in the Loess Plateau of China. 2007 , 191, 279-293	13
2045	Photosynthetic parameters from two contrasting woody vegetation types in West Africa. 2007 , 192, 277-287	62
2044	Plant traits, litter quality and decomposition in a Mediterranean old-field succession. 2007 , 296, 19-34	100
2043	A dynamic model for the combined effects of N, P and K fertilizers on yield and mineral composition; description and experimental test. 2007 , 298, 81-98	45
2042	Natural selection on ecophysiological traits of a fern species in a temperate rainforest. 2007 , 21, 651-662	43
2041	Spatial patterns of leaf nutrient traits of the plants in the Loess Plateau of China. 2007 , 21, 357-370	71
2040	Genetic variation in leaf pigment, optical and photosynthetic function among diverse phenotypes of <i>Metrosideros polymorpha</i> grown in a common garden. 2007 , 151, 387-400	92
2039	Use of digital webcam images to track spring green-up in a deciduous broadleaf forest. 2007 , 152, 323-34	415
2038	Is the abundance of species determined by their functional traits? A new method with a test using plant communities. 2007 , 152, 729-37	70
2037	Deciduous leaf drop reduces insect herbivory. 2007 , 153, 81-8	40

2036	Effect of soil biota on growth and allocation by <i>Eucalyptus microcarpa</i> . 2008 , 305, 145-156	6
2035	Leaf traits and their interrelationship of 23 plant species in southeast of Keerqin Sandy Lands, China. 2008 , 3, 332-337	5
2034	Leaf Size and Leaf Area Index in <i>Fagus sylvatica</i> Forests: Competing Effects of Precipitation, Temperature, and Nitrogen Availability. 2008 , 11, 655-669	94
2033	Evaluation of leaf display of evergreen broadleaved tree species and deciduous tree species in warm temperate conifer plantations. 2008 , 13, 59-67	6
2032	Coordination between leaf and stem traits related to leaf carbon gain and hydraulics across 32 drought-tolerant angiosperms. 2008 , 156, 193-202	89
2031	Coordination of leaf and stem water transport properties in tropical forest trees. 2008 , 156, 31-41	125
2030	Leaf size and leaf display of thirty-eight tropical tree species. 2008 , 158, 35-46	88
2029	Using multiple trait associations to define hydraulic functional types in plant communities of south-western Australia. 2008 , 158, 385-97	62
2028	Contrasting patterns of diameter and biomass increment across tree functional groups in Amazonian forests. 2008 , 158, 521-34	25
2027	Intraspecific competition and water use efficiency in <i>Quercus suber</i> : evidence of an optimum tree density?. 2008 , 22, 521-530	20
2026	Variation in mesophyll anatomy and photosynthetic capacity during leaf development in a deciduous mesophyte fruit tree (<i>Prunus persica</i>) and an evergreen sclerophyllous Mediterranean shrub (<i>Olea europaea</i>). 2008 , 22, 559-571	82
2025	Leaf shape linked to photosynthetic rates and temperature optima in South African <i>Pelargonium</i> species. 2008 , 154, 625-35	64
2024	Leaf nitrogen:phosphorus stoichiometry across Chinese grassland biomes. 2008 , 155, 301-10	216
2023	Deciduousness in a seasonal tropical forest in western Thailand: interannual and intraspecific variation in timing, duration and environmental cues. 2008 , 155, 571-82	89
2022	PROSPECT-4 and 5: Advances in the leaf optical properties model separating photosynthetic pigments. 2008 , 112, 3030-3043	583
2021	A generalizable method for remote sensing of canopy nitrogen across a wide range of forest ecosystems. 2008 , 112, 3511-3519	140
2020	Spectral and chemical analysis of tropical forests: Scaling from leaf to canopy levels. 2008 , 112, 3958-3970	309
2019	Photosynthesis. 2008 , 11-99	45

2018	Microbial biogeography: from taxonomy to traits. 2008 , 320, 1039-43	414
2017	Trait differences between grass species along a climatic gradient in South and North America. 2008 , 19, 183-192	45
2016	A parsimonious combination of functional traits predicting plant response to disturbance and soil fertility. 2008 , 19, 681-692	46
2015	Shade Tolerance, a Key Plant Feature of Complex Nature and Consequences. 2008 , 39, 237-257	849
2014	Mesostructure of the ginseng photosynthetic apparatus in relation to ecological strategy of the species. 2008 , 55, 246-248	3
2013	Changes in leaf characteristics as indicator of the alteration of functional types of steppe plants along the aridity gradient. 2008 , 55, 301-307	14
2012	Photosynthesis and Leaf Structure in Domesticated Cassava (Euphorbiaceae) and a Close Wild Relative: Have Leaf Photosynthetic Parameters Evolved Under Domestication?. 2008 , 40, 305-312	27
2011	Latitudinal Variation in Leaf and Tree Traits of the Mangrove <i>Avicennia germinans</i> (Avicenniaceae) in the Central Region of the Gulf of Mexico. 2008 , 40, 449-456	38
2010	Scaling of Frond Form in Hawaiian Tree Fern <i>Cibotium glaucum</i> : Compliance with Global Trends and Application for Field Estimation. 2008 , 40, 686-691	12
2009	Is mass-based metabolism rate proportional to surface area in plant leaves? A data re-analysis. 2008 , 50, 673-81	4
2008	Fine-scale local adaptation of weevil mouthpart length and camellia pericarp thickness: altitudinal gradient of a putative arms race. 2008 , 62, 1086-102	53
2007	Vegetative morphology and trait correlations in 54 species of Commelinaceae. 2008 , 158, 257-268	6
2006	Subtropical to boreal convergence of tree-leaf temperatures. <i>Nature</i> , 2008 , 454, 511-4	50.4 188
2005	Ecology: Forest air conditioning. <i>Nature</i> , 2008 , 454, 422-3	50.4 5
2004	Allometry, growth and population regulation of the desert shrub <i>Larrea tridentata</i> . 2008 , 22, 197-204	35
2003	Insect-damaged fossil leaves record food web response to ancient climate change and extinction. 2008 , 178, 486-502	56
2002	High variation in foliage and leaf litter chemistry among 45 tree species of a neotropical rainforest community. 2008 , 179, 165-175	151
2001	Global response patterns of terrestrial plant species to nitrogen addition. 2008 , 179, 428-439	478

2000	Nutrient availability moderates transpiration in <i>Ehrharta calycina</i> . 2008 , 179, 1048-1057	82
1999	Genome size is a strong predictor of cell size and stomatal density in angiosperms. 2008 , 179, 975-986	305
1998	Seasonal variability of dry matter content and its relationship with shoot growth and nonstructural carbohydrates. 2008 , 180, 133-142	31
1997	Introduction to a Virtual Special Issue on plant ecological strategy axes in leaf and wood traits. 2008 , 179, 901-903	13
1996	Secretomic climax in plant-fungal interactions. 2008 , 179, 907-910	
1995	Transpiration: how many functions?. 2008 , 179, 905-907	12
1994	Living with salinity. 2008 , 179, 903-905	25
1993	Integrating two physiological approaches helps relate respiration to growth of <i>Pinus radiata</i> . 2008 , 180, 841-52	4
1992	Effects of leaf emergence on leaf lifespan are independent of life form and successional status. 2008 , 33, 932-939	6
1991	Plant functional traits and soil carbon sequestration in contrasting biomes. 2008 , 11, 516-31	871
1990	Scaling of respiration to nitrogen in leaves, stems and roots of higher land plants. 2008 , 11, 793-801	299
1989	Plant species traits are the predominant control on litter decomposition rates within biomes worldwide. 2008 , 11, 1065-71	1605
1988	Environmental and developmental controls on specific leaf area are little modified by leaf allometry. 2008 , 22, 565-576	55
1987	Allometric relationships between lamina area, lamina mass and petiole mass of 93 temperate woody species vary with leaf habit, leaf form and altitude. 2008 , 22, 557-564	42
1986	Shifts in leaf N:P ratio during resorption reflect soil P in temperate rainforest. 2008 , 22, 738-745	86
1985	Testing the correlations between leaf life span and leaf structural reinforcement in 13 species of European Mediterranean woody plants. 2008 , 22, 787-793	52
1984	Coupling of respiration, nitrogen, and sugars underlies convergent temperature acclimation in <i>Pinus banksiana</i> across wide-ranging sites and populations. 2008 , 14, 782-797	85
1983	Scaling environmental change through the community-level: a trait-based response-and-effect framework for plants. 2008 , 14, 1125-1140	780

1982	Sensitivity of respiratory metabolism and efficiency to foliar nitrogen during growth and maintenance. 2008 , 14, 1233-1251	9
1981	Extinction vulnerability of tropical montane endemism from warming and upslope displacement: a preliminary appraisal for the highest massif in Madagascar. 2008 , 14, 1703-1720	222
1980	Using temperature-dependent changes in leaf scaling relationships to quantitatively account for thermal acclimation of respiration in a coupled global climate-vegetation model. 2008 , 14, 2709-2726	128
1979	Plant functional types do not predict biomass responses to removal and fertilization in Alaskan tussock tundra. 2008 , 96, 713-726	90
1978	The LEDA Traitbase: a database of life-history traits of the Northwest European flora. 2008 , 96, 1266-1274	1055
1977	Biomass allocation and leaf life span in relation to light interception by tropical forest plants during the first years of secondary succession. 2008 , 96, 1211-1221	40
1976	Mesophyll conductance to CO ₂ : current knowledge and future prospects. 2008 , 31, 602-21	783
1975	Foliar and ecosystem respiration in an old-growth tropical rain forest. 2008 , 31, 473-83	82
1974	Intraspecific variability in leaf traits strongly affects alder leaf decomposition in a stream. 2008 , 9, 598-605	176
1973	Modelling leaf mass per area in forest canopy as affected by prevailing radiation conditions. 2008 , 211, 339-349	32
1972	Variation in longevity and traits of leaves among co-occurring understorey plants in a tropical montane forest. 2008 , 24, 121-133	21
1971	A weak relationship between crown architectural and leaf traits in saplings of eight tropical rain-forest species in Indonesia. 2008 , 24, 425-432	4
1970	Carbon/nitrogen/phosphorus allometric relations across species. 2008 , 9-30	6
1969	Functional traits and niche-based tree community assembly in an Amazonian forest. 2008 , 322, 580-2	769
1968	Nitrogen controls plant canopy light-use efficiency in temperate and boreal ecosystems. 2008 , 113,	55
1967	CO ₂ efflux under different grazing managements on subalpine meadows of Shangri-La, Northwest Yunnan Province, China. 2008 , 28, 3574-3583	9
1966	Bibliography. 2008 , 379-440	1
1965	Leaf drop in evergreen <i>Ceanothus velutinus</i> as a means of reducing herbivory. 2008 , 89, 2446-52	13

1964	Mineral Nutrition. 2008 , 255-320	25
1963	Leaf longevity and drought: avoidance of the costs and risks of early leaf abscission as inferred from the leaf carbon isotopic composition. 2008 , 35, 705-713	23
1962	Mean mass-specific metabolic rates are strikingly similar across life's major domains: Evidence for life's metabolic optimum. 2008 , 105, 16994-9	212
1961	What Limits Trees in C4 Grasslands and Savannas?. 2008 , 39, 641-659	661
1960	Stoichiometry and Nutrition of Plant Growth in Natural Communities. 2008 , 39, 153-170	348
1959	Why the free floating macrophyte <i>Stratiotes aloides</i> mainly grows in highly CO ₂ -supersaturated waters. 2008 , 89, 379-384	14
1958	Variation of functional traits in trees from a biogeographically complex Mexican cloud forest. 2008 , 34, 111-121	12
1957	Water and energy exchange in East Siberian forest: A synthesis. 2008 , 148, 2013-2018	17
1956	Indicators of nitrogen status for ornamental woody plants based on optical measurements of leaf epidermal polyphenol and chlorophyll contents. 2008 , 115, 377-385	35
1955	Why are evergreen leaves so contrary about shade?. 2008 , 23, 299-303	165
1954	Plant limiting nutrients in Andean-Patagonian woody species: Effects of interannual rainfall variation, soil fertility and mycorrhizal infection. 2008 , 255, 2973-2980	50
1953	Plant Paleoecology in Deep Time ¹ . 2008 , 95, 144-198	50
1952	The cost of stress resistance: construction and maintenance costs of leaves and roots in two populations of <i>Quercus ilex</i> . 2008 , 28, 1721-8	24
1951	Genome size scaling through phenotype space. 2008 , 101, 759-66	109
1950	Improving the scale and precision of hypotheses to explain root foraging ability. 2008 , 101, 1295-301	93
1949	Evolutionary tradeoffs can select against nitrogen fixation and thereby maintain nitrogen limitation. 2008 , 105, 1573-8	80
1948	Amplified temperature dependence in ecosystems developing on the lava flows of Mauna Loa, Hawai'i. 2008 , 105, 228-33	34
1947	Leaf palmate venation and vascular redundancy confer tolerance of hydraulic disruption. 2008 , 105, 1567-72	124

1946	Canopy nitrogen, carbon assimilation, and albedo in temperate and boreal forests: Functional relations and potential climate feedbacks. 2008 , 105, 19336-41	275
1945	Photosynthetic properties of C4 plants growing in an African savanna/wetland mosaic. 2008 , 59, 3941-52	19
1944	A unifying concept for the dependence of whole-crop N : P ratio on biomass: theory and experiment. 2008 , 102, 967-77	40
1943	References. 391-500	
1942	The generality of leaf size versus number trade-off in temperate woody species. 2008 , 102, 623-9	49
1941	The mutualism-parasitism continuum in ectomycorrhizas: a quantitative assessment using meta-analysis. 2008 , 89, 1032-42	88
1940	Longevity, lignin content and construction cost of the assimilatory organs of <i>Nepenthes</i> species. 2008 , 102, 845-53	35
1939	A simulation of the importance of length of growing season and canopy functional properties on the seasonal gross primary production of temperate alpine meadows. 2008 , 101, 549-59	31
1938	Leaf traits in relation to crown development, light interception and growth of elite families of loblolly and slash pine. 2008 , 28, 729-42	34
1937	Do bryophyte shoot systems function like vascular plant leaves or canopies? Functional trait relationships in <i>Sphagnum</i> mosses (<i>Sphagnaceae</i>). 2008 , 95, 1366-74	65
1936	The relationship between stem and branch wood specific gravity and the ability of each measure to predict leaf area. 2008 , 95, 516-9	87
1935	Nitrogen effects on decomposition: a five-year experiment in eight temperate sites. 2008 , 89, 2633-44	199
1934	Hydraulic integration and shrub growth form linked across continental aridity gradients. 2008 , 105, 11248-53	110
1933	Influence of nitrogen and potassium fertilization on leaf lifespan and allocation of above-ground growth in <i>Eucalyptus</i> plantations. 2009 , 29, 111-24	91
1932	Sharply increased insect herbivory during the Paleocene-Eocene Thermal Maximum. 2008 , 105, 1960-4	180
1931	Relating leaf photosynthetic rate to whole-plant growth: drought and shade effects on seedlings of four <i>Quercus</i> species. 2008 , 35, 725-737	59
1930	The spatial pattern of nitrogen cycling in the Adirondack Park, New York. 2008 , 18, 438-52	22
1929	Fossil Angiosperm Leaves: Paleobotany's Difficult Children Prove Themselves. 2008 , 14, 319-333	7

1928	The importance of evolutionary history in studies of plant physiological ecology: examples from cerrados and forests of central Brazil. 2008 , 20, 247-256	14
1927	References. 260-274	
1926	Bibliography. 2009 , 301-326	
1925	Basin-wide variations in foliar properties of Amazonian forest: phylogeny, soils and climate. 2009 , 6, 2677-2708 ₂₄₈	
1924	Improving land surface models with FLUXNET data. 2009 , 6, 1341-1359	260
1923	Grass species differentiation through canopy hyperspectral reflectance. 2009 , 30, 5959-5975	21
1922	Altitudinal variation in leaf mass per unit area, leaf tissue density and foliar nitrogen and phosphorus content along an Amazon-Andes gradient in Peru. 2009 , 2, 243-254	73
1921	Leaf mesophyll diffusion conductance in 35 Australian sclerophylls covering a broad range of foliage structural and physiological variation. 2009 , 60, 2433-49	104
1920	Should structure-function relations be considered separately for homobaric vs. heterobaric leaves?. 2009 , 96, 612-9	19
1919	Coordination of foliar and wood anatomical traits contributes to tropical tree distributions and productivity along the Malay-Thai Peninsula. 2009 , 96, 2214-23	23
1918	A general quantitative theory of forest structure and dynamics. 2009 , 106, 7040-5	218
1917	Wood anatomy and wood density in shrubs: Responses to varying aridity along transcontinental transects. 2009 , 96, 1388-98	135
1916	Synergy between pathogen release and resource availability in plant invasion. 2009 , 106, 7899-904	171
1915	Plant morphometric traits and climate gradients in northern China: a meta-analysis using quadrat and flora data. 2009 , 104, 1217-29	22
1914	Herbaceous monocot plant form and function along a tropical rain-forest light gradient: a reversal of dicot strategy. 2009 , 25, 103-106	5
1913	Challenges to Reproduce Vegetation Structure and Dynamics in Amazonia Using a Coupled ClimateBiosphere Model. 2009 , 13, 1-28	11
1912	13C and 15N allocations of two alpine species from early and late snowmelt locations reflect their different growth strategies. 2009 , 60, 2725-35	18
1911	Altered leaf morphology, leaf resource dilution and defense chemistry induction in frost-defoliated aspen (<i>Populus tremuloides</i>). 2009 , 29, 1259-68	30

1910	Correlated Evolution of Leaf Shape and Physiology in the Woody Sonchus Alliance (Asteraceae: Sonchinae) in Macaronesia. 2009 , 170, 83-92	32
1909	Contributions of climate, leaf area index and leaf physiology to variation in gross primary production of six coniferous forests across Europe: a model-based analysis. 2009 , 29, 621-39	36
1908	Latitudinal variation in herbivore pressure in Atlantic Coast salt marshes. 2009 , 90, 183-95	141
1907	Convergence of leaf display and photosynthetic characteristics of understory <i>Abies amabilis</i> and <i>Tsuga heterophylla</i> in an old-growth forest in southwestern Washington State, USA. 2009 , 29, 989-98	7
1906	Construction costs, payback times, and the leaf economics of carnivorous plants. 2009 , 96, 1612-9	30
1905	Using phylogenetic, functional and trait diversity to understand patterns of plant community productivity. 2009 , 4, e5695	456
1904	Productivity, water-use efficiency and tolerance to moderate water deficit correlate in 33 poplar genotypes from a <i>Populus deltoides</i> x <i>Populus trichocarpa</i> F1 progeny. 2009 , 29, 1329-39	77
1903	Evolution of lamina anatomy in the palm family (Arecaceae). 2009 , 96, 1462-86	36
1902	Constraints on leaf structural traits in wetland plants. 2009 , 96, 1068-74	14
1901	Leaf morphology correlates with water and light availability: What consequences for simple and compound leaves?. 2009 , 19, 1789-1798	77
1900	A paradox of leaf-trait convergence: why is leaf nitrogen concentration higher in species with higher photosynthetic capacity?. 2009 , 122, 245-51	24
1899	Influence of forest structure and environmental variables on recruit survival and performance of two Mediterranean tree species (<i>Quercus faginea</i> L. and <i>Q. suber</i> Lam.). 2009 , 128, 27-36	21
1898	Leaf phosphorus influences the photosynthesis-nitrogen relation: a cross-biome analysis of 314 species. 2009 , 160, 207-12	225
1897	The role of Rubisco and cell walls in the interspecific variation in photosynthetic capacity. 2009 , 160, 443-51	94
1896	Competition, traits and resource depletion in plant communities. 2009 , 160, 747-55	130
1895	Seasonal differences in leaf-level physiology give lianas a competitive advantage over trees in a tropical seasonal forest. 2009 , 161, 25-33	101
1894	The importance of nutritional regulation of plant water flux. 2009 , 161, 15-24	207
1893	Modulation of leaf attributes and water use efficiency in <i>Quercus suber</i> along a rainfall gradient. 2009 , 23, 267-275	39

1892	Vertical gradients in leaf trait diversity in a New Zealand forest. 2009 , 23, 339-346	11
1891	Within-twig biomass allocation in subtropical evergreen broad-leaved species along an altitudinal gradient: allometric scaling analysis. 2009 , 23, 637-647	21
1890	Leaf expansion in <i>Rhamnus alaternus</i> L. by leaf morphological, anatomical and physiological analysis. 2009 , 23, 1255-1262	8
1889	Retrieval of foliar information about plant pigment systems from high resolution spectroscopy. 2009 , 113, S67-S77	453
1888	Moderate soil compaction: Implications on growth and architecture in seedlings of 17 woody plant species. 2009 , 103, 325-331	48
1887	Photosynthetic activity and water use efficiency of dune species: the influence of air temperature on functioning. 2009 , 47, 575-585	17
1886	Variability in water use efficiency at the leaf level among Mediterranean plants with different growth forms. 2009 , 317, 17-29	106
1885	The survival strategy of the alpine endemic <i>Primula glaucescens</i> is fundamentally unchanged throughout its climate envelope despite superficial phenotypic variability. 2009 , 204, 1-10	11
1884	Variability in amount and frequency of water supply affects roots but not growth of arid shrubs. 2009 , 204, 261-270	66
1883	Leaf-trait relationships of <i>Quercus liaotungensis</i> along an altitudinal gradient in Dongling Mountain, Beijing. 2009 , 24, 1243-1250	18
1882	Photosynthesis in relation to leaf nitrogen, phosphorus and specific leaf area of seedlings and saplings in tropical montane rain forests of Hainan Island, south China. 2009 , 4, 75-84	2
1881	Nitrogen in cell walls of sclerophyllous leaves accounts for little of the variation in photosynthetic nitrogen-use efficiency. 2009 , 32, 259-70	82
1880	Enhanced assimilation rate and water use efficiency with latitude through increased photosynthetic capacity and internal conductance in balsam poplar (<i>Populus balsamifera</i> L.). 2009 , 32, 1821-32	120
1879	Relationship between post-fire regeneration and leaf economics spectrum in Mediterranean woody species. 2009 , 23, 103-110	22
1878	Intra- and interspecific performance in growth and reproduction increase with altitude: a case study with two <i>Saxifraga</i> species from northern Spain. 2009 , 23, 111-118	40
1877	Trade-off between root nitrogen acquisition and shoot nitrogen utilization across 13 co-occurring pasture grass species. 2009 , 23, 668-679	104
1876	Quantifying photosynthetic capacity and its relationship to leaf nitrogen content for global-scale terrestrial biosphere models. 2009 , 15, 976-991	449
1875	Impacts of climate change on the vegetation of Africa: an adaptive dynamic vegetation modelling approach. 2009 , 15, 2224-2246	299

1874	Faster returns on leaf economics and different biogeochemical niche in invasive compared with native plant species. 2009 , 16, 2171-2185	127
1873	Soil carbon stocks, deforestation and land-cover changes in the Western Ghats biodiversity hotspot (India). 2009 , 16, 1777-1792	24
1872	Evolution, origin and age of lineages in the Californian and Mediterranean floras. 2009 , 36, 1221-1233	78
1871	Leaf life span as a simple predictor of evergreen forest zonation in China. 2009 , 37, 27-36	15
1870	Carbon gain in the competition for light between genotypes of the clonal herb <i>Potentilla reptans</i> . 2009 , 97, 508-517	19
1869	Factors explaining alien plant invasion success in a tropical ecosystem differ at each stage of invasion. 2009 , 97, 657-665	99
1868	The leafing intensity premium hypothesis tested across clades, growth forms and altitudes. 2009 , 97, 972-983	31
1867	Divergent patterns of photosynthetic phosphorus-use efficiency versus nitrogen-use efficiency of tree leaves along nutrient-availability gradients. 2009 , 97, 984-991	93
1866	Integrating plant-soil interactions into global carbon cycle models. 2009 , 97, 851-863	205
1865	Mycorrhizal community resilience in response to experimental plant functional type removals in a woody ecosystem. 2009 , 97, 1291-1301	37
1864	Scale-dependent trait correlations in a temperate tree community. 2009 , 34, 670-677	10
1863	Ecology: Traits of plant invaders. <i>Nature</i> , 2009 , 459, 783-4	50.4 13
1862	Immunology: Immunity's ancient arms. <i>Nature</i> , 2009 , 459, 784-6	50.4 2
1861	Changes in the specific density of leaves of Eurasian plants along the aridity gradient. 2009 , 428, 430-3	8
1860	Plant extinction dynamics in an insular metacommunity. 2009 , 118, 191-198	32
1859	Partitioning of functional diversity reveals the scale and extent of trait convergence and divergence. 2009 , 20, 475-486	193
1858	Leaf Chemical and Optical Properties of <i>Metrosideros polymorpha</i> Across Environmental Gradients in Hawaii. 2009 , 41, 292-301	41
1857	Leaf Gas Exchange in Canopy Species of a Venezuelan Cloud Forest. 2009 , 41, 659-664	10

1856	Water supply changes N and P conservation in a perennial grass <i>Leymus chinensis</i> . 2009 , 51, 1050-6	12
1855	Combining plant and animal traits to assess community functional responses to disturbance. 2009 , 32, 299-309	104
1854	Phylogenetic community structure in Minnesota oak savanna is influenced by spatial extent and environmental variation. 2009 , no-no	23
1853	Short-term responses of phenology, shoot growth and leaf traits of four alpine shrubs in a timberline ecotone to simulated global warming, Eastern Tibetan Plateau, China. 2009 , 24, 27-34	26
1852	Maintenance costs of serotiny do not explain weak serotiny. 2009 , 34, 653-662	21
1851	Needle traits of an evergreen, coniferous shrub growing at wind-exposed and protected sites in a mountain region: does <i>Pinus pumila</i> produce needles with greater mass per area under wind-stress conditions?. 2009 , 11 Suppl 1, 94-100	14
1850	Towards a worldwide wood economics spectrum. 2009 , 12, 351-66	1747
1849	Towards an integration of ecological stoichiometry and the metabolic theory of ecology to better understand nutrient cycling. 2009 , 12, 369-84	192
1848	N:P stoichiometry and protein:RNA ratios in vascular plants: an evaluation of the growth-rate hypothesis. 2009 , 12, 765-71	154
1847	The merging of community ecology and phylogenetic biology. 2009 , 12, 693-715	1468
1846	Taking species abundance distributions beyond individuals. 2009 , 12, 488-501	65
1845	Global-scale patterns of nutrient resorption associated with latitude, temperature and precipitation. 2009 , 18, 11-18	175
1844	A global study of relationships between leaf traits, climate and soil measures of nutrient fertility. 2009 , 18, 137-149	595
1843	Global trends in senesced-leaf nitrogen and phosphorus. 2009 , 18, 532-542	175
1842	Structure and diversity of the Mesozoic wood genus <i>Xenoxylon</i> in Far East Asia: implications for terrestrial palaeoclimates. 2009 , 42, 393-406	33
1841	Physiological differences among two <i>Penstemon</i> species and their hybrids in field and common garden environments. 2009 , 181, 478-488	14
1840	Causes and consequences of variation in leaf mass per area (LMA): a meta-analysis. 2009 , 182, 565-588	1547
1839	Endogenous sink-source interactions and soil nitrogen regulate leaf life-span in an evergreen shrub. 2009 , 183, 1114-1123	20

1838	Phenotypic selection on leaf ecophysiological traits in <i>Helianthus</i> . 2009 , 183, 868-879	52
1837	Are species shade and drought tolerance reflected in leaf-level structural and functional differentiation in Northern Hemisphere temperate woody flora?. 2009 , 184, 257-274	117
1836	Hydraulic adjustment of Scots pine across Europe. 2009 , 184, 353-364	264
1835	Characterizing canopy biochemistry from imaging spectroscopy and its application to ecosystem studies. 2009 , 113, S78-S91	392
1834	Leaf traits indicate survival strategies among 42 dominant plant species in a dry, sandy habitat, China. 2009 , 4, 477-485	1
1833	Energetics and the evolution of carnivorous plants--Darwin's 'most wonderful plants in the world'. 2009 , 60, 19-42	189
1832	Leaf traits capture the effects of land use changes and climate on litter decomposability of grasslands across Europe. 2009 , 90, 598-611	208
1831	Simulation of the vegetation structure and function in a Malaysian tropical rain forest using the individual-based dynamic vegetation model SEIB-DGVM. 2009 , 257, 2277-2286	27
1830	Seedling biomass allocation and vital rates of cloud forest tree species: Responses to light in shade house conditions. 2009 , 258, 1650-1659	18
1829	Growth response of mixed mediterranean oak coppices to rainfall reduction. 2009 , 258, 1677-1683	55
1828	Resource-use-related traits correlate with population turnover rates, but not stem diameter growth rates, in 29 subtropical montane tree species. 2009 , 11, 203-218	17
1827	Linking post-fire regenerative strategy and leaf nutrient content in Mediterranean woody plants. 2009 , 11, 219-229	19
1826	Leafing patterns and leaf traits of four evergreen shrubs in the Patagonian Monte, Argentina. 2009 , 35, 831-837	14
1825	Why is marsh productivity so high? New insights from eddy covariance and biomass measurements in a <i>Typha</i> marsh. 2009 , 149, 159-168	49
1824	Physiological acclimation of <i>Pinus flexilis</i> to drought stress on contrasting slope aspects in Waterton Lakes National Park, Alberta, Canada. 2009 , 39, 629-641	16
1823	Leaf Trait Diversification and Design in Seven Rare Taxa of the Hawaiian <i>Plantago</i> Radiation. 2009 , 170, 61-75	108
1822	Community assembly and shifts in plant trait distributions across an environmental gradient in coastal California. 2009 , 79, 109-126	767
1821	Opposing assembly mechanisms in a neotropical dry forest: implications for phylogenetic and functional community ecology. 2009 , 90, 2161-70	248

1820	No post-Cretaceous ecosystem depression in European forests? Rich insect-feeding damage on diverse middle Palaeocene plants, Menat, France. 2009 , 276, 4271-7	81
1819	Conservatism and diversification of plant functional traits: Evolutionary rates versus phylogenetic signal. 2009 , 106 Suppl 2, 19699-706	252
1818	Old-Growth Forests. 2009 ,	38
1817	Natural nodulation of five wild legumes in the south of Tunisia. 2009 , 143, 34-39	9
1816	Ecophysiology of Forest and Savanna Vegetation. 2009 , 451-462	5
1815	Sun-shade patterns of leaf carotenoid composition in 86 species of neotropical forest plants. 2009 , 36, 20-36	70
1814	Progress in Coupling Plant Form and Photosynthetic Function. 2009 , 74, 1-26	27
1813	Interspecific differences in photosynthetic gas exchange characteristics and acclimation to soil moisture stress among shrubs of a semiarid grassland. 2009 , 16, 125-137	2
1812	Minimal Plant Responsiveness to Summer Water Pulses: Ecophysiological Constraints of Three Species of Semiarid Patagonia. 2009 , 62, 171-178	11
1811	Foliar morphology and chemistry of upland oaks, red maple, and sassafras seedlings in response to single and repeated prescribed fires. 2009 , 39, 740-754	8
1810	Effects of soil water on photosynthetic characteristics and leaf traits of <i>Cyclobalanopsis glauca</i> seedlings growing under nutrient-rich and -poor soil. 2009 , 29, 160-165	7
1809	Mechanistic scaling of ecosystem function and dynamics in space and time: Ecosystem Demography model version 2. 2009 , 114,	336
1808	Genetic modification in cellulose-synthase reduces crystallinity and improves biochemical conversion to fermentable sugar. 2009 , 1, 51-61	52
1807	Taxonomic, phylogenetic, and environmental trade-offs between leaf productivity and persistence. 2009 , 90, 2779-91	55
1806	Role of mesophyll diffusion conductance in constraining potential photosynthetic productivity in the field. 2009 , 60, 2249-70	223
1805	Leaf chemical and spectral diversity in Australian tropical forests. 2009 , 19, 236-53	105
1804	Towards a trait-based quantification of species niche. 2009 , 2, 87-93	172
1803	Surface Waters in Amazonia: Key Findings and Perspectives. 2009 , 463-484	23

1802	Microbial biodiversity and ecosystem functioning under controlled conditions and in the wild. 2009 , 121-133	21
1801	Seasonal changes in optically assessed epidermal phenolic compounds and chlorophyll contents in leaves of sessile oak (<i>Quercus petraea</i>): towards signatures of phenological stage. 2009 , 36, 732-741	35
1800	A functional guide to functional diversity measures. 2009 , 49-59	22
1799	Introduction: the ecological and social implications of changing biodiversity. An overview of a decade of biodiversity and ecosystem functioning research. 2009 , 3-13	6
1798	Process based inventory of isoprenoid emissions from European forests: model comparisons, current knowledge and uncertainties. 2009 , 9, 4053-4076	73
1797	Patchiness and long-term change in early Eocene insect feeding damage. 2009 , 35, 484-498	29
1796	Nonnative grass litter enhances grazing arthropod assemblages by increasing native shrub growth. 2010 , 91, 756-66	20
1795	Distribution of phosphorus in an above-to-below-ground profile in a Bornean tropical rain forest. 2010 , 26, 627-636	21
1794	Designing Invasion-Resistant Plant Communities: The Role of Plant Functional Traits. 2010 , 32, 32-37	13
1793	Similar irradiance-elicited plasticity of leaf traits in saplings of 12 tropical rainforest tree species with highly different leaf masstoarea ratio. 2010 , 37, 342	22
1792	Dark respiration of leaves and traps of terrestrial carnivorous plants: are there greater energetic costs in traps?. 2010 , 5, 121-124	8
1791	Photosynthesis and dark respiration of leaves of terrestrial carnivorous plants. 2010 , 65, 69-74	12
1790	Integrating functional diversity into tropical forest plantation designs to study ecosystem processes. 2010 , 67, 303-303	14
1789	Diversity of deciduousness and phenological traits of key Indian dry tropical forest trees. 2010 , 67, 310-310	19
1788	A comparative analysis of foliar chemical composition and leaf construction costs of beech (<i>Fagus sylvatica</i> L.), sycamore maple (<i>Acer pseudoplatanus</i> L.) and ash (<i>Fraxinus excelsior</i> L.) saplings along a light gradient. 2010 , 67, 610-610	11
1787	Is diet quality an overlooked mechanism for Bergmann's rule?. 2010 , 175, 269-76	65
1786	Taxonomic identity, phylogeny, climate and soil fertility as drivers of leaf traits across Chinese grassland biomes. 2010 , 123, 551-61	47
1785	Biomass accumulation, allocation, and water-use efficiency in 10 <i>Malus</i> rootstocks under two watering regimes. 2010 , 80, 283-294	25

1784	Fine root decomposition rates do not mirror those of leaf litter among temperate tree species. 2010 , 162, 505-13	198
1783	Isotopic values of plants in relation to water availability in the Eastern Mediterranean region. 2010 , 162, 837-52	153
1782	Contrasting cost-benefit strategy between lianas and trees in a tropical seasonal rain forest in southwestern China. 2010 , 163, 591-9	54
1781	Geometrical similarity analysis of photosynthetic light response curves, light saturation and light use efficiency. 2010 , 164, 53-63	21
1780	Genotypic and environmental variation in specific leaf area in a widespread Alpine plant after transplantation to different altitudes. 2010 , 164, 141-50	104
1779	Allometric estimation of total leaf area in the neotropical palm <i>Euterpe oleracea</i> at La Selva, Costa Rica. 2010 , 24, 969-974	9
1778	Morphological and physiological responses of <i>Vitex negundo</i> L. var. <i>heterophylla</i> (Franch.) Rehd. to drought stress. 2010 , 32, 839-848	32
1777	Foliar mono- and sesquiterpene contents in relation to leaf economic spectrum in native and alien species in Oahu (Hawai'i). 2010 , 36, 210-26	14
1776	Higher allocation to low cost chemical defenses in invasive species of Hawaii. 2010 , 36, 1255-70	32
1775	Species trait shifts in vegetation and soil seed bank during fen degradation. 2010 , 206, 59-82	29
1774	The nutrient status of epiphytes and their host trees along an elevational gradient in Costa Rica. 2010 , 207, 25-37	56
1773	Species evenness affects ecosystem processes in situ via diversity in the adaptive strategies of dominant species. 2010 , 207, 333-345	26
1772	Within-species correlations in leaf traits of three boreal plant species along a latitudinal gradient. 2010 , 208, 155-166	11
1771	How reproductive, vegetative and defensive strategies of Mediterranean grassland species respond to a grazing intensity gradient. 2010 , 210, 97-110	9
1770	Can CSR classification be generally applied outside Britain?. 2010 , 210, 253-261	72
1769	Leaf traits and water relations of 12 evergreen species in Costa Rican wet and dry forests: patterns of intra-specific variation across forests and seasons. 2010 , 211, 133-146	35
1768	Leaf-litter nitrogen concentration in hinoki cypress forests in relation to the time of leaf fall under different climatic conditions in Japan. 2010 , 25, 429-438	8
1767	A conceptual framework for the study of modular responses to local environmental heterogeneity within the plant crown and a review of related concepts. 2010 , 25, 733-744	38

- 1766 A review of light interception in plant stands from leaf to canopy in different plant functional types and in species with varying shade tolerance. **2010**, 25, 693-714 349
- 1765 Genetic variation for growth, morphological, and physiological traits in a wild population of the Neotropical shade-tolerant rainforest tree *Sextonia rubra* (Mez) van der Werff (Lauraceae). **2010**, 6, 319-329 12
- 1764 Root nutrient uptake enhances photosynthetic assimilation in prey-deprived carnivorous pitcher plant *Nepenthes talangensis*. **2010**, 48, 227-233 15
- 1763 Contrasting leaf characteristics of trees and lianas in secondary and mature forests in southwestern China. **2010**, 48, 559-566 11
- 1762 Species patterns in foliar nitrogen concentration, nitrogen content and ^{13}C abundance for understory saplings across light gradients. **2010**, 327, 389-401 17
- 1761 Root respiration and its relation to nutrient contents in soil and root and EVI among 8 ecosystems, northern China. **2010**, 333, 391-401 21
- 1760 Plant mineral nutrition in ancient landscapes: high plant species diversity on infertile soils is linked to functional diversity for nutritional strategies. **2010**, 334, 11-31 278
- 1759 Structural and chemical differences between shoot- and root-derived roots of three perennial grasses in a typical steppe in Inner Mongolia China. **2010**, 336, 209-217 10
- 1758 High leaf tissue density grassland species consistently more abundant across topographic and disturbance contrasts in a North American tallgrass prairie. **2010**, 337, 193-203 12
- 1757 Testing the generality of the leafing intensity premium hypothesis in temperate broad-leaved forests: a survey of variation in leaf size within and between habitats. **2010**, 24, 685-701 14
- 1756 Trait plasticity in species interactions: a driving force of community dynamics. **2010**, 24, 617-629 106
- 1755 *Dicroidium* diversity in the Upper Triassic of north Victoria Land, East Antarctica. **2010**, 160, 67-101 48
- 1754 Present-day testing of a paleoecological pattern: Is there really a latitudinal difference in leaf-feeding insect-damage diversity?. **2010**, 162, 63-70 27
- 1753 Causes of secondary sexual differences in plants – Evidence from extreme leaf dimorphism in *Leucadendron* (Proteaceae). **2010**, 76, 588-592 21
- 1752 Ecometrics: the traits that bind the past and present together. **2010**, 5, 88-101 62
- 1751 A stochastic dispersal-limited trait-based model of community dynamics. **2010**, 262, 650-61 25
- 1750 Modeling vegetation and land use in models of the Earth System. **2010**, 1, 840-856 50
- 1749 How does moss photosynthesis relate to leaf and canopy structure? Trait relationships for 10 Hawaiian species of contrasting light habitats. **2010**, 185, 156-72 96

1748	Reconciling species-level vs plastic responses of evergreen leaf structure to light gradients: shade leaves punch above their weight. 2010 , 186, 429-38	36
1747	Tissue-level leaf toughness, but not lamina thickness, predicts sapling leaf lifespan and shade tolerance of tropical tree species. 2010 , 186, 708-21	188
1746	Biological stoichiometry of plant production: metabolism, scaling and ecological response to global change. 2010 , 186, 593-608	532
1745	Substantial nutrient resorption from leaves, stems and roots in a subarctic flora: what is the link with other resource economics traits?. 2010 , 186, 879-889	135
1744	Remote sensing of plant functional types. 2010 , 186, 795-816	387
1743	Assessing uncertainties in a second-generation dynamic vegetation model caused by ecological scale limitations. 2010 , 187, 666-81	225
1742	Contrasting trait responses in plant communities to experimental and geographic variation in precipitation. 2010 , 188, 565-75	96
1741	Coordinated variation in leaf and root traits across multiple spatial scales in Chinese semi-arid and arid ecosystems. 2010 , 188, 543-53	166
1740	The relationship between wood density and mortality in a global tropical forest data set. 2010 , 188, 1124-36	130
1739	Age-Dependent Radial Increases in Wood Specific Gravity of Tropical Pioneers in Costa Rica. 2010 , 42, 590-597	26
1738	Leaf domatia: carbon-limited indirect defence?. 2010 , 119, 1591-1600	8
1737	Interspecific variation of functional traits in a CAM-tree dominated sandy coastal plain. 2010 , 21, 43-54	25
1736	Variation in ecophysiological properties among conifers at an ecotonal boundary: comparison of establishing seedlings and established adults at timberline. 2010 , 21, 133-142	21
1735	Ecophysiological and bioclimatic foundations for a global plant functional classification. 2010 , 21, 300-317	150
1734	Seedling growth and morphology of three oak species along field resource gradients and seed mass variation: a seedling age-dependent response. 2010 , 21, 419-437	57
1733	Co-limitation of photosynthetic capacity by nitrogen and phosphorus in West Africa woodlands. 2010 , 33, 959-80	154
1732	Turning over a new 'leaf': multiple functional significances of leaves versus phyllodes in Hawaiian <i>Acacia koa</i> . 2010 , 33, 2084-100	50
1731	Functional trait variation and sampling strategies in species-rich plant communities. 2010 , 24, 208-216	125

1730	A multi-trait test of the leaf-height-seed plant strategy scheme with 133 species from a pine forest flora. 2010 , 24, 493-501	134
1729	Plant traits, leaf palatability and litter decomposability for co-occurring woody species differing in invasion status and nitrogen fixation ability. 2010 , 24, 513-523	84
1728	Ecophysiological significance of leaf size variation in Proteaceae from the Cape Floristic Region. 2010 , 24, 485-492	110
1727	Plant functional type classifications in tropical dry forests in Costa Rica: leaf habit versus taxonomic approaches. 2010 , 24, 927-936	91
1726	A multi-trait approach reveals the structure and the relative importance of intra- vs. interspecific variability in plant traits. 2010 , 24, 1192-1201	329
1725	Functional differences between native and alien species: a global-scale comparison. 2010 , 24, 1353-1361	166
1724	Impact of growth temperature on scaling relationships linking photosynthetic metabolism to leaf functional traits. 2010 , 24, 1181-1191	18
1723	The European carbon balance. Part 3: forests. 2010 , 16, 1429-1450	206
1722	Functional traits of alien plants across contrasting climatic and land-use regimes: do aliens join the locals or try harder than them?. 2010 , 98, 17-27	147
1721	Native and exotic invasive plants have fundamentally similar carbon capture strategies. 2010 , 98, 28-42	126
1720	Evidence of the plant economics spectrum in a subarctic flora. 2010 , 98, 362-373	337
1719	Plant functional traits in Australian subtropical rain forest: partitioning within-community from cross-landscape variation. 2010 , 98, 517-525	34
1718	Intraspecific functional variability: extent, structure and sources of variation. 2010 , 98, 604-613	413
1717	A link between plant traits and abundance: evidence from coastal California woody plants. 2010 , 98, 814-821	110
1716	Effects of clonal integration and light availability on the growth and physiology of two invasive herbs. 2010 , 98, 833-844	72
1715	Evidence for a combination of pre-adapted traits and rapid adaptive change in the invasive plant <i>Centaurea stoebe</i> . 2010 , 98, 800-813	77
1714	Linkages of plant traits to soil properties and the functioning of temperate grassland. 2010 , 98, 1074-1083	243
1713	Intraspecific variability and trait-based community assembly. 2010 , 98, 1134-1140	383

1712	Interspecific variation in functional traits, not climatic differences among species ranges, determines demographic rates across 44 temperate and Mediterranean tree species. 2010 , 98, 1462-1475	75
1711	Latitude, solar elevation angles and gap-regenerating rain forest pioneers. 2010 , 99, no-no	1
1710	Different but equal: the implausible assumption at the heart of neutral theory. 2010 , 79, 1215-25	75
1709	Do leaves of plants on phosphorus-impooverished soils contain high concentrations of phenolic defence compounds?. 2010 , 24, 52-61	35
1708	Variation in leaf functional trait values within and across individuals and species: an example from a Costa Rican dry forest. 2010 , 24, 217-223	155
1707	The leaf economics spectrum and the prediction of photosynthetic light response curves. 2010 , 24, 263-272	50
1706	Widespread coupling between the rate and temperature sensitivity of organic matter decay. 2010 , 3, 854-857	247
1705	A meta-analysis of trait differences between invasive and non-invasive plant species. 2010 , 13, 235-45	1134
1704	A simultaneous test of trophic interaction models: which vegetation characteristic explains herbivore control over plant community mass?. 2010 , 13, 202-12	26
1703	A structured and dynamic framework to advance traits-based theory and prediction in ecology. 2010 , 13, 267-83	366
1702	How do traits vary across ecological scales? A case for trait-based ecology. 2010 , 13, 838-48	482
1701	Host physiological phenotype explains pathogen reservoir potential. 2010 , 13, 1221-32	119
1700	Decoupled leaf and stem economics in rain forest trees. 2010 , 13, 1338-47	248
1699	Variation in ecophysiology and carbon economy of invasive and native woody vines of riparian zones in south-eastern Queensland. 2010 , 35, 636-649	22
1698	Synthesis, regulation and utilization of lignocellulosic biomass. 2010 , 8, 244-62	80
1697	Foliar stable carbon and nitrogen isotopes in woody Mediterranean species with different life form and post-fire regeneration. 2010 , 12, 125-33	3
1696	Suites of plant traits in species from different stages of a Mediterranean secondary succession. 2010 , 12, 183-96	75
1695	Competition intensity at local versus regional spatial scales. 2010 , 12, 772-9	3

1694	Mechanisms underlying interspecific variation in photosynthetic capacity across wild plant species. 2010 , 27, 223-229	33
1693	Comparison of sapling-level daily light capture and carbon gain between a temperate deciduous and a co-occurring evergreen tree species in the growing season and in winter. 2010 , 37, 215	5
1692	On the Tempo of Genome Size Evolution in Angiosperms. 2010 , 2010, 1-8	17
1691	A second dimension to the leaf economics spectrum predicts edaphic habitat association in a tropical forest. 2010 , 5, e13163	24
1690	Nutrient ecology of ferns. 111-139	12
1689	Designing Invasion-Resistant Plant Communities: The Role of Plant Functional Traits. 2010 , 32,	
1688	Optimisation of photosynthetic carbon gain and within-canopy gradients of associated foliar traits for Amazon forest trees. 2010 , 7, 1833-1859	127
1687	Effects of grazing on leaf traits and ecosystem functioning in Inner Mongolia grasslands: scaling from species to community. 2010 , 7, 1117-1132	45
1686	High-dimensional coexistence based on individual variation: a synthesis of evidence. 2010 , 80, 569-608	119
1685	Leaf trait co-ordination in relation to construction cost, carbon gain and resource-use efficiency in exotic invasive and native woody vine species. 2010 , 106, 371-80	45
1684	On how to disentangle the contribution of different organs and processes to the growth of whole plants. 2010 , 61, 626-8	3
1683	Plant resource-use strategies: the importance of phenotypic plasticity in response to a productivity gradient for two subalpine species. 2010 , 106, 637-45	76
1682	Photosynthesis at an extreme end of the leaf trait spectrum: how does it relate to high leaf dry mass per area and associated structural parameters?. 2010 , 61, 3015-28	54
1681	A method to construct dose-response curves for a wide range of environmental factors and plant traits by means of a meta-analysis of phenotypic data. 2010 , 61, 2043-55	121
1680	Ecological contingency in the effects of climatic warming on forest herb communities. 2010 , 107, 19362-7	76
1679	Evidence of a general 2/3-power law of scaling leaf nitrogen to phosphorus among major plant groups and biomes. 2010 , 277, 877-83	131
1678	The hydrostatic gradient, not light availability, drives height-related variation in <i>Sequoia sempervirens</i> (Cupressaceae) leaf anatomy. 2010 , 97, 1087-97	49
1677	Seasonal patterns of foliage respiration in dominant and suppressed <i>Eucalyptus globulus</i> canopies. 2010 , 30, 957-68	13

- 1676 Exploitation of Nutrient-Rich Soil Patches by Invasive Annual and Native Perennial Grasses. **2010**, 3, 169-177 10
- 1675 Maximum entropy production and plant optimization theories. **2010**, 365, 1429-35 68
- 1674 Leaf economic traits from fossils support a weedy habit for early angiosperms. **2010**, 97, 438-45 58
- 1673 The adaptive value of functional and life-history traits across fertility treatments in an annual plant. **2010**, 106, 979-88 22
- 1672 Viewing leaf structure and evolution from a hydraulic perspective. **2010**, 37, 488 203
- 1671 Plant strategies in relation to resource supply in mesic to wet environments: does theory mirror nature?. **2010**, 175, 225-39 70
- 1670 The leaf size/number trade-off in herbaceous angiosperms. **2010**, 3, 49-58 40
- 1669 Size-dependent leaf area ratio in plant twigs: implication for leaf size optimization. **2010**, 105, 71-7 22
- 1668 Protein Turnover in Grass Leaves. **2010**, 54, 139-182 7
- 1667 Zero-sum allocational strategies determine the allometry of specific leaf area. **2010**, 97, 1808-15 9
- 1666 Fossil insect folivory tracks paleotemperature for six million years. **2010**, 80, 547-567 91
- 1665 On the differential advantages of evergreenness and deciduousness in mediterranean oak woodlands: a flux perspective. **2010**, 20, 1583-97 88
- 1664 Principles for Ecologically Based Invasive Plant Management. **2010**, 3, 229-239 34
- 1663 Functional traits and the growth-mortality trade-off in tropical trees. **2010**, 91, 3664-74 604
- 1662 Homeostasis of respiration under drought and its important consequences for foliar carbon balance in a drier climate: insights from two contrasting Acacia species. **2010**, 37, 323 33
- 1661 Drought stress ecophysiology of shrub and grass functional groups on opposing slope aspects of a temperate grassland valley. **2010**, 88, 850-866 12
- 1660 Complementary resource use by tree species in a rain forest tree plantation. **2010**, 20, 1237-54 29
- 1659 The influence of mixed tree plantations on the nutrition of individual species: a review. **2010**, 30, 1192-208 236

1658	Interspecific covariation between stomatal density and other functional leaf traits in a local flora. 2010 , 88, 30-38	23
1657	Phenology and wood density of plants growing in the semi-arid region of northeastern Brazil. 2010 , 74, 1363-1373	65
1656	Crops and weeds: the role of weed functional ecology in the identification of crop husbandry methods. 2010 , 37, 70-77	45
1655	Within-stand and seasonal variations of specific leaf area in a clonal Eucalyptus plantation in the Republic of Congo. 2010 , 259, 1796-1807	66
1654	Variability and grouping of leaf traits in multi-species reforestation (Leyte, Philippines). 2010 , 260, 846-855	8
1653	Biomass allocation in herbaceous plants under grazing impact in the high semi-arid Andes. 2010 , 205, 695-703	45
1652	Insect herbivory close to the Oligocene-Miocene transition: A quantitative analysis. 2010 , 292, 540-550	45
1651	Plant phenotypic plasticity in a changing climate. 2010 , 15, 684-92	1154
1650	Effects of forest fragmentation on the seedling recruitment of a tropical herb: assessing seed vs. safe-site limitation. 2010 , 91, 1317-28	46
1649	Plant size effects on the relationships among specific leaf area, leaf nutrient content, and photosynthetic capacity in tropical woody species. 2010 , 36, 149-159	38
1648	Ecophysiology of the invader Pennisetum setaceum and three native grasses in the Canary Islands. 2010 , 36, 248-254	15
1647	Assessment of canopy photosynthetic capacity and estimation of GPP by using spectral vegetation indices and the light response function in a larch forest. 2010 , 150, 389-398	32
1646	Functional trait and phylogenetic tests of community assembly across spatial scales in an Amazonian forest. 2010 , 80, 401-422	416
1645	Functional traits and environmental filtering drive community assembly in a species-rich tropical system. 2010 , 91, 386-98	349
1644	Carbon and nitrogen cycle dynamics in the O-CN land surface model: 1. Model description, site-scale evaluation, and sensitivity to parameter estimates. 2010 , 24, n/a-n/a	301
1643	Carbon and nitrogen cycle dynamics in the O-CN land surface model: 2. Role of the nitrogen cycle in the historical terrestrial carbon balance. 2010 , 24, n/a-n/a	209
1642	Carbon cost of plant nitrogen acquisition: A mechanistic, globally applicable model of plant nitrogen uptake, retranslocation, and fixation. 2010 , 24, n/a-n/a	148
1641	Carbon Sequestration in Forest Ecosystems. 2010 ,	66

1640	Plant geography upon the basis of functional traits: an example from eastern North American trees. 2010 , 91, 2234-41	112
1639	Leaves of pioneer and later-successional trees have similar lifetime carbon gain in tropical secondary forest. 2010 , 91, 1102-13	30
1638	Unlocking the forest inventory data: relating individual tree performance to unmeasured environmental factors. 2010 , 20, 684-99	35
1637	Understanding ecosystem retrogression. 2010 , 80, 509-529	280
1636	Leaf habit and woodiness regulate different leaf economy traits at a given nutrient supply. 2010 , 91, 3218-28	48
1635	The role of plant traits and their plasticity in the response of pasture grasses to nutrients and cutting frequency. 2010 , 105, 957-65	46
1634	Nutrient Limitations of Carbon Uptake: From Leaves to Landscapes in a California Rangeland Ecosystem. 2010 , 63, 120-127	
1633	Toward dynamic global vegetation models for simulating vegetation-climate interactions and feedbacks: recent developments, limitations, and future challenges. 2010 , 18, 333-353	110
1632	Intraspecific trait variation in grassland plant species reveals fine-scale strategy trade-offs and size differentiation that underpins performance in ecological communities. 2010 , 88, 939-952	16
1631	Morpho-functional adaptations in <i>Cakile maritima</i> Scop. subsp. <i>maritima</i> : comparison of two different morphological types. 2010 , 63, 411-421	16
1630	Long-term change in the nitrogen cycle of tropical forests. 2011 , 334, 664-6	203
1629	Plant Responses to Natural and Experimental Variations in Temperature in Alpine Tundra, Southern Yukon, Canada. 2011 , 43, 442-456	19
1628	Global-scale latitudinal patterns of plant fine-root nitrogen and phosphorus. 2011 , 2, 344	145
1627	Optimizing antenna size to maximize photosynthetic efficiency. 2011 , 155, 79-85	205
1626	Relationships among shoot tissue, canopy and photosynthetic characteristics in the feathermoss <i>Pleurozium schreberi</i> . 2011 , 114, 367-378	16
1625	Carbon, nitrogen, and phosphorus fluxes in household ecosystems in the Minneapolis-Saint Paul, Minnesota, urban region. 2011 , 21, 619-39	76
1624	Leaf extraction and analysis framework graphical user interface: segmenting and analyzing the structure of leaf veins and areoles. 2011 , 155, 236-45	77
1623	How useful are plant functional types in global simulations of the carbon, water, and energy cycles?. 2011 , 116,	35

1622	Integration of MODIS land and atmosphere products with a coupled-process model to estimate gross primary productivity and evapotranspiration from 1 km to global scales. 2011 , 25, n/a-n/a	251
1621	Seasonal variation of photosynthetic model parameters and leaf area index from global Fluxnet eddy covariance data. 2011 , 116,	32
1620	Ecosystem Perspectives on Leaf Longevity. 2011 , 109-119	2
1619	Leaves: Evolution, Ontogeny, and Death. 2011 , 7-21	1
1618	Theories of Leaf Longevity. 2011 , 41-56	1
1617	Biogeography of Leaf Longevity and Foliar Habit. 2011 , 99-108	1
1616	Phylogenetic Variation in Leaf Longevity. 2011 , 57-65	
1615	Key Elements of Foliar Function. 2011 , 67-76	
1614	Exogenous Influences on Leaf Longevity. 2011 , 87-97	
1613	Functional and phylogenetic diversity as predictors of biodiversity--ecosystem-function relationships. 2011 , 92, 1573-81	463
1612	Ecological strategies in California chaparral: interacting effects of soils, climate, and fire on specific leaf area. 2011 , 4, 179-188	34
1611	The role of evolutionary processes in producing biodiversity patterns, and the interrelationships between taxonomic, functional and phylogenetic biodiversity. 2011 , 98, 472-80	129
1610	Does trait plasticity of three boreal nutrient-conserving species relate to their competitive ability?. 2011 , 18, 382-393	6
1609	Is leaf dry matter content a better predictor of soil fertility than specific leaf area?. 2011 , 108, 1337-45	166
1608	Ecology of Leaf Longevity. 2011 ,	86
1607	Principles of Terrestrial Ecosystem Ecology. 2011 ,	616
1606	Multi-trait interactions, not phylogeny, fine-tune leaf size reduction with increasing altitude. 2011 , 107, 455-65	73
1605	Carbon Inputs to Ecosystems. 2011 , 123-156	6

1604	The evolution and functional significance of leaf shape in the angiosperms. 2011 , 38, 535-552	266
1603	Evidence for a three-way trade-off between nitrogen and phosphorus competitive abilities and cell size in phytoplankton. 2011 , 92, 2085-95	90
1602	Leaf trait variation of a dominant neotropical savanna tree across rainfall and fertility gradients. 2011 , 37, 455-461	14
1601	Assessing parameter variability in a photosynthesis model within and between plant functional types using global Fluxnet eddy covariance data. 2011 , 151, 22-38	105
1600	Photosynthetic physiology of eucalypts along a sub-continental rainfall gradient in northern Australia. 2011 , 151, 1462-1470	82
1599	Drought and ecosystem carbon cycling. 2011 , 151, 765-773	359
1598	Scientific contributions of extensive biodiversity monitoring. 2011 , 334, 370-7	25
1597	Production of n-alkyl lipids in living plants and implications for the geologic past. 2011 , 75, 7472-7485	219
1596	Growth and leaf production in the tropical palm <i>Euterpe edulis</i> : Light conditions versus developmental constraints. 2011 , 206, 742-748	18
1595	Air temperature and soil phosphorus availability correlate with trait differences between two types of tropical cloud forests. 2011 , 206, 896-903	28
1594	Inferring ecological disturbance in the fossil record: A case study from the late Oligocene of Ethiopia. 2011 , 309, 242-252	33
1593	When and how should intraspecific variability be considered in trait-based plant ecology?. 2011 , 13, 217-225	351
1592	Spectroscopy of canopy chemicals in humid tropical forests. 2011 , 115, 3587-3598	166
1591	Is plant ecology more siliceous than we realise?. 2011 , 16, 61-8	198
1590	Natural genetic variation in plant photosynthesis. 2011 , 16, 327-35	139
1589	The evolution of the worldwide leaf economics spectrum. 2011 , 26, 88-95	185
1588	Evergreens favored by higher responsiveness to increased CO ₂ . 2011 , 26, 136-42	94
1587	Improving assessment and modelling of climate change impacts on global terrestrial biodiversity. 2011 , 26, 249-59	230

1586	Fame, glory and neglect in meta-analyses. 2011 , 26, 493-4	29
1585	A generic structure for plant trait databases. 2011 , 2, 202-213	67
1584	Patterns of plant trait-environment relationships along a forest succession chronosequence. 2011 , 145, 38-48	62
1583	Covering Middle Leaves and Ears Reveals Differential Regulatory Roles of Vegetative and Reproductive Organs in Root Growth and Nitrogen Uptake in Maize. 2011 , 51, 265-272	21
1582	Stand Structure and Dynamics. 2011 , 4, 81-114	1
1581	Variety in evolutionary strategies favours biodiversity in habitats of moderate productivity. 2011 ,	
1580	Ecology and Traits of Plant Species that Compete with Boreal and Temperate Forest Conifers: An Overview of Available Information and its Use in Forest Management in Canada. 2011 , 87, 161-174	10
1579	Effects of light availability and growth rate on leaf lifespan of four temperate rainforest Proteaceae. 2011 , 84, 269-277	14
1578	A Review of Sea-Level Rise Effect on Mangrove Forest Species: Anatomical and Morphological Modifications. 2011 ,	5
1577	The role of plant functional trade-offs for biodiversity changes and biome shifts under scenarios of global climatic change. 2011 , 8, 1255-1266	24
1576	Plant communities as drivers of soil respiration: pathways, mechanisms, and significance for global change. 2011 , 8, 2047-2061	122
1575	Independent evolution of leaf and root traits within and among temperate grassland plant communities. 2011 , 6, e19992	73
1574	Managing soil nitrogen to restore annual grass-infested plant communities: effective strategy or incomplete framework?. 2011 , 21, 490-502	61
1573	A century of increasing pine density and associated shifts in understory plant strategies. 2011 , 92, 556-61	21
1572	Disturbance intensity and seasonality affect the resprouting ability of the neotropical dry-forest tree <i>Acacia pennatula</i> : do resources stored below-ground matter?. 2011 , 27, 539-546	16
1571	Forest type influences transmission of <i>Phytophthora ramorum</i> in California oak woodlands. 2011 , 101, 492-501	41
1570	Patterns of species diversity and functional diversity along the south to north-facing slope gradient in a sub-alpine meadow. 2011 , 12, 179-187	15
1569	Environmental controls on photosynthetic rates of lower montane cloud forest vegetation in south-western Colombia. 465-478	

1568	The tortoise and the hare? Post-fire regeneration in mixed Eucalyptus - Callitris forest. 2011 , 59, 575	11
1567	Lower P contents and more widespread terpene presence in old Bornean than in young Hawaiian tropical plant species guilds. 2011 , 2, art45	10
1566	Ecophysiological significance of leaf traits in <i>Cypripedium</i> and <i>Paphiopedilum</i> . 2011 , 141, 30-9	8
1565	Venation networks and the origin of the leaf economics spectrum. 2011 , 14, 91-100	156
1564	Global patterns of leaf mechanical properties. 2011 , 14, 301-12	314
1563	Biogeography and variability of eleven mineral elements in plant leaves across gradients of climate, soil and plant functional type in China. 2011 , 14, 788-96	281
1562	Relationships among net primary productivity, nutrients and climate in tropical rain forest: a pan-tropical analysis. 2011 , 14, 939-47	306
1561	Individual-scale variation, species-scale differences: inference needed to understand diversity. 2011 , 14, 1273-87	105
1560	Distinguishing local from global climate influences in the variation of carbon status with altitude in a tree line species. 2011 , 20, 307-318	39
1559	The maximum relative growth rate of common UK plant species is positively associated with their global invasiveness. 2011 , 20, 299-306	69
1558	Latitudinal decrease in folivory within <i>Nothofagus pumilio</i> forests: dual effect of climate on insect density and leaf traits?. 2011 , 20, 609-619	54
1557	Global to community scale differences in the prevalence of convergent over divergent leaf trait distributions in plant assemblages. 2011 , 20, 755-765	92
1556	Is N-resorption efficiency related to secondary compounds and leaf longevity in coexisting plant species of the arid Patagonian Monte, Argentina?. 2011 , 36, 395-402	5
1555	Device for the standard measurement of shoot flammability in the field. 2011 , 36, 821-829	39
1554	Functional differences between woodland savannas and seasonally dry forests from south-eastern Brazil: Evidence from 15N natural abundance studies. 2011 , 36, 974-982	16
1553	Low rainfall-induced shift in leaf trait relationship within species along a semi-arid sandy land transect in northern China. 2011 , 13, 85-92	13
1552	Photosynthetic acclimation to light in woody and herbaceous species: a comparison of leaf structure, pigment content and chlorophyll fluorescence characteristics measured in the field. 2012 , 14, 88-99	53
1551	Human impacts on leaf economics in heterogeneous landscapes: the effect of harvesting non-timber forest products from African mahogany across habitats and climates. 2011 , 48, 844-852	13

1550	Plant functional traits suggest novel ecological strategy for an invasive shrub in an understory woody plant community. 2011 , 48, 1098-1106	36
1549	Traits and ecological strategies of Australian tropical and temperate climbing plants. 2011 , 38, 828-839	19
1548	Dinitrogen-fixing Acacia species from phosphorus-impooverished soils resorb leaf phosphorus efficiently. 2011 , 34, 2060-70	21
1547	Three-dimensional xylem networks and phyllode properties of co-occurring Acacia. 2011 , 34, 2149-58	11
1546	Leaf pH as a plant trait: species-driven rather than soil-driven variation. 2011 , 25, 449-455	38
1545	Are temporal variations of leaf traits responsible for seasonal and inter-annual variability in ecosystem CO ₂ exchange?. 2011 , 25, 258-270	38
1544	Leaf economics traits predict litter decomposition of tropical plants and differ among land use types. 2011 , 25, 473-483	99
1543	Silicon concentration and leaf longevity: is silicon a player in the leaf dry mass spectrum?. 2011 , 25, 1181-1188	50
1542	Feedback of carbon and nitrogen cycles enhances carbon sequestration in the terrestrial biosphere. 2011 , 17, 819-842	67
1541	Taller and larger: shifts in Arctic tundra leaf traits after 16 years of experimental warming. 2011 , 17, 1013-1021	135
1540	Seasonal acclimation of leaf respiration in Eucalyptus saligna trees: impacts of elevated atmospheric CO ₂ and summer drought. 2011 , 17, 1560-1576	64
1539	TRY is a global database of plant traits. 2011 , 17, 2905-2935	1623
1538	Tree mortality in the eastern and central United States: patterns and drivers. 2011 , 17, 3312-3326	123
1537	Influence of four major plant traits on average height, leaf-area cover, net primary productivity, and biomass density in single-species forests: a theoretical investigation. 2011 , 99, 148-164	88
1536	Does global stoichiometric theory apply to bryophytes? Tests across an elevation-soil age ecosystem matrix on Mauna Loa, Hawaii. 2011 , 99, 122-134	23
1535	Using plant functional traits to understand the landscape distribution of multiple ecosystem services. 2011 , 99, 135-147	419
1534	Is rapid evolution common in introduced plant species?. 2011 , 99, 214-224	108
1533	Niche overlap reveals the effects of competition, disturbance and contrasting assembly processes in experimental grassland communities. 2011 , 99, 788-796	150

1532	Allocation of foliar phosphorus fractions and leaf traits of tropical tree species in response to decreased soil phosphorus availability on Mount Kinabalu, Borneo. 2011 , 99, 849-857	83
1531	Scaling from leaf traits to fire behaviour: community composition predicts fire severity in a temperate forest. 2011 , 99, 970-980	78
1530	Nitrification is linked to dominant leaf traits rather than functional diversity. 2011 , 99, 1091-1099	118
1529	Seed dispersal distance is more strongly correlated with plant height than with seed mass. 2011 , 99, 1299-1307	367
1528	Functional traits shape ontogenetic growth trajectories of rain forest tree species. 2011 , 99, 1431-1440	134
1527	Climatic constraints on trait-based forest assembly. 2011 , 99, 1489-1499	69
1526	The comparative importance of species traits and introduction characteristics in tropical plant invasions. 2011 , 17, 1111-1121	27
1525	Invasiveness in introduced Australian acacias: the role of species traits and genome size. 2011 , 17, 884-897	53
1524	Genetic Variation for Adaptive Traits in Bottlebrush Squirreltail in the Northern Intermountain West, United States. 2011 , 19, 460-469	5
1523	Intraspecific trait variation and covariation in a widespread tree species (<i>Nothofagus pumilio</i>) in southern Chile. 2011 , 189, 259-71	125
1522	Leaf traits and decomposition in tropical rainforests: revisiting some commonly held views and towards a new hypothesis. 2011 , 189, 950-65	176
1521	Sources of variability in canopy reflectance and the convergent properties of plants. 2011 , 189, 375-94	437
1520	Canopy phylogenetic, chemical and spectral assembly in a lowland Amazonian forest. 2011 , 189, 999-1012	158
1519	Steps towards a mechanistic understanding of respiratory temperature responses. 2011 , 189, 659-677	63
1518	Using log-log scaling slope analysis for determining the contributions to variability in biological variables such as leaf mass per area: why it works, when it works and how it can be extended. 2011 , 190, 5-8	17
1517	A critical framework for the assessment of biological palaeoproxies: predicting past climate and levels of atmospheric CO ₂ from fossil leaves. 2011 , 192, 29-44	63
1516	Distinct Leaf-trait Syndromes of Evergreen and Deciduous Trees in a Seasonally Dry Tropical Forest. 2011 , 43, 299-308	52
1515	Inter-specific Variation in Foliar Nutrients and Resorption of Nine Canopy-tree Species in a Secondary Neotropical Rain Forest. 2011 , 43, 544-551	15

1514	Modelling the impact of climate and land use change on the geographical distribution of leaf anatomy in a temperate flora. 2011 , 34, 507-518	6
1513	Phylogenetic community structure and phylogenetic turnover across space and edaphic gradients in western Amazonian tree communities. 2011 , 34, 552-565	204
1512	Functional traits of individual trees reveal ecological constraints on community assembly in tropical rain forests. 2011 , 120, 720-727	96
1511	Not so simple after all: searching for ecological advantages of compound leaves. 2011 , 120, 813-821	16
1510	Soil microbial communities adapt to genetic variation in leaf litter inputs. 2011 , 120, 1696-1704	51
1509	Ecophysiological traits of terrestrial and aquatic carnivorous plants: are the costs and benefits the same?. 2011 , 120, 1721-1731	27
1508	Trait-environment relations for dominant grasses in South African mesic grassland support a general leaf economic model. 2011 , 22, 528-540	37
1507	Testing the effect-response framework: key response and effect traits determining above-ground biomass of salt marshes. 2011 , 22, 387-401	46
1506	Leaf attributes and tree growth in a tropical dry forest. 2011 , 22, 917-931	55
1505	Plant responses to climate in the Cape Floristic Region of South Africa: evidence for adaptive differentiation in the Proteaceae. 2011 , 65, 108-24	39
1504	Assessing the evidence for latitudinal gradients in plant defence and herbivory. 2011 , 25, 380-388	275
1503	Facing up to the paradigm of ecological intensification in agronomy: Revisiting methods, concepts and knowledge. 2011 , 34, 197-210	302
1502	Diurnal and seasonal variations in photosynthetic and morphological traits of the tree ferns <i>Dicksonia antarctica</i> (Dicksoniaceae) and <i>Cyathea australis</i> (Cyatheaceae) in wet sclerophyll forests of Australia. 2011 , 70, 11-19	22
1501	Invasive species can handle higher leaf temperature under water stress than Mediterranean natives. 2011 , 71, 207-214	40
1500	Filtering of seed traits revealed by convergence and divergence patterns in subalpine grasslands. 2011 , 12, 423-431	7
1499	Microbially Mediated Plant Functional Traits. 2011 , 42, 23-46	329
1498	Plant functional traits with particular reference to tropical deciduous forests: a review. 2011 , 36, 963-81	40
1497	Relationships between Flowering Phenology and Functional Traits in Eastern Tibet Alpine Meadow. 2011 , 43, 585-592	28

1496	Plant leaf economics and reproductive investment are responsive to gradients of land use intensity. 2011 , 145, 67-76	21
1495	Effect of environment and shoot architecture on floral transition and gene expression in <i>Eucalyptus occidentalis</i> and <i>Metrosideros excelsa</i> . 2011 , 64, 53-61	6
1494	Do higher resource capture ability and utilization efficiency facilitate the successful invasion of native plants?. 2011 , 13, 869-881	39
1493	Superior performance and nutrient-use efficiency of invasive plants over non-invasive congeners in a resource-limited environment. 2011 , 13, 3005-3014	58
1492	Differential responses of plant functional trait to grazing between two contrasting dominant C3 and C4 species in a typical steppe of Inner Mongolia, China. 2011 , 340, 141-155	62
1491	Nature and nurture in the dynamics of C, N and P during litter decomposition in Canadian forests. 2011 , 339, 163-175	91
1490	Important foliar traits depend on species-grouping: analysis of a remnant temperate forest at the Keerqin Sandy Lands, China. 2011 , 340, 337-345	11
1489	Leaf dry matter content as a predictor of grassland litter decomposition: a test of the mass ratio hypothesis. 2011 , 342, 49-57	33
1488	Savanna soil fertility limits growth but not survival of tropical forest tree seedlings. 2011 , 349, 341-353	29
1487	Plant mineral nutrition in ancient landscapes: high plant species diversity on infertile soils is linked to functional diversity for nutritional strategies. 2011 , 348, 7-27	58
1486	Linking carbon balance to establishment patterns: comparison of whitebark pine and Engelmann spruce seedlings along an herb cover exposure gradient at treeline. 2011 , 212, 219-228	29
1485	Polyploidy and invasion success: trait trade-offs in native and introduced cytotypes of two Asteraceae species. 2011 , 212, 315-325	27
1484	Tree specific traits affect flowering time in Indian dry tropical forest. 2011 , 212, 985-998	14
1483	Nitrogen acquisition by annual and perennial grass seedlings: testing the roles of performance and plasticity to explain plant invasion. 2011 , 212, 1601-1611	36
1482	Legume seeders of the Cape Floristic Region inhabit more fertile soils than congeneric resprouters. 2011 , 212, 1979-1989	16
1481	Rainfall drives leaf traits and leaf nutrient resorption in a tropical dry forest in Mexico. 2011 , 165, 201-11	45
1480	Regeneration niche differentiates functional strategies of desert woody plant species. 2011 , 165, 477-87	72
1479	Predicting tropical plant physiology from leaf and canopy spectroscopy. 2011 , 165, 289-99	88

1478	Relationships among precipitation regime, nutrient availability, and carbon turnover in tropical rain forests. 2011 , 165, 783-95	50
1477	Trait assembly in plant assemblages and its modulation by productivity and disturbance. 2011 , 167, 209-18	45
1476	Effects of nutrient addition on leaf chemistry, morphology, and photosynthetic capacity of three bog shrubs. 2011 , 167, 355-68	60
1475	Within- and among-species variation in specific leaf area drive community assembly in a tropical cloud forest. 2011 , 167, 1103-13	53
1474	Leaf respiration/photosynthesis relationship and variation: an investigation of 39 woody and herbaceous species in east subtropical China. 2011 , 25, 301-310	11
1473	Mechanisms of Araucaria (Atlantic) Forest Expansion into Southern Brazilian Grasslands. 2011 , 14, 1354-1371	54
1472	Functional relationships between leaf structure and photosynthetic traits as modulated by irradiance and nutrient availability in a sclerophyllous and a non-sclerophyllous mediterranean oak species. 2011 , 130, 503-512	10
1471	Integrative response of plant mitochondrial electron transport chain to nitrogen source. 2011 , 30, 195-204	21
1470	General principles in the community ecology of ectomycorrhizal fungi. 2011 , 68, 45-55	45
1469	Secreted enzymatic activities of ectomycorrhizal fungi as a case study of functional diversity and functional redundancy. 2011 , 68, 69-80	36
1468	Spatio-temporal heterogeneity effects on seedling growth and establishment in four Quercus species. 2011 , 68, 1217-1232	18
1467	Remnant Populations and Plant Functional Traits in Abandoned Semi-Natural Grasslands. 2011 , 46, 165-179	49
1466	Trend of Santonian (Late Cretaceous) atmospheric CO ₂ and global mean land surface temperature: Evidence from plant fossils. 2011 , 54, 1338-1345	15
1465	Patterns and driving factors of WUE and NUE in natural forest ecosystems along the North-South Transect of Eastern China. 2011 , 21, 651-665	26
1464	Assessing adaptability of planted trees using leaf traits: A case study with Robinia pseudoacacia L. in the Loess Plateau, China. 2011 , 21, 290-303	15
1463	Dynamics of wetland vegetation under multiple stresses: a case study of changes in sawgrass trait, structure, and productivity under coupled plant-soil- microbe dynamics. 2011 , 4, 757-790	2
1462	Successful invaders co-opt pollinators of native flora and accumulate insect pollinators with increasing residence time. 2011 , 81, 277-293	67
1461	Tree size and light availability increase photochemical instead of non-photochemical capacities of Nothofagus nitida trees growing in an evergreen temperate rain forest. 2011 , 31, 1128-41	15

1460	Independent variation in photosynthetic capacity and stomatal conductance leads to differences in intrinsic water use efficiency in 11 soybean genotypes before and during mild drought. 2011 , 62, 2875-87	133
1459	Ant-dispersed herb colonization lags behind forest re-establishment1. 2011 , 138, 77-84	7
1458	Canopy processes in a changing climate. 2011 , 31, 887-92	5
1457	To what extent is altitudinal variation of functional traits driven by genetic adaptation in European oak and beech?. 2011 , 31, 1164-74	121
1456	Causes and implications of the correlation between forest productivity and tree mortality rates. 2011 , 81, 527-555	80
1455	Differentiation between true mangroves and mangrove associates based on leaf traits and salt contents. 2011 , 4, 292-301	53
1454	Patterns of diversity in leaves from canopies of Ginkgo biloba are revealed using Specific Leaf Area as a morphological character. 2011 , 98, 1068-76	9
1453	Angiosperm leaf vein patterns are linked to leaf functions in a global-scale data set. 2011 , 98, 244-53	70
1452	Nitrogen and water addition reduce leaf longevity of steppe species. 2011 , 107, 145-55	32
1451	Responses and feedbacks of coupled biogeochemical cycles to climate change: examples from terrestrial ecosystems. 2011 , 9, 61-67	159
1450	Taxonomy and remote sensing of leaf mass per area (LMA) in humid tropical forests. 2011 , 21, 85-98	117
1449	Deterministic tropical tree community turnover: evidence from patterns of functional beta diversity along an elevational gradient. 2011 , 278, 877-84	155
1448	Notice of Retraction: Use SMATR package of R to analysis the variation of plant leaf functional traits under contracting nutrient supply in Horqin Sandy Land. 2011 ,	
1447	Ecology of hemiepiphytism in fig species is based on evolutionary correlation of hydraulics and carbon economy. 2011 , 92, 2117-30	38
1446	Using plant functional traits to guide restoration: A case study in California coastal grassland. 2011 , 2, art23	41
1445	The stable isotope ecology of terrestrial plant succession. 2011 , 4, 117-130	19
1444	Quantifying the effect of nitrogen-induced physiological and structural changes on poplar growth using a carbon-balance model. 2011 , 31, 381-90	4
1443	The genetic architecture of ecophysiological and circadian traits in Brassica rapa. 2011 , 189, 375-90	45

1442	Leaf-trait variation explained by the hypothesis that plants maximize their canopy carbon export over the lifespan of leaves. 2011 , 31, 1007-23	33
1441	Landscape Controls on Structural Variation in Eucalypt Vegetation Communities: Woronora Plateau, Australia. 2011 , 42, 1-17	8
1440	Relative Growth Rate and Functional Traits of a Hybrid Species Reflect Adaptation to a Low-Fertility Habitat. 2011 , 172, 509-520	10
1439	RLQ and fourth-corner analysis of plant species traits and spectral indices derived from HyMap and CHRIS-PROBA imagery. 2012 , 33, 6459-6479	4
1438	Phylogenetic and functional alpha and beta diversity in temperate and tropical tree communities. 2012 , 93, S112-S125	152
1437	Photosynthetic capacity is negatively correlated with the concentration of leaf phenolic compounds across a range of different species. 2012 , 2012, pls025	20
1436	Does canopy mean nitrogen concentration explain variation in canopy light use efficiency across 14 contrasting forest sites?. 2012 , 32, 200-18	19
1435	Atmospheric nitrogen deposition and canopy retention influences on photosynthetic performance at two high nitrogen deposition Swiss forests. 2012 , 64, 17216	45
1434	Do changes in carbon allocation account for the growth response to potassium and sodium applications in tropical Eucalyptus plantations?. 2012 , 32, 667-79	46
1433	Relationship between leaf traits and fire-response strategies in shrub species of a mountainous region of south-eastern Australia. 2012 , 109, 197-208	9
1432	Resource limitation, tolerance, and the future of ecological plant classification. 2012 , 3, 246	37
1431	Key canopy traits drive forest productivity. 2012 , 279, 2128-34	120
1430	Predicting ecosystem dynamics at regional scales: an evaluation of a terrestrial biosphere model for the forests of northeastern North America. 2012 , 367, 222-35	67
1429	Within-species leaf trait variation and ecological flexibility in resprouting tropical trees. 2012 , 28, 527-530	3
1428	Rate of belowground carbon allocation differs with successional habit of two afro-montane trees. 2012 , 7, e45540	10
1427	Patterns of root respiration rates and morphological traits in 13 tree species in a tropical forest. 2012 , 32, 303-12	60
1426	Leaf-trait responses to irrigation of the endemic fog-oasis tree <i>Myrcianthes ferreyrae</i> : can a fog specialist benefit from regular watering?. 2012 , 32, 65-73	4
1425	Hydraulic differences along the water transport system of South American <i>Nothofagus</i> species: do leaves protect the stem functionality?. 2012 , 32, 880-93	78

1424	Photosynthetic thermotolerance of woody savanna species in China is correlated with leaf life span. 2012 , 110, 1027-33	19
1423	Plant traits mediate consumer and nutrient control on plant community productivity and diversity. 2012 , 93, 2705-18	41
1422	Trait convergence and plasticity among native and invasive species in resource-poor environments. 2012 , 99, 629-39	60
1421	Combined use of leaf size and economics traits allows direct comparison of hydrophyte and terrestrial herbaceous adaptive strategies. 2012 , 109, 1047-53	50
1420	Diversity and stability of ericaceous shrub cover during two disturbance experiments: one on heathland and one in forest. 2012 , 5, 275-287	8
1419	Roles of climate and functional traits in controlling toothed vs. untoothed leaf margins. 2012 , 99, 915-22	46
1418	Integrating physiological and biomechanical drivers of population growth over environmental gradients on coral reefs. 2012 , 215, 968-76	23
1417	Leaf trait-environment relationships in a subtropical broadleaved forest in South-East China. 2012 , 7, e35742	55
1416	Why does leaf nitrogen decline within tree canopies less rapidly than light? An explanation from optimization subject to a lower bound on leaf mass per area. 2012 , 32, 520-34	44
1415	Quantitative variation in water-use efficiency across water regimes and its relationship with circadian, vegetative, reproductive, and leaf gas-exchange traits. 2012 , 5, 653-68	57
1414	Contributions of leaf photosynthetic capacity, leaf angle and self-shading to the maximization of net photosynthesis in <i>Acer saccharum</i> : a modelling assessment. 2012 , 110, 731-41	19
1413	Setbacks to shoot growth are common in woody plants, so how are shoots of some species safer than others?. 2012 , 93, 1275-82	4
1412	Exploring phosphate effects on leaf flammability using a physical chemistry model. 2012 , 21, 1042	12
1411	Disturbance and resource availability act differently on the same suite of plant traits: revisiting assembly hypotheses. 2012 , 93, 825-35	19
1410	Correlations among leaf traits provide a significant constraint on the estimate of global gross primary production. 2012 , 39, n/a-n/a	47
1409	Leaf traits and persistence of relict and endangered tree species in a rare plant community. 2012 , 39, 512-518	
1408	Symposium 6: Toward Trait-Based Disease Ecology: Integrating Theory and Data Across Kingdoms. 2012 , 93, 95-99	
1407	A physiological analogy of the niche for projecting the potential distribution of plants. 2012 , 39, 2132-2145	52

1406	A global analysis of trait variation and evolution in climbing plants. 2012 , 39, 1757-1771	47
1405	A general modelling framework for resource-ratio and CSR theories of plant community dynamics. 2012 , 100, 1296-1302	16
1404	A common genetic basis to the origin of the leaf economics spectrum and metabolic scaling allometry. 2012 , 15, 1149-57	91
1403	Abiotic drivers and plant traits explain landscape-scale patterns in soil microbial communities. 2012 , 15, 1230-1239	371
1402	A predictive model of community assembly that incorporates intraspecific trait variation. 2012 , 15, 1291-1299	178
1401	The importance of leaf cuticle for carbon economy and mechanical strength. 2012 , 196, 441-447	29
1400	Isotopes reveal contrasting water use strategies among coexisting plant species in a Mediterranean ecosystem. 2012 , 196, 489-496	170
1399	Proteaceae from severely phosphorus-impooverished soils extensively replace phospholipids with galactolipids and sulfolipids during leaf development to achieve a high photosynthetic phosphorus-use-efficiency. 2012 , 196, 1098-1108	157
1398	Habitat filtering and niche differentiation jointly explain species relative abundance within grassland communities along fertility and disturbance gradients. 2012 , 196, 497-509	168
1397	No globally consistent effect of ectomycorrhizal status on foliar traits. 2012 , 196, 845-852	65
1396	Quantifying the importance of local niche-based and stochastic processes to tropical tree community assembly. 2012 , 93, 760-9	70
1395	Herbivory, growth rates, and habitat specialization in tropical tree lineages: implications for Amazonian beta-diversity. 2012 , 93, S195-S210	41
1394	Canopy conundrums: building on the Biosphere 2 experience to scale measurements of inner and outer canopy photoprotection from the leaf to the landscape. 2012 , 39, 1-24	35
1393	Opinion: prospects for improving photosynthesis by altering leaf anatomy. 2012 , 197, 92-101	73
1392	Plant trait responses to the environment and effects on ecosystem properties. 2012 , 13, 301-311	50
1391	The leaf-area shrinkage effect can bias paleoclimate and ecology research. 2012 , 99, 1756-63	40
1390	Nurse plant effects on plant species richness in drylands: the role of grazing, rainfall and species specificity. 2012 , 14, 402-410	47
1389	Predicting tropical insect herbivore abundance from host plant traits and phylogeny. 2012 , 93, S211-S222	77

1388	Synergistic interactions of CO ₂ enrichment and nitrogen deposition promote growth and ecophysiological advantages of invading <i>Eupatorium adenophorum</i> in Southwest China. 2012 , 236, 1205-13	22
1387	Responses of leaf structure and photosynthetic properties to intra-canopy light gradients: a common garden test with four broadleaf deciduous angiosperm and seven evergreen conifer tree species. 2012 , 170, 11-24	64
1386	Incorporating intraspecific variation in tests of trait-based community assembly. 2012 , 170, 767-75	72
1385	Testing the packing rule across the twig-petiole interface of temperate woody species. 2012 , 26, 1737-1745	4
1384	The elemental stoichiometry of aquatic and terrestrial ecosystems and its relationships with organismic lifestyle and ecosystem structure and function: a review and perspectives. 2012 , 111, 1-39	239
1383	Potential impacts of emerald ash borer invasion on biogeochemical and water cycling in residential landscapes across a metropolitan region. 2012 , 15, 1015-1030	4
1382	Productive leaf functional traits of Chinese savanna species. 2012 , 213, 1449-1460	14
1381	Leaf traits and relationships differ with season as well as among species groupings in a managed Southeastern China forest landscape. 2012 , 213, 1489-1502	12
1380	Relative contributions of crown and phenological traits to growth of a pseudo-backcross pine family (<i>Pinus</i>) and its pure species progenitors. 2012 , 8, 1281-1292	3
1379	Monitoring canopy chemistry with HypSIRI and other planned imaging spectrometers. 2012 ,	
1378	Ecological Principles Underpinning Invasive Plant Management Tools and Strategies. 2012 , 34, 27-29	
1377	Plant Nutrient Content Does Not Simply Increase with Elevation under the Extreme Environmental Conditions of Ladakh, NW Himalaya. 2012 , 44, 62-66	22
1376	Altitudinal Change in the Photosynthetic Capacity of Tropical Trees: A Case Study from Ecuador and a Pantropical Literature Analysis. 2012 , 15, 958-973	21
1375	Persistence of the Slow Growing Conifer <i>Picea canadensis</i> in Old-Growth and Fire-Disturbed Southern Bog Forests. 2012 , 15, 1158-1172	12
1374	A functional trait perspective on plant invasion. 2012 , 110, 141-53	207
1373	Strategies for size and growth in butterflies (Insecta: Lepidoptera): counterintuitive trends and unique solutions to achieving maturity. 2012 , 46, 2415-2437	4
1372	Relationship of a Landsat cumulative disturbance index to canopy nitrogen and forest structure. 2012 , 118, 40-49	15
1371	The effect of seasonal spectral variation on species classification in the Panamanian tropical forest. 2012 , 118, 73-82	67

1370	Mapping spatio-temporal variation of grassland quantity and quality using MERIS data and the PROSAIL model. 2012 , 121, 415-425	79
1369	Palaeoecology of <i>Macroneuropteris scheuchzeri</i> , and its implications for resolving the paradox of xeromorphic plants in Pennsylvanian wetlands. 2012 , 331-332, 162-176	33
1368	Deriving Plant Functional Types for Amazonian forests for use in vegetation dynamics models. 2012 , 14, 97-110	31
1367	Plant trait–Environment relationships in salt marshes: Deviations from predictions by ecological concepts. 2012 , 14, 183-192	44
1366	Phylogeny, ecology, and the coupling of comparative and experimental approaches. 2012 , 27, 394-403	78
1365	Impacts of biodiversity loss escalate through time as redundancy fades. 2012 , 336, 589-92	518
1364	Biogeography of species richness gradients: linking adaptive traits, demography and diversification. 2012 , 87, 457-79	32
1363	The importance of individuals: intraspecific diversity of mycorrhizal plants and fungi in ecosystems. 2012 , 194, 614-628	128
1362	Alien plant species with a wider global distribution are better able to capitalize on increased resource availability. 2012 , 194, 859-867	94
1361	Beware: alien invasion. Where to next for an understanding of weed ecology?. 2012 , 194, 602-605	4
1360	Relative embryo length as an adaptation to habitat and life cycle in Apiaceae. 2012 , 195, 479-487	35
1359	Opportunities for improving phosphorus-use efficiency in crop plants. 2012 , 195, 306-320	479
1358	Predicting fine root lifespan from plant functional traits in temperate trees. 2012 , 195, 823-831	279
1357	How cellulose-based leaf toughness and lamina density contribute to long leaf lifespans of shade-tolerant species. 2012 , 195, 640-652	81
1356	The relative importance for plant invasiveness of trait means, and their plasticity and integration in a multivariate framework. 2012 , 195, 912-922	61
1355	Multivariate analysis of physiological parameters reveals a consistent O ₃ response pattern in leaves of adult European beech (<i>Fagus sylvatica</i>). 2012 , 196, 162-172	13
1354	Like a jungle sometimes: how leaves survive in the rainforest understory. 2012 , 195, 507-509	0
1353	The role of roots in the resource economics spectrum. 2012 , 195, 725-727	68

1352	Effects of irrigation and rates and timing of nitrogen fertilizer on dry matter yield, proportions of plant fractions of maize and nutritive value and in vitro gas production characteristics of whole crop maize silage. 2012 , 172, 125-135	38
1351	Variation of morphological and chemical traits of perennial grasses in arid ecosystems. Are these patterns influenced by the relative abundance of shrubs?. 2012 , 41, 39-45	9
1350	Altitudinal variation in leaf construction cost and energy content of <i>Bergenia purpurascens</i> . 2012 , 43, 72-79	9
1349	On the temporal upscaling of evapotranspiration from instantaneous remote sensing measurements to 8-day mean daily-sums. 2012 , 152, 212-222	90
1348	Seasonal patterns of foliar reflectance in relation to photosynthetic capacity and color index in two co-occurring tree species, <i>Quercus rubra</i> and <i>Betula papyrifera</i> . 2012 , 160, 60-68	64
1347	Nutrient resorption of coexistence species in alpine meadow of the Qinghai-Tibetan Plateau explains plant adaptation to nutrient-poor environment. 2012 , 44, 1-9	48
1346	Frankincense tapping reduced photosynthetic carbon gain in <i>Boswellia papyrifera</i> (Burseraceae) trees. 2012 , 278, 1-8	15
1345	Phosphorus-mobilization ecosystem engineering: the roles of cluster roots and carboxylate exudation in young P-limited ecosystems. 2012 , 110, 329-48	125
1344	Sharing and re-use of phylogenetic trees (and associated data) to facilitate synthesis. 2012 , 5, 574	33
1343	Does the leaf economic spectrum hold within local species pools across varying environmental conditions?. 2012 , 26, 1390-1398	83
1342	Evidence for a plant community economics spectrum driven by nutrient and water limitations in a Mediterranean rangeland of southern France. 2012 , 100, 1315-1327	116
1341	Community assembly along a soil depth gradient: contrasting patterns of plant trait convergence and divergence in a Mediterranean rangeland. 2012 , 100, 1422-1433	238
1340	Quantifying the functional responses of vegetation to drought and oxygen stress in temperate ecosystems. 2012 , 26, 1355-1365	25
1339	Seasonal carbon dynamics and water fluxes in an Amazon rainforest. 2012 , 18, 1322-1334	76
1338	Developmentally based scaling of leaf venation architecture explains global ecological patterns. 2012 , 3, 837	200
1337	Interspecific prediction of photosynthetic light response curves using specific leaf mass and leaf nitrogen content: effects of differences in soil fertility and growth irradiance. 2012 , 109, 1149-57	22
1336	Phenotyping plants: genes, phenes and machines. 2012 , 39, 813-820	76
1335	Functional traits explain light and size response of growth rates in tropical tree species. 2012 , 93, 2626-36	110

1334	Interaction of Carbon and Nitrogen Metabolisms in Alpine Plants. 2012 , 121-134	3
1333	Within-species leaf size ÷ number trade-offs in herbaceous angiosperms. 2012 , 90, 223-235	15
1332	Relationships among leaf traits of Australian arid zone plants: alternative modes of thermal protection. 2012 , 60, 471	20
1331	Relationships between net primary productivity and forest stand age in U.S. forests. 2012 , 26,	95
1330	A mechanistic ecohydrological model to investigate complex interactions in cold and warm water-controlled environments: 1. Theoretical framework and plot-scale analysis. 2012 , 4, n/a-n/a	38
1329	A comparison of five classifications of species into functional groups in tropical forests of French Guiana. 2012 , 11, 75-83	14
1328	ThesauForm ÷ traits: A web based collaborative tool to develop a thesaurus for plant functional diversity research. 2012 , 11, 34-44	20
1327	Coordinated evolution of leaf and stem economics in tropical dry forest trees. 2012 , 93, 2397-406	108
1326	References. 2012 , 202-234	
1325	Coordination of physiological and structural traits in Amazon forest trees. 2012 , 9, 775-801	34
1324	Cascading effects of long-term land-use changes on plant traits and ecosystem functioning. 2012 , 93, 145-55	99
1323	Evolutionary Patterns and Biogeochemical Significance of Angiosperm Root Traits. 2012 , 173, 584-595	87
1322	Plants in Alpine Regions. 2012 ,	15
1321	Similarities in recruitment but differences in persistence in two related native and invasive trees: relevance of regenerative and vegetative attributes. 2012 , 60, 368	6
1320	Patterns of leaf morphology and leaf N content in relation to winter temperatures in three evergreen tree species. 2012 , 56, 915-26	14
1319	Elegance versus Speed: Examining the Competition between Conifer and Angiosperm Trees. 2012 , 173, 673-694	92
1318	Phylogenetic and functional characteristics of household yard floras and their changes along an urbanization gradient. 2012 , 93, S83-S98	97
1317	Functional traits analyses: Scaling-up from species to community level. 2012 , 357, 9-12	14

1316	Impacts of trait variation through observed trait-climate relationships on performance of a representative Earth System model: a conceptual analysis. 2012,	4
1315	Covariation in plant functional traits and soil fertility within two species-rich forests. 2012, 7, e34767	34
1314	Nitrogen and phosphorus limitation over long-term ecosystem development in terrestrial ecosystems. 2012, 7, e42045	79
1313	Altitudinal variation in leaf nitrogen concentration on the eastern slope of Mount Gongga on the Tibetan Plateau, China. 2012, 7, e44628	20
1312	Tropical Andean forests are highly susceptible to nutrient inputs--rapid effects of experimental N and P addition to an Ecuadorian montane forest. 2012, 7, e47128	96
1311	Trait values, not trait plasticity, best explain invasive species' performance in a changing environment. 2012, 7, e48821	65
1310	Testing the link between functional diversity and ecosystem functioning in a Minnesota grassland experiment. 2012, 7, e52821	56
1309	Exploring Simple Algorithms for Estimating Gross Primary Production in Forested Areas from Satellite Data. 2012, 4, 303-326	36
1308	References. 546-722	
1307	Nutrient limitation reduces land carbon uptake in simulations with a model of combined carbon, nitrogen and phosphorus cycling. 2012, 9, 3547-3569	219
1306	Climate Reconstruction from Leaf Size and Shape: New Developments and Challenges. 2012, 18, 195-212	23
1305	Plant-driven variation in decomposition rates improves projections of global litter stock distribution. 2012, 9, 565-576	92
1304	Functional regeneration and spectral reflectance of trees during succession in a highly diverse tropical dry forest ecosystem. 2012, 99, 816-26	71
1303	Variation in foliar nitrogen and albedo in response to nitrogen fertilization and elevated CO ₂ . 2012, 169, 915-25	19
1302	Significant variation in vegetation characteristics and dynamics from ecohydrological optimality of net carbon profit. 2012, 5, 1-18	21
1301	Tropical tree growth is correlated with soil phosphorus, potassium, and calcium, though not for legumes. 2012, 82, 189-203	105
1300	A trait-based approach to comparative functional plant ecology: concepts, methods and applications for agroecology. A review. 2012, 32, 365-399	270
1299	Plant traits across different habitats of the Italian Alps: a comparative analysis between native and alien species. 2012, 122, 11-21	26

1298	Biogeography of elytral ornaments in Palearctic genus <i>Carabus</i> : disentangling the effects of space, evolution and environment at a continental scale. 2012 , 26, 1025-1040	5
1297	Crop and soil nitrogen responses to phosphorus and potassium fertilization and drip irrigation under processing tomato. 2012 , 93, 151-162	3
1296	Photosynthesis, leaf morphology and chemistry of <i>Pinus koraiensis</i> and <i>Quercus mongolica</i> in broadleaved Korean pine mixed forest. 2012 , 50, 56-66	7
1295	Physiological and morphological leaf trait variations in two Apennine plant species in response to different altitudes. 2012 , 50, 15-23	22
1294	Photosynthetic nitrogen and water use efficiency of acacia and eucalypt seedlings as afforestation species. 2012 , 50, 273-281	23
1293	Effect of species, root branching order and season on the root traits of 13 perennial grass species. 2012 , 353, 47-57	52
1292	Community traitscape of foliar nitrogen isotopes reveals N availability patterns in a tallgrass prairie. 2012 , 356, 395-403	29
1291	Relationships between leaf morphological traits, nutrient concentrations and isotopic signatures for Mediterranean woody plant species and communities. 2012 , 357, 407-424	57
1290	Canopy structure, photosynthetic capacity and nitrogen distribution in adjacent mixed and monospecific stands of <i>Phragmites australis</i> and <i>Typha latifolia</i> . 2012 , 213, 821-829	21
1289	Unravelling the limits to tree height: a major role for water and nutrient trade-offs. 2012 , 169, 61-72	22
1288	Response of photosynthetic carbon gain to ecosystem retrogression of vascular plants and mosses in the boreal forest. 2012 , 169, 661-72	15
1287	Long-term physiological and morphological acclimation by the evergreen shrub <i>Buxus sempervirens</i> L. to understory and canopy gap light intensities. 2012 , 26, 479-491	20
1286	Wood trait-environment relationships in a secondary forest succession in South-East China. 2012 , 26, 641-651	9
1285	Sources of Canopy Chemical and Spectral Diversity in Lowland Bornean Forest. 2012 , 15, 504-517	70
1284	Effects of experimental warming on phenology, growth and gas exchange of treeline birch (<i>Betula utilis</i>) saplings, Eastern Tibetan Plateau, China. 2012 , 131, 811-819	44
1283	Growth and phenology variation in progeny of Scots pine seed orchards and commercial seed stands. 2012 , 131, 1229-1243	6
1282	Leaf functional traits and functional diversity of multistoried agroforests in West Java, Indonesia. 2012 , 149, 91-99	8
1281	Trajectories of weed communities explained by traits associated with species response to management practices. 2012 , 158, 147-155	102

1280	Lifetime return on investment increases with leaf lifespan among 10 Australian woodland species. 2012 , 193, 409-19	35
1279	Hydraulic conductance of leaves correlates with leaf lifespan: implications for lifetime carbon gain. 2012 , 193, 939-947	44
1278	Allometric covariation: a hallmark behavior of plants and leaves. 2012 , 193, 882-9	19
1277	Phylogenetic density dependence and environmental filtering predict seedling mortality in a tropical forest. 2012 , 15, 34-41	97
1276	Global quantification of contrasting leaf life span strategies for deciduous and evergreen species in response to environmental conditions. 2012 , 21, 224-235	87
1275	Floral, climatic and soil pH controls on leaf ash content in China's terrestrial plants. 2012 , 21, 376-382	24
1274	Growth and nitrogen use in <i>Xanthium canadense</i> grown in an open or in a dense stand. 2012 , 144, 335-45	6
1273	How fundamental plant functional trait relationships scale-up to trade-offs and synergies in ecosystem services. 2012 , 100, 128-140	197
1272	Succession-induced trait shifts across a wide range of NW European ecosystems are driven by light and modulated by initial abiotic conditions. 2012 , 100, 366-380	46
1271	Hydraulic conductance of <i>Acacia phyllodes</i> (foliage) is driven by primary nerve (vein) conductance and density. 2012 , 35, 158-68	31
1270	A plant economics spectrum of litter decomposability. 2012 , 26, 56-65	243
1269	Climate change and the invasion of California by grasses. 2012 , 18, 277-289	63
1268	On the importance of intraspecific variability for the quantification of functional diversity. 2012 , 121, 116-126	131
1267	Traits and growth of liana regeneration in primary and secondary forests of Central Amazonia. 2012 , 15, 108-118	4
1266	Individual-based trait analyses reveal assembly patterns in tree sapling communities. 2012 , 23, 176-186	25
1265	Stomatal and non-stomatal limitations to photosynthesis in seedlings and saplings of Mediterranean species pre-conditioned and aged in nurseries: Different response to water stress. 2012 , 75, 235-247	72
1264	Heat tolerance and suppression of oxidative stress: Comparative analysis of 25 cultivars of the C3 grass <i>Lolium perenne</i> . 2012 , 78, 10-17	13
1263	Photomorphogenic effects of UVB and UVA radiation on leaves of six Mediterranean sclerophyllous woody species subjected to two different watering regimes at the seedling stage. 2012 , 79, 66-75	24

1262	Functional trait divergence of juveniles and adults of nine Inga species with contrasting soil preference in a tropical rain forest. 2012 , 26, 1144-1152	22
1261	Leaf, stem and root tissue strategies across 758 Neotropical tree species. 2012 , 26, 1153-1161	119
1260	Incident radiation and the allocation of nitrogen within Arctic plant canopies: implications for predicting gross primary productivity. 2012 , 18, 2838-52	19
1259	Plant functional traits and nutrient gradients on grassland. 2012 , 67, 305-319	28
1258	Contrasting taxonomic and functional responses of a tropical tree community to selective logging. 2012 , 49, 861-870	81
1257	Soil resource availability shapes community trait structure in a species-rich dipterocarp forest. 2012 , 100, 643-651	69
1256	Multiple mechanisms for trait effects on litter decomposition: moving beyond home-field advantage with a new hypothesis. 2012 , 100, 619-630	172
1255	Which plant traits determine abundance under long-term shifts in soil resource availability and grazing intensity?. 2012 , 100, 662-677	88
1254	Changes in coexistence mechanisms along a long-term soil chronosequence revealed by functional trait diversity. 2012 , 100, 678-689	149
1253	Using functional traits and phylogenetic trees to examine the assembly of tropical tree communities. 2012 , 100, 690-701	156
1252	Leaf traits and litter flammability: evidence for non-additive mixture effects in a temperate forest. 2012 , 100, 1153-1163	75
1251	Trait evolution and the coexistence of a species swarm in the tropical forest understorey. 2012 , 100, 1183-1193	37
1250	Functional structure of an arid steppe plant community reveals similarities with Grime's C-S-R theory. 2012 , 23, 208-222	40
1249	Trait assembly of woody plants in communities across sub-alpine gradients: Identifying the role of limiting similarity. 2012 , 23, 698-708	25
1248	Different plant trait scaling in dry versus wet Central European meadows. 2012 , 23, 709-720	25
1247	Rare species drive local trait diversity in two geographically disjunct examples of a naturally rare alpine ecosystem in New Zealand. 2012 , 23, 626-639	15
1246	A combination of functionally different plant traits provides a means to quantitatively predict a broad range of species assemblages in NW Europe. 2012 , 35, 364-373	27
1245	The role of functional traits in species distributions revealed through a hierarchical model. 2012 , 35, 716-725	136

1244	Spatial patterns of functional divergence in old-field plant communities. 2012 , 121, 907-914	25
1243	Quantifying trait selection driving community assembly: a test in herbaceous plant communities under contrasted land use regimes. 2012 , 121, 1103-1111	21
1242	Contrasting patterns of trait-based community assembly in lianas and trees from temperate Australia. 2012 , 121, 2026-2035	10
1241	Tradeoffs between foliar silicon and carbon-based defences: evidence from vegetation communities of contrasting soil types. 2012 , 121, 2052-2060	80
1240	Mechanisms of ecological succession: insights from plant functional strategies. 2012 , 121, 1761-1770	87
1239	Elements of a dynamic systems model of canopy photosynthesis. 2012 , 15, 237-44	64
1238	Structure and diversity of <i>Erica ciliaris</i> and <i>Erica tetralix</i> heathlands at different successional stages after cutting. 2012 , 94, 34-40	12
1237	Seasonal patterns of herbivory, leaf traits and productivity consumption in dry and wet Patagonian forests. 2012 , 37, 193-203	26
1236	Exploration of community traits as ecological markers in microbial metagenomes. 2012 , 21, 1909-17	55
1235	The effect of historical legacy on adaptation: do closely related species respond to the environment in the same way?. 2012 , 25, 1636-49	31
1234	The determinants of leaf turgor loss point and prediction of drought tolerance of species and biomes: a global meta-analysis. 2012 , 15, 393-405	489
1233	Competitive interactions between forest trees are driven by species' trait hierarchy, not phylogenetic or functional similarity: implications for forest community assembly. 2012 , 15, 831-40	230
1232	Contrasting leaf chemical traits in tropical lianas and trees: implications for future forest composition. 2012 , 15, 1001-7	62
1231	Effect of geographical range size on plant functional traits and the relationships between plant, soil and climate in Chinese grasslands. 2012 , 21, 416-427	24
1230	Going beyond limitations of plant functional types when predicting global ecosystem atmosphere fluxes: exploring the merits of traits-based approaches. 2012 , 21, 625-636	149
1229	The biogeography and filtering of woody plant functional diversity in North and South America. 2012 , 21, 798-808	179
1228	Phylogenetic ecology of foliar N and P concentrations and N:P ratios across mediterranean-type ecosystems. 2012 , 21, 1147-1156	64
1227	Biogeographic constraints on the world-wide leaf economics spectrum. 2012 , 21, 1137-1146	39

1226	Analysis of the causes of variability of the dry leaf mass-per-area ratio. 2012 , 2, 238-253	6
1225	Comparative analyses of leaf anatomy of dicotyledonous species in Tibetan and Inner Mongolian grasslands. 2012 , 55, 68-79	11
1224	The residential landscape: fluxes of elements and the role of household decisions. 2012 , 15, 1-18	47
1223	Adaptive characteristics of grassland community structure and leaf traits along an altitudinal gradient on a subtropical mountain in Chongqing, China. 2012 , 213, 89-101	7
1222	Mechanisms and traits associated with compensation for defoliation in <i>Ruellia nudiflora</i> . 2012 , 213, 303-314	15
1221	Variation of growth and functional traits of invasive knotweeds (<i>Fallopia</i> spp.) in Belgium. 2012 , 213, 419-430	11
1220	Does taxonomic homogenization imply functional homogenization in temperate forest herb layer communities?. 2012 , 213, 431-443	17
1219	Impact of active transport and transpiration on nickel and cadmium accumulation in the leaves of the Ni-hyperaccumulator <i>Leptoplax emarginata</i> : a biophysical approach. 2012 , 350, 99-115	12
1218	Impact of simulated changes in rainfall regime and nutrient deposition on the relative dominance and isotopic composition of ruderal plants in anthropogenic grasslands. 2012 , 352, 303-319	8
1217	Leaf hydraulic vulnerability influences species' bioclimatic limits in a diverse group of woody angiosperms. 2012 , 168, 1-10	68
1216	Photosynthetic parameters, dark respiration and leaf traits in the canopy of a Peruvian tropical montane cloud forest. 2012 , 168, 23-34	45
1215	Nutrients limit photosynthesis in seedlings of a lowland tropical forest tree species. 2012 , 168, 311-9	58
1214	Impacts of species interactions on grass community productivity under contrasting management regimes. 2012 , 168, 761-71	21
1213	Contrasting functional trait syndromes underlay woody alien success in the same ecosystem. 2013 , 38, 443-451	31
1212	A unified framework for diversity gradients: the adaptive trait continuum. 2013 , 22, 6-18	35
1211	Four years of simulated climate change reduces above-ground productivity and alters functional diversity in a grassland ecosystem. 2013 , 24, 113-126	75
1210	Root trait responses of six temperate grassland species to intensive mowing and NPK fertilisation: a field study in a temperate grassland. 2013 , 373, 687-698	26
1209	Competitive interaction between the exotic plant <i>Rhus typhina</i> L. and the native tree <i>Quercus acutissima</i> Carr. in Northern China under different soil N:P ratios. 2013 , 372, 389-400	24

1208	Nutrient input from hemiparasitic litter favors plant species with a fast-growth strategy. 2013 , 371, 53-66	14
1207	Decoupled responses of tree and shrub leaf and litter trait values to ecosystem retrogression across an island area gradient. 2013 , 367, 183-197	29
1206	Grassland cutting regimes affect soil properties, and consequently vegetation composition and belowground plant traits. 2013 , 366, 401-413	17
1205	A new tool of the trade: plant-trait based approaches in microbial ecology. 2013 , 365, 35-40	13
1204	Different plant traits affect two pathways of riparian nitrogen removal in a restored freshwater wetland. 2013 , 365, 41-57	23
1203	Diffusional conductances to CO ₂ as a target for increasing photosynthesis and photosynthetic water-use efficiency. 2013 , 117, 45-59	218
1202	Delivering on a promise: integrating species traits to transform descriptive community ecology into a predictive science. 2013 , 32, 531-547	206
1201	Leaf and fine root carbon stocks and turnover are coupled across Arctic ecosystems. 2013 , 19, 3668-76	33
1200	Physiological mechanisms in plant growth models: do we need a supra-cellular systems biology approach?. 2013 , 36, 1673-90	63
1199	Phenotypic selection favors missing trait combinations in coexisting annual plants. 2013 , 182, 191-207	32
1198	Review of optical-based remote sensing for plant trait mapping. 2013 , 15, 1-16	213
1197	Does trait conservatism guarantee that indicators of phylogenetic community structure will reveal niche-based assembly processes along stress gradients?. 2013 , 24, 820-833	30
1196	Contrasting effects of productivity and disturbance on plant functional diversity at local and metacommunity scales. 2013 , 24, 834-842	75
1195	The ecology of differences: assessing community assembly with trait and evolutionary distances. 2013 , 16, 1234-44	218
1194	How do evergreen and deciduous species respond to shade? Tolerance and plasticity of subtropical tree and shrub species of South-East China. 2013 , 87, 179-190	22
1193	Phenotyping the kinematics of leaf development in flowering plants: recommendations and pitfalls. 2013 , 2, 809-21	11
1192	Species Assemblages, Macroecology, and Global Change. 2013 , 651-666	
1191	The temporal response to drought in a Mediterranean evergreen tree: comparing a regional precipitation gradient and a throughfall exclusion experiment. 2013 , 19, 2413-26	82

1190	Vegetation Dynamics. 2013 , 107-140	7
1189	A trait-based ecosystem model suggests that long-term responsiveness to rising atmospheric CO ₂ concentration is greater in slow-growing than fast-growing plants. 2013 , 27, 1011-1022	18
1188	Fertilisation residues alter leaf scleromorphy in an evergreen savannah shrub (<i>Maprounea brasiliensis</i> , Euphorbiaceae). 2013 , 61, 266	6
1187	Convergent succession of plant communities is linked to species functional traits. 2013 , 15, 217-225	16
1186	Nutritional status of <i>Abies pinsapo</i> forests along a nitrogen deposition gradient: do C/N/P stoichiometric shifts modify photosynthetic nutrient use efficiency?. 2013 , 171, 797-808	23
1185	Traits underpinning desiccation resistance explain distribution patterns of terrestrial isopods. 2013 , 172, 667-77	55
1184	Functional analysis of vegetation on alpine treeline ecotone in the Julian and Kamnik-Savinja Alps in Slovenia. 2013 , 132, 579-591	3
1183	Leaf growth dynamics in four plant species of the Patagonian Monte, Argentina. 2013 , 126, 497-503	4
1182	Assessing Cumulative Risks to Ecosystem Function. 2013 , 229-237	1
1181	Ecosystem Services of Energy Exchange and Regulation. 2013 , 81-92	1
1180	Specific leaf area: a predictive model using dried samples. 2013 , 61, 350	9
1179	Plant functional types and traits as biodiversity indicators for tropical forests: two biogeographically separated case studies including birds, mammals and termites. 2013 , 22, 1909-1930	32
1178	Litterfall Biomass, Chemistry, Leaf Area, and Links with Wider Ecosystem Functioning. 2013 , 251-264	1
1177	Determinant factors influencing the spatial distributions of subtropical lianas are correlated with components of functional trait spectra. 2013 , 28, 9-19	15
1176	Understanding ecological variation across species: area-based vs mass-based expression of leaf traits. 2013 , 199, 322-323	67
1175	The role of nutrients for improving seedling quality in drylands. 2013 , 44, 719-732	39
1174	Tradeoffs between functional strategies for resource-use and drought-survival in Mediterranean rangeland species. 2013 , 87, 126-136	57
1173	Modifying the GDAY process-based model to simulate the spatial variability of <i>Eucalyptus</i> plantation growth on deep tropical soils. 2013 , 301, 112-128	20

1172	Heavy metal accumulation in leaves affects physiological performance and litter quality of <i>Quercus ilex</i> L.. 2013 , 176, 776-784	15
1171	Trait-based tests of coexistence mechanisms. 2013 , 16, 1294-306	320
1170	Common leaf life span of co-dominant species in a continuously grazed temperate pasture. 2013 , 14, 54-63	15
1169	Intraspecific growth and functional leaf trait responses to natural soil resource gradients for conifer species with contrasting leaf habit. 2013 , 33, 297-310	16
1168	Plant functional traits and community assembly along interacting gradients of productivity and fragmentation. 2013 , 15, 304-318	43
1167	The Structure, Distribution, and Biomass of the World's Forests. 2013 , 44, 593-622	419
1166	Scale dependence in the effects of leaf ecophysiological traits on photosynthesis: Bayesian parameterization of photosynthesis models. 2013 , 200, 1132-44	44
1165	Integrative biomechanics for tree ecology: beyond wood density and strength. 2013 , 64, 4793-815	56
1164	Global leaf trait relationships: mass, area, and the leaf economics spectrum. 2013 , 340, 741-4	266
1163	Exploring variation in leaf mass per area (LMA) from leaf to cell: an anatomical analysis of 26 woody species. 2013 , 100, 1969-80	69
1162	Linking ethylene to nitrogen-dependent leaf longevity of grass species in a temperate steppe. 2013 , 112, 1879-85	6
1161	Morphological and physiological adaptive traits of Mediterranean narrow endemic plants: The case of <i>Centaurea gymnocarpa</i> (Capraia Island, Italy). 2013 , 208, 174-183	9
1160	A trait-based framework to understand life history of mycorrhizal fungi. 2013 , 18, 484-91	335
1159	Highly local environmental variability promotes intrapopulation divergence of quantitative traits: an example from tropical rain forest trees. 2013 , 112, 1169-79	22
1158	Effect of dust load on the leaf attributes of the tree species growing along the roadside. 2013 , 185, 383-91	38
1157	Size-dependent changes in leaf and wood chemical traits in two Caribbean rainforest trees. 2013 , 33, 1338-53	31
1156	Using strategically applied grazing to manage invasive alien plants in novel grasslands. 2013 , 2,	16
1155	Uncovering multiscale effects of aridity and biotic interactions on the functional structure of Mediterranean shrublands. 2013 , 101, 637-649	104

1154	Within- and between-site variations in leaf longevity in hinoki cypress (<i>Chamaecyparis obtusa</i>) plantations in southwestern Japan. 2013 , 18, 256-269	16
1153	Simulated warming does not impair seedling survival and growth of <i>Nothofagus pumilio</i> in the southern Andes. 2013 , 15, 97-105	22
1152	Plant functional traits reveal the relative contribution of habitat and food preferences to the diet of grasshoppers. 2013 , 173, 1459-70	59
1151	Development of models for estimating leaf chlorophyll and nitrogen contents in tree species with respect to seasonal changes. 2013 , 51, 531-540	3
1150	Adaptive responses to directional trait selection in the Miocene enabled Cape proteas to colonize the savanna grasslands. 2013 , 27, 1099-1115	34
1149	The effects of stand structure on specific needle area in closed-canopy Chinese pine plantations. 2013 , 18, 445-453	4
1148	Slow-growing species cope best with drought: evidence from long-term measurements in a tropical semi-deciduous moist forest of Central Africa. 2013 , 101, 1459-1470	55
1147	Foliar nitrogen in relation to plant traits and reflectance properties of New Hampshire forests. 2013 , 43, 18-27	13
1146	Hierarchical effects of environmental filters on the functional structure of plant communities: a case study in the French Alps. 2013 , 36, 393-402	194
1145	Phenotypic correlates of the lianescent growth form: a review. 2013 , 112, 1667-81	59
1144	Relationship between photosynthetic phosphorus-use efficiency and foliar phosphorus fractions in tropical tree species. 2013 , 3, 4872-80	44
1143	Plants do not count—or do they? New perspectives on the universality of senescence. 2013 , 101, 545-554	42
1142	Ontogeny strongly and differentially alters leaf economic and other key traits in three diverse <i>Helianthus</i> species. 2013 , 64, 4089-99	46
1141	Functional relationships between leaf hydraulics and leaf economic traits in response to nutrient addition in subtropical tree species. 2013 , 33, 1308-18	37
1140	Assessing leaf nitrogen content and leaf mass per unit area of wheat in the field throughout plant cycle with a portable spectrometer. 2013 , 140, 44-50	83
1139	Intraspecific variation in growth and yield response to elevated CO ₂ in wheat depends on the differences of leaf mass per unit area. 2013 , 40, 185-194	37
1138	Coordinated distributed experiments: an emerging tool for testing global hypotheses in ecology and environmental science. 2013 , 11, 147-155	191
1137	Remote sensing of canopy chemistry. 2013 , 110, 804-5	52

1136	Evolution of fast-growing and more resistant phenotypes in introduced common mullein (<i>Verbascum thapsus</i>). 2013 , 101, 378-387	34
1135	Hyperspectral analysis of mangrove foliar chemistry using PLSR and support vector regression. 2013 , 34, 1724-1743	68
1134	Nitrogen partitioning in oak leaves depends on species, provenance, climate conditions and soil type. 2013 , 15 Suppl 1, 198-209	24
1133	Does complementarity in leaf phenology and inclination promote co-existence in a species-rich meadow? Evidence from functional groups. 2013 , 24, 94-100	16
1132	Management alters interspecific leaf trait relationships and trait-based species rankings in permanent meadows. 2013 , 24, 239-250	19
1131	Salinity tolerance and the decoupling of resource axis plant traits. 2013 , 24, 365-374	17
1130	Inter-specific and intra-specific trait variation along short environmental gradients in an old-growth temperate forest. 2013 , 24, 419-428	123
1129	Temperature and functional traits influence differences in nitrogen uptake capacity between native and invasive grasses. 2013 , 171, 51-60	30
1128	Intra-specific and inter-specific variation in specific leaf area reveal the importance of abiotic and biotic drivers of species diversity across elevation and latitude. 2013 , 24, 921-931	103
1127	Are functional traits and litter decomposability coordinated across leaves, twigs and wood? A test using temperate rainforest tree species. 2013 , 122, 1131-1142	29
1126	High reproductive efficiency as an adaptive strategy in competitive environments. 2013 , 27, 876-885	46
1125	Life-history constraints in grassland plant species: a growth-defence trade-off is the norm. 2013 , 16, 513-21	118
1124	Distribution and ecological consequences of ploidy variation in <i>Artemisia sieberi</i> in Iran. 2013 , 53, 95-101	3
1123	Distribution of leaf characteristics in relation to orientation within the canopy of woody species. 2013 , 48, 13-20	4
1122	From site-level to global simulation: Reconciling carbon, water and energy fluxes over different spatial scales using a process-based ecophysiological land-surface model. 2013 , 176, 111-124	15
1121	The evolution of autotrophy in relation to phosphorus requirement. 2013 , 64, 4023-46	35
1120	Differences in forest plant functional trait distributions across land-use and productivity gradients. 2013 , 100, 1356-68	19
1119	Utility of information in photographs taken upwards from the floor of closed-canopy deciduous broadleaved and closed-canopy evergreen coniferous forests for continuous observation of canopy phenology. 2013 , 18, 10-19	13

1118	The environment and space, not phylogeny, determine trait dispersion in a subtropical forest. 2013 , 27, 264-272	50
1117	Plant functional diversity and carbon storage – An empirical test in semi-arid forest ecosystems. 2013 , 101, 18-28	209
1116	An experimental framework to identify community functional components driving ecosystem processes and services delivery. 2013 , 101, 29-37	74
1115	Plant functional effects on ecosystem services. 2013 , 101, 4-8	162
1114	Relationships of overstory trees and shrubs with forage species portray ecosystem service interactions in smallholder fallows. 2013 , 87, 451-464	2
1113	The assembly of tropical tree communities – the advances and shortcomings of phylogenetic and functional trait analyses. 2013 , 36, 264-276	163
1112	Environmental variability promotes plant invasion. 2013 , 4, 1604	90
1111	Turnover of plant lineages shapes herbivore phylogenetic beta diversity along ecological gradients. 2013 , 16, 600-8	59
1110	Mechanisms of plant competition for nutrients, water and light. 2013 , 27, 833-840	291
1109	Simple plant traits explain functional group diversity decline in novel grassland communities of Texas. 2013 , 214, 231-241	8
1108	Ecological variation in leaf biomechanics and its scaling with tissue structure across three mediterranean-climate plant communities. 2013 , 27, 544-554	27
1107	Functional beta-diversity patterns reveal deterministic community assembly processes in eastern North American trees. 2013 , 22, 682-691	83
1106	Unravelling the architecture of functional variability in wild populations of L. 2013 , 27, 382-391	32
1105	Contrasting leaf trait scaling relationships in tropical and temperate wet forest species. 2013 , 27, 522-534	34
1104	Conservative leaf economic traits correlate with fast growth of genotypes of a foundation riparian species near the thermal maximum extent of its geographic range. 2013 , 27, 428-438	66
1103	Successional changes in functional composition contrast for dry and wet tropical forest. 2013 , 94, 1211-6	180
1102	Allocating CSR plant functional types: the use of leaf economics and size traits to classify woody and herbaceous vascular plants. 2013 , 27, 1002-1010	145
1101	Microbially Mediated Plant Functional Traits. 2013 , 87-102	20

1100	Leaf venation: structure, function, development, evolution, ecology and applications in the past, present and future. 2013 , 198, 983-1000	407
1099	New handbook for standardised measurement of plant functional traits worldwide. 2013 , 61, 167	1983
1098	Factors driving plant rarity in dry grasslands on different spatial scales: a functional trait approach. 2013 , 22, 2337-2352	15
1097	Altered dynamics of forest recovery under a changing climate. 2013 , 19, 2001-21	180
1096	Variation of first-order root traits across climatic gradients and evolutionary trends in geological time. 2013 , 22, 846-856	115
1095	Global biogeography of autotroph chemistry: is insolation a driving force?. 2013 , 122, 1121-1130	42
1094	Seasonality and phenology alter functional leaf traits. 2013 , 172, 653-65	55
1093	Effects of space partitioning in a plant species diversity model. 2013 , 251, 271-278	7
1092	Preferences or plasticity in nitrogen acquisition by understorey palms in a tropical montane forest. 2013 , 101, 819-825	36
1091	Climate and litter quality differently modulate the effects of soil fauna on litter decomposition across biomes. 2013 , 16, 1045-53	314
1090	Partitioning phylogenetic and functional diversity into alpha and beta components along an environmental gradient in a Mediterranean rangeland. 2013 , 24, 877-889	36
1089	Facilitating feedbacks between field measurements and ecosystem models. 2013 , 83, 133-154	109
1088	Do alien plant species profit more from high resource supply than natives? A trait-based analysis. 2013 , 22, 648-658	80
1087	Genotypic variation in traits linked to climate and aboveground productivity in a widespread C ₄ grass: evidence for a functional trait syndrome. 2013 , 199, 966-980	55
1086	Photosynthesis limitations in three fern species. 2013 , 149, 599-611	33
1085	The mycorrhizal-associated nutrient economy: a new framework for predicting carbon-nutrient couplings in temperate forests. 2013 , 199, 41-51	476
1084	Tree species effects on nutrient cycling and soil biota: A feedback mechanism favouring species coexistence. 2013 , 309, 36-46	88
1083	Functional diversity in root and above-ground traits in a fertile grassland shows a detrimental effect on productivity. 2013 , 14, 208-216	20

1082	Trait-mediated effects of environmental filtering on tree community dynamics. 2013 , 101, 722-733	45
1081	Foliar chemistry and standing folivory of early and late-successional species in a Bornean rainforest. 2013 , 6, 245-256	9
1080	Using tree functional diversity to evaluate management impacts in a subtropical forest. 2013 , 4, 1-17	20
1079	Assessing the causes and scales of the leaf economics spectrum using venation networks in <i>Populus tremuloides</i> . 2013 , 101, 981-989	56
1078	Dynamic Global Vegetation Models. 2013 , 670-689	19
1077	Genetically based vertical transmission drives the frequency of the symbiosis between grasses and systemic fungal endophytes. 2013 , 101, 743-752	15
1076	The need for a canopy perspective to understand the importance of phenotypic plasticity for promoting species coexistence and light-use complementarity in forest ecosystems. 2013 , 28, 191-198	26
1075	Resource-use strategies of native and invasive plants in Eastern North American forests. 2013 , 200, 523-533	80
1074	Leaf nitrogen and phosphorus concentrations of woody plants differ in responses to climate, soil and plant growth form. 2013 , 36, 178-184	139
1073	Variability in functional traits mediates plant interactions along stress gradients. 2013 , 101, 753-762	146
1072	Large herbivores favour species diversity but have mixed impacts on phylogenetic community structure in an African savanna ecosystem. 2013 , 101, 614-625	25
1071	Do plant traits retrieved from a database accurately predict on-site measurements?. 2013 , 101, 662-670	81
1070	The pace and shape of senescence in angiosperms. 2013 , 101, 596-606	79
1069	Interspecific vs intraspecific patterns in leaf nitrogen of forest trees across nitrogen availability gradients. 2013 , 200, 112-121	16
1068	Advances in modeling trait-based plant community assembly. 2013 , 18, 584-93	62
1067	Robust tests for one or more allometric lines. 2013 , 333, 38-46	19
1066	Linking litter decomposition of above- and below-ground organs to plant-soil feedbacks worldwide. 2013 , 101, 943-952	265
1065	Leaf adaptations of evergreen and deciduous trees of semi-arid and humid savannas on three continents. 2013 , 101, 430-440	80

1064	Next-generation dynamic global vegetation models: learning from community ecology. 2013 , 198, 957-969	300
1063	Linking traits between plants and invertebrate herbivores to track functional effects of land-use changes. 2013 , 24, 949-962	54
1062	Branching, nitrogen distribution, and carbon gain in solitary plants of an annual herb, <i>Xanthium canadense</i> . 2013 , 214, 1493-1504	2
1061	Black Spot: a platform for automated and rapid estimation of leaf area from scanned images. 2013 , 214, 1529-1534	18
1060	Effects of Urbanization on Tree Species Functional Diversity in Eastern North America. 2013 , 16, 1487-1497	38
1059	Global diversity of drought tolerance and grassland climate-change resilience. 2013 , 3, 63-67	173
1058	Leaf mesophyll conductance and leaf hydraulic conductance: an introduction to their measurement and coordination. 2013 , 64, 3965-81	136
1057	Relationships between functional traits and the ability of forest tree species to reestablish in secondary forest and enrichment plantations in the uplands of northern Thailand. 2013 , 296, 9-23	16
1056	Plant Functional Types and Traits at the Community, Ecosystem and World Level. 2013 , 347-386	15
1055	Ammonia in the atmosphere: a review on emission sources, atmospheric chemistry and deposition on terrestrial bodies. 2013 , 20, 8092-131	454
1054	Intra-Specific Leaf Trait Variation: Management and Fertility Matter More than the Climate at Continental Scales. 2013 , 48, 355-371	20
1053	How do leaf veins influence the worldwide leaf economic spectrum? Review and synthesis. 2013 , 64, 4053-80	130
1052	Developmental instability is genetically correlated with phenotypic plasticity, constraining heritability, and fitness. 2013 , 67, 2923-35	63
1051	Plant functional traits match grazing gradient and vegetation patterns on mountain pastures in SW Kyrgyzstan. 2013 , 43, 171-181	7
1050	Predicting yields of short-rotation hybrid poplar (<i>Populus</i> spp.) for the United States through model-data synthesis. 2013 , 23, 944-58	29
1049	Whole-plant trait spectra of North American woody plant species reflect fundamental ecological strategies. 2013 , 4, art128	39
1048	Foliar respiration and its temperature sensitivity in trees and lianas: in situ measurements in the upper canopy of a tropical forest. 2013 , 33, 505-15	40
1047	Nitrogen stress affects the turnover and size of nitrogen pools supplying leaf growth in a grass. 2013 , 162, 2095-105	17

1046	Variation in leaf and twig CO ₂ flux as a function of plant size: a comparison of seedlings, saplings and trees. 2013 , 33, 713-29	27
1045	Connecting the Green and Brown Worlds: Allometric and Stoichiometric Predictability of Above- and Below-Ground Networks. 2013 , 49, 69-175	74
1044	Different responses in leaf pigments and leaf mass per area to altitude between evergreen and deciduous woody species. 2013 , 61, 424	13
1043	Disentangling the contribution of biological and physical properties of leaves and canopies in imaging spectroscopy data. 2013 , 110, E1074	43
1042	Integration of root phenes for soil resource acquisition. 2013 , 4, 355	148
1041	Intraspecific functional trait variation and performance of <i>Populus tremuloides</i> . 2013 , 4, 527	1
1040	The physiology of invasive plants in low-resource environments. 2013 , 1, cot026	119
1039	Life history and resource acquisition: Photosynthetic traits in selected accessions of three perennial cereal species compared with annual wheat and rye. 2013 , 100, 2468-77	9
1038	Fibre wall and lumen fractions drive wood density variation across 24 Australian angiosperms. 2013 , 5,	81
1037	Association between minor loading vein architecture and light- and CO ₂ -saturated rates of photosynthetic oxygen evolution among <i>Arabidopsis thaliana</i> ecotypes from different latitudes. 2013 , 4, 264	34
1036	Interspecific coordination and intraspecific plasticity of fine root traits in North American temperate tree species. 2013 , 4, 242	34
1035	Intraspecific variation in root and leaf traits and leaf-root trait linkages in eight aspen demes (<i>Populus tremula</i> and <i>P. tremuloides</i>). 2013 , 4, 415	35
1034	Scaling of xylem and phloem transport capacity and resource usage with tree size. 2013 , 4, 496	39
1033	Bushmeat hunting changes regeneration of African rainforests. 2013 , 280, 20130246	155
1032	Defining pyromes and global syndromes of fire regimes. 2013 , 110, 6442-7	372
1031	Phosphorus nutrition of phosphorus-sensitive Australian native plants: threats to plant communities in a global biodiversity hotspot. 2013 , 1, cot010	60
1030	Downregulation of net phosphorus-uptake capacity is inversely related to leaf phosphorus-resorption proficiency in four species from a phosphorus-impooverished environment. 2013 , 111, 445-54	59
1029	Importance of leaf anatomy in determining mesophyll diffusion conductance to CO ₂ across species: quantitative limitations and scaling up by models. 2013 , 64, 2269-81	277

1028	Ecosystem-level consequences of symbiont partnerships in an N-fixing shrub from interior Alaskan floodplains. 2013 , 83, 177-194	18
1027	Phylogenetic influences on leaf trait integration in <i>Pelargonium</i> (Geraniaceae): convergence, divergence, and historical adaptation to a rapidly changing climate. 2013 , 100, 1306-21	18
1026	Growth of tree seedlings in a tropical dry forest in relation to soil moisture and leaf traits. 2013 , 6, 158-170	21
1025	Environmental and community controls on plant canopy chemistry in a Mediterranean-type ecosystem. 2013 , 110, 6895-900	59
1024	<i>Potomacapnos apeleutheron</i> gen. et sp. nov., a new Early Cretaceous angiosperm from the Potomac Group and its implications for the evolution of eudicot leaf architecture. 2013 , 100, 2437-49	18
1023	Contrasting trait syndromes in angiosperms and conifers are associated with different responses of tree growth to temperature on a large scale. 2013 , 4, 409	112
1022	Going Back to Basics: Importance of Ecophysiology when Choosing Functional Traits for Studying Communities and Ecosystems. 2013 , 11, 15-22	25
1021	Relative effects of phylogeny, biological characters and environments on leaf traits in shrub biomes across central Inner Mongolia, China. 2013 , 6, 220-231	15
1020	On the complementary relationship between marginal nitrogen and water-use efficiencies among <i>Pinus taeda</i> leaves grown under ambient and CO ₂ -enriched environments. 2013 , 111, 467-77	35
1019	Leaf trait dissimilarities between Dutch elm hybrids with a contrasting tolerance to Dutch elm disease. 2013 , 111, 215-27	15
1018	Environmental and ontogenetic effects on intraspecific trait variation of a macrophyte species across five ecological scales. 2013 , 8, e62794	20
1017	Trait plasticity, not values, best corresponds with woodland plant success in novel and manipulated habitats. 2013 , 6, 201-210	7
1016	A broader perspective on plant domestication and nutrient and carbon cycling. 2013 , 198, 331-333	10
1015	Plant-Environment Interactions. 2013 , 1065-1166	9
1014	A functional comparative approach to facilitation and its context dependence. 2013 , 27, 907-917	75
1013	Combining food web and species distribution models for improved community projections. 2013 , 3, 4572-83	37
1012	Correlations between physical and chemical defences in plants: tradeoffs, syndromes, or just many different ways to skin a herbivorous cat?. 2013 , 198, 252-263	94
1011	Vascular plant diversity on the roof of the world: Spatial patterns and environmental determinants. 2013 , 51, 371-381	14

1010	New Phytologist and the Earth system. 2013 , 199, 305-307	0
1009	Leaf life span spectrum of tropical woody seedlings: effects of light and ontogeny and consequences for survival. 2013 , 112, 685-99	37
1008	The within-species leaf economic spectrum does not predict leaf litter decomposability at either the within-species or whole community levels. 2013 , 101, 1409-1419	35
1007	Effect of environmental variables and stand structure on ecosystem respiration components in a Mediterranean beech forest. 2013 , 33, 960-72	29
1006	Leaf traits within communities: context may affect the mapping of traits to function. 2013 , 94, 1893-7	73
1005	Photosynthetically relevant foliar traits correlating better on a mass vs an area basis: of ecophysiological relevance or just a case of mathematical imperatives and statistical quicksand?. 2013 , 199, 311-321	100
1004	Landscape and environmental controls over leaf and ecosystem carbon dioxide fluxes under woody plant expansion. 2013 , 101, 1471-1483	19
1003	Fossil evidence for a hyperdiverse sclerophyll flora under a non-Mediterranean-type climate. 2013 , 110, 3423-8	62
1002	Functional traits predict relationship between plant abundance dynamic and long-term climate warming. 2013 , 110, 18180-4	136
1001	Climate drives vein anatomy in Proteaceae. 2013 , 100, 1483-93	23
1000	Plant functional strategies and environmental constraints in Mediterranean high mountain grasslands in central Spain. 2013 , 6, 435-446	20
999	Engaging students by emphasising botanical concepts over techniques: innovative practical exercises using virtual microscopy. 2013 , 47, 123-127	13
998	Hyperspectral remote sensing of foliar nitrogen content. 2013 , 110, E185-92	310
997	Shifts in stomatal traits following the domestication of plant species. 2013 , 64, 3137-46	31
996	Root Water Uptake and Water Flow in the SoilRoot Domain. 2013 , 368-385	11
995	Incorporating temperature-sensitive Q10 and foliar respiration acclimation algorithms modifies modeled ecosystem responses to global change. 2013 , 118, 77-90	36
994	Alternative ways of using field-based estimates to calibrate ecosystem models and their implications for carbon cycle studies. 2013 , 118, 983-993	4
993	High sensitivity of a tropical rainforest to water variability: Evidence from 10 years of inventory and eddy flux data. 2013 , 118, 9393-9400	19

992	Effects of Plant Functional Types, Climate and Soil Nitrogen on Leaf Nitrogen along the North-South Transect of Eastern China. 2013 , 4, 125-131	4
991	Maize Nutrient Accumulation and Partitioning in Response to Plant Density and Nitrogen Rate: I. Macronutrients. 2013 , 105, 783-795	95
990	References. 361-395	
989	Feedback and Modularization in a Bayesian Meta-analysis of Tree Traits Affecting Forest Dynamics. 2013 , 8,	20
988	Impacts of trait variation through observed trait-climate relationships on performance of an Earth system model: a conceptual analysis. 2013 , 10, 5497-5515	99
987	Relaci3n entre riqueza de especies y diversidad funcional de atributos foliares en dos ensamblajes de especies siempreverdes de un bosque templado lluvioso. 2013 , 70, 177-187	1
986	Species traits predict assemblage dynamics at ephemeral resource patches created by carrion. 2013 , 8, e53961	39
985	Preference and performance in plant-herbivore interactions across latitude--a study in U.S. Atlantic salt marshes. 2013 , 8, e59829	14
984	Plant trait-species abundance relationships vary with environmental properties in subtropical forests in eastern china. 2013 , 8, e61113	21
983	Responses of nutrients and mobile carbohydrates in <i>Quercus variabilis</i> seedlings to environmental variations using in situ and ex situ experiments. 2013 , 8, e61192	5
982	Mechanisms for success after long-term nutrient enrichment in a boreal forest understory. 2013 , 8, e61229	6
981	Toward trait-based mortality models for tropical forests. 2013 , 8, e63678	21
980	A comparison of the recruitment success of introduced and native species under natural conditions. 2013 , 8, e72509	11
979	Functional traits reveal processes driving natural afforestation at large spatial scales. 2013 , 8, e75219	6
978	Leaf longevity as a normalization constant in allometric predictions of plant production. 2013 , 8, e81873	7
977	Plant traits demonstrate that temperate and tropical giant eucalypt forests are ecologically convergent with rainforest not savanna. 2013 , 8, e84378	24
976	Trait Estimation in Herbaceous Plant Assemblages from in situ Canopy Spectra. 2013 , 5, 6323-6345	17
975	<i>Acacia sieberiana</i> Effects on Soil Properties and Plant Diversity in Songa Pastures, Rwanda. 2013 , 2013, 1-11	6

974	The climate dependence of the terrestrial carbon cycle, including parameter and structural uncertainties. 2013 , 10, 583-606	38
973	Why Do Some Evergreen Species Keep Their Leaves for a Second Winter, While Others Lose Them?. 2014 , 5, 2594-2612	4
972	Leaf phenological characters of main tree species in urban forest of Shenyang. 2014 , 9, e99277	9
971	Integrating stand and soil properties to understand foliar nutrient dynamics during forest succession following slash-and-burn agriculture in the Bolivian Amazon. 2014 , 9, e86042	8
970	The altitudinal patterns of leaf C:N:P stoichiometry are regulated by plant growth form, climate and soil on Changbai Mountain, China. 2014 , 9, e95196	49
969	Are there consistent grazing indicators in Drylands? Testing plant functional types of various complexity in South Africa's Grassland and Savanna Biomes. 2014 , 9, e104672	33
968	Stress tolerance and ecophysiological ability of an invader and a native species in a seasonally dry tropical forest. 2014 , 9, e105514	17
967	Community functional responses to soil and climate at multiple spatial scales: when does intraspecific variation matter?. 2014 , 9, e111189	33
966	Contrasting photosynthetic characteristics of forest vs. savanna species (Far North Queensland, Australia). 2014 , 11, 7331-7347	14
965	Are Commonly Measured Functional Traits Involved in Tropical Tree Responses to Climate?. 2014 , 2014, 1-10	10
964	Do soil fertilization and forest canopy foliage affect the growth and photosynthesis of Amazonian saplings?. 2014 , 71, 58-65	8
963	Modeling stomatal conductance in the earth system: linking leaf water-use efficiency and water transport along the soil-plant-atmosphere continuum. 2014 , 7, 2193-2222	216
962	Classification of Grassland Successional Stages Using Airborne Hyperspectral Imagery. 2014 , 6, 7732-7761	24
961	Linking rainforest ecophysiology and microclimate through fusion of airborne LiDAR and hyperspectral imagery. 2014 , 5, art57	10
960	Variation in 13 leaf morphological and physiological traits within a silver birch (<i>Betula pendula</i>) stand and their relation to growth. 2014 , 44, 657-665	24
959	Experimentally reduced root-microbe interactions reveal limited plasticity in functional root traits in <i>Acer</i> and <i>Quercus</i> . 2014 , 113, 513-21	9
958	Ontogenetic trait variation influences tree community assembly across environmental gradients. 2014 , 5, art129	44
957	Leaf mass per area is independent of vein length per area: avoiding pitfalls when modelling phenotypic integration (reply to Blonder et al. 2014). 2014 , 65, 5115-23	21

956	Revisiting Darwin's hypothesis: Does greater intraspecific variability increase species' ecological breadth?. 2014 , 101, 56-62	59
955	Beyond leaf color: Comparing camera-based phenological metrics with leaf biochemical, biophysical, and spectral properties throughout the growing season of a temperate deciduous forest. 2014 , 119, 181-191	95
954	Canopy chemistry expresses the life-history strategies of lianas and trees. 2014 , 299-308	4
953	The evolution of angiosperm lianescence: a perspective from xylem structure-function. 2014 , 221-238	9
952	Designing forest biodiversity experiments: general considerations illustrated by a new large experiment in subtropical China. 2014 , 5, 74-89	179
951	Biogeographic variation in evergreen conifer needle longevity and impacts on boreal forest carbon cycle projections. 2014 , 111, 13703-8	85
950	Herbicide and fertilizers promote analogous phylogenetic responses but opposite functional responses in plant communities. 2014 , 9, 024016	19
949	From a conceptual framework to an operational approach for managing grassland functional diversity to obtain targeted ecosystem services: Case studies from French mountains. 2014 , 29, 239-254	11
948	A model of seasonal foliage dynamics of the subtropical mangrove species <i>Rhizophora stylosa</i> Griff. growing at the northern limit of its distribution. 2014 , 1,	
947	Ontogenetic transition in leaf traits: a new cost associated with the increase in leaf longevity. 2014 , 7, 567-575	25
946	Trait-mediated assembly processes predict successional changes in community diversity of tropical forests. 2014 , 111, 5616-21	116
945	On the packing and filling of functional space in eastern North American tree assemblages. 2014 , n/a-n/a	11
944	Light drives vertical gradients of leaf morphology in a sugar maple (<i>Acer saccharum</i>) forest. 2014 , 34, 146-58	34
943	Elevation matters: contrasting effects of climate change on the vegetation development at different elevations in the Bavarian Alps. 2014 , 124, 143-154	27
942	Phosphorus limitation on photosynthesis of two dominant understory species in a lowland tropical forest. 2014 , 7, 526-534	21
941	The ecological adaptability of four typical plants during the early successional stage of a tropical rainforest. 2014 , 148, 288-296	3
940	Physiological implications of the liana growth form. 2014 , 288-298	8
939	Plant ecological strategies shift across the Cretaceous-Paleogene boundary. 2014 , 12, e1001949	31

938	A model using marginal efficiency of investment to analyze carbon and nitrogen interactions in terrestrial ecosystems (ACONITE Version 1). 2014 , 7, 2015-2037	37
937	Leaf Nitrogen and Phosphorus Stoichiometry of Plants from Natural and Restorable Communities at Lands Used for Qinghai-Tibet Highway Construction, China. 2014 , 62, 227-238	1
936	Improving modeling of the 'dark part' of canopy carbon gain. 2014 , 34, 557-63	7
935	Leaf silica concentration in Serengeti grasses increases with watering but not clipping: insights from a common garden study and literature review. 2014 , 5, 568	43
934	Photosynthetic ecophysiology of evergreen leaves in the woody angiosperms: a review. 2014 , 72, 3-27	16
933	Comparative and Interactive Effects of Reduced Precipitation Frequency and Volume on the Growth and Function of Two Perennial Grassland Species. 2014 , 175, 702-712	8
932	Sapling leaf trait responses to light, tree height and soil nutrients for three conifer species of contrasting shade tolerance. 2014 , 34, 1334-47	11
931	Stimulating seedling growth in early stages of secondary forest succession: a modeling approach to guide tree liberation. 2014 , 5, 345	7
930	Structural adjustments in resprouting trees drive differences in post-fire transpiration. 2014 , 34, 123-36	25
929	Coupled estimation of surface heat fluxes and vegetation dynamics from remotely sensed land surface temperature and fraction of photosynthetically active radiation. 2014 , 50, 8420-8440	26
928	Canopy position affects the relationships between leaf respiration and associated traits in a tropical rainforest in Far North Queensland. 2014 , 34, 564-84	62
927	Different responses of plant species to deferment of sheep grazing in a desert steppe of Inner Mongolia, China. 2014 , 36, 583	11
926	Why is living fast dangerous? Disentangling the roles of resistance and tolerance of disease. 2014 , 184, 172-87	26
925	Integrating plant hydraulics and gas exchange along the drought-response trait spectrum. 2014 , 34, 1031-4	22
924	Functional traits composition predict macrophytes community productivity along a water depth gradient in a freshwater lake. 2014 , 4, 1516-23	46
923	Predicting leaf traits of herbaceous species from their spectral characteristics. 2014 , 4, 706-19	47
922	The world-wide fast-slow plant economics spectrum: a traits manifesto. 2014 , 102, 275-301	1531
921	Functional trait space and the latitudinal diversity gradient. 2014 , 111, 13745-50	220

920	A fully traits-based approach to modeling global vegetation distribution. 2014 , 111, 13733-8	145
919	Using trait and phylogenetic diversity to evaluate the generality of the stress-dominance hypothesis in eastern North American tree communities. 2014 , 37, 814-826	77
918	Leaf form and photosynthetic physiology of Dryopteris species distributed along light gradients in eastern North America. 2014 , 28, 108-123	21
917	Global meta-analysis of trait consistency of non-native plants between their native and introduced areas. 2014 , 23, 264-273	27
916	Filling the gap in functional trait databases: use of ecological hypotheses to replace missing data. 2014 , 4, 944-58	43
915	Ecological and evolutionary lability of plant traits affecting carbon and nutrient cycling. 2014 , 102, 302-314	41
914	Adaptation to spring heat and drought in northeastern Spanish Arabidopsis thaliana. 2014 , 201, 323-334	54
913	Relationships between phyllosphere bacterial communities and plant functional traits in a neotropical forest. 2014 , 111, 13715-20	302
912	Sexually different physiological responses of Populus cathayana to nitrogen and phosphorus deficiencies. 2014 , 34, 343-54	75
911	Foliar functional traits that predict plant biomass response to warming. 2014 , 25, 919-927	28
910	Mechanical vulnerability explains size-dependent mortality of reef corals. 2014 , 17, 1008-15	98
909	Wood nitrogen concentrations in tropical trees: phylogenetic patterns and ecological correlates. 2014 , 204, 484-495	28
908	Using spatial simulations of habitat modification for adaptive management of protected areas: Mediterranean grassland modification by woody plant encroachment. 2014 , 41, 144-156	23
907	Optimal nitrogen distribution within a leaf canopy under direct and diffuse light. 2014 , 37, 2077-85	52
906	Changing leaf nitrogen and canopy height quantify processes leading to plant and butterfly diversity loss in agricultural landscapes. 2014 , 28, 1284-1291	12
905	Effects of herbivory on leaf life span in woody plants: a meta-analysis. 2014 , 102, 873-881	31
904	Adaptive differentiation of traits related to resource use in a desert annual along a resource gradient. 2014 , 201, 1316-1327	46
903	Association between photosynthesis and contrasting features of minor veins in leaves of summer annuals loading phloem via symplastic versus apoplastic routes. 2014 , 152, 174-83	44

902	Species richness of limestone grasslands increases with trait overlap: evidence from within- and between-species functional diversity partitioning. 2014 , 102, 466-474	47
901	Internal and external regulation of plant organ stoichiometry. 2014 , 16, 897-907	62
900	Functional distinctiveness of major plant lineages. 2014 , 102, 345-356	87
899	The relationship of leaf photosynthetic traits - V _{cmax} and J _{max} - to leaf nitrogen, leaf phosphorus, and specific leaf area: a meta-analysis and modeling study. 2014 , 4, 3218-35	222
898	Epigenetic variation predicts regional and local intraspecific functional diversity in a perennial herb. 2014 , 23, 4926-38	59
897	Trait correlation networks: a whole-plant perspective on the recently criticized leaf economic spectrum. 2014 , 201, 378-382	93
896	Trait-based community assembly of aquatic macrophytes along a water depth gradient in a freshwater lake. 2014 , 59, 2462-2471	43
895	Interspecific variation in the size-dependent resprouting ability of temperate woody species and its adaptive significance. 2014 , 102, 209-220	20
894	Understanding the ecosystem implications of the angiosperm rise to dominance: leaf litter decomposability among magnoliids and other basal angiosperms. 2014 , 102, 337-344	12
893	Changes in local-scale intraspecific trait variability of dominant species across contrasting island ecosystems. 2014 , 5, art26	14
892	Nutrient enrichment and local competition influence the evolution of plant mineralization strategy: a modelling approach. 2014 , 102, 357-366	11
891	Adult root structure of Mediterranean shrubs: relationship with post-fire regenerative syndrome. 2014 , 16, 147-54	7
890	Are threatened plant species specialists, or just more vulnerable to disturbance?. 2014 , 51, 1228-1235	3
889	Quantitative genetic analysis indicates natural selection on leaf phenotypes across wild tomato species (<i>Solanum</i> sect. <i>Lycopersicon</i> ; Solanaceae). 2014 , 198, 1629-43	32
888	Trait-based classification and manipulation of plant functional groups for biodiversityecosystem function experiments. 2014 , 25, 248-261	39
887	Difference in shade tolerance affects foliageapwood response to thinning by two eucalypts. 2014 , 76, 93-100	4
886	Exploring the generality of associations between plant functional traits: evidence within ecological groups along an altitudinal gradient in Hyrcanian forest. 2014 , 29, E31-E39	2
885	Point process models, the dimensions of biodiversity and the importance of small-scale biotic interactions. 2014 , 7, 126-133	3

- 884 Belowground advantages in construction cost facilitate a cryptic plant invasion. **2014**, 6, 21
- 883 Effect of light on the growth and photosynthesis of an invasive shrub in its native range. **2014**, 6, 3
- 882 Spatial and temporal functional changes in alpine summit vegetation are driven by increases in shrubs and graminoids. **2014**, 6, 30
- 881 Biological traits are correlated with elevational distribution range of eastern Tibetan herbaceous species. **2014**, 215, 1187-1198 6
- 880 Early evidence of xeromorphy in angiosperms: stomatal encryption in a new eocene species of *Banksia* (Proteaceae) from Western Australia. **2014**, 101, 1486-97 21
- 879 Stoichiometry of root and leaf nitrogen and phosphorus in a dry alpine steppe on the Northern Tibetan Plateau. **2014**, 9, e109052 26
- 878 Biogeochemical Interactions Governing Terrestrial Net Primary Production. **2014**, 189-216 6
- 877 Seasonal variations in leaf $\delta^{13}C$ values: implications for different water-use strategies among species growing on continuous dolomite outcrops in subtropical China. **2014**, 36, 2571-2579 20
- 876 Genotypic trait variation modifies effects of climate warming and nitrogen deposition on litter mass loss and microbial respiration. **2014**, 20, 3780-9 21
- 875 Species divergence and phylogenetic variation of ecophysiological traits in lianas and trees. **2014**, 9, e99871 7
- 874 Physiological Ecology of Peatland Bryophytes. **2014**, 233-252 12
- 873 Increased Photosynthetic Capacity as a Mechanism of Drought Adaptation in C3 Plants. **2014**, 175, 1033-1041 6
- 872 Performance and Phenotypic Variation of American Chestnut (*Castanea dentata*) Hybrids on Newly Reclaimed Mine Sites in Eastern Ohio, USA. **2014**, 32, 379-387 3
- 871 Analysing Amazonian forest productivity using a new individual and trait-based model (TFS v.1). **2014**, 7, 1251-1269 72
- 870 Multivariate genetic analysis of plant responses to water deficit and high temperature revealed contrasting adaptive strategies. **2014**, 65, 6457-69 29
- 869 Functional megadiversity. **2014**, 111, 5763-4 6
- 868 Relative effects of different leaf attributes on sapling growth in tropical dry forest. **2014**, 7, 544-558 14
- 867 Cohort-specific tuning of foliage physiology to interacting stresses in evergreens. **2014**, 34, 1301-4 10

866	Seasonal change in light partitioning among coexisting species of different functional groups along elevation gradient in subalpine moorlands. 2014 , 204, 913-23	7
865	Leaf architectural, vascular and photosynthetic acclimation to temperature in two biennials. 2014 , 152, 763-72	23
864	Functional and phylogenetic assembly in a Chinese tropical tree community across size classes, spatial scales and habitats. 2014 , 28, 520-529	92
863	Maintenance of constant functional diversity during secondary succession of a subtropical forest in China. 2014 , 25, 897-911	18
862	Functional traits of cryptogams in Mediterranean ecosystems are driven by water, light and substrate interactions. 2014 , 25, 778-792	35
861	Consequences of facilitation: one plant's benefit is another plant's cost. 2014 , 28, 500-508	42
860	Elevational trends in leaf size of <i>Campylotropis polyantha</i> in the arid Minjiang River valley, SW China. 2014 , 108, 1-9	21
859	Specific leaf area responses to environmental gradients through space and time. 2014 , 95, 399-410	105
858	Historical biogeography of the Isthmus of Panama. 2014 , 89, 148-72	136
857	Agroecological weed control using a functional approach: a review of cropping systems diversity. 2014 , 34, 103-119	84
856	Gaps in knowledge and data driving uncertainty in models of photosynthesis. 2014 , 119, 3-14	44
855	Convergent effects of elevation on functional leaf traits within and among species. 2014 , 28, 37-45	140
854	Environmental factors predict community functional composition in Amazonian forests. 2014 , 102, 145-155	100
853	No plant functional diversity effects on foliar fungal pathogens in experimental tree communities. 2014 , 66, 139-151	31
852	Stronger Short-Term Effects of Mowing Than Extreme Summer Weather on a Subalpine Grassland. 2014 , 17, 458-472	21
851	Periodicity of leaf growth and leaf dry mass changes in the evergreen and deciduous species of Southern Assam, India. 2014 , 29, 153-165	9
850	Volatile organic compound emissions from under interacting drought and herbivory stresses. 2014 , 100, 55-63	84
849	The intrinsic dimensionality of plant traits and its relevance to community assembly. 2014 , 102, 186-193	225

848	Community assembly by limiting similarity vs. competitive hierarchies: testing the consequences of dispersion of individual traits. 2014 , 102, 156-166	76
847	Predicting plant invasions under climate change: are species distribution models validated by field trials?. 2014 , 20, 2800-14	36
846	A modified nonrectangular hyperbola equation for photosynthetic light-response curves of leaves with different nitrogen status. 2014 , 52, 117-123	21
845	Together but different: co-occurring dune plant species differ in their water- and nitrogen-use strategies. 2014 , 174, 651-63	23
844	Strategy of nitrogen acquisition and utilization by carnivorous <i>Dionaea muscipula</i> . 2014 , 174, 839-51	22
843	Advancing biodiversity-ecosystem functioning science using high-density tree-based experiments over functional diversity gradients. 2014 , 174, 609-21	69
842	CSR analysis of plant functional types in highly diverse tropical grasslands of harsh environments. 2014 , 215, 379-388	75
841	Variable effects of nutrient enrichment on soil respiration in mangrove forests. 2014 , 379, 135-148	30
840	Effects of biotic and abiotic factors on $\delta^{15}N$ in young <i>Pinus radiata</i> . 2014 , 133, 631-637	4
839	Effects of elevated CO_2 warming and precipitation change on plant growth, photosynthesis and peroxidation in dominant species from North China grassland. 2014 , 239, 421-35	91
838	Environmental effects on growth phenology of co-occurring <i>Eucalyptus</i> species. 2014 , 58, 427-442	11
837	Simplifying data acquisition in plant canopies- Measurements of leaf angles with a cell phone. 2014 , 5, 132-140	11
836	Within-species variability is the main driver of community-level responses of traits of epiphytes across a long-term chronosequence. 2014 , 28, 1513-1522	24
835	Functional diversity analysis helps to identify filters affecting community assembly after fen restoration by top-soil removal and hay transfer. 2014 , 22, 50-58	25
834	Shifts in functional traits among tree communities across succession in eastern deciduous forests. 2014 , 324, 179-185	21
833	Trait variability differs between leaf and wood tissues across ecological scales in subtropical forests. 2014 , 25, 703-714	20
832	Why are some microbes more ubiquitous than others? Predicting the habitat breadth of soil bacteria. 2014 , 17, 794-802	147
831	Estimation of water-related biochemical and biophysical vegetation properties using multitemporal airborne hyperspectral data and its comparison to MODIS spectral response. 2014 , 148, 28-41	73

830	Trait-based scaling of temperature-dependent foliar respiration in a species-rich tropical forest canopy. 2014 , 28, 1074-1086	27
829	Adaptive and nonadaptive genome size evolution in Karst endemic flora of China. 2014 , 202, 1371-1381	64
828	The Tree of Life in ecosystems: evolution of plant effects on carbon and nutrient cycling. 2014 , 102, 269-274	20
827	Nitrogen Deposition, Critical Loads and Biodiversity. 2014 ,	24
826	Leaf life span and the leaf economic spectrum in the context of whole plant architecture. 2014 , 102, 328-336	68
825	Which is a better predictor of plant traits: temperature or precipitation?. 2014 , 25, 1167-1180	217
824	Functional traits determine plant co-occurrence more than environment or evolutionary relatedness in global drylands. 2014 , 16, 164-173	52
823	Transpiration and stomatal control: a cross-species study of leaf traits in 39 evergreen and deciduous broadleaved subtropical tree species. 2014 , 28, 901-914	26
822	Linking functional traits and demographic rates in a subtropical tree community: the importance of size dependency. 2014 , 102, 641-650	65
821	Drawing ecological inferences from coincident patterns of population- and community-level biodiversity. 2014 , 23, 2890-901	91
820	Making the best of the worst of times: traits underlying combined shade and drought tolerance of <i>Ruscus aculeatus</i> and <i>Ruscus microglossum</i> (Asparagaceae). 2013 , 41, 11-24	16
819	Traits of plant communities in fragmented forests: the relative influence of habitat spatial configuration and local abiotic conditions. 2014 , 102, 632-640	22
818	Functional diversity of leaf nitrogen concentrations drives grassland carbon fluxes. 2014 , 17, 435-44	68
817	A novel index of leaf RGR predicts tree shade tolerance. 2014 , 28, 1321-1329	12
816	Community assembly and functional diversity along succession post-management. 2014 , 28, 1256-1265	88
815	Arctic canopy photosynthetic efficiency enhanced under diffuse light, linked to a reduction in the fraction of the canopy in deep shade. 2014 , 202, 1267-1276	48
814	Difference in defense strategy in flower heads and leaves of Asteraceae: multiple-species approach. 2014 , 174, 227-39	9
813	Deriving leaf mass per area (LMA) from foliar reflectance across a variety of plant species using continuous wavelet analysis. 2014 , 87, 28-38	76

812	Diversity increases carbon storage and tree productivity in Spanish forests. 2014 , 23, 311-322	186
811	The role of functional traits and individual variation in the co-occurrence of <i>Ficus</i> species. 2014 , 95, 978-90	14
810	Mediterranean open habitat vegetation offers great potential for extensive green roof design. 2014 , 121, 81-91	50
809	Using fossil leaves as evidence for open vegetation. 2014 , 395, 168-175	27
808	Trait-based approaches to linking vegetation and food webs in early-seral forests of the Pacific Northwest. 2014 , 324, 172-178	10
807	Leaf functional traits vary with the adult height of plant species in forest communities. 2014 , 7, 68-76	7
806	Balancing the costs of carbon gain and water transport: testing a new theoretical framework for plant functional ecology. 2014 , 17, 82-91	220
805	Could abiotic stress tolerance in wild relatives of rice be used to improve <i>Oryza sativa</i> ?. 2014 , 215-216, 48-58	76
804	A cross-continental comparison of stream invertebrate community assembly to assess convergence in forested headwater streams. 2014 , 76, 29-40	10
803	Effects of high nutrient supply on the growth of seven bamboo species. 2014 , 16, 1042-57	6
802	Coordination and plasticity in leaf anatomical traits of invasive and native vine species. 2014 , 101, 1423-36	8
801	Global analysis of plasticity in turgor loss point, a key drought tolerance trait. 2014 , 17, 1580-90	140
800	Spectroscopic determination of leaf morphological and biochemical traits for northern temperate and boreal tree species. 2016 , 24, 1651-69	217
799	Stress-tolerator leaf traits determine population dynamics in the endangered New Caledonian conifer <i>Araucaria muelleri</i> . 2014 , 39, 60-71	10
798	An evolutionary perspective on leaf economics: phylogenetics of leaf mass per area in vascular plants. 2014 , 4, 2799-811	36
797	Global dependence of field-observed leaf area index in woody species on climate: a systematic review. 2014 , 23, 274-285	70
796	Diversification rate shifts in the Cape Floristic Region: The right traits in the right place at the right time. 2014 , 16, 331-340	26
795	Determinants of maximum tree height in <i>Eucalyptus</i> species along a rainfall gradient in Victoria, Australia. 2014 , 95, 2991-3007	71

794	Evaluation of the remote-sensing-based DIFFUSE model for estimating photosynthesis of vegetation. 2014 , 155, 349-365	33
793	Predicting species' range limits from functional traits for the tree flora of North America. 2014 , 111, 13739-44	63
792	Are plant-soil feedback responses explained by plant traits?. 2014 , 204, 408-23	95
791	Carbon and phosphorus linkages in <i>Daphnia</i> growth are determined by growth rate, not species or diet. 2014 , 28, 1156-1165	28
790	Multivariate adaptation but no increase in competitive ability in invasive <i>Geranium carolinianum</i> L. (Geraniaceae). 2014 , 68, 2945-59	2
789	Quantifying and comparing intraspecific functional trait variability: a case study with <i>Hypochaeris radicata</i> . 2014 , 28, 258-269	24
788	Low levels of ribosomal RNA partly account for the very high photosynthetic phosphorus-use efficiency of Proteaceae species. 2014 , 37, 1276-98	87
787	Rhizome trait scaling relationships are modulated by growth conditions and are linked to plant fitness.. 2022 ,	1
786	The hare and the tortoise: stomatal kinetics under light change in Poaceae crops.. 2022 ,	
785	The Functional Structure of Tropical Plant Communities and Soil Properties Enhance Ecosystem Functioning and Multifunctionality in Different Ecosystems in Ghana. 2022 , 13, 297	0
784	Population Variability of Almond-Leaved Willow (<i>Salix triandra</i> L.) Based on the Leaf Morphometry: Isolation by Distance and Environment Explain Phenotypic Diversity. 2022 , 13, 420	0
783	Partitioning the effects of plant diversity on ecosystem functions at different trophic levels.	0
782	Do leaf nitrogen resorption dynamics align with the slow-fast continuum? A test at the intraspecific level.	2
781	Soil phosphorus drives plant trait variations in a mature subtropical forest.. 2022 ,	1
780	Context-Dependency in Relationships Between Herbaceous Plant Leaf Traits and Abiotic Factors.. 2022 , 13, 757077	0
779	Adaptation strategy of karst forests: Evidence from the community-weighted mean of plant functional traits.. 2022 , 12, e8680	1
778	Allometry and Distribution of Nitrogen in Natural Plant Communities of the Tibetan Plateau.. 2022 , 13, 845813	1
777	Heteropogon - Themeda grasses evolve to occupy either tropical grassland or wetland biomes.	

776	Differential Investment Strategies in Leaf Economic Traits Across Climate Regions Worldwide.. 2022 , 13, 798035	1
775	Sugars and the speed of life - metabolic signals that determine plant growth, development and death.. 2022 , e13656	1
774	The leading trait dimensions in flood-tolerant plants.. 2022 ,	0
773	A framework for fine-root trait syndromes: syndrome coexistence may support phosphorus partitioning in tropical forests.	0
772	Physiological trait networks enhance understanding of crop growth and water use in contrasting environments.	0
771	Variations in accuracy of leaf functional trait prediction due to spectral mixing. 2022 , 136, 108687	1
770	Interspecific interactions alter plant functional strategies in a revegetated shrub-dominated community in the Mu Us Desert.. 2022 ,	0
769	The role of nutritional impairment in carbon-water balance of silver fir drought-induced dieback.. 2022 ,	0
768	Effect of Water Stress on Physiological and Morphological Leaf Traits: A Comparison among the Three Widely-Spread Invasive Alien Species , and .. 2022 , 11,	3
767	Propagule size and seed development duration: high photosynthate allocation and growth allometry.. 2022 , 255, 79	
766	More than what they eat: uncoupled biophysical constraints underlie geographic patterns of herbivory.	0
765	Plasticity of leaf morphology of <i>Bruguiera sexangula</i> to salinity zones in Bangladesh's Sundarbans. 1	1
764	The effect of trait-based diversity on productivity results mainly from intraspecific trait variability in the macrophyte community.	0
763	Stem Trait Spectra Underpin Multiple Functions of Temperate Tree Species.. 2022 , 13, 769551	0
762	Disturbance has lasting effects on functional traits and diversity of grassland plant communities.. 2022 , 10, e13179	1
761	The causes of the selection of biological nitrification inhibition (BNI) in relation to ecosystem functioning and a research agenda to explore them. 2022 , 58, 207-224	0
760	Contrasting effects of plant inter- and intraspecific variation on community trait responses to nitrogen addition and drought in typical and meadow steppes.. 2022 , 22, 90	0
759	Trade-offs between succulent and non-succulent epiphytes underlie variation in drought tolerance and avoidance.. 2022 , 198, 645	

- 758 Plant Diversity Is More Important than Climate Factors in Driving Insect Richness Pattern along a Latitudinal Gradient. **2022**, 3, 30-37
- 757 Assembly of functional diversity in an oceanic island flora.
- 756 Soil conditions drive below-ground trait space in temperate agricultural grasslands. 0
- 755 Leaf morphological traits as adaptations to multiple climate gradients. 2
- 754 Transcriptomic analysis of the C3-CAM transition in *Cistanthe longiscapa*, a drought tolerant plant in the Atacama Desert. 0
- 753 Tropical wood stores substantial amounts of nutrients, but we have limited understanding why. 0
- 752 Climatic and edaphic variables determine leaf C, N, P stoichiometry of deciduous *Quercus* species. 1 0
- 751 Variation and adaptation in leaf sulfur content across China. 1
- 750 Long-term and year-to-year stability and its drivers in a Mediterranean grassland. 0
- 749 Using intraspecific variation of functional traits and environmental factors to understand the formation of nestedness patterns of a local forest community.
- 748 Exploring trait-performance relationships of tree seedlings along experimentally manipulated light and water gradients.. **2022**, e3703 0
- 747 Physiological and climate controls on foliar mercury uptake by European tree species. **2022**, 19, 1335-1353 1
- 746 Shoot senescence in herbaceous perennials of the temperate zone: Identifying drivers of senescence pace and shape. 0
- 745 Influence of species functional strategy on leaf stoichiometric responses to fertilizer in a Bornean heath forest. 0
- 744 Ontogenetic changes in root traits and root-associated fungal community composition in a heteroblastic epiphytic bromeliad. 0
- 743 Nitrogen concentration and physical properties are key drivers of woody tissue respiration.. **2022**,
- 742 Integrating remote sensing with ecology and evolution to advance biodiversity conservation.. **2022**, 7
- 741 Species-level CWM values mask contrasting intra- versus interspecific trait shifts at subtropical forest edges.

- 740 Tree functional traits, forest biomass, and tree species diversity interact with site properties to drive forest soil carbon.. **2022**, 13, 1097 ○
- 739 Increasing Functional Diversity in a Global Land Surface Model Illustrates Uncertainties Related to Parameter Simplification. **2022**, 127, ○
- 738 High intraspecific trait variation results in a resource allocation spectrum of a subtropical pine across an elevational gradient. **2022**, 49, 668-681 ○
- 737 Genomic regions associate with major axes of variation in gas exchange and leaf construction traits in cultivated sunflower (*Helianthus annuus* L.). ○
- 736 Towards an animal economics spectrum for ecosystem research. ○
- 735 Phosphorus and potassium nutrition of a tropical waterlily (*Nymphaea*) used for commercial flower production. 1 ○
- 734 Functional trajectory for the assessment of ecological restoration success. ○
- 733 Seasonal dynamics of functional parameters of wintergreen steppe relict *Globularia punctata* Lapeyr. **2022**, 289, 152037 ○
- 732 Leaf Intracellular Water Transport Rate Based on Physiological Impedance: A Possible Role of Leaf Internal Retained Water in Photosynthesis and Growth of Tomatoes.. **2022**, 13, 845628 ○
- 731 Estimating Photosynthetic Attributes from High-Throughput Canopy Hyperspectral Sensing in Sorghum.. **2022**, 2022, 9768502 ○
- 730 Parasitic flowering plant collections embody the extended specimen. ○
- 729 Expanding the wood anatomy economics spectrum: the correlates of vessel element lengths and pit apertures sizes in tropical forest trees. 1-13 ○
- 728 Initial oak regeneration responses to experimental warming along microclimatic and macroclimatic gradients.. **2022**, ○
- 727 Adjustments in physiological and morphological traits suggest drought-induced competitive release of some California plants.. **2022**, 12, e8773 ○
- 726 Cold-air pools as microrefugia for ecosystem functions in the face of climate change.. **2022**, e3717 ○
- 725 Influence of Leaf Age on the Scaling Relationships of Lamina Mass vs. Area.. **2022**, 13, 860206 ○
- 724 Species ecological strategy and soil phosphorus supply interactively affect plant biomass and phosphorus concentration. **2022**, ○
- 723 Long term variation of leaf abundance in a northern hardwood forest. **2022**, 137, 108746 ○

- 722 Cycads defy expectations for the coordination between drought and mechanical resistance. A commentary on: 'Correlations between leaf economics, mechanical resistance and drought tolerance across 41 cycad species'.. **2022**, 0
- 721 Wood anatomical traits mediate life-history variations at the sapling, but not at the adult stage. 1
- 720 The responses of riparian plant communities to environmental and spatial factors in the upper Han River basin, China. **2022**, e02118
- 719 Drought-related leaf functional traits control spatial and temporal dynamics of live fuel moisture content. **2022**, 319, 108941 1
- 718 Leaf physiological traits of plants from the Qinghai-Tibet Plateau and other arid sites in China: Identifying susceptible species and well-adapted extremophiles.. **2022**, 272, 153689 0
- 717 Drought reduces the growth and health of tropical rainforest understory plants. **2022**, 511, 120128 0
- 716 Phylogenetic independence in the variations in leaf functional traits among different plant life forms in an arid environment.. **2022**, 272, 153671 1
- 715 Divergence and conservative of stomatal conductance in coexisting species in response to climatic stress in Tibetan Plateau. **2022**, 138, 108843 0
- 714 Differences in leaf traits of *Spartina alterniflora* between native and invaded habitats: Implication for evolution of alien species competitive ability increase. **2022**, 138, 108799
- 713 Effects of elevation and habitat on leaf and reproductive traits of *Ageratina adenophora* (Sprengel) King & Robinson. **2022**, 147, 859-870 0
- 712 ACGCA: An R package for simulating tree growth and mortality based on functional traits. **2022**, 69, 101605
- 711 Elevation gradient distribution of indices of tree population in a montane forest: The role of leaf traits and the environment. **2022**, 9, 100012 0
- 710 Variation and adaptation of leaf water content among species, communities, and biomes. **2021**, 16, 124038
- 709 Power law scaling relationships link canopy structural complexity and height across forest types. **2022**, 36, 713-726 2
- 708 Auxin-driven ecophysiological diversification of leaves in domesticated tomato.
- 707 Assessment of leaf morphological, physiological, chemical and stoichiometry functional traits for understanding the functioning of Himalayan temperate forest ecosystem. **2021**, 11, 23807 0
- 706 Above- and below-ground functional trait coordination in the Neotropical understory genus .. **2022**, 14, plab073 1
- 705 Major environmental factors and traits of invasive alien plants determining their spatial distribution. **2021**, 45, 0

704	Correlations between leaf economics, mechanical resistance, and drought tolerance across 41 cycad species. 2021,	1
703	Leaf Functional Traits Vary in Urban Environments: Influences of Leaf Age, Land-Use Type, and UrbanRural Gradient. 2021, 9,	1
702	Adaptability and interspecific variability in growth and leaf traits of eucalypt. 2021, 14, 560-568	
701	Distinct Responses of Leaf Traits to Environment and Phylogeny Between Herbaceous and Woody Angiosperm Species in China.. 2021, 12, 799401	0
700	TbasCO: Trait-based Comparative Omics Identifies Ecosystem-Level and Niche- Differentiating Adaptations of an Engineered Microbiome.	0
699	Environmental drivers of plant form and function.. 2021,	0
698	Into the range: a latitudinal gradient or a center-margins differentiation of ecological strategies in <i>Arabidopsis thaliana</i> ?. 2021,	1
697	Trade-offs among plant reproductive traits determine interactions with floral visitors.	1
696	Genotypic variation of plant biomass under nitrogen deficiency is positively correlated with conservative economic traits in wheat.. 2021,	0
695	Small-scale drivers on plant and ant diversity in a grassland habitat through a multifaceted approach.. 2021, 9, e12517	1
694	Three early plant taphonomy experiments (1833-1836). 2021, 61, 187-194	
693	Invasion of Plant Communities. 2022, 29-51	
692	Biosphere-atmosphere exchange of CO ₂ and CH ₄ in mangrove forests and salt marshes. 2022, 93-132	
691	Leaf thickness of barley: genetic dissection, candidate genes prediction and its relationship with yield-related traits.. 2022,	0
690	Environmental variation drives the decoupling of leaf and root traits within species along an elevation gradient.. 2022,	1
689	Intraspecific trait variation of grassland species in response to grazing depends on resource acquisition strategy.	0
688	Variation of photosynthesis during plant evolution and domestication: implications for improving crop photosynthesis.. 2022,	2
687	Climate and soil differentially affect species, trait and diversity patterns of woody overstory and fern understory in a subtropical forest along an elevation gradient in Taiwan.	0

686 Plant Traits and Community Metrics across a Snowmelt Gradient at Alpine Snowbank Sites on Mt. Washington, New Hampshire. **2022**, 122,

685 Drivers of Acacia and Eucalyptus growth rate differ in strength and direction in restoration plantings across Australia.. **2022**, e2636

684 Effects of abiotic environment on invertebrate herbivory depend on plant community context in a montane grassland.

683 Leaf trait network architecture shifts with species-richness and climate across forests at continental scale.. **2022**,

1

682 Legacy effect of microplastics on plant-soil feedbacks.

681 Urban soil phosphorus hotspot and its imprint on tree leaf phosphorus concentrations in the Beijing region. 1

680 Plant strategies. 275-291

679 Data_Sheet_1.pdf. **2019**,

678 Table_1.DOCX. **2018**,

677 Data_Sheet_1.docx. **2018**,

676 Data_Sheet_2.pdf. **2018**,

675 Table_1.DOCX. **2020**,

674 Data_Sheet_1.docx. **2020**,

673 Table_1.DOCX. **2020**,

672 Data_Sheet_1.PDF. **2018**,

671 Data_Sheet_1.PDF. **2020**,

670 Data_Sheet_1.PDF. **2018**,

669 Data_Sheet_1.docx. **2019**,

668 Table_1.DOCX. 2018,

667 Table_2.XLSX. 2018,

666 Data_Sheet_1.pdf. 2020,

665 Data_Sheet_2.pdf. 2020,

664 Data_Sheet_3.pdf. 2020,

663 Data_Sheet_4.pdf. 2020,

662 Data_Sheet_5.pdf. 2020,

661 Video_1.mp4. 2020,

660 Data_Sheet_1.PDF. 2020,

659 Data_Sheet_2.PDF. 2020,

658 Data_Sheet_3.PDF. 2020,

657 Table_1.XLSX. 2020,

656 Table_1.XLSX. 2019,

655 Data_Sheet_1.XLSX. 2018,

654 Data_Sheet_2.XLSX. 2018,

653 Data_Sheet_3.XLSX. 2018,

652 Data_Sheet_4.XLSX. 2018,

651 Data_Sheet_5.XLSX. 2018,

650 Data_Sheet_6.XLSX. **2018**,

649 Image_1.TIF. **2018**,

648 Image_2.TIF. **2018**,

647 Image_3.TIF. **2018**,

646 Image_4.TIF. **2018**,

645 Table_1.XLSX. **2018**,

644 Data_Sheet_1.pdf. **2018**,

643 DataSheet_1.docx. **2019**,

642 Data_Sheet_1.docx. **2020**,

641 Image_1.TIF. **2020**,

640 Image_2.TIF. **2020**,

639 Data_Sheet_1.xlsx. **2020**,

638 DataSheet_1.pdf. **2020**,

637 Table_1.DOCX. **2019**,

636 Table_1.docx. **2019**,

635 Table_1.xlsx. **2018**,

634 Table_1.pdf. **2020**,

633 Table_1.pdf. **2020**,

632 Table_1.docx. **2019**,

631 DataSheet_1.docx. **2020**,

630 Data_Sheet_1.PDF. **2018**,

629 Image_1.pdf. **2020**,

628 Data_Sheet_1.pdf. **2020**,

627 Table_12.xlsx. **2020**,

626 Data_Sheet_1.docx. **2018**,

625 Table_1.docx. **2020**,

624 DataSheet_1.docx. **2019**,

623 Data_Sheet_1.docx. **2018**,

622 Image_1.pdf. **2018**,

621 Table_1.docx. **2018**,

620 Table_1.docx. **2018**,

619 Table_2.docx. **2018**,

618 Table_2.XLS. **2020**,

617 DataSheet_1.pdf. **2020**,

616 Data_Sheet_1.docx. **2018**,

615 Table_1.pdf. **2019**,

614 Table_1.docx. **2019,**

613 Table_2.DOCX. **2019,**

612 DataSheet_1.docx. **2019,**

611 Data_Sheet_1.xlsx. **2019,**

610 Table_1.docx. **2019,**

609 DataSheet_1.pdf. **2019,**

608 Table_1.XLSX. **2020,**

607 Table_2.DOCX. **2020,**

606 DataSheet1.docx. **2018,**

605 DataSheet1.docx. **2018,**

604 DataSheet1.pdf. **2018,**

603 DataSheet2.pdf. **2018,**

602 Image1.pdf. **2018,**

601 Image2.pdf. **2018,**

600 Intraspecific variation in plant economic traits predicts trembling aspen resistance to a generalist insect herbivore.. **2022,** 1 0

599 HIGH-THROUGHPUT CHARACTERIZATION, CORRELATION, AND MAPPING OF LEAF PHOTOSYNTHETIC AND FUNCTIONAL TRAITS IN THE SOYBEAN (GLYCINE MAX) NESTED ASSOCIATION MAPPING POPULATION.. **2022,** 1

598 Functional diversity dominates positive species mixture effects on ecosystem multifunctionality in subtropical plantations. **2022,** 9, 100039 0

597 Rethinking Invasibility. **2022,** 370-404

- 596 Plant Functional Traits in Tropical Dry Forests. **2022**, 852-874
- 595 An Overview of the Role of Plant Functional Traits in Tropical Dry Forests. **2022**, 92-117 1
- 594 Modeling the Future Tree Distribution in a South African Savanna Ecosystem: An Agent-Based Model Approach. **2022**, 11, 619
- 593 Digital plant pathology: a foundation and guide to modern agriculture.. **2022**, 1-12 1
- 592 Beta Diversity Patterns Unlock the Community Assembly of Woody Plant Communities in the Riparian Zone. **2022**, 13, 673 1
- 591 Functional traits and propagule pressure explain changes in the distribution and demography of non-native trees in Spain.
- 590 Response of Leaf Functional Traits of Landscape Plants to Urban Green Space Environment in Lanzhou, China. **2022**, 13, 682 0
- 589 Leaf morpho-physiological comparison between native and non-native plant species in a Mediterranean island.
- 588 Shifting Importance of Abiotic versus Biotic Filtering from Intact Mature Forests to Post-Clearcut Secondary Forests. **2022**, 13, 672 1
- 587 Relationship Between Vegetation Indices, Nutrients Content, and the Biomass Production of *Brachiaria* (*Brachiaria ruziziensis*). 1-20 0
- 586 Geomorphological processes shape plant community traits in the Arctic.
- 585 Limitations to photosynthesis in bryophytes: certainties and uncertainties regarding methodology.. **2022**, 0
- 584 Leaf Venation Architecture in Relation to Leaf Size Across Leaf Habits and Vein Types in Subtropical Woody Plants. **2022**, 13, 0
- 583 Testing a generalized leaf mass estimation method for diverse tree species and climates of the continental United States.. **2022**, e2646
- 582 Tree species with conservative foliar nutrient status and strong phosphorus homeostasis are regionally abundant in subtropical forests. 1
- 581 What are mycorrhizal traits?. **2022**, 3
- 580 Variations in bark structural properties affect both water loss and carbon economics in neotropical savanna trees in the Cerrado region of Brazil. 0
- 579 Evaporative flux method of leaf hydraulic conductance estimation: sources of uncertainty and reporting format recommendation.. **2022**, 18, 63 0

578	Plant carbohydrate storage: intra- and inter-specific tradeoffs reveal a major life history trait.. 2022 ,	0
577	Predicting Tree Mortality Using Spectral Indices Derived from Multispectral UAV Imagery. 2022 , 14, 2195	0
576	Interspecific and intraspecific variability of water use traits in macrolichen species in a fragmented landscape along a climatic ecotone area. 2022 ,	0
575	Tropical wet and dry forest tree species exhibit contrasting hydraulic architecture. 2022 , 291, 152072	1
574	Trade-off between growth rate and water use efficiency in southwestern ponderosa pine provenances. 2022 , 515, 120239	0
573	Particulate matter and polycyclic aromatic hydrocarbon uptake in relation to leaf surface functional traits in Mediterranean evergreens: Potentials for air phytoremediation.. 2022 , 435, 129029	0
572	Differences of carbon and nitrogen stoichiometry between different habitats in two natural Korean pine forests in Northeast China's mountainous areas. 2022 , 19, 1324-1335	0
571	Hot Spots and Hot Moments in the Critical Zone: Identification of and Incorporation into Reactive Transport Models. 2022 , 9-47	1
570	Variation, coordination, and trade-offs between needle structures and photosynthetic-related traits across five Picea species: consequences on plant growth.. 2022 , 22, 242	1
569	Intercropping with service crops provides multiple services in temperate arable systems: a review. 2022 , 42,	0
568	A First Attempt to Combine NIRS and Plenoptic Cameras for the Assessment of Grasslands Functional Diversity and Species Composition. 2022 , 12, 704	0
567	Analysis of the functional traits of Quercus cerris L. seedlings in the Molise region (southern Italy). 2022 , 59, 11-24	
566	Root efficiency and water use regulation relating to rooting depth of winter wheat. 2022 , 269, 107710	0
565	Drought-induced decoupling between carbon uptake and tree growth impacts forest carbon turnover time. 2022 , 322, 108996	1
564	Terrestrial forcing of marine biodiversification.. 2022 , 12, 8309	0
563	Lack of coordination between stomatal and vein traits provides functional benefits to the dioecious tropical tree <i>Myrsine coriacea</i> .. 2022 , e13719	
562	Anatomical and Biochemical Evolutionary Ancient Traits of <i>Araucaria araucana</i> (Molina) K. Koch and Their Effects on Carbon Assimilation.	0
561	A Perspective on Plant Phenomics: Coupling Deep Learning and Near-Infrared Spectroscopy. 2022 , 13,	

- 560 Functional traits and growth rate response to stand variables: differences between saplings and seedlings of native trees established in loblolly pine plantations in the Atlantic Forest.
- 559 Variation and determinants of leaf anatomical traits from boreal to tropical forests in eastern China. **2022**, 140, 108992 0
- 558 Quantifying and Reducing Uncertainty in Global Carbon Cycle Predictions: Lessons and Perspectives From 15 Years of Data Assimilation Studies with the ORCHIDEE Terrestrial Biosphere Model. 1
- 557 DNA -based networks reveal the ecological determinants of plant-herbivore interactions along environmental gradients.
- 556 Graminoids vary in functional traits, carbon dioxide and methane fluxes in a restored peatland: implications for modeling carbon storage. 1
- 555 Palm Species Traits Determine Soil Nutrient Effects on Seedling Performance. **2022**, 5, 0
- 554 Leaf Carbon, Nitrogen and Phosphorus Stoichiometry in a *Pinus yunnanensis* Forest in Southwest China. **2022**, 14, 6365
- 553 Plant N economics and the extended phenotype: Integrating the functional traits of plants and associated soil biota into plant-plant interactions. 0
- 552 Auxin-driven ecophysiological diversification of leaves in domesticated tomato. 0
- 551 Direct and plant community mediated effects of management intensity on annual nutrient leaching risk in temperate grasslands. 1
- 550 Effects of Water Availability on the Relationships Between Hydraulic and Economic Traits in the *Quercus wutaishanica* Forests. **2022**, 13, 0
- 549 Links between leaf anatomy and leaf mass per area of herbaceous species across slope aspects in an eastern Tibetan subalpine meadow. **2022**, 12, 0
- 548 A flexible method for estimating tip diversification rates across a range of speciation and extinction scenarios. 1
- 547 Effects of enemy exclusion on biodiversity-productivity relationships in a subtropical forest experiment. 0
- 546 Phosphorus resorption and tissue longevity of roots and leaves - Importance for phosphorus use efficiency and ecosystem phosphorus cycles. 0
- 545 Towards a -periodic table- of abiotic stress tolerance strategies of woody plants. **2022**, 292, 152089 0
- 544 Seasonal changes of leaf chlorophyll content as a proxy of photosynthetic capacity in winter wheat and paddy rice. **2022**, 140, 109018 2
- 543 The 2/3 scaling of twig nitrogen to phosphorus in woody plants. **2022**, 9, 100049 0

- 542 Nitrogen Isotopes in Tree Rings Challenges and Prospects. **2022**, 361-380
- 541 Forest Management and Tree-Ring Isotopes. **2022**, 651-673 ○
- 540 Influence of Juvenile Growth on Xylem Safety and Efficiency in Three Temperate Tree Species. **2022**, 13, 909 ○
- 539 Phyllosphere bacterial and fungal communities vary with host species identity, plant traits and seasonality in a subtropical forest. **2022**, 17, 1
- 538 Whole-Plant Seedling Functional Traits Suggest Lianas Also Support Fast-Slow Plant Economics Spectrum. **2022**, 13, 990 ○
- 537 Quantifying within-species trait variation in space and time reveals limits to trait-mediated drought response. ○
- 536 Toward a general theory of plant carbon economics. **2022**, ○
- 535 Physiological trait networks enhance understanding of crop growth and water use in contrasting environments. ○
- 534 Life stages and habitat types alter the relationships of tree growth with leaf traits and soils in an old-growth temperate forest. **2022**, 152104
- 533 Light Regimes Regulate Leaf and Twigs Traits of *Camellia oleifera* (Abel) in *Pinus massoniana* Plantation Understory. **2022**, 13, 918 1
- 532 Climate and hydraulic traits interact to set thresholds for liana viability. **2022**, 13, ○
- 531 Using terrestrial laser scanning to constrain forest ecosystem structure and functions in the Ecosystem Demography model (ED2.2). **2022**, 15, 4783-4803 ○
- 530 Plant functional traits under cattle grazing and fallow age scenarios in a tropical dry forest of Northwestern Mexico. **2022**, ○
- 529 Stoichiometry versus ecology: the relationships between genome size and guanine-cytosine content, and tissue nitrogen and phosphorus in grassland herbs.
- 528 Global relationships in tree functional traits. **2022**, 13, 1
- 527 Sex-specific strategies of nutrient resorption associated with leaf economics in *Populus euphratica*. ○
- 526 No Consistent Shift in Leaf Dry Mass per Area Across the Cretaceous-Paleogene Boundary. 13, ○
- 525 Elevational patterns of plant dispersal ability in southern Europe. 1-16 ○

- 524 Historical context modifies plant diversity–community productivity relationships in alpine grassland. ○
- 523 Annual Herbaceous Plants Exhibit Altered Morphological Traits in Response to Altered Precipitation and Drought Patterns in Semiarid Sandy Grassland, Northern China. 13,
- 522 Water availability dictates how plant traits predict demographic rates. ○
- 521 Projecting the futures of plant traits across habitats in Central Europe.
- 520 The above–belowground functional space of tropical dry forest communities responds to local hydric habitats. ○
- 519 Above- and below-ground trait coordination in tree seedlings depend on the most limiting resource: a test comparing a wet and a dry tropical forest in Mexico. 10, e13458 ○
- 518 Hyperspectral differences between sunlit and shaded leaves in a Manchurian ash canopy in Northeast China. **2022**, 13, 800-811
- 517 Responses of Nutrient Resorption to Human Disturbances in *Phoebe bournei* Forests. **2022**, 13, 905
- 516 Functional imbalance not functional evenness is the third component of community structure. **2022**, 140, 109035 1
- 515 Can functional leaf traits be used for monitoring wetland restoration? A comparison between commonly used monitoring metrics and functional leaf traits. **2022**, 140, 109032 1
- 514 Variation of plant CSR strategies across a precipitation gradient in the alpine grasslands on the northern Tibet Plateau. **2022**, 838, 156512 ○
- 513 Tracking sucking herbivory with nitrogen isotope labelling: Lessons from an individual trait-based approach. **2022**, 63, 104-114
- 512 Is provenance or phylogeny a better predictor of growth and survival of a soil pathogen in leaf litter?. **2022**, 520, 120359
- 511 The influencing factors of leaf functional traits variation of *Pinus densiflora* Sieb. et Zucc.. **2022**, 38, e02177 ○
- 510 Unravelling the Effects of Tree-Size and Canopy Structural Complexity on Forest Productivity.
- 509 Better Grazed than Weeded: Promising Weeds Digestibility in Perennial Mediterranean Agroecosystems.
- 508 The Effects of Nitrogen Enrichment on Low-Nutrient Environments: Insights from Studies of Serpentine Soil-Plant Relations. **2022**, 277-311 ○
- 507 Substrates based on swine wastewater in the production of seedlings of *Guazuma ulmifolia* (Malvaceae). 73,

- 506 Trade-offs among fine-root phosphorus-acquisition strategies of 15 tropical woody species. **2022**, 9, 100055 1
- 505 Temporal and spatial variation of morpho-physiological characteristics of spring maize under mulched drip irrigation in northeastern China. **2022**,
- 504 Functional traits trade-offs define plant population stability worldwide.
- 503 Defoliation affects the root competitive balance for N between *Poa annua* plants grown in a split-root box. **2022**, 1, 94-102
- 502 Rhizomes play significant roles in biomass accumulation, production and carbon turnover in a stand of the tall bamboo *Phyllostachys edulis*. 1-9 0
- 501 Elevational trends of tree fine root traits in species-rich tropical Andean forests. 0
- 500 Can ecological strategies be explained by photochemical efficiency in ironstone outcrops vegetation?.
- 499 The number of phenology patterns, not species richness, affects the greening season length of freely assembled plant communities.
- 498 Rainy years counteract negative effects of drought on taxonomic, functional and phylogenetic diversity: Resilience in annual plant communities. 0
- 497 PERSPECTIVES : Ecological strategies of (pl)ants: toward a world-wide worker economic spectrum for ants.
- 496 Pollen-based reconstruction reveals the impact of the onset of agriculture on plant functional trait composition. 1
- 495 Differential effect of climate on structural and biochemical plant traits.
- 494 Effects of microclimatic factors on stomatal conductance of plants in vertical greenery systems in humid subtropical areas. **2022**, 104056 2
- 493 A Comparative Approach to Understanding Floral Adaptation to Climate and Pollinators During Diversification in European and Mediterranean Silene.
- 492 Ensuring Global Food Security by Improving Protein Content in Major Grain Legumes Using Breeding and Omics Tools. **2022**, 23, 7710 3
- 491 Plant-litter-soil feedbacks in common grass species are slightly negative and only marginally modified by litter exposed to insect herbivory. 0
- 490 Impact of Selected Environmental Factors on Variation in Leaf and Branch Traits on Endangered Karst Woody Plants of Southwest China. **2022**, 13, 1080 1
- 489 Testing the association of relative growth rate and adaptation to climate across natural ecotypes of *Arabidopsis*.

- 488 Functional Groups Mask Inter- and Intraspecific Variation in Water Use Strategies in a Seasonally Dry Tropical Forest. 4,
- 487 Plant Evolution History Overwhelms Current Environment Gradients in Affecting Leaf Chlorophyll Across the Tibetan Plateau. 13, 0
- 486 A cool spot in a biodiversity hotspot: why do tall Eucalyptus forests in Southwest Australia exhibit low diversity?. 0
- 485 Rapid Eocene diversification of spiny plants in subtropical woodlands of central Tibet. **2022**, 13, 1
- 484 Native tree root exudates promote tolerance of simulated herbivory of an invasive tree via altered functional traits. 0
- 483 Individual tree-based vs pixel-based approaches to mapping forest functional traits and diversity by remote sensing.
- 482 Rhizosphere soil bacterial communities and nitrogen cycling affected by deciduous and evergreen tree species. **2022**, 12, 0
- 481 Trait divergence and trade-offs among Brassicaceae species differing in elevational distribution. 0
- 480 Functional Diversity in Woody Organs of Tropical Dry Forests and Implications for Restoration. **2022**, 14, 8362 1
- 479 Dissolved Organic Carbon Flux Is Driven by Plant Traits More Than Climate across Global Forest Types. **2022**, 13, 1119
- 478 Morphological and physiological responses of desert plants to drought stress in a man-made landscape of the Taklimakan desert shelter belt. **2022**, 140, 109037 1
- 477 Leaf Economic and Hydraulic Traits Signal Disparate Climate Adaptation Patterns in Two Co-Occurring Woodland Eucalypts. **2022**, 11, 1846 0
- 476 The trade-offs between resistance and resilience of forage stay robust with varied growth potentials under different soil water and salt stress. **2022**, 157421 0
- 475 Trait coordination in boreal mosses reveals a bryophyte economics spectrum.
- 474 Vulnerability of non-native invasive plants to novel pathogen attack: do plant traits matter?. 1
- 473 The structural correlations and the physiological functions of stomatal morphology and leaf structures in C3 annual crops. **2022**, 256, 1
- 472 Enhanced leaf turnover and nitrogen recycling sustain CO2 fertilization effect on tree-ring growth. 0
- 471 Coordination of leaf hydraulic and economic traits in *Cinnamomum camphora* under impervious pavement. **2022**, 22, 0

- 470 Effects of Trehalose and Polyacrylate-Based Hydrogels on Tomato Growth Under Drought.
- 469 Nutrient allocation strategies of four conifers from semiarid to extremely arid environments. **2022**,
- 468 Leaf traits and leaf nitrogen shift photosynthesis adaptive strategies among functional groups and diverse biomes. **2022**, 141, 109098 1
- 467 Precipitation variations, rather than N deposition, determine plant ecophysiological traits in a desert steppe in Northern China. **2022**, 141, 109144 1
- 466 Grassland plant and invertebrate species richness increases from mowing are mediated by impacts on soil chemistry. **2022**, 63, 152-163
- 465 Higher association and integration among functional traits in small tree than shrub in resisting drought stress in an arid desert. **2022**, 201, 104993 0
- 464 Spatial variation and allocation of sulfur among major plant organs in China. **2022**, 844, 157155 1
- 463 Challenging the link between functional and spectral diversity with radiative transfer modeling and data. **2022**, 280, 113170 1
- 462 Hydropeaking impacts on riverine plants downstream from the world's largest hydropower dam, the Three Gorges Dam. **2022**, 845, 157137 1
- 461 Traits along the leaf economics spectrum are associated with communities of foliar endophytic symbionts. 13, 1
- 460 Functional trait space and redundancy of plant communities decrease toward cold temperature at high altitudes in Southwest China.
- 459 Functional trade-offs in volume allocation to xylem cell types in 75 species from the Brazilian Savanna Cerrado. 1
- 458 Mycorrhizal association and life form dominantly control plant litter lignocellulose concentration at the global scale. 13, 0
- 457 Sources and consequences of mismatch between leaf disc and whole-leaf leaf mass per area (LMA). 0
- 456 Testing the Functional and Phylogenetic Assembly of Plant Communities in Gobi Deserts of Northern Qinghai-Tibet Plateau. 13, 0
- 455 Leaf nitrogen from the perspective of optimal plant function. 1
- 454 The scaling of leaf nitrogen and phosphorus along a phosphorus availability gradient in a subtropical forest. 0
- 453 Leaf trait covariation and controls on leaf mass per area (LMA) following cotton domestication. 1

- 452 The functional structure of plant communities drives soil functioning via changes in soil abiotic properties. 1
- 451 Edge tree functional traits and their association with edaphic factors in seasonally dry forests in northern Thailand. **2022**, 15, 273-280
- 450 Initial leaf litter traits affect soil microbial CO₂ production: A laboratory experiment using the leaf litter of 41 temperate deciduous tree species. **2022**, 180, 104605
- 449 Contributors. **2009**, viii-x
- 448 Copyright Page. **2009**, iv-iv
- 447 Preface. **2009**, xi-xiii
- 446 Forage Nutritive Value Shows Synergies with Plant Diversity in a Wide Range of Semi-Natural Grassland Habitats.
- 445 Seed Traits Research Is on the Rise: A Bibliometric Analysis from 1991-2020. **2022**, 11, 2006 0
- 444 Novel leaf-root coordination driven by leaf water storage tissues in mangroves.
- 443 Effects of mulches combination with different SWC on soil properties and soybean production. **2022**, 1059, 012040
- 442 Shrubs Should Be Valued: The Functional Traits of *Lonicera fragrantissima* var. *lancifolia* in a Qinling Huangguan Forest Dynamics Plot, China. **2022**, 13, 1147
- 441 Stem Hydraulic Traits are Decoupled from Leaf Ecophysiological Traits in Mangroves in Southern Philippines. 0
- 440 Leaf NPK stoichiometry, $\delta^{15}N$, and apparent nutrient limitation of co-occurring carnivorous vs. noncarnivorous plants. 1
- 439 Estimating Community-Level Plant Functional Traits in a Species-Rich Alpine Meadow Using UAV Image Spectroscopy. **2022**, 14, 3399 0
- 438 Comparative transcriptomics of tropical woody plants supports fast and furious strategy along the leaf economics spectrum in lianas. **2022**, 11, 0
- 437 Plant spectra as integrative measures of plant phenotypes. 1
- 436 Trade-off between grain yield and protein concentration is modulated by canopy photosynthesis in Japanese wheat cultivars.
- 435 Mapping Seasonal Leaf Nutrients of Mangrove with Sentinel-2 Images and XGBoost Method. **2022**, 14, 3679 0

- 434 Leaf Functional Traits and Relationships with Soil Properties of *Zanthoxylum planispinum* *Qintanensis* in Plantations of Different Ages. **2022**, 12, 1891 1
- 433 Effects of N and P enrichment on plant photosynthetic traits in alpine steppe of the Qinghai-Tibetan Plateau. **2022**, 22,
- 432 Convergence in phosphorus constraints to photosynthesis in forests around the world. **2022**, 13, 0
- 431 Long-term response of wetland plant communities to management intensity, grazing abandonment, and prescribed fire. 0
- 430 Functional traits determine the vegetative phenology of woody species in riparian forest in semi-arid Brazil.
- 429 Tipping point of plant functional traits of *Leymus chinensis* to nitrogen addition in a temperate grassland. 13,
- 428 Rapid evolution of a coastal marsh ecosystem engineer in response to global change. **2022**, 157846 1
- 427 How do tropical tree species maintain high growth rates on low-phosphorus soils?.
- 426 Environmental adaptability of the genus *Carex*-A case study of *Carex heterostachya* and *Carex breviculmis* in northwest China.
- 425 Seedling age of *Abies georgei* var. *smithii* reveals functional trait coordination in high-altitude habitats in southeast tibet. 10, 0
- 424 Different adaptive strategies of three mangrove species to nutrient enrichment.
- 423 Responses of subtropical deciduous and evergreen trees to varying intensities of herbivory.
- 422 Pitcher geometry facilitates extrinsically powered 'springboard trapping' in carnivorous *Nepenthes gracilis* pitcher plants. **2022**, 18, 1
- 421 Drought has inconsistent effects on seed trait composition despite their strong association with ecosystem drought sensitivity. 0
- 420 Using Trait-Based Methods to Study the Response of Grassland to Fertilization in the Grassland in Semiarid Areas in the Loess Plateau of China. **2022**, 11, 2045 0
- 419 Above and belowground plant traits are not consistent in response to drought and competition treatments. 0
- 418 Legacy effect of microplastics on plant-soil feedbacks. 13, 0
- 417 Multiscale Regulation of Leaf Traits in Woody Plants as an Adaptation to a Post-Earthquake Environment in Broadleaved Forests of Southwestern China. **2022**, 13, 1323

- 416 Leveraging functional traits of cover crops to coordinate crop productivity and soil health. ○
- 415 Environment shapes tree community traits in China's forests.
- 414 Scaling-Up Methods Influence on the Spatial Variation in Plant Community Traits: Evidence Based on Leaf Nitrogen Content. **2022**, 127,
- 413 Niche differentiation along multiple functional-trait dimensions contributes to high local diversity of Euphorbiaceae in a tropical tree assemblage.
- 412 Water use partitioning of native and non-native tree species in riparian ecosystems under contrasting climatic conditions. ○
- 411 Can nitrogen supersede host identity in shaping the community composition of foliar endophytic fungi in an alpine meadow ecosystem?. 13,
- 410 Phylogenetic relationship and soil salinity shape intraspecific trait variability of *Phragmites australis* in the Yellow River Delta. 9,
- 409 Climatic variations along an aridity gradient drive significant trait intraspecific variability in Mediterranean species.
- 408 Phenological and physiological advantages of invasive annuals are strengthened by nitrogen enrichment.
- 407 Assisted restoration interventions drive functional recovery of tropical wet forest tree communities. 5, ○
- 406 Direct evidence for phosphorus limitation on Amazon forest productivity. **2022**, 608, 558-562 1
- 405 Increasing soil heterogeneity strengthens the inhibition of a native woody plant by an invasive congener. ○
- 404 Functional traits underlying performance variations in the overwintering of the cosmopolitan invasive plant water hyacinth (*Eichhornia crassipes*) under climate warming and water drawdown. **2022**, 12,
- 403 Elevational trends in photosynthetic capacity and trait relationships of subtropical montane understory bryophytes. **2022**, 142, 109251
- 402 Linking the network topology of plant traits with community structure, functioning, and adaptive strategies of submerged macrophytes. **2022**, 850, 158092 ○
- 401 El Niño-Southern Oscillation affects the species-level temporal variation in seed and leaf fall in a mixed temperate forest. **2022**, 850, 157751
- 400 Nitrogen and phosphorus as macronutrients of cocoa (*Theobroma cacao*) and their physiological functions in different planting patterns of cultivation in Central Java, Indonesia. **2022**, 75, 10061-10070 ○
- 399 Decadal nitrogen addition increases divergence in intrinsic water-use efficiency between sapling and mature larch plantations. **2022**, 523, 120494 ○

- 398 Subindividual variation accounts for most of the variability in two reproductive traits in *Cistus ladanifer*. **2022**, 117, 103864 ○
- 397 Determination of foliar traits in an ecologically distinct conifer species in Maine using Sentinel-2 imagery and site variables: Assessing the effect of leaf trait expression and upscaling approach on prediction accuracy. **2022**, 193, 150-163 ○
- 396 A mesocosm experiment testing the competition between the invasive species *Heteranthera reniformis* Ruiz & Pav. and the endangered fern *Marsilea quadrifolia* L.. **2022**, 183, 103576 ○
- 395 Exploring the Scale Dependence of Functional Trait Relationships. **2022**, 61-75 ○
- 394 Functional Trait Variation on Community Organization Scale and Systematic Classification Level of Tropical Cloud Forests on Hainan Island, China. **2022**, 45-59 ○
- 393 Dynamic Energy Budget models: fertile ground for understanding resource allocation in plants in a changing world. **2022**, 10, 1
- 392 The Photosynthetic Response of Spectral Chlorophyll Fluorescence Differs Across Species and Light Environments in a Boreal Forest Ecosystem. ○
- 391 VISTOCK: A simplified model for simulating grassland systems. **2023**, 142, 126647 ○
- 390 Early Differentiation of the Phenotypic Space and Performance of *Juniperus thurifera* Across Woodland-Expanding Areas. ○
- 389 Circum-Arctic distribution of chemical anti-herbivore compounds suggests biome-wide trade-off in defence strategies in Arctic shrubs. 1
- 388 Disentangling the effects of biomass and productivity in plant competition. ○
- 387 Safety-Efficiency tradeoffs? Correlations of photosynthesis, leaf hydraulics, and dehydration tolerance across species. ○
- 386 Elevation affects the ecological stoichiometry of Qinghai spruce in the Qilian Mountains of northwest China. 13, ○
- 385 Effects of sex and soil water chemistry on leaf morphology and physiology of *Myrica gale* var. *tomentosa*. **2022**, 17, e0275024 ○
- 384 Relationships between Xylem Transport, Anatomical, and Mechanical Traits at Organ Level of Two Cupressaceae Species. **2022**, 13, 1564 ○
- 383 Liana functional assembly along the hydrological gradient in Central Amazonia. ○
- 382 Socioeconomics and biogeography jointly drive geographic biases in our knowledge of plant traits: a global assessment of the Raunkjrian shortfall in plants. ○
- 381 Leaf traits predict water-use efficiency in U.S. Pacific Northwest grasslands under rain exclusion treatment. ○

- 380 Global datasets of leaf photosynthetic capacity for ecological and earth system research. **2022**, 14, 4077-4093 1
- 379 Predicting ecosystem productivity based on plant community traits. **2022**, 1 1
- 378 Seasonal precipitation and soil microbial community influence plant growth response to warming and N addition in a desert steppe. 1
- 377 Responses of leaf functional traits to different hydrological regimes and leaf economics spectrum in the water level fluctuation zone of Three Gorges Reservoir, China. 13, 0
- 376 Experimental drought on seedlings in a canopy gap and understory of a tropical cloud forest, Veracruz, Mexico. **2022**, 0
- 375 Plant characteristics drive ontogenetic changes in herbivory damage in a temperate forest. 0
- 374 Coordination among Water Transport, Photosynthesis and Nutrition under Climate Change: Stronger Responses of a Native than an Invasive Herb. **2022**, 14, 2828 0
- 373 Strategies of tree species to adapt to drought from leaf stomatal regulation and stem embolism resistance to root properties. 13, 2
- 372 Genotypes exhibit no variation in precision foraging in mycorrhizal Norway spruce seedlings. 0
- 371 How do functional traits influence tree demographic properties in a subtropical monsoon forest?. 0
- 370 Dispersal and persistence traits inform long-term understory plant community change in encroached savannas. 0
- 369 Effects of climatic drivers on the genetic divergence of *Juglans regia* L. across districts Dir and Swat, Khyber Pakhtunkhwa, Pakistan. 0
- 368 Biomass Partitioning and Morphoanatomical Traits of Six *Gymnocalycium* (Cactaceae) Species Occurring along a Precipitation Gradient. **2022**, 14, 749 0
- 367 Indigenous PGPB Inoculant from Qinghai-Tibetan Plateau Soil Confer Drought-Stress Tolerance to Local Grass *Poa annua*. **2022**, 16, 0
- 366 The influence of biofertilizers on Leaf Economics Spectrum traits in an herbaceous crop. 0
- 365 Adaptive Mechanism in *Quercus brantii* Lindl. Leaves under Climatic Differentiation: Morphological and Anatomical Traits. 0
- 364 Vertical Variation in Leaf Traits and Crown Structure Promote the Coexistence of Forest Tree Species. **2022**, 13, 1548 0
- 363 Hydraulic constraints determine the distribution of heteromorphic leaves along plant vertical height. 13, 0

- 362 Leaf water content contributes to global leaf trait relationships. **2022**, 13, 1
- 361 Coordination of leaf functional traits under climatic warming in an arid ecosystem. **2022**, 22, 0
- 360 Intraspecific trait variability is a key feature underlying high Arctic plant community resistance to climate warming. 0
- 359 Age and phenology control photosynthesis and leaf traits in the understory woody species, *Rhamnus cathartica* and *Prunus serotina*. 0
- 358 Excess radiation exacerbates drought stress impacts on canopy conductance along aridity gradients. **2022**, 19, 4197-4208 0
- 357 The fern economics spectrum is unaffected by the environment. 0
- 356 The shift in key functional traits caused by precipitation under nitrogen and phosphorus deposition drives biomass change in *Leymus chinensis*. 0
- 355 Divergent leaf and fine root pressure-volume relationships across habitats with varying water availability. 0
- 354 Tree Diversity, Structure and Functional Trait Identity Promote Stand Biomass Along Elevational Gradients in Subtropical Forests of Southern China. **2022**, 127, 0
- 353 Community-wide trait adaptation, but not plasticity, explains ant community structure in extreme environments. 0
- 352 Applying the structural causal model (SCM) framework for observational causal inference in ecology. 0
- 351 The leaf economics spectrum of triploid and tetraploid C₄ grass *Miscanthus x giganteus*. 0
- 350 Realistic strategies and neutral processes drive the community assembly based on leaf functional traits in a subtropical evergreen broad-leaved forest. **2022**, 12, 0
- 349 Leaf traits predict water-use efficiency in U.S. Pacific Northwest grasslands under rain exclusion treatment. 0
- 348 Combined effects of warming and drought on plant biomass depend on plant woodiness and community type: a meta-analysis. **2022**, 289, 1
- 347 How do montane plants manage to survive? Inferring from non-structural carbohydrates. 1
- 346 Latitudinal patterns and environmental drivers of taxonomic, functional, and phylogenetic diversity of woody plants in western Amazonian terra firme forests. 13, 0
- 345 Evolutionary lability underlies drought adaptation of Australian shrubs along aridity gradients. 13, 0

- 344 The extinction of Miocene broad-leaved deciduous Nothofagaceae and loss of seasonal forest biomes in New Zealand. **2022**, 104779 ○
- 343 Intra-crown variation of leaf mass per area of *Fagus crenata* is driven by light acclimation of leaf thickness and hydraulic acclimation of leaf density. ○
- 342 Diminishing returns: A comparison between fresh mass vs. area and dry mass vs. area in deciduous species. 13, ○
- 341 Functional rarity of plants in German hay meadows [Patterns on the species level and mismatches with community species richness. **2022**, 12, ○
- 340 Peak photosynthesis at summer midday in *Acacia* trees growing in a hyper-arid habitat. ○
- 339 Biodiversity buffer the impact of eutrophication on ecosystem functioning of submerged macrophytes on the Yunnan-Guizhou Plateau, Southwest China. **2022**, 314, 120210 1
- 338 Shifts in Community Vegetative Organs and Their Dissimilar Trade-Off Patterns in a Tropical Coastal Secondary Forest, Hainan Island, Southern China. **2022**, 14, 823 1
- 337 Functional traits [Annual variation exceeds nitrogen-driven variation in grassland plant species. ○
- 336 Effects of biotic interactions on plant fecundity depend on spatial and functional structure of communities and time since disturbance. ○
- 335 Community assembly history alters relationships between biodiversity and ecosystem functions during restoration. ○
- 334 Temperature-mediated climatic factors dominate intraspecific variation and ecological adaptation strategies for traits of *Phragmites australis* rather than soil properties. ○
- 333 Mapping tropical forest functional variation at satellite remote sensing resolutions depends on key traits. **2022**, 3, ○
- 332 Intraspecific trait variation in a dryland tree species corresponds to regional climate gradients. ○
- 331 Single-gene resolution of diversity-driven community overyielding. ○
- 330 The relationship between the main leaf traits and photosynthetic physiological characteristics of *Phragmites australis* under different habitats of a salt marsh in Qinwangchuan, China. ○
- 329 Can the extinction risk of Irish vascular plants be predicted using leaf traits?. ○
- 328 Soil Compaction Drives an Intra-Genotype Leaf Economics Spectrum in Wine Grapes. **2022**, 12, 1675 ○
- 327 Adaptation strategies of leaf traits and leaf economic spectrum in urban garden plants. ○

- 326 Weak genetic differentiation but strong climate-induced selective pressure toward the rear edge of mountain pine in north-eastern Spain. **2022**, 159778 1
- 325 Drought Shapes Photosynthetic Production Traits and Water Use Traits along with Their Relationships with Leaves of Typical Desert Shrubs in Qaidam. **2022**, 13, 1652 0
- 324 Widespread variation in functional trait-vital rate relationships in tropical tree seedlings across a precipitation and soil phosphorus gradient. 0
- 323 Intraspecific Leaf Trait Variation across and within Five Common Wine Grape Varieties. **2022**, 11, 2792 0
- 322 Does leaf mass per area (LMA) discriminate natural pine populations of different origins?. **2022**, 141, 1177-1187 0
- 321 Soil carbon storage is related to tree functional composition in naturally regenerating tropical forests. 0
- 320 Nutrient resorption and stoichiometric characteristics of Wuyi rock tea cultivars. 0
- 319 Afterlife effect of cover crops on soil nematode food web: Implications from the plant ecological strategy. 0
- 318 Disentangling leaf structural and material properties in relation to their anatomical and chemical compositional traits in oaks (*Quercus*L.). 0
- 317 Above- and belowground responses to experimental climate forcing in two forb species from montane wooded pastures in Switzerland. 0
- 316 Agronomic Behavior of Mexican Roselle Cultivars Produced under Protected Agricultural Conditions. **2022**, 11, 2767 0
- 315 Leaf habit determines the hydraulic and resource-use strategies in tree saplings from the Sonoran Desert. 0
- 314 Parallel Differentiation and Plastic Adjustment of Leaf Anatomy in Alpine *Arabidopsis arenosa* Ecotypes. **2022**, 11, 2626 0
- 313 Vascular epiphyte populations with higher leaf nutrient concentrations showed weaker resilience to an extreme drought in a montane cloud forest. 0
- 312 Poleward increase in feeding efficiency of leafminer *Stigmella lapponica* (Lepidoptera: Nepticulidae) in a latitudinal gradient crossing a boreal forest zone. 0
- 311 Coordination of photosynthetic traits across soil and climate gradients. 1
- 310 Soil properties and plant species can predict population health and potential introduction sites of the endangered orchid *Cypripedium calceolus*. 0
- 309 When traits vary across species but performance doesn't: One solution to the paradox. 0

- 308 Functional traits of riparian trees in the lower Fitzroy River, Western Australia. 0
- 307 Leaf Photosynthetic and Functional Traits of Grassland Dominant Species in Response to Nutrient Addition on the Chinese Loess Plateau. **2022**, 11, 2921 2
- 306 Warming delays but grazing advances leaf senescence of five plant species in an alpine meadow. **2022**, 159858 0
- 305 Nitrogen Allocation Tradeoffs Within-Leaf between Photosynthesis and High-Temperature Adaptation among Different Varieties of Pecan (*Carya illinoensis* [Wangenh.] K. Koch). **2022**, 11, 2828 0
- 304 Patterns and controls of foliar nutrient stoichiometry and flexibility across United States forests. 0
- 303 Light competition drives herbivore and nutrient effects on plant diversity. 0
- 302 Effects of Precipitation Change and Nitrogen and Phosphorus Additions on Traits and Abundance of *Potentilla anserina* in an Alpine Meadow. **2022**, 13, 1820 1
- 301 Functional assembly of grassland plant species in native communities in Spain and recipient communities in California. 0
- 300 Estimating leaf nitrogen content by coupling a nitrogen allocation model with canopy reflectance. **2022**, 283, 113314 0
- 299 Trade-offs and synergies of forest ecosystem services from the perspective of plant functional traits: A systematic review. **2022**, 58, 101484 0
- 298 Evergreen and deciduous tree species show distinct strategies to synchronize with seasonality in mid-elevational forests of central Himalaya. **2022**, 526, 120567 0
- 297 On the significance of long-term trends in tree-ring N isotopes □The interplay of soil conditions and regional NOx emissions. **2023**, 857, 159580 0
- 296 Climate-driven sapwood-specific hydraulic conductivity and the Huber value but not leaf-specific hydraulic conductivity on a global scale. **2023**, 857, 159334 0
- 295 Remotely sensed carbon content: The role of tree composition and tree diversity. **2023**, 284, 113333 0
- 294 Changes in root chemical diversity along an elevation gradient of Changbai Mountain, China. 13, 0
- 293 Experimental evidence that leaf litter decomposability and flammability are decoupled across gymnosperm species. 0
- 292 ETIB-T: An Equilibrium Theory of Island Biogeography for plant traits. 0
- 291 Plant defense synergies and antagonisms affect performance of specialist herbivores of common milkweed. 0

- 290 Soil physicochemical properties determine leaf traits but not size traits of moso bamboo (*Phyllostachys edulis*). **2022**, 17, 114061 0
- 289 How detritivores, plant traits and time modulate coupling of leaf versus woody litter decomposition rates across species. 0
- 288 Grazing and light modify *Silene latifolia* responses to nutrients and future climate. **2022**, 17, e0276789 0
- 287 water limitation on vegetation community stagnated at early successional stages in a humid karst region. **2022**, 128714 0
- 286 Eco-physiological and morphological traits explain alpine plant species response to warming. 1
- 285 Novel Leaf Area Measurement Mobile Application for Alfalfa in the Field. 0
- 284 The leaf anatomical trade-offs associated with plant ecological strategy variation. 1
- 283 Contrasting soil- and canopy-nurse effects in metalliferous systems may be explained by dominant plant functional strategies. 0
- 282 Tailoring confocal microscopy for in-cell photophysiology studies. 0
- 281 TbasCO: trait-based comparativeomics identifies ecosystem-level and niche-differentiating adaptations of an engineered microbiome. **2022**, 2, 0
- 280 Divergent response and adaptation of specific leaf area to environmental change at different spatio-temporal scales jointly improve plant survival. 1
- 279 Elevational changes in insect herbivory on woody plants in six mountain ranges of temperate Eurasia: Sources of variation. **2022**, 12, 0
- 278 Adaptive strategy biases in engineered ecosystems: Implications for plant community dynamics and the provisioning of ecosystem services to people. 1
- 277 Do the same genus plants have consistent adaptation strategies in cold-wet environments? A case study of leaf suitability of 19 *Syringa* species. **2022**, e02341 0
- 276 New Proposal of Epiphytic Bromeliaceae Functional Groups to Include Nebulophytes and Shallow Tanks. **2022**, 11, 3151 1
- 275 Using leaf traits to explain species co-existence and its consequences for primary productivity across a forest-steppe ecotone. **2023**, 859, 160139 0
- 274 Genetic constraints on temporal variation of airborne reflectance spectra and their uncertainties over a temperate forest. **2023**, 284, 113338 0
- 273 Net primary productivity exhibits a stronger climatic response in planted versus natural forests. **2023**, 529, 120722 1

- 272 Shifting plant leaf anatomical strategic spectra of 286 plants in the eastern Qinghai-Tibet Plateau: Changing gears along 10500-10700 m. **2023**, 146, 109741 0
- 271 Warming and elevated CO₂ induced shifts in carbon partitioning and lipid composition within an ombrotrophic bog plant community. **2023**, 206, 105182 0
- 270 Variations of multi-elements in wetland plants on the Tibetan Plateau are mainly determined by environmental factors. **2023**, 146, 109807 1
- 269 Plant-soil feedbacks in *Hydrocotyle vulgaris*: Genotypic differences and relations to functional traits. **2023**, 146, 109766 0
- 268 Carbon acquisition ecological strategies to connect soil microbial biodiversity and carbon cycling. **2023**, 177, 108893 0
- 267 Seasonal response of *Suaeda salsa* to hydrological connectivity in intertidal salt marshes through changing trait networks. **2023**, 222, 106857 0
- 266 Grasslands. **2022**, 349-374 0
- 265 Ecometabolomics Studies of Bryophytes. **2022**, 1-43 0
- 264 Mismatch between species distribution and climatic niche optima in relation to functional traits. **2022**, 9, 100077 0
- 263 Inter- and Intraspecific Variation Patterns of Leaf Phenotypic Traits in Two Sympatric Pine Species. **2022**, 13, 2014 0
- 262 The worldwide allometric relationship in anatomical structures for plant roots. 0
- 261 Intraspecific Functional Variability and Functional Changes Along Environmental Gradients Associated to Mangrove Forest Zonation in West-Central Mexico. **2022**, 42, 0
- 260 Mulching in lowland hay meadows drives an adaptive convergence of above- and below-ground traits reducing plasticity and improving biomass: A possible tool for enhancing phytoremediation. 13, 0
- 259 Effects of drought stress on the functional traits and rhizosphere microbial community structure of *Cyperus esculentus*. 0
- 258 Response-effect trait overlap and correlation in riparian plant communities suggests sensitivity of ecosystem functioning and services to environmental change. **2022**, 160549 0
- 257 Functional traits of medicinal plant species under different ecological conditions. 0
- 256 Spatiotemporal variations in the growth status of declining wild apple trees in a narrow valley in the western Tianshan Mountains, China. **2022**, 14, 1413-1439 0
- 255 Grazing and ecosystem service delivery in global drylands. **2022**, 378, 915-920 5

- 254 Lianas rapidly colonize early stages of tropical forests, presumably through leaf trait diversification. **2022**, 33, 0
- 253 Variation in near-surface soil temperature drives plant assemblage insurance potential. 0
- 252 Why do plants silicify?. **2022**, 1
- 251 Three decades of environmental change studies at alpine Finse, Norway: climate trends and responses across ecological scales. 1
- 250 Differences in Phenotypic Plasticity between Invasive and Native Plants Responding to Three Environmental Factors. **2022**, 12, 1970 1
- 249 Global transcriptomic analysis reveals candidate genes associated with different phosphorus acquisition strategies among soybean varieties. 13, 0
- 248 *Laurocerasus officinalis* M. Roem Taksonunda Yrseklik ve YaGradiyenti Boyunca BazYaprak Zelliklerinin İncelenmesi. 355-365 0
- 247 Leaf vein topology confers water transport efficiency. 0
- 246 Seasonality of Photosynthetic Physiology and Leaf Anatomy in Three Different *Quercus* L. Section *Cyclobalanopsis* Seedlings of *Quercus chungii*, *Quercus gilva*, and *Quercus glauca* in the Subtropical Region of South China. **2022**, 13, 2067 0
- 245 Plant affinity to extreme soils and foliar sulphur mediate species-specific responses to sheep grazing in gypsum systems. 1-11 1
- 244 Coordination of economics spectra in leaf, stem and root within the genus *Artemisia* along a large environmental gradient in China. 0
- 243 Biomass and nitrogen content of petiole and rachis predict leaflet trait variation in compound pinnate leaves of plants. **2022**, 152207 0
- 242 Differences and allometric relationships among assimilative branch traits of four shrubs in Central Asia. 13, 0
- 241 Nitrogen addition and warming modulate the pathogen impact on plant biomass by shifting intraspecific functional traits and reducing species richness. 0
- 240 miR472 deficiency enhances *Arabidopsis thaliana* defence without reducing seed production. 0
- 239 Relationship between Photosynthetic Characteristics, Anatomical Structure, and Physiological Indexes of Two Halophytes in Different Habitats. **2022**, 13, 2189 0
- 238 Plant-soil relationships influence observed trends between manganese and carbon across biomes. 0
- 237 Elevated atmospheric CO₂ concentration changes the eco-physiological response of barley to polystyrene nanoplastics. **2022**, 141135 0

- 236 Temperate Lianas Have More Acquisitive Strategies than Host Trees in Leaf and Stem Traits, but Not Root Traits. **2022**, 11, 3543 ○
- 235 Spectral Mixture Analysis Of Aviris-Ng Data For Grouping Plant Functional Types. **2022**, ○
- 234 Compound and simple leaf woody species of the Chilean matorral are equally affected by extreme drought. ○
- 233 Effects of dissolved inorganic level and sediment types on the plant traits of *Myriophyllum spicatum* L. and its exudates input to sediment. **2023**, 85, ○
- 232 Comparing carbon and nutrient allocations among the different organs of plants *Suaeda salsa* between two typically coastal wetlands, China. **2022**, 102796 ○
- 231 Ontogeny influences tree growth response to soil fertility and neighborhood crowding in an old-growth temperate forest. ○
- 230 Effect of substrate fertility on tank-bromeliad performances. ○
- 229 Linking Leaf Functional Traits with Soil and Climate Factors in Forest Ecosystems in China. **2022**, 11, 3545 ○
- 228 Alien species affect the abundance and richness of native species in tropical forests: The role of adaptive strategies. **2022**, 13, ○
- 227 Complementary water and nutrient utilization of perianth structural units help maintain long floral lifespan in *Dendrobium*. ○
- 226 Trait-mediated leaf retention of atmospheric particulate matter in fourteen tree species in southern China. ○
- 225 The global spectrum of plant form and function: enhanced species-level trait dataset. **2022**, 9, 1
- 224 Multi-Response Phylogenetic Mixed Models: Concepts and Application. ○
- 223 Using a Simple Representation of Non-Structural Carbohydrates Allocation to Predict Wood Growth in Temperate Forests. **2022**, 127, ○
- 222 Assessing the haplotype and spectro-functional traits interactions to explore the intraspecific diversity of common reed in Central Italy. ○
- 221 Global net biome CO₂ exchange predicted comparably well using parameter–environment relationships and plant functional types. ○
- 220 The China plant trait database version 2. **2022**, 9, ○
- 219 Understanding and predicting harmful algal blooms in a changing climate: A trait-based framework. ○

- 218 Biochar Amendment in Combination with Endophytic Bacteria Stimulates Photosynthetic Activity and Antioxidant Enzymes to Improve Soybean Yield Under Drought Stress. 0
- 217 Seasonal peak photosynthesis is hindered by late canopy development in northern ecosystems. **2022**, 8, 1484-1492 0
- 216 Integrating defense and leaf economic spectrum traits in a tropical savanna plant. 0
- 215 Specific leaf area is lower on ultramafic than on neighbouring non-ultramafic soils. 1
- 214 PADAPT 1.0 [The Pannonian Database of Plant Traits. 0
- 213 Exploring the Best-Matching Plant Traits and Environmental Factors for Vegetation Indices in Estimates of Global Gross Primary Productivity. **2022**, 14, 6316 0
- 212 Genomic data and common garden experiments reveal climate-driven selection on ecophysiological traits in two Mediterranean oaks. 0
- 211 Natural variation of respiration-related traits in plants. 0
- 210 Soil Abiotic Properties Shape Plant Functional Diversity Across Temperate Grassland Plant Communities. 0
- 209 Carbon sequestration potential of different forest types in Pakistan and its role in regulating services for public health. 10, 1
- 208 Woody plant adaptations to multiple abiotic stressors: where are we?. **2023**, 152221 0
- 207 Photosynthetic and water transport strategies of plants along a tropical forest aridity gradient: a test of optimality theory. 0
- 206 Allometric models to estimate the individual leaf area of arabica coffee: an approach from frequentist and Bayesian statistics. **2023**, 45, 0
- 205 Global patterns of plant form and function are strongly determined by evolutionary relationships. 0
- 204 Changing plant functional diversity over the last 12,000 years provides perspectives for tracking future changes in vegetation communities. 0
- 203 TiP-Leaf: a dataset of leaf traits across vegetation types on the Tibetan Plateau. **2023**, 15, 25-39 0
- 202 Mechanisms behind elevational plant species richness patterns revealed by a trait-based approach. **2023**, 34, 0
- 201 Domestication provides durum wheat with protection from locust herbivory. **2023**, 13, 0

- 200 The introduced lineage of *Phragmites australis* in North America differs from its co-existing native lineage in associated soil microbial structure **IA** holistic view of plant traits and soil microbiome from a common garden experiment. 0
- 199 Divergence in functional traits in seven species of neotropical palms of different forest strata. 0
- 198 Morphological responses of *Bombax ceiba* to habitat heterogeneity in Southwest China. 10, 0
- 197 Slope position- mediated soil environmental filtering drives plant community assembly processes in hilly shrublands of Guilin, China. 13, 0
- 196 PHOTOSYNTHETIC RATES HELP EXPLAIN THE DISTRIBUTION OF *ARBUTUS XALAPENSIS* (TEXAS MADRONE) POPULATIONS. **2023**, 69, 0
- 195 Functional traits of young seedlings predict trade-offs in seedling performance in three neotropical forests.. 0
- 194 Irrigated urban trees exhibit greater functional trait plasticity compared to natural stands. **2023**, 19, 0
- 193 Exotic species explain plant functional trait differences between seed mixes, restored and reference prairies. 0
- 192 Leaf thermal tolerance and sensitivity of temperate tree species are correlated with leaf physiological and functional drought resistance traits. 0
- 191 The ratio of electron transport to assimilation (ETR/AN): underutilized but essential for assessing both equipment's proper performance and plant status. **2023**, 257, 0
- 190 Plant traits alone are good predictors of ecosystem properties when used carefully. 0
- 189 Geographical differences of leaf traits of the endangered plant *Litsea coreana* Levl. var. *sinensis* and its relationship with climate. 1
- 188 Experimentally induced drought and growing season stage modulate community-level functional traits in a temperate grassland. 0
- 187 Plant trait-based life strategies of overlapping species vary in different succession stages of subtropical forests, Eastern China. 10, 0
- 186 Global change and plant-ecosystem functioning in freshwaters. **2023**, 0
- 185 Site dependence of local variations in taxonomic and functional diversity of plant communities in semi-natural dry grasslands. 0
- 184 Distinct leaf functional traits of *Tamarix chinensis* at different habitats in the hinterland of the Taklimakan desert. 13, 0
- 183 Physiological strategies for handling summer water stress differ among co-existing species and between juvenile and mature trees. 5, 0

- 182 Foliar chemical composition and respiration rates of sugar maple (*Acer saccharum*) and American beech (*Fagus grandifolia*) trees across a gradient of soil acidification. ○
- 181 Intraspecific trait variation governs grazing-induced shifts in plant community above- and below-ground functional trait composition. **2023**, 346, 108357 1
- 180 Taxonomic, functional, and phylogenetic diversity of communities hosting *Ionopsidium savianum* (Brassicaceae) growing on serpentine and limestone substrates. **2022**, 59, 39-50 ○
- 179 Leaf Traits and Resource Use Efficiencies of 19 Woody Plant Species in a Plantation in Fangshan, Beijing, China. **2023**, 14, 63 ○
- 178 Assessing the haplotype and spectro-functional traits interactions to explore the intraspecific diversity of common reed in Central Italy. ○
- 177 Biotic filters driving the differentiation of decomposer, epiphytic and pathogenic phyllosphere fungi across plant species. ○
- 176 Divergent litter traits of riparian plant species between humid and drier biomes within the tropics. ○
- 175 Drivers of plant intraspecific variation are trait-specific. ○
- 174 Genetic adaptation rates differ by trait and plant type --a comprehensive meta-analysis. ○
- 173 Demographic trade-offs and functional shifts in a hurricane-impacted tropical forest. ○
- 172 Water limitation reveals local adaptation and plasticity in the drought tolerance strategies of *Bouteloua gracilis*. **2023**, 14, ○
- 171 Inference of taxonomic relationships between *Rhododendron ferrugineum* and *R. myrtifolium* (Ericaceae) from leaf and fruit morphologies. ○
- 170 Decomposing intraspecific phenotypic variation: implications for species and functional diversity. ○
- 169 Dissecting the genetic architecture of leaf morphology traits in mungbean (*Vigna radiata* (L.) Wiczek) using genome-wide association study. **2023**, 6, ○
- 168 Nutrient-use efficiency. **2023**, 651-664 ○
- 167 Leaf economics fundamentals explained by optimality principles. **2023**, 9, ○
- 166 Linking rhizosphere soil microbial activity and plant resource acquisition strategy. ○
- 165 Vein Network and Climatic Factors Predict the Leaf Economic Spectrum of Desert Plants in Xinjiang, China. **2023**, 12, 581 ○

- 164 Interaction Effect of Stand Age and Diversity on Aboveground Wood Carbon Accumulation in Subtropical Mixed Forests of the Zhejiang Province (China). **2023**, 14, 262 ○
- 163 Do Tree Size and Tree Shade Tolerance Affect the Photosynthetic Capacity of Broad-Leaved Tree Species?. **2023**, 12, 523 ○
- 162 Ring- and diffuse-porous tree species from a cold temperate forest diverge in stem hydraulic traits, leaf photosynthetic traits, growth rate and altitudinal distribution. ○
- 161 Divergent adaptations of leaf functional traits to light intensity across common urban plant species in Lanzhou, northwestern China. 14, ○
- 160 Divergent coupling mechanism of precipitation on plant community multifunction across alpine grassland on the Tibetan Plateau. 13, ○
- 159 Nocturnal Transpiration May Be Associated with Foliar Nutrient Uptake. **2023**, 12, 531 ○
- 158 Temperature, nutrient availability, and species traits interact to shape elevation responses of Australian tropical trees. 6, ○
- 157 Leaf-Level Field Spectroscopy to Discriminate Invasive Species (*Psidium guajava* L. and *Hovenia dulcis* Thunb.) from Native Tree Species in the Southern Brazilian Atlantic Forest. **2023**, 15, 791 ○
- 156 Changes in biodiversity impact atmospheric chemistry through plant volatiles and particles. ○
- 155 Inter- and Intra-Population Variation of Foliage Calcium and Magnesium in Two Chinese Pine Species. **2023**, 12, 562 ○
- 154 Physiological responses of *Quercus acutissima* and *Quercus rubra* seedlings to drought and defoliation treatments. ○
- 153 Effects of Arbuscular Mycorrhizal Fungi on Leaf N: P: K Stoichiometry in Agroecosystem. **2023**, 13, 358 ○
- 152 A Get-Save-Return process continuum runs on phosphorus economy among subtropical tree species. ○
- 151 The consequence of leaf life span to virus infection of herbivorous insects. 1 ○
- 150 Contrasting Silicon Dynamics Between Aboveground Vegetation and Soil Along a Secondary Successional Gradient in a Cool-temperate Deciduous Forest. ○
- 149 Alien palm invasion leads to selective biotic filtering of resident plant communities towards competitive functional traits. ○
- 148 Convergent relationships between flower economics and hydraulic traits across aquatic and terrestrial herbaceous plants. **2023**, ○
- 147 Forage nutritive value shows synergies with plant diversity in a wide range of semi-natural grassland habitats. **2023**, 347, 108369 ○

- 146 Promising weeds forage potential in perennial Mediterranean agroecosystems. **2023**, 347, 108388 ○
- 145 Intraspecific Trait Variability of Emblematic Grass and Tree Species from Venezuelan Savannas Across Extended Physical Gradients. **2023**, 165-178 ○
- 144 Morphological and Physio-Chemical Responses to PEG-Induced Water Stress in *Vanilla planifolia* and *V. pompona* Hybrids. **2023**, 24, 4690 ○
- 143 Effects of Soil Nutrients on Plant Nutrient Traits in Natural *Pinus tabuliformis* Forests. **2023**, 12, 735 ○
- 142 Data-driven identification of major axes of functional variation in bacteria. ○
- 141 Life history strategies among soil bacteria—dichotomy for few, continuum for many. **2023**, 17, 611-619 ○
- 140 Species-specific stomatal ABA responses in juvenile ferns grown from spores. ○
- 139 No consistencies in abundance-impact relationships across herbaceous invasive species and ecological impact metrics. ○
- 138 Influence of phylogenetic diversity of plant communities on plant-herbivore-natural enemies interactions. ○
- 137 Species richness drives selection of individuals within wetlands based on traits related to acquisition and utilization of light. **2023**, 13, ○
- 136 An integrated leaf trait analysis of two Paleogene leaf floras. 11, e15140 ○
- 135 In search of a perfect trait set: A workflow presentation based on the conservation status assessment of Poland's dendroflora. **2023**, 13, ○
- 134 Leaf traits divergence and correlations of woody plants among the three plant functional types on the eastern Qinghai-Tibetan Plateau, China. 14, ○
- 133 Seed limitation interacts with biotic and abiotic factors to constrain novel species' impact on community biomass and richness. ○
- 132 A bidirectional phosphate transporter relieves phosphate limitations of photosynthesis to improve grain yield in rice. ○
- 131 Remotely sensed functional diversity and its association with productivity in a subtropical forest. **2023**, 290, 113530 ○
- 130 Within-branch photosynthetic gradients are more related to the coordinated investments of nitrogen and water than leaf mass per area. **2023**, 198, 107681 ○
- 129 The photosynthetic response of spectral chlorophyll fluorescence differs across species and light environments in a boreal forest ecosystem. **2023**, 334, 109434 ○

- 128 Seed treatment with plant-defense elicitors decreases the abundance of ammonia oxidizers associated with winter wheat roots. **2023**, 180, 109016 ○
- 127 Response of soil properties to C, N, and P stoichiometry of plants in Qilian Mountains, China. **2023**, 150, 110245 ○
- 126 Simulated effects of canopy structural complexity on forest productivity. **2023**, 538, 120978 ○
- 125 Soil water conditions together with plant nitrogen acquisition strategies control vegetation dynamics in semi-arid wetlands undergoing land management changes. **2023**, 227, 107115 ○
- 124 Warming reduces both photosynthetic nutrient use efficiency and water use efficiency in Mediterranean shrubs Warming reduces nutrient use efficiency. **2023**, 210, 105331 ○
- 123 Quantifying leaf-trait co-variation and strategies for ecosystem functioning of *Quercus leucotrichophora* (Ban Oak) forest in Himalaya. **2023**, 150, 110212 ○
- 122 Estimating foliar phosphorus of rubber trees using locally modelling approach with hyperspectral reflectance. **2023**, 131, 104642 ○
- 121 Functional structure and interactions within communities composed of cover crops and spontaneous species, along a cropping practices gradient. **2023**, 350, 108476 ○
- 120 Predicting intercrop competition, facilitation, and productivity from simple functional traits. **2023**, 297, 108926 ○
- 119 Leaf phenotypic plasticity coupled with integration facilitates the adaptation of plants to enhanced N deposition. **2023**, 327, 121570 ○
- 118 Flowering and leaf phenology are more variable and stronger associated to functional traits in herbaceous compared to tree species. **2023**, 300, 152218 ○
- 117 Specific leaf area and vapour pressure deficit control live fuel moisture content. **2023**, 37, 719-731 ○
- 116 Islands in the mist: A systematic review of the coastal lomas of South America. **2023**, 211, 104942 ○
- 115 Soil physicochemical properties associated with the yield and phytochemical composition of the edible halophyte *Crithmum maritimum*. **2023**, 869, 161806 ○
- 114 No home-field advantage in litter decomposition from the desert to temperate forest. ○
- 113 Decoupling of tree height and root depth across the globe and the implications for tree mortality during drought events. **2023**, 147, 109944 ○
- 112 Above- and belowground linkages during extreme moisture excess: leveraging knowledge from natural ecosystems to better understand implications for row-crop agroecosystems. ○
- 111 Variability in Forest Plant Traits along the Western Ghats of India and Their Environmental Drivers at Different Resolutions. 1

110	Effect of Slope Aspect on Plant Above- and Belowground Functional Traits of Alpine Meadow on the Qinghai-Tibet Plateau, China. 2023 , 128,	0
109	Differential effect of climate of origin and cultivation climate on structural and biochemical plant traits.	0
108	Intraspecific trait variation and changing life-history strategies explain host community disease risk along a temperature gradient. 2023 , 378,	1
107	Plant spectral diversity from high-resolution multispectral imagery detects functional diversity patterns in coastal dune communities.	0
106	Physiological Characteristics and Cold Resistance of Five Woody Plants in Treeline Ecotone of Sygera Mountains. 2023 , 15, 3040	0
105	Climate-trait relationships exhibit strong habitat specificity in plant communities across Europe. 2023 , 14,	0
104	The role of climate, vegetation, and soil factors on carbon fluxes in Chinese drylands. 14,	0
103	Precipitation preferences alter the relative importance of herbaceous plant diversity for multifunctionality in the drylands of China. 11,	0
102	Hydraulic role in differential stomatal behaviors at two contrasting elevations in three dominant tree species of a mixed coniferous and broad-leaved forest in low subtropical China. 2023 , 10, 100095	0
101	Differential responses of phosphorus accumulation and mobilization in Moso bamboo (<i>Phyllostachys edulis</i> (Carrière) J. Houz) seedlings to short-term experimental nitrogen deposition. 2023 , 80,	0
100	High nitrogen addition induces functional trait divergence of plant community in a temperate desert steppe.	0
99	Intraspecific variations in leaf functional traits of <i>Cunninghamia lanceolata</i> provenances. 2023 , 23,	0
98	Coordinated variation in root and leaf functional traits of <i>Hippophae rhamnoides</i> treated at different stump heights in feldspathic sandstone areas of Inner Mongolia. 14,	0
97	How functional traits of submerged macrophytes response to underwater light quality?.	0
96	<i>Fagus sylvatica</i> and <i>Quercus pyrenaica</i> : Two neighbors with few things in common. 2023 , 10, 100097	0
95	Genomic Basis of Adaptation to a Novel Precipitation Regime. 2023 , 40,	0
94	Editorial: Root functional traits: From fine root to community-level variation. 14,	0
93	Perennial herb diversity contributes more than annual herb diversity to multifunctionality in dryland ecosystems of North-western China. 14,	0

- 92 Soil properties and plant species can predict population size and potential introduction sites of the endangered orchid *Cypripedium calceolus*. ○
- 91 Disentangling leaf structural and material properties in relationship to their anatomical and chemical compositional traits in oaks (*Quercus*L.). ○
- 90 Increased brick ratio in urban substrates has a marginal effect on tree saplings. ○
- 89 Traits and the associated loci in wheat favoring extreme high temperature tolerance. **2023**, 145, 126776 ○
- 88 Intraspecific trait variation and coordination of leaf economics spectrum in *Elaeagnus angustifolia* across three basins in Central Asia. **2023**, 224, 325-334 ○
- 87 Functional traits explain both seedling and adult plant spatial patterns in gypsum annual species. ○
- 86 Facilitation of phosphorus acquisition by *Banksia attenuata* allows *Adenanthos cygnorum* (Proteaceae) to extend its range into severely phosphorus-impooverished habitats. ○
- 85 Genetic architecture of leaf morphology revealed by integrated trait module in *Catalpa bungei*. **2023**, 10, ○
- 84 Response of plant functional traits to water table gradients in the Zoige Alpine wetland, China. ○
- 83 Perspective: Improving the accuracy of plant phenology observations and land-cover and land-use detection by optical satellite remote-sensing in the Asian tropics. 6, ○
- 82 Desiccation Avoidance and Hummock Formation Traits of rich fen Bryophytes. **2023**, 43, ○
- 81 Functional stability of vegetation following biocontrol of an invasive riparian shrub. **2023**, 25, 1133-1147 ○
- 80 Hydraulic adjustments of Scots pine colonizing a harsh environment on volcano slopes. ○
- 79 Local adaptation of switchgrass drives trait relations to yield and differential responses to climate and soil environments. **2023**, 15, 680-696 ○
- 78 Is foliar spectrum predictive of belowground bacterial diversity? A case study in a peach orchard. 14, ○
- 77 Growth-defence trade-off in rice: fast-growing and acquisitive genotypes have lower expression of genes involved in immunity. ○
- 76 Factors driving trait-convergence linked to leaf economic spectrum in tropical ferns. 1-14 ○
- 75 Leaf Functional Traits of *Zanthoxylum planispinum* Dintanensis[Plantations with Different Planting Combinations and Their Responses to Soil. **2023**, 14, 468 ○

- 74 Choose Wisely: Great Variation among Genotypes of Promising Paludiculture Crop *Phragmites australis*. **2023**, 12, 1045
- 73 Are ecological niche optimum and width of forest plant species related to their functional traits?. **2023**, 301, 152247
- 72 The effect of shift in physiological and anatomical traits on light use efficiency under cotton domestication. **2023**, 175,
- 71 Divergent responses of plant functional traits and biomass allocation to slope aspects in four perennial herbs of the alpine meadow ecosystem. 14,
- 70 Different assembly mechanisms of leaf epiphytic and endophytic bacterial communities underlie their higher diversity in more diverse forests.
- 69 Using root economics traits to predict biotic plant soil-feedbacks.
- 68 Soil resources and functional trait trade-offs determine species biomass stocks and productivity in a tropical dry forest. 6,
- 67 Dispersal and persistence traits inform long-term herbaceous plant community change in encroached savannas. **2023**, 224, 361-371
- 66 Integrating multiple plant functional traits to predict ecosystem productivity. **2023**, 6,
- 65 Adaptive mechanism in *Quercus brantii* Lindl. leaves under climatic differentiation: morphological and anatomical traits. **2023**, 13,
- 64 Estimating the net effect of functional traits on fitness across species and environments. **2023**, 14, 1035-1048
- 63 Leaf morphology, functional trait and altitude response in perennial vetch (*Vicia unijuga* A. Braun), alfalfa (*Medicago sativa* L.) and sainfoin (*Onobrychis viciifolia* Scop.). **2023**, 257,
- 62 Soil water content and nitrogen differentially correlate with multidimensional leaf traits of two temperate broadleaf species. **2023**,
- 61 Leaf traits predict performance under varying levels of drought stress in cultivated sunflower (*Helianthus annuus*L.).
- 60 Functional traits and trait coordination change over the life of a leaf in a tropical fern species.
- 59 Linking plant diversity-productivity relationships to plant functional traits of dominant species and changes in soil properties in 15-year-old experimental grasslands. **2023**, 13,
- 58 What role do dauciform roots play? Responses of *Carex filispica* to trampling in alpine meadows based on functional traits. **2023**, 13,
- 57 Plant Species Capacity for Range Shifts at the Habitat and Geographic Scales: A Trade-Off-Based Framework. **2023**, 12, 1248

- 56 Characteristics of plant trait network and its influencing factors in impounded lakes and channel rivers of South-to-North Water Transfer Project, China. 14, ○
- 55 High within-tree leaf trait variation and its response to species diversity and soil nutrients. ○
- 54 Sex-specific outbreeding advantages and sexual dimorphism in the seedlings of dioecious trees. ○
- 53 Leaf metabolic traits reveal hidden dimensions of plant form and function. ○
- 52 Adaptations to the stressful combination of serpentine soils and Mediterranean climate drive plant functional groups and trait richness. 14, ○
- 51 Individual traits modify environmental effects on interaction, connectivity, and productivity of macrophyte community. ○
- 50 Clonality-Related Traits Add Independent Specialization Axes to Herbs Trait Strategies. ○
- 49 Biogeographic Patterns of Sulfur in the Vegetation of the Tibetan Plateau. **2023**, 128, ○
- 48 Environmental correlates of tree functional diversity with different leaf habits across subtropical evergreen broadleaved forests. **2023**, 34, ○
- 47 Influence of foliar traits, watershed physiography, and nutrient subsidies on stream water quality in the upper midwestern United States. 10, ○
- 46 Quantifying the Variation in Reflectance Spectra of *Metrosideros polymorpha* Canopies across Environmental Gradients. **2023**, 15, 1614 ○
- 45 Hydrological Regime and Plant Functional Traits Jointly Mediate the Influence of *Salix* spp. on Soil Organic Carbon Stocks in a High Arctic Tundra. ○
- 44 Aridity drives clinal patterns in leaf traits and responsiveness to precipitation in a broadly distributed Australian tree species. ○
- 43 A Machine Learning approach to study plant functional trait divergence. ○
- 42 Mean annual temperature mainly drives spatial pattern of plant functional traits in inland arid and semi-arid areas. ○
- 41 Editorial: Leaf functional traits: Ecological and evolutionary implications. 14, ○
- 40 Effects of the Microstructural Characteristics of Leaves on the Dew Evaporation Duration and Absorption Capacity. **2022**, 69, ○
- 39 Light scattering in stacked mesophyll cells results in similarity characteristic of solar spectral reflectance and transmittance of natural leaves. **2023**, 13, ○

- 38 Validation of a new spatially explicit process-based model (HETEROFOR) to simulate structurally and compositionally complex forest stands in eastern North America. **2023**, 16, 1661-1682 ○
- 37 A synthesis on the role of mycorrhizal fungal traits for understanding forest tree functions. ○
- 36 Climatic conditions affect shoot flammability by influencing flammability-related functional traits in nonfire-prone habitats. ○
- 35 Nutrient Resorption and Stoichiometric Characteristics of Wuyi Rock Tea Cultivars. **2023**, 14, 675 ○
- 34 Mechanism of Terrestrial Plant Community Assembly under Different Intensities of Anthropogenic Disturbance in Dianchi Lakeside. **2023**, 14, 670 ○
- 33 Functional traits related to competition for light influence tree diameter increments in a biodiversity manipulation experiment. ○
- 32 Rising water-use efficiency in European grasslands is driven by increased primary production. **2023**, 4, ○
- 31 C, N, and P Stoichiometry Characteristics of Fresh and Weathered Sandstones in Longhushan Area, SE China. **2023**, 13, 483 ○
- 30 Non-linear response of productivity to precipitation extremes in the Inner Mongolia grassland. ○
- 29 Wood Biology. **2023**, 41-138 ○
- 28 Litsea Males Are Better Adapted to Pb Stress Than Females by Modulating Photosynthesis and Pb Subcellular Distribution. **2023**, 14, 724 ○
- 27 Ecophysiological Differentiation among Two Resurrection Ferns and Their Allopolyploid Derivative. **2023**, 12, 1529 ○
- 26 A survey of leaf phosphorus fractions and leaf economic traits among 12 co-occurring woody species on phosphorus-impooverished soils. ○
- 25 The Plant Leaf: A Biomimetic Resource for Multifunctional and Economic Design. **2023**, 8, 145 ○
- 24 The morphology and nutrient content drive the leaf carbon capture and economic trait variations in subtropical bamboo forest. 14, ○
- 23 Nitrogen use strategy drives interspecific differences in plant photosynthetic CO₂ acclimation. ○
- 22 Applying an interpretable machine learning approach to assess intraspecific trait variation under landscape-scale population differentiation. ○
- 21 Root phosphatase activity is a competitive trait affiliated with the conservation gradient in root economic space. **2023**, 10, 100111 ○

- 20 The photosynthetic eco-physiological adaptability of the endangered plant *Tetracentron sinense* to different habitats and altitudes. 67, 54-66 ○
- 19 Seed Priming with Single-Walled Carbon Nanotubes Grafted with Pluronic P85 Preserves the Functional and Structural Characteristics of Pea Plants. **2023**, 13, 1332 ○
- 18 Leaf functional traits and pathogens: Linking coffee leaf rust with intraspecific trait variation in diversified agroecosystems. **2023**, 18, e0284203 ○
- 17 Conservative changes in ecosystem C:N:P stoichiometry are mediated by plant diversity and tree size along a forest succession chronosequence. ○
- 16 Global leaf-trait mapping based on optimality theory. ○
- 15 Differences in ecophysiological responses of *Populus euphratica* females and males exposed to salinity and alkali stress. **2023**, 198, 107707 ○
- 14 UAV-Lidar reveals that canopy structure mediates the influence of edge effects on forest diversity, function and microclimate. ○
- 13 Research progress on ecology and sustainable development of Guilin Lijiang River Basin, China based on bibliometric analysis. ○
- 12 Differences in photosynthetic and water use characteristics of four co-existing tree species on the treeline of the Japanese Alps. ○
- 11 The Relative Importance of Coarse-Scale Climate and Fine-Scale Nitrogen Availability Contrasts in Driving Home-Field Advantage Effects in Litter Decomposition. ○
- 10 Trace element hyperaccumulator plant traits: a call for trait data collection. ○
- 9 Leaf angle as a leaf and canopy trait: Rejuvenating its role in ecology with new technology. ○
- 8 Strategic differentiation of subcommunities composed of evergreen and deciduous woody species associated with leaf functional traits in the subtropical mixed forest. **2023**, 150, 110281 ○
- 7 Adaptational responses of leaf functional traits of *Dicranopteris dichotoma* to environmental factors in different vegetational restoration stages. **2023**, e02484 ○
- 6 Reproductive phases coincide with changes in morphology and photosynthetic physiology in an endangered cycad species. **2023**, 11, ○
- 5 Tree diversity increases decadal forest soil carbon and nitrogen accrual. ○
- 4 An integrative trait-based framework to infer resource budgets and life-histories of long-lived plants. ○
- 3 Assessing the Role of Crop Rotation in Shaping Foliage Characteristics and Leaf Gas Exchange Parameters for Winter Wheat. **2023**, 13, 958 ○

- 2 Rapid changes in functional trait expression and decomposition following high severity fire and experimental warming. **2023**, 541, 121019 ○
- 1 Latitudinal variation in the functional response of *Quercus suber* seedlings to extreme drought. **2023**, 887, 164122 ○