

# CITATION REPORT

List of articles citing

## All-optical control of light on a silicon chip

DOI: 10.1038/nature02921  
Nature, 2004, 431, 1081-4.

**Source:** <https://exaly.com/paper-pdf/36820081/citation-report.pdf>

**Version:** 2024-04-26

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
1303	Optical add-drop filters based on photonic crystal ring resonators. <b>2007</b> , 15, 1823		
1302	Optical add-drop filters based on photonic crystal ring resonators. <b>2007</b> , 15, 1823		
1301	Optical add-drop filters based on photonic crystal ring resonators. <b>2007</b> , 15, 1823		
1300	Nonlinear photonic structures for all-optical deflection. <b>2008</b> , 16, 3077		
1299	All silicon waveguide spherical microcavity coupler device. <b>2011</b> , 19, 3185		
1298	Reconfigurable silicon thermo-optical device based on spectral tuning of ring resonators. <b>2011</b> , 19, 12727		
1297	Reconfigurable silicon thermo-optical device based on spectral tuning of ring resonators. <b>2011</b> , 19, 12727		
1296	Adaptive on-chip control of nano-optical fields with optoplasmonic vortex nanogates. <b>2011</b> , 19, 22305		
1295	Adaptive on-chip control of nano-optical fields with optoplasmonic vortex nanogates. <b>2011</b> , 19, 22305		
1294	Adaptive on-chip control of nano-optical fields with optoplasmonic vortex nanogates. <b>2011</b> , 19, 22305		
1293	Adaptive on-chip control of nano-optical fields with optoplasmonic vortex nanogates. <b>2011</b> , 19, 22305		
1292	Reconfigurable silicon thermo-optical ring resonator switch based on Vernier effect control. <b>2012</b> , 20, 14722		
1291	Reconfigurable silicon thermo-optical ring resonator switch based on Vernier effect control. <b>2012</b> , 20, 14722		
1290	Compact and low power consumption tunable photonic crystal nanobeam cavity. <b>2013</b> , 21, 3861		
1289	Loop coupled resonator optical waveguides. <b>2014</b> , 22, 24202		
1288	Loop coupled resonator optical waveguides. <b>2014</b> , 22, 24202		
1287	Loop coupled resonator optical waveguides. <b>2014</b> , 22, 24202		

1286 Loop coupled resonator optical waveguides. **2014**, 22, 24202

1285 Micrometer-scale integrated silicon source of time-energy entangled photons. **2015**, 2, 88

1284 On-chip mode-division multiplexing switch. **2015**, 2, 530

1283 Cavity-enhanced second-harmonic generation via nonlinear-overlap optimization. **2016**, 3, 233

1282 All-optical spatial light modulator for reconfigurable silicon photonic circuits. **2016**, 3, 396

1281 Raman Gain in Silicon Using Highly Confined Waveguide Structure. **2004**, 832, 146

1280 Pico-second optical switch using micromachined total internal reflection prism.

1279 Enhanced polarization-independent optical ring resonators on silicon-on-insulator. **2005**, 5730, 195

1

1278 Active building blocks for silicon photonic devices. **2005**,

1

1277 Preliminary experimental results of a dual grating-assisted directional coupler on SOI. **2005**, 5730, 173

3

1276 Dynamic Photonic Structures: Stopping, Storage, and Time Reversal of Light. **2005**, 115, 233-253

26

1275 Micrometre-scale silicon electro-optic modulator. *Nature*, **2005**, 435, 325-7

50.4 1587

1274 Optical properties of isolated and supported metal nanoparticles. **2005**, 27, 1204-1211

154

1273 Silicon photonics: the early years. **2005**,

9

1272 Optical Controlled Switch Behaviour of the ZnS:Cu and SrAl<sub>2</sub>O<sub>4</sub>:Eu Phosphors. **2005**, 22, 2523-2525

0

1271 Atomically controlled interfaces for future nanoelectronics. **2005**, 17, V1-V5

10

1270 Low-loss quasi-planar ridge waveguides formed on thin silicon-on-insulator. **2005**, 87, 231108

33

1269 Novel regrowth-free vertical active-passive integration scheme with improved fabrication tolerance.

1268	Design of polarization-insensitive SOI ring resonators using cladding stress-induced birefringence and MMI couplers.	
1267	Temperature-insensitive ultrafast optical integrated semiconductor switch based on plasma-dispersion effect. <b>2005</b> ,	
1266	Trimming of silicon nitride microring resonators with a polysilane top cladding.	1
1265	Fabrication of silicon-on-glass waveguides.	
1264	Optical routing and sensing with nanowire assemblies. <b>2005</b> , 102, 7800-5	201
1263	Design and simulation of silicon microring optical routing switches. <b>2005</b> , 23, 1800-1807	51
1262	Guiding, modulating, and emitting light on Silicon-challenges and opportunities. <b>2005</b> , 23, 4222-4238	456
1261	Customized drive electronics to extend silicon optical modulators to 4 gb/s. <b>2005</b> , 23, 4305-4314	13
1260	Nonlinear response of silicon photonic crystal microresonators excited via an integrated waveguide and fiber taper. <b>2005</b> , 13, 801-20	292
1259	Beyond the Rayleigh scattering limit in high-Q silicon microdisks: theory and experiment. <b>2005</b> , 13, 1515-30	332
1258	Design of photonic band gap nanocavities for stimulated Raman amplification and lasing in monolithic silicon. <b>2005</b> , 13, 4723-30	25
1257	Ultrafast all-optical switching by cross-absorption modulation in silicon wire waveguides. <b>2005</b> , 13, 7298-303	89
1256	A high efficiency input/output coupler for small silicon photonic devices. <b>2005</b> , 13, 7374-9	34
1255	Analysis of dual-microring-resonator cross-connect switches and modulators. <b>2005</b> , 13, 7840-53	25
1254	Electrically driven silicon resonant light emitting device based on slot-waveguide. <b>2005</b> , 13, 10092-101	120
1253	Trimming of microring resonators by photooxidation of a plasma-polymerized organosilane cladding material. <b>2005</b> , 30, 2251-3	27
1252	Ultrafast integrated semiconductor optical modulator based on the plasma-dispersion effect. <b>2005</b> , 30, 2403-5	19
1251	Micrometer-scale all-optical wavelength converter on silicon. <b>2005</b> , 30, 2733-5	67

1250	Ultrafast all-optical modulation on a silicon chip. <b>2005</b> , 30, 2891-3	104
1249	All-optical switches on a silicon chip realized using photonic crystal nanocavities. <b>2005</b> , 87, 151112	285
1248	Thermooptic switch based on photonic-crystal line-defect waveguides. <b>2005</b> , 17, 2083-2085	25
1247	All-optical control of light using silicon nanophotonic devices. <b>2005</b> ,	
1246	Ultrasmall mode volumes in dielectric optical microcavities. <b>2005</b> , 95, 143901	177
1245	Wavelength Filters in Fibre Optics. <b>2006</b> ,	29
1244	Simple method for spectral response simulation of micro-ring resonators by combining transfer matrix method with FDTD method. <b>2006</b> , 42, 1095	0
1243	Compact Electro-Optic Modulators on a Silicon Chip. <b>2006</b> , 12, 1520-1526	83
1242	Silicon photonics. <b>2006</b> , 7, 58-68	91
1241	Optical force field mapping in microdevices. <b>2006</b> , 6, 1545-7	6
1240	Fluorescent core-shell silica nanoparticles: an alternative radiative materials platform. <b>2006</b> , 6096, 609605	7
1239	Sensitivity Analysis of Microring Resonator Based Biosensor: the Quality Factor Perspective. <b>2006</b> ,	3
1238	High Confinement Micro-Ring Resonators in Silicon-on-Insulator. <b>2006</b> ,	
1237	Light switching via thermo-optic effect of micromachined silicon prism. <b>2006</b> , 88, 243501	8
1236	Optical Switch using Thermo-Optic Effect of Micromachined Silicon Hemispheres. <b>2006</b> ,	
1235	Broadband Optical Amplification and Wavelength Conversion by Four-Wave Mixing in Silicon Waveguides. <b>2006</b> ,	
1234	Experimental realization of an on-chip all-optical analogue to electromagnetically induced transparency. <b>2006</b> ,	0
1233	Synthesis, Characterization, and Modeling of Nitrogen-Passivated Colloidal and Thin Film Silicon Nanocrystals. <b>2006</b> , 12, 1151-1163	12

1232	Polarization State of Silicon Raman Lasers Dictated by Non-Degenerate Two-Photon Absorption. <b>2006,</b>	
1231	SOI Photonic Wire Waveguide Ring Resonators using MMI Couplers. <b>2006,</b>	
1230	Light-emitting silicon-rich nitride systems and photonic structures. <b>2006, 1, 29-50</b>	11
1229	Er-Doped Electro-Optical Memory Element for 1.5- $\mu$ m Silicon Photonics. <b>2006, 12, 1539-1544</b>	7
1228	Optical field concentration in low-index waveguides. <b>2006, 42, 883-888</b>	71
1227	Design of polarization-insensitive ring resonators in silicon-on-insulator using MMI couplers and cladding stress engineering. <b>2006, 18, 343-345</b>	53
1226	Ring-Resonator-Based Wavelength Filters. <b>2006, 341-379</b>	14
1225	Tunable silicon microring resonator with wide free spectral range. <b>2006, 89, 071110</b>	130
1224	Spontaneous emergence of periodic patterns in a biologically inspired simulation of photonic structures. <b>2006, 96, 143904</b>	36
1223	Nanofluidic tuning of photonic crystal circuits. <b>2006, 31, 59-61</b>	177
1222	Optically tunable microcavity in a planar photonic crystal silicon waveguide buried in oxide. <b>2006, 31, 513-5</b>	12
1221	Transmission of high-data-rate optical signals through a micrometer-scale silicon ring resonator. <b>2006, 31, 2701-3</b>	45
1220	Nonlinear Fabry-Perot resonator with a silicon photonic crystal waveguide. <b>2006, 31, 3486-8</b>	11
1219	Investigation of optical nonlinearities in an ultra-high-Q Si nanocavity in a two-dimensional photonic crystal slab. <b>2006, 14, 377-86</b>	104
1218	Self-induced optical modulation of the transmission through a high-Q silicon microdisk resonator. <b>2006, 14, 817-31</b>	136
1217	Supercontinuum generation in planar rib waveguides enabled by anomalous dispersion. <b>2006, 14, 1512-7</b>	16
1216	All-optical slow-light on a photonic chip. <b>2006, 14, 2317-22</b>	117
1215	A solution-processed 1.53 $\mu$ m quantum dot laser with temperature-invariant emission wavelength. <b>2006, 14, 3273-81</b>	103

1214	Group index and group velocity dispersion in silicon-on-insulator photonic wires. <b>2006</b> , 14, 3853-63	200
1213	Subwavelength waveguide grating for mode conversion and light coupling in integrated optics. <b>2006</b> , 14, 4695-702	171
1212	Self-phase-modulation in submicron silicon-on-insulator photonic wires. <b>2006</b> , 14, 5524-34	150
1211	High confinement suspended micro-ring resonators in silicon-on-insulator. <b>2006</b> , 14, 6259-63	51
1210	Direct measurement of tunable optical delays on chip analogue to electromagnetically induced transparency. <b>2006</b> , 14, 6463-8	70
1209	Electrically pumped hybrid AlGaInAs-silicon evanescent laser. <b>2006</b> , 14, 9203-10	807
1208	Imaging highly confined modes in sub-micron scale silicon waveguides using Transmission-based Near-field Scanning Optical Microscopy. <b>2006</b> , 14, 10588-95	38
1207	On cascades of resonators for high-bandwidth integrated optical interconnection networks. <b>2006</b> , 14, 10811-8	5
1206	Full-vectorial finite element method in a cylindrical coordinate system for loss analysis of photonic wire bends. <b>2006</b> , 14, 11128-41	47
1205	Ultrafast-pulse self-phase modulation and third-order dispersion in Si photonic wire-waveguides. <b>2006</b> , 14, 12380-7	109
1204	All-optical silicon modulators based on carrier injection by two-photon absorption. <b>2006</b> , 24, 1433-1439	78
1203	Monolithic 3-D silicon photonics. <b>2006</b> , 24, 1796-1804	35
1202	Silicon photonic read-only memory. <b>2006</b> , 24, 2898-2905	19
1201	Design of all-optical switches based on carrier injection in Si/SiO <sub>2</sub> /split-ridge waveguides (SRWs). <b>2006</b> , 24, 3454-3463	5
1200	Silicon Photonics. <b>2006</b> , 24, 4600-4615	933
1199	Nonlinear effects in ultrasmall silicon-on-insulator ring resonators. <b>2006</b> ,	1
1198	Sidelobe reduction in Si photonic wire AWG. <b>2006</b> ,	
1197	Micron-scale tunability in photonic devices using microfluidics. <b>2006</b> , 6329, 24	2

1196	Nanowire photonics. <b>2006</b> , 9, 36-45	376
1195	Terahertz all-optical modulation in a silicon-polymer hybrid system. <b>2006</b> , 5, 703-9	225
1194	Ultra high Q crystalline microcavities. <b>2006</b> , 265, 33-38	120
1193	Design of a silicon RCE Schottky photodetector working at 1.55 $\mu$ m. <b>2006</b> , 121, 399-402	3
1192	Modelling of Photonic Wire Bragg Gratings. <b>2006</b> , 38, 133-148	45
1191	Fabrication-tolerant active-passive integration scheme for vertically coupled microring resonator. <b>2006</b> , 12, 108-116	19
1190	Modal characteristics and bistability in twin microdisk photonic molecule lasers. <b>2006</b> , 12, 71-77	37
1189	Characteristics of rib waveguide racetrack resonators in SOI. <b>2006</b> , 6183, 116	3
1188	Selective growth of silica nanowires in silicon catalysed by Pt thin film. <b>2006</b> , 17, 4606-13	56
1187	Multibeam photonic beamformer based on optical filters. <b>2006</b> , 42, 980	8
1186	Propagation of surface plasmons on Ag and Cu extended one-dimensional arrays on silicon substrates. <b>2006</b> , 88, 063115	12
1185	Highly sensitive and ultrafast light modulation with a vanadylphthalocyanine-doped composite polymer guided wave mode device. <b>2006</b> , 100, 113102	8
1184	Optically switchable mirrors for surface plasmon polaritons propagating on semiconductor surfaces. <b>2006</b> , 74,	37
1183	Quantum computation without strict strong coupling on a silicon chip. <b>2006</b> , 73,	27
1182	Nonlinear self-distortion of picosecond optical pulses in silicon wire waveguides. <b>2006</b> ,	
1181	High data rate signal integrity in micron-scale silicon ring resonators. <b>2006</b> ,	0
1180	Experimental realization of an on-chip all-optical analogue to electromagnetically induced transparency. <b>2006</b> , 96, 123901	512
1179	Improved Dual Grating-Assisted Directional Coupler for Silicon Nanophotonics.	0



1178	All-optical switching in the near infrared with bacteriorhodopsin-coated microcavities. <b>2006</b> , 89, 184103	26
1177	Semiconductor nanowire ring resonator laser. <b>2006</b> , 96, 143903	163
1176	Tailored anomalous group-velocity dispersion in silicon waveguides. <b>2006</b> ,	1
1175	Controlling defect and Si nanoparticle luminescence from silicon oxynitride films with CO <sub>2</sub> laser annealing. <b>2006</b> , 88, 093114	25
1174	Stress-induced phase matching in Silicon waveguides. <b>2006</b> ,	3
1173	Fast coherent all-optical flip-flop memory. <b>2006</b> , 88, 181118	5
1172	Photonic Properties of Silicon-on-Glass Nano-Films and its Fabrication. <b>2006</b> ,	
1171	Spontaneous emergence of periodic patterns in an evolutionary simulation of photonic structures. <b>2006</b> ,	
1170	Suspended Silicon-On-Insulator ring resonators. <b>2006</b> ,	
1169	Asymmetrical Fano resonance and Bistability in two ring resonator configuration. <b>2006</b> ,	
1168	Far-field control of the radiative lifetime of an individual optical nanocavity. <b>2007</b> ,	
1167	"Instantaneous" frequency shift of a high Q planar photonic crystal microcavity mode. <b>2007</b> ,	
1166	Hybrid photonic crystal microcavity switches on SOI. <b>2007</b> ,	1
1165	Hybrid AlGaInAs-silicon evanescent racetrack laser. <b>2007</b> ,	
1164	Compact Multimode Optical Ring Resonators for Interconnection on Silicon Chips. <b>2007</b> , 46, 2364-2368	4
1163	Analog to multiple electromagnetically induced transparency in all-optical drop-filter systems. <b>2007</b> , 75,	76
1162	Ultrafast all-optical light modulation with high wavelength resolution in a near-infrared region by composite polymer guided wave mode. <b>2007</b> , 91, 251104	3
1161	Dispersion inversion in high index contrast AlGaAs-nanowires. <b>2007</b> ,	

1160	Integrated Optics Devices Based on Liquid Crystals. <b>2007</b> , 465, 249-257	6
1159	Freestanding waveguides in silicon. <b>2007</b> , 90, 241109	37
1158	Dispersion of silicon nonlinearities in the near infrared region. <b>2007</b> , 91, 021111	158
1157	Anisotropic nonlinear response of silicon in the near-infrared region. <b>2007</b> , 91, 071113	45
1156	Dispersion Inversion in High Index Contrast AlGaAs-Nanowires. <b>2007</b> ,	
1155	Integrated AlGaInAs-silicon evanescent racetrack laser and photodetector. <b>2007</b> ,	
1154	Metal-oxide semiconductor, field effect transistor-based microscale electro-optical multimode interference modulator on a silicon chip. <b>2007</b> , 1, 011660	2
1153	Novel optic switch based on silicon/kaolinite photonic crystal line-defect waveguides. <b>2007</b> ,	
1152	3 $\beta$ coupler based dual microring resonators: a proposal, model, and analysis. <b>2007</b> ,	
1151	Mode evolutions in 2x2 microring resonator arrays. <b>2007</b> ,	
1150	Silicon-based photonic network devices and materials. <b>2007</b> ,	
1149	Implementation of Dynamic Bandwidth Re-allocation in Optical Interconnects using Microring Resonators. <b>2007</b> ,	1
1148	All-optical tunability of InGaAsP/InP microdisk resonator by infrared light irradiation. <b>2007</b> , 32, 35-7	11
1147	Lossless strip-to-slot waveguide transformer. <b>2007</b> , 32, 1250-2	62
1146	High-speed all-optical switching in ion-implanted silicon-on-insulator microring resonators. <b>2007</b> , 32, 2046-8	59
1145	Multiple-wavelength integrated photonic networks based on microring resonator devices. <b>2007</b> , 6, 112	51
1144	Nested ring Mach-Zehnder interferometer. <b>2007</b> , 15, 437-48	30
1143	All-optical logic based on silicon micro-ring resonators. <b>2007</b> , 15, 924-9	321

1142	Optical add-drop filters based on photonic crystal ring resonators. <b>2007</b> , 15, 1823-31	308
1141	Integrated AlGaInAs-silicon evanescent race track laser and photodetector. <b>2007</b> , 15, 2315-22	136
1140	Numerical analysis of the performance of Mach-Zehnder interferometric logic gates enhanced with coupled nonlinear ring- resonators. <b>2007</b> , 15, 2323-35	4
1139	Compact electro-optic modulator on silicon-on-insulator substrates using cavities with ultra-small modal volumes. <b>2007</b> , 15, 3140-8	88
1138	Ultra-high Q planar silicon microdisk resonators for chip-scale silicon photonics. <b>2007</b> , 15, 4694-704	147
1137	Silicon microring carrier-injection-based modulators/switches with tunable extinction ratios and OR-logic switching by using waveguide cross-coupling. <b>2007</b> , 15, 5069-76	90
1136	Demonstration of slot-waveguide structures on silicon nitride / silicon oxide platform. <b>2007</b> , 15, 6846-56	74
1135	Optical solitons in a silicon waveguide. <b>2007</b> , 15, 7682-8	69
1134	All-optical regeneration on a silicon chip. <b>2007</b> , 15, 7802-9	47
1133	Large pulse delay and small group velocity achieved using ultrahigh-Q photonic crystal nanocavities. <b>2007</b> , 15, 7826-39	34
1132	All-optical nano modulator on a silicon chip. <b>2007</b> , 15, 9029-39	13
1131	All-optical compact silicon comb switch. <b>2007</b> , 15, 9600-5	90
1130	Emission spectrum of electromagnetic energy stored in a dynamically perturbed optical microcavity. <b>2007</b> , 15, 11472-80	24
1129	Low-threshold bistability of slow light in photonic-crystal waveguides. <b>2007</b> , 15, 12380-5	34
1128	Group velocity inversion in AlGaAs nanowires. <b>2007</b> , 15, 12755-62	24
1127	Transmission characteristics of dual microring resonators coupled via 3x3 couplers. <b>2007</b> , 15, 13557-73	16
1126	Nonlinear waveguide optics and photonic crystal fibers. <b>2007</b> , 15, 15365-76	68
1125	Nonlinear optical phenomena in silicon waveguides: modeling and applications. <b>2007</b> , 15, 16604-44	608

1124	Improvement of thermal properties of ultra-high Q silicon microdisk resonators. <b>2007</b> , 15, 17305-12	16
1123	Enhanced optical nonlinearity in amorphous silicon and its application to waveguide devices. <b>2007</b> , 15, 17761-71	43
1122	All-optical switch based on two-pump four-wave mixing in fibers without a frequency shift. <b>2007</b> , 46, 5588-92	3
1121	Resonant Dynamics of Nonlinear Optical Microdisks. <b>2007</b> , 43, 794-797	
1120	Optical Add-Drop Filter Design Based on Photonic Crystal Ring Resonators. <b>2007</b> ,	1
1119	Ultrafast nonlinear all-optical processes in silicon-on-insulator waveguides. <b>2007</b> , 40, R249-R271	125
1118	SiOxSi radial superlattices and microtube optical ring resonators. <b>2007</b> , 90, 091905	103
1117	Observation of femtojoule optical bistability involving Fano resonances in high-Q $\mu$ m silicon photonic crystal nanocavities. <b>2007</b> , 91, 051113	78
1116	Integrated micro- and nanophotonic dynamic devices: a review. <b>2007</b> , 1, 012504	14
1115	Anisotropic nonlinear response of silicon in the near-infrared region. <b>2007</b> ,	1
1114	Dynamical ultrafast all-optical switching of planar GaAs/AlAs photonic microcavities. <b>2007</b> , 91, 111103	40
1113	Temperature Dependence of Grating-Assisted Coupling to Small Silicon Waveguides. <b>2007</b> ,	
1112	. <b>2007</b> ,	
1111	Circular Grating Resonators as Micro-Cavities for Optical Modulators. <b>2007</b> ,	1
1110	Modal suppression and single-mode emission in photonic crystal coupled-cavity ring-like lasers. <b>2007</b> ,	
1109	Spectral measurements of the third-order nonlinearity of bulk silicon in the near infrared region. <b>2007</b> ,	
1108	Voltammetric Detection of Cancer Biomarkers Exemplified by Interleukin-10 and Osteopontin with Silica Nanowires. <b>2007</b> , 111, 13981-13987	28
1107	Interference of coherent polariton beams in microcavities: polarization-controlled optical gates. <b>2007</b> , 99, 196402	69

1106	Photoinduced transformations in bacteriorhodopsin membrane monitored with optical microcavities. <b>2007</b> , 92, 2223-9	49
1105	Intrinsic optical bistability of thin films of linear molecular aggregates: the one-exciton approximation. <b>2007</b> , 127, 164705	14
1104	Fast all-optical switching using ion-implanted silicon photonic crystal nanocavities. <b>2007</b> , 90, 031115	107
1103	Study on Nonlinear Optical Property of Amorphous Silicon. <b>2007</b> ,	
1102	Photonic Crystal Waveguide Weakly Interacting with Multiple Off-Channel Resonant Features Formed of Kerr Nonlinear Dielectric Media. <b>2007</b> , 2007, 1-10	4
1101	GENERATION OF HIGH REPETITION RATE PICOSECOND PULSE TRAIN BASED ON ULTRA-SMALL SILICON WAVEGUIDE. <b>2007</b> , 75, 163-170	8
1100	Material and structural criteria for ultra-fast Kerr nonlinear switching in optical resonant cavities. <b>2007</b> , 51, 1376-1380	11
1099	Theory-inspired nano-engineering of photonic and electronic materials: Noncentrosymmetric charge-transfer electro-optic materials. <b>2007</b> , 51, 1263-1277	55
1098	Limiting efficiencies of second-harmonic generation and cascaded (2) processes in quadratically nonlinear photonic nanowires. <b>2007</b> , 270, 402-406	7
1097	From rolled-up Si microtubes to SiO <sub>x</sub> /Si optical ring resonators. <b>2007</b> , 84, 1427-1430	20
1096	Dynamic control of the Q factor in a photonic crystal nanocavity. <b>2007</b> , 6, 862-5	181
1095	Polarization-transparent microphotonic devices in the strong confinement limit. <b>2007</b> , 1, 57-60	367
1094	Trapping and delaying photons for one nanosecond in an ultrasmall high-Q photonic-crystal nanocavity. <b>2007</b> , 1, 49-52	273
1093	Integrated optofluidics: A new river of light. <b>2007</b> , 1, 106-114	733
1092	Plasmons lend a helping hand. <b>2007</b> , 1, 368-369	8
1091	A shifting perspective. <b>2007</b> , 1, 689-690	4
1090	Optical switching by capillary condensation. <b>2007</b> , 1, 172-175	49
1089	Changing the colour of light in a silicon resonator. <b>2007</b> , 1, 293-296	176

1088	Breaking the delay-bandwidth limit in a photonic structure. <b>2007</b> , 3, 406-410	226
1087	Thermal-Optic Switch by Total Internal Reflection of Micromachined Silicon Prism. <b>2007</b> , 13, 348-358	10
1086	Photonic Bandgap Microcavities With Flat-Top Response. <b>2007</b> , 13, 262-269	6
1085	Nested-ring Mach-Zehnder interferometer. <b>2007</b> , 38, 1151-1157	2
1084	MICROWAVE PROPAGATION IN ROUND GUIDING STRUCTURES BASED ON DOUBLE NEGATIVE METAMATERIALS. <b>2007</b> , 27, 1227-1239	3
1083	Propagation of the fundamental whispering gallery modes in a linear chain of microspheres. <b>2008</b> , 93, 21-30	10
1082	Optofluidics: a novel generation of reconfigurable and adaptive compact architectures. <b>2008</b> , 4, 81-95	65
1081	Can silicon change photonics?. <b>2008</b> , 205, 213-224	37
1080	Gigahertz Optical Modulation Resulting from Coherent Lattice Oscillations Induced by Femtosecond Laser Pumping of 2D Photonic Crystals of Gold-Capped Polystyrene Microspheres. <b>2008</b> , 20, 733-737	16
1079	Modulation of Third-Order Nonlinear Optical Properties by Backbone Modification of Polymeric Pillared-Layer Heterometallic Clusters. <b>2008</b> , 20, 1870-1875	90
1078	Silicon on insulator photo-activated modulator. <b>2008</b> , 39, 1429-1432	8
1077	Harnessing optical forces in integrated photonic circuits. <i>Nature</i> , <b>2008</b> , 456, 480-4	50.4 369
1076	A hybrid plasmonic waveguide for subwavelength confinement and long-range propagation. <b>2008</b> , 2, 496-500	1446
1075	All-Optical Modulation in a Silicon Waveguide Based on a Single-Photon Process. <b>2008</b> , 14, 1335-1342	3
1074	Strain-driven electronic band structure modulation of si nanowires. <b>2008</b> , 8, 1335-40	152
1073	Electrical FIR Filter With Optical Coefficients for Self-Referencing WDM Intensity Sensors. <b>2008</b> , 20, 45-47	10
1072	Novel Grating Design for Out-of-Plane Coupling With Nonuniform Duty Cycle. <b>2008</b> , 20, 730-732	7
1071	Compact Thermally Tunable Silicon Wavelength Switch: Modeling and Characterization. <b>2008</b> , 20, 936-938	34

1070	Dual-Wavelength Mode-Locked Fiber Laser With an Intracavity Silicon Waveguide. <b>2008</b> , 20, 1184-1186	6
1069	Design of multimode interference coupled polymer rectangular ring resonators with air trench assisted mirrors. <b>2008</b> ,	
1068	High-speed all-optical modulation using polycrystalline silicon microring resonators. <b>2008</b> , 92, 151104	57
1067	Circular grating resonators as candidates for ultra-small photonic devices. <b>2008</b> ,	
1066	Limits of slow light in photonic crystals. <b>2008</b> , 78,	51
1065	Double-layer fabrication scheme for large-area polymeric photonic crystal membrane on silicon surface by multibeam interference lithography. <b>2008</b> , 33, 1303-5	6
1064	Planar waveguide-coupled, high-index-contrast, high-Q resonators in chalcogenide glass for sensing. <b>2008</b> , 33, 2500-2	85
1063	Self-organized silver nanoparticles for three-dimensional plasmonic crystals. <b>2008</b> , 8, 4033-8	168
1062	Manipulating electromagnetic waves in magnetized plasmas: compression, frequency shifting, and release. <b>2008</b> , 100, 065006	15
1061	Carrier Diffusion and Recombination in Photonic Crystal Nanocavity Optical Switches. <b>2008</b> , 26, 1396-1403	55
1060	Air-trench splitters for ultra-compact ring resonators in low refractive index contrast waveguides. <b>2008</b> , 16, 456-65	6
1059	Nonlinear-optical phase modification in dispersion-engineered Si photonic wires. <b>2008</b> , 16, 1280-99	73
1058	Nonlinear optics in photonic nanowires. <b>2008</b> , 16, 1300-20	273
1057	Nanoscale optofluidic sensor arrays. <b>2008</b> , 16, 1623-31	206
1056	Nonlinear photonic structures for all-optical deflection. <b>2008</b> , 16, 3077-82	22
1055	Solitons and spectral broadening in long silicon-on-insulator photonic wires. <b>2008</b> , 16, 3310-9	27
1054	Ultra-low power parametric frequency conversion in a silicon microring resonator. <b>2008</b> , 16, 4881-7	185
1053	25ps all-optical switching in oxygen implanted silicon-on-insulator microring resonator. <b>2008</b> , 16, 7693-702	84

1052	Controlled sub-nanometer tuning of photonic crystal resonator by carbonaceous nano-dots. <b>2008</b> , 16, 9829-37	12
1051	All-optical switching in 2D silicon photonic crystals with low loss waveguides and optical cavities. <b>2008</b> , 16, 11624	48
1050	Thermal and Kerr nonlinear properties of plasma-deposited silicon nitride/ silicon dioxide waveguides. <b>2008</b> , 16, 12987-94	242
1049	Gain and noise characteristics of high-bit-rate silicon parametric amplifiers. <b>2008</b> , 16, 13122-32	45
1048	On-chip silicon photonic wavelength control of optical fiber lasers. <b>2008</b> , 16, 15671-6	5
1047	. <b>2008</b> , 44, 100-107	26
1046	Quantification of free-carrier absorption in silicon nanocrystals with an optical microcavity. <b>2008</b> , 8, 3787-93	58
1045	Optically controlled resonance energy transfer: mechanism and configuration for all-optical switching. <b>2008</b> , 128, 144506	26
1044	Nanoscale Optofluidic Sensor Arrays for Dengue virus detection. <b>2008</b> ,	
1043	Light propagation within colloidal crystal wire fabricated by a dewetting process. <b>2008</b> , 8, 853-8	32
1042	Thermally tunable microring resonator for self-collimated beams in photonic crystals. <b>2008</b> ,	
1041	Laser modelocking and dual wavelength lasing in silicon. <b>2008</b> ,	
1040	Experimental characterization of Mach-Zehnder interferometers with coupled ring resonators in Silicon nanocrystals horizontal slot waveguides. <b>2008</b> ,	
1039	Ultrahigh Relative Refractive Index Contrast GaAs Nanowire Waveguides. <b>2008</b> , 1, 122101	12
1038	Advances in mechanical detection of magnetic resonance. <b>2008</b> , 128, 052208	59
1037	Selective growth of silica nanowires using an Au catalyst for optical recognition of interleukin-10. <b>2008</b> , 19, 245502	34
1036	Cadmium telluride: a silicon-compatible optical material as an alternative technology for building all-optical photonic devices. <b>2008</b> ,	2
1035	Cascaded active silicon microresonator array cross-connect circuits for WDM networks-on-chip. <b>2008</b> ,	34



1034	Micro-ring resonators fabricated by focused-ion-beam on SOI. <b>2008,</b>	
1033	Characteristics of ultra-compact polymer modulators based on silicon photonic crystal ring resonators. <b>2008, 2, 023507</b>	5
1032	Nanometer-scale photonic passive and active components for future communications. <b>2008, 2, 021765</b>	1
1031	Silicon waveguide based nonlinear directional coupler as a soliton switch. <b>2008, 47, 120503</b>	5
1030	Dislocation-engineered silicon light emitters for photonic integration. <b>2008, 23, 064005</b>	5
1029	Dense wavelength conversion and multicasting in a resonance-split silicon microring. <b>2008, 93, 081113</b>	34
1028	Fabry-Pérot microcavities with controllable resonant wavelengths in periodic dielectric waveguides. <b>2008, 93, 031110</b>	6
1027	Quantum nodes for W-state generation in noisy channels. <b>2008, 78,</b>	32
1026	Quantum theory of spontaneous emission in multilayer dielectric structures. <b>2008, 78,</b>	21
1025	Optical circuits based on polariton neurons in semiconductor microcavities. <b>2008, 101, 016402</b>	188
1024	Dynamics of capillary condensation in bistable optical superlattices. <b>2008, 77,</b>	2
1023	A three-ring-resonator electro-optical switch with reduced jitter and enhanced speed and extinction ratio. <b>2008,</b>	1
1022	Far-field control of radiation from an individual optical nanocavity: analogue to an optical dipole. <b>2008, 100, 043902</b>	3
1021	Wavelength selective coupler with vertical gratings on silicon chip. <b>2008, 92, 201111</b>	33
1020	Ultra-fast dynamic control of the Q factor in a photonic crystal nanocavity. <b>2008,</b>	
1019	Integrated AlGaInAs-silicon evanescent racetrack laser and photodetector. <b>2008,</b>	1
1018	Applications of nonlinear effects in silicon wire waveguides: all-optical modulation, wavelength conversion, and quantum entanglement. <b>2008,</b>	
1017	Nonlinear photonic structures for all-optical deflection. <b>2008,</b>	

1016	Nested-ring Mach-Zehnder interferometer in silicon-on-insulator. <b>2008,</b>	1
1015	Coupling performance and fabrication method of a waveguide grating coupler with non-uniform duty ratio. <b>2008,</b>	
1014	Single-pass forming for three-dimensional microstructures by high-speed shearing of multilayer thin films. <b>2008,</b> 26, 1771	1
1013	3B coupler-based dual microring resonator array: model and analysis. <b>2008,</b>	
1012	Circular grating resonators as nano-photonic modulators. <b>2008,</b>	
1011	Nonlinear optics in communications. <b>2008,</b> 759-828	3
1010	On-Chip All-Optical Switching and Memory by Silicon Photonic Crystal Nanocavities. <b>2008,</b> 2008, 1-10	21
1009	Ultrafast rerouting of light via slow modes in a nanophotonic directional coupler. <b>2009,</b> 94, 241119	24
1008	All-optical conditional logic with a nonlinear photonic crystal nanocavity. <b>2009,</b> 95, 221102	24
1007	Ultrafast and low-power photonic crystal all-optical switching with resonant cavities. <b>2009,</b> 106, 083102	30
1006	Nonlinear waves in subwavelength waveguide arrays: evanescent bands and the "phoenix soliton". <b>2009,</b> 102, 163902	16
1005	Micro demultiplexer fabricated by self-assembly of microspheres on a patterned substrate. <b>2009,</b>	
1004	Enhanced photon-induced carrier density in silicon-on-insulator via surface recombination suppression for increasing plasma dispersion effect. <b>2009,</b> 105, 074510	4
1003	Fiber Laser Wavelength Tuning on a Silicon Chip. <b>2009,</b>	
1002	Coherent homogenization of periodic structures: Transformation from structurally periodic (photonic band gap) structures to optically uniform materials. <b>2009,</b> 105, 104301	
1001	Fabrication of silicon microring resonator with smooth sidewalls. <b>2009,</b> 8, 043060	8
1000	Miniaturized Bragg modulator on a silicon chip. <b>2009,</b> 3, 031760	1
999	Optical Switching in Silicon Nanowaveguide Ring Resonators Based on Kerr Effect and TPA Effect. <b>2009,</b> 26, 054203	11

998	Nanophotonic interferometer realizing all-optical exclusive or gate on a silicon chip. <b>2009</b> , 48, 064601	6
997	Silicon Nanocrystals as an Enabling Material for Silicon Photonics. <b>2009</b> , 97, 1250-1268	62
996	Electrically Tuneable Liquid Crystal Photonic Bandgaps. <b>2009</b> , 21, 3915-3918	70
995	Nanosilicon photonics. <b>2009</b> , 3, 508-534	133
994	Slow salt-induced aggregation of citrate-covered silver particles in aqueous solutions of cellulose derivatives. <b>2009</b> , 287, 1391-1404	22
993	Silicon photonic waveguides for mid- and long-wave infrared region. <b>2009</b> , 20, 159-163	16
992	Low-power 1 $\mu$ m all-optical switching in a silicon double coupler microring resonator. <b>2009</b> , 2, 31-34	3
991	Simple technique to fabricate microscale and nanoscale silicon waveguide devices. <b>2009</b> , 2, 308-311	6
990	High-Q surface-plasmon-polariton whispering-gallery microcavity. <i>Nature</i> , <b>2009</b> , 457, 455-8	50.4 365
989	Complete optical isolation created by indirect interband photonic transitions. <b>2009</b> , 3, 91-94	713
988	Fabrication of electro optical nano modulator on silicon chip. <b>2009</b> , 86, 1099-1102	10
987	Fabrication of vertically positioned silicon on insulator photo-activated modulator. <b>2009</b> , 7, 190-197	7
986	Studies on two coordination polymers [M( $\mu$ -pz25dc)] <sub>n</sub> (M=Cd or Zn, pz25dc=pyrazine-2,5-dicarboxylato) with three-dimensional pillared-layer three-nodal framework: Synthesis, structural characterization, strong optical non-linearities and optical limiting properties. <b>2009</b> , 694, 3653-3659	9
985	Towards a single-photon all-optical transistor. <b>2009</b> , 3, A17-A19	4
984	Theoretical and experimental investigation of radiative decay rates in active slot waveguides. <b>2009</b> , 11, 114011	1
983	Coupled mode analysis of nonlinear defects in photonic crystals. <b>2009</b> , 106, 083105	11
982	Near-field control of optical bistability in a nanocavity. <b>2009</b> , 80,	6
981	Light coupling and modulation in coupled nanowire ring-Fabry-Pérot cavity. <b>2009</b> , 9, 2697-703	38

980	Subpicosecond optical switching with a negative index metamaterial. <b>2009</b> , 9, 3565-9	94
979	Preparation and growth mechanism of clustered one-dimensional SiO <sub>x</sub> amorphous nanowires by catalytic pyrolysis of a polymer precursor. <b>2009</b> , 355, 2156-2159	7
978	Ultracompact, low-power and ultrafast optical switching based on silicon photonic crystals. <b>2009</b> ,	
977	Ultra-high-Q tunable whispering-gallery-mode microresonator. <b>2009</b> , 103, 053901	254
976	Silicon-nitride surface passivation of submicrometer silicon waveguides for low-power optical switches. <b>2009</b> , 34, 1534-6	14
975	. <b>2009</b> , 27, 4306-4310	10
974	All-optical linear reconfigurable logic with nonlinear phase erasure. <b>2009</b> , 26, A21-39	11
973	Identification of competing ultrafast all-optical switching mechanisms in Si woodpile photonic crystals. <b>2009</b> , 26, 610	10
972	A full vectorial model for pulse propagation in emerging waveguides with subwavelength structures part I: Kerr nonlinearity. <b>2009</b> , 17, 2298-318	247
971	Coupling induced anomalous group velocity dispersion in nonlinear arrays of silicon photonic wires. <b>2009</b> , 17, 5879-84	17
970	Circular grating resonators as small mode-volume microcavities for switching. <b>2009</b> , 17, 5953-64	7
969	Silicon-waveguide-coupled high-Q chalcogenide microspheres. <b>2009</b> , 17, 5998-6003	33
968	Modification of the nonlinear optical absorption and optical Kerr response exhibited by nc-Si embedded in a silicon-nitride film. <b>2009</b> , 17, 10056-68	24
967	Slow light miniature devices with ultra-flattened dispersion in silicon-on-insulator photonic crystal. <b>2009</b> , 17, 13315-25	31
966	Thermo-optic properties of epitaxial Sr <sub>0.6</sub> Ba <sub>0.4</sub> Nb <sub>2</sub> O <sub>6</sub> waveguides and their application as optical modulator. <b>2009</b> , 17, 13677-84	13
965	Continuous wave photon pair generation in silicon-on-insulator waveguides and ring resonators. <b>2009</b> , 17, 16558-70	165
964	Photonic crystal structures in ion-sliced lithium niobate thin films. <b>2009</b> , 17, 20291-300	52
963	Ultra-high quality-factor resonators with perfect azimuthal modal-symmetry. <b>2009</b> , 17, 20998-1006	6

962	Low power and fast electro-optic silicon modulator with lateral p-i-n embedded photonic crystal nanocavity. <b>2009</b> , 17, 22505-13	84
961	Effects of heat induced by two-photon absorption and free-carrier absorption in silicon-on-insulator nanowaveguides operating as all-optical wavelength converters. <b>2009</b> , 48, 2505-14	9
960	Study of asymmetric silicon cross-slot waveguides for polarization diversity schemes. <b>2009</b> , 48, 2693-6	29
959	Engineering nonlinearities in nanoscale optical systems: physics and applications in dispersion-engineered silicon nanophotonic wires. <b>2009</b> , 1, 162	157
958	Interplay of plasma-induced and fast thermal nonlinearities in a GaAs-based photonic crystal nanocavity. <b>2009</b> , 79,	39
957	Two-Dimensional Photonic Crystal Channel Filter Based on Ring Resonator. <b>2009</b> ,	0
956	Difference between penetration and damping lengths in photonic crystal mirrors. <b>2009</b> , 95, 211101	8
955	All-optical phase modulations in a silicon wire waveguide at ultralow light levels. <b>2009</b> , 95, 171110	12
954	Photonic digital processing for enabling next generation optical networks. <b>2009</b> ,	
953	10 fs ultrafast all-optical switching in polystyrene nonlinear photonic crystals. <b>2009</b> , 95, 131116	65
952	All-optical switching using the quantum Zeno effect and two-photon absorption. <b>2009</b> , 79,	41
951	Silicon based optical pulse shaping and characterization. <b>2009</b> ,	3
950	Complete optical isolation created by indirect interband photonic transitions. <b>2009</b> ,	3
949	Infiltration of individual pores in macroporous silicon photonic crystals. <b>2009</b> ,	1
948	Ultra-high-Q Photonic Crystal Nanocavities and Their Applications. <b>2009</b> , 1-52	1
947	Microresonator-Based Devices on a Silicon Chip. <b>2009</b> , 211-263	3
946	On-chip silicon photonic wavelength control of laser source. <b>2009</b> ,	
945	Observation of the thermal nonlinear optical effect in a microring resonator based on a small SU-8 polymer ridge optical waveguide. <b>2009</b> ,	3

- 944 Optical Nonlinearities in High-Q Photonic Crystal Nanocavities. **2009**, 37, 32-37
- 943 Gain spectrum of silica erbium-doped CROW amplifier. **2009**,
- 942 Dynamic photonic structure for integrated photonics. **2010**, 1
- 941 Novel periodic microstructures fabricated by multi-exposure two-beam interference lithography. **2010**,
- 940 Manipulating light with strongly modulated photonic crystals. **2010**, 73, 096501 245
- 939 Enhancement of speed of digital operation in bacteriorhodopsin based photonic switch. **2010**, 121, 384-388 4
- 938 Identification of optical nonlinearities of dye-doped nematic and polymer-dispersed liquid crystals using Z-scan technique. **2010**, 283, 323-329 10
- 937 Ultrafast optical switching in Kerr nonlinear photonic crystals. **2010**, 5, 220-244 16
- 936 Geometries for the Sensitive Optical Detection of Photogenerated Carriers in Silicon. **2010**, 46, 818-826
- 935 Integrated Nonmagnetic Optical Isolators Based on Photonic Transitions  $\pi^*$ . **2010**, 16, 459-466 27
- 934 Visible and 1.54  $\mu\text{m}$  Emission From Amorphous Silicon Nitride Films by Reactive Cosputtering. **2010**, 16, 114-123 27
- 933 Polarization-Independent Wavelength Conversion Using an Angled-Polarization Pump in a Silicon Nanowire Waveguide. **2010**, 16, 250-256 23
- 932 Micro-demultiplexer of coupled resonator optical waveguide fabricated by microspheres. **2010**, 22, 3022-6 30
- 931 Photonic crystal devices with multiple dyes by consecutive local infiltration of single pores. **2010**, 22, 4731-5 6
- 930 Nanophotonics for Information Systems. **2010**, 5-22
- 929 Pattern transfer optimization for the fabrication of arrays of silicon nanowires. **2010**, 87, 1479-1482 1
- 928 Theory-inspired development of new nonlinear optical materials and their integration into silicon photonic circuits and devices. **2010**, 32, 658-668 53
- 927 Nano-engineered silicon light emitting diodes and optically active waveguides. **2010**, 32, 1601-1605 2

926	Photoluminescence study of thulium-doped silicon substrates for light emitting diodes. <b>2010</b> , 32, 1597-1600	7
925	Ultrabroad-bandwidth arbitrary radiofrequency waveform generation with a silicon photonic chip-based spectral shaper. <b>2010</b> , 4, 117-122	247
924	Towards polaritonic logic circuits. <b>2010</b> , 4, 345-346	36
923	Sub-femtojoule all-optical switching using a photonic-crystal nanocavity. <b>2010</b> , 4, 477-483	457
922	Switching based on optical nonlinear effects. <b>2010</b> , 181-205	0
921	Morphology Control of Si-Based Nanostructures by Catalyst-Assisted Pyrolysis of Pre ceramic Precursors. <b>2010</b> , 434-435, 816-819	1
920	Electronic band transformation from indirect gap to direct gap in Si <sub>3</sub> N <sub>4</sub> compound. <b>2010</b> , 19, 077103	1
919	Efficient low-power terahertz generation via on-chip triply-resonant nonlinear frequency mixing. <b>2010</b> , 96, 101110	17
918	Science and Engineering of Photonic Crystals. <b>2010</b> , 271-317	7
917	SILICON WAVEGUIDE SIDEWALL SMOOTHING BY RESIST REFLOWING. <b>2010</b> , 19, 801-809	4
916	On the modulation phase efficiency of a silicon p-i-n diode optical modulator. <b>2010</b> ,	2
915	Interaction-free all-optical switching via the quantum Zeno effect. <b>2010</b> , 82,	16
914	Zeno-logic applications of semiconductor quantum dots. <b>2010</b> , 81,	10
913	An efficiently tunable microring resonator using a liquid crystal-cladded polymer waveguide. <b>2010</b> , 97, 121109	10
912	High-contrast all optical bistable switching in coupled nonlinear photonic crystal microcavities. <b>2010</b> , 96, 131114	20
911	Phenomenological theory of bistability in polariton diodes. <b>2010</b> , 97, 091107	3
910	Phase modulator based on silicon-on-insulator (SOI) rib waveguide. <b>2010</b> ,	
909	Polariton polarization-sensitive phenomena in planar semiconductor microcavities. <b>2010</b> , 25, 013001	173

908	Monolithic nonlinear pulse compressor on a silicon chip. <b>2010</b> , 1, 116	62
907	Silicon Photonics. <b>2010</b> ,	
906	Modeling And Analysis Of Lateral Doping Region Translation Variation On Optical Modulator Performance. <b>2010</b> ,	3
905	Physics of Optical Modulation. <b>2010</b> , 59-78	
904	Non-Conventional Modulation Schemes. <b>2010</b> , 113-173	
903	. <b>2010</b> ,	
902	Nonlinear optical properties of phosphorus-doped silicon nanocrystals/nanoclusters. <b>2010</b> , 43, 505101	12
901	The properties and design concepts of photonic directional couplers made of photonic crystal slabs. <b>2010</b> , 43, 465103	4
900	A wide wavelength range optical switch using a flexible photonic crystal waveguide and silicon rods. <b>2010</b> , 20, 075009	5
899	Plasmonic racetrack resonator with high extinction ratio under critical coupling condition. <b>2010</b> , 107, 124517	22
898	Hybrid strategies in nanolithography. <b>2010</b> , 73, 036501	144
897	1.28-Tb/s Demultiplexing of an OTDM DPSK Data Signal Using a Silicon Waveguide. <b>2010</b> , 22, 1762-1764	35
896	Surfactant-Free Synthesis of CaSO <sub>4</sub> Nanorod/Nanowire by Electrochemical Deposition. <b>2010</b> , 157, K43	9
895	Power-Attenuated Optimization for Four-Wave Mixing-Based Wavelength Conversion in Silicon Nanowire Waveguides. <b>2010</b> , 24, 1255-1265	13
894	Ultrafast all-optical switching in a silicon-nanocrystal-based silicon slot waveguide at telecom wavelengths. <b>2010</b> , 10, 1506-11	180
893	Controlled storage of light in silicon cavities. <b>2010</b> , 18, 3014-22	21
892	Ultrashort free-carrier lifetime in low-loss silicon nanowaveguides. <b>2010</b> , 18, 3582-91	143
891	Generation of amplitude-shift-keying optical signals using silicon microring resonators. <b>2010</b> , 18, 5015-20	3



890	Optical nonlinearities in hydrogenated-amorphous silicon waveguides. <b>2010</b> , 18, 8998-9005	82
889	Broadband all-optical modulation in hydrogenated-amorphous silicon waveguides. <b>2010</b> , 18, 9809-14	46
888	Ultrafast optical switching based on nonlinear polarization rotation in silicon waveguides. <b>2010</b> , 18, 11514-23	38
887	All-optical signal processing at ultra-low powers in bottle microresonators using the Kerr effect. <b>2010</b> , 18, 17764-75	91
886	Wavelength multicasting in silicon photonic nanowires. <b>2010</b> , 18, 18047-55	60
885	Ultrafast all-optical modulator with femtojoule absorbed switching energy in silicon-on-insulator. <b>2010</b> , 18, 22485-96	24
884	Wide-bandwidth continuously tunable optical delay line using silicon microring resonators. <b>2010</b> , 18, 26525-34	106
883	Interaction-free all-optical switching in $\chi(2)$ microdisks for quantum applications. <b>2010</b> , 35, 2376-8	20
882	Thermal nonlinear effects in hybrid silica/polymer microdisks. <b>2010</b> , 35, 3351-3	6
881	Slow Light Propagation in Liquid-Crystal Infiltrated Silicon-On-Insulator Photonic Crystal Channel Waveguides. <b>2010</b> , 28, 2560-2571	10
880	Potentialities of glass air-clad micro- and nanofibers for nonlinear optics. <b>2010</b> , 27, 394	18
879	All-optical switching in silicon-on-insulator photonic wire nano-cavities. <b>2010</b> , 18, 1450-61	41
878	Compact Optical Switches and Modulators Based on Dispersion Engineered Photonic Crystals. <b>2010</b> , 2, 404-414	65
877	On the Performance of High- $Q$ Multiring Optical Filters. <b>2010</b> , 2, 991-1002	4
876	Photonic Microresonator Research and Applications. <b>2010</b> ,	38
875	Photoconductively loaded plasmonic nanoantenna as building block for ultracompact optical switches. <b>2010</b> , 10, 1741-6	128
874	All-optical nano modulator, sensor, wavelength converter, logic gate, and flip flop based on a manipulated gold nanoparticle. <b>2010</b> , 4, 041780	3
873	Information Optics and Photonics. <b>2010</b> ,	1

872	Effect of two-photon absorption on soliton propagation and soliton-soliton interaction in a silicon waveguide. <b>2010</b> , 49, 035001	2
871	Nanotechnology for early cancer detection. <b>2010</b> , 10, 428-55	212
870	Various doping concentration effect on silicon-on-insulator (SOI) phase modulator. <b>2010</b> ,	0
869	Dependence of resonant wavelength and mechanical deformation of photonic crystal cantilever integrated with dual nano-ring resonator. <b>2010</b> ,	
868	An analysis of silicon waveguide phase modulation efficiency based on carrier depletion effect. <b>2010</b> ,	7
867	Potentialities of microfibers for non linear optics. <b>2010</b> ,	
866	Light splitting function of branched chains of transparent microspheres. <b>2010</b> ,	
865	Free carrier absorption loss on p-i-n and n-p-n silicon phase modulator at $\lambda = 1.3\mu\text{m}$ and $\lambda = 1.55\mu\text{m}$ . <b>2010</b> ,	
864	Ultrafast nonlinear dynamics in silicon nanocrystal-based horizontal slot waveguides. <b>2011</b> ,	1
863	Proof-of-concept demonstration of an all-optical de-multiplexer using III-V/SOI microdisk resonator fabricated in a CMOS pilot line. <b>2011</b> ,	
862	Hydrogen plasma treatment for Si waveguide smoothing. <b>2011</b> ,	
861	Nonlinear mixing in nanowire subwavelength waveguides. <b>2011</b> , 11, 3022-5	42
860	Nonvolatile bistable all-optical switch from mechanical buckling. <b>2011</b> , 98, 241104	40
859	Spectrally and spatially configurable superlenses for optoplasmonic nanocircuits. <b>2011</b> , 108, 3147-51	50
858	Nanotechnology Research Directions for Societal Needs in 2020. <b>2011</b> ,	151
857	Controlling and switching slow light in photonic crystal waveguides. <b>2011</b> ,	1
856	Controlling light by light with an optical event horizon. <b>2011</b> , 106, 163901	108
855	Design and analysis of nanowire sensor array for prostate cancer detection. <b>2011</b> , 3, 239	10

854	First-Principles Full-Vectorial Eigenfrequency Computations for Axially Symmetric Resonators. <b>2011</b> , 29, 253-259	5
853	Optical Isolation Based on Nonreciprocal Micro-Ring Resonator. <b>2011</b> , 29, 1647-1651	8
852	Complete All-Optical Silica Fiber Isolator via Stimulated Brillouin Scattering. <b>2011</b> , 29, 2267-2275	60
851	Polarization temporal differentiation with application to pulse multiplication and reshaping. <b>2011</b> , 28, 2347	
850	Cascaded logic gates in nanophotonic plasmon networks. <b>2011</b> , 2, 387	337
849	Exact dispersion relation for nonlinear plasmonic waveguides. <b>2011</b> , 84,	38
848	Photonic bandgaps of different unit cells in the basic structural unit of germanium-based two-dimensional decagonal photonic quasi-crystals. <b>2011</b> , 50, 4868-72	11
847	All-optical logic gates based on two-dimensional low-refractive-index nonlinear photonic crystal slabs. <b>2011</b> , 19, 1945-53	115
846	All silicon waveguide spherical microcavity coupler device. <b>2011</b> , 19, 3185-92	17
845	Coupled photonic crystal micro-cavities with ultra-low threshold power for stimulated Raman scattering. <b>2011</b> , 19, 4795-804	6
844	Compact highly-nonlinear AlGaAs waveguides for efficient wavelength conversion. <b>2011</b> , 19, 12440-55	43
843	Demonstration of Zeno switching through inverse Raman scattering in an optical fiber. <b>2011</b> , 19, 12532-9	8
842	Reconfigurable silicon thermo-optical device based on spectral tuning of ring resonators. <b>2011</b> , 19, 12727-39	11
841	Direction-dependent optical modes in nanoscale silicon waveguides. <b>2011</b> , 19, 18380-92	3
840	Optical bistability effect in plasmonic racetrack resonator with high extinction ratio. <b>2011</b> , 19, 19415-21	38
839	Ultra-high-speed wavelength conversion in a silicon photonic chip. <b>2011</b> , 19, 19886-94	54
838	Influence of micro-joints formed between spheres in coupled-resonator optical waveguide. <b>2011</b> , 19, 22258-67	15
837	Adaptive on-chip control of nano-optical fields with optoplasmonic vortex nanogates. <b>2011</b> , 19, 22305-15	34

836	Intrinsic quality factor determination in whispering gallery mode microcavities using a single Stokes parameters measurement. <b>2011</b> , 19, 23544-53	12
835	Characterizing and modeling backscattering in silicon microring resonators. <b>2011</b> , 19, 24980-5	15
834	Mode junction photonics with a symmetry-breaking arrangement of mode-orthogonal heterostructures. <b>2011</b> , 19, 25500-11	10
833	On-chip optical diode based on silicon photonic crystal heterojunctions. <b>2011</b> , 19, 26948-55	142
832	Nonreciprocal extraordinary optical transmission through subwavelength slits in metallic film. <b>2011</b> , 36, 1308-10	29
831	All-optical switching of a single resonance in silicon ring resonators. <b>2011</b> , 36, 1413-5	44
830	Ultracompact 160 Gbaud all-optical demultiplexing exploiting slow light in an engineered silicon photonic crystal waveguide. <b>2011</b> , 36, 1728-30	25
829	Tuning of optical resonances in asymmetric microtube cavities. <b>2011</b> , 36, 3840-2	21
828	. <b>2011</b> ,	108
827	Four-Wave Mixing in Silicon Nanowire Waveguides and Its Applications in Wavelength Conversion. <b>2011</b> ,	1
826	Active and Passive Devices Based on Silicon-on-Insulator Waveguides. <b>2011</b> , 5, 68-79	1
825	Design of All-Optical Loadable and Erasable Memory Cell by LWI and EIT Effects. <b>2011</b> ,	
824	Enhanced Two-Photon Absorption in Polycrystalline Silicon. <b>2011</b> ,	
823	Hitless Low-Power All-Optical Absorption Based Switching with Organics on Silicon. <b>2011</b> ,	
822	Exploiting the Optical Properties of Microgels and Hydrogels as Microlenses and Photonic Crystals in Sensing Applications. <b>2011</b> , 355-374	2
821	Compound FDTD method for silicon photonics. <b>2011</b> , 1, 032107	1
820	Designed ultrafast optical nonlinearity in a plasmonic nanorod metamaterial enhanced by nonlocality. <b>2011</b> , 6, 107-11	357
819	Crystalline-silicon-based infra-red LEDs and routes to laser diodes. <b>2011</b> , 519, 8441-8445	4

818	Optical transmission gratings by one driven three-level atom and a microtoroidal resonator. <b>2011</b> , 284, 5263-5268	4
817	Optical logic elementary circuits. <b>2011</b> , 5, 76	4
816	Low-power nanophotonic devices based on photonic crystals towards dense photonic network on chip. <b>2011</b> , 5, 84	41
815	. <b>2011</b> , 47, 172-181	14
814	Optical Nonlinear Properties and Carrier Plasma Effect at Low Carrier Density in Silicon Wire Waveguides. <b>2011</b> , 47, 1208-1213	1
813	All-optical switching and strong coupling using tunable whispering-gallery-mode microresonators. <b>2011</b> , 105, 129-148	22
812	Licht im Schneckentempo. <b>2011</b> , 42, 185-191	1
811	Porous silicon microcavities based photonic barcodes. <b>2011</b> , 23, 3022-5	28
810	All-optically tunable waveform synthesis by a silicon nanowaveguide ring resonator coupled with a photonic-crystal fiber frequency shifter. <b>2011</b> , 284, 1652-1655	5
809	In situ growth of SiO <sub>x</sub> nanowires catalyzed by Bi on Si substrate. <b>2011</b> , 43, 1688-1693	4
808	Transmission-dispersion characteristics of waveguide-coupled photonic crystal two-mode nanocavity embedding three tunnel-coupled quantum dots. <b>2011</b> , 375, 2738-2746	10
807	All-optical routing and switching for three-dimensional photonic circuitry. <b>2011</b> , 1, 94	62
806	Integration of a Tunable, Optical Delay Generator in a Silicon Photonics Platform. <b>2011</b> ,	
805	Diverging rabi oscillations in subwavelength photonic lattices. <b>2011</b> , 106, 073901	18
804	Computational Characterization of a Photonic Crystal Cantilever Sensor Using a Hexagonal Dual-Nanoring-Based Channel Drop Filter. <b>2011</b> , 10, 789-796	26
803	Ultimate fast optical switching of a semiconductor photonic microcavity. <b>2011</b> ,	
802	Ultimate fast optical switching of a planar microcavity in the telecom wavelength range. <b>2011</b> , 98, 161114	36
801	Electro-optic tunable optical isolator in periodically poled LiNbO <sub>3</sub> . <b>2011</b> , 109, 053111	11

800	Realization of a narrowband single wavelength microring mirror. <b>2011</b> , 99, 091105	44
799	Nonlinear interactions between high-Q optical and acoustic modes in dielectric particles. <b>2011</b> , 84,	12
798	Design and experiments of a Nano-opto-mechanical switch using EIT-like effects of coupled-ring resonator. <b>2011</b> ,	1
797	Plasma Dispersion Effect for Various Doping Configuration on the SOI Phase Modulator with Trapezoidal Rib Waveguide. <b>2011</b> , 403-408, 4403-4407	
796	Nanoplasmonic optical switch based on Ga-Si <sub>3</sub> N <sub>4</sub> -Ga waveguide. <b>2011</b> , 50, 074002	10
795	All-optical loadable and erasable memory cell design based on inversionless lasing and electromagnetically induced transparency effects. <b>2011</b> , 41, 1114-1118	1
794	Optical time-domain differentiation based on intensive differential group delay. <b>2011</b> , 20, 104208	1
793	Coupled non-linear microresonator systems: Modelling and applications. <b>2011</b> ,	
792	Free Carrier Absorption Loss of p-i-n Silicon-On-Insulator (SOI) Phase Modulator. <b>2011</b> ,	2
791	Multilayer photonic logic gate integrated into microelectronic chip. <b>2012</b> , 6, 061607-1	1
790	Competition between electronic Kerr and free-carrier effects in an ultimate-fast optically switched semiconductor microcavity. <b>2012</b> , 29, 2630	9
789	Germanium microsphere high-Q resonator. <b>2012</b> , 37, 728-30	33
788	Effect of probe beam intensity on all-optical switching based on excited-state absorption. <b>2012</b> , 2, 548	3
787	Power insensitive silicon microring resonators. <b>2012</b> , 37, 590-2	22
786	All-optical switching based on inverse Raman scattering in liquid-core optical fibers. <b>2012</b> , 37, 942-4	10
785	Method for tuning light extinction by thermal expansion of coated nanoparticles. <b>2012</b> , 29, 2542	
784	Photothermal optical modulation of ultra-compact hybrid Si-VOL <sup>2</sup> ring resonators. <b>2012</b> , 20, 13215-25	69
783	Reconfigurable silicon thermo-optical ring resonator switch based on Vernier effect control. <b>2012</b> , 20, 14722-33	48

782	Polymeric slot waveguide at visible wavelength. <b>2012</b> , 37, 4449-51	14
781	Nonlinear optical properties of low temperature annealed silicon-rich oxide and silicon-rich nitride materials for silicon photonics. <b>2012</b> , 100, 021109	28
780	Chalcogenide Microsphere Fabricated From Fiber Tapers Using Contact With a High-Temperature Ceramic Surface. <b>2012</b> , 24, 1103-1105	23
779	Feedback-enhanced sensitivity in optomechanics: Surpassing the parametric instability barrier. <b>2012</b> , 85,	16
778	Optical logic gates using coherent feedback. <b>2012</b> , 101, 191113	14
777	Aluminum nitride as a new material for chip-scale optomechanics and nonlinear optics. <b>2012</b> , 14, 095014	152
776	Light Splitting Function of Branched Chains of Microspheres Fabricated by Self-Assembly Process. <b>2012</b> , 1392, 1	
775	Ultra compact Silicon microring filter. <b>2012</b> ,	
774	Submicrometer-wide amorphous and polycrystalline anatase TiO <sub>2</sub> waveguides for microphotonic devices. <b>2012</b> , 20, 23821-31	82
773	Tailored resonance dependence on input optical power in silicon microring resonators. <b>2012</b> ,	
772	Low TPA and free-carrier effects in silicon nanocrystal-based horizontal slot waveguides. <b>2012</b> , 20, 23838-45	20
771	Dumbbell micro-ring reflector. <b>2012</b> ,	1
770	Silicon microring sensors. <b>2012</b> ,	1
769	All-optical dynamic frequency conversion in silicon photonic crystal cavities. <b>2012</b> ,	
768	Ring-type V-groove surface plasmon microresonator: The modal structure and Q-factor. <b>2012</b> , 111, 053112	5
767	Design and modelling PSA detection for prostate cancer using 8 $\times$ 8 sensor array. <b>2012</b> , 9, 249	0
766	High-Q Bismuth-Silicate Nonlinear Glass Microsphere Resonators. <b>2012</b> , 4, 1013-1020	9
765	. <b>2012</b> , 100, 1475-1485	

764	Dynamic Light Storage in Slow Light Waveguides. <b>2012</b> , 48, 862-866	4
763	Low-loss, silicon integrated, aluminum nitride photonic circuits and their use for electro-optic signal processing. <b>2012</b> , 12, 3562-8	154
762	Nanophotonic Viterbi decoding. <b>2012</b> ,	
761	Time-dependent quantum transports along electronic waveguides with side-branch mesoscopic rings. <b>2012</b> , 407, 4545-4549	2
760	Control and ultrafast dynamics of a two-fluid polariton switch. <b>2012</b> , 109, 266407	53
759	Frequency-controlled deflection of spatial solitons in nematic liquid crystals. <b>2012</b> , 101, 081112	8
758	Linear and passive silicon optical isolator. <b>2012</b> , 2, 674	85
757	Photothermal optical switching in ultra-compact hybrid Si-VO <sub>2</sub> ring resonators. <b>2012</b> ,	
756	Narrow gap width induced radiation loss on waveguide coupled microring. <b>2012</b> ,	
755	Gas cluster ion beam treatment for silicon waveguide trimming. <b>2012</b> ,	
754	Ultrafast all-optical switching in one-dimensional semiconductor-polymer hybrid nonlinear photonic crystals with relaxing Kerr nonlinearity. <b>2012</b> , 14, 065003	10
753	All-optical active switching in individual semiconductor nanowires. <b>2012</b> , 7, 640-5	214
752	All-optical on-chip dynamic frequency conversion. <b>2012</b> , 101, 141119	11
751	Applications of optomechanical effects for on-chip manipulation of light signals. <b>2012</b> , 16, 82-90	23
750	Optical modulation based on direct photon-plasmon coupling in organic/metal nanowire heterojunctions. <b>2012</b> , 24, 5681-6	58
749	Color modulation of spatially isolated regions on a single poly(N-isopropylacrylamide) microgel based etalon. <b>2012</b> , 22, 8199	37
748	Nanocircuit Loading of Plasmonic Waveguides. <b>2012</b> , 60, 4381-4390	5
747	Power-Efficient Calibration and Reconfiguration for Optical Network-on-Chip. <b>2012</b> , 4, 955	20



746	Probing ultrafast carrier dynamics, nonlinear absorption and refraction in core-shell silicon nanowires. <b>2012</b> , 79, 471-481	8
745	THz bandwidth optical switching with carbon nanotube metamaterial. <b>2012</b> , 20, 6068-79	41
744	Wire-on-wire growth of fluorescent organic heterojunctions. <b>2012</b> , 134, 2880-3	111
743	Fabrication of complex curved three-dimensional silicon microstructures using ion irradiation. <b>2012</b> , 22, 015015	37
742	Second harmonic generation in phase matched aluminum nitride waveguides and micro-ring resonators. <b>2012</b> , 100, 223501	85
741	Photonic-plasmonic mode coupling in on-chip integrated optoplasmonic molecules. <b>2012</b> , 6, 951-60	68
740	Spatially resolved measurement of free-carrier absorption in silicon waveguides. <b>2012</b> ,	1
739	Dewetting-driven hierarchical self-assembly of small semiconducting molecules. <b>2012</b> , 8, 5804	5
738	As <sub>2</sub> S <sub>3</sub> microspheres with near absorption-limited quality factor. <b>2012</b> ,	0
737	All-optical silicon simplified passive modulation. <b>2012</b> , 7,	6
736	All-optical modulation in a CMOS-compatible amorphous silicon-based device. <b>2012</b> , 7,	8
735	Fabrication of low-loss SOI nano-waveguides including BEOL processes for nonlinear applications. <b>2012</b> , 7,	4
734	SELF-COLLIMATION EFFECT IN TWO-DIMENTIONAL PHOTONIC CRYSTAL BASED ON OPTOFLUDIC TECHNOLOGY. <b>2012</b> , 25, 255-268	6
733	Polymethine dyes for all-optical switching applications: a quantum-chemical characterization of counter-ion and aggregation effects on the third-order nonlinear optical response. <b>2012</b> , 3, 3103	67
732	Small size tuneable printed F-slot antenna for mobile handset applications. <b>2012</b> , 54, 794-802	5
731	Silicon electrooptic ring modulator fabricated by a standard complementary metal oxide semiconductor process. <b>2012</b> , 54, 789-794	
730	High-optical-quality blends of anionic polymethine salts and polycarbonate with enhanced third-order non-linearities for silicon-organic hybrid devices. <b>2012</b> , 24, OP326-30	21
729	All-optical control of an individual resonance in a silicon microresonator. <b>2012</b> , 108, 223907	31

728	Nonlinear optical absorption studies of sol-gel derived Yttrium Iron Garnet (Y <sub>3</sub> Fe <sub>5</sub> O <sub>12</sub> ) nanoparticles by Z-scan technique. <b>2012</b> , 38, 1823-1826	21
727	Comparative study of photonic band gaps of germanium-based two-dimensional triangular-lattice and square-lattice and decagonal quasi-periodic photonic crystals. <b>2012</b> , 96, 11-17	7
726	Light transmission by a three-level emitter embedded in a waveguide-coupled two-mode photonic crystal nanocavity. <b>2012</b> , 285, 680-685	6
725	. <b>2012</b> , 30, 9-14	30
724	. <b>2012</b> , 18, 600-611	16
723	Slotted microcavity ring resonators for optical storage applications. <b>2013</b> , 45, 503-515	
722	Broadband all-optical modulation using a graphene-covered-microfiber. <b>2013</b> , 10, 065901	74
721	Optical Supercomputing. <b>2013</b> ,	4
720	Photonic Crystal Nanobeam Cavities for Tunable Filter and Router Applications. <b>2013</b> , 19, 3600210-3600210	35
719	. <b>2013</b> ,	
718	Design of ring resonator based all optical switch for logic and arithmetic operations [A theoretical study. <b>2013</b> , 124, 6048-6057	36
717	Whispering gallery modes in hexagonal microcavities. <b>2013</b> , 88,	10
716	A Theoretical Model of All-optical Switching Induced by a Soliton Pulse in Nano-waveguide Ring Resonator. <b>2013</b> , 431, 012029	5
715	Strong Eu <sup>2+</sup> light emission in Eu silicate through Eu <sup>3+</sup> reduction in Eu <sub>2</sub> O <sub>3</sub> /Si multilayer deposited on Si substrates. <b>2013</b> , 8, 194	8
714	Disorder strongly enhances Auger recombination in conductive quantum-dot solids. <b>2013</b> , 4, 2329	46
713	Optomechanical sensing with on-chip microcavities. <b>2013</b> , 8, 475-490	45
712	Analytic description of microcylindrical cavity for surface plasmon polariton. <b>2013</b> , 305, 190-193	6
711	Advancements in Silicon Photonics. <b>2013</b> , 33-52	

710	Whispering gallery modes in semiconductor optical fibres and optical bottle microresonators. <b>2013,</b>	1
709	Reconfigurable photonic switching: Towards all-optical FPGAs. <b>2013,</b>	1
708	Enhanced second harmonic generation from InAs nano-wing structures on silicon. <b>2013, 5, 10163-70</b>	13
707	40 GHz nonlinear all optical switching in a Mach-Zehnder interferometer integrated device. <b>2013,</b>	
706	Wavelength conversion at 10 GHz using a two-color photonic crystal gate. <b>2013,</b>	
705	Generation of second harmonic radiation from sub-stoichiometric silicon nitride thin films. <b>2013, 102, 141114</b>	19
704	Rapidly reconfigurable optically induced photonic crystals in hot rubidium vapor. <b>2013, 87,</b>	7
703	A generalized Drude model for doped silicon at terahertz frequencies derived from microscopic transport simulation. <b>2013, 102, 122113</b>	27
702	Diamond-integrated optomechanical circuits. <b>2013, 4, 1690</b>	61
701	All-optical polariton transistor. <b>2013, 4, 1778</b>	310
700	Multibistability and self-pulsation in nonlinear high-Q silicon microring resonators considering thermo-optical effect. <b>2013, 87,</b>	21
699	A new optical add-drop filter based on two-dimensional photonic crystal ring resonator. <b>2013, 124, 2864-2867</b>	52
698	Recent advances in organic one-dimensional composite materials: design, construction, and photonic elements for information processing. <b>2013, 25, 3627-38</b>	63
697	Fabrication of whispering gallery mode cavity using crystal growth. <b>2013, 102, 211105</b>	8
696	Towards integrated nanoplasmonic logic circuitry. <b>2013, 5, 5442-9</b>	48
695	Relative permittivity dependence of photonic band gaps for unit cells of the basic structural unit of two-dimensional decagonal photonic quasicrystals. <b>2013, 288, 52-55</b>	8
694	Reflection-type space-division optical switch based on the electrically tuned Goos-Hänchen effect. <b>2013, 15, 014007</b>	14
693	Position-sensitive spectral splitting with a plasmonic nanowire on silicon chip. <b>2013, 3, 3095</b>	34

692	Study of a Mach-Zehnder-type ultrafast all-optical switch based on a periodically patterned microring resonator. <b>2013</b> , 60, 1915-1920	1
691	Differential all-optical tuning of eigenmodes in coupled microdisks. <b>2013</b> , 103, 041115	3
690	Unravelling nonlinear spectral evolution using nanoscale photonic near-field point-to-point measurements. <b>2013</b> , 13, 5858-65	6
689	Ultracompact linear on-chip silicon optical logic gates with phase insensitivity. <b>2013</b> , 103, 64001	5
688	Ultracompact (3 $\mu\text{m}$ ) silicon slow-light optical modulator. <b>2013</b> , 3, 3546	9
687	Optical tuning of silicon photonic structures with nematic liquid crystal claddings. <b>2013</b> , 38, 2008-10	29
686	Spectral broadening in anatase titanium dioxide waveguides at telecommunication and near-visible wavelengths. <b>2013</b> , 21, 18582-91	30
685	Demonstration of femtosecond soliton dynamics in silicon photonic nano-wire waveguide. <b>2013</b> ,	1
684	Design of photonic directional couplers as phase selectors. <b>2013</b> , 30, 1631	3
683	Nonreciprocal Transmission through Grating with Magneto-Optical Substrate. <b>2013</b> ,	
682	Thermo-optical bistability with Si nanocrystals in a whispering gallery mode resonator. <b>2013</b> , 38, 3562-5	14
681	FSR-free add-drop filter based on silicon grating-assisted contradirectional couplers. <b>2013</b> , 38, 1-3	43
680	Efficient wavelength conversion based on quasi-phase-matched four-wave mixing in a silicon waveguide with a microring phase shifter. <b>2013</b> , 30, 2491	3
679	Single-PPLN-assisted wavelength-/time-selective switching/dropping/swapping for 100-GHz-spaced WDM signals. <b>2013</b> , 21, 3756-74	10
678	Compact and low power consumption tunable photonic crystal nanobeam cavity. <b>2013</b> , 21, 3861-71	39
677	High nonlinear figure-of-merit amorphous silicon waveguides. <b>2013</b> , 21, 3932-40	43
676	Study of coupling loss on strongly-coupled, ultra compact microring resonators. <b>2013</b> , 21, 7250-7	18
675	Optical interferometric logic gates based on metal slot waveguide network realizing whole fundamental logic operations. <b>2013</b> , 21, 9556-62	57

674	Optical bistability in a silicon nitride microring resonator with azo dye-doped liquid crystal as cladding material. <b>2013</b> , 21, 10989-94	7
673	Integrated nonlinear Mach Zehnder for 40 Gbit/s all-optical switching. <b>2013</b> , 21, 21587-95	21
672	Sensing with magnetic dipolar resonances in semiconductor nanospheres. <b>2013</b> , 21, 23007-20	57
671	Engineering of metal-clad optical nanocavity to optimize coupling with integrated waveguides. <b>2013</b> , 21, 25796-804	24
670	Waveguide saturable absorbers at 1.55 $\mu\text{m}$ based on intraband transitions in GaN/AlN QDs. <b>2013</b> , 21, 27578-86	15
669	Quasi-phase-matched second harmonic generation in silicon nitride ring resonators controlled by static electric field. <b>2013</b> , 21, 32690-8	11
668	Transmission degradation and preservation for tapered optical fibers in rubidium vapor. <b>2013</b> , 52, 2595-601	13
667	Cross-correlation frequency-resolved optical gating and dynamics of temporal solitons in silicon nanowire waveguides. <b>2013</b> , 38, 4401-4	9
666	Interferometric switching in coupled resonator optical waveguides-based reconfigurable optical device. <b>2013</b> , 38, 217-9	5
665	Tunable binary retarder using self-aligned liquid crystal on anisotropic polymer film by photo-assisted imprinting. <b>2013</b> , 52, 1752-7	6
664	Design and analysis of ultra small radius micro-ring resonator. <b>2013</b> ,	
663	Nanoscale optical Viterbi decoder realized on a silicon chip. <b>2013</b> , 7, 073096	1
662	Linear and passive silicon diodes, isolators, and logic gates. <b>2013</b> ,	
661	Ultrafast optical control using the Kerr nonlinearity in hydrogenated amorphous silicon microcylindrical resonators. <b>2013</b> , 3, 2885	49
660	. <b>2013</b> ,	9
659	Induced-transparency in silicon-on-insulator based novel resonator systems. <b>2013</b> , 8, 619-622	3
658	Frequency dependent dynamics of semiconductor microcavities under ultrafast carrier switching. <b>2013</b> ,	
657	Second harmonic generation in photonic crystal cavities in (111)-oriented GaAs. <b>2013</b> , 103, 211117	29

- 656 Optical switching at 1.55  $\mu\text{m}$  in silicon racetrack resonators using phase change materials. **2013**, 103, 141119 110
- 655 Multiple scale analysis of low index subwavelength slot waveguide electrooptic modulator. **2013**, 4
- 654 Coherent destruction of dynamical tunneling in asymmetric resonant cavities. **2013**, 87, 9
- 653 Direct modulation of microcavity emission via local perturbation. **2013**, 88, 8
- 652 A tunable laser using loop-back external cavity based on double ring resonators. **2013**,
- 651 Preparation and Characterization of SiO<sub>2</sub> Nano/Submicron-Rods by Catalytic Pyrolysis of a Polymer Precursor. **2013**, 591, 30-33
- 650 Ultrabroadband nonreciprocal transverse energy flow of light in linear passive photonic circuits. **2013**, 21, 25619-31 12
- 649 Nonlinear Optics in Silicon. **2013**, 197-248 2
- 648 Photonic Crystals. **2013**, 287-332
- 647 Interferometric switching in CROW based reconfigurable optical device for routing application. **2013**,
- 646 Optimizing anatase-TiO<sub>2</sub> deposition for low-loss planar waveguides. **2013**, 2
- 645 THE INFLUENCE OF LIGHT BEAM CONVERGENCE ON THE STOP-BANDS OF A ONE-DIMENSIONAL PHOTONIC CRYSTAL. **2013**, 140, 369-384 3
- 644 Integrated Silicon Nanophotonic Data Processing Devices: A Brief Review. **2013**, 3, 42-48
- 643 Integrated Nanoplasmonic Logic Circuitry. **2014**, 247-259 1
- 642 Pulse modulation towards low-power operation based on the quantum beat of excitons in a GaAs/AlAs multiple quantum well. **2014**, 47, 105101 4
- 641 Design and Optimization of an Optofluidic Ring Resonator Based on Liquid-Core Hybrid ARROWS. **2014**, 6, 1-14 6
- 640 Photon pair generation and pump filtering in nonlinear adiabatic waveguiding structures. **2014**, 39, 953-6 16
- 639 Fast and accurate finite element analysis of large-scale three-dimensional photonic devices with a robust domain decomposition method. **2014**, 22, 4437-52 2

638	Measurement of a compact colorless 3 dB hybrid plasmonic directional coupler. <b>2014</b> , 39, 3262-5	18
637	All-optical switching of silicon disk resonator based on photothermal effect in metal-insulator-metal absorber. <b>2014</b> , 39, 4431-4	17
636	Enhanced optical tuning of modified-geometry resonators clad in blue phase liquid crystals. <b>2014</b> , 39, 5435-8	9
635	Selective excitation of microring resonances using a pulley-coupling structure. <b>2014</b> , 53, 878-84	5
634	Picosecond all-optical switching in hydrogenated amorphous silicon microring resonators. <b>2014</b> , 22, 3797-810	51
633	Fano resonances in a multimode waveguide coupled to a high-Q silicon nitride ring resonator. <b>2014</b> , 22, 6778-90	24
632	Embedded coupled microrings with high-finesse and close-spaced resonances for optical signal processing. <b>2014</b> , 22, 10430-8	21
631	Pulse capture without carrier absorption in dynamic Q photonic crystal nanocavities. <b>2014</b> , 22, 15459-66	3
630	Electrically tunable high Q-factor micro-ring resonator based on blue phase liquid crystal cladding. <b>2014</b> , 22, 17776-81	13
629	Enhanced third harmonic generation by organic materials on high-Q plasmonic photonic crystals. <b>2014</b> , 22, 20292-7	4
628	Loop coupled resonator optical waveguides. <b>2014</b> , 22, 24202-16	9
627	Photothermally tunable silicon-microring-based optical add-drop filter through integrated light absorber. <b>2014</b> , 22, 25233-41	14
626	Maximizing slow-light enhancement in one-dimensional photonic crystal ring resonators. <b>2014</b> , 22, 26032-41	19
625	Route-asymmetrical optical transmission and logic gate based on optical gradient force. <b>2014</b> , 22, 25947-52	6
624	Controlling light on the nanoscale with chalcogenide thin films. <b>2014</b> , 471-508	2
623	All-optical logic gate operating with single wavelength. <b>2014</b> , 22, 4466-79	25
622	Non-Conventional Modulation Schemes. <b>2014</b> , 117-177	
621	High capacity terahertz frequency combs generated by small scale optical mesh network. <b>2014</b> , 23, 1450003	

620	High-efficiency degenerate four-wave mixing in triply resonant nanobeam cavities. <b>2014</b> , 89,	9
619	25-channel all-optical gate switches realized by integrating silicon photonic crystal nanocavities. <b>2014</b> , 22, 14263-74	29
618	Exploring Silicon Nanophotonics in Throughput Architecture. <b>2014</b> , 31, 18-27	5
617	All-optical switching in a GaAs microdisk resonator. <b>2014</b> ,	
616	Silicon-loaded surface plasmon polariton waveguides for nanosecond thermo-optical switching. <b>2014</b> , 39, 2282-5	10
615	Ultra-low power Four Wave Mixing wavelength conversion in silicon micro-ring resonators with tunable Q-factor. <b>2014</b> ,	1
614	Toward fJ/bit optical communication in a chip. <b>2014</b> , 314, 3-17	42
613	Bioconjugation Strategies for Label-Free Optical Microcavity Sensors. <b>2014</b> , 20, 121-133	19
612	Silicon-based broadband antenna for high responsivity and polarization-insensitive photodetection at telecommunication wavelengths. <b>2014</b> , 5, 3288	126
611	Full-Wave Analytical Solution of Second-Harmonic Generation in Metal Nanospheres. <b>2014</b> , 9, 151-166	16
610	Tunable nonlinear optical properties in nanocrystalline Si/SiO <sub>2</sub> multilayers under femtosecond excitation. <b>2014</b> , 9, 28	18
609	High efficiency silicon nitride grating coupler. <b>2014</b> , 115, 79-82	14
608	Optical Transducers. <b>2014</b> , 233-320	2
607	. <b>2014</b> , 20, 189-205	74
606	Polystyrene Kerr nonlinear photonic crystals for building ultrafast optical switching and logic devices. <b>2014</b> , 2, 783-800	28
605	Ultrafast all-optical graphene modulator. <b>2014</b> , 14, 955-9	483
604	Birefringence-induced wavelength mismatch between the polarization rotation and resonant modes in magnetophotonic structures containing nematic layers. <b>2014</b> , 89, 012508	3
603	Soliton manipulation using Airy pulses. <b>2014</b> , 316, 127-131	24



602	Electrically controlled one-way photon flow in plasmonic nanostructures. <b>2014</b> , 5, 5250	37
601	An ultrafast reconfigurable nanophotonic switch using wavefront shaping of light in a nonlinear nanomaterial. <b>2014</b> , 3, e207-e207	36
600	Optical properties of aperiodic metallic photonic crystal structures: quasicrystals and disorder. <b>2014</b> , 16, 114001	8
599	Third-Order Nonlinear Optical Properties and Electroabsorption Spectra of an Organic Biradical, [Naphtho[2,1-d:6,5-d']bis([1,2,3]dithiazole)]. <b>2014</b> , 118, 4303-4308	30
598	Non-blocking 2 $\times$ switching unit based on nested silicon microring resonators with high extinction ratios and low crosstalks. <b>2014</b> , 59, 2702-2708	6
597	Optical storage arrays: a perspective for future big data storage. <b>2014</b> , 3, e177-e177	225
596	Ultrafast Plasmonics on Gold Nanowires: Confinement, Dispersion, and Pulse Propagation. <b>2014</b> , 1, 1173-1180	12
595	Low-power optical switching with Kerr nonlinear material in two-dimensional photonic crystal nanocavity. <b>2014</b> , 61, 904-909	9
594	Influence of the structure parameters on the gain and noise figure in silicon parametric amplifiers based on SOI Rib waveguides. <b>2014</b> , 125, 4470-4473	
593	Limits on fundamental limits to computation. <i>Nature</i> , <b>2014</b> , 512, 147-54	50.4 225
592	Nanophotonics and quantum optics. <b>2014</b> ,	
591	All-optical switching in GaAs microdisk resonators by a femtosecond pump-probe technique through tapered-fiber coupling. <b>2014</b> , 39, 4998-5001	9
590	Ultraviolet and visible range plasmonics in the topological insulator Bi <sub>1.5</sub> Sb <sub>0.5</sub> Te <sub>1.8</sub> Se <sub>1.2</sub> . <b>2014</b> , 5, 5139	101
589	Voltage-switchable photocurrents in single-walled carbon nanotube/silicon junctions for analog and digital optoelectronics. <b>2014</b> , 8, 239-243	49
588	Metal nanoparticle based all-optical photothermal light modulator. <b>2014</b> , 8, 1893-8	23
587	Ultrafast mode switching based on a micro-ring laser. <b>2014</b> , 125, 2117-2119	
586	Compact all-optical interferometric logic gates based on one-dimensional metal/insulator/metal structures. <b>2014</b> , 313, 27-35	26
585	Wide-range and tunable diffraction management using 2D rectangular lattice photonic crystals. <b>2014</b> , 31, 1145	4

584	Tunable dual-wavelength terahertz wave power splitter. <b>2014</b> , 125, 4543-4546	3
583	Gradient index plasmonic ring resonator with high extinction ratio. <b>2014</b> , 312, 280-283	7
582	Integrated Source of Spectrally Filtered Correlated Photons for Large-Scale Quantum Photonic Systems. <b>2014</b> , 4,	85
581	Design of a 1 $\mu$ m silicon wavelength demultiplexer based on multimode interference in a slot waveguide structures. <b>2014</b> ,	1
580	A decentralised, autonomous, and congestion-aware thermal monitoring infrastructure for photonic network-on-chip. <b>2015</b> ,	1
579	Enhanced nonlinear interaction in a microcavity under coherent excitation. <b>2015</b> , 23, 29964-77	9
578	Low-loss and high-Q Ta(2)O(5) based micro-ring resonator with inverse taper structure. <b>2015</b> , 23, 26268-75	16
577	Nanoscale shaping and focusing of visible light in planar metaloxide silicon waveguides. <b>2015</b> , 2, 1045	25
576	Tunable continuous wave emission via phase-matched second harmonic generation in a ZnSe microcylindrical resonator. <b>2015</b> , 5, 11798	12
575	A silicon-nanowire memory driven by optical gradient force induced bistability. <b>2015</b> , 107, 261111	9
574	Introduction. 1-10	1
573	Hybrid optical fiber add-drop filter based on wavelength dependent light coupling between micro/nano fiber ring and side-polished fiber. <b>2015</b> , 5, 7710	17
572	Controlled Photon Switch Assisted by Coupled Quantum Dots. <b>2015</b> , 5, 11169	4
571	All-optical logic gate based on transient grating from disperse red 1 doped organic-inorganic hybrid films with an improved figure of merit. <b>2015</b> , 118, 155502	0
570	Multi-frequency optical unidirectional transmission based on one-way guided mode resonance in an extremely simple dielectric grating. <b>2015</b> , 355, 137-142	14
569	Enhancing Light Emission of ZnO-Nanofilm/Si-Micropillar Heterostructure Arrays by Piezo-Phototronic Effect. <b>2015</b> , 27, 4447-4453	65
568	Design of a 1 $\mu$ m silicon-alumina wavelength demultiplexer based on multimode interference in slot waveguide structures. <b>2015</b> , 17, 125702	18
567	Coupling Gap Analysis of Microring Photonic Wavelength Switch. <b>2015</b> , 780, 45-48	

566	Magneto-Plasmonics and Resonant Interaction of Light with Dynamic Magnetisation in Metallic and All-Magneto-Dielectric Nanostructures. <b>2015</b> , 5, 577-613	64
565	Microring Resonator Based All Optical NAND and NOT Gate with Higher Output Power. <b>2015</b> ,	8
564	All-Optical Optomechanical Modulation Enabling Real-Time Signal Tracking. <b>2015</b> ,	
563	Coupled-ring reflector in an external-cavity tunable laser. <b>2015</b> , 2, 940	7
562	. <b>2015</b> ,	
561	Recent Advances in Wavelength-Division-Multiplexing Plastic Optical Fiber Technologies. <b>2015</b> ,	
560	On-chip passive three-port circuit of all-optical ordered-route transmission. <b>2015</b> , 5, 10190	24
559	Nanophotonics: bright future for hyperbolic chips. <i>Nature</i> , <b>2015</b> , 522, 160-1	50.4 2
558	Anisotropy of two-photon absorption and free-carrier effect in nonpolar GaN. <b>2015</b> , 106, 131903	20
557	An optoelectronic resistive switching memory with integrated demodulating and arithmetic functions. <b>2015</b> , 27, 2797-803	131
556	One-Dimensional Dielectric/Metallic Hybrid Materials for Photonic Applications. <b>2015</b> , 11, 3728-43	19
555	Design, Fabrication, and Optoelectronic Performance of Organic Building Blocks for Integrated Nanophotonic Devices. <b>2015</b> , 181-205	
554	Optical nonreciprocity in asymmetric optomechanical couplers. <b>2015</b> , 5, 8657	44
553	Optical Time Division Multiplexing Using Terahertz Optical Asymmetric Demultiplexer. <b>2015</b> , 36,	3
552	All optomechanical signal modulation in photonic circuits. <b>2015</b> ,	
551	Integrated all-optical three-port circuit of ordered-route transmission. <b>2015</b> ,	
550	. <b>2015</b> ,	1
549	Ultrafast surface plasmon-polariton logic gates and half-adder. <b>2015</b> , 23, 31755-65	48

548	Deformed Microdisk-Based End-Fire Injection and Collection Resonant Device. <b>2015</b> , 33, 3698-3703	6
547	CMOS-compatible 2-bit optical spectral quantization scheme using a silicon-nanocrystal-based horizontal slot waveguide. <b>2014</b> , 4, 7177	12
546	Dielectrophoretically controlled Fresnel zone plate. <b>2015</b> , 15, 1092-100	3
545	Cavity Photonics. <b>2015</b> , 21-51	1
544	Pulse Controlled All-Optical Logic Gate Based on Nonlinear Ring Resonator Realizing All Fundamental Logic Operations. <b>2015</b> , 10, 311-317	12
543	High-performance Ge quantum dot decorated graphene/zinc-oxide heterostructure infrared photodetector. <b>2015</b> , 7, 2452-8	47
542	Low power Electro-optical filter: Constructed using silicon nanobeam resonator and PIN junction. <b>2015</b> , 70, 40-45	8
541	CMOS compatible high-Q photonic crystal nanocavity fabricated with photolithography on silicon photonic platform. <b>2015</b> , 5, 11312	34
540	Adiabatic elimination-based coupling control in densely packed subwavelength waveguides. <b>2015</b> , 6, 7565	52
539	Dual negative refraction in a two dimension square photonic crystal. <b>2015</b> , 350, 213-216	4
538	Multi-mode interference revealed by two photon absorption in silicon rich SiO <sub>2</sub> waveguides. <b>2015</b> , 106, 071109	5
537	Silicon photonics athermal Mach-Zehnder interferometer with wide thermal and spectral operating range. <b>2015</b> ,	1
536	Wideband slab photonic crystal waveguides for slow light using differential optofluidic infiltration. <b>2015</b> , 54, 1002-9	5
535	Whispering Gallery Mode Microdisk Resonator with Dynamic Material Properties. <b>2015</b> , 35-48	
534	Latency-optimized high performance Data Vortex optical switching network. <b>2015</b> , 18, 1-10	4
533	Improved technique for the characterization of micro-ring resonator using low coherence measurement. <b>2015</b> , 40, 2909-12	1
532	Optical bistability in a one-dimensional photonic crystal resonator using a reverse-biased pn-junction. <b>2015</b> , 23, 2676-85	18
531	Large bandwidth mode order converter by differential waveguides. <b>2015</b> , 23, 3186-95	23

530	Picosecond optically reconfigurable filters exploiting full free spectral range tuning of single ring and Vernier effect resonators. <b>2015</b> , 23, 12468-77	7
529	Micrometer-scale integrated silicon source of time-energy entangled photons. <b>2015</b> , 2, 88	154
528	Ultra-high-Q thin-silicon nitride strip-loaded ring resonators. <b>2015</b> , 40, 3316-9	13
527	All optical modulator based on silicon resonator. <b>2015</b> ,	3
526	Tunable Q-factor silicon microring resonators for ultra-low power parametric processes. <b>2015</b> , 40, 1274-7	21
525	Ultrafast All-Optical Switching with Magnetic Resonances in Nonlinear Dielectric Nanostructures. <b>2015</b> , 15, 6985-90	272
524	Unambiguous demonstration of soliton evolution in slow-light silicon photonic crystal waveguides with SFG-XFROG. <b>2015</b> , 23, 10282-92	6
523	Femtosecond-scale switching based on excited free-carriers. <b>2015</b> , 23, 16416-28	9
522	Ultrafast, low-power, all-optical switching via birefringent phase-matched transverse mode conversion in integrated waveguides. <b>2015</b> , 23, 19189-201	9
521	Chip-integrated all-optical 4-bit Gray code generation based on silicon microring resonators. <b>2015</b> , 23, 21414-23	22
520	Broadband CMOS-compatible SOI temperature insensitive Mach-Zehnder interferometer. <b>2015</b> , 23, 24098-107	17
519	On-chip mode-division multiplexing switch. <b>2015</b> , 2, 530	194
518	Nonlinear Fano-Resonant Dielectric Metasurfaces. <b>2015</b> , 15, 7388-93	347
517	Tunable room temperature THz sources based on nonlinear mixing in a hybrid optical and THz micro-ring resonator. <b>2015</b> , 5, 9422	18
516	Slow light enabled time and wavelength division demultiplexer in slotted photonic crystal waveguide. <b>2015</b> , 9, 093063	1
515	Femtojoule Optical Switching in Hydrogenated Amorphous Silicon Photonic Crystal Nanocavities. <b>2015</b> ,	1
514	Cylindrical plasmonic microcavity and its excitation. <b>2015</b> ,	
513	Efficient and broadband wavelength conversion in a slot waveguide with the periodic structure altering the phase-mismatch. <b>2015</b> , 54, 7753-9	2

512	Effect of Fe-doping on nonlinear optical responses and carrier trapping dynamics in GaN single crystals. <b>2015</b> , 107, 051901	14
511	Modulated coupled nanowires for ultrashort pulses. <b>2015</b> , 40, 4078-81	1
510	Integration of photonic nanojets and semiconductor nanoparticles for enhanced all-optical switching. <b>2015</b> , 6, 8097	36
509	Graphene-doped polymer nanofibers for low-threshold nonlinear optical waveguiding. <b>2015</b> , 4, e348-e348	33
508	Optical Properties of Gyroid Structured Materials: From Photonic Crystals to Metamaterials. <b>2015</b> , 3, 12-32	169
507	Organic Nanophotonics. <b>2015</b> ,	6
506	Device-level characterization of the flow of light in integrated photonic circuits using ultrafast photomodulation spectroscopy. <b>2015</b> , 9, 54-60	34
505	Dynamic electromagnetic metamaterials. <b>2015</b> , 18, 39-50	117
504	Planar Waveguides and other Confined Geometries. <b>2015</b> ,	4
503	Nanoplasmonic Metal-Insulator-Metal Waveguides. <b>2015</b> , 45-66	2
502	Aurora: A Cross-Layer Solution for Thermally Resilient Photonic Network-on-Chip. <b>2015</b> , 23, 170-183	23
501	An 8-Channel Wavelength MMI Demultiplexer in Slot Waveguide Structures. <b>2016</b> , 9,	28
500	Dispersion of nondegenerate nonlinear refraction in semiconductors. <b>2016</b> , 24, 24907-24920	13
499	Cellular automata in photonic cavity arrays. <b>2016</b> , 24, 24930-24937	4
498	Broad bandwidth third-harmonic generation via four-wave mixing and stimulated Raman scattering in a microcavity. <b>2016</b> , 24, 26322-26331	18
497	Tapered optical fiber loops and helices for integrated photonic device characterization and microfluidic roller coasters. <b>2016</b> , 3, 1205	15
496	Progress in Piezo-Phototronic-Effect-Enhanced Light-Emitting Diodes and Pressure Imaging. <b>2016</b> , 28, 1535-52	93
495	Free-carrier contribution to all-optical switching in Mie-resonant hydrogenated amorphous silicon nanodisks. <b>2016</b> ,	

494	Integrated all-optical switch with 10 <sup>7</sup> ps time resolution enabled by ALD. <b>2016</b> , 10, 409-419	19
493	Resonance-based optical routing and nonreciprocity in photonic molecules with coupled whispering gallery modes. <b>2016</b> ,	0
492	ERRCA: A buffer-efficient reconfigurable optical Network-on-Chip with permanent-error recognition. <b>2016</b> ,	0
491	On-chip integratable all-optical quantizer using strong cross-phase modulation in a silicon-organic hybrid slot waveguide. <b>2016</b> , 6, 19528	11
490	Tunable reflecting terahertz filter based on chirped metamaterial structure. <b>2016</b> , 6, 38732	27
489	Large enhancement of third-order nonlinear effects with a resonant all-dielectric metasurface. <b>2016</b> , 6, 115213	3
488	Gamma bandgap determination in pseudomorphic GeSn layers grown on Ge with up to 15% Sn content. <b>2016</b> , 109, 242107	21
487	Ultra-compact and highly efficient silicon polarization splitter and rotator. <b>2016</b> , 1, 091304	42
486	Ultrafast surface plasmon-polariton interference and switching in multiple crossing dielectric waveguides. <b>2016</b> , 122, 1	5
485	Chirped photonic crystal with different symmetries for asymmetric light propagation. <b>2016</b> , 122, 1	3
484	Asymmetric Silicon Slot-Waveguide-Assisted Polarizing Beam Splitter. <b>2016</b> , 28, 1294-1297	24
483	All-optical spatial light modulator for reconfigurable silicon photonic circuits. <b>2016</b> , 3, 396	37
482	Ultrafast All-Optical Switching via Subdiffractive Photonic Nanojets and Select Semiconductor Nanoparticles. <b>2016</b> , 3, 1095-1101	26
481	Polymer-Stabilized Blue Phase Liquid Crystals for Photonic Applications. <b>2016</b> , 1, 1600102	34
480	Design and analysis of chirped photonic crystal waveguide based optical diode. <b>2016</b> ,	1
479	Wavelength Dependence of a Vertically Coupled Resonator-Waveguide System. <b>2016</b> , 34, 5385-5390	5
478	Photonic crystal (PhC) nanowires for infrared photodetectors. <b>2016</b> ,	0
477	Modeling of the carrier dynamics in nonlinear semiconductor nanoscale resonators. <b>2016</b> , 94,	8

476	Actively phase-controlled coupling between plasmonic waveguides via in-between gain-assisted nanoresonator: nanoscale optical logic gates. <b>2016</b> , 41, 3739-42	3
475	Silicon-based microring resonators for multi-solitons generation for THz communication. <b>2016</b> , 48, 1	8
474	Low control-power wavelength conversion on a silicon chip. <b>2016</b> , 41, 3651-4	10
473	In situ growth of fluorescent silicon nanocrystals in a monolithic microcapsule as a photostable, versatile platform. <b>2016</b> , 8, 15645-57	6
472	Correlated Perovskites as a New Platform for Super-Broadband-Tunable Photonics. <b>2016</b> , 28, 9117-9125	55
471	All Optical Scalable Logic Gates Using Si <sub>3</sub> N <sub>4</sub> Microring Resonators. <b>2016</b> , 22, 326-333	26
470	Gigahertz frequency comb offset stabilization based on supercontinuum generation in silicon nitride waveguides. <b>2016</b> , 24, 11043-53	60
469	Optimized Magneto-optical Isolator Designs Inspired by Seedlayer-Free Terbium Iron Garnets with Opposite Chirality. <b>2016</b> , 3, 1818-1825	35
468	Nonlinear Transient Dynamics of Photoexcited Resonant Silicon Nanostructures. <b>2016</b> , 3, 1546-1551	55
467	High quality factor subwavelength grating waveguide micro-ring resonator based on trapezoidal silicon pillars. <b>2016</b> , 41, 3375-8	32
466	Stopping Narrow-Band X-Ray Pulses in Nuclear Media. <b>2016</b> , 116, 197402	12
465	Dark-state lasers: mode management using exceptional points. <b>2016</b> , 41, 3049-52	35
464	All-optical modulation in wavelength-sized epsilon-near-zero media. <b>2016</b> , 41, 3102-5	7
463	A promising new mechanism of ionizing radiation detection for positron emission tomography: modulation of optical properties. <b>2016</b> , 61, 7600-7622	23
462	Large-scale quantum photonic circuits in silicon. <b>2016</b> , 5, 456-468	75
461	Low insertion loss polarizing beam splitter with asymmetric silicon slot waveguide. <b>2016</b> ,	
460	Ultrasmall all-optical plasmonic switch and its application to superresolution imaging. <b>2016</b> , 6, 24293	34
459	Silicon Add-Drop Filter Based on Multimode Grating Assisted Couplers. <b>2016</b> , 8, 1-8	6



- 458 Unidirectional light propagations in silicon microrings. **2016**, 48, 1
- 457 Four-wave mixing in porous silicon microring resonators. **2016**,
- 456 Temperature effects on the stability of gold nanoparticles in the presence of a cationic thermoresponsive copolymer. **2016**, 18, 1 4
- 455 Size-, electric-field-, and frequency-dependent third-order nonlinear optical properties of hydrogenated silicon nanoclusters. **2016**, 6, 28067 17
- 454 Enhanced light-vapor interactions and all optical switching in a chip scale micro-ring resonator coupled with atomic vapor. **2016**, 10, 1016-1022 19
- 453 Acridine-1, 8-diones A new class of thermally stable NLOphores: Photophysical, (hyper)polarizability and TD-DFT studies. **2016**, 62, 306-319 8
- 452 All-optical transistor- and diode-action and logic gates based on anisotropic nonlinear responsive liquid crystal. **2016**, 6, 30873 13
- 451 Microwave platform as a valuable tool for characterization of nanophotonic devices. **2016**, 6, 35516 3
- 450 Extraordinary wavelength reduction in terahertz graphene-cladded photonic crystal slabs. **2016**, 6, 25301 7
- 449 Metawaveguide for Asymmetric Interferometric Light-Light Switching. **2016**, 117, 193901 36
- 448 A new mechanism of ionizing radiation detection for positron emission tomography: modulation of optical properties. **2016**,
- 447 MWIR optical modulation using structured silicon membranes. **2016**, 2 2
- 446 Silicon-Modified Rare-Earth Transitions A New Route to Near- and Mid-IR Photonics. **2016**, 26, 1986-1994 8
- 445 Silicon Quantum Photonics. **2016**, 22, 390-402 151
- 444 Cavity-enhanced second-harmonic generation via nonlinear-overlap optimization. **2016**, 3, 233 88
- 443 An investigation of semiconductor nanoparticles for application to all-optical switching. **2016**,
- 442 Simulation of germanium nanobeam electro-optical 2 × switches and 1 × modulators for the 2 to 5 μm infrared region. **2016**, 24, 9369-82 13
- 441 Switching of nanoparticles in large-scale hybrid electro-optofluidics integration. **2016**, 41, 2652-5 7

440	All-optical Mach-Zehnder interferometer switching based on the phase-shift multiplication effect of an analog on the electromagnetically induced transparency effect. <b>2016</b> , 55, 067104	1
439	Extensive mode mapping and novel polarization filter design for ALD grown Al <sub>2</sub> O <sub>3</sub> ridge waveguides. <b>2016</b> , 48, 1	3
438	A tutorial introduction to graphene-microfiber waveguide and its applications. <b>2016</b> , 9, 535-543	4
437	Photonic Applications of Metal-Dielectric Heterostructured Nanomaterials. <b>2016</b> , 8, 3703-13	10
436	Ultra-Compact Amorphous Silicon Waveguide for Wavelength Conversion. <b>2016</b> , 28, 410-413	12
435	Ultrafast all-optical arithmetic logic based on hydrogenated amorphous silicon microring resonators. <b>2016</b> ,	
434	Subwavelength grating waveguide-integrated athermal Mach-Zehnder interferometer with enhanced fabrication error tolerance and wide stable spectral range. <b>2016</b> ,	3
433	Ultrafast all-optical switching with photonic nanojets and semiconductor nanoparticles. <b>2016</b> ,	
432	High quality factor trapezoidal subwavelength grating waveguide micro-ring resonator. <b>2016</b> ,	
431	A fully reconfigurable photonic integrated signal processor. <b>2016</b> , 10, 190-195	195
430	A review of wireless-photonic systems: Design methodologies and topologies, constraints, challenges, and innovations in electronics and photonics. <b>2016</b> , 373, 16-34	5
429	Tunable, Room Temperature CMOS-Compatible THz Emitters Based on Nonlinear Mixing in Microdisk Resonators. <b>2016</b> , 37, 230-242	9
428	Nanoscale Silicon-on-Insulator Photo-Activated Modulator Building Block for Optical Communication. <b>2016</b> , 28, 569-572	11
427	Suppression of excess noise of longer-lived high-quality states in nonuniformly pumped optical microcavities. <b>2016</b> , 41, 942-5	6
426	Electromechanical control of nitrogen-vacancy defect emission using graphene NEMS. <b>2016</b> , 7, 10218	46
425	Thermal nonlinear effect in high Q factor silicon-on-insulator microring resonator. <b>2017</b> , 395, 207-211	4
424	All-optical switching via four-wave mixing Bragg scattering in a silicon platform. <b>2017</b> , 2, 026102	13
423	Silicon Add-Drop Filter Based on Multimode Bragg Sidewall Gratings and Adiabatic Couplers. <b>2017</b> , 35, 1705-1709	18

422	A novel low-light-level optical switch by using nano-opto-mechanics technology. <b>2017,</b>	
421	Hybrid Tube-Triangle Plasmonic Waveguide for Ultradeep Subwavelength Confinement. <b>2017, 35, 2259-2265</b>	16
420	CMOS-compatible optical AND, OR, and XOR gates using voltage-induced free-carrier dispersion and stimulated Raman scattering. <b>2017,</b>	
419	Hybrid cylinder-triangle plasmonic waveguide for low loss propagation and subwavelength confinement. <b>2017,</b>	
418	Coupled Bilayer Photonic Crystal Slab Electro-Optic Spatial Light Modulators. <b>2017, 9, 1-11</b>	4
417	Experimental characterization towards an in-fibre integrated silicon slab based all-optical modulator. <b>2017, 13,</b>	4
416	All-Optical Wavelength Conversion Based on Four-Wave Mixing in Dispersion-Engineered Silicon Nanowaveguides. <b>2017, 38, 204-210</b>	0
415	Transmission Spectral Characteristics of Photonic Crystals Milled in Annealed Proton-Exchange LiNbO <sub>3</sub> Waveguide. <b>2017, 34, 034207</b>	
414	Bimodal packet aware scheduling for an OFDMA based on-chip RF interconnect. <b>2017, 109, 15-28</b>	1
413	Free-Carrier-Induced Nonlinear Relaxation in a Silicon Waveguide. <b>2017, 29, 1112-1115</b>	1
412	Extracting loss from asymmetric resonances in micro-ring resonators. <b>2017, 19, 065804</b>	3
411	Ultrafast all-optical tuning of direct-gap semiconductor metasurfaces. <b>2017, 8, 17</b>	191
410	Nonclassical light sources for silicon photonics. <b>2017, 26, 24-34</b>	1
409	Analysis of Leakage Loss in Silicon Photonics with Finite Gain Compensation. <b>2017, 9, 1-10</b>	1
408	Extreme nonlinear terahertz electro-optics in diamond for ultrafast pulse switching. <b>2017, 2, 036106</b>	18
407	Study of material properties important for an optical property modulation-based radiation detection method for positron emission tomography. <b>2017, 4, 011010</b>	10
406	Flexible Light Emission Diode Arrays Made of Transferred Si Microwires-ZnO Nanofilm with Piezo-Phototronic Effect Enhanced Lighting. <b>2017, 11, 3883-3889</b>	42
405	Ultrafast All-Optical Switching. <b>2017, 5, 1600665</b>	105

404	Acoustooptic-Mode-Coupling-Based Whispering Gallery Mode Excitation in Silica-Capillary Microresonator. <b>2017</b> , 35, 220-224	3
403	Goos-Hänchen shift of a transmitted light beam in frustrated total internal reflection for moderately large gap widths. <b>2017</b> , 389, 297-302	6
402	Tens of GHz Tantalum pentoxide-based micro-ring all-optical modulator for Si photonics. <b>2017</b> , 529, 1600358	11
401	Perfect waveguide mode conversion via zero index metamaterials. <b>2017</b> , 19, 015102	1
400	Plasmon-Induced Accelerated Exciton Recombination Dynamics in ZnO/Ag Hybrid Nanolasers. <b>2017</b> , 4, 2419-2424	33
399	Ultracompact CMOS-compatible optical logic using carrier depletion in microdisk resonators. <b>2017</b> , 7, 12603	19
398	Novel Polarization Rotators for Silicon Photonic Integrated Circuits. <b>2017</b> , 3,	0
397	Polarization-manipulated all-optical cross-wavelength data inversion in a C-rich SiC <sub>x</sub> micro-ring. <b>2017</b> , 5, 10158-10166	4
396	Ultrafast Silicon Photonics with Visible to Mid-Infrared Pumping of Silicon Nanocrystals. <b>2017</b> , 17, 6409-6414	10
395	Multipurpose silicon photonics signal processor core. <b>2017</b> , 8, 636	180
394	A type of all-optical logic gate based on graphene surface plasmon polaritons. <b>2017</b> , 403, 185-192	21
393	Slot silicon-gallium nitride waveguide in MMI structures based 1x8 wavelength demultiplexer. <b>2017</b> ,	
392	Two-Photon Absorption-Free Ultrafast Optical Switching in Carbon-Rich SixC1 <sub>8</sub> Microring. <b>2017</b> , 2, 1700095	9
391	Reversible Thermal Tuning of All-Dielectric Metasurfaces. <b>2017</b> , 27, 1700580	90
390	Optical thresholder consisting of two cascaded Mach-Zehnder interferometers with nonlinear microring resonators. <b>2017</b> , 56, 086101	7
389	All-optical control of light on a graphene-on-silicon nitride chip using thermo-optic effect. <b>2017</b> , 7, 17046	44
388	Tunable coupling of a hybrid plasmonic waveguide consisting of two identical dielectric cylinders and a silver film. <b>2017</b> , 26, 114103	1
387	All-optical switch based on 4-wave mixing in Si waveguides. <b>2017</b> ,	

386	Plasmon-enhanced optical nonlinearity for femtosecond all-optical switching. <b>2017</b> , 111, 181102	12
385	. <b>2017</b> , 35, 5448-5455	16
384	On-Chip Glass Microspherical Shell Whispering Gallery Mode Resonators. <b>2017</b> , 7, 14965	17
383	Non-Hermitian interaction of a discrete state with a continuum. <b>2017</b> , 31, 1750249	1
382	Largely Improved Near-Infrared Silicon-Photosensing by the Piezo-Phototronic Effect. <b>2017</b> , 11, 7118-7125	46
381	Parallel optical digital operations using multiple beam interference. <b>2017</b> , 46, 176-182	
380	Nonvolatile All-Optical 1 $\leftrightarrow$ 2 Switch for Chipscale Photonic Networks. <b>2017</b> , 5, 1600346	91
379	Nonlinear Optics. <b>2017</b> ,	19
378	All-Optical Switch Based on Nonlinear Optics. <b>2017</b> , 279-386	2
377	Nanoscale Optical Directional Coupler. <b>2017</b> , 12, 1741-1747	4
376	Metasurface-assisted phase-matching-free second harmonic generation in lithium niobate waveguides. <b>2017</b> , 8, 2098	84
375	Design and simulation of optical MEMS phase modulator for wireless communication. <b>2017</b> ,	
374	Experimental observation of optical bistability in an integrated vortex beam emitter. <b>2017</b> ,	
373	Leakage loss in silicon photonics. <b>2017</b> ,	
372	. <b>2017</b> ,	
371	Co-Time Co-Frequency Full-Duplex Visible Light On-Chip Communication Using a Pair of InGaN/GaN Quantum-Well Diodes. <b>2017</b> ,	
370	Wavelength-Independent Directional Couplers for Integrated Silicon Photonics. <b>2017</b> , 35, 4916-4923	19
369	Evanescence coupling between refillable ring resonators and laser-inscribed optical waveguides. <b>2017</b> , 56, 4750-4756	5

368	Ultra-compact polarization rotation in integrated silicon photonics using digital metamaterials. <b>2017</b> , 25, 19721-19731	47
367	Fundamental suppression of backscattering in silicon microrings. <b>2017</b> , 25, 2092-2099	13
366	Slow light in mass-produced, dispersion-engineered photonic crystal ring resonators. <b>2017</b> , 25, 3916-3926	18
365	Energy-efficient on-chip optical diode based on the optomechanical effect. <b>2017</b> , 25, 8975-8985	19
364	Low-power all-optical microwave filter with tunable central frequency and bandwidth based on cascaded opto-mechanical microring resonators. <b>2017</b> , 25, 17329-17342	19
363	All-optical tunable microfiber knot resonator with graphene-assisted sandwich structure. <b>2017</b> , 25, 18451-18461	10
362	Silicon photonic filters with high rejection of both TE and TM modes for on-chip four wave mixing applications. <b>2017</b> , 25, 19711-19720	6
361	Nonlinear carrier dynamics in silicon nano-waveguides. <b>2017</b> , 4, 1219	21
360	Methane absorption spectroscopy on a silicon photonic chip. <b>2017</b> , 4, 1322	101
359	Measurement of pure optical nonlinearity in carbon disulfide with a high-repetition-rate femtosecond laser. <b>2017</b> , 56, 644-648	8
358	Interlinked add-drop filter with amplitude modulation routing a fiber-optic microring to a lithium niobate microwaveguide. <b>2017</b> , 42, 1496-1499	8
357	Nonlinear mode switching in lithium niobate nanowaveguides to control light directionality. <b>2017</b> , 25, 3013-3023	7
356	Lasing in ring resonators by stimulated Brillouin scattering in the presence of nonlinear loss. <b>2017</b> , 25, 23619-23633	8
355	Bloch Surface Waves for MoS <sub>2</sub> Emission Coupling and Polariton Systems. <b>2017</b> , 7, 1217	6
354	Small Signals Study of Thermal Induced Current in Nanoscale SOI Sensor. <b>2017</b> , 2017, 1-9	3
353	Study of the Photo- and Thermoactivation Mechanisms in Nanoscale SOI Modulator. <b>2017</b> , 2017, 1-11	4
352	Design of fiber-integrated tunable thermo-optic C-band filter based on coated silicon slab. <b>2017</b> , 13,	8
351	Embedded Ring Modulators and Switches. <b>2017</b> , 04,	1

350	Multichannel and Binary-Phase All-Optical Control with On-Chip Integrated Subwavelength Plasmonic Waveguides. <b>2018</b> , 5, 1575-1582	2
349	Quantum chaos analysis for characterizing a photonic resonator lattice. <b>2018</b> , 109, 154-159	1
348	Bridging data-capacity gap in big data storage. <b>2018</b> , 87, 538-548	16
347	RAMON: Region-Aware Memory Controller. <b>2018</b> , 26, 697-710	1
346	Integrated Optical Modulator Based on Transition between Photonic Bands. <b>2018</b> , 8, 1619	16
345	Universal Linear-Optical Logic Gate with Maximal Intensity Contrast Ratios. <b>2018</b> , 5, 1137-1143	13
344	Design of all-optical JK, SR and T flip-flops using micro-ring resonator-based optical switch. <b>2018</b> , 35, 381-391	19
343	Stability Formulation for Integrated Opto-mechanic Phase Shifters. <b>2018</b> , 8, 1937	8
342	Fibre-optic metadvice for all-optical signal modulation based on coherent absorption. <b>2018</b> , 9, 182	48
341	Add-drop double bus microresonator array local oscillators for sharp multiple Fano resonance engineering. <b>2018</b> , 123, 104305	3
340	SiGeC Waveguide for All-Optical Data Switching. <b>2018</b> , 5, 2251-2260	12
339	. <b>2018</b> , 36, 2582-2588	2
338	Analytical predictions for nonlinear optical processes in silicon slot waveguides. <b>2018</b> , 17, 857-865	4
337	Micro-combs: A novel generation of optical sources. <b>2018</b> , 729, 1-81	205
336	Manipulating the light intensity by magnetophotonic metasurfaces. <b>2018</b> , 459, 165-170	9
335	Energy Cost Analysis of Ridge-Waveguide Type Membrane Distributed-Reflector Lasers for On-chip Application. <b>2018</b> ,	
334	All-optical radio-frequency modulation of Anderson-localized modes. <b>2018</b> , 98,	3
333	Sub-20 fs All-Optical Switching in a Single Au-Clad Si Nanodisk. <b>2018</b> , 18, 7896-7900	29

- 332 Controllable generation of second-harmonic vortex beams through nonlinear supercell grating. **2018**, 113, 221101 8
- 331 Optically pumped low threshold InAs/GaAs quantum-dot micropillar laser on Si (001) hollow substrate. **2018**,
- 330 Simulation and Analysis of Single-Mode Microring Resonators in Lithium Niobate Thin Films. **2018**, 8, 342 11
- 329 Design of Compact TE-Polarized Mode-Order Converter in Silicon Waveguide With High Refractive Index Material. **2018**, 10, 1-7 9
- 328 Realizing multi-functional all-optical data processing on nanoscale SiC waveguides. **2018**, 8, 14859 8
- 327 Four-wave mixing in a silicon microring resonator using a self-pumping geometry. **2018**, 113, 121111 3
- 326 Stimulated Emission-Controlled Photonic Transistor on a Single Organic Triblock Nanowire. **2018**, 140, 13147-13150 33
- 325 Photon pair generation using a silicon photonic hybrid laser. **2018**, 3, 106104 7
- 324 Integrated on-chip silicon plasmonic four quadrant detector for near infrared light. **2018**, 113, 143103 5
- 323 Ultra-compact multi-channel all-optical switches with improved switching dynamic characteristics. **2018**, 26, 25630-25644 8
- 322 Optimization of Pulley-Type Ring Resonator with Waveguide Offset. **2018**, 9, 2
- 321 Magnetic-free nonreciprocal photonic platform based on time-modulated graphene capacitors. **2018**, 98, 30
- 320 Particle swarm optimized ultra-compact polarization beam splitter on silicon-on-insulator. **2018**, 32, 19-23 5
- 319 Electrically-controlled Faraday rotation and wavelength mismatch phenomena in a magnetophotonic structure containing nematic layers. **2018**, 124, 113103 3
- 318 Flat-top optical resonance in a single-ring resonator based on manipulation of fast- and slow-light effects. **2018**, 26, 23215-23220 18
- 317 Demonstration of optical nonlinearity in InGaAsP/InP passive waveguides. **2018**, 84, 524-530 6
- 316 Indirect-to-Direct Band Gap Transition of Si Nanosheets: Effect of Biaxial Strain. **2018**, 122, 15297-15303 5
- 315 Ultrafast active control of UV light with plasmonic resonance on aluminum nanostripes. **2018**, 112, 191107



314	Bloch-Floquet waves in optical ring resonators. <b>2018</b> , 97,	4
313	Optical free-carrier generation in silicon nano-waveguides at 1550 nm. <b>2018</b> , 112, 251104	6
312	All-Optical Logic Gates Devices based on SPP Coupling between Graphene Sheets. <b>2018</b> , 17, 208-216	2
311	Analysis of photonic noise generated due to Kerr nonlinearity in silicon ring resonators. <b>2018</b> , 26, 284-297	1
310	Compact titanium dioxide waveguides with high nonlinearity at telecommunication wavelengths. <b>2018</b> , 26, 1055-1063	24
309	Light-controllable fiber interferometer utilizing photoexcitation dynamics in colloidal quantum dot. <b>2018</b> , 26, 3903-3914	3
308	Nanocrystalline silicon optomechanical cavities. <b>2018</b> , 26, 9829-9839	8
307	All MBE grown InAs/GaAs quantum dot lasers on on-axis Si (001). <b>2018</b> , 26, 11568-11576	68
306	Low-loss prism-waveguide optical coupling for ultrahigh-Q low-index monolithic resonators. <b>2018</b> , 5, 219	22
305	Ultrafast all-optical plasmonic graphene modulator. <b>2018</b> , 57, 6645-6650	15
304	Picosecond all-optical switching and dark pulse generation in a fibre-optic network using a plasmonic metamaterial absorber. <b>2018</b> , 113, 051103	10
303	Nanowire network-based multifunctional all-optical logic gates. <b>2018</b> , 4, eaar7954	30
302	Transmissive silicon photonic dichroic filters with spectrally selective waveguides. <b>2018</b> , 9, 3009	30
301	Three-Dimensional Photonic Circuits in Rigid and Soft Polymers Tunable by Light. <b>2018</b> , 5, 3222-3230	40
300	Structured Optical Materials Controlled by Light. <b>2018</b> , 6, 1800167	33
299	Third-order nonlinear optical properties of excitonic state in a semiconductor quantum dot. <b>2018</b> , 56, 2574-2579	3
298	Optically reconfigurable polarized emission in Germanium. <b>2018</b> , 8, 11119	6
297	Experimental Investigation on the Characteristics of All-Optical Modulation of Optical Microfiber Coupler. <b>2018</b> , 10, 1-10	4

296	Flat-top optical filter via the adiabatic evolution of light in an asymmetric coupler. <b>2019</b> , 100,	1
295	Tunable Whispering Gallery Mode Photonic Device Based on Microstructured Optical Fiber with Internal Electrodes. <b>2019</b> , 9, 12083	10
294	Analysis, modeling and simulation of single all-silicon ring resonators and their comparison on the basis of their coupling lengths. <b>2019</b> ,	0
293	Ferroicity-driven nonlinear photocurrent switching in time-reversal invariant ferroic materials. <b>2019</b> , 5, eaav9743	30
292	Towards integrated tunable all-silicon free-electron light sources. <b>2019</b> , 10, 3176	30
291	Design of Scalable Optical Decoder based on Hexagonal Plasmonic Modes induced on Topological Insulator Surface States. <b>2019</b> , 9, 9190	0
290	Mode-Selective Absorption and All-Optical Control Between Two Transverse Modes on Silicon-on-Insulator. <b>2019</b> , 11, 1-9	
289	Silicon nitride based polarization-independent 4 × 4 optical matrix switch. <b>2019</b> , 119, 105641	4
288	Broadband, Integrated, Micron-Scale, All-Optical Si3N4/VO2 Modulators with pJ Switching Energy. <b>2019</b> , 6, 2734-2740	10
287	Electromagnetically induced transparency at optical nanofibercesium vapor interface. <b>2019</b> , 28, 124201	1
286	III-V compound materials and lasers on silicon. <b>2019</b> , 40, 101305	1
285	Coherent poly propagation materials with 3-dimensional photonic control over visible light. <b>2019</b> , 14, e0223715	
284	All-optical NAND / NOR logic gates using bistable switching. <b>2019</b> , 93, 1	5
283	Nano-opto-electro-mechanical switches operated at CMOS-level voltages. <b>2019</b> , 366, 860-864	38
282	Ridge Resonance in Silicon Photonics Harnessing Bound States in the Continuum. <b>2019</b> , 13, 1900035	21
281	Integrated Plasmonic Infrared Photodetector Based on Colloidal HgTe Quantum Dots. <b>2019</b> , 4, 1900354	16
280	Bacterially synthesized tellurium nanostructures for broadband ultrafast nonlinear optical applications. <b>2019</b> , 10, 3985	37
279	III-V/Silicon Hybrid Non-linear Nanophotonics in the Context of On-Chip Optical Signal Processing and Analog Computing. <b>2019</b> , 7,	2

278	Highly enhanced performance of integrated piezo photo-transistor with dual inverted OLED gate and nanowire array channel. <b>2019</b> , 66, 104101	43
277	Dispersion-engineered silicon nitride waveguides for mid-infrared supercontinuum generation covering the wavelength range 0.8-5 $\mu$ m. <b>2019</b> , 29, 025301	7
276	Linear and Nonlinear Intersubband Optical Properties of Direct Band Gap GeSn Quantum Dots. <b>2019</b> , 9,	9
275	Phase dependent Kerr nonlinearity via quantum interference. <b>2019</b> , 73, 1	3
274	Phonon-Assisted Electro-Optical Switches and Logic Gates Based on Semiconductor Nanostructures. <b>2019</b> , 31, e1901263	13
273	Three-dimensional trapping of light with light in semiconductor planar microcavities. <b>2019</b> , 99,	2
272	Third-Order Nonlinear Optical Properties of Ag Nanoclusters: Connecting Molecule-like and Nanoparticle-like Behavior. <b>2019</b> , 31, 6850-6859	15
271	All-Optical Modulation and Ultrafast Switching in MWIR with Sub-Wavelength Structured Silicon. <b>2019</b> , 9, 1808	2
270	Magneto-Optical Bi:YIG Films with High Figure of Merit for Nonreciprocal Photonics. <b>2019</b> , 7, 1900056	25
269	Semiconductor optical waveguide devices modulated by surface acoustic waves. <b>2019</b> , 52, 253001	10
268	Colour routing with single silver nanorods. <b>2019</b> , 8, 39	18
267	Telecom-Band Quantum Optics with Ytterbium Atoms and Silicon Nanophotonics. <b>2019</b> , 11,	21
266	3D Printed Photoresponsive Materials for Photonics. <b>2019</b> , 7, 1900156	29
265	Optical transducers: Optical molecular sensing and spectroscopy. <b>2019</b> , 231-309	2
264	CMOS-Compatible PECVD Silicon Carbide Platform for Linear and Nonlinear Optics. <b>2019</b> , 6, 1162-1167	28
263	Enhanced optical Kerr nonlinearity of graphene/Si hybrid waveguide. <b>2019</b> , 114, 071104	33
262	All-Optical Control of Light in Micro- and Nanophotonics. <b>2019</b> , 6, 1082-1093	34
261	O-band InAs/GaAs quantum-dot microcavity laser on Si (001) hollow substrate by in-situ hybrid epitaxy. <b>2019</b> , 9, 015331	8

260	III/V/Si Hybrid Laser Array with DBR on Si Waveguide*. <b>2019</b> , 36, 104201	
259	Analysis and measurement of the non-linear refractive index of SiO <sub>x</sub> Ny using pedestal waveguides. <b>2019</b> ,	
258	Towards High-Speed Fano Photonic Switches. <b>2019</b> ,	0
257	An Electro-Optical Simulation Methodology for the Analysis of Single-Event Radiation Effects in Photonic Devices. <b>2019</b> ,	2
256	Vortex Beam Encoded All-Optical Logic Gates Based on Nano-Ring Plasmonic Antennas. <b>2019</b> , 9,	2
255	Genetically Optimized Design of Ultra-Compact and Highly Efficient Waveguide Crossing, Optical Attenuator and Reflector. <b>2019</b> ,	
254	Fiber all-optical light control with low-dimensional materials (LDMs): thermo-optic effect and saturable absorption. <b>2019</b> , 1, 4190-4206	4
253	Nanoscale C-Rich SixC1 $\times$ Bus/Ring Waveguide Based Cross-Wavelength Data Converter. <b>2019</b> , 531, 1800414	0
252	Dual functional optofluidic platform based on light-actuated air plug. <b>2019</b> , 285, 659-665	2
251	Controlled Outcoupling of Whispering-Gallery-Mode Lasers Based on Self-Assembled Organic Single-Crystalline Microrings. <b>2019</b> , 19, 1098-1103	14
250	Tetrasulfide-Functionalized Mesoporous Silica on Nanowire Ring Resonators for Detection of Aqueous Lead, Pb(II). <b>2019</b> , 3, 1800084	4
249	Temporal analog optical computing using an on-chip fully reconfigurable photonic signal processor. <b>2019</b> , 111, 66-74	8
248	Elucidating Energy Pathways through Simultaneous Measurement of Absorption and Transmission in a Coupled Plasmonic-Photonic Cavity. <b>2020</b> , 20, 50-58	11
247	Monolithic Integration of CMOS Temperature Control Circuit and Si <sub>3</sub> N <sub>4</sub> Microring Filters for Wavelength Stabilization Within Ultra Wide Operating Temperature Range. <b>2020</b> , 26, 1-7	2
246	Optical modulators based on 2D materials. <b>2020</b> , 37-77	2
245	Epitaxial quantum dot lasers on silicon with high thermal stability and strong resistance to optical feedback. <b>2020</b> , 5, 016103	16
244	Direct Coupling Strategy in Plasmonic Nanocircuits for Low Loss and Easy Fabrication. <b>2020</b> , 15, 761-767	1
243	Nonlinear and ultrafast effects. <b>2020</b> , 223-248	1

242	Amplitude/Polarization Shift Keying Based and Logic Gate in Polarization Dependent C-Rich SiC Ring Waveguide. <b>2020</b> , 26, 1-9	3
241	High-reliability optical process level network in smart substation. <b>2020</b> , 36, 100552	1
240	Optimization of the All-Optical Switching Constructed from Photonic Bandgap Network. <b>2020</b> , 257, 1900702	1
239	Fully photon operated transmistor / all-optical switch based on a layered Ge1Sb2Te4 phase change medium. <b>2020</b> , 23, 100186	14
238	Athermal Polysilicon Mach-Zehnder Interferometer in Bulk CMOS. <b>2020</b> , 32, 855-858	1
237	Ferrimagnetic garnets for integrated non-reciprocal devices. <b>2020</b> ,	
236	Effect of the band gap and the defect states present within band gap on the non-linear optical absorption behaviour of yttrium aluminium iron garnets. <b>2020</b> , 108, 110163	33
235	Analytical Inverse Design of Polarization-Insensitive Photonic Filters by Tailoring Fabry-Perot Interference. <b>2020</b> , 8, 141641-141647	2
234	All-Optical Mode-Selective Router Based on Broken Anti-PT Symmetry. <b>2020</b> , 14,	1
233	Whispering-Gallery-Mode Optical Microshell Resonator Infrared Detector. <b>2020</b> , 1-1	1
232	Uniaxial films of maximally controllable response under visible light. <b>2020</b> , 10, 13051	3
231	Experimental Realization of on-Chip Nonreciprocal Transmission by Using the Mechanical Kerr Effect. <b>2020</b> , 7, 2995-3002	5
230	Perfectly-matched-layer method for optical modes in dielectric cavities. <b>2020</b> , 102,	4
229	Temperature and Pulse-Energy Range Suitable for Femtosecond Pulse Transmission in Si Nanowire Waveguide. <b>2020</b> , 10, 8429	1
228	Terahertz Spoof Surface Plasmonic Logic Gates. <b>2020</b> , 23, 101685	5
227	Barium Titanate Nanostructures and Thin Films for Photonics. <b>2020</b> , 8, 2001249	18
226	Simple Yet Effective Method to Determine Multiphoton Absorption Cross Section of Colloidal Semiconductor Nanocrystals. <b>2020</b> , 7, 1806-1812	7
225	Optical multi-stability in a nonlinear high-order microring resonator filter. <b>2020</b> , 5, 056106	7

224	Structural color and near-infrared tunability of ruthenium-coated anodic aluminum oxide by atomic layer deposition. <b>2020</b> , 187, 125-129	6
223	All-Optical Modulator Using MXene Inkjet-Printed Microring Resonator. <b>2020</b> , 26, 1-6	13
222	All-Optical Switching and Multiple Logic Gates Based on Hybrid SquareRectangular Laser. <b>2020</b> , 38, 1382-1390	7
221	Metal oxide materials for photoelectroactive memories and neuromorphic computing systems. <b>2020</b> , 251-278	
220	Graphene-based all-optical modulators. <b>2020</b> , 13, 114-128	23
219	Error-free data transmission through fast broadband all-optical modulation in grapheneSilicon optoelectronics. <b>2020</b> , 116, 221106	2
218	Phosphorene-assisted silicon photonic modulator with fast response time. <b>2020</b> , 9, 1973-1979	10
217	Theoretical investigation of integratable photonic crystal nanobeam all-optical switching with ultrafast response and ultralow switching energy. <b>2020</b> , 53, 205105	4
216	All-Optical Modulation in Chains of Silicon Nanoantennas. <b>2020</b> , 7, 1001-1008	9
215	PhotocARRIER-Induced Active Control of Second-Order Optical Nonlinearity in Monolayer MoS. <b>2020</b> , 16, e1906347	16
214	Modal characteristics and the tunability of horizontal hybrid gap plasmonic waveguide. <b>2020</b> , 126, 1	2
213	Heuristic recurrent algorithms for photonic Ising machines. <b>2020</b> , 11, 249	31
212	Robust and Broadband Optical Coupling by Topological Waveguide Arrays. <b>2020</b> , 14, 1900193	16
211	Efficient All-Optical Plasmonic Modulators with Atomically Thin Van Der Waals Heterostructures. <b>2020</b> , 32, e1907105	24
210	A broadband and low-power light-control-light effect in a fiber-optic nano-optomechanical system. <b>2020</b> , 12, 9800-9809	2
209	. <b>2020</b> , 108, 628-654	18
208	Thermal design management of highly mechanically stable wavelength shifter using photonic crystal waveguide. <b>2020</b> , 142, 106510	2
207	On-Chip Programmable Nonlinear Optical Signal Processor and Its Applications. <b>2021</b> , 27, 1-11	8

206	Polarization-independent symmetrical directional coupler utilizing orientation-engineered method on the x-cut lithium-niobate-on-insulator. <b>2021</b> , 479, 126365	1
205	Femto-Joule All-Optical Switching Using Epsilon-Near-Zero High-Mobility Conductive Oxide. <b>2021</b> , 27, 1-9	4
204	High Extinction Ratio All-Optical Modulator Using a Vanadium-Dioxide Integrated Hybrid Plasmonic Waveguide. <b>2021</b> , 16, 189-198	4
203	Electro-Optical Modulators. <b>2021</b> , 263-293	
202	Ultra-compact Universal Linear-Optical Logic Gate Based on Single Rectangle Plasmonic Slot Nanoantenna. <b>2021</b> , 16, 973-980	0
201	Efficient all-optical modulator based on a periodic dielectric atomic lattice. <b>2021</b> , 29, 2712-2719	9
200	MXenes: Synthesis, Optical Properties, and Applications in Ultrafast Photonics. <b>2021</b> , 17, e2006054	41
199	Bending behavior and its effect on switching performance of an all-optical switch. <b>2021</b> , 54, 155108	
198	Mechanism and sensitivity of Fano resonance tuning in high-contrast gratings. <b>2021</b> , 46, 721-724	1
197	Crystalline Silicon White Light Sources Driven by Optical Resonances. <b>2021</b> , 21, 2397-2405	9
196	All-optical RF spectrum analyzer with a 5 THz bandwidth based on CMOS-compatible high-index doped silica waveguides. <b>2021</b> , 46, 1574-1577	3
195	Poincaré Rotator for Vortexed Photons. <b>2021</b> , 9,	2
194	High-Performance Graphene-on-Silicon Nitride All-Optical Switch Based on a Mach-Zehnder Interferometer. <b>2021</b> , 39, 2099-2105	8
193	Nonlinear meta-optics towards applications. <b>2021</b> , 2,	15
192	Lighting of a monochromatic scatterer with virtual gain. <b>2021</b> , 96, 095501	1
191	Thermoresponsive Nanocellulose Films as an Optical Modulation Device: Proof-of-Concept. <b>2021</b> , 13, 25346-25356	4
190	4-QAM OFDM Data Switching via Free Carrier Absorption in Si-Rich SiC Waveguide. <b>2021</b> , 27, 1-11	2
189	All-optical phase control in nanophotonic silicon waveguides with epsilon-near-zero nanoheaters. <b>2021</b> , 11, 9474	1

188	Deep Silicon Amorphization Induced by Femtosecond Laser Pulses up to the Mid-Infrared. <b>2021</b> , 9, 2100400	6
187	Direct observation of chaotic resonances in optical microcavities. <b>2021</b> , 10, 135	4
186	Disk-loaded silicon micro-ring resonator for high-Q resonance. <b>2021</b> , 29, 22688-22703	
185	Ultra-compact titanium dioxide micro-ring resonators with sub-10- $\mu\text{m}$ radius for on-chip photonics. <b>2021</b> , 9, 1416	3
184	Observation of Ultrashort Laser Pulse Evolution in a Silicon Photonic Crystal Waveguide. <b>2021</b> , 12,	0
183	Design of Ultra-Compact and Highly-Sensitive Graphene Assisted Silicon Micro-Ring Resonator Modulator for Switching Applications. 1	0
182	All-Optical Control of a Single Resonance in a Graphene-On-Silicon Nanobeam Cavity Using Thermo-Optic Effect. <b>2021</b> , 39, 4710-4716	4
181	Optical Microfiber All-Optical Phase Modulator for Fiber Optic Hydrophone. <b>2021</b> , 11,	1
180	Parity-time symmetric optical neural networks.	4
179	Giant Nonlinear Optical Absorption of Ion-Intercalated Tin Disulfide Associated with Abundant In-Gap Defects. 2106930	2
178	Lateral confinement enhanced membrane laser on Si with buried-ridge-waveguide structure.	0
177	Modulating the photoresponse performance of the flexible Si/ZnO film heterojunction photodetectors by piezo-phototronic effect. <b>2021</b> , 119, 121104	1
176	High Contrast, Femtosecond Light Polarization Manipulation in Epsilon-near-Zero Material Coupled to a Plasmonic Nanoantenna Array. <b>2021</b> , 8, 2791-2799	5
175	Ultra-compact multichannel optical waveguide crossings designed by a particle swarm optimized method. <b>2022</b> , 503, 127458	0
174	Femtosecond-scale all-optical switching in oxyfluorogallate glass induced by nonlinear multiphoton absorption.. <b>2021</b> , 11, 32446-32453	0
173	Signal processing based on two-dimensional materials. <b>2021</b> , 207-233	
172	All-optical self-switching with ultralow incident laser intensity assisted by a bound state in the continuum. <b>2021</b> , 46, 524-527	5
171	Piezo-Phototronic Effect on Selective Electron or Hole Transport through Depletion Region of Vis-NIR Broadband Photodiode. <b>2017</b> , 29, 1701412	62



170	Label-Free Biochemical Sensors Based on Optical Microresonators. <b>2009</b> , 177-227	1
169	Photonic Crystal Ring Resonators and Ring Resonator Circuits. <b>2010</b> , 299-326	3
168	Nanophotonics for Information Systems. <b>2010</b> , 13-37	1
167	Wavelength Filters. <b>2017</b> , 417-482	5
166	All-Optical Ultrafast Adder/Subtractor and MUX/DEMUX Circuits with Silicon Microring Resonators. <b>2013</b> , 42-53	6
165	Ultrafast All-Optical Reversible Peres and Feynman-Double Logic Gates with Silicon Microring Resonators. <b>2014</b> , 21-36	3
164	Applications: Nanophotonics and Plasmonics. <b>2011</b> , 417-444	4
163	Electromechanical control of nitrogen-vacancy defect emission using graphene NEMS.	1
162	Thresholdless behavior and linearity of the optically induced metallization of NbO <sub>2</sub> . <b>2019</b> , 1,	1
161	Ultrafast passive all-optical full function logic gates on micro-silicon-on-insulator waveguide chip. <b>2018</b> , 12, 1	10
160	Tunable integrated optical modulator with dynamical photonic band transition of photonic crystals. <b>2019</b> ,	1
159	Investigation of Pockels effect in optical property modulation-based radiation detection method for positron emission tomography. <b>2019</b> ,	5
158	Nonlinear Optics in Silicon Photonic Crystal Nanocavities. <b>2012</b> , 361-378	1
157	Dynamically tunable reflecting near-infrared bandpass filter based on a hybrid graphene-nanometallic structure. <b>2020</b> , 59, 5608	2
156	Study of low-peak-power highly coherent broadband supercontinuum generation through a dispersion-engineered Si-rich silicon nitride waveguide. <b>2020</b> , 59, 5948-5956	2
155	Emerging material systems for integrated optical Kerr frequency combs. <b>2020</b> , 12, 135	37
154	STED like microscopy based on plasma dispersion effect in silicon. <b>2017</b> ,	1
153	Silicon Slot-Waveguide as NOEMS Photonic Platform. <b>2006</b> ,	5

- 152 Oxygen-ion implantation of SOI microring resonators for high-speed all-optical switching. **2007**, 1
- 151 Integrated silicon photonic device design by attractor selection mechanism based on artificial neural networks: optical coupler and asymmetric light transmitter. **2018**, 26, 29032-29044 12
- 150 Direct thermo-optical tuning of silicon microresonators for the mid-infrared. **2018**, 26, 34965-34976 6
- 149 On-chip mode converter based on two cascaded Bragg gratings. **2019**, 27, 1941-1957 25
- 148 On-chip 1 by 8 coarse wavelength division multiplexer and multi-wavelength source on ultra-silicon-rich nitride. **2019**, 27, 23549-23557 6
- 147 Slow light engineering in resonant photonic crystal line-defect waveguides. **2019**, 27, 26229-26238 11
- 146 Bound states in the continuum for optomechanical light control with dielectric metasurfaces. **2020**, 28, 20106-20116 6
- 145 Silicon erasable waveguides and directional couplers by germanium ion implantation for configurable photonic circuits. **2020**, 28, 17630-17642 6
- 144 Subwavelength hole defect assisted microring resonator for a compact rectangular filter. **2020**, 45, 3123-3126 3
- 143 Soliton blockade in bidirectional microresonators. **2020**, 45, 6446-6449 2
- 142 Terahertz-bandwidth switching of heralded single photons. **2019**, 44, 1427-1430 13
- 141 Two-dimensional graphene for ultrafast nonlinear optical applications. **2020**, 10, 293 7
- 140 High-performance graphene-integrated thermo-optic switch: design and experimental validation [Invited]. **2020**, 10, 387 9
- 139 Dielectric waveguides with embedded graphene nanoribbons for all-optical broadband modulation. **2019**, 9, 4456 1
- 138 Prospects for photon-pair generation using silicon microring resonators with two photon absorption and free carrier absorption. **2020**, 3, 1138 4
- 137 All-optical PtSe<sub>2</sub> silicon photonic modulator with ultra-high stability. **2020**, 8, 1189 5
- 136 Advances in on-chip photonic devices based on lithium niobate on insulator. **2020**, 8, 1910 62
- 135 Stimulated Brillouin scattering induced all-optical modulation in graphene microfiber. **2019**, 7, 8 9

134	Non-Hermitian and topological photonics: optics at an exceptional point. <b>2020</b> , 10, 403-423	36
133	Polarization-selected nonlinearity transition in gold dolmens coupled to an epsilon-near-zero material. <b>2020</b> , 9, 4839-4851	6
132	Photonic band gap in Ge-based two-dimensional triangular lattice photonic crystals. <b>2012</b> , 31, 35-41	3
131	A nano-silicon-photonic switch driven by an optical gradient force. <b>2015</b> , 64, 154209	2
130	Nested non-concentric microring resonators with high-Q and large fabrication tolerance.	
129	Low-Power Silica-Based All-Optical Switches with Pumped Active Ring Resonator. <b>2005</b> ,	
128	Nonlinear optics in high-Q SOI optical microcavities. <b>2005</b> ,	0
127	Optical Bistability based on the Carrier dispersion effect in SOI Ring Resonators. <b>2006</b> ,	2
126	All-Optical Switching and 5-GHz RZ (Return to Zero) Optical Pulse Train Modulation Using Silicon Photonic Crystal Cavities. <b>2006</b> , 34, 848-852	
125	88 Wavelength Reconfigurable Photonic Switch Using Thermally Tuned Micro-Ring Resonators Fabricated on Silicon Substrate. <b>2006</b> ,	
124	Passive Optical Devices Based on High-Index Contrast Silicon Optical Waveguides. <b>2007</b> , 35, 556-560	
123	Ultra-Fast Optical Switches Using Si Nano-Wire and Growth of Compound Semiconductor on Si Substrate. <b>2007</b> , 35, 561-565	
122	Optical Regeneration in a Silicon Waveguide. <b>2007</b> ,	
121	Overcoming traditional manufacturing limitations in high Q micro-ring resonators using non-linear effects in silicon. <b>2007</b> ,	
120	Wavelength Selective Coupler with Vertical Gratings on Silicon Chip. <b>2007</b> ,	
119	Estimating Total Quality Factor of 2D Photonic Crystal Slab Cavities with 2D Simulation Techniques. <b>2008</b> ,	
118	All-optical switching and 5-GHz Return to Zero (RZ) optical pulse train modulation using silicon photonic crystal cavity. <b>2008</b> , 36, 179-183	
117	Role of carrier diffusion and recombination in photonic crystal nanocavity optical switches. <b>2008</b> ,	0

- 116 Si-Rich Dielectrics for Active Photonic Devices. **2009**, 1-24
- 115 A 2 $\times$  Optical Cross-Connect Switch Based on Dual-Drive Silicon Microring-Resonators with Reduced Timing Jitter and Driving Voltage. **2009**,
- 114 Silicon-Nitride Surface Passivation of Sub-Micron Silicon Waveguides for Low-Power Optical Switches. **2009**,
- 113 All optical Switching in Silicon-on-Insulator Photonic Wire Nano-cavities. **2009**,
- 112 Ultrashort Free-Carrier Lifetime for Low Nonlinear Loss in Silicon Waveguides. **2009**, 1
- 111 All-Optical Routing and Switching in Two-Dimensional Waveguide Arrays. **2010**,
- 110 Microresonators with Active Tuning. **2010**, 205-226
- 109 Novel periodic microstructures fabricated by multi-exposure two-beam interference lithography. **2010**,
- 108 High-Q Photonic Crystal Microcavities. **2010**, 327-359
- 107 Light scattering resonances in small particles with electric and magnetic optical properties. **2011**, 117-136
- 106 Ultra-compact, slow light enhanced, 160Gbaud de-multiplexing in a silicon photonic crystal waveguide. **2011**,
- 105 Engineering Optical Bistability in Silicon Ring Resonators. **2011**,
- 104 Wavelength Filters. **2012**, 375-439
- 103 Generation of Terahertz Radiation via Purcell-Enhanced Nonlinear Frequency Mixing. **2012**, 325-341 0
- 102 Compact and Temperature Independent Electro-optic Switch Based on Slotted Silicon Photonic Crystal Directional Coupler. **2012**, 16, 282-287 2
- 101 Silicon Plasmonics. **2013**, 149-166 1
- 100 Polariton Quantum Fluids and Devices. **2013**, 127-155
- 99 Two-color switching and wavelength conversion at 10 GHz using a Photonic Crystal molecule. **2013**, 1

98 Physics of Optical Modulation. **2014**, 63-82

97 Design of Easy-Fabricated Low-Loss Strip-to-Slot Waveguide Mode Converter. **2014**,

96 Dark-State Microring Lasers: Using Exceptional Points for Mode Management. **2015**,

95 Coupling Control Based on Adiabatic Elimination in Densely Integrated Nano-Photonics. **2015**,

94 Optical Modulation of Graphene-Cladded Silicon Photonic Crystal Cavity. **2015**,

93 Four-Wave Mixing and Carrier Nonlinearities in GrapheneSilicon Photonic Crystal Cavities. 215-232

92 Silicon nitride on-silicon 3-dimensional photonic circuits for integrated photodetection. **2016**,

91 Subwavelength Grating Athermal Mach-Zehnder Silicon Photonics Interferometer with Enhanced Fabrication Error Tolerance and Wide Spectral Range. **2016**, 0

90 Low switching-power low-noise wavelength conversion in silicon waveguides. **2016**,

89 Asymmetric Light-Light Interaction by Non-Hermitian Photonics. **2016**,

88 Ultrafast Nonlinearities Driven by Magnetic Response in All-Dielectric Nanostructures. **2016**,

87 Mid-Wavelength Infrared Silicon Photonics for High- Power and Biomedical Applications. **2016**, 249-272

86 Chapter 4 Nonlinear Optics Applications of Microring Resonators. **2016**, 163-240

85 Low-power optical logic gate in a silicon waveguide. **2017**, 1

84 Optical Switches. **2017**, 483-545 2

83 Light Controlled Optical Fiber Comb Filter Enabled by Colloidal Quantum Dots. **2017**, 0

82 Application of the Model of Quantum Metamaterials: Metamaterial Caused Enhancement of Nonlinear Response. **2018**, 205-224

81 A Fiberized Metamaterial Device for Ultrafast Control of Coherent Optical Signals. **2018**,

- 80 Boolean processing by cascaded all-optical devices via intra-bit phase encoding. **2018,**
- 79 All-optical control based on polarization rotation effect at a critical coupling condition. **2018, 57, 1** 1
- 78 All-optical spectral quantization scheme based on cascaded chalcogenide-silicon slot waveguides. **2018, 57, 1**
- 77 Concatenated silicon etalon tunable filter for hyperspectral imaging in the near infrared. **2018, 57, 1**
- 76 Signal-dependent pump-to-probe noise transfer due to Kerr nonlinearity in silicon ring resonators. **2019, 36, 194**
- 75 Toward femtosecond electronics up to 10 THz. **2019,**
- 74 Measurement of thermal effect in laser pumped silicon employing infrared digital holographic interferometry. **2019, 27, 9439-9446** 2
- 73 Plasmonic and photonic isolators based on the spatiotemporal modulation of graphene. **2019,**
- 72 Pulsed dynamics in a system of coupled silicon photonic crystal cavity-waveguide nanostructures. **2019,**
- 71 All-Optical Logic Gate Operating with Single Input and Output Wavelength. **2020, 42, 261**
- 70 Preface to Recent Research Trends in Silicon Photonics. **2020, 42, 216**
- 69 Broadband, Integrated, Micron-Scale, All-Optical Si<sub>3</sub>N<sub>4</sub>/VO<sub>2</sub> Modulators with pJ Switching Energy. **2020,**
- 68 All-optical devices based on two-dimensional materials. **2020, 69, 184216** 6
- 67 Dynamic photonic crystal in a colloidal quantum-dot solution: formation, structure analysis, and dimensionality switching. **2020, 45, 2415-2418**
- 66 Thermo-optical dynamics of a nonlinear GaInP photonic crystal nanocavity depend on the optical mode profile. **2020, 3, 1879** 0
- 65 Propagating multi-channel four-wave mixing process in the modulated moving photonic band gap. **2020, 28, 33448-33455** 1
- 64 All-optical switching based on interacting exciton polaritons in self-assembled perovskite microwires. **2021, 7, eabj6627** 7
- 63 Actively tunable photonic crystal-based switch via plasmon-analog of index enhancement. **2021, 119, 211103** 0

62	On-chip all-optical quantizer based on the cross polarization modulation effect in a double-ridge a-Si:H-SiN waveguide.. <b>2021</b> , 60, 11075-11083	1
61	Enhancement and Inversion of Absorptive Nonlinearity Induced by Topochemically Controlled Insulator-to-Metal Transition.	1
60	Graphene-Buried Polymer Waveguide Mach-Zehnder Interferometer for Low-Power All-Optical Switching. <b>2021</b> ,	
59	Free-form optimization of nanophotonic devices: from classical methods to deep learning. <b>2021</b> ,	8
58	3 40 Gbit/s All-Optical Logic Operation Based on Low-Loss Triple-Mode Silicon Waveguide.. <b>2022</b> , 13,	1
57	Topology-Optimized Ultracompact All-Optical Logic Devices on Silicon Photonic Platforms.	2
56	Near-field strong plasmonic resonances in Bi <sub>1.5</sub> Sb <sub>0.5</sub> Te <sub>1.8</sub> Se <sub>1.2</sub> topological insulator film. <b>2022</b> , 137, 1	
55	Fiber end-facet integrated non-volatile optical switch based on Ge<sub>2</sub>Sb<sub>2</sub>Te<sub>5</sub>. <b>2022</b> , 1-1	
54	Germanium Metasurfaces with Lattice Kerker Effect in Near-Infrared Photodetectors.. <b>2022</b> ,	4
53	Nonvolatile van der Waals Heterostructure Phototransistor for Encrypted Optoelectronic Logic Circuit.. <b>2022</b> ,	6
52	All-Optical Parallel Programmable Logic Element Based on Binary Decision Diagram Mapping in Micro-Ring Resonators. 1	0
51	Generation of stable temporal doublet by a single-mode silicon core optical fiber. <b>2022</b> , 24, 055503	1
50	Hot Carrier Spatio-Temporal Inhomogeneities in Ultrafast Nanophotonics.	1
49	All-optical light manipulation based on graphene-embedded side-polished fiber.. <b>2022</b> , 47, 1478-1481	2
48	Bending mechanism of optically actuated all-optical mechanical switches composed of bilayer waveguides. <b>2022</b> , 222, 107234	
47	Novel add-drop filter based on serial and parallel photonic crystal ring resonators (PCRR). <b>2020</b> ,	
46	Graphene on Silicon Photonics: Light Modulation and Detection for Cutting-Edge Communication Technologies. <b>2022</b> , 12, 313	1
45	Photonic crystal meso-cavity with double resonance for second-harmonic generation. <b>2021</b> , 54, 245401	1

- 44 Manipulating photons in a way like an optical tweezer.
- 43 Deterministic Assembly of Colloidal Quantum Dots for Multifunctional Integrated Photonics.. **2022**, e2110695
- 42 Computation of transverse-electric polarized optical eigenstates in dielectric systems based on perfectly matched layer.. **2022**, 105, 045309
- 41 Photonic and Optomechanical Thermometry. **2022**, 3, 159-176 1
- 40 Oxyfluoride glass-ceramics for upconversion all-optical combinational logic gate operations. **2022**, 100871 1
- 39 Ultralow-power all-optical switching via a chiral Mach-Zehnder interferometer. 0
- 38 A Microring as a Reservoir Computing Node: Memory/Nonlinear Tasks and Effect of Input Non-ideality. **2022**, 1-10 1
- 37 Optical Memristors: Review of Switching Mechanisms and New Computing Paradigms. **2022**, 219-244
- 36 Nonlinear and Ultrafast All-Dielectric Metasurfaces at the Center for Integrated Nanotechnologies. 0
- 35 Investigating the effects of intermolecular interactions on nonlinear optical properties of binary mixtures with high repetition rate femtosecond laser pulses. 4, e23 0
- 34 Nonlinear All-Optical Switch. **2022**, 203-238
- 33 Silicon Photonic Switches. **2022**, 239-255 0
- 32 Outside System Connectivity. **2021**,
- 31 Demonstration of Ultra-High-Q Silicon Microring Resonators for Nonlinear Integrated Photonics. **2022**, 13, 1155
- 30 Storage and manipulation of single x-ray photons via nuclear hyperfine splitting. **2022**, 106,
- 29 Highly-efficient all-optical control of silicon microring resonators through mechanical Kerr effect. **2022**,
- 28 High-speed and high-contrast two-channel all-optical modulator based on solution-processed CdSe/ZnS quantum dots. **2022**, 12, 1
- 27 Archimedean spiral waveguide as efficient all-optical phase modulator for space laser beam pointing. **2022**, 61,



- 26 The revolution of silicon photonics. **2022**, 21, 974-975 ○
- 25 Energy-Efficient All-Optical Control of Silicon Microring Resonators via the Optical Gradient Force. **2022**, 14, 1-6 ○
- 24 All-optical logic gate computing for high-speed parallel information processing. **2022**, 1, 220010-220010 3
- 23 Dissipative Solitons in Microresonators. **2022**, 249-272 ○
- 22 Near-field ultrafast nanoscopy of carrier dynamics in silicon nanowires. ○
- 21 Designing a single mode anomalous dispersion silicon core fiber for temporal multiplet formation. ○
- 20 Ultralow-level all-optical self-switching in a nanostructured moiré superlattice. **2022**, 47, 5260 ○
- 19 All-optical switching in epsilon-near-zero asymmetric directional coupler. **2022**, 12, ○
- 18 Morphological Computation and Control Complexity. **2022**, 1261, 012011 ○
- 17 Dynamic Behavior of Optical Soliton Interactions in Optical Communication Systems. **2022**, 39, 114202 ○
- 16 Feasibility of Chipscale Integration of Single-Photon Switched Digital Loop Buffer. **2022**, 100028 ○
- 15 A High-Detectivity, Fast-Response, and Radiation-Resistant TiN/CdZnTe Heterojunction Photodiode. 2202028 ○
- 14 All-Optical Digital Logic Based on Unidirectional Modes. 2201836 ○
- 13 Silicon Photonics: Foundation, Recent Application and Challenges. **2022**, ○
- 12 Ultrafast all-optical switching in a silicon-polymer compound slotted photonic crystal nanobeam cavity. ○
- 11 Efficient and Fast All-Optical Modulator with In Situ Grown MoTe<sub>2</sub> Nanosheets on Silicon. ○
- 10 All-Optical Switching Based on Sub-Bandgap Photo-Activation of Charge Trapping in Metal Halide Perovskites. 2209851 ○
- 9 Fabrication-tolerant directional couplers on thin-film lithium niobate. ○

- 8 Advances in nonlinear photonic devices based on lithium niobate waveguides. ○
- 7 Internal Structuring of Semiconductors with Ultrafast Lasers: Opening a Route to Three-Dimensional Silicon Photonics. **2023**, 979-1018 ○
- 6 Ultrafast Optical Nanoscopy of Carrier Dynamics in Silicon Nanowires. **2023**, 23, 1445-1450 ○
- 5 The 2022 applied physics by pioneering women: a roadmap. **2023**, 56, 073001 ○
- 4 Three-dimensional inter-layer optical signal transmission realized by a monolithically integrated semiconductor-based carrier transport structure. **2023**, 31, 11820 ○
- 3 Visualizing the Nanoscopic Field Distribution of Whispering-Gallery Modes in a Dielectric Sphere by Cathodoluminescence. ○
- 2 Software-defined nanophotonic devices and systems empowered by machine learning. **2023**, 100469 ○
- 1 Broadband quantum memory in atomic ensembles. **2023**, ○