

CITATION REPORT

List of articles citing

BNP Consensus Panel 2004: A clinical approach for the diagnostic, prognostic, screening, treatment monitoring, and therapeutic roles of natriuretic peptides in cardiovascular diseases

DOI: 10.1111/j.1527-5299.2004.03271.x
Congestive Heart Failure, 2004, 10, 1-30.

Source: <https://exaly.com/paper-pdf/36831684/citation-report.pdf>

Version: 2024-04-25

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
251	Decompensated heart failure: is there a role for the outpatient use of nesiritide?. <i>Congestive Heart Failure</i> , 2004 , 10, 230-6		4
250	B-type natriuretic peptide: issues for the intensivist and pulmonologist. 2005 , 33, 2094-13		79
249	B-type natriuretic peptide in heart failure: diagnostic, prognostic, and therapeutic use. 2005 , 4, 10-20		14
248	The use of probrain natriuretic peptide in pleural fluid for the diagnosis of pleural effusions resulting from heart failure. 2005 , 11, 329-33		16
247	Evaluation and monitoring of patients with acute heart failure syndromes. 2005 , 96, 32G-40G		75
246	Natriuretic peptides in ESRD. 2005 , 46, 1-10		28
245	Clinical usefulness of B-type natriuretic peptide measurement: present and future perspectives. 2005 , 91, 1489-94		30
244	Capability of B-type natriuretic peptide (BNP) and amino-terminal proBNP as indicators of cardiac structural disease in asymptomatic patients with systemic arterial hypertension. 2005 , 51, 2245-51		31
243	Patientennahe Bestimmung natriuretischer Peptide Near-patient testing of natriuretic peptides. 2005 , 29, 219-228		2
242	Analytical evaluation of the Dade Behring Dimension RxL automated N-Terminal proBNP (NT-proBNP) method and comparison with the Roche Elecsys 2010. 2005 , 43, 1263-73		37
241	Out-patient management of chronic heart failure. 2005 , 6, 1857-81		1
240	Modern management of cardiogenic pulmonary edema. 2005 , 23, 1105-25		23
239	Clinical practice. Acute pulmonary edema. 2005 , 353, 2788-96		460
238	Intérêt des marqueurs biologiques en cas de dyspnée aiguë 2006 , 10, 263-269		
237	Contemporary issues in the pharmacologic management of acute heart failure. 2006 , 22, 199-219, v		2
236	Acute congestive heart failure in the emergency department. 2006 , 24, 115-23, vii		9
235	Plasma BNP/NT-proBNP assays: what do they target and what else might they recognize?. 2006 , 2, 291-8		4

234	The coming of age of natriuretic peptides: the emperor does have clothes!. 2006 , 47, 61-4	33
233	Biomarkers in acute cardiac disease: the present and the future. 2006 , 48, 1-11	1092
232	Serum biomarkers for heart failure. 2006 , 15, 144-9	19
231	[Usefulness of B-type natriuretic peptide in emergency medicine]. 2006 , 27, 858-64	1
230	Membrane guanylyl cyclase receptors: an update. 2006 , 17, 251-8	95
229	Cirrhotic Cardiomyopathy: Concise Review. 2006 , 5, 132-139	24
228	Diagnostic usefulness of B-type natriuretic peptide and functional consequences of muscle alterations in COPD and chronic heart failure. 2006 , 130, 1220-30	7
227	Update on Cardiac Biomarkers. 2006 , 37, 597-605	3
226	Update on Natriuretic Peptides. 2006 , 5, 6-12	1
225	Perioperative management of chronic heart failure. 2006 , 103, 557-75	137
224	Altered laboratory findings associated with end-stage renal disease. 2006 , 19, 373-80	11
223	Significance and utility of plasma brain natriuretic peptide concentrations in patients with idiopathic ventricular arrhythmias. 2006 , 29, 1395-403	20
222	NO-independent activation of soluble guanylate cyclase prevents disease progression in rats with 5/6 nephrectomy. 2006 , 148, 853-9	59
221	Plasma adrenomedullin relation with Doppler-derived dP/dt in patients with congestive heart failure. 2006 , 29, 126-30	11
220	Sepsis associated cardiomyopathy. 2006 , 17, 349-358	3
219	Comparison of plasma B-type natriuretic peptide levels in single ventricle patients with systemic ventricle heart failure versus isolated cavopulmonary failure. 2006 , 98, 520-4	53
218	Péptidos natriuréticos en insuficiencia cardíaca. 2006 , 6, 15F-26F	1
217	Pharmacoeconomic modeling of nesiritide versus dobutamine for decompensated heart failure. 2006 , 26, 34-43	7

216	The rise and fall of Natreacor for congestive heart failure: implications for drug policy. 2006 , 25, 1095-102	14
215	Evaluation of a Protocol to Control Utilization of B-Type Natriuretic Peptide Testing. 2006 , 126, 190-194	3
214	Consquences pfi-opřatoires de ĩnsuffisance cardiaque. 2006 , 287-298	
213	Prospective screening for occult cardiomyopathy in dogs by measurement of plasma atrial natriuretic peptide, B-type natriuretic peptide, and cardiac troponin-I concentrations. 2007 , 68, 42-7	67
212	Advances in the treatment of acute decompensated heart failure in the elderly. 2007 , 3, 165-74	
211	Management of acute decompensated heart failure. 2007 , 176, 797-805	56
210	Brain Natriuretic Peptide (BNP). 2007 , 357-360	
209	Neurohumoral activity, heart failure and prognosis in patients with end-stage renal disease treated by hemodialysis. 2007 , 30, 347-57	4
208	Management of acute decompensated heart failure. 2007 , 30, 94-103	6
207	Use of N-terminal pro-brain natriuretic peptide to detect acute cardiac dysfunction during weaning failure in difficult-to-wean patients with chronic obstructive pulmonary disease. 2007 , 35, 96-105	90
206	The Second Follow-up Serial Infusions of Nesiritide (FUSION II) trial for advanced heart failure: study rationale and design. 2007 , 153, 478-84	36
205	Diagnostic and therapeutic approach to acute decompensated heart failure. 2007 , 120, 121-7	17
204	Amino terminal B-type natriuretic peptide, renal function, and prognosis in acute heart failure: a hospital cohort study. 2007 , 13, 275-80	17
203	Multiparametric risk stratification in patients with mild to moderate chronic heart failure. 2007 , 13, 445-51	10
202	Using homeostatic peptides in decompensated heart failure a reasonable paradigm but a flawed practice?. 2007 , 50, 1841-3	5
201	Sibling cases of Vici syndrome: sleep abnormalities and complications of renal tubular acidosis. 2007 , 143A, 189-94	30
200	The utility of B-type natriuretic peptide in the diagnosis of heart failure in the emergency department: a systematic review. 2007 , 7, 6	22
199	Current clinical applications of spectral tissue Doppler echocardiography (E/E' ratio) as a noninvasive surrogate for left ventricular diastolic pressures in the diagnosis of heart failure with preserved left ventricular systolic function. 2007 , 5, 16	74

198	Clinical findings, natriuretic peptides, and echocardiography: integrating tools to optimize heart failure management. <i>Congestive Heart Failure</i> , 2007 , 13, 158-63	2
197	Factors determining extreme brain natriuretic peptide elevation. <i>Congestive Heart Failure</i> , 2007 , 13, 136-41	16
196	Oral brain natriuretic peptide: a novel strategy for chronic protein therapy for cardiovascular disease. 2007 , 17, 10-4	12
195	Nesiritide for acute decompensated heart failure: does the benefit justify the risk?. 2007 , 9, 187-93	2
194	Interpretation of B-type natriuretic peptide in cardiac disease and other comorbid conditions. 2007 , 12, 23-36	77
193	B-type natriuretic peptide and wall stress in dilated human heart. 2008 , 314, 179-91	47
192	Prognostic value of brain natriuretic peptide and enhanced ventilatory response to exercise in patients with chronic heart failure. 2008 , 3, 331-7	9
191	Evaluation of biomarkers for cardiotoxicity of anthracyclin-based chemotherapy. 2008 , 134, 961-8	33
190	Applications of dual-color fluorescence cross-correlation spectroscopy in antibody binding studies. 2008 , 374, 182-95	25
189	Hospitalized patients with acute decompensated heart failure: recognition, risk stratification, and treatment review. 2008 , 3, S16-24	9
188	Marcadores hemodinámicos e inflamatorios del síndrome de apneas-hipopneas durante el sueño e hipoxemia nocturna. Efectos del tratamiento nasal con presión positiva continua de la vía aérea nasal. 2008 , 44, 531-539	7
187	Introduction. 2008 , 101, S1-S2	3
186	Emergency Department Perspectives on B-Type Natriuretic Peptide Utility. <i>Congestive Heart Failure</i> , 2008 , 14, 17-20	8
185	Usefulness of Serial Assessment of Natriuretic Peptides in the Emergency Department for Patients With Acute Decompensated Heart Failure. <i>Congestive Heart Failure</i> , 2008 , 14, 21-24	9
184	Emergency department perspectives on B-type natriuretic peptide utility. <i>Congestive Heart Failure</i> , 2008 , 14, 17-20	3
183	Usefulness of serial assessment of natriuretic peptides in the emergency department for patients with acute decompensated heart failure. <i>Congestive Heart Failure</i> , 2008 , 14, 21-4	4
182	N-terminal B-type natriuretic peptide levels in pediatric patients with congestive heart failure undergoing cardiac surgery. 2008 , 135, 98-105	24
181	Valor pronóstico del BNP y la prueba de esfuerzo cardiopulmonar en la insuficiencia cardíaca sistólica en tratamiento con bloqueadores beta. 2008 , 61, 260-268	4

180	Changes in characteristics of hospitalized heart failure patients in ten years: a single-center study. 2008 , 101, 108-13	
179	Prognostic Value of BNP and Cardiopulmonary Exercise Testing in Patients With Systolic Heart Failure on Beta-Blocker Therapy. 2008 , 61, 260-268	
178	Hemodynamic and Inflammatory Markers of Sleep Apnea-Hypopnea Syndrome and Nocturnal Hypoxemia: Effects of Treatment With Nasal Continuous Positive Airway Pressure. 2008 , 44, 531-539	1
177	Tissue Doppler echocardiography for the diagnosis of new-onset heart failure with normal ejection fraction: influence of serum protein concentration on clinical interpretation in elderly patients. 2008 , 101, 343-50	6
176	Diagnostic and prognostic impact of brain natriuretic peptide in cardiac and noncardiac diseases. 2008 , 37, 275-85	21
175	Accuracy of the isovolumic relaxation time in the emergency diagnosis of new-onset congestive heart failure with preserved left ventricular systolic function in the setting of B-type natriuretic peptide levels in the mid-range. 2008 , 124, 400-3	5
174	N-terminal pro-B-type natriuretic peptide as a predictor of repeat coronary revascularization. 2008 , 126, 322-32	1
173	Comparison of B-type natriuretic peptide with left atrial enlargement by echocardiography for the diagnosis of new-onset congestive heart failure with a preserved left ventricular systolic function in the setting of longstanding hypertension. 2008 , 128, 123-5	5
172	Brain natriuretic peptide as a biomarker of systemic right ventricular function in patients with transposition of great arteries after atrial switch operation. 2008 , 127, 192-7	28
171	Use of B-type natriuretic peptide outside of the emergency department. 2008 , 127, 5-16	32
170	Coexistent chronic obstructive pulmonary disease and heart failure in the elderly. 2008 , 125, 209-15	51
169	BNP or NTproBNP? A clinician's perspective. 2008 , 129, 5-14	45
168	Bedside ultrasound of the lung for the monitoring of acute decompensated heart failure. 2008 , 26, 585-91	759
167	B-type natriuretic Peptide-guided treatment for predicting outcome in patients hospitalized in sub-intensive care unit with acute heart failure. 2008 , 14, 219-24	56
166	Difference between Abbott AxSYM BNP and Triage BNP (Beckman Coulter Dxl 800) concentrations. 2008 , 393, 134	3
165	Respiratory Failure and Acute Respiratory Distress Syndrome. 2008 , 253-274	3
164	Differential diagnosis of acute dyspnea: the value of B natriuretic peptides in the emergency department. 2008 , 101, 831-43	28
163	Characterization of resistant hypertension: association between resistant hypertension, aldosterone, and persistent intravascular volume expansion. 2008 , 168, 1159-64	197

162	Review on natriuretic peptides: where we are, where we are going. 2008 , 2, 1137-53	1
161	Safety and efficacy of outpatient nesiritide in patients with advanced heart failure: results of the Second Follow-Up Serial Infusions of Nesiritide (FUSION II) trial. 2008 , 1, 9-16	90
160	Clinical utility of serum N-terminal pro-B-type natriuretic peptide concentration for identifying cardiac disease in dogs and assessing disease severity. 2008 , 232, 1496-503	95
159	Practical recommendations for prehospital and early in-hospital management of patients presenting with acute heart failure syndromes. 2008 , 36, S129-39	188
158	Elevated NT-pro-BNP levels are associated with comorbidities among HIV-infected women. 2009 , 25, 997-1004	23
157	Pulmonary vascular complications in asymptomatic children with portal hypertension. 2009 , 49, 607-12	22
156	Adjusting for clinical covariates improves the ability of B-type natriuretic peptide to distinguish cardiac from non-cardiac dyspnoea: a sub-study of HEARD-IT. 2009 , 11, 1043-9	9
155	Heart failure and chronic obstructive pulmonary disease: diagnostic pitfalls and epidemiology. 2009 , 11, 130-9	324
154	Risk stratification for suspected acute coronary syndromes and heart failure in the emergency department. 2009 , 11, 138-45	7
153	Early elevations in B-type natriuretic peptide levels are associated with poor clinical outcomes in pediatric acute lung injury. 2009 , 44, 1118-24	12
152	Neurohormonal activation in canine degenerative mitral valve disease: implications on pathophysiology and treatment. 2009 , 50 Suppl 1, 3-11	20
151	Cardiac assessment of patients with late stage Duchenne muscular dystrophy. 2009 , 17, 232-7	21
150	Admission NT-proBNP levels, renal insufficiency and age as predictors of mortality in elderly patients hospitalized for acute dyspnea. 2009 , 20, 14-9	13
149	[Usefulness of brain natriuretic peptide and N-terminal pro-brain natriuretic peptide in the elderly]. 2009 , 30, 678-85	
148	Increased N-terminal-pro-B-type natriuretic peptide levels in patients with appropriate implantable defibrillator therapies. 2009 , 38, 10-6	
147	Low pulse pressure is an independent predictor of mortality and morbidity in non ischaemic, but not in ischaemic advanced heart failure patients. 2009 , 131, 336-44	24
146	Brain natriuretic peptide in cardiac surgery--influence of aprotinin. 2009 , 136, 227-8	
145	Serial bedside B-type natriuretic peptide strongly predicts prognosis in acute coronary syndrome independent of echocardiographic abnormalities. 2009 , 158, 133-40	22

144	The role of b-type natriuretic peptide in heart failure management. 2009 , 22, 117-23	12
143	Assessment of serum N-terminal pro-B-type natriuretic peptide concentration for differentiation of congestive heart failure from primary respiratory tract disease as the cause of respiratory signs in dogs. 2009 , 235, 1319-25	46
142	The cardiac biomarker NT-proBNP is increased in dogs with azotemia. 2009 , 23, 1184-9	26
141	Intérêt des marqueurs biologiques de la souffrance myocardique en pfiopfatoire. 2009 , 13, 183-194	
140	Early assessment of outcome in cardiogenic shock: relevance of plasma N-terminal pro-B-type natriuretic peptide and interleukin-6 levels. 2009 , 37, 1837-44	36
139	Relationship of resting B-type natriuretic peptide level to cardiac work and total physical work capacity in heart failure patients. 2009 , 29, 310-3	2
138	Additive prognostic value of cardiopulmonary exercise testing in elderly patients with heart failure. 2009 , 116, 415-22	9
137	Nitric oxide-independent stimulation of soluble guanylate cyclase reduces organ damage in experimental low-renin and high-renin models. 2010 , 28, 1666-75	68
136	Echocardiographic evaluation of children with systemic ventricular dysfunction treated with carvedilol. 2010 , 31, 780-4	16
135	Comparison of usefulness of each of five predictors of mortality and urgent transplantation in patients with advanced heart failure. 2010 , 106, 830-5	22
134	Use of BNP and bioimpedance to drive therapy in heart failure patients. <i>Congestive Heart Failure</i> , 2010 , 16 Suppl 1, S56-61	46
133	[High risk of cardiac dysfunction after treatment of secondary acute myeloid leukemia following chemotherapy and radiotherapy for breast cancer]. 2010 , 97, 245-54	3
132	Natriuretic peptides (BNP and NT-proBNP): measurement and relevance in heart failure. 2010 , 6, 411-8	83
131	The use of the Internet to remotely monitor patients with heart failure. 2010 , 16, 26-33	17
130	Síndrome de apnea-hipoapnea del sueño en el 2009. ¿Quóhay de nuevo?. 2010 , 13, 23-28	
129	Changes in plasma natriuretic peptide levels in patients with atrial fibrillation after cardioversion. 2010 , 144, 436-7	15
128	Section 4: Evaluation of Patients for Ventricular Dysfunction and Heart Failure. 2010 , 16, e44-e56	3
127	Plasma N-terminal fragment of the prohormone B-type natriuretic peptide concentrations in relation to time to treatment and Thrombolysis in Myocardial Infarction (TIMI) flow: a substudy of the Assessment of the Safety and Efficacy of a New Treatment Strategy with Percutaneous Coronary Intervention (ASSESS-IV PCI) trial. 2010 , 159, 181-9	17


126	Impact of a 21-km Run on Cardiac Biomarkers in Adolescent Runners. 2010 , 8, 61-66	12
125	Growth differentiation factor 15 in different stages of heart failure: potential screening implications. 2010 , 15, 671-6	30
124	BPCO e scompenso cardiaco. 2011 , 5, 22-37	
123	The predictive ability of pre-operative B-type natriuretic peptide in vascular patients for major adverse cardiac events: an individual patient data meta-analysis. 2011 , 58, 522-9	108
122	Acute Heart Failure. 2011 , 161-184	
121	NT-proBNP: a marker of preclinical cardiac damage in arterial hypertension. 2011 , 412, 1106-11	4
120	[Diagnostic accuracy of NT-proBNP compared with electrocardiography in detecting left ventricular hypertrophy of hypertensive origin]. 2011 , 64, 939-41	3
119	In-hospital brain natriuretic peptide and N-terminal prohormone brain natriuretic peptide variations are predictors of short-term and long-term outcome in acute decompensated heart failure. 2011 , 15, 116	6
118	Diagnostic Accuracy of NT-proBNP Compared With Electrocardiography in Detecting Left Ventricular Hypertrophy of Hypertensive Origin. 2011 , 64, 939-941	
117	The predictive value of preoperative natriuretic peptide concentrations in adults undergoing surgery: a systematic review and meta-analysis. 2011 , 112, 1019-33	41
116	Primary role of B-type natriuretic peptide across the clinical spectrum: from emergency medicine to transitional care and beyond into the community. <i>Congestive Heart Failure</i> , 2011 , 17, 8-13	
115	Natriuretic peptides in heart failure: where we are, where we are going. 2011 , 6, 63-8	19
114	Outcomes of children following a first hospitalization for dilated cardiomyopathy. 2012 , 5, 437-43	34
113	Systolic heart failure and anesthetic considerations. 2012 , 50, 146-70	
112	Non-cardiogenic pulmonary edema complicating electroconvulsive therapy: short review of the pathophysiology and diagnostic approach. 2012 , 10, 131-6	4
111	Fluid Overload in Heart Failure and Cardiorenal Syndrome: The B B Approach. 2012 , 643-652	
110	The kinetics of highly sensitive cardiac troponin T release after prolonged treadmill exercise in adolescent and adult athletes. 2012 , 113, 418-25	73
109	Diagnosis and management of fluid overload in heart failure and cardio-renal syndrome: the "5B" approach. 2012 , 32, 129-41	59

108	Effective strategies to improve the management of heart failure. 2012 , 39, 393-413	5
107	Developing healthcare rule-based expert systems: case study of a heart failure telemonitoring system. 2012 , 81, 556-65	59
106	Natriuretic peptides and NGAL in heart failure: does a link exist?. 2012 , 413, 1832-8	16
105	Breathing not properly 10 years later: what we have learned and what we still need to learn. 2012 , 60, 277-82	35
104	Cardiovascular Complications of Cirrhosis. 2012 , 369-393	
103	Kardiale Dyspnoe. 2012 , 9, 262-270	
102	B-type natriuretic peptide and amino-terminal pro-B-type natriuretic peptide in pediatric patients with pulmonary arterial hypertension. 2012 , 7, 259-67	44
101	Natriuretic peptides in therapy for decompensated heart failure. 2012 , 68, 223-30	22
100	NT-proBNP, but not ANP and C-reactive protein, is predictive of paroxysmal atrial fibrillation in patients undergoing pulmonary vein isolation. 2012 , 33, 93-100	27
99	Quantifying longitudinal right ventricular dysfunction in patients with old myocardial infarction by using speckle-tracking strain echocardiography. 2013 , 11, 23	9
98	Lung ultrasound in diagnosing and monitoring pulmonary interstitial fluid. 2013 , 118, 196-205	51
97	Primary results of the HABIT Trial (heart failure assessment with BNP in the home). 2013 , 61, 1726-35	72
96	Pulmonary hypertension owing to left heart disease. 2013 , 34, 683-94	2
95	Strategies for Management of Acute Decompensated Heart Failure. 2013 , 281-306	
94	Natriuretic peptides in heart failure. <i>Cor Et Vasa</i> , 2013 , 55, e370-e376	0.3 4
93	Plasma level of N-terminal pro brain natriuretic peptide (NT-proBNP) in elderly population in Poland--the PolSenior Study. 2013 , 48, 852-7	11
92	Noninvasive assessment of acute dyspnea in the ED. 2013 , 144, 610-615	13
91	A woman with breathlessness: a practical approach to diagnosis and management. 2013 , 22, 468-76	1

90	The role of natriuretic peptides for the diagnosis of left ventricular dysfunction. 2013 , 2013, 784670	9
89	Plasma natriuretic peptides in children and adolescents with obstructive sleep apnea and their changes following intervention. 2014 , 2, 22	4
88	Reproducibility of cardiac biomarkers response to prolonged treadmill exercise. 2014 , 19, 114-20	16
87	A machine learning system to improve heart failure patient assistance. 2014 , 18, 1750-6	59
86	Myopericarditis with predominantly right ventricular involvement with normal B-type natriuretic peptide and cardiac tamponade as the initial manifestation of systemic lupus erythematosus. 2014 , 23, 935-8	6
85	Single measurement of serum N-terminal pro-brain natriuretic peptide: the best predictor of long-term mortality in patients with chronic systolic heart failure. 2014 , 25, 458-62	5
84	Dual-energy CT pulmonary angiography in patients with suspected pulmonary embolism: value for the detection and quantification of pulmonary venous congestion. 2014 , 87, 20140079	4
83	Clinical relevance of biomarkers in heart failure and cardiorenal syndrome: the role of natriuretic peptides and troponin. 2014 , 19, 267-84	26
82	Impact of an endurance training program on exercise-induced cardiac biomarker release. 2015 , 308, H913-20	32
81	Understanding why patients with COPD get readmitted: a large national study to delineate the Medicare population for the readmissions penalty expansion. 2015 , 147, 1219-1226	131
80	Individual variability in cardiac biomarker release after 30 min of high-intensity rowing in elite and amateur athletes. 2015 , 40, 951-8	15
79	Stratified and Precision Medicine. 2016 , 227-235	
78	Comparison of TIVA and Desflurane Added to a Subanaesthetic Dose of Propofol in Patients Undergoing Coronary Artery Bypass Surgery: Evaluation of Haemodynamic and Stress Hormone Changes. 2016 , 2016, 3272530	7
77	Management of heart failure in the new era: the role of scores. 2016 , 17, 569-80	8
76	Brain natriuretic peptide: Much more than a biomarker. 2016 , 221, 1031-8	42
75	Intermediate- to high-risk pulmonary embolism with normal B-type natriuretic peptide. 2016 , 34, 2463.e1-2463.e3	
74	Recent advances in point-of-care testing for natriuretic peptides: potential impact on heart failure diagnosis and management. 2016 , 16, 641-50	9
73	Diagnostic utility of contemporary echo and BNP assessment in patients with acute heart failure during early hospitalization. 2016 , 30, 43-48	7

72	Long-term treatment with ivabradine over 12months in patients with chronic heart failure in clinical practice: Effect on symptoms, quality of life and hospitalizations. 2017 , 240, 258-264	11
71	Chest Pain. 98-106	
70	Heart Failure. 107-113	
69	Cardiac Biomarker Release after Endurance Exercise in Male and Female Adults and Adolescents. 2017 , 191, 96-102	19
68	B-type brain natriuretic peptide as a measure of the severity of hand-foot-mouth disease: a case-control study. 2017 , 17, 651	
67	Korean Guidelines for Diagnosis and Management of Chronic Heart Failure. 2017 , 47, 555-643	44
66	P2X Receptor and APOE Polymorphisms and Survival from Heart Failure: A Prospective Study in Frail Patients in a Geriatric Unit. 2017 , 8, 434-441	4
65	Assessment of Complementary Treatment with Yiqi Fumai Lyophilized Injection on Acute Decompensated Ischemic Heart Failure (ACT-ADIHF): Rationale and Design of a Multicenter, Randomized, Controlled Trial. 2018 , 32, 295-300	3
64	Utility of natriuretic peptides to assess and manage patients with heart failure receiving angiotensin receptor blocker/neprilysin inhibitor therapy. 2018 , 130, 299-307	13
63	Impact of a Soccer Game on Cardiac Biomarkers in Adolescent Players. 2018 , 30, 90-95	9
62	Cardiac Involvement in Duchenne Muscular Dystrophy and Related Dystrophinopathies. 2018 , 1687, 31-42	23
61	Hybrid Swarm Intelligence Algorithms with Ensemble Machine Learning for Medical Diagnosis. 2018 ,	10
60	Pre-Procedural N-Terminal Pro-B Type Natriuretic Peptide Predicts Contrast-Induced Acute Kidney Injury and Long-Term Outcome in Elderly Patients After Elective Percutaneous Coronary Intervention. 2018 , 59, 926-934	6
59	Cardioprotective effects of <i>Plinia cauliflora</i> (Mart.) Kausel in a rabbit model of doxorubicin-induced heart failure. 2019 , 242, 112042	14
58	Heart failure in chronic kidney disease: conclusions from a Kidney Disease: Improving Global Outcomes (KDIGO) Controversies Conference. 2019 , 95, 1304-1317	96
57	B-Type Natriuretic Peptides (BNP) and Tissue Doppler E/e ^o Before and After 4 Weeks Standard Treatment of African Heart Failure Subjects: The ABU-BNP Longitudinal Survey. 2019 , 15, 559-569	0
56	Management of Fluid Overload in Cardiorenal Patients. 2019 , 825-835.e2	
55	Sex-Specific Differences in New York Heart Association Classification and Outcomes of Decompensated Heart Failure. 2020 , 36, 4-6	2

54	Integrated genomic and molecular medicine. 2020 , 535-543		0
53	Pretransplant NT-proBNP, Dialysis Vintage, and Posttransplant Mortality in Kidney Transplant Recipients. 2020 , 104, 2158-2165		3
52	The role of Asprosin in patients with dilated cardiomyopathy. 2020 , 20, 402		9
51	Angiotensin Receptor-Nepriylsin Inhibitors and the Natriuretic Peptide Axis. <i>Current Heart Failure Reports</i> , 2020 , 17, 67-76	2.8	6
50	Evaluation of N-terminal prohormone of brain natriuretic peptide and cardiac troponin-I levels in cats with systolic anterior motion of the mitral valve in the absence of left ventricular hypertrophy. <i>Journal of Veterinary Cardiology</i> , 2020 , 30, 23-31	1.9	0
49	Transthoracic echocardiography and cardiac biomarkers in healthy captive male and female squirrel monkeys (<i>Saimiri</i> spp.). <i>BMC Veterinary Research</i> , 2020 , 16, 217	2.7	0
48	Mitral regurgitation: lessons learned from COAPT and MITRA-Fr. <i>Journal of Thoracic Disease</i> , 2020 , 12, 2936-2944	2.6	4
47	Tricuspid regurgitation velocity and other biomarkers of mortality in children, adolescents and young adults with sickle cell disease in the United States: The PUSH study. <i>American Journal of Hematology</i> , 2020 , 95, 766-774	7.1	7
46	High percent body fat mass predicts lower risk of cardiac events in patients with heart failure: an explanation of the obesity paradox. <i>BMC Geriatrics</i> , 2021 , 21, 16	4.1	10
45	Effects of Lung Ultrasonography-Guided Management on Cumulative Fluid Balance and Other Clinical Outcomes: A Systematic Review. <i>Ultrasound in Medicine and Biology</i> , 2021 , 47, 1163-1171	3.5	2
44	Pulmonary Congestion Assessment in Heart Failure: Traditional and New Tools. <i>Diagnostics</i> , 2021 , 11,	3.8	4
43	Cardiac Natriuretic Hormone System as Target for Cardiovascular Therapy. 2006 , 161-175		1
42	Vasoactive Molecules and the Kidney. 2012 , 384-420		2
41	HCV coinfection possibly promotes left ventricular dysfunction development: analysis of brain natriuretic peptide serum levels in HCV/HIV-coinfected and HIV-monoinfected patients. <i>European Journal of Gastroenterology and Hepatology</i> , 2012 , 24, 1308-12	2.2	5
40	The biological variation of N-terminal pro-brain natriuretic peptide in postmenopausal women with type 2 diabetes: a case control study. <i>PLoS ONE</i> , 2012 , 7, e47191	3.7	3
39	Clinical Significance of B-type Natriuretic Peptide in Heart Failure. <i>Journal of Lifestyle Medicine</i> , 2014 , 4, 34-8	1.3	9
38	Experimental models of duchenne muscular dystrophy: relationship with cardiovascular disease. <i>Open Cardiovascular Medicine Journal</i> , 2010 , 4, 265-77	0.7	19
37	Biomarkers in Heart Failure: Focus on B-type Natriuretic Peptide. <i>Korean Journal of Medicine</i> , 2012 , 82, 647	0.5	3

36	The role of B-type and other natriuretic peptides in health and disease. 2008 , 12, 32-43			3
35	Clinical Use of Natriuretic Peptides for the Diagnosis and Management of Heart Failure. 2006 , 387-408			
34	Clinical Consequences of Liver Disease: Cardiovascular. 2006 , 453-475			1
33	Komentár diskusného príspevku "Skalping interpretaci plazmatické koncentrace natriuretického peptidu typu B. <i>Cor Et Vasa</i> , 2006 , 48,			0.3
32	Strategies for Management of Decompensated Heart Failure. 2007 , 385-409			
31	Heart Failure. 2007 , 278-292			
30	The impact of amino-terminal pro-brain natriuretic peptide testing on hospital length of stay and morbidity in patients with acute decompensated heart failure. <i>Archives of Pathology and Laboratory Medicine</i> , 2007 , 131, 473-6	5		10
29	B-Type Natriuretic Peptide: An Emerging Biomarker in Pediatric Critical Care. <i>Yearbook of Intensive Care and Emergency Medicine</i> , 2008 , 33-42			
28	Use of natriuretic peptide assay in dyspnea. <i>Deutsches Arzteblatt International</i> , 2008 , 105, 95-100	2.5		3
27	 <i>Pulmonologiya</i> , 2010 , 120-127			0.8
26	Tecnologie. 2011 , 325-354			
25	Validity of Amino Terminal pro-Brain Natriuretic Peptide in a Medically Complex Elderly Population. <i>Journal of Clinical Medicine Research</i> , 2011 , 3, 156-63	2.9		0
24	Pulmonary Edema. 2012 , 2163-2170			
23	High-Acuity Postoperative and Inpatient Issues. 2016 , 371-418			
22	Acute Decompensated Heart Failure: Presentation, Physical Exam, and Laboratory Evaluation. 2017 , 171-193			
21	Characteristics and Features of the Circulatory System Status in Patients with Liver Cirrhosis as a Disease of Multiple Organ Lesions: Pathogenesis; Diagnostics; Principles of their Treatment (Literature Review and Clinical Case Description). <i>Lviv Clinical Bulletin</i> , 2017 , 2-3, 53-72			0.1
20	Prognostic Role of B-Type Natriuretic Peptide in Adults with Acute Dyspnea Requiring Emergency Admission. <i>International Journal of Applied & Basic Medical Research</i> , 2020 , 10, 265-269			1.1
19	EFFECT OF PRIMARY STENTING OF CORONARY ARTERIES ON CLINICAL COURSE AND REMODELING OF THE LEFT VENTRICLE IN PATIENTS WITH ACUTE ST SEGMENT ELEVATION MYOCARDIAL INFARCTION (RESULTS AFTER 12 MONTHS). <i>Wiadomości Lekarskie</i> , 2020 , 73, 68-72			0.3

18	B-Type Natriuretic Peptide: An Emerging Biomarker in Pediatric Critical Care. 2008 , 33-42		
17	National Academy of Clinical Biochemistry (NACB) laboratory medicine guidelines on the clinical utilization and analytical issues for cardiac biomarker testing in heart failure. <i>Clinical Biochemist Reviews</i> , 2008 , 29, 107-11	7.3	1
16	Effects of Exercise Training versus Attention on Plasma B-type Natriuretic Peptide, 6-Minute Walk Test and Quality of Life in Individuals with Heart Failure. <i>Cardiopulmonary Physical Therapy Journal</i> , 2012 , 23, 19-25	1	8
15	Early Elevated B-Type Natriuretic Peptide Levels are Associated with Cardiac Dysfunction and Poor Clinical Outcome in Pediatric Septic Patients. <i>Acta Cardiologica Sinica</i> , 2015 , 31, 485-93	1.1	7
14	Relationship between noninvasive central blood pressure and brain natriuretic peptide levels in patients with hypertensive pulmonary edema. <i>Blood Pressure Monitoring</i> , 2021 ,	1.3	
13	Intérêt du dosage des peptides natriurétiques en urgence dans la dyspnée aiguë <i>Bio Tribune Magazine</i> , 2007 , 22, 25-29		
12	ACEi to ARNi: The Switch An Evidence Based Review. <i>Journal of Cardiovascular Medicine and Cardiology</i> , 2020 , 288-292	0.1	
11	Cardiopulmonary resuscitation. 947-954		
10	Cardiac failure in the intensive care unit. 966-971		
9	Predictive Value of NT-proBNP and Left Atrial Diameter for Recurrence of Chronic Heart Failure Complicated with Atrial Fibrillation after Radiofrequency Surgery. <i>Advances in Clinical Medicine</i> , 2022 , 12, 921-927	0	
8	Clinical Characteristics and Prognostic Importance of Left Ventricular Apical Aneurysms in Hypertrophic Cardiomyopathy. <i>JACC: Cardiovascular Imaging</i> , 2022 ,	8.4	0
7	PCA-Based Feature Extraction for Classification of Heart Disease. <i>Lecture Notes in Electrical Engineering</i> , 2022 , 173-183	0.2	1
6	Role of neopterin as an inflammatory biomarker in congestive heart failure with insights on effect of drug therapies on its level.		
5	Prediction of individual mortality risk among patients with chronic obstructive pulmonary disease: a convenient, online, individualized, predictive mortality risk tool based on a retrospective cohort study. 10, e14457		0
4	NT-proBNP change is useful for predicting weaning failure from invasive mechanical ventilation among postsurgical patients: a retrospective, observational cohort study. 2023 , 23,		0
3	A novel method for assessing cardiac function in patients with coronary heart disease based on wrist pulse analysis.		0
2	Chronic Obstructive Pulmonary Disease. 2013 , 405-413.e1		0
1	The Pulse of It: Dietary Inclusion of Up to 45% Whole Pulse Ingredients with Chicken Meal and Pea Starch in a Complete and Balanced Diet Does Not Affect Cardiac Function, Fasted Sulfur Amino Acid Status, or Other Gross Measures of Health in Adult Dogs. 2023 ,		0

