

Effects of motion on the total dose distribution

Seminars in Radiation Oncology

14, 41-51

DOI: [10.1053/j.semradonc.2003.10.011](https://doi.org/10.1053/j.semradonc.2003.10.011)

Citation Report

#	ARTICLE	IF	CITATIONS
1	A finite state model for respiratory motion analysis in image guided radiation therapy. Physics in Medicine and Biology, 2004, 49, 5357-5372.	1.6	77
2	Organ and tumor motion: an overview. Seminars in Radiation Oncology, 2004, 14, 2-9.	1.0	73
3	Fractionation in radiation treatment planning. Mathematical Programming, 2004, 101, 387.	1.6	16
5	4D motion models over the respiratory cycle for use in lung cancer radiotherapy planning. , 2005, , .		12
6	IMRT for adjuvant radiation in gastric cancer: A preferred plan?. International Journal of Radiation Oncology Biology Physics, 2005, 63, 732-738.	0.4	94
7	Large deformation three-dimensional image registration in image-guided radiation therapy. Physics in Medicine and Biology, 2005, 50, 5869-5892.	1.6	165
8	The effect on IMRT conformality of elastic tissue movement and a practical suggestion for movement compensation via the modified dynamic multileaf collimator (dMLC) technique. Physics in Medicine and Biology, 2005, 50, 1163-1190.	1.6	67
9	2-Step IMAT and 2-Step IMRT in three dimensions. Medical Physics, 2005, 32, 3849-3861.	1.6	25
10	Confirmation, refinement, and extension of a study in intrafraction motion interplay with sliding jaw motion. Medical Physics, 2005, 32, 2346-2350.	1.6	55
11	Compensation for respiratory motion by gated radiotherapy: an experimental study. Physics in Medicine and Biology, 2005, 50, 2405-2414.	1.6	48
12	Elastic image mapping for 4-D dose estimation in thoracic radiotherapy. Radiation Protection Dosimetry, 2005, 115, 497-502.	0.4	34
13	The influence of breathing motion on intensity modulated radiotherapy in the step-and-shoot technique: phantom measurements for irradiation of superficial target volumes. Physics in Medicine and Biology, 2006, 51, N117-N126.	1.6	15
14	A robust approach to IMRT optimization. Physics in Medicine and Biology, 2006, 51, 2567-2583.	1.6	286
15	MRI-based measurements of respiratory motion variability and assessment of imaging strategies for radiotherapy planning. Physics in Medicine and Biology, 2006, 51, 4147-4169.	1.6	121
16	A continuous 4D motion model from multiple respiratory cycles for use in lung radiotherapy. Medical Physics, 2006, 33, 3348-3358.	1.6	155
17	Anatomy changes in radiotherapy detected using portal imaging. Radiotherapy and Oncology, 2006, 79, 211-217.	0.3	35
18	Image-guided intensity-modulated radiation therapy for gallbladder carcinoma. Radiotherapy and Oncology, 2006, 81, 65-72.	0.3	26
19	Ideal spatial radiotherapy dose distributions subject to positional uncertainties. Physics in Medicine and Biology, 2006, 51, 6329-6347.	1.6	14

#	ARTICLE	IF	CITATIONS
20	Does elastic tissue intrafraction motion with density changes forbid motion-compensated radiotherapy?. Physics in Medicine and Biology, 2006, 51, 1449-1462.	1.6	23
21	Physics, 2006, 33, 3874-3900.	1.6	1,829
22	Motion effects in (intensity modulated) radiation therapy: a review. Physics in Medicine and Biology, 2006, 51, R403-R425.	1.6	121
23	Reduction of organ motion effects in IMRT and conformal 3D radiation delivery by using gating and tracking techniques. Cancer Radiotherapie: Journal De La Societe Francaise De Radiotherapie Oncologique, 2006, 10, 269-282.	0.6	93
24	Dosimetric characteristics of a new linear accelerator under gated operation. Journal of Applied Clinical Medical Physics, 2006, 7, 65-76.	0.8	10
25	Measurement of the interplay effect in lung IMRT treatment using EDR2 films. Journal of Applied Clinical Medical Physics, 2006, 7, 33-42.	0.8	59
26	Reproducibility of liver position using active breathing coordinator for liver cancer radiotherapy. International Journal of Radiation Oncology Biology Physics, 2006, 64, 751-759.	0.4	195
27	Design of 4D treatment planning target volumes. International Journal of Radiation Oncology Biology Physics, 2006, 66, 287-295.	0.4	170
28	Overview of image-guided radiation therapy. Medical Dosimetry, 2006, 31, 91-112.	0.4	380
29	Technical aspects of image-guided respiration-gated radiation therapy. Medical Dosimetry, 2006, 31, 141-151.	0.4	118
30	The Clinical Application of Intensity-Modulated Radiation Therapy. Seminars in Radiation Oncology, 2006, 16, 224-231.	1.0	20
31	Simulations to design an online motion compensation system for scanned particle beams. Physics in Medicine and Biology, 2006, 51, 3517-3531.	1.6	66
32	A strategy to minimize errors from differential intrafraction organ motion using a single configuration for a "breathing" multileaf collimator. Physics in Medicine and Biology, 2006, 51, 4517-4531.	1.6	28
33	Simulation and visualization of dose uncertainties due to interfractional organ motion. Physics in Medicine and Biology, 2006, 51, 2237-2252.	1.6	41
34	Three-dimensional spatial modelling of the correlation between abdominal motion and lung tumour motion with breathing. Acta Oncologica, 2006, 45, 923-934.	0.8	8
35	4D IMRT Delivery. , 2006, , 269-285.		5
36	Inverse plan optimization accounting for random geometric uncertainties with a multiple instance geometry approximation (MIGA). Medical Physics, 2006, 33, 1510-1521.	1.6	42
37	Real-time tracking of tumor motions and deformations along the leaf travel direction with the aid of a synchronized dynamic MLC leaf sequencer. Physics in Medicine and Biology, 2007, 52, N505-N512.	1.6	42

#	ARTICLE	IF	CITATIONS
38	Four-Dimensional Imaging and Treatment Planning of Moving Targets. , 2007, 40, 59-71.		17
39	The use of spatial dose gradients and probability density function to evaluate the effect of internal organ motion for prostate IMRT treatment planning. Physics in Medicine and Biology, 2007, 52, 1469-1484.	1.6	22
40	Investigation of the reliability, accuracy, and efficiency of gated IMRT delivery with a commercial linear accelerator. Medical Physics, 2007, 34, 2928-2938.	1.6	15
41	Automatic segmentation of phaseâ€correlated CT scans through nonrigid image registration using geometrically regularized freeâ€form deformation. Medical Physics, 2007, 34, 3054-3066.	1.6	46
42	Dynamicâ€MLC leaf control utilizing onâ€flight intensity calculations: A robust method for realâ€time IMRT delivery over moving rigid targets. Medical Physics, 2007, 34, 3211-3223.	1.6	27
43	4D DMLC leaf sequencing to minimize organ at risk dose in moving anatomy. Medical Physics, 2007, 34, 4952-4956.	1.6	19
44	A patientâ€specific respiratory model of anatomical motion for radiation treatment planning. Medical Physics, 2007, 34, 4772-4781.	1.6	157
45	On the dose to a moving target while employing different IMRT delivery mechanisms. Radiotherapy and Oncology, 2007, 83, 49-56.	0.3	38
46	Is a 3-mm intrafractional margin sufficient for daily image-guided intensity-modulated radiation therapy of prostate cancer?. Radiotherapy and Oncology, 2007, 85, 251-259.	0.3	35
47	Handling organ motion in radiotherapy of cancer via Markov chains. Applied Mathematics and Computation, 2007, 184, 149-155.	1.4	1
48	Dose as a Function of Lung Volume and Planned Treatment Volume in Helical Tomotherapy Intensity-Modulated Radiation Therapy-Based Stereotactic Body Radiation Therapy for Small Lung Tumors. International Journal of Radiation Oncology Biology Physics, 2007, 68, 1229-1237.	0.4	36
49	4D treatment planning for scanned ion beams. Radiation Oncology, 2007, 2, 24.	1.2	105
50	Innovations in image-guided radiotherapy. Nature Reviews Cancer, 2007, 7, 949-960.	12.8	317
51	Different Styles of Image-Guided Radiotherapy. Seminars in Radiation Oncology, 2007, 17, 258-267.	1.0	133
52	Comparisons of the impact of systematic uncertainties in patient setup and prostate motion on doses to the target among different plans for definitive external-beam radiotherapy for prostate cancer. International Journal of Clinical Oncology, 2008, 13, 54-61.	1.0	9
53	Dose Coverage Beyond the Gross Tumor Volume for Various Stereotactic Body Radiotherapy Planning Techniques Reporting Similar Control Rates for Stage I Nonâ€Small-Cell Lung Cancer. International Journal of Radiation Oncology Biology Physics, 2008, 72, 1597-1603.	0.4	21
54	Evolution of Computerized Radiotherapy in Radiation Oncology: Potential Problems and Solutions. International Journal of Radiation Oncology Biology Physics, 2008, 70, 978-986.	0.4	17
55	Radiation therapy treatment verification imaging in Australia and New Zealand. Journal of Medical Imaging and Radiation Oncology, 2008, 52, 183-190.	0.9	4

#	ARTICLE	IF	CITATIONS
56	Robust Management of Motion Uncertainty in Intensity-Modulated Radiation Therapy. <i>Operations Research</i> , 2008, 56, 1461-1473.	1.2	70
57	Treatment planning comparison between conformal radiotherapy and helical tomotherapy in the case of locally advanced-stage NSCLC. <i>Radiotherapy and Oncology</i> , 2008, 88, 310-318.	0.3	56
58	Assessment of dose reconstruction errors in image-guided radiation therapy. <i>Physics in Medicine and Biology</i> , 2008, 53, 719-736.	1.6	35
59	Modern Radiotherapy as Part of Combined Modality Treatment in Locally Advanced Non-Small Cell Lung Cancer: Present Status and Future Prospects. <i>Oncologist</i> , 2008, 13, 700-708.	1.9	16
60	The impact of respiratory motion and treatment technique on stereotactic body radiation therapy for liver cancer. <i>Medical Physics</i> , 2008, 35, 1440-1451.	1.6	41
61	Feasibility study for linac-based intensity modulated total marrow irradiation. <i>Medical Physics</i> , 2008, 35, 5609-5618.	1.6	53
62	Management of the interplay effect when using dynamic MLC sequences to treat moving targets. <i>Medical Physics</i> , 2008, 35, 1926-1931.	1.6	54
63	Tumor trailing strategy for intensity-modulated radiation therapy of moving targets. <i>Medical Physics</i> , 2008, 35, 1718-1733.	1.6	29
64	Quantifying the interplay effect in prostate IMRT delivery using a convolution-based method. <i>Medical Physics</i> , 2008, 35, 1703-1710.	1.6	24
65	Delivery of four-dimensional radiotherapy with TrackBeam for moving target using a dual-layer MLC: dynamic phantoms study. <i>Journal of Applied Clinical Medical Physics</i> , 2009, 10, 21-33.	0.8	20
66	Reducing the sensitivity of IMPT treatment plans to setup errors and range uncertainties via probabilistic treatment planning. <i>Medical Physics</i> , 2009, 36, 149-163.	1.6	259
67	Biological imaging in radiation therapy: role of positron emission tomography. <i>Physics in Medicine and Biology</i> , 2009, 54, R1-R25.	1.6	138
68	Step and shoot IMRT to mobile targets and techniques to mitigate the interplay effect. <i>Physics in Medicine and Biology</i> , 2009, 54, 4311-4324.	1.6	6
69	Dosimetric variances anticipated from breathing-induced tumor motion during tomotherapy treatment delivery. <i>Physics in Medicine and Biology</i> , 2009, 54, 2541-2555.	1.6	19
70	Evaluation of the interplay effect when using RapidArc to treat targets moving in the craniocaudal or right-left direction. <i>Medical Physics</i> , 2010, 37, 4-11.	1.6	70
71	DMLC motion tracking of moving targets for intensity modulated arc therapy treatment – a feasibility study. <i>Acta Oncologica</i> , 2009, 48, 245-250.	0.8	48
72	Dosimetric evaluations of the interplay effect in respiratory-gated intensity-modulated radiation therapy. <i>Medical Physics</i> , 2009, 36, 893-903.	1.6	41
74	Influence of daily setup measurements and corrections on the estimated delivered dose during IMRT treatment of prostate cancer patients. <i>Radiotherapy and Oncology</i> , 2009, 90, 291-298.	0.3	49

#	ARTICLE	IF	CITATIONS
75	Initial validations for pursuing irradiation using a gimbals tracking system. Radiotherapy and Oncology, 2009, 93, 45-49.	0.3	73
76	ON RADIOTHERAPY DOSE VERIFICATION WITH A FLAT-PANEL IMAGER. Radiotherapy and Oncology, 2009, 92, S49.	0.3	0
77	Verification of four-dimensional photon dose calculations. Medical Physics, 2009, 36, 3438-3447.	1.6	23
78	Comparing the accuracy of four-dimensional photon dose calculations with three-dimensional calculations using moving and deforming phantoms. Medical Physics, 2009, 36, 5000-5006.	1.6	34
79	Dose convolution filter: Incorporating spatial dose information into tissue response modeling. Medical Physics, 2010, 37, 1068-1074.	1.6	7
80	Dosimetric consequences of misalignment and realignment in prostate 3DCRT using intramodality ultrasound image guidance. Medical Physics, 2010, 37, 2787-2795.	1.6	17
81	Optimizing principal component models for representing interfraction variation in lung cancer radiotherapy. Medical Physics, 2010, 37, 5080-5091.	1.6	16
82	Impact of Volumetric Modulated Arc Therapy Technique on Treatment With Partial Breast Irradiation. International Journal of Radiation Oncology Biology Physics, 2010, 78, 288-296.	0.4	58
83	Inferring Positions of Tumor and Nodes in Stage III Lung Cancer From Multiple Anatomical Surrogates Using Four-Dimensional Computed Tomography. International Journal of Radiation Oncology Biology Physics, 2010, 77, 1553-1560.	0.4	8
84	5850-5857.	1.6	77
85	Optimal margin and edge-enhanced intensity maps in the presence of motion and uncertainty. Physics in Medicine and Biology, 2010, 55, 515-533.	1.6	17
86	A computational method for estimating the dosimetric effect of intra-fraction motion on step-and-shoot IMRT and compensator plans. Physics in Medicine and Biology, 2010, 55, 4187-4202.	1.6	22
87	Incorporating system latency associated with real-time target tracking radiotherapy in the dose prediction step. Physics in Medicine and Biology, 2010, 55, 2651-2668.	1.6	14
88	Predictive modeling of lung motion over the entire respiratory cycle using measured pressure-volume data, 4DCT images, and finite element analysis. Medical Physics, 2010, 37, 4389-4400.	1.6	61
89	Gating and tracking, 4D in thoracic tumours. Cancer Radiotherapie: Journal De La Societe Francaise De Radiotherapie Oncologique, 2010, 14, 446-454.	0.6	51
90	Real-time dynamic MLC tracking for inversely optimized arc radiotherapy. Radiotherapy and Oncology, 2010, 94, 218-223.	0.3	62
91	Simulation of respiratory motion during IMRT dose delivery. Acta Oncologica, 2011, 50, 935-943.	0.8	9
94	Experimental investigation of a moving averaging algorithm for motion perpendicular to the leaf travel direction in dynamic MLC target tracking. Medical Physics, 2011, 38, 3924-3931.	1.6	13

#	ARTICLE	IF	CITATIONS
95	Analyzing the impact of intrafraction motion: Correlation of different dose metrics with changes in target D95%. <i>Medical Physics</i> , 2011, 38, 4505-4511.	1.6	21
96	Dosimetric Impact of Interplay Effect on RapidArc Lung Stereotactic Treatment Delivery. <i>International Journal of Radiation Oncology Biology Physics</i> , 2011, 79, 305-311.	0.4	102
97	Electromagnetic-Guided Dynamic Multileaf Collimator Tracking Enables Motion Management for Intensity-Modulated Arc Therapy. <i>International Journal of Radiation Oncology Biology Physics</i> , 2011, 79, 312-320.	0.4	60
98	Electromagnetic Real-Time Tumor Position Monitoring and Dynamic Multileaf Collimator Tracking Using a Siemens 160 MLC: Geometric and Dosimetric Accuracy of an Integrated System. <i>International Journal of Radiation Oncology Biology Physics</i> , 2011, 79, 579-587.	0.4	64
99	Involved-Node Radiotherapy and Modern Radiation Treatment Techniques in Patients With Hodgkin Lymphoma. <i>International Journal of Radiation Oncology Biology Physics</i> , 2011, 80, 199-205.	0.4	67
100	Quantifying variability in radiation dose due to respiratory-induced tumor motion. <i>Medical Image Analysis</i> , 2011, 15, 640-649.	7.0	19
101	Dosimetric consequences of tumour motion due to respiration for a scanned proton beam. <i>Physics in Medicine and Biology</i> , 2011, 56, 6563-6581.	1.6	85
102	Towards MRI-guided linear accelerator control: gating on an MRI accelerator. <i>Physics in Medicine and Biology</i> , 2011, 56, 4815-4825.	1.6	46
103	Motion in radiotherapy: particle therapy. <i>Physics in Medicine and Biology</i> , 2011, 56, R113-R144.	1.6	295
104	Three-Dimensional Treatment Planning and Conformal Therapy. <i>Medical Radiology</i> , 2011, , 253-273.	0.0	0
105	Feasibility of intrafraction whole-body motion tracking for total marrow irradiation. <i>Journal of Biomedical Optics</i> , 2011, 16, 058002.	1.4	3
106	Geometric Performance and Efficiency of an Optical Tracking System for Daily Pre-treatment Positioning in Pelvic Radiotherapy Patients. <i>Technology in Cancer Research and Treatment</i> , 2011, 10, 163-170.	0.8	8
107	Quality Management and Safety in Radiation Oncology. <i>Medical Radiology</i> , 2011, , 485-529.	0.0	1
108	Investigation of a novel algorithm for true 4D-VMAT planning with comparison to tracked, gated and static delivery. <i>Medical Physics</i> , 2011, 38, 2698-2707.	1.6	28
109	Proof of concept of MRI-guided tracked radiation delivery: tracking one-dimensional motion. <i>Physics in Medicine and Biology</i> , 2012, 57, 7863-7872.	1.6	86
110	Study of the IMRT interplay effect using a 4DCT Monte Carlo dose calculation. <i>Physics in Medicine and Biology</i> , 2012, 57, N89-N99.	1.6	13
111	4D patient dose reconstruction using online measured EPID cine images for lung SBRT treatment validation. <i>Medical Physics</i> , 2012, 39, 5949-5958.	1.6	22
112	Quality assurance for nonradiographic radiotherapy localization and positioning systems: Report of Task Group 147. <i>Medical Physics</i> , 2012, 39, 1728-1747.	1.6	100

#	ARTICLE	IF	CITATIONS
113	Comparison of a multileaf collimator tracking system and a robotic treatment couch tracking system for organ motion compensation during radiotherapy. Medical Physics, 2012, 39, 7032-7041.	1.6	24
114	Dynamically accumulated dose and 4D accumulated dose for moving tumors. Medical Physics, 2012, 39, 7359-7367.	1.6	40
115	A method of dose reconstruction for moving targets compatible with dynamic treatments. Medical Physics, 2012, 39, 6237-6246.	1.6	86
116	Review on 4D Models for Organ Motion Compensation. Critical Reviews in Biomedical Engineering, 2012, 40, 135-154.	0.5	23
117	Positional accuracy of novel x-ray image-based dynamic tumor-tracking irradiation using a gimbaled MV x-ray head of a Vero4DRT (MHI-M2000). Medical Physics, 2012, 39, 6287-6296.	1.6	25
118	A phantom-based evaluation of a real-time tracking micro MLC delivery. International Journal of Biomedical Engineering and Technology, 2012, 8, 274.	0.2	0
119	Dosimetric Benefits of Intensity-Modulated Radiotherapy Combined With the Deep-Inspiration Breath-Hold Technique in Patients With Mediastinal Hodgkin's Lymphoma. International Journal of Radiation Oncology Biology Physics, 2012, 82, 1522-1527.	0.4	106
120	Image-Guided Radiotherapy: Has It Influenced Patient Outcomes?. Seminars in Radiation Oncology, 2012, 22, 50-61.	1.0	129
122	Laser-driven beam lines for delivering intensity modulated radiation therapy with particle beams. Journal of Biophotonics, 2012, 5, 903-911.	1.1	19
123	Challenges and opportunities in patient-specific, motion-managed and PET/CT-guided radiation therapy of lung cancer: review and perspective. Clinical and Translational Medicine, 2012, 1, 18.	1.7	26
124	Motion in radiotherapy: photon therapy. Physics in Medicine and Biology, 2012, 57, R161-R191.	1.6	126
127	Helical TomoTherapy System. Medical Radiology, 2012, , 67-77.	0.0	1
128	Four-dimensional dose evaluation using deformable image registration in radiotherapy for liver cancer. Medical Physics, 2013, 40, 011706.	1.6	27
129	The dosimetric impact of inversely optimized arc radiotherapy plan modulation for real-time dynamic MLC tracking delivery. Medical Physics, 2012, 39, 1588-1594.	1.6	18
130	Stochastic programming for off-line adaptive radiotherapy. Annals of Operations Research, 2012, 196, 767-797.	2.6	12
131	A Randomized Controlled Trial of Lorazepam to Reduce Liver Motion in Patients Receiving Upper Abdominal Radiation Therapy. International Journal of Radiation Oncology Biology Physics, 2013, 87, 881-887.	0.4	8
132	Adaptive and robust radiation therapy optimization for lung cancer. European Journal of Operational Research, 2013, 231, 745-756.	3.5	37
133	Motion-compensating intensity maps in intensity-modulated radiation therapy. IIE Transactions on Healthcare Systems Engineering, 2013, 3, 1-22.	0.8	1

#	ARTICLE	IF	CITATIONS
134	CyberKnife "przyszłość" w leczeniu raka stercza?. Zeszyty Naukowe WCO Letters in Oncology Science, 2013, 10, 83-87.	0.2	0
135	Four-Dimensional PET-CT in Radiation Oncology. PET Clinics, 2013, 8, 81-94.	1.5	1
136	Physics Controversies in Proton Therapy. Seminars in Radiation Oncology, 2013, 23, 88-96.	1.0	127
137	Dosimetric Impact of the Interplay Effect During Stereotactic Lung Radiation Therapy Delivery Using Flattening Filter-Free Beams and Volumetric Modulated Arc Therapy. International Journal of Radiation Oncology Biology Physics, 2013, 86, 743-748.	0.4	95
138	Cumulative dose on fractional delivery of tomotherapy to periodically moving organ: A phantom QA suggestion. Medical Dosimetry, 2013, 38, 359-365.	0.4	3
139	The Non-Gaussian Nature of Prostate Motion Based on Real-Time Intrafraction Tracking. International Journal of Radiation Oncology Biology Physics, 2013, 87, 363-369.	0.4	22
140	On the possible benefits of a hybrid VMAT technique in the treatment of non-small cell lung cancer. Medical Dosimetry, 2013, 38, 460-466.	0.4	8
141	4D Modeling and Estimation of Respiratory Motion for Radiation Therapy. Biological and Medical Physics Series, 2013, , .	0.3	26
142	An optimization algorithm for 3D real-time lung tumor tracking during arc therapy using kV projection images. Medical Physics, 2013, 40, 101710.	1.6	8
143	Experimental verification of motion mitigation of discrete proton spot scanning by re-scanning. Physics in Medicine and Biology, 2013, 58, 8555-8572.	1.6	56
144	Respiratory Gating for Radiotherapy: Main Technical Aspects and Clinical Benefits. ISRN Pulmonology, 2013, 2013, 1-13.	0.3	51
145	Lung sparing and dose escalation in a robust-inspired IMRT planning method for lung radiotherapy that accounts for intrafraction motion. Medical Physics, 2013, 40, 061705.	1.6	12
146	The effect of motion on IMRT "looking at interplay with 3D measurements. Journal of Physics: Conference Series, 2013, 444, 012049.	0.3	4
147	Application of a spring-dashpot system to clinical lung tumor motion data. Medical Physics, 2013, 40, 021713.	1.6	5
148	Development and clinical evaluation of automatic fiducial detection for tumor tracking in cine megavoltage images during volumetric modulated arc therapy. Medical Physics, 2013, 40, 031708.	1.6	23
149	A study of longitudinal tumor motion in helical tomotherapy using a cylindrical phantom. Journal of Applied Clinical Medical Physics, 2013, 14, 52-61.	0.8	9
150	Development of Artificial Pulmonary Nodule for Evaluation of Motion on Diagnostic Imaging and Radiotherapy. Progress in Medical Physics, 2013, 24, 76.	0.4	0
151	A comparison of the dosimetric effects of intrafraction motion on step-and-shoot, compensator, and helical tomotherapy-based IMRT. Journal of Applied Clinical Medical Physics, 2013, 14, 121-132.	0.8	6

#	ARTICLE	IF	CITATIONS
152	Effect of audio instruction on tracking errors using a four-dimensional image-guided radiotherapy system. <i>Journal of Applied Clinical Medical Physics</i> , 2013, 14, 255-264.	0.8	3
153	Use of FDG-PET to guide dose prescription heterogeneity in stereotactic body radiation therapy for lung cancers with volumetric modulated arc therapy: a feasibility study. <i>Radiation Oncology</i> , 2014, 9, 300.	1.2	2
154	Computing proton dose to irregularly moving targets. <i>Physics in Medicine and Biology</i> , 2014, 59, 4261-4273.	1.6	7
155	Evaluation of respiratory pattern during respiratory-gated radiotherapy. <i>Australasian Physical and Engineering Sciences in Medicine</i> , 2014, 37, 731-742.	1.4	8
156	A method for selection of beam angles robust to intra-fractional motion in proton therapy of lung cancer. <i>Acta Oncologica</i> , 2014, 53, 1058-1063.	0.8	21
157	Motion management during IMAT treatment of mobile lung tumors—A comparison of MLC tracking and gated delivery. <i>Medical Physics</i> , 2014, 41, 101707.	1.6	18
158	Evaluation of image guided motion management methods in lung cancer radiotherapy. <i>Medical Physics</i> , 2014, 41, 031911.	1.6	7
160	Development of a 6DOF robotic motion phantom for radiation therapy. <i>Medical Physics</i> , 2014, 41, 121704.	1.6	17
161	A margin-based analysis of the dosimetric impact of motion on step-and-shoot IMRT lung plans. <i>Radiation Oncology</i> , 2014, 9, 46.	1.2	5
162	Intensity-Modulated Radiotherapy for Lung Cancer: Current Status and Future Developments. <i>Journal of Thoracic Oncology</i> , 2014, 9, 1598-1608.	0.5	63
163	Liver deformation in an animal model due to pneumoperitoneum assessed by a vessel-based deformable registration. <i>Minimally Invasive Therapy and Allied Technologies</i> , 2014, 23, 279-286.	0.6	19
164	Accounting for respiratory motion in partial breast intensity modulated radiotherapy during treatment planning: A new patient selection metric. <i>European Journal of Cancer</i> , 2014, 50, 1872-1879.	1.3	5
165	A Novel Fast Helical 4D-CT Acquisition Technique to Generate Low-Noise Sorting Artifact-Free Images at User-Selected Breathing Phases. <i>International Journal of Radiation Oncology Biology Physics</i> , 2014, 89, 191-198.	0.4	53
166	4D-CT Lung registration using anatomy-based multi-level multi-resolution optical flow analysis and thin-plate splines. <i>International Journal of Computer Assisted Radiology and Surgery</i> , 2014, 9, 875-889.	1.7	13
167	Using dynamic programming to improve fiducial marker localization. <i>Physics in Medicine and Biology</i> , 2014, 59, 1935-1946.	1.6	8
169	When is respiratory management necessary for partial breast intensity modulated radiotherapy: A respiratory amplitude escalation treatment planning study. <i>Radiotherapy and Oncology</i> , 2014, 112, 402-406.	0.3	4
170	Assessing the Dosimetric Impact of Real-Time Prostate Motion During Volumetric Modulated Arc Therapy. <i>International Journal of Radiation Oncology Biology Physics</i> , 2014, 88, 1167-1174.	0.4	24
171	Evaluation of the systematic error in using 3D dose calculation in scanning beam proton therapy for lung cancer. <i>Journal of Applied Clinical Medical Physics</i> , 2014, 15, 47-56.	0.8	11

#	ARTICLE	IF	CITATIONS
172	Robustness of sweeping window arc therapy treatment sequences against intrafractional tumor motion. <i>Medical Physics</i> , 2015, 42, 1538-1545.	1.6	5
173	Good relationships between computational image analysis and radiological physics. <i>AIP Conference Proceedings</i> , 2015, , .	0.3	0
174	Study of Motion-induced Dose Error Caused by Irregular Tumor Motion in Helical Tomotherapy. <i>Progress in Medical Physics</i> , 2015, 26, 119.	0.4	0
175	Development and clinical evaluation of a simple optical method to detect and measure patient external motion. <i>Journal of Applied Clinical Medical Physics</i> , 2015, 16, 306-321.	0.8	5
176	The influence of gastric filling instructions on dose delivery in patients with oesophageal cancer: A prospective study. <i>Radiotherapy and Oncology</i> , 2015, 117, 442-447.	0.3	10
177	A computerized framework for monitoring four-dimensional dose distributions during stereotactic body radiation therapy using a portal dose image-based 2D/3D registration approach. <i>Computerized Medical Imaging and Graphics</i> , 2015, 40, 1-12.	3.5	4
178	Verification of motion induced thread effect during tomotherapy using gel dosimetry. <i>Journal of Physics: Conference Series</i> , 2015, 573, 012048.	0.3	2
180	Collimator based tracking with an add-on multileaf collimator: Moduleaf. <i>Physics in Medicine and Biology</i> , 2015, 60, 3257-3269.	1.6	2
181	Imaging and dosimetric errors in 4D PET/CT-guided radiotherapy from patient-specific respiratory patterns: a dynamic motion phantom end-to-end study. <i>Physics in Medicine and Biology</i> , 2015, 60, 3731-3746.	1.6	9
182	A Method for Assessing Ground-Truth Accuracy of the 5DCT Technique. <i>International Journal of Radiation Oncology Biology Physics</i> , 2015, 93, 925-933.	0.4	16
184	Long-Term Breast Cancer Patient Outcomes After Adjuvant Radiotherapy Using Intensity-Modulated Radiotherapy or Conventional Tangential Radiotherapy. <i>Medicine (United States)</i> , 2016, 95, e3113.	0.4	13
185	Evaluation of target localization accuracy for image-guided radiation therapy by 3D and 4D cone-beam CT in the presence of respiratory motion: a phantom study. <i>Biomedical Physics and Engineering Express</i> , 2016, 2, 025008.	0.6	3
186	Robustness assessment of a novel IMRT planning method for lung radiotherapy. <i>Physica Medica</i> , 2016, 32, 749-757.	0.4	3
187	Evaluation of tracking accuracy of the CyberKnife system using a webcam and printed calibrated grid. <i>Journal of Applied Clinical Medical Physics</i> , 2016, 17, 74-84.	0.8	17
188	Validation of a pretreatment delivery quality assurance method for the CyberKnife Synchrony system. <i>Medical Physics</i> , 2016, 43, 4565-4574.	1.6	5
189	Development of a four-axis moving phantom for patient-specific QA of surrogate signal-based tracking IMRT. <i>Medical Physics</i> , 2016, 43, 6364-6374.	1.6	16
191	Evaluation of the radiobiological gamma index with motion interplay in tangential IMRT breast treatment. <i>Journal of Radiation Research</i> , 2016, 57, 691-701.	0.8	3
193	Is there an ideal set of prospective scan acquisition phases for fast-helical based 4D-CT?. <i>Physics in Medicine and Biology</i> , 2016, 61, N632-N641.	1.6	6

#	ARTICLE	IF	CITATIONS
194	Estimation of internal organ motion-induced variance in radiation dose in non-gated radiotherapy. <i>Physics in Medicine and Biology</i> , 2016, 61, 8157-8179.	1.6	11
195	The Feasibility and Efficiency of Volumetric Modulated Arc Therapy-Based Breath Control Stereotactic Body Radiotherapy for Liver Tumors. <i>Technology in Cancer Research and Treatment</i> , 2016, 15, 674-682.	0.8	1
196	Variation in Lung Tumour Breathing Motion between Planning Four-dimensional Computed Tomography and Stereotactic Ablative Radiotherapy Delivery and its Dosimetric Implications: Any Role for Four-dimensional Set-up Verification?. <i>Clinical Oncology</i> , 2016, 28, 21-27.	0.6	13
197	Three-dimensional versus four-dimensional dose calculation for volumetric modulated arc therapy of hypofractionated treatments. <i>Zeitschrift Fur Medizinische Physik</i> , 2016, 26, 45-53.	0.6	23
198	Experimental verification of 4D Monte Carlo simulations of dose delivery to a moving anatomy. <i>Medical Physics</i> , 2017, 44, 299-310.	1.6	12
199	Correlation of liver and pancreas tumor motion with normal anatomical structures determined with deformable image registration. <i>Biomedical Physics and Engineering Express</i> , 2017, 3, 017001.	0.6	2
200	Geometrical and dosimetric uncertainties in hypofractionated radiotherapy of the lung: A review. <i>Physica Medica</i> , 2017, 36, 126-139.	0.4	47
201	Accuracy of the dose-shift approximation in estimating the delivered dose in SBRT of lung tumors considering setup errors and breathing motions. <i>Acta Oncologica</i> , 2017, 56, 1189-1196.	0.8	8
202	A phase I/II study on stereotactic body radiotherapy with real-time tumor tracking using CyberKnife based on the Monte Carlo algorithm for lung tumors. <i>International Journal of Clinical Oncology</i> , 2017, 22, 706-714.	1.0	13
203	Gating window dependency on scanned carbon-ion beam dose distribution and imaging dose for thoracoabdominal treatment. <i>British Journal of Radiology</i> , 2017, 90, 20160936.	1.0	3
204	Real-time auto-adaptive margin generation for MLC-tracked radiotherapy. <i>Physics in Medicine and Biology</i> , 2017, 62, 186-201.	1.6	9
205	Treating lung cancer with dynamic conformal arc therapy: a dosimetric study. <i>Radiation Oncology</i> , 2017, 12, 93.	1.2	5
206	Esophageal wall dose-surface maps do not improve the predictive performance of a multivariable NTCP model for acute esophageal toxicity in advanced stage NSCLC patients treated with intensity-modulated (chemo-)radiotherapy. <i>Physics in Medicine and Biology</i> , 2017, 62, 3668-3681.	1.6	10
207	Dosimetric evaluation near lung and soft tissue interface region during respiratory-gated and non-gated radiotherapy: A moving phantom study. <i>Physica Medica</i> , 2017, 42, 39-46.	0.4	7
208	The influence of plan modulation on the interplay effect in VMAT liver SBRT treatments. <i>Physica Medica</i> , 2017, 40, 115-121.	0.4	26
209	Coverage-based constraints for IMRT optimization. <i>Physics in Medicine and Biology</i> , 2017, 62, N460-N473.	1.6	9
210	Investigating the minimum scan parameters required to generate free-breathing motion artefact-free fast-helical CT. <i>British Journal of Radiology</i> , 2018, 91, 20170597.	1.0	3
211	Efficiency of analytical and sampling-based uncertainty propagation in intensity-modulated proton therapy. <i>Physics in Medicine and Biology</i> , 2017, 62, 5790-5807.	1.6	12

#	ARTICLE	IF	CITATIONS
212	A robust measurement point for dose verification in delivery quality assurance for a robotic radiosurgery system. <i>Journal of Radiation Research</i> , 2017, 58, 378-385.	0.8	11
213	Effectiveness of a simple and real-time baseline shift monitoring system during stereotactic body radiation therapy of lung tumors. <i>Physica Medica</i> , 2017, 43, 100-106.	0.4	3
214	Development of an Advanced Deformable Phantom to Analyze Dose Differences due to Respiratory Motion. <i>Progress in Medical Physics</i> , 2017, 28, 1.	0.4	4
215	Motion induced interplay effects for VMAT radiotherapy. <i>Physics in Medicine and Biology</i> , 2018, 63, 085012.	1.6	45
216	Credentialing of radiotherapy centres in Australasia for TROG 09.02 (Chisel), a Phase III clinical trial on stereotactic ablative body radiotherapy of early stage lung cancer. <i>British Journal of Radiology</i> , 2018, 91, 20170737.	1.0	16
217	Analytical incorporation of fractionation effects in probabilistic treatment planning for intensity-modulated proton therapy. <i>Medical Physics</i> , 2018, 45, 1317-1328.	1.6	8
218	Dosimetric and clinical effects of interfraction and intrafraction correlation errors during marker-based real-time tumor tracking for liver SBRT. <i>Journal of Radiation Research</i> , 2018, 59, 164-172.	0.8	1
219	The effects of radiotherapy on the survival of patients with unresectable non-small cell lung cancer. <i>Expert Review of Anticancer Therapy</i> , 2018, 18, 593-602.	1.1	18
220	The development of a 4D treatment planning methodology to simulate the tracking of central lung tumors in an MRI-CT linac. <i>Journal of Applied Clinical Medical Physics</i> , 2018, 19, 145-155.	0.8	11
221	Advanced radiation techniques for locally advanced non-small cell lung cancer: intensity-modulated radiation therapy and proton therapy. <i>Journal of Thoracic Disease</i> , 2018, 10, S2474-S2491.	0.6	24
222	Evaluation of Dynamic Tumor-tracking Intensity-modulated Radiotherapy for Locally Advanced Pancreatic Cancer. <i>Scientific Reports</i> , 2018, 8, 17096.	1.6	14
223	Evaluation of delivered dose to a moving target by 4D dose reconstruction in gated volumetric modulated arc therapy. <i>PLoS ONE</i> , 2018, 13, e0202765.	1.1	4
224	IMRT dose verification considering passing rate and respiratory motion. <i>Oncology Letters</i> , 2018, 16, 963-969.	0.8	0
225	Development of a deformable phantom for experimental verification of 4D Monte Carlo simulations in a deforming anatomy. <i>Physica Medica</i> , 2018, 51, 81-90.	0.4	10
226	Evaluation of the accuracy of the CyberKnife Synchrony [®] Respiratory Tracking System using a plastic scintillator. <i>Medical Physics</i> , 2018, 45, 3506-3515.	1.6	22
227	4D dosimetry and motion management in clinical radiotherapy. <i>Journal of Physics: Conference Series</i> , 2019, 1305, 012049.	0.3	1
228	4D Monte Carlo dose calculations for pre-treatment quality assurance of VMAT SBRT: a phantom-based feasibility study. <i>Physics in Medicine and Biology</i> , 2019, 64, 21NT01.	1.6	1
229	Accounting for respiratory motion in small serial structures during radiotherapy planning: proof of concept in virtual bronchoscopy-guided lung functional avoidance radiotherapy. <i>Physics in Medicine and Biology</i> , 2019, 64, 225011.	1.6	3

#	ARTICLE	IF	CITATIONS
230	A novel concept to include uncertainties in the evaluation of stereotactic body radiation therapy after 4D dose accumulation using deformable image registration. <i>Medical Physics</i> , 2019, 46, 4346-4355.	1.6	9
231	Comparison of planned dose on different CT image sets to four-dimensional Monte Carlo dose recalculation using the patient's actual breathing trace for lung stereotactic body radiation therapy. <i>Medical Physics</i> , 2019, 46, 3268-3277.	1.6	9
232	Dosimetric impact of esophagus motion in single fraction spine stereotactic body radiotherapy. <i>Physics in Medicine and Biology</i> , 2019, 64, 115010.	1.6	4
233	Robustness Analysis for External Beam Radiation Therapy Treatment Plans: Describing Uncertainty Scenarios and Reporting Their Dosimetric Consequences. <i>Practical Radiation Oncology</i> , 2019, 9, 200-207.	1.1	36
234	Breathing-motion induced interplay effects for stereotactic body radiotherapy of liver tumours using flattening-filter free volumetric modulated arc therapy. <i>Physics in Medicine and Biology</i> , 2019, 64, 025006.	1.6	11
235	Adopting Advanced Radiotherapy Techniques in the Treatment of Paediatric Extracranial Malignancies: Challenges and Future Directions. <i>Clinical Oncology</i> , 2019, 31, 50-57.	0.6	2
236	Biomechanical quality assurance criteria for deformable image registration algorithms used in radiotherapy guidance. <i>Physics in Medicine and Biology</i> , 2020, 65, 015006.	1.6	7
237	Inverse optimization for the recovery of constraint parameters. <i>European Journal of Operational Research</i> , 2020, 282, 415-427.	3.5	22
238	Proton beam therapy for tumors of the upper abdomen. <i>British Journal of Radiology</i> , 2020, 93, 20190226.	1.0	5
239	Treatment planning for non-small cell lung tumours: VMAT versus 3DCRT a quantitative dosimetric study. <i>Journal of Radiotherapy in Practice</i> , 2020, 19, 327-332.	0.2	0
240	The influence of respiratory motion on dose distribution in accelerated partial breast irradiation using volumetric modulated arc therapy. <i>Physica Medica</i> , 2020, 80, 23-33.	0.4	2
241	A study of the interplay effect for VMAT SBRT using a four-axes motion phantom. <i>Journal of Applied Clinical Medical Physics</i> , 2020, 21, 208-215.	0.8	9
242	Dose deviations induced by respiratory motion for radiotherapy of lung tumors: Impact of CT reconstruction, plan complexity, and fraction size. <i>Journal of Applied Clinical Medical Physics</i> , 2020, 21, 68-79.	0.8	11
243	Wedge field using the half-field method with a flattening filter-free photon beam. <i>Radiological Physics and Technology</i> , 2020, 13, 201-209.	1.0	0
244	Robust Optimization of SBRT Planning for Patients With Early Stage Non-Small Cell Lung Cancer. <i>Technology in Cancer Research and Treatment</i> , 2020, 19, 153303382091650.	0.8	1
245	Mid-position treatment strategy for locally advanced lung cancer: a dosimetric study. <i>British Journal of Radiology</i> , 2020, 93, 20190692.	1.0	5
246	Technical Note: Cumulative dose modeling for organ motion management in MRI-guided radiation therapy. <i>Medical Physics</i> , 2021, 48, 597-604.	1.6	3
247	A method using 4D dose accumulation to quantify the interplay effect in lung stereotactic body radiation therapy. <i>Physics in Medicine and Biology</i> , 2021, 66, 035025.	1.6	6

#	ARTICLE	IF	CITATIONS
248	Real-time liver tracking algorithm based on LSTM and SVR networks for use in surface-guided radiation therapy. <i>Radiation Oncology</i> , 2021, 16, 13.	1.2	18
249	Forecasting of the composite dose for organs at risk and solid targets with random movements during different image-guided scenarios of the photon radiation therapy. Solution for the Varian therapeutic line. <i>Reports of Practical Oncology and Radiotherapy</i> , 2021, 26, 489-494.	0.3	0
250	On the reduction of aperture complexity in kidney SABR. <i>Journal of Applied Clinical Medical Physics</i> , 2021, 22, 71-81.	0.8	5
251	Reduction of margin to compensate the respiratory tumor motion by the analysis of dosimetric internal target volume in lung SBRT with nonuniform volume prescription method. <i>Medical Physics</i> , 2021, 48, 3200-3207.	1.6	2
252	3D dosimetric validation of ultrasound-guided radiotherapy with a dynamically deformable abdominal phantom. <i>Physica Medica</i> , 2021, 84, 159-167.	0.4	9
253	A study of the interplay effect in radiation therapy using a Monte-Carlo model. <i>Physica Medica</i> , 2021, 87, 73-82.	0.4	3
254	Technical Note: A 3D-printed phantom for radiochromic film evaluation of moving lung tumor SBRT without dose convolution. <i>Medical Physics</i> , 2021, 48, 3453-3458.	1.6	1
255	On the interplay effect for moving targets treated with the CyberKnife static tracking system. <i>Physica Medica</i> , 2021, 90, 30-39.	0.4	3
256	Tridimensional dose evaluation of the respiratory motion influence on breast radiotherapy treatments using conformal radiotherapy, forward IMRT, and inverse IMRT planning techniques. <i>Physica Medica</i> , 2021, 81, 60-68.	0.4	4
257	4D Treatment Planning. , 2006, , 259-267.		1
258	Computational Motion Phantoms and Statistical Models of Respiratory Motion. <i>Biological and Medical Physics Series</i> , 2013, , 215-247.	0.3	2
259	Accounting for, Mitigating, and Choice of Margins for Moving Tumors. <i>Seminars in Radiation Oncology</i> , 2018, 28, 194-200.	1.0	4
260	The Practicality of ICRU and Considerations for Future ICRU Definitions. <i>Seminars in Radiation Oncology</i> , 2018, 28, 201-206.	1.0	4
261	Stereotactic Ablative Radiotherapy Uncertainties: Delineation, Setup and Motion. <i>Seminars in Radiation Oncology</i> , 2018, 28, 207-217.	1.0	35
262	<i>Physics</i> , 2006, 33, 3874-3900.	1.6	43
263	Robust plan optimization using edge-enhanced intensity for intrafraction organ deformation in prostate intensity-modulated radiation therapy. <i>PLoS ONE</i> , 2017, 12, e0173643.	1.1	5
264	Quality assurance for dynamic tumor tracking using the Vero4DRT system. <i>International Journal of Cancer Therapy and Oncology</i> , 2016, 4, 4112.	0.2	5
265	Image-guided adaptive radiotherapy in patients with locally advanced non-small cell lung cancer: the art of PET. <i>Quarterly Journal of Nuclear Medicine and Molecular Imaging</i> , 2018, 62, 369-384.	0.4	6

#	ARTICLE	IF	CITATIONS
266	Motion management in gastrointestinal cancers. <i>Journal of Gastrointestinal Oncology</i> , 2014, 5, 223-35.	0.6	43
268	The Analysis of Predictive Factors for the Identification of Patients Who Could Benefit from Respiratory-Gated Radiotherapy in Non-Small Cell Lung Cancer. <i>The Journal of the Korean Society for Therapeutic Radiology and Oncology</i> , 2009, 27, 228.	0.1	0
269	Advanced Techniques for Setup Precision and Tracking. <i>Medical Radiology</i> , 2009, , 175-182.	0.0	0
270	Advances in Radiotherapy for Locally Advanced NSCLC. , 2015, , 69-94.		0
271	Stereotactic Radiotherapy by Using CyberKnife System. <i>Radioisotopes</i> , 2018, 67, 31-42.	0.1	0
272	Management of Respiratory-Induced Tumour Motion for Tailoring Target Volumes during Radiation Therapy. <i>Medical Radiology</i> , 2020, , 47-68.	0.0	1
273	Prospective superficial EPR in-vivo dosimetry study during hypofractionated radiotherapy of breast cancer patients treated with helical tomotherapy. <i>Radiation Oncology</i> , 2021, 16, 209.	1.2	0
274	Advances in anthropomorphic thorax phantoms for radiotherapy: a review. <i>Biomedical Physics and Engineering Express</i> , 2021, , .	0.6	4
276	The radiation techniques of tomotherapy & intensity-modulated radiation therapy applied to lung cancer. <i>Translational Lung Cancer Research</i> , 2015, 4, 265-74.	1.3	14
277	Prospective evaluation of target and spinal cord motion and dosimetric changes with respiration in spinal stereotactic body radiation therapy utilizing 4-D CT. <i>Journal of Radiosurgery and SBRT</i> , 2016, 4, 191-201.	0.2	3
278	AAPM Task Group Report 290: Respiratory motion management for particle therapy. <i>Medical Physics</i> , 2022, 49, .	1.6	30
279	Usability and necessity of a novel hybrid radiation therapy technique based on volumetric modulated arc therapy (VMAT) in stage III lung cancer treatment. <i>Radiation Physics and Chemistry</i> , 2022, 195, 110054.	1.4	3
280	Future Developments in Charged Particle Therapy: Improving Beam Delivery for Efficiency and Efficacy. <i>Frontiers in Oncology</i> , 2021, 11, 780025.	1.3	7
283	Effect of plan complexity on the dosimetry, delivery accuracy, and interplay effect in lung VMAT SBRT with 6ÅMV FFF beam. <i>Strahlentherapie Und Onkologie</i> , 2022, 198, 744-751.	1.0	2
284	Using 4D dose accumulation to calculate organâ€¢atâ€¢risk dose deviations from motionâ€¢synchronized liver and lung tomotherapy treatments. <i>Journal of Applied Clinical Medical Physics</i> , 2022, , e13627.	0.8	1
285	Radiotherapy respiratory motion management in hepatobiliary and pancreatic malignancies: a systematic review of patient factors influencing effectiveness of motion reduction with abdominal compression. <i>Acta OncolÃ³gica</i> , 2022, 61, 833-841.	0.8	5
286	Correlation of Optical Surface Respiratory Motion Signal and Internal Lung and Liver Tumor Motion: A Retrospective Single-Center Observational Study. <i>Technology in Cancer Research and Treatment</i> , 2022, 21, 153303382211122.	0.8	3
287	Liver directed stereotactic body radiotherapy can be reliably delivered to selected patients without internal fiducial markers- a case series. <i>Journal of the Chinese Medical Association</i> , 0, Publish Ahead of Print, .	0.6	0

#	ARTICLE	IF	CITATIONS
288	Statistical breathing curve sampling to quantify interplay effects of moving lung tumors in a 4D Monte Carlo dose calculation framework. <i>Physica Medica</i> , 2022, 101, 104-111.	0.4	5
289	ALERTâ€“ERA: an aperture libraryâ€“enabled realâ€“time respiratory motion adaptive framework for 4Dâ€“VMAT. <i>Medical Physics</i> , 0, , .	1.6	0
290	Results from the AAPM Task Group 324 respiratory motion management in radiation oncology survey. <i>Journal of Applied Clinical Medical Physics</i> , 2022, 23, .	0.8	10
291	Dosimetric Evaluation of CyberKnife Synchrony System for Liver Tumors With Respiratory Phase Shifts. <i>In Vivo</i> , 2022, 36, 2861-2868.	0.6	1
292	Detailed dosimetric evaluation of inter-fraction and respiratory motion in lung stereotactic body radiation therapy based on daily 4D cone beam CT images. <i>Physics in Medicine and Biology</i> , 2023, 68, 015005.	1.6	3
293	A dose planning study for cardiac and lung dose sparing techniques in left breast cancer radiotherapy: Can free breathing helical tomotherapy be considered as an alternative for deep inspiration breath hold?. <i>Technical Innovations and Patient Support in Radiation Oncology</i> , 2023, 25, 100201.	0.6	1
294	A stochastic control approach to intrafraction motion management in intensity-modulated radiotherapy. <i>Physics in Medicine and Biology</i> , 2023, 68, 085020.	1.6	0
299	Treatment Planning. , 2023, , 97-109.		0
300	Patient Immobilization, IGRT, Respiratory Motion Management. , 2023, , 69-81.		0
302	Treatment Planning Considerations for an MR-Linac. , 2024, , 123-147.		0