

Incidence, predictors, and clinical significance of troponin elevation following percutaneous coronary intervention

American Journal of Cardiology

93, 750-753

DOI: [10.1016/j.amjcard.2003.11.069](https://doi.org/10.1016/j.amjcard.2003.11.069)

Citation Report

#	ARTICLE	IF	CITATIONS
1	Elevated troponin-I after percutaneous coronary interventions: Incidence and risk factors. <i>Cardiovascular Radiation Medicine</i> , 2004, 5, 59-63.	0.7	10
2	Peri-procedural myocardial injury: 2005 update. <i>European Heart Journal</i> , 2005, 26, 2493-2519.	1.0	286
3	Guidelines for Percutaneous Coronary Interventions. <i>European Heart Journal</i> , 2005, 26, 804-847.	1.0	1,408
5	<i>Cardiovascular Biomarkers</i> . , 2006, , .		5
6	Isolated Elevation in Troponin T After Percutaneous Coronary Intervention Is Associated With Higher Long-Term Mortality. <i>Journal of the American College of Cardiology</i> , 2006, 48, 1765-1770.	1.2	164
7	The Relationship of Body Mass Index to Outcomes after Percutaneous Coronary Intervention. <i>Journal of Interventional Cardiology</i> , 2006, 19, 388-395.	0.5	18
8	Effects of metoprolol therapy on cardiac troponin-I levels after elective percutaneous coronary interventions. <i>European Heart Journal</i> , 2006, 27, 547-552.	1.0	9
9	Pretreatment with intracoronary adenosine reduces the incidence of myonecrosis after non-urgent percutaneous coronary intervention: a prospective randomized study. <i>European Heart Journal</i> , 2006, 28, 19-25.	1.0	47
10	Randomized Study on Simple Versus Complex Stenting of Coronary Artery Bifurcation Lesions. <i>Circulation</i> , 2006, 114, 1955-1961.	1.6	666
11	Predictors and Prognostic Significance of Troponin-I Release following Elective Coronary Angioplasty. <i>Journal of International Medical Research</i> , 2006, 34, 612-623.	0.4	8
12	A giant congenital left ventricular diverticulum simulating an aneurysm. <i>European Heart Journal</i> , 2007, 28, 25-25.	1.0	14
13	A study comparing the incidence and predictors of creatine kinase MB and troponin T release after coronary angioplasty. Does Clopidogrel preloading reduce myocardial necrosis following elective percutaneous coronary intervention?. <i>International Journal of Cardiology</i> , 2007, 116, 93-97.	0.8	7
14	Prognostic importance of troponin T and creatine kinase after elective angioplasty. <i>International Journal of Cardiology</i> , 2007, 120, 242-247.	0.8	20
15	Troponin T elevation and prognosis after multivessel compared with single-vessel elective percutaneous coronary intervention. <i>Netherlands Heart Journal</i> , 2007, 15, 178-183.	0.3	6
16	Prognostic value of troponin after elective percutaneous coronary intervention: A meta-analysis. <i>Catheterization and Cardiovascular Interventions</i> , 2008, 71, 318-324.	0.7	150
17	Glycoprotein IIb/IIIa Receptor Inhibitors in 2008: Do They Still Have a Role?. <i>Journal of Interventional Cardiology</i> , 2008, 21, 118-121.	0.5	9
18	Significance of Periprocedural Myonecrosis on Outcomes After Percutaneous Coronary Intervention. <i>Circulation: Cardiovascular Interventions</i> , 2008, 1, 10-19.	1.4	165
19	The correlation between lipid volume in the target lesion, measured by integrated backscatter intravascular ultrasound, and post-procedural myocardial infarction in patients with elective stent implantation. <i>European Heart Journal</i> , 2008, 29, 1714-1720.	1.0	80

#	ARTICLE	IF	CITATIONS
20	Elevated Troponin I after Implantation of Drug-Eluting Stents: Incidence, Predictors, and Prognostic Value. <i>Korean Circulation Journal</i> , 2008, 38, 12.	0.7	0
21	Myocardial infarction after percutaneous coronary intervention: a meta-analysis of troponin elevation applying the new universal definition. <i>QJM - Monthly Journal of the Association of Physicians</i> , 2009, 102, 369-378.	0.2	151
22	Prognostic Significance of Small Troponin I Rise After a Successful Elective Percutaneous Coronary Intervention of a Native Artery. <i>American Journal of Cardiology</i> , 2009, 103, 639-645.	0.7	36
23	Relation of Troponin I Levels Following Nonemergent Percutaneous Coronary Intervention to Short- and Long-Term Outcomes. <i>American Journal of Cardiology</i> , 2009, 104, 1210-1215.	0.7	57
24	Intracoronary Electrocardiogram Recording With a Bare-Wire System. <i>JACC: Cardiovascular Interventions</i> , 2009, 2, 127-135.	1.1	23
25	Abbreviated Infusion of Eptifibatid After Successful Coronary Intervention. <i>Journal of the American College of Cardiology</i> , 2009, 53, 837-845.	1.2	62
26	Prognostic implications of C-reactive protein and troponin following percutaneous coronary intervention. <i>Canadian Journal of Cardiology</i> , 2009, 25, e42-e47.	0.8	19
27	Frequency, Risk Factors, and Effect on Long-Term Survival of Increased Troponin I Following Uncomplicated Elective Percutaneous Coronary Intervention. <i>Clinical Cardiology</i> , 2010, 33, E40-4.	0.7	15
28	Prognostic Value of Isolated Troponin I Elevation After Percutaneous Coronary Intervention. <i>Circulation: Cardiovascular Interventions</i> , 2010, 3, 431-435.	1.4	65
29	Periprocedural Myocardial Infarction. <i>Circulation: Cardiovascular Interventions</i> , 2010, 3, 602-610.	1.4	139
30	The Association Between Plaque Characterization by CT Angiography and Post-Procedural Myocardial Infarction in Patients With Elective Stent Implantation. <i>JACC: Cardiovascular Imaging</i> , 2010, 3, 19-28.	2.3	61
31	Troponin I and Creatine Kinase MB do not provide comparable information after PCI. <i>Scandinavian Cardiovascular Journal</i> , 2011, 45, 21-26.	0.4	1
32	Myocardial Infarction Due to Percutaneous Coronary Intervention. <i>New England Journal of Medicine</i> , 2011, 364, 453-464.	13.9	209
33	Risks and Complications of Coronary Angiography: A Comprehensive Review. <i>Global Journal of Health Science</i> , 2011, 4, 65-93.	0.1	183
34	Prognostic value of cardiac troponin-I or troponin-T elevation following nonemergent percutaneous coronary intervention: A meta-analysis. <i>Catheterization and Cardiovascular Interventions</i> , 2011, 77, 1020-1030.	0.7	94
35	Troponin Criteria for Myocardial Infarction After Percutaneous Coronary Intervention. <i>Archives of Internal Medicine</i> , 2012, 172, 502.	4.3	98
36	Soluble fms-like tyrosine kinase-1 (sFLT-1) predicts post-percutaneous coronary intervention (PCI) myocardial infarction (MI type 4a). <i>Biomarkers</i> , 2012, 17, 730-737.	0.9	4
37	Isolated troponin increase after percutaneous coronary interventions: Does it have prognostic relevance?. <i>Atherosclerosis</i> , 2012, 221, 297-302.	0.4	23

#	ARTICLE	IF	CITATIONS
38	Different cardiac biomarkers to detect peri-procedural myocardial infarction in contemporary coronary stent trials: impact on outcome reporting. <i>Heart</i> , 2012, 98, 1424-1430.	1.2	27
39	Risk Factors and Effects on Long-Term Outcomes of Cardiac Troponin I Elevation After Drug-Eluting Stent Implantation in Patients With Stable Coronary Artery Disease. <i>American Journal of Cardiology</i> , 2012, 109, 461-465.	0.7	3
40	Consideration of a New Definition of Clinically Relevant Myocardial Infarction After Coronary Revascularization. <i>Journal of the American College of Cardiology</i> , 2013, 62, 1563-1570.	1.2	506
41	Percutaneous Coronary Intervention Versus Optimal Medical Therapy for Prevention of Spontaneous Myocardial Infarction in Subjects With Stable Ischemic Heart Disease. <i>Circulation</i> , 2013, 127, 769-781.	1.6	83
42	Cardiac Troponin After Percutaneous Coronary Intervention and 1-Year Mortality in Non-ST-Segment Elevation Acute Coronary Syndrome Using a Systematic Evaluation of Biomarker Trends. <i>Journal of the American College of Cardiology</i> , 2013, 62, 242-251.	1.2	39
43	Impact of intravascular ultrasound guidance in routine percutaneous coronary intervention for conventional lesions: data from the EXCELLENT trial. <i>International Journal of Cardiology</i> , 2013, 167, 721-726.	0.8	44
44	The prognosis of periprocedural myocardial infarction after percutaneous coronary interventions. <i>Cardiovascular Revascularization Medicine</i> , 2013, 14, 32-36.	0.3	17
45	Is periprocedural CK-MB a better indicator of prognosis after emergency and elective percutaneous coronary intervention compared with post-procedural cardiac troponins?: Table 1.: <i>Interactive Cardiovascular and Thoracic Surgery</i> , 2013, 17, 867-871.	0.5	10
46	Defining the Optimal Cardiac Troponin T Threshold for Predicting Death Caused by Periprocedural Myocardial Infarction After Percutaneous Coronary Intervention. <i>Circulation: Cardiovascular Interventions</i> , 2014, 7, 533-542.	1.4	14
47	Consideration of a new definition of clinically relevant myocardial infarction after coronary revascularization: An expert consensus document from the society for cardiovascular angiography and interventions (SCAI). <i>Catheterization and Cardiovascular Interventions</i> , 2014, 83, 27-36.	0.7	62
48	Periprocedural myocardial infarction is associated with increased mortality in patients with coronary artery bifurcation lesions after implantation of a drug-eluting stent. <i>Catheterization and Cardiovascular Interventions</i> , 2015, 85, 696-705.	0.7	14
49	The prognostic role of troponin I elevation after elective percutaneous coronary intervention. <i>Journal of Cardiovascular Medicine</i> , 2015, 16, 149-155.	0.6	8
50	Remote Ischemic Conditioning in Elective PCI?. <i>Journal of Cardiovascular Pharmacology and Therapeutics</i> , 2017, 22, 310-315.	1.0	8
51	Type 4a myocardial infarction: Incidence, risk factors, and long-term outcomes. <i>Catheterization and Cardiovascular Interventions</i> , 2017, 89, 849-856.	0.7	23
52	Heart-type fatty acid-binding protein (H-FABP) and highly sensitive troponin T (hsTnT) as markers of myocardial injury and cardiovascular events in elective percutaneous coronary intervention (PCI). <i>QJM - Monthly Journal of the Association of Physicians</i> , 2018, 111, 33-38.	0.2	2
53	Routine Revascularization Versus Initial Medical Therapy for Stable Ischemic Heart Disease. <i>Circulation</i> , 2020, 142, 841-857.	1.6	118
54	Prognostic Value of High Sensitive Troponin T in Patients with Chronic Ischemic Heart Disease Undergoing Percutaneous Coronary Intervention. <i>Cor Et Vasa</i> , 2021, 63, 32-39.	0.1	0
55	Periprocedural elevated myocardial biomarkers and clinical outcomes following elective percutaneous coronary intervention: a comprehensive dose-response meta-analysis of 44,972 patients from 24 prospective studies. <i>EuroIntervention</i> , 2020, 15, 1444-1450.	1.4	20

#	ARTICLE	IF	CITATIONS
56	Subtle myocardial damage associated with diagnostic coronary angiography alone. EuroIntervention, 2010, 6, 388-393.	1.4	2
57	Myocardial ischemia is a key factor in the management of stable coronary artery disease. World Journal of Cardiology, 2014, 6, 130.	0.5	22
58	Cardiac Troponin After Revascularization Procedures. , 2006, , 103-118.		0
59	Study on the effect of intracoronary Adenosine on the incidence of myonecrosis after elective percutaneous coronary intervention. University Heart Journal, 2009, 4, 19-23.	0.0	0
62	PERIPROCEDURAL MYOCARDIAL DAMAGE. Cardiovascular Therapy and Prevention (Russian Federation), 2013, 12, 95-101.	0.4	0
63	Diagnostic and prognostic value of minor elevated cardiac troponin levels for percutaneous coronary intervention-related myocardial injury: a prospective, single-center and double-blind study. Journal of Biomedical Research, 2014, 28, 98-107.	0.7	5
64	Clinical and diagnostic significance of biochemical markers of myocardial lesions after planned coronary surgery. Klinicheskaia Meditsina, 2017, 95, 700-704.	0.2	0